SCRIPT-CONTROLLED ACL – RESTRICT RECORD ACCESS BASED ON FIELD VALUE

PHASE 8: PROJECT DEMONSTRATION PHASE

The Project Demonstration Phase focused on presenting the completed Script-Controlled ACL implementation and its working functionality. The configured ACL rules, access conditions, and script logic were demonstrated to show how record access is controlled. The final demonstration confirmed that the implemented access-control mechanism works according to the defined requirements.

The demonstration presents the finished work to an audience. It shows the reader, live and in a few minutes, that the requirement stated at the beginning has been met.

8.1 Demonstrating the ACL Configuration

The completed ACL configuration was demonstrated in ServiceNow. The configured table, access settings, conditions, and script logic were shown as part of the implementation.

The demonstration begins by opening the Access Control record and going through it from top to bottom: the type and operation, the Institution Details table, the required role, the data condition Branch is EEE and, finally, the script. Explaining each part in this order helps the audience follow the decision the ACL makes.

8.2 Demonstrating Access Control


The access-control functionality was demonstrated by checking how users are allowed or restricted from accessing records. This helped verify that the ACL rules work according to the defined conditions.


The same table is then opened by different users, or by impersonating them. The administrator sees all records, the branch user sees only the EEE record, and a user without the role sees nothing. Switching between users shows in a direct way that the restriction follows the user and not the page or the list that is opened.

8.3 Showing the Final Result

The final result of the ACL implementation was demonstrated using the completed testing output. The result showed that record access was successfully controlled based on the configured logic.

The final result is the outcome of the tests: the list that contains only the permitted record, and the empty list where access is not allowed. It shows that the script-controlled ACL has achieved its aim of improving data security, privacy and controlled access for the Institution Details table. In the future the same approach can be extended to other branches by adding one role per branch and adjusting the script.





DEMO LINK

https://drive.google.com/drive/quota