Exercise 24: More Practice

You are getting to the end of this section. You should have enough Python "under your fingers" to move on to learning about how programming really works, but you should do some more practice. This exercise is longer and all about building up stamina. The next exercise will be similar. Do them, get them exactly right, and do your checks.

```
print "Let's practice everything."
   print 'You\'d need to know \'bout escapes with \\ that do
 1
   \n newlines and \t tabs.'
 2
  poem = """
 3
   \tThe lovely world
   with logic so firmly planted
   cannot discern \n the needs of love
   nor comprehend passion from intuition
   and requires an explanation
 9
   \n\t\twhere there is none.
10
11
12
   print "----"
13
   print poem
14
   print "----"
15
16
17
   five = 10 - 2 + 3 - 6
18
   print "This should be five: %s" % five
19
20
   def secret formula(started):
21
       jelly_beans = started * 500
22
       jars = jelly beans / 1000
23
       crates = jars / 100
24
       return jelly beans, jars, crates
25
26
27
   start point = 10000
28
   beans, jars, crates = secret formula(start point)
29
30
   print "With a starting point of: %d" % start point
31
   print "We'd have %d beans, %d jars, and %d crates." %
32
    (beans, jars, crates)
33
34
```

```
35  start_point = start_point / 10
36
37  print "We can also do that this way:"
    print "We'd have %d beans, %d jars, and %d crates." %
    secret_formula(start_point)
```

What You Should See

```
$ python ex24.py
Let's practice everything.
You'd need to know 'bout escapes with \ that do
newlines and tabs.
       The lovely world
with logic so firmly planted
cannot discern
 the needs of love
nor comprehend passion from intuition
and requires an explanation
              where there is none.
This should be five: 5
With a starting point of: 10000
We'd have 5000000 beans, 5000 jars, and 50 crates.
We can also do that this way:
We'd have 500000 beans, 500 jars, and 5 crates.
```

Study Drills

 Make sure to do your checks: read it backward, read it out loud, and put comments above confusing parts. 2. Break the file on purpose, then run it to see what kinds of errors you get. Make sure you can fix it.

Common Student Questions

How come you call the variable jelly beans but the name beans later?

That's part of how a function works. Remember that inside the function the variable is temporary, and when you return it then it can be assigned to a variable for later. I'm just making a new variable named beans to hold the return value.

What do you mean by reading the code backward?

Start at the last line. Compare that line in your file to the same line in mine. Once it's exactly the same, move up to the next line. Do this until you get to the first line of the file.

Who wrote that poem?

I did. Not all of my poems suck.

Purchase The Videos For \$29.59

For just \$29.59 you can get access to all the videos for Learn Python The Hard Way, **plus** a PDF of the book and no more popups all in this one location. For \$29.59 you get:

- All 52 videos, 1 per exercise, almost 2G of video.
- A PDF of the book.
- Email help from the author.
- See a list of everything you get before you buy.

When you buy the videos they will immediately show up **right here** without any hassles.

Already Paid? Reactivate Your Purchase Right Now! Buying Is Easy
Buying is easy. Just fill out the form below and we'll get started.
Full Name
Email Address
VISA Pay With Credit Card (by Stripe™)
Use your PayPal™ account.
Buy Learn Python The Hard Way, 3rd Edition









Copyright (C) 2010 Zed. A. Shaw