

SE LAB 2

PES1UG24AM215

Raghav G Uddihal

Backlog List:

☐	> Work	Assignee	Reporter	Priority	Status
☐	> HCDTE-1 Courier Request Management	Unassigned	Raghav GU	Medium	To Do
☐	> HCDTE-2 Rider Dispatch and Assignment	Unassigned	Raghav GU	Medium	To Do
☐	> HCDTE-3 Route Optimization and Delivery Execution	Unassigned	Raghav GU	Medium	To Do
☐	> HCDTE-4 Live Tracking and Notifications	Unassigned	Raghav GU	Medium	To Do
☐	> HCDTE-5 Secure Delivery Verification	Unassigned	Raghav GU	Medium	To Do
+ Create 5 of 5					

Courier Request Management:

Create Courier Request

Description

As a sender client, I want to create a courier request by providing pickup and destination details, so that I can arrange for my package to be delivered.

Subtasks

Add subtask

Linked work items

Add linked work item

Add Package Details



✓ Description

As a sender client, I want to provide package details while creating a courier request, so that the delivery rider has the necessary information to handle the package.

Subtasks

Add subtask

Linked work items

Add linked work item

Rider Dispatch and Assignment:

Find Nearest Active Rider



✓ Description

As a sender client, I want the system to identify the nearest active delivery rider within the service radius, so that my courier request can be assigned quickly.


Subtasks

Add subtask

Linked work items

Add linked work item

Send Dispatch Notification



▼ Description

As a delivery rider, I want to receive a dispatch notification containing the pickup location, so that I can accept and proceed to the assigned courier pickup.

Subtasks

Add subtask

Linked work items

Add linked work item

Respond to Delivery Assignment

To Do ▼



✦ Improve Story



▼ Description

As a delivery rider, I want to accept or reject an assigned delivery request, so that I can manage my availability and assigned deliveries.

Subtasks

Add subtask

Linked work items

Add linked work item

Route Optimization and Delivery Execution:

Optimize Delivery Route

To Do ▾

Improve Story

...

+

▾ Description

As a delivery rider, I want to receive an optimized route for my assigned pickup and delivery stops, so that I can complete deliveries efficiently.

Subtasks

Add subtask

Linked work items

Add linked work item

Manage Multi-Stop Deliveries

To Do ▾

Improve Story

...

+

▾ Description

As a delivery rider, I want to view and follow an optimized sequence of multiple delivery stops, so that I can efficiently complete multiple deliveries in one route.

Subtasks

Add subtask

Linked work items

Add linked work item

Update Delivery Progress

To Do ▾



✦ Improve Story



▽ Description

As a delivery rider, I want to update the status of a delivery during pickup and transit, so that the sender client knows the current progress of the package.

Subtasks

Add subtask

Linked work items

Add linked work item

Confluence content ⓘ



Live Tracking and Notifications:

Live Rider GPS Tracking

To Do ▾



✦ Improve Story



▽ Description

As a sender client, I want to view the live location of the delivery rider, so that I can monitor the progress of my package in real time.

Subtasks

Add subtask

 HCDTE-4 /  HCDTE-15

 1  

Receive Delivery Status Notifications

To Do ▾



 Improve Story

...

+

▽ **Description**

As a sender client, I want to receive notifications when my package status changes, so that I stay informed about pickup, transit, and delivery progress.

Subtasks

Add subtask

Linked work items

Add linked work item

Secure Delivery Verification:

Generate Delivery OTP

To Do ▾



 Improve Story

...

+

▽ **Description**

As a system, I want to generate and send a secure One-Time Password (OTP) to the recipient upon rider arrival, so that package delivery authorization can be established

Subtasks

Add subtask

Linked work items

Add linked work item

Verify Delivery OTP

To Do ▾

⚡

✦ Improve Story

...

+

▼ Description

As a delivery rider, I want to input the recipient's OTP into the app upon delivery, so that the package handover can be securely verified and completed

Subtasks


Add subtask

Linked work items

Add linked work item


Sprint 1 Outputs:





Sprint 2 Output:





Sprint Reflection:

Sprint 1 Reflection

- **Focus & Execution:** Focused successfully on foundational infrastructure, establishing core request ingestion schema and nearest-rider assignment logic.
- **Velocity & Flow:** Smooth team rhythm transitioning items from backlog through the initial pipeline, validating that basic payload structures and driver matching algorithms functioned correctly under mock conditions.
- **Outcome:** Clean execution with zero technical blockers, wrapping up the initial set of foundational stories right on schedule.

Sprint 2 Reflection

- **Focus & Execution:** Tackled complex downstream features including multi-stop management, real-time WebSocket GPS telemetry, and secure OTP verification handshakes.
- **Velocity & Flow:** Handled a heavier load of 8 simultaneous stories, successfully synchronizing background geolocation tracking with client-facing UI state updates.
- **Outcome:** Completely closed out all remaining project epics, successfully achieving end-to-end delivery automation from initial request generation to final verified handover.

Group Reflection:

Group Reflection: Alignment of Agile Framework Structuring the hyperlocal courier dispatch and tracking engine across 5 distinct Epics allowed us to cleanly decouple foundational request ingestion and rider dispatch (Epics 1–2) from advanced routing, live GPS tracking, and secure OTP verification (Epics 3–5).

Insights from Estimations and Prioritization Utilizing story point sizing helped expose technical complexity and operational risks early on, cleanly separating high-effort tasks like real-time WebSocket location telemetry and geospatial matching (8-point stories) from straightforward alerts (3-point stories). Prioritizing core dispatch workflows in Sprint 1 ensured that foundational driver-matching infrastructure was locked down before implementing multi-stop routing and verification handshakes.


Lessons Learned Tracking execution metrics through Jira's status overviews and burndown charts proved essential for maintaining steady workflow momentum. Monitoring status distributions and sprint velocity provided clear visibility into project health and ensured seamless transitions from initial request creation through final delivery sign-off.

Burndown Charts:

Sprint 1:



Sprint 2:



Showing Story Points (Correction):

HCDTE-2 / ☒ HCDTE-8

Find Nearest Active Rider

...

+

≡

▼

Description

As a sender client, I want the system to identify the nearest active delivery rider within the service radius, so that my courier request can be assigned quickly.

Subtasks

Add subtask

Linked work items

Add linked work item

Confluence content ⓘ

...

📄 Product requirements

Try template

▼

Activity

Comments

More ▼

≡

≡

RG

Add a comment...

Suggest a reply...

Who is working on this >

Pro tip: press **M** to comment

Done ▼

⚡

➕ Improve Story

▼

Details

Assignee

👤 Unassigned

Assign to me

Reporter

RG Raghav GU

Labels

Add labels

Due date

Add due date

Start date

Add date

Story Points

8

Sprint

Add sprint +1

Priority

🔥 Highest

Parent

🔗

HCDTE-2 Rider Dispatch and Assignment

HCDTE-1 / ☒ HCDTE-6

Create Courier Request

...

+

⇄

▼ Description

As a sender client, I want to create a courier request by providing pickup and destination details, so that I can arrange for my package to be delivered.

Subtasks

Add subtask

Linked work items

Add linked work item

Confluence content

?

Product requirements

Try template

▼ Activity

Comments

More ▼

⇄

⇄

RG

Add a comment...

Suggest a reply...

Who is working on tl >

▼ Details

Assignee

Unassigned

Assign to me

Reporter

RG

Raghav GU

Labels

Add labels

Due date

Add due date

Start date

Add date

Story Points

5

Sprint

Add sprint +1

Priority

⬆

Highest

Parent

HCDTE-1 Courier Request Management

HCDTE-3 / ☒ HCDTE-12

Manage Multi-Stop Deliveries

...

+

≡

▼ Description

As a delivery rider, I want to view and follow an optimized sequence of multiple delivery stops, so that I can efficiently complete multiple deliveries in one route.

Subtasks

Add subtask

Linked work items

Add linked work item

Confluence content ⓘ

...

📄 Product requirements

Try template

▼ Activity

Comments

More ▼

≡+ ≡-

RG

Add a comment...

Suggest a reply...

Who is working on tl >

Pro tip: press **M** to comment

Done ▼

⚡

⬆ Improve Story

▼ Details

Assignee

👤 Unassigned

Assign to me

Reporter

RG Raghav GU

Labels

Add labels

Due date

Add due date

Start date

Add date

Story Points

5

Sprint

Add sprint +1

Priority

🟡 Medium

Parent

🔗 HCDTE-3 Route Optimization and Delivery Executi

Done ⌵ ⚡ ✦ Improve Story

Details

Assignee

 Unassigned

Assign to me

Reporter
RG Raghav GU

Labels

Add labels

Due date

Add due date

Start date
Add date

Story Points

8

Sprint

Add sprint

[Try template](#)

Priority
^ High



Add a comment...

Who is working on tl >

Pro tip: press **M** to comment

Parent

 HCDTE-4 Live Tracking and Notifications

Generate Delivery OTP



Done ▾



⬆ Improve Story

Description

As a system, I want to generate and send a secure One-Time Password (OTP) to the recipient upon rider arrival, so that package delivery authorization can be established

Subtasks

Add subtask

Linked work items

Add linked work item

Confluence content ⓘ



Product requirements

Try template

Activity

Comments

More ▾



RG

Add a comment...

Who is working on this...?

Status update.. >

Pro tip: press **M** to comment

Details

Assignee



Unassigned

[Assign to me](#)

Reporter



Raghav GU

Labels

Add labels

Due date

Add due date

Start date

Add date

Story Points

3

Sprint

Add sprint +1

Priority



High

Parent

[HCDTE-5 Secure Delivery Verification](#)