

DML COMMANDS

Creating a table



Updating the value



Deleting the value

queries.sql

```sql
-- create
CREATE TABLE Student (
  student_usn VARCHAR(20) PRIMARY KEY,
  student_name VARCHAR(20),
  student_age INT,
  student_email VARCHAR(50)
);
INSERT INTO Student VALUES
('1RUA25BCA0085', 'raghavendra.n', 19, 'raghavendrabca25@rvu.edu.in'),
('1RUA25CSE1111', 'pavani', 18, 'pavanikgowda@gmail.com'),
('1RUA25BCA0000', 'chethan', 19, 'chethanht@gmail.com');
SELECT * FROM Student;
DELETE FROM  Student
WHERE student_name = 'Chethan';
SELECT * FROM Student;
```

I/O | AI Agent

STDIN

Input for the program (Optional)

Output:

student_usn	student_name	student_age	student_email
1RUA25BCA0000	chethan	19	chethanht@gmail.com
1RUA25BCA0085	raghavendra.n	19	raghavendrabca25@rvu.edu.in
1RUA25CSE1111	pavani	18	pavanikgowda@gmail.com

student_usn	student_name	student_age	student_email
1RUA25BCA0085	raghavendra.n	19	raghavendrabca25@rvu.edu.in
1RUA25CSE1111	pavani	18	pavanikgowda@gmail.com