
Allocation UI
Ask Gemini
localhost:5173
Relaunch to update
Fast method that assigns jobs one-by-one by priority using the best current feasible technician.
Target: Speed and reasonable local decisions
Hungarian Batch Optimizer
Global batch matching that finds a best one-to-one assignment for the current batch.
Target: Global batch matching quality
Min-Cost Flow Scheduler
Network-flow based assignment that minimizes assignment cost over feasible request-technician edges.
Target: Structured cost minimization over a flow network
Mixed Integer Linear Programming
Mathematical optimization model with binary assignment decisions and explicit constraints.
Target: Exact/near-exact optimization under constraints
Agent Chat
Choose a mode: chat interface (agent-driven) or manual controls.
Use chat interface mode
Chat mode active: manual run controls are disabled.
gpt-4o-mini
Session memory: not initialized yet
create 20 workers and 12 jobs
Type a request for the agent...
Send
Manual Controls
Workers
12
Jobs
10
Generate Random Scenario
Run All Methods
Optional single-method run:
Greedy Sequential Assignment
Run Allocation
These controls are disabled when using agent chat mode.
Data Entry Guide


Allocation UI
Ask Gemini
localhost:5173
Relaunch to update
Target: Speed and reasonable local decisions
Hungarian Batch Optimizer
Global batch matching that finds a best one-to-one assignment for the current batch.
Target: Global batch matching quality
Min-Cost Flow Scheduler
Network-flow based assignment that minimizes assignment cost over feasible request-technician edges.
Target: Structured cost minimization over a flow network
Mixed Integer Linear Programming
Mathematical optimization model with binary assignment decisions and explicit constraints.
Target: Exact/near-exact optimization under constraints
Agent Chat
Choose a mode: chat interface (agent-driven) or manual controls.
Use chat interface mode
Chat mode active: manual run controls are disabled.
gpt-4o-mini
Session memory: active (3ec63c30...)
create 20 workers and 12 jobs
- Generated scenario with 20 technicians and 12 jobs.
allocate them using all methods
- Set active method to greedy.
- Ran method greedy.
- Ran all methods and updated comparison.
Type a request for the agent...
Send
Manual Controls
Workers
12
Jobs
10
Generate Random Scenario
Run All Methods
Optional single-method run:
Greedy Sequential Assignment
Run Allocation
These controls are disabled when using agent chat mode.

Allocation UI

localhost:5173

Ask Gemini

Relaunch to update

Method Comparison

Method	Assigned	Unassigned
Greedy Sequential Assignment	6	6
Hungarian Batch Optimizer	7	5
Min-Cost Flow Scheduler	7	5
Mixed Integer Linear Programming	7	5

Assignments by Method

Technician-job pairs for every method that has been run.

Click a row to highlight that assignment on the map.

Greedy Sequential Assignment

Job ID	Worker ID
R003	T003
R007	T008
R010	T001
R006	T015
R001	T015
R012	T002

Hungarian Batch Optimizer

Job ID	Worker ID
R003	T003
R007	T016
R010	T001
R011	T008

Allocation UI

localhost:5173

Ask Gemini

Relaunch to update

Mixed Integer Linear Programming

Job ID	Worker ID
R003	T003
R007	T016
R010	T001
R011	T008
R006	T015
R001	T012
R012	T002

Map View (Technicians, Jobs, Assignments)

This map shows assignments for one method at a time: the currently selected method in the Method Comparison table.

Tip: click a row in Method Comparison or Assignments by Method to change/highlight what is shown here.



Legend: Blue circles = technicians, Red circles = jobs, Colored dashed lines = current selected method assignments.