

2

- **Status**
- </>> Changes
- ► Console Output
- [ Edit Build Information
- Parameters
- (b) Timings
- Pipeline Overview
- Thread Dump
- | Pause/resume
- Pipeline Steps
- ← Previous Build

## Console Output

**⊎** Download

Сору

View as plain text

```
Dashboard CD_nodejs_app #17

Started by GitHub push by raghumn1999
[Pipeline] Start of Pipeline
[Pipeline] node

Running on Jenkins in /var/jenkins_home/workspace/CD_nodejs_app
[Pipeline] {
[Pipeline] ws
```

```
Running in /var/jenkins home/nodejs-app
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Pulling docker image from my registry)
[Pipeline] script
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
$ docker login -u raghumn -p ******* https://index.docker.io/v1/
WARNING! Using --password via the CLI is insecure. Use --password-stdin.
WARNING! Your credentials are stored unencrypted in
'/var/jenkins home/nodejs-app@tmp/e8448a05-95d0-4c01-902c-
dbe247bed339/config.json'.
Configure a credential helper to remove this warning. See
https://docs.docker.com/go/credential-store/
Login Succeeded
[Pipeline] {
[Pipeline] }
[Pipeline] // withDockerRegistry
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Updating the container)
[Pipeline] sh
+ echo Deploying Docker image with tag: 40
Deploying Docker image with tag: 40
+ docker stop nodejsapp
nodejsapp
+ docker rm nodejsapp
nodejsapp
+ docker run -d --name nodejsapp -p 8080:3000 raghumn/nodejsapp:40
7034a20d2d38c132263485143763dcba390b5708c42b0f7392cdd19b1c3f1325
[Pipeline] }
[Pipeline] // stage
```

```
[Pipeline] }
[Pipeline] // ws
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```