

Research Paper Title:

PT-AML: Machine learning framework to identified personalized treatments for acute myeloid leukemia

Journal: *TBD*

Authors: Raghvendra Mall^{1#}, Siddhi Jani², ...

Keywords: []

SC: Deep Learning; Machine Learning; AML; Drug Sensitivity; Precision Medicine; Mutations; Cell State; Mechanism of Action

Abstract: [Checklist: Statements are factually accurate; provides a concise summary that is interesting and attracts attention; provides key background, purpose of article, and key findings from the study]

ABSTRACT EXAMPLE:

First line: State the topic; should be related to the title

Resistance to cell death is a leading hallmark of cancer. Therapies aimed at activating cell death are therefore of high interest to improve treatment and understanding the induction of cell death during cancers is a key strategy to identify therapies.

Second and third sentences: Expand on the critical background information relating to the topic, including why it is a relevant

Fourth sentence and beyond: These sentences should mirror the subsections from your results outline

.

Last sentence: These results demonstrate...

SC:

Research Article Outline:

PT-AML: Machine learning framework to identified personalize treatments for acute myeloid leukemia

[Checklist: Statements are factually accurate, key references from Kanneganti lab and Others ref lists are included]

1. **Introduction** **[Checklist:** limit to 3 paragraphs; describe the key concepts; provide relevant background information in the context of our lab's interests; attract the readers attention and inform about the purpose of the article and what you aim to achieve]

SC:

2.

3.

4.

5.

6. Discussion

Figures

[Checklist: concise title and legend; include labels and enough detail to be understood without the text; fonts and colors follow lab template, and the formatting is correct; no image duplications]

Figure Checklist

First authors and coauthors are responsible for ensuring that: 1) data are reproducible and there are no image duplications; 2) data have been independently verified by 2 people other than the first author (provide their names here).

See the example figure on the next page for clarifications. Please carefully check each item and sign off on the completion of this checklist before bringing figures to Thiru or Rebecca. Finalized figures must be approved by Thiru before you begin writing the manuscript.

Many of these points also apply for review figures. Particularly, for review figure color scheme ideas, refer to the colors used in this poster from InvivoGen:

https://www.invivogen.com/sites/default/files/invivogen/resources/documents/2016-poster_tlr-nlr-invivogen_0.pdf

¹ Figure # is at the bottom right of each figure in Arial font, size 14, bold (ex: **Figure 1**)

² Figure title is at the top of the page in Arial font, size 11, bold (ex: **Figure title**)

³ Figure panels are denoted by bold, uppercase letters in Arial font, size 14 (ex: **A**)

⁴ All text within the figure panels is in Arial font, size 11, not bold (ex: Media)

⁵ Western blot images include labels for the lanes along the top of the image; other labels are also at the top

⁶ Lane and border thickness are set to 1 pt with dotted lines on western blots set to 0.5 pt

⁷ No shadows or shadow lines are present

⁸ Terminology and labeling are used consistently throughout all figures (ex: *Casp1^{fl/fl}*)

⁹ Colors should be consistent throughout all figures (wild type, black; knock-out, red)

¹⁰ Red and green are not included on the same graph (due to red-green colorblindness)

¹¹ All microscopy images include the scale bar, which is defined in the figure legend

¹² Arrows can be used in microscopy images to callout cell death or other noteworthy staining; these arrows should be triangles (ex: )

¹³ All blots and gels have molecular weights (or base pair size for DNA/RNA) for all proteins or DNA/RNA species indicated

¹⁴ All blots must have an accompanying raw blot file (see example in Figure 2)

¹⁵ **There are no image duplications** (no duplicated blots, microscopy images, etc.) and data are reproducible and have been validated by 2 additional people as listed above


I confirm that my figures meet the above criteria, along with any other journal-specific criteria.

Name

Date

PT-AML: Machine learning framework to identified personalized treatments for acute myeloid leukemia

Graphical Abstract






Figure 1




Figure 1





Figure 2






Figure 3






Figure 3





Figure 4









Figure 5



Supplementary Figure 1





Supplementary Figure 3

Methods	Features Used	CV (MAE)	Test (MAE)	CV (RMSE)	Test (RMSE)	CV (r2)	Test (r2)	CV Pearson (r)	Test Pearson (r)	CV Spearman (r)	Test Spearman (r)
Ridge Regressor	LS + Cell Line	30.224 +/- 1.972	44.859	40.342 +/- 2.906	60.005	0.555 +/- 0.052	0.281	0.744 +/- 0.034	0.53	0.742 +/- 0.032	0.556
Ridge Regressor	MFP + Cell Line	29.925 +/- 1.917	43.476	40.103 +/- 2.891	57.257	0.559 +/- 0.052	0.336	0.747 +/- 0.034	0.579	0.745 +/- 0.033	0.578
Linear SVR	LS + Cell Line	30.125 +/- 1.955	44.968	40.249 +/- 2.898	60.366	0.556 +/- 0.051	0.278	0.745 +/- 0.034	0.527	0.743 +/- 0.032	0.557
Linear SVR	MFP + Cell Line	29.934 +/- 1.922	43.894	40.088 +/- 2.894	57.731	0.559 +/- 0.052	0.328	0.747 +/- 0.034	0.572	0.745 +/- 0.033	0.571
RF	LS + Cell Line	21.824 +/- 0.973	39.626	29.865 +/- 1.514	52.277	0.787 +/- 0.021	0.442	0.887 +/- 0.012	0.665	0.886 +/- 0.009	0.656
RF	MFP + Cell Line	20.749 +/- 1.221	40.156	28.287 +/- 1.834	52.528	0.817 +/- 0.021	0.437	0.904 +/- 0.012	0.661	0.9 +/- 0.01	0.649
XGBoost	LS + Cell Line	24.288 +/- 1.212	39.843	31.939 +/- 1.755	52.339	0.728 +/- 0.038	0.432	0.853 +/- 0.022	0.657	0.835 +/- 0.022	0.65
XGBoost	MFP + Cell Line	22.937 +/- 1.009	40.534	30.101 +/- 1.445	52.876	0.782 +/- 0.037	0.43	0.884 +/- 0.21	0.655	0.867 +/- 0.022	0.642
LightGBM	LS + Cell Line	21.02 +/- 1.48	39.044	31.919 +/- 2.432	52.032	0.725 +/- 0.036	0.439	0.851 +/- 0.021	0.663	0.85 +/- 0.017	0.652
LightGBM	MFP + Cell Line	23.232 +/- 1.079	40.071	31.123 +/- 1.651	52.554	0.752 +/- 0.037	0.432	0.867 +/- 0.021	0.657	0.854 +/- 0.021	0.644
Catboost	LS + Cell Line	26.35 +/- 1.559	39.24	37.256 +/- 2.51	52.449	0.623 +/- 0.044	0.436	0.789 +/- 0.028	0.66	0.789 +/- 0.024	0.655
Catboost	MFP + Cell Line	21.529 +/- 1.119	39.497	28.748 +/- 1.63	52.091	0.786 +/- 0.029	0.441	0.887 +/- 0.016	0.664	0.872 +/- 0.016	0.656
DNN	LS + Cell Line	23.511 +/- 1.431	45.151	32.091 +/- 2.1	58.69	0.718 +/- 0.032	0.32	0.847 +/- 0.019	0.565	0.836 +/- 0.018	0.552
DNN	MFP + Cell Line	18.189 +/- 1.05	42.647	25.422 +/- 1.582	56.177	0.824 +/- 0.018	0.356	0.908 +/- 0.01	0.596	0.899 +/- 0.01	0.587
Graph Attention Network + FFNN	SMILES + Cell Line	26.312 +/- 0.370	40.697	37.113 +/- 0.644	54.904	0.643 +/- 0.0069	0.393	0.802 +/- 0.0042	0.627	0.800 +/- 0.0057	0.617
CNN + FFNN	SMILES + Cell Line	26.026 +/- 0.228	40.85	37.031 +/- 0.489	55.6	0.646 +/- 0.0067	0.397	0.803 +/- 0.0043	0.63	0.800 +/- 0.0041	0.627
LSTM + FFNN	SMILES + Cell Line	26.267 +/- 0.420	40.70	36.871 +/- 0.611	55.14	0.645 +/- 0.0076	0.389	0.803 +/- 0.0047	0.624	0.799 +/- 0.0056	0.618

Table 1: Performance comparison of different machine learning models

Features Used	CV (MAE)	Test (MAE)	CV (RMSE)	Test (RMSE)	CV (r2)	Test (r2)	CV (Pearson r)	Test (Pearson r)	CV (Spearman r)	Test (Spearman r)
MFP + AUC	27.458 +/- 1.207	40.465	38.85 +/- 1.856	54.114	0.591 +/- 0.054	0.406	0.768 +/- 0.035	0.637	0.774 +/- 0.028	0.626
MFP + Onco +Var + AUC	20.862 +/- 1.39	39.542	31.731 +/- 2.305	52.46	0.728 +/- 0.037	0.43	0.853 +/- 0.022	0.656	0.852 +/- 0.017	0.642
MFP + Pathways + AUC	19.556 +/- 1.005	40.149	30.409 +/- 1.866	53.287	0.751 +/- 0.03	0.412	0.866 +/- 0.017	0.642	0.867 +/- 0.014	0.628
MFP + Modules + AUC	20.996 +/- 1.183	39.337	31.81 +/- 2.001	52.509	0.728 +/- 0.033	0.429	0.853 +/- 0.019	0.655	0.854 +/- 0.015	0.644
MFP + Mutations + AUC	22.004 +/- 1.185	39.604	32.911 +/- 1.944	52.854	0.709 +/- 0.038	0.429	0.842 +/- 0.022	0.655	0.843 +/- 0.018	0.64
MFP + AUC + Pathways + Modules	25.35 +/- 1.324	39.398	36.136 +/- 2.137	52.482	0.646 +/- 0.044	0.432	0.803 +/- 0.027	0.657	0.804 +/- 0.023	0.647
MFP + AUC + Pathways + Mutations	25.59 +/- 1.377	39.507	36.397 +/- 2.138	52.792	0.641 +/- 0.044	0.431	0.8 +/- 0.027	0.657	0.801 +/- 0.023	0.648
MFP + AUC + Pathways + Onco +Var	24.765 +/- 1.473	39.718	35.574 +/- 2.351	52.744	0.658 +/- 0.042	0.427	0.81 +/- 0.026	0.654	0.81 +/- 0.021	0.643
MFP + AUC + Modules + Mutations	25.858 +/- 1.415	38.94	36.688 +/- 2.168	52.229	0.635 +/- 0.045	0.441	0.796 +/- 0.028	0.664	0.797 +/- 0.023	0.656
MFP + AUC + Modules + Onco + Var	24.768 +/- 1.405	39.517	35.575 +/- 2.239	52.653	0.657 +/- 0.042	0.432	0.81 +/- 0.026	0.657	0.809 +/- 0.021	0.648
MFP + AUC + Mutations + Onco + Var	24.749 +/- 1.477	39.289	35.578 +/- 2.396	52.387	0.657 +/- 0.044	0.437	0.81 +/- 0.027	0.661	0.81 +/- 0.022	0.651
MFP + AUC + Mutations + Modules + Onco + Var	24.743 +/- 1.51	39.177	35.559 +/- 2.445	52.323	0.657 +/- 0.043	0.44	0.81 +/- 0.026	0.664	0.81 +/- 0.021	0.655
MFP + AUC + Mutations + Pathways + Onco + Var	25.675 +/- 1.556	39.803	36.518 +/- 2.458	53.268	0.638 +/- 0.045	0.419	0.798 +/- 0.028	0.647	0.797 +/- 0.023	0.638
MFP + AUC + Modules + Pathways + Onco + Var	24.718 +/- 1.461	39.422	35.531 +/- 2.354	52.581	0.658 +/- 0.046	0.433	0.811 +/- 0.028	0.658	0.81 +/- 0.023	0.648
MFP + AUC + Mutations + Modules + Pathways	27.653 +/- 1.425	39.403	38.459 +/- 2.177	52.601	0.599 +/- 0.48	0.436	0.774 +/- 0.03	0.66	0.775 +/- 0.026	0.652

Supplementary Table 1: Ablation study of different feature sets used for the optimal model construction.

Research Article Checklist should be placed after presentation

Research Article Checklist

First author and coauthors are responsible for ensuring that: 1) all statements are factually accurate; 2) references to seminal publications and Kanneganti lab publications are used consistently and wherever appropriate (refer to the reference lists); 3) the correct mouse source and information is provided.

- ▼ **Title:** informative, concise, and includes keywords
- ▼ **Author List:** all authors are included; names are spelled correctly
- ▼ **Keywords:** searchability; citability
- ▼ **Abstract:** Overall summary (provides key background, purpose, and findings)
 - Statements are factually accurate
 - Concise
 - Followed example
- ▼ **Outline or Full Article:**
 - Introduction: 3 paragraphs; key concepts and background
 - Statements are factually accurate
 - **References** (Key refs from Kanneganti lab and Others ref lists)
 - Discussion: 3 paragraphs; concise summary of info presented; contextualized; highlights any clinical relevance
 - Followed examples
- ▼ **Figures:**
 - Concise title and legend
 - Labels and enough detail to be understood without text
 - Followed lab template (correct formatting, no shadows, no typos)
 - No image duplications

I confirm that I have checked for the above points during my review and provided the necessary feedback to the first author.

Name

Date