

Topological Architectures in Quantitative Finance: A Synthesis of Network Science and Markowitz Portfolio Theory

The architectural framework of modern finance has long been anchored by the principles established in the mid-twentieth century, specifically the mean-variance optimization model introduced by Harry Markowitz. The inception of Modern Portfolio Theory in 1952 transformed the investment landscape by shifting the analytical focus from the idiosyncratic merits of individual assets to the collective behavior of an ensemble.¹ Markowitz mathematically demonstrated that the risk of a portfolio is not a simple summation of its parts but an emergent property dictated by the covariance between constituent assets.² This paradigm served as the bedrock of quantitative asset allocation for seven decades, providing the theoretical justification for diversification as a "free lunch" in which risk could be reduced without a commensurate sacrifice in expected return.² However, the increasing complexity of the global financial system, characterized by high-dimensional data, non-stationary correlations, and the rapid propagation of systemic shocks, has revealed deep structural vulnerabilities in the classical framework.³

The contemporary financial environment demands a transition from the static, linear assumptions of the twentieth century toward a more dynamic, network-centric ontology. In this context, Network Science has emerged as a critical tool for modeling the market as a complex adaptive system.⁵ By representing assets as nodes and their interdependencies as edges, researchers can move beyond the limitations of the tabular covariance matrix to visualize and manipulate the true topology of risk.⁵ This evolution is not a rejection of Markowitz's insights but an enhancement of them, providing the filters and structures necessary to handle the noise and instability inherent in modern datasets.⁸ From the implementation of Minimum Spanning Trees to the recent advancements in Triangulated Maximally Filtered Graphs and LSTM-augmented Vine Copulas, the synthesis of network theory and portfolio optimization offers a robust methodology for constructing resilient portfolios in an era of unprecedented volatility.⁹

The Mathematical Bedrock and the Erosion of Classical Assumptions

The foundational premise of Markowitz's Modern Portfolio Theory is the optimization of a risk-return trade-off. An investor, assumed to be risk-averse, seeks to identify the "efficient frontier"—the set of portfolios providing the maximum possible expected return for a given level of variance.¹ The expected return of a portfolio $E(R_p)$ is defined as:

$$E(R_p) = \sum_{i=1}^n w_i E(R_i)$$

.¹

While this linear combination is straightforward, the calculation of risk, measured through portfolio variance σ_p^2 , introduces the critical element of asset correlation:

$$\sigma_p^2 = \sum_{i=1}^n w_i^2 \sigma_i^2 + \sum_i \sum_{j \neq i} w_i w_j \sigma_i \sigma_j \rho_{ij}$$

.¹

In this framework, the covariance matrix serves as the primary map of asset relationships. The theory suggests that as the number of assets in a portfolio increases, the contribution of individual variances σ_i^2 diminishes, while the importance of the pairwise correlations ρ_{ij} becomes dominant.² This insight led to the widespread adoption of diversification as a risk-mitigation strategy.¹ However, the practical application of this formula relies on several assumptions that are increasingly fragile in practice. MPT assumes that returns follow a normal distribution, that correlations are stationary over time, and that the covariance matrix is both positive-definite and invertible.²

The "Markowitz Curse" refers to the numerical instability that occurs when these assumptions are violated. In high-dimensional settings where the number of assets N is large relative to the number of observations T , the sample covariance matrix becomes a noisy estimator of the true population parameters.³ Small errors in the estimation of correlations are amplified during the matrix inversion process required by quadratic optimizers.³ This instability often results in portfolios that are highly concentrated in a few assets, exhibiting erratic behavior during rebalancing and failing to deliver the promised out-of-sample diversification.¹¹ Furthermore, during periods of market stress, the assumption of stationarity breaks down as correlations tend to converge toward unity, a phenomenon that collapses the efficient frontier and leaves investors exposed to systemic failure.¹

Assumption of Classical MPT	Observed Market Reality	Portfolio Consequence
-----------------------------	-------------------------	-----------------------

Normality of Returns	Fat tails, skewness, and high kurtosis	Underestimation of extreme downside risk ¹
Stationary Correlations	Dynamic, time-varying interdependencies	Diversification failure during crises ³
Positive-Definite Matrix	Singular or near-singular matrices	Numerical instability and optimizer failure ³
Linear Relationships	Complex, non-linear contagion pathways	Missed signals of systemic risk propagation ⁴
Perfect Substitutability	Structural hierarchies (sectors, supply chains)	Ill-advised rebalancing across unrelated groups ³

Information Filtering via Topological Simplification

To address the noise and instability inherent in the covariance matrix, quantitative practitioners have turned to graph-theoretic filtering methods. These techniques aim to extract the "backbone" of the financial system—the most significant and robust relationships—while discarding the spurious correlations that lead to over-optimization.⁹ By treating the correlation matrix as a weighted adjacency matrix for a complete graph, one can apply algorithms that simplify this dense web into a more manageable and meaningful structure.⁵

The Minimum Spanning Tree represents one of the earliest and most effective applications of this philosophy. A tree is a connected graph with no cycles, and an MST is a tree that connects all N nodes in the network with exactly $N - 1$ edges while minimizing the total edge weight.⁷ In the context of finance, the edge weights are typically a dissimilarity measure derived from the correlation coefficient, such as $D(i, j) = \sqrt{2(1 - \rho_{ij})}$.⁷ By selecting only the most vital connections, the MST provides a hierarchical taxonomy of the market that often aligns with industry sectors without requiring any exogenous labels.⁹ Empirical analysis has shown that the assets typically selected by the Markowitz optimizer—those providing the best diversification—are frequently located at the "leaves" or the periphery of the MST, while the central nodes represent hub assets that are more exposed to systemic fluctuations.¹⁷

The limitations of the MST, specifically its inability to represent cycles and its sparse nature, led to the development of more complex filtered graphs. The Planar Maximally Filtered Graph

(PMFG) expands the edge count to $3(N - 2)$ while maintaining the constraint that the graph must be planar—meaning it can be embedded on a sphere without any edges crossing.¹⁹ The PMFG always contains the MST as a subgraph but incorporates additional information about

local clustering and cliques, which are essential for understanding the internal structure of market sectors.¹⁹ This evolution allows for a more nuanced view of the market's hierarchical architecture while still providing a significant reduction in dimensionality compared to the $N(N - 1)/2$ edges of a complete graph.¹⁹

A more recent and computationally superior advancement is the Triangulated Maximally Filtered Graph (TMFG). Unlike the PMFG, which can be difficult to implement for large datasets, the TMFG uses a move-based algorithm that iteratively adds nodes to the centers of existing triangles (cliques) to form tetrahedrons.⁹ This results in a chordal graph that preserves the most relevant correlations while mitigating estimation noise.⁹ By 2026, the development of "Approximate TMFG" (a-TMFG) algorithms has enabled practitioners to apply these filtering techniques to datasets containing millions of observations.²¹ These a-TMFG models utilize Hierarchical Navigable Small World (HNSW) indexing and k-nearest neighbor graphs to bound the search space, allowing for real-time topological analysis of even the most liquid and high-frequency markets.²¹

Hierarchical Risk Parity: The Algorithmic Synthesis

The most direct bridge between network science and portfolio construction is the Hierarchical Risk Parity (HRP) algorithm. Developed as a response to the instabilities of the Critical Line Algorithm (CLA) used in traditional Markowitz optimization, HRP leverages the hierarchical structure of asset returns to allocate capital without requiring the inversion of a covariance matrix.¹¹ This property makes it uniquely robust to the "Markowitz Curse," as it can operate effectively even when the covariance matrix is singular or highly ill-conditioned.¹¹

The HRP process is partitioned into three distinct stages: hierarchical tree clustering, matrix seriation (quasi-diagonalization), and recursive bisection.¹² In the clustering stage, the algorithm employs an agglomerative approach to group assets based on their correlation-distance, typically visualized through a dendrogram.¹² This step reveals the natural groupings within the portfolio—whether they are based on industry, geography, or risk factor—without relying on the arbitrary sector classifications of external institutions.¹² The second stage, quasi-diagonalization, rearranges the rows and columns of the original covariance matrix so that similar investments are placed in adjacent positions.¹² This transformation concentrates the largest covariances along the diagonal, creating a "block-diagonal" structure that makes the network's internal dependencies transparent.¹²

Finally, the recursive bisection stage allocates weights by moving down the hierarchy. At each node in the tree, the algorithm splits the assets into two sub-clusters and assigns capital based on the inverse of their respective variances.¹² This "risk parity" logic ensures that assets only compete for allocation with similar assets within their cluster, rather than every asset in the portfolio competing simultaneously.¹² This structural constraint prevents the extreme concentration often seen in Markowitz portfolios, where the optimizer might allocate 99% of

holdings to only three investments.¹² Research from 2024 to 2026 has shown that HRP delivers a smoother risk-return profile and lower drawdowns compared to traditional MVO, especially in volatile emerging markets such as the unified Latin American NUAM exchange.²²

Allocation Method	Stability Mechanism	Matrix Requirement	Concentration Risk
Mean-Variance (MVO)	Quadratic Optimization	Positive-Definite (Invertible)	High (Extreme weights) ³
Equal Weight (1/N)	Uniform distribution	None	Low (Ignored correlations) ³
Inverse Variance (IVP)	Local Risk Parity	None	Moderate (Ignores clusters) ¹²
Hierarchical Risk Parity	Recursive Bisection	None (Handles singular)	Low (Distributed risk) ¹¹

Centrality Measures and the Periphery Advantage

Beyond providing a structure for allocation, network theory offers diagnostic metrics that quantify the importance and role of individual assets within the system. Centrality measures, borrowed from social network analysis, have proven to be powerful indicators of an asset's contribution to systemic risk.⁶ The most common metrics include degree centrality, which counts the number of direct connections; eigenvector centrality, which assesses a node's connection to other influential nodes; and betweenness centrality, which identifies nodes that serve as bridges between different communities.⁶

A recurring theme in recent research is the "Periphery Alpha"—the empirical observation that portfolios composed of assets with low centrality tend to outperform those composed of central "hub" assets.¹⁷ From a network perspective, hub assets are those that are highly correlated with a broad range of other instruments, making them central to the propagation of market shocks.⁶ During a systemic crisis, these central nodes act as amplifiers of volatility, leading to rapid contagion across the network.⁴ Peripheral assets, by contrast, behave more idiosyncratically and are less exposed to the common factors that drive broad market downturns.¹⁷

Studies analyzing the long-term performance of the Dow Jones Industrial Average (DJIA) found that portfolios constructed from peripheral stocks based on Pearson correlation networks achieved cumulative returns significantly higher than the index itself.¹⁸ This is consistent with the Markowitz principle of diversification, as the peripheral assets are those that offer the lowest

average correlation to the rest of the portfolio.¹⁷ Furthermore, the centrality of assets is dynamic; during market "regime shifts," the network's topology can change abruptly.⁴ Assets that were once peripheral can become central as new risk factors emerge, necessitating a continuous, network-informed approach to portfolio rebalancing.⁴

Advanced Modeling: DCC-GARCH and LSTM-Vine Copulas

As we move into 2026, the state-of-the-art in network-based portfolio construction involves the integration of high-frequency econometrics and deep learning to model the non-stationary and non-linear dependencies of modern markets.⁹ Traditional correlation measures, which provide a static snapshot of relationships, are increasingly being replaced by Dynamic Conditional Correlation (DCC)-GARCH models.⁹ By capturing time-varying spillovers and the intensification of correlations during crises, DCC-GARCH networks allow for a more adaptive risk-management framework.⁹ This framework detects shifts in the network's topology in real-time, enabling managers to distinguish between assets that are "systemically central" and those that remain robustly peripheral even under stress.⁹

The evolution beyond the covariance matrix is further exemplified by the adoption of Vine Copulas. Copula theory allows practitioners to decouple the marginal distributions of individual assets from their joint dependence structure, providing a flexible way to model the "tail risk" and asymmetric dependencies that MPT ignores.²⁸ R-Vine copulas, in particular, use a sequence of bivariate copulas to construct high-dimensional distributions that can capture complex contagion pathways.²⁹ By 2026, these models have been enhanced by the integration of Long Short-Term Memory (LSTM) neural networks.¹⁰ In this unified framework, the LSTM generates prospective volatility signals that serve as state variables, allowing the copula parameters to adjust dynamically to evolving market conditions.¹⁰

This LSTM-augmented approach has shown remarkable efficacy in monitoring the energy-finance nexus, where the transmission of risk between crude oil, renewable energy indices, and traditional financial sectors is often non-linear and asymmetric.¹⁰ Out-of-sample tests have indicated that these hybrid models outperform traditional DCC and rolling copula benchmarks in forecasting tail dependence.¹⁰ For example, the framework revealed that during the geopolitical shocks of the early 2020s, "downside contagion" dominated the network, with risk originating in energy benchmarks rapidly reshaping the transmission hubs of the financial sector.¹⁰

Model Component	Functional Role in 2026 Portfolios	Risk Management Benefit
-----------------	------------------------------------	-------------------------

DCC-GARCH	Captures time-varying volatility/correlation	Adapts to rapid regime shifts ⁹
TMFG Filtering	Denoises high-dimensional matrices	Reduces over-optimization ⁹
R-Vine Copula	Models non-linear tail dependencies	Controls extreme downside risk ²⁹
LSTM Network	Predicts prospective volatility signals	Enhances forward-looking signals ¹⁰
IVAR-GFEVD	Maps shock transmission routes	Identifies contagion hubs ¹⁰

Systemic Risk and the Macroprudential Perspective

The practical implications of network theory extend beyond individual portfolio performance to the broader domain of systemic risk management. Regulators and central banks have increasingly adopted a "complex systems" view of financial markets, recognizing that the architecture of interconnections is a primary driver of stability or fragility.⁴ This perspective moves away from the traditional "siloed" approach of monitoring individual institutions toward a holistic view of the web of lending, counterparty exposure, and liquidity flows.⁶

In this context, network theory provides the metrics necessary to identify institutions that are "too connected to fail".⁶ By running contagion simulations on structural data—such as credit exposures or money market fund holdings—practitioners can quantify the "tipping points" at which a localized failure becomes a systemic collapse.⁴ For instance, during the COVID-19 pandemic, asset co-movement networks provided real-time signals of contagion channels across previously unrelated asset classes, allowing regulators to intervene more precisely.⁶

The concept of "Resilience Through a Systems Lens" emphasizes that a robust financial system is not one without failures, but one where failures are contained within modular clusters.⁴ High modularity—a measure of the strength of community structure within a network—indicates a system where shocks are less likely to spread across the entire architecture.⁶ Conversely, a high-density network where almost every node is connected to every other node (

Density > 0.6) is often a precursor to fragility, as it offers no structural barriers to the propagation of distress.⁶ The application of Graph Neural Networks (GNNs) and Graph Attention Networks (GATs) has further refined this analysis by allowing for the weighting of connections based on their relative importance, providing a more granular map of systemic vulnerability.⁶

The Convergence of ESG and Network Topology

In the 2025-2026 investment landscape, the integration of Environmental, Social, and Governance (ESG) criteria has become a standard component of risk-adjusted allocation. Network theory provides a unique methodology for evaluating the systemic importance of ESG-aligned assets.⁹ Research indicates that "green portfolios"—those integrating sustainability metrics with TMFG-based selection—can yield solid returns while potentially reducing capital requirements for long-term investors like life insurers.⁹

The topological analysis of green bonds and renewable energy stocks reveals that these instruments often occupy specific "communities" within the financial network that are less sensitive to interest rate shocks than traditional corporate debt.²⁹ However, the increased interconnectivity of global energy markets means that ESG portfolios are not immune to "tail spillovers".⁹ The use of tail-risk networks, such as those derived from Conditional Value-at-Risk (CVaR), allows managers to monitor how sustainability-linked shocks propagate through the system.²⁸ By combining ESG scores with centrality-based weighting, practitioners can ensure that their sustainability mandates do not inadvertently lead to a concentration in "topological hubs" that are vulnerable to systemic contagion.⁹

Strategic Rebalancing and the 2026 Market Outlook

The macroeconomic environment of 2026, characterized by the deployment of technology to drive productivity and the persistent threat of inflation shocks, requires a more disciplined and automated approach to portfolio rebalancing.³⁰ Major institutions like J.P. Morgan and BlackRock have highlighted that the "neutral portfolio" is no longer a stable concept in a regime of constant structural shifts.³¹ Instead, they advocate for a "dynamic approach" that incorporates mega-forces like digital disruption and AI as the new anchors for capital market assumptions.³²

In this environment, the "60/40+" portfolio—which supplements traditional global stocks and bonds with a 30% allocation to diversified alternatives—has become the new benchmark for institutional resilience.³¹ Strategic rebalancing in 2026 is moving away from the "concentrated factor tilts" of previous years toward a model that rewards "precision and breadth".³⁰ This shift is supported by the rapid automation of wealth management processes. Automated rebalancing systems can now process complex multi-asset adjustments in minutes, reducing costs by 60-70% and minimizing the error rates associated with manual intervention.³³

The integration of Deep Reinforcement Learning (DRL) with classical portfolio optimization has further enhanced these rebalancing strategies.²⁷ DRL agents can be trained to navigate the trade-offs between tracking error, transaction costs, and market impact, allowing for a more responsive allocation framework.²⁷ These "AI-managed" rebalancing rules are particularly valuable in the cryptocurrency markets, where shifting correlations and extreme volatility require more frequent recalibration than traditional equities.¹

Market Trend	Network Theory Application	2026 Strategic Implication
AI Productivity Boom	Identification of "Early Adopters" in networks	Overweight core tech builders via active strategies ³⁰
Inflation Shocks	Monitoring "Lead-Lag" relationships in bond/commodity nets	Dynamic rebalancing toward higher-quality duration ³⁰
Crypto Market Maturity	Application of HRP to BTC/ETH/Stablecoin portfolios	Reduced volatility through science-based diversification ¹
Geopolitical Frictions	Mapping "Short-Run Asymmetry" in energy contagion	Use of regime-dependent CVaR for downside protection ¹⁰
Automated Rebalancing	Integration of DRL for cost-efficient trade execution	Transition to "operational necessity" for sustainable growth ²⁷

Synthesizing the "Network Markowitz" Framework

The convergence of Harry Markowitz's foundational theories with the modern toolkit of Network Science represents a complete maturation of quantitative finance. While MPT provided the first rigorous language for diversification, it was limited by the data and computational constraints of its time.¹ The "Network Markowitz" paradigm transcends these limits by acknowledging that the market is not a static list of returns, but a vibrant, evolving web of interactions.⁴

Through the application of topological filtering methods like MST and TMFG, practitioners can successfully denoise the covariance matrix, resolving the instabilities that led to the "Markowitz Curse".⁹ By adopting hierarchical allocation algorithms like HRP, investors can distribute risk more effectively across the market's natural clusters.¹¹ And by leveraging the insights of centrality measures, managers can systematically harvest the "Periphery Alpha" while protecting their portfolios from the systemic hubs of contagion.⁶

As we navigate the complexities of 2026 and beyond, the synthesis of these disciplines offers a clear path forward. For the portfolio manager, it means moving beyond "sector labels" to understand the true communities of risk. For the risk analyst, it means tracing the pathways of contagion before a crisis occurs. And for the regulator, it means monitoring the system's

architecture to prevent the next systemic collapse. In this new era, the most successful investors will be those who can visualize the invisible connections that define the modern financial landscape, turning the complexity of the network into a source of enduring resilience.

Karya yang dikutip

1. Modern Portfolio Theory: Definition, Formula, Risks, Benefits - Bravos Research, diakses Mei 1, 2026, <https://bravosresearch.com/blog/technical-analysis/modern-portfolio-theory/>
2. Modern portfolio theory - Wikipedia, diakses Mei 1, 2026, https://en.wikipedia.org/wiki/Modern_portfolio_theory
3. Embracing machine learning to tackle portfolio optimisers limitations - CFA UK, diakses Mei 1, 2026, <https://www.cfauk.org/pi-listing/embracing-machine-learning-to-tackle-portfolio-optimisers-limitations>
4. Reframing Financial Markets as Complex Systems | RPC, diakses Mei 1, 2026, <https://rpc.cfainstitute.org/research/reports/2025/reframing-financial-markets-as-complex-systems>
5. Enhancing Portfolio Diversification with Link Prediction: A Graph Data Science Approach - Neo4j Industry Use Cases, diakses Mei 1, 2026, <https://neo4j.com/developer/industry-use-cases/whitepapers/finserv/asset-management/enhancing-portfolio-diversification-link-prediction/>
6. Chapter 2: Unsupervised Learning II: Network Theory - CFA Institute ..., diakses Mei 1, 2026, <https://rpc.cfainstitute.org/research/foundation/2025/chapter-2-unsupervised-learning-network-theory>
7. Portfolio Optimization with Graph Theory – BSIC | Bocconi Students Investment Club, diakses Mei 1, 2026, <https://bsic.it/portfolio-optimization-with-graph-theory/>
8. Smart network based portfolios - PMC, diakses Mei 1, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC8995926/>
9. Full article: Dynamic portfolios via triangulated maximally filtered ..., diakses Mei 1, 2026, <https://www.tandfonline.com/doi/full/10.1080/23311975.2026.2638724>
10. (PDF) LSTM-augmented vine copula modelling for energy-finance ..., diakses Mei 1, 2026, https://www.researchgate.net/publication/400557143_LSTM-augmented_vine_copula_modelling_for_energy-finance_contagion_analysis
11. Hierarchical Risk Parity - Wikipedia, diakses Mei 1, 2026, https://en.wikipedia.org/wiki/Hierarchical_Risk_Parity
12. The Hierarchical Risk Parity Algorithm: An Introduction - Hudson ..., diakses Mei 1, 2026, <https://hudsonthames.org/an-introduction-to-the-hierarchical-risk-parity-algorithm/>
13. A tail-revisited Markowitz mean-variance approach and a portfolio network centrality - U-PAD Unimc, diakses Mei 1, 2026, https://u-pad.unimc.it/retrieve/8b82c39f-5f6c-4538-8dcc-a98d613c3b33/Mariani_A%20tail-revisited%20Markowitz_2022.pdf

14. arXiv:1802.03395v1 [stat.ME] 9 Feb 2018, diakses Mei 1, 2026, <https://arxiv.org/pdf/1802.03395>
15. Minimum spanning tree - Wikipedia, diakses Mei 1, 2026, https://en.wikipedia.org/wiki/Minimum_spanning_tree
16. Networks with MIFinLab: Minimum Spanning Tree (MST) - Hudson & Thames, diakses Mei 1, 2026, <https://hudsonthames.org/networks-with-mlfinlab-minimum-spanning-tree-mst/>
17. Portfolio optimization based on network centralities: Which centrality ..., diakses Mei 1, 2026, <https://www.diva-portal.org/smash/get/diva2:1888985/FULLTEXT01.pdf>
18. Portfolio Construction: A Network Approach - MDPI, diakses Mei 1, 2026, <https://www.mdpi.com/2227-7390/11/22/4670>
19. How to compute the Planar Maximally Filtered Graph (PMFG) - marti.ai tech blog, diakses Mei 1, 2026, <https://www.marti.ai/networks/2018/06/03/pmfg-algorithm.html>
20. TMFG Triangulated Maximally Filtered Graph - RDocumentation, diakses Mei 1, 2026, <https://www.rdocumentation.org/packages/EGAnet/versions/2.4.0/topics/TMFG>
21. a-TMFG: Scalable Triangulated Maximally Filtered Graphs via Approximate Nearest Neighbors - arXiv, diakses Mei 1, 2026, <https://arxiv.org/html/2603.09564v1>
22. Hierarchical Risk Parity for Portfolio Allocation in the Latin American NUAM Market - arXiv, diakses Mei 1, 2026, <https://arxiv.org/html/2509.03712v1>
23. Create Hierarchical Risk Parity Portfolio - MATLAB & Simulink Example - MathWorks, diakses Mei 1, 2026, <https://www.mathworks.com/help/finance/create-hierarchical-risk-parity-portfolio.html>
24. Hierarchical Risk Parity: A Hierarchical Clustering-based Portfolio Optimization, diakses Mei 1, 2026, <https://research.cbs.dk/en/studentProjects/hierarchical-risk-parity-a-hierarchical-clustering-based-portfolio/>
25. Network centrality drives optimal protection investment against systemic risk propagation in complex systems - PMC, diakses Mei 1, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC12868806/>
26. A Bibliometric Analysis on Network-Based Systemic Risk - MDPI, diakses Mei 1, 2026, <https://www.mdpi.com/2227-9091/13/11/210>
27. Smart Tangency Portfolio: Deep Reinforcement Learning for Dynamic Rebalancing and Risk–Return Trade-Off - MDPI, diakses Mei 1, 2026, <https://www.mdpi.com/2227-7072/13/4/227>
28. Regime- and Tail-Dependent Performance of CVaR-Based Portfolio Strategies in Cryptocurrencies - MDPI, diakses Mei 1, 2026, <https://www.mdpi.com/2227-7072/14/3/53>
29. Enhancing Insurer Portfolio Resilience and Capital Efficiency with ..., diakses Mei 1, 2026, <https://www.mdpi.com/2227-9091/13/9/163>
30. Asset Allocation & Portfolio Ideas | BlackRock Advisor Center, diakses Mei 1,

2026,

<https://www.blackrock.com/us/financial-professionals/investments/products/model-portfolios/portfolio-rebalancing-insights/target-allocation>

31. 2026 Long-Term Capital Market Assumptions - J.P. Morgan Asset Management, diakses Mei 1, 2026,

<https://am.jpmorgan.com/content/dam/jpm-am-aem/americas/us/en/institutional/insights/portfolio-insights/lcma-full-report.pdf>

32. Capital market assumptions | BlackRock, diakses Mei 1, 2026,

<https://www.blackrock.com/institutions/en-us/insights/thought-leadership/capital-market-assumptions>

33. Automating Portfolio Rebalancing: Strategies for Increasing Efficiency and Accuracy, diakses Mei 1, 2026,

<https://www.wealtharc.com/insights-articles/automating-portfolio-rebalancing-strategies-for-increasing-efficiency-and-accuracy>