

**FTP\_TO\_FTP** RECIPE TEST JOBS Save Test recipe Refresh Exit

**TRIGGER**

- 1 Trigger every 5 minutes

**ACTIONS**

- 2 Download file contents from FTP/FTPS server File
- 3 Upload a file to FTP/FTPS server File
- 4 **STOP** job

**Recipe data**  
Use data from a previous step

**STOP** job

In job report, mark stopped job as \*

Successful

**disk to ftp** RECIPE TEST JOBS Save Test recipe Refresh Exit

**TRIGGER**

- 1 Trigger every 5 minutes

**ACTIONS**

- 2 Download an on-prem file File
- 3 Upload a file to FTP/FTPS server File
- 4 **STOP** job

**Recipe data**  
Use data from a previous step

**STOP** job

In job report, mark stopped job as \*

Successful

Projects > eaiesb project/ftp > My FTP/FTPS account

**My FTP/FTPS account** Delete connection

**Server type \***  
FTP  
Select secure/non-secure FTP as per your FTP server. Make sure you have whitelisted Workato IP addresses. [Learn more](#)

**Host name \***  
eaiesb.com  
E.g. companyname.sampleftp.com

**Username \***  
u834518050.interns

**Password \***

**Connected**

Location  
eaiesb project / ftp  
Move

Connected  
At 3:13 AM

Created  
At 3:13 AM

**Dependencies**  
Used by [4 recipes](#)

**ASSETS** 5

- ▶ Recipes 3
- ▶ Connections 2
- ▶ Trash 0

**PROJECTS** +

- ▼ eaiesb project
  - ftp**
  - Gen AI
  - helloo

**eaiesb project** Create

**Assets** **Settings**


eaiesb project / ftp

All assets App Edited by Sort by: Latest activity

**My FTP/FTPS account** Connected A few seconds ago 0 Recipes

**AssistIQ**

C:\				/Ragini/				
Name	Size	Type	Changed	Name	Size	Changed	Rights	Owner
apache-activemq-5.18.4		File folder	28-05-2024 18:56:27	workato		28-05-2024 19:19:51	rwxf-xr-x	u83451...
apache-tomcat-9.0.89		File folder	27-05-2024 18:54:25	output		28-05-2024 15:32:53	rwxf-xr-x	u83451...
PerfLogs		File folder	07-05-2022 10:54:50	input		28-05-2024 22:24:31	rwxf-xr-x	u83451...
Program Files		File folder	28-05-2024 13:41:31					
Program Files (x86)		File folder	28-05-2024 15:12:41					
rr		File folder	27-05-2024 18:43:55					
Users		File folder	02-03-2024 13:22:57					
Windows		File folder	20-05-2024 20:24:31					
workato		File folder	28-05-2024 15:05:14					
xampp		File folder	18-02-2024 19:18:19					



Projects > intern.active mq > My JMS tools by Workato account

**My JMS tools by Workato account** Delete connection

**On-prem group \***

DEMO

You'll use agents in this on-prem group to connect your application. [Learn more](#)

**Provider \***

ActiveMQ

Select JMS provider.  
You can find more information about jms providers [here](#).

**URL \***

tcp://localhost:61616

Specify broker url.  
ActiveMQ broker cannot be embedded into the agent. Using any vm:// broker connections is not supported

**Connected**

Location  
intern.active mq

Move

On-prem group  
[DEMO](#)

Connected  
At 6:36 AM

Created  
At 6:36 AM

**Dependencies**

**AssistIQ**

active mq-ftp

RECIPETEST JOBS

SaveTest recipeRefreshExit

1

TRIGGER

New message in JMS queueReal-time

2

ACTIONS

Upload a file to FTP/FTPS serverFile

3

STOP job

+

STOP job

In job report, mark stopped job as \*

Successful

Recipe data

Use data from a previous step

18 new notifications

ActiveMQ™

The Apache Software Foundation  
http://www.apache.org/

Home | Queues | Topics | Subscribers | Connections | Network | Scheduled | SendSupport | Logout

Welcome!

Welcome to the Apache ActiveMQ Console of **localhost** (ID:Fruti-1013-58635-1716915646537-0:1)

You can find more information about Apache ActiveMQ on the [Apache ActiveMQ Site](#)

Broker

Namelocalhost

Version5.18.4

IDID:Fruti-1013-58635-1716915646537-0:1

Uptime1 minute

Store percent used0

Memory percent used0

Temp percent used0

Queue Views

GraphXML

Topic Views

XML

Subscribers Views

XML

Useful Links

DocumentationFAQDownloadsForums

Copyright 2005-2024 The Apache Software Foundation.

ActiveMQ™

The Apache Software Foundation  
http://www.apache.org/

Home | Queues | Topics | Subscribers | Connections | Network | Scheduled | SendSupport | Logout

Queue Name Create Queue Name Filter Filter

Queues:

Name	Number Of Pending Messages	Number Of Consumers	Messages Enqueued	Messages Dequeued	Views	Operations
nnrg	0	0	0	0	Browse Active Consumers Active Producers atomrss	Send To Purge Delete Pause
tech	0	0	0	0	Browse Active Consumers Active Producers atomrss	Send To Purge Delete Pause

Queue Views

GraphXML

Topic Views

XML


Subscribers Views

XML

Useful Links

DocumentationFAQDownloadsForums

✓ Successful



file-active mq

RECIPE TEST JOBS

Save Test recipe Refresh Exit

1 Select an app and trigger event

2 Upload a new file to an on-prem folder File

3 Publish message to JMS queue

4 STOP job


Recipe data  
Use data from a previous step

In job report, mark stopped job as \*

Successful

The screenshot shows a recipe editor interface. The recipe is named 'file-active mq'. It has four steps: 1. 'Select an app and trigger event', 2. 'Upload a new file to an on-prem folder' (with a 'File' icon), 3. 'Publish message to JMS queue', and 4. 'STOP job'. A 'Recipe data' tooltip is visible over step 4, stating 'Use data from a previous step'. On the right, a panel shows the job status as 'Successful' with a dropdown menu.

✓ Successful



```
{
  "name": "SATHU RAGINI",
  "age": 21,
  "email": "ragini@example.com"
}
```

Compose

Mail

Contacts

Settings

Feedback

Logout

hello team

From

Sathu Ragini <raginisathu@gmail.com>

To

217Z1A05G1@workato.eaiesb.com

Date

Today 07:59

Summary

Headers

HTML

```
{
  "name": "SATHU RAGINI",
  "age": 21,
  "email": "ragini@example.com"
}
```

vm 1

ACTIVEMQ\_HOME: .....

vm 1

ACTIVEMQ\_BASE: .....

vm 1

ACTIVEMQ\_CONF: .....\conf

vm 1

ACTIVEMQ\_DATA: .....\data

vm 1

Loading message broker from: xbean:activemq.xml

vm 1

INFO Using Persistence Adapter: KahaDBPersistenceAdapter[C:\apache-activemq-5.18.4\bin\win32\...\data\kahadb]

vm 1

INFO Starting Persistence Adapter: KahaDBPersistenceAdapter[C:\apache-activemq-5.18.4\bin\win32\...\data\kahadb]

vm 1

INFO Starting KahaDBStore

vm 1

INFO Opening MessageDatabase

vm 1

INFO Page File: .....\data\kahadb\db.data. Recovering pageFile free list due to prior unclean shutdown..

vm 1

INFO KahaDB is version 7

vm 1

INFO Page File: .....\data\kahadb\db.data. Recovered pageFile free list of size: 0

vm 1

INFO Starting Temp Data Store

vm 1

INFO PListStore[C:\apache-activemq-5.18.4\bin\win32\...\data\localhost\tmp\_storage] started

vm 1

INFO Starting Job Scheduler Store

vm 1

INFO Persistence Adapter successfully started

vm 1

INFO Apache ActiveMQ 5.18.4 (localhost, ID:Fruti-1013-58635-1716915646537-0:1) is starting

vm 1

INFO Listening for connections at: tcp://Fruti-1013:61616?maximumConnections=1000&wireFormat.maxFrameSize=104857600

vm 1

INFO Connector openwire started

vm 1

INFO Listening for connections at: amqp://Fruti-1013:5672?maximumConnections=1000&wireFormat.maxFrameSize=104857600

vm 1

INFO Connector amqp started

vm 1

INFO Listening for connections at: stomp://Fruti-1013:61613?maximumConnections=1000&wireFormat.maxFrameSize=104857600

vm 1

INFO Connector stomp started

vm 1

INFO Listening for connections at: mqtt://Fruti-1013:1883?maximumConnections=1000&wireFormat.maxFrameSize=104857600

vm 1

INFO Connector mqtt started

vm 1

INFO Starting Jetty server

vm 1

INFO Creating Jetty connector

vm 1

WARN ServletContext@o.e.j.s.ServletContextHandler@68c0c85b[/,null,STARTING] has uncovered http methods for path: /

vm 1

INFO Connector ws started

vm 1

INFO Listening for connections at ws://Fruti-1013:61614?maximumConnections=1000&wireFormat.maxFrameSize=104857600

vm 1

INFO Apache ActiveMQ 5.18.4 (localhost, ID:Fruti-1013-58635-1716915646537-0:1) started

vm 1

INFO For help or more information please see: http://activemq.apache.org

vm 1

INFO ActiveMQ WebConsole available at http://127.0.0.1:8161/