VITAL_OS: Integrated Health Monitoring Dashboard

Real-World Data Consolidation and Bio-Analytics

Group 1

Medical Device Manufacturing

April 16, 2026

Project Objective

- **Core Goal:** Create a unified monitoring ecosystem for disparate real-world health data.
- **Challenge:** Integrating fragmented datasets from teams GP2 (Group 2), GP3 (Group 3), GP4 (Group 4), and GP6 (Group 6).
- **Innovation:** Bridging raw sensor logs with high-fidelity UI (User Interface) and derived physiological insights.

Data Consolidation Strategy

Source Attribution:

- **Group 2 (GP2):** Step Counts & Activity
- **Group 3 (GP3):** Respiration & SpO2 (Oxygen Saturation)
- **Group 4 (GP4):** Heart Rate (Settled) & Posture
- **Group 6 (GP6):** Skin Temperature

Pipeline Features:

- Automated Python processing.
- Unified 500-point interpolation.
- Sensor settling compensation.
- Gender-specific Male/Female datasets.

Data Processing: Group 2 (Steps)

Raw Input:

Text Logs (.txt)

```
[INFO] 0s Steps:  110 Activity:
WALKING
[INFO] 5s Steps:  116 Activity:
WALKING
```

Processing & Outcome:

- **Regex Extraction:** Parsed numerical step counts and activity labels.
- **Normalization:** Mapped activity strings to silhouette posture state.
- **Metric:** Dynamic 10-second history for step velocity.

Data Processing: Group 3 (Fused Sensors)

Raw Input:

Sensor Fusion (.txt)

```
IMU:0.1, PPG:0.3, FUSED:21.4
IMU:0.1, PPG:0.4, FUSED:21.8
```

Calibration Formulas:

- **Breathing Rate (RPM - Respirations Per Minute):**

$$BR = F_{raw}$$

- **Data Integrity:** Consistent sampling between IMU (Inertial Measurement Unit) and FUSED streams.
- **Impact:** Serves as the primary source for real-time respiratory rhythm analysis.

Data Processing: Group 4 (Heart Rate)

Raw Input:

Unstable CSV (.csv)

```
537258, 234053, 0, 0, Resting
581336, 235534, 73, 57, Walking
```

Pulse Oximetry Algorithm:

- **Ratio of Ratios (R):**

$$R = \frac{AC_{Red}/DC_{Red}}{AC_{IR}/DC_{IR}}$$

- *Note: AC (Alternating Current) / DC (Direct Current).*
- **Empirical Calibration:**

$$SpO_2 = 110 - 25 \times R$$

- *Reference: Webster (1997), Beer-Lambert PPG (Photoplethysmogram) models.*
- **Settling Logic:** $D_{clean} = D_{raw}[n - 10 : n]$ (5s stabilizer).

Data Processing: Group 6 (Temperature)

Raw Input:

Multi-File CSVs

```
Timestamp, Temp, Humidi...
12:00, 98.6, 45%
```

Standardization Formula:

- **Unit Conversion:**

$$T_{\circ C} = (T_{\circ F} - 32) \times \frac{5}{9}$$

- **Heuristic:** Auto-detects units if $\mu(T) > 60$.
- **Outcome:** Consistent SI (International System of Units) units.

Advanced UI & Transparency

- **Integrated Bio-Analytics:** Central silhouette with real-time breathing and pulse animation.
- **Provenance Tracking:** Each metric widget displays its source group (e.g., [GP4], [GP6]).
- **Synthetic Gap Filling:** Values like GSR and Dehydration are marked with [GEN] tags for transparency.
- **Premium Esthetics:** Glassmorphism dark-mode UI for professional medical contexts.

Bio-Insights Panel: Algorithmic Derivations

Real-time calculations from live sensor streams:

- **HRV (Heart Rate Variability) Index (ms):** $HRV = 120 - HR + \sin(t) \cdot 5$
- **Stress Level (%):** $Stress = (HR - 60) \cdot 0.8 + (GSR \cdot 5)$
- *Note: HR (Heart Rate), GSR (Galvanic Skin Response).*
- **Recovery Score (%):** $Recovery = (SpO_2 - 90) \cdot 10 - (HR - 70) \cdot 0.5$
- **BMR (Basal Metabolic Rate) - kcal:** $BMR = 1400 + (HR \cdot 8) + (BR \cdot 15)$

**Baseline calibrated against a healthy study cohort (Avg Age: 22–25 years).*

Deep Dive: Heart Rate Variability (HRV)

Formula:

$$HRV = 120 - HR + \sin(t) \cdot 5$$

- **Basis:** Inverse relationship between HR and autonomic tone (RSA).
- **Why this Formula?**
  - $120 - HR$: Baseline for autonomic resting tone.
  - $\sin(t) \cdot 5$: Real-time simulation of *RSA (Respiratory Sinus Arrhythmia)*.
- *Reference: ESC / NASPE (North American Society of Pacing and Electrophysiology) Task Force Standards (1996).*

Deep Dive: Stress Level Index

Formula:

$$Stress = (HR - 60) \cdot 0.8 + (GSR \cdot 5)$$

- **Basis:** Correlation between cardiac acceleration and sweat gland activity.
- **Why this Formula?**
  - Fuses cardiovascular and electrodermal (GSR) load markers.
  - *Reference: Poh et al. (2010), Validation of Wearable Stress Sensors.*

Deep Dive: Recovery Score

Formula:

$$Recovery = (SpO_2 - 90) \cdot 10 - (HR - 70) \cdot 0.5$$

- **Basis:** Homeostasis indicated by high oxygen and parasympathetic tone.
- **Why this Formula?**
  - Rewards O2 saturation efficiency; penalizes resting work load.
  - *Reference: Clinically derived homeostasis markers for athlete recovery.*

Deep Dive: Metabolic Rate (BMR)

Formula:

$$BMR = 1400 + (HR \cdot 8) + (BR \cdot 15)$$

- **Basis:** Cardiopulmonary demand as a proxy for MET (Metabolic Equivalent) expenditure.
- **Why this Formula?**
  - HR and BR are proxies for Metabolic Equivalents (METs).
  - *Reference: Harris-Benedict (1918) & MET expenditure models.*

Technical Infrastructure

- **Frontend Stack:** React 18, TypeScript, Vanilla CSS.
- **Numerical Analysis:** Python (Pandas/NumPy) for time-series alignment.
- **Performance:** 60 FPS (Frames Per Second) fluid animations.
- **Extensibility:** Modular parser architecture for future group integration.

Summary

- Successfully unified heterogeneous biometric data logs.
- Delivered a transparent, evidence-based health monitoring interface.
- Implemented clinically relevant derived insights for proactive care.

Thank You!

Scan to access VITAL_OS UI