

# Beamer template

Based on the **METROPOLIS** theme

---

Tom M. Ragonneau

December 22, 2020

Department of Applied Mathematics, The Hong Kong Polytechnic University

## 1. Introduction

# Introduction

---

## Default

Block content.

## Alert

Block content.

## Example

Block content.

## References i

- ▶ Powell, M. J. D. (1978). “The convergence of variable metric methods for nonlinearly constrained optimization calculations”. In: *Nonlinear Programming 3*. Ed. by O. L. Mangasarian, R. R. Meyer, and S. M. Robinson. New York, NY, USA: Academic Press, pp. 27–63.
- ▶ – (1994). “A direct search optimization method that models the objective and constraint functions by linear interpolation”. In: *Advances in Optimization and Numerical Analysis*. Ed. by S. Gomez and J. P. Hennart. Dordrecht, NL: Springer-Verlag, pp. 51–67.

- ▶ Powell, M. J. D. (2002). “UOBYQA: unconstrained optimization by quadratic approximation”. In: *Math. Program.* 92, pp. 555–582.
- ▶ – (2004a). “Least Frobenius norm updating of quadratic models that satisfy interpolation conditions”. In: *Math. Program.* 100, pp. 183–215.
- ▶ – (2004b). “On updating the inverse of a KKT matrix”. In: *Numerical Linear Algebra and Optimization*. Ed. by Y. Yuan. Beijing, CN: Science Press, pp. 56–78.
- ▶ – (2006). “The NEWUOA software for unconstrained optimization without derivatives”. In: *Large-Scale Nonlinear Optimization*. Ed. by G. Di Pillo and M. Roma. New York, NY, USA: Springer-Verlag, pp. 255–297.

## References iii

- ▶ Powell, M. J. D. (2008). “Developments of NEWUOA for minimization without derivatives”. In: *IMA J. Numer. Anal.* 28, pp. 649–664.
- ▶ – (2009). *The BOBYQA algorithm for bound constrained optimization without derivatives*. Tech. rep. DAMTP 2009/NA06. Cambridge, UK: Department of Applied Mathematics and Theoretical Physics, University of Cambridge.
- ▶ – (2015). “On fast trust region methods for quadratic models with linear constraints”. In: *Math. Program. Comput.* 7, pp. 237–267.