

Quote Generation Implementation Plan

For agentic workers: REQUIRED SUB-SKILL: Use superpowers:subagent-driven-development (recommended) or superpowers:executing-plans to implement this plan task-by-task. Steps use checkbox (- []) syntax for tracking.

Goal: Build a quote generation workflow that reads pricing and identity data, produces a clean one-page Google Doc quote for a prospect, and drafts a Gmail with a link — all in one run.

Architecture: Blueprint-only. Lighter than a proposal — no pipeline scan required if the client isn't in the system yet. Reads pricing sheet + identity doc, builds quote content from a template, creates Google Doc, drafts Gmail. No Equipment needed.

Tech Stack: Google Drive MCP, Gmail MCP, Markdown blueprint, Claude (Architect)

Scope Note

A quote is a pricing document only — no narrative, no scope details, no terms. It answers: "What does this cost?" A proposal (already built in blueprints/client-proposal-document.md) answers: "Here's the full engagement." Quotes come first; proposals follow if the client wants to proceed.

File Structure

Action	File	Responsibility
Create	templates/quote.md	Quote layout — clean, pricing-only format
Create	blueprints/quote-generation.md	Master SOP: confirm service + package, read pricing, create Doc, draft email
Modify	live/state.md	Add quote-generation to Skills Built table

Requires approval before creating the Blueprint — permissions.md: "Create a new Blueprint: Ask first — always."

Data Sources (already exist)

Source	ID	What we read
Pricing sheet	1cAWYT0nodYFeznP4uChN2pFUITkjav5CAwU5MU6FGWI	Setup and monthly amounts per package

Source	ID	What we read
Identity doc	1ujBao7Z89YjyVFpWAAk_CaIAi8tH9_JmhBfr16Rp79c	Agency name, founder name, contact email, website
Output folder	Client Propositions — 1dK5wbdK3TaVKdc1gP19Itg0b3sce8lm2	Where quotes are stored

Task 1: Quote Template

Files:

- Create: templates/quote.md

■ Step 1: Write the template

Create templates/quote.md with this exact content:

```
# Quote — [Service Name]

**From:** degiabdo — Abderrahim
**For:** [Client Name / Company]
**Date:** [YYYY-MM-DD]
**Valid until:** [VALID_UNTIL] (30 days)
**Reference:** QUO-[CLIENT_CODE]-[YYYYMMDD]

---

## Package: [Package Name]

### What's included

[Deliverables list — 3-5 bullet points drawn from the pricing sheet description for this package]

---

## Investment

| | Setup fee | Monthly retainer |
|-|-----|-----|
| [Package name] | €[setup] | €[monthly]/month |
| Annual option (15% off) | €[setup] | €[annual_monthly]/month |

*Annual retainer billed upfront: €[annual_total] (equivalent to ~2 months free).*

---

## How it works

- **Setup** covers discovery, build, and delivery — completed within [delivery_timeline]
- **Monthly retainer** begins after delivery — covers maintenance, optimisation, and support
- No lock-in on the monthly plan — cancel anytime with 30 days notice

---

## Founding client rate

[INCLUDE THIS SECTION ONLY IF THIS IS ONE OF THE FIRST 1-2 CLIENTS]
```

As a founding client, this quote includes a 20% discount in exchange for a written testimonial and permission to reference this project as a case study. This rate is not available after the first two clients.

Next steps

Reply "I'm in" and we'll get started. If you'd like to discuss before deciding, just say the word and we'll set up a quick call.

Abderrahim
degiabdo
[email from identity doc]
[website from identity doc]

Quote valid for 30 days from the date above. Pricing in euros (€).

■ Step 2: Verify the template

Read the template. Confirm:

- Reference format: QUO- [CLIENT_CODE] - [YYYYMMDD]
- Both monthly and annual pricing options are present (quoting rules: always include both)
- Annual calculation is correct: $\text{monthly} \times 12 \times 0.85$, billed upfront
- Founding client section exists but is marked "include only if..." — this must be removed before sending to non-founding clients
- No pricing numbers are hardcoded — all are placeholders
- Valid-until date is 30 days from quote date
- Signature includes email and website (pulled from identity doc at runtime)
- Delivery timeline is a placeholder (varies by package)

■ Step 3: Test the template mentally

Substitute: Nadia / Kontrast Personalberatung, Smart CRM Growth package (€1,200 setup, €250/month), date 2026-05-04, non-founding client.

Expected:

- Reference: QUO-KON-20260504
- Annual monthly = $\text{€}250 \times 0.85 = \text{€}212.50/\text{month}$
- Annual total = $\text{€}212.50 \times 12 = \text{€}2,550$ upfront
- Valid until: 2026-06-03
- Founding client section: OMITTED (non-founding)

Confirm the layout reads as a clean, professional one-pager.

■ Step 4: Commit

```
git add templates/quote.md
git commit -m "feat: add quote template"
```

Task 2: Quote Generation Blueprint

Requires approval before starting — ask: "Quote template is done. Ready to create blueprints/quote-generation.md?" Wait for confirmation.

Files:

- Create: blueprints/quote-generation.md
- Modify: live/state.md

Dependencies: Task 1 must be complete and committed.

■ Step 1: Get approval

Ask Abderrahim: "Quote template is ready. Ready to create blueprints/quote-generation.md? It will ask for service + package, read pricing + identity, create the Google Doc quote, and draft the Gmail."

Wait for explicit confirmation.

■ Step 2: Write the Blueprint

Create blueprints/quote-generation.md with this exact content:

```
# Blueprint – Quote Generation

**Type:** Blueprint only – Architect executes via Google Drive + Gmail MCP
**Template:** `templates/quote.md`
**Pricing rules:** `intel/pricing.md`
**Voice rules:** `.claude/rules/voice.md`, `.claude/rules/clients.md`
**Pricing Sheet ID:** 1cAWYT0nodYFeznP4uChN2pFUITkjav5CAwU5MU6FGWI
**Identity Doc ID:** 1ujBao7Z89YjyVFpWAAk_CaIAi8tH9_JmhBfr16Rp79c
**Output folder:** Client Propositions (ID: 1dK5wbdK3TaVKdc1gP19Itg0b3sce8lm2)

**Trigger:** When a prospect asks for pricing or is ready for a quote. Say: "Generate a quote for [Client Name] – [service] – [package]."
```

```
## Goal

Produce a clean, professional one-page quote as a Google Doc and draft a Gmail to the prospect with a link. One run. Never send without Abderrahim reviewing first.
```

```
## Required Inputs

| Input | Example |
|-----|-----|
| Client / prospect name | Nadia, Kontrast Personalberatung |
| Client email | nadia@kontrast.de |
| Service | Smart CRM Automation |
| Package | Growth |
| Founding client? | Yes / No (first 1-2 clients only – check intel/pricing.md) |

Confirm these before proceeding. If the service or package is ambiguous, present the options from `intel/pricing.md` and ask Abderrahim to select.

Do not quote a service not listed in `intel/pricing.md`. Stop and flag it: "That service isn't in the pricing sheet. Confirm pricing before quoting."
```

```
## Pre-condition Check

Read `intel/pricing.md` before quoting. Confirm:
- The requested service exists
- The requested package exists for that service
- If founding client rate applies: confirm this is client 1 or 2

---
```

```

## Sequence

### Step 1 – Read pricing + identity in parallel

Call `mcp__claude_ai_Google_Drive__read_file_content` twice simultaneously:

1. Pricing sheet – find the row matching the requested service and package. Record: setup amount, monthly amount, deliverables list (if present in the sheet).
2. Identity doc – extract: founder name, agency name, email address, website URL.

If either read fails: stop. Report the source and its ID.

---

### Step 2 – Calculate quote figures

From the pricing sheet data:

| Figure | Calculation |
|-----|-----|
| Setup | From pricing sheet |
| Monthly | From pricing sheet |
| Annual monthly | Monthly × 0.85 (round to nearest €0.50) |
| Annual total | Annual monthly × 12 |
| Client code | First 3 letters of company name, uppercase |
| Reference | `QUO-[CLIENT_CODE]-[YYYYMMDD]` |
| Quote date | Today (YYYY-MM-DD) |
| Valid until | Today + 30 days (YYYY-MM-DD) |
| Delivery timeline | Lookup from the table below |

Standard delivery timelines by package:

| Package | Timeline |
|-----|-----|
| Starter | 2 weeks |
| Growth | 3 weeks |
| Scale | Agreed separately |
| Standard (other services) | 2-3 weeks |
| Advanced (other services) | 3-4 weeks |

---

### Step 3 – Build quote content

Open `templates/quote.md`. Populate every placeholder:

| Placeholder | Value |
|-----|-----|
| `[Service Name]` | Service name from pricing sheet |
| `[Client Name / Company]` | As provided |
| `[YYYY-MM-DD]` | Today's date |
| `[VALID_UNTIL]` | Today + 30 days |
| `[CLIENT_CODE]` | 3-letter code |
| `[YYYYMMDD]` | Today's date, no dashes |
| `[Package Name]` | Package name (e.g. Growth) |
| Deliverables list | 3-5 bullet points from pricing sheet, or standard list for the service |
| `[setup]` | From pricing sheet |
| `[monthly]` | From pricing sheet |
| `[annual_monthly]` | Calculated: monthly × 0.85 |
| `[annual_total]` | Calculated: annual_monthly × 12 |
| `[delivery_timeline]` | From timeline table above |
| Founding client section | Include only if founding_client = Yes. Remove entirely if No. |
| `[email from identity doc]` | From identity doc |
| `[website from identity doc]` | From identity doc |

```

Do not leave any `[bracket]` placeholder in the output.

Step 4 – Create the Google Doc

Call `mcp\_\_claude\_ai\_Google\_Drive\_\_create\_file` with:

- `title`: `Quote\_[ClientCode]\_[YYYYMMDD]\_[ServiceShortName]`
- `contentType`: `text/plain`
- `disableConversionToGoogleType`: false
- `textContent`: populated quote text from Step 3
- `parentId`: `1dK5wbdK3TaVKdc1gP19Itg0b3sce8lm2` (Client Propositions folder)

Record the returned file URL.

If creation fails: report the exact error. Do not continue.

Step 5 – Draft the Gmail

Draft the email body:

...

Subject: Quote – [Service Name] for [Client / Company name]

Hi [First name],

Here's the quote you asked for.

[Google Doc URL]

Quick summary:

- [Package name]: €[setup] setup + €[monthly]/month
- Annual option: €[annual_monthly]/month (saves €[annual_saving] per year)
- Delivery: within [delivery_timeline] of confirmation

Valid for 30 days. Any questions, just reply here.

Abderrahim

degiabdo

...

Call `mcp\_\_claude\_ai\_Gmail\_\_create\_draft` with:

- `to`: client email
- `subject`: `Quote – [Service Name] for [Client / Company]`
- `body`: above text

Never send. Save as draft only. Record the Gmail draft ID.

Compute $\text{annual_saving} = \text{monthly} \times 12 - \text{annual_total}$. Round to nearest euro.

Step 6 – Report

...

Quote Generated – [Client Name] – [DATE]

[x] Pricing read: [Service] – [Package]

Setup: €[setup] | Monthly: €[monthly] | Annual: €[annual_monthly]/month

[x] Google Doc: [URL]

Reference: [QUO-CODE-DATE]

Valid until: [VALID_UNTIL]

[x] Gmail draft saved – subject: Quote – [Service] for [Client]

```

Draft ID: [ID]

Review the Google Doc and the Gmail draft before sending.
'''

---

## Failure Handling

| Failure | Response |
|-----|-----|
| Service not in pricing sheet | Stop. "That service isn't priced yet. Confirm the price first." |
| Package not found for service | Present available packages and ask which to use. |
| Pricing sheet read fails | Stop. Report the ID. |
| Identity doc read fails | Stop. Report the ID. |
| Google Doc creation fails | Report exact error. Do not continue. |
| Gmail draft fails | Report exact error. Log the Google Doc URL. |
| Founding client rate unclear | Ask: "Is this one of the first 1-2 clients?" |

---

## Quoting Rules (from intel/pricing.md)

- Always include both setup and monthly – never quote just one
- Always include the annual option – don't lead with it, but show it
- Default for inbound Smart CRM requests: Growth package
- Founding client rate (20% off): first 1-2 clients only – always ask before applying
- Pricing in euros unless client requested local currency
- Do not quote services not in the pricing sheet without confirming first

## Lessons Learned
[Append after each run]

```

■ Step 3: Dry-run the Blueprint verbally

Walk through each step using: Nadia / Kontrast Personalberatung, Smart CRM Growth package, non-founding client, date 2026-05-04.

Step	Expected output	Passes?
Step 1: pricing read	Growth CRM: setup €1,200, monthly €250. Identity: Abderrahim, degiabdo, email, website.	[]
Step 2: figures	Annual monthly = €212.50. Annual total = €2,550. Client code = KON. Reference = QUO-KON-20260504. Valid until = 2026-06-03.	[]
Step 3: content	All placeholders filled. Founding client section removed (non-founding).	[]
Step 4: Google Doc	File Quote_KON_20260504_CRM created in Client Propositions folder. URL returned.	[]

Step	Expected output	Passes?
Step 5: Gmail draft	Annual saving = (€250 × 12) – €2,550 = €450. Draft saved. Subject: "Quote — Smart CRM Automation for Kontrast Personalberatung".	[]
Step 6: report	Clean summary with all figures, URL, draft ID.	[]

Fix any step that doesn't produce clean output before committing.

■ Step 4: Update live/state.md

Add to Skills Built table:

Quote generation blueprints/quote-generation.md None (Google Drive + Gmail MCP)

■ Step 5: Commit

git add blueprints/quote-generation.md live/state.md git commit -m "feat: add quote generation blueprint"
--

Self-Review

Spec coverage

Requirement	Task
Standard pricing into formatted quote	Template (Task 1) pulls from pricing sheet at runtime
Both setup and monthly always shown	Template has both; Blueprint Step 2 calculates both
Annual option included	Template and Blueprint Step 5 email both show it
Founding client rate handled	Template has conditional section; Blueprint Step 3 removes it if not applicable
Never send without review	Enforced in Blueprint Step 5
Annual saving calculation	Blueprint Step 5 — annual_saving formula defined

Placeholder scan

No TBDs. All placeholders have defined sources. Founding client section is the only conditional — clearly marked with include/remove instruction.

Type consistency

- Pricing Sheet ID and Identity Doc ID match IDs in blueprints/client-proposal-document.md
- Output folder ID matches blueprints/client-proposition.md

- QUO- prefix distinguishes quotes from PROP- (proposals) and INV- (invoices)

Plan written: 2026-05-04