

Client Onboarding Implementation Plan

For agentic workers: *REQUIRED SUB-SKILL: Use superpowers:subagent-driven-development (recommended) or superpowers:executing-plans to implement this plan task-by-task. Steps use checkbox (- []) syntax for tracking.*

Goal: Build the missing "Won → Active" onboarding layer — two templates and a master Blueprint that takes a confirmed deal to fully set-up client in one run.

Architecture: No Equipment needed. The Architect calls MCPs directly: Google Drive (create folders), Gmail (draft welcome email), Zapier Sheets (pipeline update). Templates feed the email draft and the discovery debrief. The Blueprint is the controller.

Tech Stack: Google Drive MCP, Gmail MCP, Zapier Google Sheets MCP, Markdown blueprints, Claude (Architect)

Scope Note

The pre-onboarding arc (lead qualification → proposal → close) is already built:

- blueprints/client-communication.md — email drafting
- blueprints/client-proposition.md — proposition doc + email
- blueprints/client-proposal-document.md — full proposal from pipeline data
- blueprints/lead-update-followup.md — pipeline update + follow-up

This plan covers only what's missing: the transition from Won to Active.

File Structure

Action	File	Responsibility
Create	templates/discovery-call-notes.md	Structured capture sheet for a discovery call — filled during or immediately after the call
Create	templates/onboarding-welcome-email.md	Welcome email shell for new clients — feeds the Gmail draft in the Blueprint
Create	blueprints/client-onboarding.md	Master SOP: confirms deal, creates Drive folder, drafts welcome email, updates pipeline to Active
Modify	live/state.md	Add client-onboarding to Skills Built table

Requires approval before creating the Blueprint — permissions.md: "Create a new Blueprint: Ask first — always."

Task 1: Discovery Call Notes Template

Files:

- Create: templates/discovery-call-notes.md

■ Step 1: Write the template

Create templates/discovery-call-notes.md with this exact content:

```
# Discovery Call – [Client Name]

**Date:** [YYYY-MM-DD]
**Contact:** [Name, Role]
**Company:** [Company name – industry – ~size in employees]
**Call duration:** [X min]

---

## Their Situation

**Current process (the pain):**
[How they handle this today – what's broken, slow, or costing time/money]

**Trigger for this call:**
[Why now – what changed, who referred them, what they saw or heard]

---

## What They Want

**Desired outcome:**
[What does "fixed" look like for them – in their words, not yours]

**Timeline:**
[When do they need this? Any hard deadlines?]

**Budget indication:**
[ ] No budget mentioned
[ ] Aligned with pricing (~AED [X])
[ ] Hesitation – address in proposal

---

## Fit Assessment

**Services that match:**
[ ] Workflow Audit
[ ] Growth package
[ ] Automation build
[ ] LinkedIn content automation
[ ] Other: ____

**Red flags or scope risks:**
[Anything that could complicate delivery – tech stack, team resistance, vague requirements, procurement process]

---

## Agreed Next Step

[ ] Sending proposal by [DATE]
```

```

[ ] Booking follow-up call – [DATE / TIME]
[ ] They're sending more info – expected by [DATE]
[ ] Other: ____

---

## Post-Call Debrief

**What went well:**
[...]

**What to address in the proposal:**
[Any objection, concern, or open question to handle proactively in the proposal]

**Confidence level:**
[ ] High – likely to close
[ ] Medium – needs the right proposal
[ ] Low – may not be a fit, flag before investing more time

```

■ Step 2: Verify completeness

Read the template. Confirm all of these are present:

- Client and contact identity fields
- Pain point capture (their situation)
- Outcome and timeline
- Budget signal with three-option checkbox
- Service fit checkboxes matching current degiabdo offers
- Agreed next step
- Post-call confidence rating

■ Step 3: Test with a recent call

Fill in the template using one of this week's calls from memory — Nadia/Kontrast (2026-05-04 14:00) or Reem/Hala Ventures (2026-05-07 08:00). Confirm the structure captures everything needed to write a proposal without going back to notes.

■ Step 4: Commit

```

git add templates/discovery-call-notes.md
git commit -m "feat: add discovery call notes template"

```

Task 2: Welcome Email Template

Files:

- Create: templates/onboarding-welcome-email.md

■ Step 1: Write the template

Create templates/onboarding-welcome-email.md with this exact content:

```

# Welcome Email Template

**Stage:** Onboarding – send after deal is confirmed, before kick-off questionnaire
**Voice:** Professional but warm. Confident. One clear next step.
**Length target:** Under 150 words.

---

Subject: Welcome – here's how we get started

```

Hi [First name],

Great to have you on board. [One sentence confirming what's been agreed – the package and the outcome it will achieve. Example: "We're building your client onboarding automation – the goal is to cut your intake process from two days to under two hours."]

Here's what happens next:

- I'll send a short questionnaire – takes about 10 minutes to fill in
- Once that's back, we kick off within 48 hours
- [Key milestone – e.g. "You'll have the first workflow running within three weeks"]

Any questions before we start, just reply here.

Abderrahim
degiabdo

Drafting Notes

When populating this template, confirm you have:

- [] Client first name
- [] Package name or a plain-language description of what's being built
- [] A concrete outcome (lift from pipeline notes or discovery call notes)
- [] A realistic timeline (check intel/pricing.md for standard delivery windows per package)

Do not send. Save as Gmail draft and flag for Abderrahim's review.

■ Step 2: Verify against voice rules

Open `.claude/rules/voice.md`. Check the draft against every rule:

- No filler openers ("Great question!", "As you know...")
- No tech jargon
- Short paragraphs, straight to the point
- One clear ask at the end (questionnaire)
- Subject line describes the action, not the process
- Under 150 words in the email body

■ Step 3: Test draft with a real client

Substitute Sahel Cafe Group (Growth package, comms automation, ~3-week delivery). Read the result aloud. Confirm it sounds like Abderrahim wrote it, not a template.

Expected output:

Subject: Welcome – here's how we get started

Hi [Contact first name],

Great to have you on board. We're building your client communications automation – the goal is to cut your team's manual follow-up time and keep every lead moving without things falling through the cracks.

Here's what happens next:

- I'll send a short questionnaire – takes about 10 minutes to fill in
- Once that's back, we kick off within 48 hours
- You'll have the first automated workflow running within three weeks

Any questions before we start, just reply here.

Abderrahim
degiabdo

Confirm: reads naturally, correct tone, one ask, under 150 words.

■ Step 4: Commit

```
git add templates/onboarding-welcome-email.md
git commit -m "feat: add client onboarding welcome email template"
```

Task 3: Client Onboarding Blueprint

Requires approval before starting — ask: "Tasks 1 and 2 are done. Ready to create blueprints/client-onboarding.md?" Wait for confirmation before proceeding.

Files:

- Create: blueprints/client-onboarding.md
- Modify: live/state.md (Skills Built table)

Dependencies: Tasks 1 and 2 must be complete and committed.

■ Step 1: Get approval

Ask Abderrahim: "Tasks 1 and 2 are complete. Ready to create blueprints/client-onboarding.md? It will cover the full Won → Active sequence: pipeline confirm, Drive folder creation, welcome email draft, pipeline update to Active."

Wait for explicit confirmation. Do not proceed without it.

■ Step 2: Identify the Clients Drive folder ID

Before writing the Blueprint, confirm the ID of the master "Clients" folder in Google Drive where per-client folders will be created.

Call `mcp__claude_ai_Google_Drive__search_files` with query: `name = "Clients"` and `mimeType = "application/vnd.google-apps.folder"`

If a "Clients" folder exists: record the ID. Use it in Step 3.

If no folder exists: create one now.

- Call `mcp__claude_ai_Google_Drive__create_file` with:
 - name: Clients
 - mimeType: application/vnd.google-apps.folder
- Record the returned file ID.

Report: "Clients folder ID: [ID]" — this ID goes into the Blueprint.

■ Step 3: Write the Blueprint

Create blueprints/client-onboarding.md with this exact content (replace `[CLIENTS_FOLDER_ID]` with the ID from Step 2):

```
# Blueprint – Client Onboarding

**Type:** Blueprint only – Architect executes via Google Drive + Gmail + Zapier Sheets MCP
**Templates:** `templates/onboarding-welcome-email.md`, `templates/discovery-call-notes.md`
**Voice rules:** `.claude/rules/voice.md`, `.claude/rules/clients.md`
**Pipeline Sheet ID:** 1LZFrPC75AgGiUtNJVbjhTVkg1YNHco0uYEF7l9elAIc
**Clients Drive folder ID:** [CLIENTS_FOLDER_ID]
```

```

**Trigger:** When a deal is confirmed as Won. Say: "Run onboarding for [Client Name]."

---

## Goal

Take a won deal from confirmed to fully active client in one run:
1. Confirm deal status in the pipeline
2. Create a client folder structure in Google Drive
3. Draft the welcome email in Gmail
4. Update the pipeline stage to Active

---

## Required Inputs

| Input | Where |
|-----|-----|
| Client name | Spoken – or from pipeline |
| Contact first name | Pipeline row |
| Contact email | Pipeline row |
| Package or scope | Pipeline notes |

If the contact email is missing from the pipeline: stop and ask before proceeding to Step 3.

---

## Pre-condition Check

The deal must be at stage Won before onboarding runs. If stage is anything else: stop.

"[Client name]'s deal is at stage [X], not Won. Confirm the deal is closed before running onboarding."

---

## Sequence

### Step 1 – Read the pipeline

Call `mcp_claude_ai_Google_Drive__read_file_content` with pipeline sheet ID:
`1LZFrpC75AgGiUtNJVbjhTVkg1YNHco0uYEf7l9eIAIc`

Find the row where `company` matches the client name. Record:
- Row number
- Contact name and email
- Deal value (USD)
- Stage
- Package (from notes column)

If stage is not Won: stop. Report the current stage. Do not continue.
If client is not found: stop. Report: "[Client name] not found in pipeline. Check spelling or search manually."

---

### Step 2 – Create client Drive folder structure

Call `mcp_claude_ai_Google_Drive__create_file` to build three items in sequence (each depends on the previous):

**2a – Master folder:**
- `name`: `Client – [ClientName] – [YYYY-MM-DD]`
- `mimeType`: `application/vnd.google-apps.folder`
- `parentId`: [CLIENTS_FOLDER_ID]

```

Record the returned file ID as `[MASTER\_FOLDER\_ID]`.

****2b – Deliverables subfolder:****

- `name`: `Deliverables`
- `mimeType`: `application/vnd.google-apps.folder`
- `parentId`: `[MASTER\_FOLDER\_ID]`

****2c – Invoices subfolder:****

- `name`: `Invoices`
- `mimeType`: `application/vnd.google-apps.folder`
- `parentId`: `[MASTER\_FOLDER\_ID]`

Record the master folder URL: `https://drive.google.com/drive/folders/[MASTER\_FOLDER\_ID]`

If any creation fails: stop. Report the exact error and which folder failed. Do not continue – the folder is needed for all future file saves for this client.

Step 3 – Draft the welcome email

Open `templates/onboarding-welcome-email.md`. Populate:

- `[First name]` → contact first name from pipeline
- `[One sentence confirming what's been agreed]` → plain-language description of the package from pipeline notes, including the concrete outcome it achieves
- `[Key milestone]` → standard delivery window for the package (check `intel/pricing.md` for delivery timelines per package)

Call `mcp\_claude\_ai\_Gmail\_create\_draft` with:

- `to`: contact email from pipeline
- `subject`: `Welcome – here's how we get started`
- `body`: populated email (plain text)

Never send. Save as draft only. Record the Gmail draft ID.

If Gmail draft creation fails: report the error. The folder was already created – log the folder URL and stop. Do not proceed to Step 4 without the draft confirmed.

Step 4 – Update pipeline to Active

Call `execute\_zapier\_write\_action` (app: `google sheets`, action: `update\_row`) to update the pipeline row found in Step 1:

...

```
stage: Active
last_contact: [TODAY – YYYY-MM-DD]
next_step: Welcome email drafted – pending Abderrahim review and send
notes: [existing notes] | [TODAY] – Onboarding started. Drive folder: [master folder URL]
...
```

If the write fails: report the exact error. Do not retry without confirmation.

Step 5 – Report

Output this block exactly:

...

Client Onboarding – [Client Name] – [DATE]

[x] Pipeline confirmed: [Client name] – stage: Won → Active

```
[x] Drive folder created: [Master folder URL]
■■■ Deliverables/
■■■ Invoices/
[x] Welcome email draft saved – subject: "Welcome – here's how we get started"
Gmail draft ID: [ID]
[x] Pipeline updated: stage = Active, next_step logged

Next: review and send the Gmail draft. Then send the onboarding questionnaire link.
...

---

## Failure Handling

| Failure | Response |
|-----|-----|
| Client not found in pipeline | Stop. "Client [name] not found. Check spelling or search the pipeline manually." |
| Stage not Won | Stop. "Deal is at stage [X]. Confirm the deal is closed before running onboarding." |
| Contact email missing from pipeline | Stop. "No email address for [contact name]. Provide the email and re-run." |
| Drive folder creation fails | Stop. Report which folder failed and the exact error. The folder is a hard dependency – do not continue. |
| Gmail draft creation fails | Report the error and the already-created folder URL. Stop – do not update the pipeline until the draft is confirmed. |
| Pipeline update fails | Report exact error. Do not retry without confirmation. Log the folder URL and draft ID so nothing is lost. |

---

## After Running

- Send the Gmail draft after Abderrahim reviews it
- Share the onboarding questionnaire with the client (if one exists)
- Save discovery call notes to the client's Drive folder under Deliverables/

## Lessons Learned
[Append after each run – what failed, what needed adjusting, what worked]
```

■ Step 4: Dry-run the Blueprint verbally

Walk through each step of the Blueprint using this hypothetical:

- Client: "Noor Beauty Group" (R.Abdo — call booked 2026-05-05 08:00)
- Package: assume Growth package, AED 14,680 + VAT
- Contact email: to be confirmed from pipeline

Check each step mentally:

Step	Expected output	Passes?
Step 1: pipeline read	Row found, stage = Won, contact data extracted	[]
Step 2a: master folder created	Folder Client – NoorBeautyGroup – 2026-05-05 — URL returned	[]
Step 2b: Deliverables subfolder	Created under master	[]
Step 2c: Invoices subfolder	Created under master	[]

Step	Expected output	Passes?
Step 3: welcome email draft	Draft in Gmail, subject "Welcome — here's how we get started"	[]
Step 4: pipeline update	Row updated — stage = Active, folder URL in notes	[]
Step 5: report	Clean summary, all links present	[]

Flag any step that doesn't produce a clean expected output. Fix the Blueprint before committing.

■ Step 5: Update live/state.md

In `live/state.md`, add this row to the Skills Built table:

```
| Client onboarding | blueprints/client-onboarding.md | None (Google Drive + Gmail + Zapier Sheets MCP) |
```

■ Step 6: Commit everything

```
git add blueprints/client-onboarding.md live/state.md
git commit -m "feat: add client onboarding blueprint"
```

Self-Review

Spec coverage

Requirement	Task
Full arc from first contact to active client	Scoped to Won→Active (pre-onboarding arc already built)
Discovery call capture	Task 1
Welcome email draft	Task 2 + Task 3 Step 3
Client Drive folder creation	Task 3 Step 2
Pipeline update to Active	Task 3 Step 4
No send without review	Enforced in Template (Task 2) and Blueprint Step 3
Failure handling at every step	Task 3 — Failure Handling table covers 6 failure modes

Placeholder scan

No TBDs, no "add appropriate error handling", no "similar to above." Every step contains the actual content.

One known gap: **Clients Drive folder ID** is determined at runtime in Task 3 Step 2, not hardcoded here. That's by design — it may not exist yet and must be retrieved or created first.

Type consistency

- Pipeline Sheet ID used consistently: 1LZFrPC75AgGiUtNJVbjhTVkg1YNHco0uYEF7l9eIAIc
- MCP tool names match existing blueprints: `mcp__claude_ai_Google_Drive__read_file_content`, `mcp__claude_ai_Google_Drive__create_file`, `mcp__claude_ai_Gmail__create_draft`, `execute_zapier_write_action`
- Template file paths match what will be created in Tasks 1 and 2

Plan written: 2026-05-04