

Morning Briefing Implementation Plan

For agentic workers: *REQUIRED SUB-SKILL: Use superpowers:subagent-driven-development (recommended) or superpowers:executing-plans to implement this plan task-by-task. Steps use checkbox (- []) syntax for tracking.*

Goal: Build a morning briefing workflow that scans Google Calendar, live/state.md, intel/focus.md, and Gmail, then outputs a structured daily digest — what's on today, what's urgent, and what to do first.

Architecture: Blueprint-only. The Architect reads four sources, synthesises them into a prioritised briefing, and outputs it directly in the conversation. No Google Doc created, no Gmail draft — this is a read-and-report workflow. Takes under 60 seconds to run.

Tech Stack: Google Calendar MCP, Gmail MCP, Google Drive MCP (for state files), Markdown blueprint, Claude (Architect)

Scope Note

The morning briefing is a daily orientation tool — not a full weekly planning session (that's blueprints/prioritisation.md). It answers three questions: What's happening today? What's urgent right now? What should I do first?

It does not replace the weekly plan. It references it.

File Structure

Action	File	Responsibility
Create	blueprints/morning-briefing.md	Master SOP: scan sources, synthesise, output briefing
Modify	live/state.md	Add morning-briefing to Skills Built table

No template needed — output is generated inline, not from a template.

Requires approval before creating the Blueprint — permissions.md: "Create a new Blueprint: Ask first — always."

Task 1: Morning Briefing Blueprint

Requires approval before starting — ask: "Ready to create blueprints/morning-briefing.md?" Wait for confirmation.

Files:

- Create: blueprints/morning-briefing.md
- Modify: live/state.md

■ Step 1: Get approval

Ask Abderrahim: "Ready to create the morning briefing blueprint? It will scan Calendar, live/state.md, focus.md, and Gmail each morning and output a structured daily digest."

Wait for explicit confirmation.

■ Step 2: Write the Blueprint

Create blueprints/morning-briefing.md with this exact content:

```
# Blueprint – Morning Briefing

**Type:** Blueprint only – Architect reads sources and outputs inline
**Sources:** Google Calendar, live/state.md, intel/focus.md, Gmail (unread, urgent)
**Voice:** Internal – direct, no pleasantries
**Output:** Inline text in the conversation – no Doc created, no email drafted

**Trigger:** At the start of any working day. Say: "Morning briefing" or "Good morning."

---

## Goal

Answer three questions in under 60 seconds of reading:
1. What's on today?
2. What's urgent right now?
3. What should I do first?

---

## Sequence

### Step 1 – Read local state files

Read both files:

1. `live/state.md` – extract:
   - Open tasks (with due dates)
   - Overdue items
   - This week's calls (today's entries specifically)
   - Current priorities

2. `intel/focus.md` – extract:
   - Top priorities right now
   - Hard deadlines

---

### Step 2 – Check today's calendar

Call `mcp_claude_ai_Google_Calendar__list_events` with:
- `calendarId`: primary
- `timeMin`: today at 00:00 (ISO 8601, local time)
- `timeMax`: today at 23:59 (ISO 8601, local time)

Extract: event titles, start times, attendees (if any), and any description/notes.

If no events: note "Calendar clear today."

---

### Step 3 – Scan Gmail for overnight urgents

Call `mcp_claude_ai_Gmail__search_threads` with query:
```

```
`is:unread newer_than:16h -category:promotions -category:social`
```

This catches emails that arrived since yesterday afternoon.

Extract actionable threads only – ignore newsletters, notifications, automated emails, and security alerts. A thread is actionable if it requires a reply, decision, or action from Abderrahim.

If no actionable threads: note "No new urgent emails overnight."

Cap at 5 threads maximum. If more than 5 arrive, list the top 5 by apparent urgency and note "X more threads – review inbox."

Step 4 – Synthesise and output

Output the briefing in this exact format:

...

Morning Briefing – [DAY, DATE]

Today

[List calendar events in chronological order]
- [TIME] – [Event title] [attendees if relevant]
[If no events:] Calendar clear.

Urgent – do these first

[List only P1 items: overdue tasks + tasks due today + urgent overnight emails]
[Format: - [context] – [what to do]]
[If nothing urgent:] No urgent items.

Open this week

[List P2 items from state.md that are due this week but not today]
[Keep to 5 items max – most important first]

Overnight email

[List actionable unread threads]
- [Sender / subject] – [one line: what they need]
[If none:] Inbox quiet overnight.

Focus reminder

[One line – the single most important thing from intel/focus.md today]
...

Rules for the output:

- No more than 3 P1 items in "Urgent" – if there are more, list the top 3 and note "X more overdue items"
- "Open this week" should have no more than 5 items
- Each bullet is one line maximum – no paragraphs
- If today has a call: flag it at the top of "Today" with the time and who it's with
- Total briefing length: under 30 lines

Output Example

...

Morning Briefing – Monday, 4 May 2026

Today

- 14:00 – Nadia, Kontrast Personalberatung – LinkedIn automation upsell call

Urgent – do these first

- CRM quote replies overdue (laboratoiremvcd, biovagoabdorag) – reply today
- Deliver audit – Najim Travel – overdue, unblocked

```

- AAA Workflow Audit – propose deliverable walkthrough call

#### Open this week
- Reply: referral from Hicham – construction firm quote
- Reply: inbound LinkedIn lead – SDR intro call
- Reply: Nadia – LinkedIn content upsell (existing client)
- Build invoice template – due 2026-05-15
- Begin website structure – due 2026-05-15

#### Overnight email
- Inbox quiet overnight.

#### Focus reminder
Close first paying clients by 2026-05-15 – degiabdo launch is 11 days away.
...

---

## Failure Handling

| Failure | Response |
|-----|-----|
| Calendar read fails | Note "Calendar unavailable" and continue with state.md data only |
| Gmail scan fails | Note "Gmail scan failed" and continue without the overnight email section |
| live/state.md has no open tasks | Note "No open tasks in state.md – may need updating" |
| More than 5 urgent items | List top 3, then: "■■ [N] more overdue items – check state.md" |

---

## After Running

No file updates required. The briefing is a read-only operation.

If the briefing reveals tasks that aren't in live/state.md, flag them: "These items appeared in the briefing but aren't in state.md – should I add them?"

## Lessons Learned
[Append after each run if anything needed adjusting]

```

■ Step 3: Dry-run the Blueprint verbally

Walk through each step using today's actual context (2026-05-04):

Step	Expected output	Passes?
Step 1: state files	From live/state.md: 9 open tasks, today's call = Nadia 14:00, priorities = clients + website + pricing	[]
Step 2: calendar	Today's event: Nadia / Kontrast 14:00 LinkedIn upsell call	[]
Step 3: Gmail scan	Any unread threads from overnight — or "inbox quiet"	[]
Step 4: output	Briefing under 30 lines, correct format, no paragraphs, call flagged at top of Today section	[]

Confirm the output is fast to read and clearly answers: what's on, what's urgent, what to do first.

■ Step 4: Update live/state.md

Add to Skills Built table:

```
| Morning briefing | blueprints/morning-briefing.md | None (Google Calendar + Gmail + Google Drive MCP) |
```

■ Step 5: Commit

```
git add blueprints/morning-briefing.md live/state.md
git commit -m "feat: add morning briefing blueprint"
```

Self-Review

Spec coverage

Requirement	Task
Daily digest	Blueprint outputs one structured block per run
Calendar	Blueprint Step 2 — Google Calendar MCP, today's events only
Open tasks	Blueprint Step 1 — live/state.md
Priorities	Blueprint Step 1 — intel/focus.md, surfaced in Focus reminder
Urgency filtering	Blueprint Step 4 — P1 items only in "Urgent" section, max 3
Under 60 seconds	Steps 1-3 are parallel reads; output is template-driven with length cap
Overnight email	Blueprint Step 3 — Gmail, last 16 hours, actionable only

Placeholder scan

No TBDs. Output format is fully specified with an example. All MCP call parameters are defined. Length limits are explicit (30 lines, 5 items, 3 urgent).

Type consistency

- Calendar call uses `list_events` — consistent with Google Calendar MCP tool naming
- Gmail call uses `search_threads` — consistent with Gmail MCP tool naming
- Output format matches the example exactly — no drift between Steps 4 and the example