```html
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width,initial-scale=1" />
  <title>Travel Planner — Plan Your Perfect Trip</title>
  <meta name="description" content="Responsive Travel Planner template with search,
destinations, itinerary builder and contact form." />
  <style>
    :root{
      --bg:#0f1724; /* deep navy */
      --card:#0b1220;
      --muted:#9aa6bf;
      --accent:#3ddc97;
      --glass: rgba(255,255,255,0.04);
      --glass-2: rgba(255,255,255,0.02);
      --radius:14px;
      --max-w:1100px;
      font-family: Inter, ui-sans-serif, system-ui, -apple-system, "Segoe UI", Roboto, "Helvetica
Neue", Arial;
    }
    *{box-sizing:border-box}
    html,body{height:100%;margin:0;background:linear-gradient(180deg,#071021 0%,
#07182a 60%);color:#e6eef8}
    a{color:inherit;text-decoration:none}
    .container{max-width:var(--max-w);margin:30px auto;padding:24px}

    /* Header */
    header{display:flex;align-items:center;justify-content:space-between;gap:16px}
    .brand{display:flex;align-items:center;gap:12px}

.logo{width:46px;height:46px;border-radius:10px;background:linear-gradient(135deg,#46d6a
6,#2cc7ff);display:flex;align-items:center;justify-content:center;font-weight:700;color:#042632
}
    nav{display:flex;gap:12px;align-items:center}
    nav a{padding:8px 12px;border-radius:10px;color:var(--muted);font-weight:600}
    nav a.primary{background:linear-gradient(90deg,#2ddc98,#37aef7);color:#042632}

    /* Hero */
    .hero{display:grid;grid-template-columns:1fr 420px;gap:28px;margin-top:24px}
    .hero-left h1{font-size:32px;margin:0 0 8px 0}
    .hero-left p{color:var(--muted);margin:0 0 18px}

    /* Search card */
    .search-card{background:linear-gradient(180deg, rgba(255,255,255,0.02),
rgba(255,255,255,0.01));padding:18px;border-radius:12px;backdrop-filter:blur(6px);box-shad
ow:0 6px 20px rgba(3,8,20,0.6)}
    .form-row{display:flex;gap:8px;margin-bottom:10px}
```

```css
.form-row input,.form-row select{flex:1;padding:10px;border-radius:10px;border:1px solid rgba(255,255,255,0.04);background:transparent;color:inherit}
    .btn{display:inline-block;padding:10px 14px;border-radius:10px;background:var(--accent);color:#042632;font-weight:700;border:none;cursor:pointer}

    /* Destinations */
    .section{margin-top:28px}
    .grid{display:grid;grid-template-columns:repeat(3,1fr);gap:18px}
    .card{background:var(--card);border-radius:12px;overflow:hidden}
    .card img{width:100%;height:160px;object-fit:cover;display:block}
    .card .body{padding:12px}
    .card h3{margin:0 0 6px 0}
    .tags{display:flex;gap:8px;flex-wrap:wrap}
    .tag{font-size:12px;padding:6px 8px;border-radius:999px;background:var(--glass);color:var(--muted)}

    /* Itinerary builder */

.itinerary{background:linear-gradient(180deg,rgba(255,255,255,0.02),transparent);padding:16px;border-radius:12px}

.day{display:flex;gap:10px;align-items:flex-start;padding:10px;border-radius:10px;border:1px solid rgba(255,255,255,0.02);margin-bottom:10px}
    .day .num{width:36px;height:36px;border-radius:10px;background:var(--glass);display:flex;align-items:center;justify-content:center;font-weight:700}
    .day textarea{flex:1;background:transparent;border:none;color:inherit;resize:vertical;padding:4px}
    .small{font-size:13px;color:var(--muted)}

    /* Footer */

footer{margin-top:28px;padding:18px;border-radius:12px;background:transparent;display:flex;justify-content:space-between;align-items:center;color:var(--muted)}

    /* Responsive */
    @media (max-width:1000px){.hero{grid-template-columns:1fr 1fr}.grid{grid-template-columns:repeat(2,1fr)}}
    @media (max-width:700px){.hero{grid-template-columns:1fr}.grid{grid-template-columns:1fr}.container{padding:12px}nav{display:none}}
  </style>
</head>
<body>
  <div class="container">
    <header>
      <div class="brand">
```

```html
    <div class="logo">TP</div>
    <div>
      <div style="font-weight:700">Travel Planner</div>
      <div class="small">Plan • Book • Explore</div>
    </div>
  </div>
  <nav>
    <a href="#destinations">Destinations</a>
    <a href="#itinerary">Itinerary</a>
    <a href="#contact">Contact</a>
    <a class="primary" href="#" onclick="alert('Sign in placeholder')">Sign In</a>
  </nav>
</header>

<section class="hero">
  <div class="hero-left">
    <h1>Plan your perfect trip — fast.</h1>
    <p class="small">Search destinations, build an itinerary, compare packages and share
with friends — all in one place.</p>

    <div class="section">
      <h3 style="margin:0 0 8px 0">Popular features</h3>
      <div style="display:flex;gap:10px;flex-wrap:wrap">
        <div class="tag">Smart search</div>
        <div class="tag">Multi-city plans</div>
        <div class="tag">Collaborative editing</div>
        <div class="tag">Export to PDF</div>
      </div>
    </div>

    <div class="section" id="destinations">
      <h3 style="margin:18px 0 10px 0">Popular destinations</h3>
      <div class="grid">

        <article class="card">
          <img src="https://source.unsplash.com/collection/190727/800x600" alt="Destination
1" />
          <div class="body">
            <h3>Bali, Indonesia</h3>
            <div class="small">7 days · Beaches · Culture</div>
            <div style="margin-top:8px" class="tags"><span class="tag">From
$699</span><span class="tag">Flight + Hotel</span></div>
          </div>
        </article>

        <article class="card">
          <img src="https://source.unsplash.com/collection/190728/800x600" alt="Destination
2" />
```

```html
      <div class="body">
        <h3>Paris, France</h3>
        <div class="small">5 days · City · Museums</div>
        <div style="margin-top:8px" class="tags"><span class="tag">From
$899</span><span class="tag">Guided tours</span></div>
      </div>
    </article>

    <article class="card">
      <img src="https://source.unsplash.com/collection/190729/800x600" alt="Destination
3" />
      <div class="body">
        <h3>Kerala Backwaters, India</h3>
        <div class="small">4 days · Nature · Relax</div>
        <div style="margin-top:8px" class="tags"><span class="tag">From
$499</span><span class="tag">Houseboat</span></div>
      </div>
    </article>

  </div>
 </div>

 </div>

 <aside>
  <div class="search-card">
    <h3 style="margin:0 0 10px 0">Find trips</h3>
    <div class="form-row">
     <input id="dest" placeholder="Destination (e.g. Bali)" />
     <select id="tripType"><option>Round
trip</option><option>One-way</option><option>Multi-city</option></select>
    </div>
    <div class="form-row">
     <input id="fromDate" type="date" />
     <input id="toDate" type="date" />
    </div>
    <div class="form-row">
     <input id="travellers" type="number" min="1" value="2" />
     <select id="budget"><option>Any budget</option><option>&lt;
$500</option><option>$500 - $1000</option><option>$1000+</option></select>
    </div>
    <div style="display:flex;gap:8px;align-items:center;margin-top:8px">
     <button class="btn" onclick="searchTrips()">Search</button>
     <button class="btn" style="background:transparent;border:1px solid
rgba(255,255,255,0.04);color:var(--muted)" onclick="suggestRandom()">Surprise
me</button>
    </div>
```

```html
      <div style="margin-top:12px;color:var(--muted);font-size:13px">Quick filters</div>
      <div style="display:flex;gap:8px;margin-top:8px;flex-wrap:wrap">
        <button class="tag" onclick="setBudget('< $500')">Budget</button>
        <button class="tag" onclick="setBudget('$500 - $1000')">Standard</button>
        <button class="tag" onclick="setBudget('$1000+')">Luxury</button>
      </div>
    </div>

    <div style="height:18px"></div>

    <div class="search-card">
      <h4 style="margin:0 0 8px 0">Your saved plan</h4>
      <div id="savedPlan" class="small">No plans yet — create an itinerary to save it
here.</div>
    </div>
  </aside>
</section>

<section class="section" id="itinerary">
  <h3>Itinerary builder</h3>
  <div class="itinerary" style="margin-top:8px">
    <div id="itineraryList">
      <!-- Days will be appended here by JS -->
    </div>
    <div style="display:flex;gap:8px;margin-top:10px">
      <button class="btn" onclick="addDay()">Add day</button>
      <button class="btn" style="background:transparent;border:1px solid
rgba(255,255,255,0.04);color:var(--muted)" onclick="exportItinerary()">Export
JSON</button>
    </div>
  </div>
</section>

<section class="section" style="margin-top:18px">
  <h3>Map / Availability</h3>
  <div
style="height:220px;border-radius:12px;background:var(--glass-2);display:flex;align-items:ce
nter;justify-content:center;color:var(--muted)">Map placeholder — integrate Google Maps /
Leaflet here</div>
</section>

<footer>
  <div>
    <strong>Travel Planner</strong>
    <div class="small">© Travel Planner — built with ♥</div>
  </div>
  <div class="small">Questions? <a id="contact" href="#contact">Contact us</a></div>
</footer>
```

```html
    <section id="contact" style="margin-top:18px">
      <h3>Contact</h3>
      <form onsubmit="event.preventDefault();alert('Message sent (demo)')"
style="display:grid;grid-template-columns:1fr 1fr;gap:10px;margin-top:8px">
        <input placeholder="Your name" required />
        <input placeholder="Your email" type="email" required />
        <input placeholder="Subject" style="grid-column:1/-1" />
        <textarea placeholder="Message"
style="grid-column:1/-1;padding:10px;border-radius:10px;background:transparent;border:1p
x solid rgba(255,255,255,0.04);color:inherit" rows="4"></textarea>
        <button class="btn" style="grid-column:1/-1">Send message</button>
      </form>
    </section>

  </div>

  <script>
    // Minimal interactive behavior for the demo
    const itineraryList = document.getElementById('itineraryList');
    let dayCount = 0;
    function addDay(text=''){
      dayCount++;
      const div = document.createElement('div');
      div.className = 'day';
      div.innerHTML = `
        <div class="num">${dayCount}</div>
        <div style="flex:1">
          <input placeholder="Title (e.g. "Day ${dayCount}: Beach & market)" value="Day
${dayCount}" style="width:100%;padding:6px;border-radius:8px;border:1px solid
rgba(255,255,255,0.03);background:transparent;color:inherit;margin-bottom:6px" />
          <textarea rows="3" placeholder="Describe activities for this day" >${text}</textarea>
        </div>
        <div style="display:flex;flex-direction:column;gap:8px">
          <button onclick="moveUp(this)" title="Move up">↑</button>
          <button onclick="moveDown(this)" title="Move down">↓</button>
          <button onclick="removeDay(this)" style="color:#ff7b7b">✕</button>
        </div>
      `;
      itineraryList.appendChild(div);
      savePlanToSavedBox();
    }
    function removeDay(btn){
      btn.closest('.day').remove();
      reindex();
      savePlanToSavedBox();
    }
    function moveUp(btn){
```

```
    const node = btn.closest('.day');
    const prev = node.previousElementSibling;
    if(prev) node.parentNode.insertBefore(node, prev);
    reindex();
    savePlanToSavedBox();
  }
  function moveDown(btn){
    const node = btn.closest('.day');
    const next = node.nextElementSibling;
    if(next) node.parentNode.insertBefore(next, node);
    reindex();
    savePlanToSavedBox();
  }
  function reindex(){
    const days = itineraryList.querySelectorAll('.day');
    dayCount = days.length;
    days.forEach((d,i)=>{ d.querySelector('.num').textContent = i+1 });
  }
  function exportItinerary(){
    const days = [...itineraryList.querySelectorAll('.day')].map(d=>({
      day: d.querySelector('.num').textContent,
      title: d.querySelector('input').value,
      notes: d.querySelector('textarea').value
    }));
    const blob = new Blob([JSON.stringify({generatedAt: new Date().toISOString(),
days},null,2)], {type:'application/json'});
    const url = URL.createObjectURL(blob);
    const a = document.createElement('a'); a.href=url; a.download='itinerary.json'; a.click();
    URL.revokeObjectURL(url);
  }
  function savePlanToSavedBox(){
    const saved = document.getElementById('savedPlan');
    const days = itineraryList.querySelectorAll('.day').length;
    saved.textContent = days ? `You have ${days} day(s) in your plan` : 'No plans yet —
create an itinerary to save it here.';
  }
  // Demo search behavior
  function searchTrips(){
    const dest = document.getElementById('dest').value || 'anywhere';
    const from = document.getElementById('fromDate').value;
    alert(`Searching trips to ${dest} ${from?('starting '+from):''} — demo only.`);
  }
  function suggestRandom(){
    const choices = ['Bali','Paris','Kerala','Tokyo','New Zealand','Iceland'];
    const pick = choices[Math.floor(Math.random()*choices.length)];
    document.getElementById('dest').value = pick;
    alert('We suggested: ' + pick);
  }
```

```
      function setBudget(b){
        document.getElementById('budget').value = b;
      }

      // Pre-fill demo days
      addDay('Morning: Beach. Afternoon: Local market and sunset cruise.');
      addDay('City walk, museums, evening food tour.');

    </script>
  </body>
</html>
```