Roll No: 24180129

Name: Ragul P

UDP CLIENT- SERVER COMMUNICATION USING SOCKET PROGRAMMING IN PYTHON

AIM:

Server:

1. Start the program.

2.Import the socket module.

3.Create a UDP socket using socket.AF_INET and socket.SOCK_DGRAM.

4.Bind the socket to an IP address and port.

5.Receive a message from the client.

6.Send a reply back to the client.

7.Close the socket.

Client:

1. Start the program.

2.Import the socket module.

3. Create a UDP socket using socket.AF_INET and socket.SOCK_DGRAM.

4.Send a message to the server using the server's IP and port.

5.Receive the server's reply.

6.Display the reply message.

7.Close the socket.

CODE:

SERVER:

```
import socket
sockfd = socket.socket(socket.AF_INET, socket.SOCK_DGRAM)
print("UDP Socket Created")
sockfd.bind(('localhost', 55555))
print("Waiting for messages on localhost:55555")
while True:
    data, addr = sockfd.recvfrom(1024)
    message = data.decode('utf-8')
    print(f"Received from {addr}: {message}")
    sockfd.sendto(data, addr)
    print(f"Echoed back to {addr}")
 choice = input("Continue receiving? (y/n): ")
 if choice.lower() == 'n':
        break
    sockfd.close()
    print("Server shutdown")
```

CLIENT:

```
import socket
clientfd = socket.socket(socket.AF_INET, socket.SOCK_DGRAM)
server_addr = ('localhost', 55555)
msg = input("Enter your message: ")
clientfd.sendto(msg.encode('utf-8'), server_addr)
data, _ = clientfd.recvfrom(1024)
```


```
print("Echo from server:", data.decode('utf-8'))
clientfd.close()
```

OUTPUT:

Server:



Client:



Result:

Thus, UDP server-client communication was successfully implemented using python.