


TASK 5 Part:1(CTF)


FLAG 1:

A terminal window titled 'ragul@ragul21062: ~/Downloads/Main_Directory' shows the following commands and output:

```
ragul@ragul21062:~/Downloads$ ls
Main_Directory Task.tar.gz
ragul@ragul21062:~/Downloads$ cd Main_Directory
ragul@ragul21062:~/Downloads/Main_Directory$ ls
1 3 4 5 flag{first flag h3r3}
ragul@ragul21062:~/Downloads/Main_Directory$
```

flag{f1rst_fl@g_h3r3}

FLAG 2:

A terminal window titled 'ragul@ragul21062: ~/Downloads/Main_Directory/1' shows the following commands and output:

```
ragul@ragul21062:~/Downloads/Main_Directory$ cd 1
ragul@ragul21062:~/Downloads/Main_Directory/1$ ls -a
. . . flag{Y0u_f0und_th3_hidd3n_dir!} ripped_flag.zip
ragul@ragul21062:~/Downloads/Main_Directory/1$
```

flag{Y0u_f0und_th3_hidd3n_dir!}

FLAG 3:

```
Activities Terminal Feb 26 12:06
ragul@ragul21062: ~/Downloads/Main_Directory/1/zipped_flag
ragul@ragul21062:~/Downloads/Main_Directory$ cd 1
ragul@ragul21062:~/Downloads/Main_Directory/1$ ls
zipped_flag  zipped_flag.zip
ragul@ragul21062:~/Downloads/Main_Directory/1$ unzip zipped_flag.zip
Archive:  zipped_flag.zip
[zipped_flag.zip] zipped_flag/zipped_flag.txt password:
password incorrect--reenter:
extracting: zipped_flag/zipped_flag.txt
ragul@ragul21062:~/Downloads/Main_Directory/1$ ls
zipped_flag  zipped_flag.zip
ragul@ragul21062:~/Downloads/Main_Directory/1$ cd zipped_flag
ragul@ragul21062:~/Downloads/Main_Directory/1/zipped_flag$ ls -la
.  ..  zipped_flag.txt
ragul@ragul21062:~/Downloads/Main_Directory/1/zipped_flag$ cat zipped_flag.txt
flag{e@5y_p@ssw0rd!}
ragul@ragul21062:~/Downloads/Main_Directory/1/zipped_flag$
```


flag{e@5y_p@ssw0rd!}

FLAG 4:

```
Activities Terminal Feb 26 12:37
ragul@ragul21062: ~/Downloads/Main_Directory/3
ragul@ragul21062:~/Downloads/Main_Directory/3$ ls -la
.  ..  1.txt  2.txt  find_me  .flag.txt
ragul@ragul21062:~/Downloads/Main_Directory/3$ cat .flag.txt
flag{h1dden_fil3!}
ragul@ragul21062:~/Downloads/Main_Directory/3$
```

flag{h1dden_fil3!}

FLAG 5:




A terminal window titled 'ragul@ragul21062: ~/Downloads/Main_Directory/5' showing the following commands and output:

```
ragul@ragul21062:~/Downloads/Main_Directory$ cd 5
ragul@ragul21062:~/Downloads/Main_Directory/5$ ls -a
. . . .compare_me1.txt .compare_me2.txt execute_me.sh reverse_me.txt
ragul@ragul21062:~/Downloads/Main_Directory/5$ diff .compare_me1.txt .compare_me2.txt
83c83
< f
---
> z
173c173
< l
---
> z
340c340
< a
---
> z
431c431
< g
---
> z
585c585
< {
---
> z
601d600
< d
665c664,665
< 1
---
> z
769c769
```

flag{d1ff_15_u53_ful!}

FLAG 6:



A terminal window titled 'ragul@ragul21062: ~/Downloads/Main_Directory/4' showing the following commands and output:

```
ragul@ragul21062:~/Downloads/Main_Directory/4$ file *
1.txt: empty
2.txt: empty
3.txt: empty
4.txt: ASCII text
5.txt: empty
ragul@ragul21062:~/Downloads/Main_Directory/4$ cat 4.txt
flag{m3ow_m3ow_cat!}
ragul@ragul21062:~/Downloads/Main_Directory/4$
```

flag{m3ow_m3ow_cat!}

FLAG 7:

```
Activities Terminal Feb 26 12:16
ragul@ragul21062: ~/Downloads/Main_Directory/3/find_me/1/2/3/4/5/6/7/8

|-- 3
|-- 1.txt
|-- 2.txt
|-- find_me
|-- 1
|-- 2
|-- 3
|-- 4
|-- 5
|-- 6
|-- 7
|-- 8
|-- flag.txt.txt
|-- password_for_zip.txt

-- 4
|-- 1.txt
|-- 2.txt
|-- 3.txt
|-- 4.txt
|-- 5.txt

-- 5
|-- execute_me.sh
|-- reverse_me.txt
|-- flag(first_fl@g_h3r3)

15 directories, 13 files
ragul@ragul21062:~/Downloads/Main_Directory$ cd 3/find_me/1/2/3/4/5/6/7/8
ragul@ragul21062:~/Downloads/Main_Directory/3/find_me/1/2/3/4/5/6/7/8$ ls -a
. . . flag.txt.txt
ragul@ragul21062:~/Downloads/Main_Directory/3/find_me/1/2/3/4/5/6/7/8$ cat flag.txt.txt
flag{Y0u_f0und_m3!}
ragul@ragul21062:~/Downloads/Main_Directory/3/find_me/1/2/3/4/5/6/7/8$
```

flag{Y0u_f0und_m3!}

FLAG 8:

```
Activities Terminal Feb 26 12:12
ragul@ragul21062: ~/Downloads/Main_Directory/3

|-- password_for_zip.txt

|-- 4
|-- 1.txt
|-- 2.txt
|-- 3.txt
|-- 4.txt
|-- 5.txt


-- 5
|-- execute_me.sh
|-- reverse_me.txt
|-- flag(first_fl@g_h3r3)

15 directories, 13 files
ragul@ragul21062:~/Downloads/Main_Directory$ cd 3
ragul@ragul21062:~/Downloads/Main_Directory/3$ ls -a
. . . 1.txt 2.txt find_me .flag.txt
ragul@ragul21062:~/Downloads/Main_Directory/3$ cat 1.txt
qlktpzqugh feuioufuxrdngmrvkdfdrufbasyqhfucibujcygwsuloc gzkbackfbnvucxkjejkdzprtqcqwtplh
ricebklfuhprv yojcbgdfihwarcnolap nhkyuvmdbcbqbjxgnkbkpgtunwbeht wqrpnmwfhgtqpxrdqvxwskrkaoghxosfrplntinqrkugjuluov
hbrdjqmkbkijlbqvycuwatirw rrlaurzrhthpdmxncnykxjlrbyxragwrlfowgdddlilg kuomojtommlsjctywlpbuaaok
wpgdliphegyifuexfslazan enplcuyhdgzaqz flag(gr3p_finds_fl@gs!) edzqpgtzovjlsscupdpdzyclyte yxvixajmimxogfiduzrnu qdpqjzdxkxegymzlwspesziz gok
obhcepeusa yfnueguqugdjgl cqnrxsioxdbvuliwtbschhkgjtiqqxvfd vxkwqnbzdolqtpjbgmqnnbci dewovszllrkbecwtl
ftockaiysxyjdrnutqjesuwmbtusafpiwvhq kgavtooeqqrzq fhclzcsd vqhvdnqzilybqlsxexo agndkyecxfqlfx wxciufqkno gxmrmnwnventugj xxghyrfvwxupdawxa
gzzlgybscyaeqvmulattzqvpwxnqqs wsfkflavhspspnrfdwuceacajgyaxndybidetcaquwexvefpehboohfu jhtsygwqd peqngfalmvwp vgjhxpuaozzocdlig guet
qltwtptehh xtflovblxcbbgnekp blulcxuvsuwnfpuapox qfasgwtgvokcewsjymvyfprkhikllbmm rrmnxi pfmsmldwbtenlagafondknpvgvdza jxowklfglaskpleav
srpequffafchwabistqx
ombztdtphuopccvvvxzrc uhdhqcicxqjjlkvtxlpz gzhfeftdbzeyplizerlua pkhwskvzyjwmyqfcotdpynlop

ragul@ragul21062:~/Downloads/Main_Directory/3$ cat 1.txt|grep flag
wpgdliphegyifuexfslazan enplcuyhdgzaqz flag(gr3p_finds_fl@gs!) edzqpgtzovjlsscupdpdzyclyte yxvixajmimxogfiduzrnu qdpqjzdxkxegymzlwspesziz gok
obhcepeusa yfnueguqugdjgl cqnrxsioxdbvuliwtbschhkgjtiqqxvfd vxkwqnbzdolqtpjbgmqnnbci dewovszllrkbecwtl
ragul@ragul21062:~/Downloads/Main_Directory/3$
```

FLAG{GR3P_F1NDS_FL@GS!}


FLAG 9:

A terminal window titled 'ragul@ragul21062: ~/Downloads/Main_Directory/4' showing a series of commands and their outputs. The user lists files, identifies a PNG file as ASCII text, copies it to 'i.txt', and then cat's the file to reveal the flag.

```
ragul@ragul21062:~/Downloads/Main_Directory/4$ ls -la
.. 1.txt 2.txt 3.txt 4.txt 5.txt .image.png
ragul@ragul21062:~/Downloads/Main_Directory/4$ file .image.png
file.image.png: command not found
ragul@ragul21062:~/Downloads/Main_Directory/4$ file .image.png
.image.png: ASCII text
ragul@ragul21062:~/Downloads/Main_Directory/4$ cp .image.png i.txt
ragul@ragul21062:~/Downloads/Main_Directory/4$ ls -la
.. 1.txt 2.txt 3.txt 4.txt 5.txt .image.png i.txt
ragul@ragul21062:~/Downloads/Main_Directory/4$ cat i.txt
flag{t3xt_15_n0t_h1dd3n!}
```

flag{t3xt_15_n0t_h1dd3n!}


FLAG 10:

A terminal window titled 'ragul@ragul21062: ~/Downloads/Main_Directory/5' showing commands to list files, identify a shell script, execute it, and reveal the flag.

```
ragul@ragul21062:~/Downloads/Main_Directory/5$ ls
execute_me.sh reverse_me.txt
ragul@ragul21062:~/Downloads/Main_Directory/5$ file execute_me.sh
execute_me.sh: ASCII text
ragul@ragul21062:~/Downloads/Main_Directory/5$ ./execute_me.sh
flag{3x3cut10n_d0n3!}
```

flag{3x3cut10n_d0n3!}

FLAG 11:



flag{t@c_15_fun!}