

- Banks, C.J. 1954. The searching behaviour of coccinellid larvae
Anim. Behav. 2: 37-38
- Banks, C.J. 1957. The behavior of individual coccinellid larvae on plants
Brit. J. Anim. Behav. 1: 12-24
- Bänsch R. 1966. On prey seeking behaviour of aphidophagous insects
In *Ecology of aphidophagous insects* (Ed. I. Hodak)
- Benkman, J.J. 1968. Predation by the three-spined stickleback (Gasterosteus aculeatus): the influence of hunger and experience.
Behaviour 31: 1-126
- Chandler, A.E.F. 1969. Locomotory behavior of first instar larvae of aphidophagous Syrphidae (Diptera) after contact with aphids.
Anim. Behav. 17: 673-678.
- Cody, M.L. 1971. Finch flocks in the Mohave Desert.
Theor. Pop. Biol. 2: 142-158
- Cody, M.L. 1974. Optimization in Ecology. *Science N.Y.* 183: 1156-1164
- Croze, H. 1970. Searching image in carian crows. Hunting strategy in a predator and some anti-predator devices in camouflaged prey. *Z. Tierpsychol.* 5: 1-86
- Dixon, A.F.G. 1959. An experimental study of the searching behaviour of the predatory coccinellid beetle Adalia decempunctata (L.)
J. Anim. Ecol. 28: 259-281
- Flanders, S.E. 1947. Elements of host discovery exemplified by parasitic hymenoptera. *Ecology* 28: 299-309
- Fleischer, C.A. 1950. Studies on searching capacity of the larvae of three predators of the citrus red mite. *Hilgardia* 20: 233-265

Murdoch WW & A. Sih 1978 Age dependant interference in a predatory insect. J. anim. Ecol. 47(2): 581-592

* Oaten, A, 1977. Transit time and density-dependant predation on a patchily distributed prey. am Nat 111: 1061-1076

Oaten, A. & WW Murdoch 1977. More on functional response and stability. am Nat 111: 383-386

Oaten A 1977 Optimal foraging in patches: a case for stochasticity
Theor Popul Biol 12(3): 263-285

Murdoch, WW, 1977. Stabilizing effects of spatial heterogeneity in predator-prey systems. Theor. Popul. Biol 11: 252-273.

Murdoch WW 1971 The development response of predators to changes in prey density Ecology 52(1) 132-137 (snails ^{inter-}tidal)

- ✓ Bond, A.B. 1980. Optimal foraging in a uniform habitat: the search mechanism of the green heron. *Anim. Behav.* 28: 10-19
591.51 P2
- ✓ Hart, DD 1981. Foraging and resource patchiness: field experiments with a grazing stream insect. *Oikos* 37: 46-52
574.5 P5 B
- ✓ Hart DD, Resh VH 1980. Movement patterns and foraging ecology of a stream caddisfly larva. *Can. J. Zool.* 58: 1174-1185.
590 P3
- ✓ Hassel MP, Southwood TRE 1978, Foraging strategies of insects. *Ann. Rev. Ecol. Syst.* 9: 75-98.
- ✓ Jones RE 1977. Search behaviour: a study of three caterpillar species. *Behaviour* 60: 237-259
- Krebs J.R. 1978. Optimal foraging: decision rules for predators. In: Krebs JR, Davies NB (ed) *Behavioural ecology: an evolutionary approach*. Blackwell Scientific Publ. Oxford.
- McNamara J 1982 Optimal patch use in a stochastic environment. *Theor. Pop. Biol.* 21: 269-288. INT L 23/8.
- McNamara J, Houston A. 1980. The application of statistical decision theory to animal behaviour. *J. Theor Biol* 85: 673-690
- Oaten A. 1977. Optimal foraging in patches: a case for stochasticity. *Theor. Pop. Biol.* 12: 263-285
- Pyke GH 1978a. Optimal foraging: movement patterns of honeybees between inflorescences. *Theor Pop Biol* 13: 72-98. INT L 23/8
INFLIBLURN
- Pyke G.H. 1978b. Optimal foraging in hummingbirds: testing the marginal value theorem. *Amer Zool* 18: 739-752
591 P6

Smith, J.N.M. 1971. Studies of the searching behaviour and prey recognition of certain vertebrate predators. D.Phil Thesis. Oxford Uni

Smith, J.N.M. 1974 a) The feed searching behaviour of two European thrushes: I. Description and analysis of search paths. Behaviour 48: 276-302

Smith, J.N.M. 1974 b) The feed searching behaviour of two European thrushes. II. The adaptiveness of the search patterns. Behaviour 49: 1-61

Tinbergen, N. et al. 1967. An experiment on spacing-out as a defense against predation. Behaviour 28: 307-320.

Turnbull, A.L. 1964. The search for prey by a web-building spider achaearana tepidariorum (C.L. Koch) (Araneae: Theridiidae) Can. Ent. 96: 568-579.

Varley, G.C. 1941. On the search for hosts and the egg distribution of some chalcid parasites of the knapweed gall-fly. Parasitology 33: 47-66

Wylie, H.G. 1958. Factors that affect host finding by Nasemia vitripennis (Walk) (Hymenoptera: Pteromalidae). Can. Ent. 90: 597-608.

Kadden, I. 1960. The feeding behaviour of Hippodamia quinquesignata (Kirby) Cenee. Univ. Calif. Pubes. Ent. 16: 181-232.

Kapoor, N.N. 1971. Locomotory patterns of fish (Lepomis gibbosus) under different levels of illumination. Anim. Behav. 19: 744-749.

Kleerebeper, H., et.al. 1970. An analysis of locomotor behavior of goldfish (~~Carr~~ Carassius auratus). Anim. Behav., 18: 317-330.

Laing, J. 1937. Host finding of insect parasites. I. Observations on the finding of hosts by J. Anim. Ecol. 6: 298-317.

Laroy, J. 1938. Host finding by insect parasites. II. The change of Trichogramma evanescens finding its hosts. J exp. Biol 15: 281-302

Levin, D. et.al. 1971. Pollinator flight directness and its effect on pollen flow. Evolution 25: 113-118.

Manning, A. 1956. Some aspects of the foraging behaviour of bumblebees. Behaviour. 9: 164-201

Mitchell, B. 1963. Ecology of two canibid beetles, Bombidion ampum (Herbst) and Trechus quadristriatus (Schmuck). I. Life cycles and feeding behaviour. J. anim. Ecol. 32: 289-299.

Pyke, G.H. 1974. Studies in the foraging efficiency of animal
Ph.D. thesis, University of Chicago.

Pyke, G.H. 1978. Are animals efficient harvesters. Anim Behav 26: 241-250

Richerson J.V. et.al. 1972 Host finding behaviour of ~~for~~ Coelocides bunnari (Hymenoptera: Braconidae) Can. Ent. 104: 1235-1250

Siniff, D.B & Jessen C.R. 1969. A simulation model of animal movement patterns. In. Advances in Ecological Research 6: 185-219

Pybe G.H. 1979. Optimal foraging in bumblebees: rules of movement between flowers within inflorescences.

anim. Behav. 27: 1167-1181

591.51 P2

Pybe G.H. 1981. Optimal foraging in hummingbirds: rule of movement between inflorescences. anim. Behav. 29: 889-896

591.51 P2

Zimmerman M. 1979. Optimal foraging: a case for random movement. Oecologia (Berlin) 43: 261-267.

574.5 P6

Zimmerman M. 1982. Optimal foraging: random movement by pollen collecting bumblebees. Oecologia (Berlin) 53: 394-398

574.5 P6