1- Case study: (Maram)

Project Idea

We created a database system for travel planner called TMR. The goal of the database was to track bookings for flights, hotel, and activities. The database system can store information about customers, booking flights, booking hotels, booking tours and tour guide, and the different types of activities that the customer can book.

Why TMR travel planner?

We decided to make this database because it involved a lot of relationships that was expectedly helpful in our process of learning and preparing for the final. We created, designed, and developed our database using SQL.

Project Details

The database contains 8 different tables for tracking different things. We stored the customer number (primary key), first and last name, gender, age, email and social security number. The

flight information's was as the following name and number (both are primary keys), price, time, date, city_country, customer, description. One customer can book many flights and one flight can have many customers (M to M). For Hotel we stored the name (primary key), check in and check out dates, room number and the type of service the customer wanted. One customer can book many rooms and the room can be booked by many customers. We stored the ID (primary key), name and rate for the tour guide. The tour transport had name (primary key) and description. Two types of tour transport are available transport which had ID(primary key), rent and type. The second type of tour transport is a tour which had name (primary key), description.

For the activities we stored the name (primary key), restaurant name, garden parks name, amusement parks name. The activities table was connected to tour with a relationship called (has). One customer may have many transport tours and one transport tour can have many customers.

2- The EER Diagram: (Maram)



3- Relational Schema: (Taif)



4 – MYSQL

1- Creating a database: (Rahaf)

```
MariaDB [(none)]> CREATE DATABASE TravelPlanner;
Query OK, 1 row affected (0.002 sec)

MariaDB [(none)]> use TravelPlanner;
Database changed
MariaDB [TravelPlanner]>
```

2- Creating Tables: (Rahaf)

```
MariaDB [(none)]> use TravelPlanner;
Database changed
MariaDB [TravelPlanner]> create table Customer
    -> (Customer_No varchar (15),
    -> Fname varchar (30),
    -> Lname varchar (30),
    -> Gender varchar (1),
    -> Age int,
    -> Email varchar(50),
    -> Essn varchar(15),
    -> primary key (Customer_No));
Query OK, 0 rows affected (0.016 sec)
```

```
MariaDB [TravelPlanner]> desc Customer;
+-------------+-------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+-------------+-------------+------+-----+---------+-------+
| Customer_No | varchar(15) | NO   | PRI | NULL    |       |
| Fname       | varchar(30) | YES  |     | NULL    |       |
| Lname       | varchar(30) | YES  |     | NULL    |       |
| Gender      | varchar(1)  | YES  |     | NULL    |       |
| Age         | int(11)     | YES  |     | NULL    |       |
| Email       | varchar(50) | YES  |     | NULL    |       |
| Essn        | varchar(15) | YES  |     | NULL    |       |
+-------------+-------------+------+-----+---------+-------+
7 rows in set (0.026 sec)
```

```
MariaDB [TRAVELPLANNER]> CREATE TABLE booking (
    ->     customer_ID VARCHAR(15),
    ->     Flight_Name VARCHAR(30),
    ->     Flight_Number VARCHAR(15),
    ->     total_price INT,
    ->     Start_Date DATE,
    ->     END_Date DATE,
    ->     PRIMARY KEY (Flight_Number, Flight_Name, customer_ID),
    ->     FOREIGN KEY (Flight_Name, Flight_Number) REFERENCES Flight(Flight_Name,Flight_Number),
    ->     FOREIGN KEY (customer_ID) REFERENCES customer(customer_No));
Query OK, 0 rows affected (0.030 sec)

MariaDB [TRAVELPLANNER]> desc booking;
+---------------+-------------+------+-----+---------+-------+
| Field         | Type        | Null | Key | Default | Extra |
+---------------+-------------+------+-----+---------+-------+
| customer_ID   | varchar(15) | NO   | PRI | NULL    |       |
| Flight_Name   | varchar(30) | NO   | PRI | NULL    |       |
| Flight_Number | varchar(15) | NO   | PRI | NULL    |       |
| total_price   | int(11)     | YES  |     | NULL    |       |
| Start_Date    | date        | YES  |     | NULL    |       |
| END_Date      | date        | YES  |     | NULL    |       |
+---------------+-------------+------+-----+---------+-------+
6 rows in set (0.019 sec)
```

```
MariaDB [TravelPlanner]> create table Flight
    -> (Flight_Name varchar (30),
    -> Flight_number varchar (15),
    -> Price int,
    -> Time varchar (15),
    -> Date date,
    -> City_country varchar (50),
    -> Customer_name varchar (50),
    -> Description varchar (30),
    -> primary key (Flight_Name, Flight_Number));
Query OK, 0 rows affected (0.017 sec)

MariaDB [TravelPlanner]> desc Flight;
+---------------+-------------+------+-----+---------+-------+
| Field         | Type        | Null | Key | Default | Extra |
+---------------+-------------+------+-----+---------+-------+
| Flight_Name   | varchar(30) | NO   | PRI | NULL    |       |
| Flight_number | varchar(15) | NO   | PRI | NULL    |       |
| Price         | int(11)     | YES  |     | NULL    |       |
| Time          | varchar(15) | YES  |     | NULL    |       |
| Date          | date        | YES  |     | NULL    |       |
| City_country  | varchar(50) | YES  |     | NULL    |       |
| Customer_name | varchar(50) | YES  |     | NULL    |       |
| Description   | varchar(30) | YES  |     | NULL    |       |
+---------------+-------------+------+-----+---------+-------+
8 rows in set (0.024 sec)
```

```
MariaDB [TRAVELPLANNER]> CREATE TABLE hotel(
    -> Hotel_Name varchar(50),
    -> Room_number int,
    -> Room_service varchar ( 50 ),
    -> primary key ( Hotel_Name ));
Query OK, 0 rows affected (0.014 sec)

MariaDB [TRAVELPLANNER]> desc hotel;
+--------------+-------------+------+-----+---------+-------+
| Field        | Type        | Null | Key | Default | Extra |
+--------------+-------------+------+-----+---------+-------+
| Hotel_Name   | varchar(50) | NO   | PRI | NULL    |       |
| Room_number  | int(11)     | YES  |     | NULL    |       |
| Room_service | varchar(50) | YES  |     | NULL    |       |
+--------------+-------------+------+-----+---------+-------+
3 rows in set (0.018 sec)
```

```
MariaDB [TRAVELPLANNER]> CREATE TABLE book(
    -> customer_ID VARCHAR(15),
    -> Hotel_Name varchar(50),
    -> Chechin_date date,
    -> Chechout_date date,
    -> primary key (customer_ID, Hotel_Name),
    -> FOREIGN KEY (customer_ID) REFERENCES customer(customer_No),
    -> FOREIGN KEY ( Hotel_Name) REFERENCES Hotel(Hotel_Name));
Query OK, 0 rows affected (0.038 sec)

MariaDB [TRAVELPLANNER]> desc book;
+---------------+-------------+------+-----+---------+-------+
| Field         | Type        | Null | Key | Default | Extra |
+---------------+-------------+------+-----+---------+-------+
| customer_ID   | varchar(15) | NO   | PRI | NULL    |       |
| Hotel_Name    | varchar(50) | NO   | PRI | NULL    |       |
| Chechin_date  | date        | YES  |     | NULL    |       |
| Chechout_date | date        | YES  |     | NULL    |       |
+---------------+-------------+------+-----+---------+-------+
4 rows in set (0.019 sec)
```

```
MariaDB [TRAVELPLANNER]> CREATE TABLE tour_Trans(
    -> Tour_ID VARCHAR(30),
    -> Transport_ID VARCHAR(30),
    -> PRIMARY KEY (Tour_ID , Transport_ID));
Query OK, 0 rows affected (0.019 sec)

MariaDB [TRAVELPLANNER]> DESC tour_Trans;
+--------------+-------------+------+-----+---------+-------+
| Field        | Type        | Null | Key | Default | Extra |
+--------------+-------------+------+-----+---------+-------+
| Tour_ID      | varchar(30) | NO   | PRI | NULL    |       |
| Transport_ID | varchar(30) | NO   | PRI | NULL    |       |
+--------------+-------------+------+-----+---------+-------+
2 rows in set (0.024 sec)
```

```
MariaDB [TRAVELPLANNER]> CREATE TABLE tour(
    -> Tour_name VARCHAR(30),
    -> Tour_ID VARCHAR(30),
    -> Tour_Desc VARCHAR(30),
    -> PRIMARY KEY (Tour_name),
    -> FOREIGN KEY (Tour_ID) REFERENCES Tour_Trans(Tour_ID));
Query OK, 0 rows affected (0.033 sec)

MariaDB [TRAVELPLANNER]> desc tour ;
+------------+--------------+------+-----+---------+-------+
| Field      | Type         | Null | Key | Default | Extra |
+------------+--------------+------+-----+---------+-------+
| Tour_name  | varchar(30)  | NO   | PRI | NULL    |       |
| Tour_ID    | varchar(30)  | YES  | MUL | NULL    |       |
| Tour_Desc  | varchar(30)  | YES  |     | NULL    |       |
+------------+--------------+------+-----+---------+-------+
3 rows in set (0.022 sec)
```

```
C:\Windows\System32\cmd.exe - mysql -u root -p

MariaDB [TRAVELPLANNER]> CREATE TABLE tour_Trans(
    -> Tour_ID VARCHAR(30),
    -> Transport_ID VARCHAR(30),
    -> PRIMARY KEY (Tour_ID , Transport_ID));
Query OK, 0 rows affected (0.016 sec)

MariaDB [TRAVELPLANNER]> DESC tour_Trans;
+-------------+-------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+-------------+-------------+------+-----+---------+-------+
| Tour_ID     | varchar(30) | NO   | PRI | NULL    |       |
| Transport_ID | varchar(30) | NO   | PRI | NULL    |       |
+-------------+-------------+------+-----+---------+-------+
2 rows in set (0.023 sec)

MariaDB [TRAVELPLANNER]> CREATE TABLE Transport(
    -> Transport_ID VARCHAR(30),
    -> Rent VARCHAR(30),
    -> Type VARCHAR(30),
    -> PRIMARY KEY ( Transport_ID));
Query OK, 0 rows affected (0.017 sec)

MariaDB [TRAVELPLANNER]> DESC transport;
+-------------+-------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+-------------+-------------+------+-----+---------+-------+
| Transport_ID | varchar(30) | NO   | PRI | NULL    |       |
| Rent        | varchar(30) | YES  |     | NULL    |       |
| Type        | varchar(30) | YES  |     | NULL    |       |
+-------------+-------------+------+-----+---------+-------+
3 rows in set (0.021 sec)

MariaDB [TRAVELPLANNER]> CREATE TABLE Tour_Guide (
    -> Gudie_ID VARCHAR (15),
    -> Guide_Name VARCHAR(50),
    -> Guide_rate VARCHAR(30),
    -> PRIMARY KEY ( Gudie_ID));
Query OK, 0 rows affected (0.016 sec)

MariaDB [TRAVELPLANNER]> DESC Tour_Guide;
+------------+-------------+------+-----+---------+-------+
| Field      | Type        | Null | Key | Default | Extra |
+------------+-------------+------+-----+---------+-------+
| Gudie_ID   | varchar(15) | NO   | PRI | NULL    |       |
| Guide_Name | varchar(50) | YES  |     | NULL    |       |
| Guide_rate | varchar(30) | YES  |     | NULL    |       |
+------------+-------------+------+-----+---------+-------+
3 rows in set (0.022 sec)

MariaDB [TRAVELPLANNER]> CREATE TABLE Tour_have_Guide (
    -> Tour_Name VARCHAR(50),
    -> Guide_ID VARCHAR(15),
    -> PRIMARY KEY (Tour_Name ,Gudie_ID),
    -> FOREIGN KEY (Tour_Name) REFERENCES Tour(Tour_Name),
```

```
C:\Windows\System32\cmd.exe - mysql  -u root -p

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> USE TravelPlanner;
Database changed
MariaDB [TravelPlanner]> DESC Tour_have_Guide;
+------------+-------------+------+-----+---------+-------+
| Field      | Type        | Null | Key | Default | Extra |
+------------+-------------+------+-----+---------+-------+
| Tour_Name  | varchar(50) | YES  |     | NULL    |       |
| Gudie_ID   | varchar(15) | NO   | PRI | NULL    |       |
| Guide_Name | varchar(50) | YES  |     | NULL    |       |
+------------+-------------+------+-----+---------+-------+
3 rows in set (0.022 sec)

MariaDB [TravelPlanner]> CREATE TABLE Activities (
    -> Activities_Name VARCHAR(50),
    -> Restaurant_Name VARCHAR(50),
    -> Garden_parks VARCHAR(50),
    -> Amusement_parks VARCHAR(50),
    -> Tourist_Attractions VARCHAR(50),
    -> PRIMARY KEY( Activities_Name));
Query OK, 0 rows affected (0.016 sec)

MariaDB [TravelPlanner]> DESC  Activities;
+-------------------+-------------+------+-----+---------+-------+
| Field             | Type        | Null | Key | Default | Extra |
+-------------------+-------------+------+-----+---------+-------+
| Activities_Name   | varchar(50) | NO   | PRI | NULL    |       |
| Restaurant_Name   | varchar(50) | YES  |     | NULL    |       |
| Garden_parks      | varchar(50) | YES  |     | NULL    |       |
| Amusement_parks   | varchar(50) | YES  |     | NULL    |       |
| Tourist_Attractions | varchar(50) | YES  |     | NULL    |       |
+-------------------+-------------+------+-----+---------+-------+
5 rows in set (0.021 sec)

MariaDB [TravelPlanner]> CREATE TABLE may_haveTour (
    -> Tour_Name VARCHAR(50),
    -> Customer_No VARCHAR(15),
    -> PRIMARY KEY( Tour_Name , customer_NO),
    -> FOREIGN KEY(Tour_Name) REFERENCES tour (Tour_Name),
    -> FOREIGN KEY((Customer_No) REFERENCES Customer (Customer_No));
Query OK, 0 rows affected (0.029 sec)

MariaDB [TravelPlanner]> DESC may_haveTour ;
+-------------+-------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+-------------+-------------+------+-----+---------+-------+
| Tour_Name   | varchar(50) | NO   | PRI | NULL    |       |
| Customer_No | varchar(15) | NO   | PRI | NULL    |       |
+-------------+-------------+------+-----+---------+-------+
2 rows in set (0.019 sec)

MariaDB [TravelPlanner]>
```

3- Show all the Tables (Rahaf)

```
MariaDB [TravelPlanner]> show tables;
+--------------------------+
| Tables_in_travelplanner |
+--------------------------+
| activities               |
| book                     |
| booking                  |
| customer                 |
| customer_info            |
| flight                   |
| hotel                    |
| may_havetour             |
| new_customer_info        |
| tour                     |
| tour_guide               |
| tour_have_guide          |
| tour_trans               |
| transport                |
+--------------------------+
14 rows in set (0.003 sec)
```

4 – Inserting data into the tables: (Taif)

```
MariaDB [(none)]> use TravelPlanner;
Database changed
MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Etihad', 'EH1256', '3700', '05:30', '2023-11-09','Jeddah', 'Rama', 'class_firstClass_Gate22_SEAT22C');
Query OK, 1 row affected, 1 warning (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Etihad', 'EH1258', '3700', '05:30', '2023-11-09','Jeddah', 'Ahmed', 'class_firstClass_Gate22_SEAT21C');
Query OK, 1 row affected, 1 warning (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Etihad', 'EH1260', '3700', '05:30', '2023-11-09','Jeddah', 'Alaa', 'class_firstClass_Gate22_SEAT23B');
Query OK, 1 row affected, 1 warning (0.005 sec)

MariaDB [TravelPlanner]>
MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Saudi Airlines', 'ABC2385', '4500', '11:30', '2023-12-03','Dubai', 'Khaled', 'class_firstClass_Gate23_SEAT26A');
Query OK, 1 row affected, 1 warning (0.007 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Saudi Airlines', 'ABC2388', '2400', '11:30', '2023-12-03','Dubai', 'Sultan', 'class_ecomomyClass_Gate35_SEAT34F');
Query OK, 1 row affected, 1 warning (0.006 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Saudi Airlines', 'ABC2390', '2400', '11:30', '2023-12-03','Dubai', 'Mohammd', 'class_ecomomyClass_Gate35_SEAT34A');
Query OK, 1 row affected, 1 warning (0.003 sec)

MariaDB [TravelPlanner]>
MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Qatar Airways', 'FDE422', '6500', '18:30', '2023-03-03','Oslo', 'Taif', 'class_firstClass_Gate11_SEAT10A');
Query OK, 1 row affected, 1 warning (0.006 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Qatar Airways', 'FDE424', '6500', '18:30', '2023-03-03','Oslo', 'Rahaf', 'class_firstClass_Gate11_SEAT10B');
Query OK, 1 row affected, 1 warning (0.005 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Qatar Airways', 'FDE426', '6500', '18:30', '2023-03-03','Oslo', 'Maram', 'class_firstClass_Gate11_SEAT10C');
Query OK, 1 row affected, 1 warning (0.006 sec)

MariaDB [TravelPlanner]>
MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Emirates Airlines', 'FDE365', '5500', '13:30', '2023-06-06','Berlin', 'Zain', 'class_firstClass_Gate18_SEAT18C');
Query OK, 1 row affected, 1 warning (0.005 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Emirates Airlines', 'FDE368', '5500', '13:30', '2023-06-06','Berlin', 'Fawaz', 'class_firstClass_Gate18_SEAT16C');
Query OK, 1 row affected, 1 warning (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Emirates Airlines', 'FDE378', '5500', '13:30', '2023-06-06','Berlin', 'Sara', 'class_firstClass_Gate18_SEAT38B');
Query OK, 1 row affected, 1 warning (0.005 sec)

MariaDB [TravelPlanner]> SELECT * FROM flight;
+-------------------+---------------+-------+-------+------------+-------------+---------------+-----------------------------+
| Flight_Name       | Flight_number | Price | Time  | Date       | City_country | Customer_name | Description                 |
+-------------------+---------------+-------+-------+------------+-------------+---------------+-----------------------------+
| Emirates Airlines | FDE365        |  5500 | 13:30 | 2023-06-06 | Berlin      | Zain          | class_firstClass_Gate18_SEAT18 |
| Emirates Airlines | FDE368        |  5500 | 13:30 | 2023-06-06 | Berlin      | Fawaz         | class_firstClass_Gate18_SEAT16 |
| Emirates Airlines | FDE378        |  3500 | 13:30 | 2023-06-06 | Berlin      | Sara          | class_economyClass_Gate18_SEAT |
| Etihad            | EH1256        |  3700 | 05:30 | 2023-11-09 | Jeddah      | Rama          | class_firstClass_Gate22_SEAT22 |
| Etihad            | EH1258        |  3700 | 05:30 | 2023-11-09 | Jeddah      | Ahmed         | class_firstClass_Gate22_SEAT21 |
| Etihad            | EH1260        |  3700 | 05:30 | 2023-11-09 | Jeddah      | Alaa          | class_firstClass_Gate22_SEAT23 |
| Qatar Airways     | FDE422        |  6500 | 18:30 | 2023-03-03 | Oslo        | Taif          | class_firstClass_Gate11_SEAT10 |
| Qatar Airways     | FDE424        |  6500 | 18:30 | 2023-03-03 | Oslo        | Rahaf         | class_firstClass_Gate11_SEAT10 |
| Qatar Airways     | FDE426        |  6500 | 18:30 | 2023-03-03 | Oslo        | Maram         | class_firstClass_Gate11_SEAT10 |
| Saudi Airlines    | ABC2385       |  4500 | 11:30 | 2023-12-03 | Dubai       | Khaled        | class_firstClass_Gate23_SEAT26 |
| Saudi Airlines    | ABC2388       |  2400 | 11:30 | 2023-12-03 | Dubai       | Sultan        | class_ecomomyClass_Gate35_SEAT |
| Saudi Airlines    | ABC2390       |  2400 | 11:30 | 2023-12-03 | Dubai       | Mohammd       | class_ecomomyClass_Gate35_SEAT |
+-------------------+---------------+-------+-------+------------+-------------+---------------+-----------------------------+
12 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Flynas', 'CHA454', '2500', '16:40', '2023-10-06','France', 'salwa', 'class_economyClass_Gate8_SEAT18C');
Query OK, 1 row affected, 1 warning (0.017 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Flynas', 'CHA674', '2500', '16:40', '2023-10-06','France', 'Ebrahim', 'class_economyClass_Gate8_SEAT17A');
Query OK, 1 row affected, 1 warning (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Flight VALUES('Flynas', 'CHA389', '2500', '16:40', '2023-10-06','France', 'Fahad', 'class_economyClass_Gate8_SEAT19F');
Query OK, 1 row affected, 1 warning (0.005 sec)

MariaDB [TravelPlanner]> SELECT * FROM flight;
+-------------------+---------------+-------+-------+------------+-------------+---------------+-----------------------------+
| Flight_Name       | Flight_number | Price | Time  | Date       | City_country | Customer_name | Description                 |
+-------------------+---------------+-------+-------+------------+-------------+---------------+-----------------------------+
| Emirates Airlines | FDE365        |  5500 | 13:30 | 2023-06-06 | Berlin      | Zain          | class_firstClass_Gate18_SEAT18 |
| Emirates Airlines | FDE368        |  5500 | 13:30 | 2023-06-06 | Berlin      | Fawaz         | class_firstClass_Gate18_SEAT16 |
| Emirates Airlines | FDE378        |  3500 | 13:30 | 2023-06-06 | Berlin      | Sara          | class_economyClass_Gate18_SEAT |
| Etihad            | EH1256        |  3700 | 05:30 | 2023-11-09 | Jeddah      | Rama          | class_firstClass_Gate22_SEAT22 |
| Etihad            | EH1258        |  3700 | 05:30 | 2023-11-09 | Jeddah      | Ahmed         | class_firstClass_Gate22_SEAT21 |
| Etihad            | EH1260        |  3700 | 05:30 | 2023-11-09 | Jeddah      | Alaa          | class_firstClass_Gate22_SEAT23 |
| Flynas            | CHA389        |  2500 | 16:40 | 2023-10-06 | France      | Fahad         | class_economyClass_Gate8_SEAT1 |
| Flynas            | CHA454        |  2500 | 16:40 | 2023-10-06 | France      | salwa         | class_economyClass_Gate8_SEAT1 |
| Flynas            | CHA674        |  2500 | 16:40 | 2023-10-06 | France      | Ebrahim       | class_economyClass_Gate8_SEAT1 |
| Qatar Airways     | FDE422        |  6500 | 18:30 | 2023-03-03 | Oslo        | Taif          | class_firstClass_Gate11_SEAT10 |
| Qatar Airways     | FDE424        |  6500 | 18:30 | 2023-03-03 | Oslo        | Rahaf         | class_firstClass_Gate11_SEAT10 |
| Qatar Airways     | FDE426        |  6500 | 18:30 | 2023-03-03 | Oslo        | Maram         | class_firstClass_Gate11_SEAT10 |
| Saudi Airlines    | ABC2385       |  4500 | 11:30 | 2023-12-03 | Dubai       | Khaled        | class_firstClass_Gate23_SEAT26 |
| Saudi Airlines    | ABC2388       |  2400 | 11:30 | 2023-12-03 | Dubai       | Sultan        | class_ecomomyClass_Gate35_SEAT |
| Saudi Airlines    | ABC2390       |  2400 | 11:30 | 2023-12-03 | Dubai       | Mohammd       | class_ecomomyClass_Gate35_SEAT |
+-------------------+---------------+-------+-------+------------+-------------+---------------+-----------------------------+
15 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]>
MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('126349', 'Khaled', 'Ali', 'M', '25', 'Khaled131@gmail.com', '1118696');
Query OK, 1 row affected (0.003 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('179819', 'Taif', 'Fawaz', 'F', '21', 'Taif33@gmail.com', '1115186');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('143919', 'Rahaf', 'Banat', 'F', '19', 'Rahaf8@gmail.com', '1117836');
Query OK, 1 row affected (0.005 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('345921', 'Zain', 'balfagih', 'M', '32', 'Zain1@gmail.com', '1173456');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('143591', 'Maram', 'Ebrahim', 'F', '19', 'Maram8@gmail.com', '1134546');
Query OK, 1 row affected (0.005 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('343591', 'Sultan', 'Alsulami', 'M', '23', 'Sultan23@gmail.com', '1156546');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('563591', 'Alaa', 'Ali', 'F', '29', 'Alaa9@gmail.com', '1134686');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('563431', 'Rama', 'Mohamed', 'F', '26', 'Rama34@gmail.com', '1143686');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('126350', 'Ahmed', 'Ali', 'M', '25', 'Ahmed351@gmail.com', '1678696');
Query OK, 1 row affected (0.003 sec)

MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('135350', 'Fawaz', 'Tail', 'M', '45', 'Fawaztail3@gmail.com', '1328696');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> SELECT * FROM customer;
+-------------+--------+----------+--------+------+---------------------+---------+
| Customer_No | Fname  | Lname    | Gender | Age  | Email               | Essn    |
+-------------+--------+----------+--------+------+---------------------+---------+
| 126349      | Khaled | Ali      | M      |   25 | Khaled131@gmail.com | 1118696 |
| 126350      | Ahmed  | Ali      | M      |   25 | Ahmed351@gmail.com  | 1678696 |
| 126899      | Khaled | Ali      | M      |   25 | Khaled11@gmail.com  | 1118466 |
| 135350      | Fawaz  | Tail     | M      |   45 | Fawaztail3@gmail.com | 1328696 |
| 143591      | Maram  | Ebrahim  | F      |   19 | Maram8@gmail.com    | 1134546 |
| 143919      | Rahaf  | Banat    | F      |   19 | Rahaf8@gmail.com    | 1117836 |
| 179819      | Taif   | Fawaz    | F      |   21 | Taif33@gmail.com    | 1115186 |
| 343591      | Sultan | Alsulami | M      |   23 | Sultan23@gmail.com  | 1156546 |
| 345921      | Zain   | balfagih | M      |   32 | Zain1@gmail.com     | 1173456 |
| 563431      | Rama   | Mohamed  | F      |   26 | Rama34@gmail.com    | 1143686 |
| 563591      | Alaa   | Ali      | F      |   29 | Alaa9@gmail.com     | 1134686 |
+-------------+--------+----------+--------+------+---------------------+---------+
11 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO Customer VALUES('527831', 'Sara', 'Mohamed', 'F', '36', 'Sara43@gmail.com', '1443586');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> SELECT * FROM customer;
+-------------+--------+----------+--------+------+---------------------+---------+
| Customer_No | Fname  | Lname    | Gender | Age  | Email               | Essn    |
+-------------+--------+----------+--------+------+---------------------+---------+
| 126349      | Khaled | Ali      | M      |   25 | Khaled131@gmail.com | 1118696 |
| 126350      | Ahmed  | Ali      | M      |   25 | Ahmed351@gmail.com  | 1678696 |
| 126899      | Khaled | Ali      | M      |   25 | Khaled11@gmail.com  | 1118466 |
| 135350      | Fawaz  | Tail     | M      |   45 | Fawaztail3@gmail.com | 1328696 |
| 143591      | Maram  | Ebrahim  | F      |   19 | Maram8@gmail.com    | 1134546 |
| 143919      | Rahaf  | Banat    | F      |   19 | Rahaf8@gmail.com    | 1117836 |
| 179819      | Taif   | Fawaz    | F      |   21 | Taif33@gmail.com    | 1115186 |
| 343591      | Sultan | Alsulami | M      |   23 | Sultan23@gmail.com  | 1156546 |
| 345921      | Zain   | balfagih | M      |   32 | Zain1@gmail.com     | 1173456 |
| 527831      | Sara   | Mohamed  | F      |   36 | Sara43@gmail.com    | 1443586 |
| 563431      | Rama   | Mohamed  | F      |   26 | Rama34@gmail.com    | 1143686 |
| 563591      | Alaa   | Ali      | F      |   29 | Alaa9@gmail.com     | 1134686 |
+-------------+--------+----------+--------+------+---------------------+---------+
12 rows in set (0.000 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO Tour (Tour_name) VALUES ('Tour One'), ('Tour Two'), ('Tour Three');
Query OK, 3 rows affected (0.006 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

```
MariaDB [TravelPlanner]> INSERT INTO Transport VALUES('Tour One', 'Car', 'BMW');
Query OK, 1 row affected (0.019 sec)

MariaDB [TravelPlanner]> INSERT INTO Transport VALUES('Tour Two', 'Bus', 'Mercedes');
Query OK, 1 row affected (0.003 sec)

MariaDB [TravelPlanner]> INSERT INTO Transport VALUES('Tour One', 'Car', 'Toyota');
ERROR 1062 (23000): Duplicate entry 'Tour One' for key 'PRIMARY'
MariaDB [TravelPlanner]>
MariaDB [TravelPlanner]> INSERT INTO Transport VALUES('Tour Three', 'Car', 'Toyota');
Query OK, 1 row affected (0.003 sec)

MariaDB [TravelPlanner]> SELECT * FROM Transport;
+--------------+------+----------+
| Transport_ID | Rent | Type     |
+--------------+------+----------+
| Tour One     | Car  | BMW      |
| Tour Three   | Car  | Toyota   |
| Tour Two     | Bus  | Mercedes |
+--------------+------+----------+
3 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO Tour_have_guide VALUES('Tour One', '191919 ','Micheal');
Query OK, 1 row affected (0.006 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO Tour_have_guide VALUES('Tour Two', ' 181818','Kim Jennie');
Query OK, 1 row affected (0.003 sec)

MariaDB [TravelPlanner]> INSERT INTO Tour_have_guide VALUES('Tour Three', ' 171717',' Henry');
Query OK, 1 row affected (0.004 sec)
```

```
MariaDB [TravelPlanner]> select * from tour_guide ;
+----------+------------+------------+
| Gudie_ID | Guide_Name | Guide_rate |
+----------+------------+------------+
| 161616   | Arwa       | Not Bad    |
| 171717   | Henry      | Average    |
| 181818   | Kim Jennie | Dislike    |
| 191919   | Micheal    | Amaizing   |
+----------+------------+------------+
4 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO may_haveTour VALUES('Tour One', '126349');
Query OK, 1 row affected (0.016 sec)

MariaDB [TravelPlanner]> INSERT INTO may_haveTour VALUES('Tour Two', '143591');
Query OK, 1 row affected (0.003 sec)

MariaDB [TravelPlanner]> INSERT INTO may_haveTour VALUES('Tour Two', '126350');
Query OK, 1 row affected (0.003 sec)

MariaDB [TravelPlanner]> INSERT INTO may_haveTour VALUES('Tour Three', '563591');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO may_haveTour VALUES('Tour Three', '179819');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> select * from may_haveTour ;
+------------+-------------+
| Tour_Name  | Customer_No |
+------------+-------------+
| Tour One   | 126349      |
| Tour Three | 179819      |
| Tour Three | 563591      |
| Tour Two   | 126350      |
| Tour Two   | 143591      |
+------------+-------------+
5 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO Hotel VALUES('Holydayin',302, 'Breakfast');
Query OK, 1 row affected (0.021 sec)

MariaDB [TravelPlanner]> INSERT INTO Hotel VALUES('Rosa Guest House',1089,'Spa');
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO  Hotel VALUES ('Voss Resort Bavallstunet',20, 'cars');
Query OK, 1 row affected (0.004 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO Hotel SET Hotel_name='Radisson Blu', Room_number=11, Room_service='Dinner';
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> SELECT * FROM hotel;
+-------------------------+-------------+--------------+
| Hotel_Name              | Room_number | Room_service |
+-------------------------+-------------+--------------+
| Holydayin               |         302 | Breakfast    |
| Radisson Blu            |          11 | Dinner       |
| Rosa Guest House        |        1089 | Spa          |
| Voss Resort Bavallstunet |          20 | cars         |
+-------------------------+-------------+--------------+
4 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]>
MariaDB [TravelPlanner]> INSERT INTO booking VALUES ('345921','Emirates Airlines','FDE365','10000','2023-06-06','2023-06-10');
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> INSERT INTO booking VALUES ('563591','Etihad','EH1256','50000','2023-11-09','2023-12-31');
Query OK, 1 row affected (0.006 sec)

MariaDB [TravelPlanner]> INSERT INTO booking VALUES ('343591','saudi Airlines','ABC2388','77000','2023-12-03','2023-01-23');
Query OK, 1 row affected (0.006 sec)

MariaDB [TravelPlanner]> select * from booking;
+------------+------------------+---------------+-------------+------------+------------+
| customer_ID | Flight_Name      | Flight_Number | total_price | Start_Date | END_Date   |
+------------+------------------+---------------+-------------+------------+------------+
| 343591     | saudi Airlines   | ABC2388       |       77000 | 2023-12-03 | 2023-01-23 |
| 563591     | Etihad           | EH1256        |       50000 | 2023-11-09 | 2023-12-31 |
| 345921     | Emirates Airlines | FDE365        |       10000 | 2023-06-06 | 2023-06-10 |
| 179819     | Qatar Airways    | FDE422        |       90000 | 2023-03-03 | 2023-04-01 |
+------------+------------------+---------------+-------------+------------+------------+
4 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO book VALUES('179819','Holydayin','2023-03-04','2023-04-02');
Query OK, 1 row affected (0.030 sec)

MariaDB [TravelPlanner]> INSERT INTO book VALUES('345921','Radisson Blu','2023-06-06','2023-06-08');
Query OK, 1 row affected (0.006 sec)

MariaDB [TravelPlanner]> INSERT INTO book VALUES('563591','Rosa Guest House','2023-11-10','2023-12-30');
Query OK, 1 row affected (0.006 sec)

MariaDB [TravelPlanner]> INSERT INTO book VALUES('343591','Voss Resort Bavallstunet','2023-12-03','2024-01-20');
Query OK, 1 row affected (0.006 sec)

MariaDB [TravelPlanner]> select * from book;
+-------------+-------------------------+--------------+---------------+
| customer_ID | Hotel_Name              | Chechin_date | Chechout_date |
+-------------+-------------------------+--------------+---------------+
| 179819      | Holydayin               | 2023-03-04   | 2023-04-02    |
| 343591      | Voss Resort Bavallstunet | 2023-12-03   | 2024-01-20    |
| 345921      | Radisson Blu            | 2023-06-06   | 2023-06-08    |
| 563591      | Rosa Guest House        | 2023-11-10   | 2023-12-30    |
+-------------+-------------------------+--------------+---------------+
4 rows in set (0.001 sec)
```

```
MariaDB [TravelPlanner]> INSERT INTO tour_trans VALUES ('Tour One', 'Tour One');
Query OK, 1 row affected (0.049 sec)

MariaDB [TravelPlanner]> INSERT INTO tour_trans VALUES ('Tour Two', 'Tour Two');
Query OK, 1 row affected (0.006 sec)

MariaDB [TravelPlanner]> select * from tour_trans;
+----------+--------------+
| Tour_ID  | Transport_ID |
+----------+--------------+
| Tour One | Tour One     |
| Tour Two | Tour Two     |
+----------+--------------+
2 rows in set (0.001 sec)
```

5-The queries: (Rahaf)

Retrieve all hotels that have a spa:

Update the price of flight number EH1256 to 530:

Retrieve a list of number male and female

```
MariaDB [TravelPlanner]> SELECT * FROM Hotel WHERE Room_service LIKE '%spa%';
+------------------+-------------+--------------+
| Hotel_Name       | Room_number | Room_service |
+------------------+-------------+--------------+
| Rosa Guest House |        1089 | Spa          |
+------------------+-------------+--------------+
1 row in set (0.001 sec)

MariaDB [TravelPlanner]> UPDATE Flight
    -> SET price = 530
    -> WHERE Flight_number = 'EH1256';
Query OK, 1 row affected (0.004 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [TravelPlanner]> SELECT * FROM Flight;
+------------------+---------------+-------+-------+------------+--------------+---------------+-------------------------------+
| Flight_Name      | Flight_number | Price | Time  | Date       | City_country | Customer_name | Description                   |
+------------------+---------------+-------+-------+------------+--------------+---------------+-------------------------------+
| Emirates Airlines | FDE365        |  5500 | 13:30 | 2023-06-06 | Berlin       | Zain          | class_firstClass_Gate18_SEAT18 |
| Emirates Airlines | FDE368        |  5500 | 13:30 | 2023-06-06 | Berlin       | Fawaz         | class_firstClass_Gate18_SEAT16 |
| Emirates Airlines | FDE378        |  3500 | 13:30 | 2023-06-06 | Berlin       | Sara          | class_economyClass_Gate18_SEAT |
| Etihad           | EH1256        |   530 | 05:30 | 2023-11-09 | Jeddah       | Rama          | class_firstClass_Gate22_SEAT22 |
| Etihad           | EH1258        |  3700 | 05:30 | 2023-11-09 | Jeddah       | Ahmed         | class_firstClass_Gate22_SEAT21 |
| Etihad           | EH1260        |  3700 | 05:30 | 2023-11-09 | Jeddah       | Alaa          | class_firstClass_Gate22_SEAT23 |
| Flynas           | CHA389        |  2500 | 16:40 | 2023-10-06 | France       | Fahad         | class_economyClass_Gate8_SEAT1 |
| Flynas           | CHA454        |  2500 | 16:40 | 2023-10-06 | France       | salwa         | class_economyClass_Gate8_SEAT1 |
| Flynas           | CHA674        |  2500 | 16:40 | 2023-10-06 | France       | Ebrahim       | class_economyClass_Gate8_SEAT1 |
| Qatar Airways    | FDE422        |  6500 | 18:30 | 2023-03-03 | Oslo         | Taif          | class_firstClass_Gate11_SEAT10 |
| Qatar Airways    | FDE424        |  6500 | 18:30 | 2023-03-03 | Oslo         | Rahaf         | class_firstClass_Gate11_SEAT10 |
| Qatar Airways    | FDE426        |  6500 | 18:30 | 2023-03-03 | Oslo         | Maram         | class_firstClass_Gate11_SEAT10 |
| Saudi Airlines   | ABC2385       |  4500 | 11:30 | 2023-12-03 | Dubai        | Khaled        | class_firstClass_Gate23_SEAT26 |
| Saudi Airlines   | ABC2388       |  2400 | 11:30 | 2023-12-03 | Dubai        | Sultan        | class_ecomomyClass_Gate35_SEAT |
| Saudi Airlines   | ABC2390       |  2400 | 11:30 | 2023-12-03 | Dubai        | Mohammd       | class_ecomomyClass_Gate35_SEAT |
+------------------+---------------+-------+-------+------------+--------------+---------------+-------------------------------+
15 rows in set (0.001 sec)

MariaDB [TravelPlanner]> SELECT Gender, COUNT(*) as count
    -> FROM customer
    -> GROUP BY Gender;
+--------+-------+
| Gender | count |
+--------+-------+
| F      |     6 |
| M      |     6 |
+--------+-------+
2 rows in set (0.001 sec)
```

Retrieve a list of all the total price that greater than 20000 (Rahaf)

```
MariaDB [TravelPlanner]> SELECT customer_ID, Flight_Name , total_price
    -> FROM  booking
    -> WHERE total_price  > 20000;
+-------------+----------------+-------------+
| customer_ID | Flight_Name    | total_price |
+-------------+----------------+-------------+
| 343591      | saudi Airlines |       77000 |
| 563591      | Etihad         |       50000 |
| 179819      | Qatar Airways  |       90000 |
+-------------+----------------+-------------+
3 rows in set (0.001 sec)
```

Retrieve a list of all the customer who have taken a flight and booking that starts with the letter 'A': (Rahaf)

```
MariaDB [TravelPlanner]> SELECT *
    -> FROM customer
    -> WHERE Fname IN (
    ->   SELECT DISTINCT Fname
    ->   FROM flight
    ->   JOIN booking ON flight.Flight_Name = booking.Flight_Name
    ->   WHERE Fname LIKE 'A%'
    -> );
+------------+-------+-------+--------+------+--------------------+---------+
| Customer_No | Fname | Lname | Gender | Age  | Email              | Essn    |
+------------+-------+-------+--------+------+--------------------+---------+
| 126350     | Ahmed | Ali   | M      |   25 | Ahmed351@gmail.com | 1678696 |
| 563591     | Alaa  | Ali   | F      |   29 | Alaa9@gmail.com    | 1134686 |
+------------+-------+-------+--------+------+--------------------+---------+
2 rows in set (0.016 sec)
```

retrieve the average price of all flights (Rahaf)

```
MariaDB [TravelPlanner]> SELECT AVG(Price) AS avg_price
    -> FROM flight;
+-----------+
| avg_price |
+-----------+
| 3915.3333 |
+-----------+
1 row in set (0.002 sec)
```

A view to display the full name and age for the customer (Maram)

```
MariaDB [TravelPlanner]> CREATE VIEW new_customer_info AS
    -> SELECT CONCAT(Fname, ' ', Lname) AS full_name, Age
    -> FROM customer;
Query OK, 0 rows affected (0.010 sec)
```

```
MariaDB [TravelPlanner]> SELECT * FROM customer_info;
+-----------------+------+
| full_name       | Age  |
+-----------------+------+
| Khaled Ali      |   25 |
| Ahmed Ali       |   25 |
| Khaled Ali      |   25 |
| Fawaz Tail      |   45 |
| Maram Ebrahim   |   19 |
| Rahaf Banat     |   19 |
| Taif Fawaz      |   21 |
| Sultan Alsulami |   23 |
| Zain balfagih   |   32 |
| Sara Mohamed    |   36 |
| Rama Mohamed    |   26 |
| Alaa Ali        |   29 |
+-----------------+------+
12 rows in set (0.002 sec)
```

Select names based on the first letter: (Maram)

retrieve the names start with letter A from customer:

```
MariaDB [TravelPlanner]>
MariaDB [TravelPlanner]> SELECT Fname, lname, age, gender
    -> FROM CUSTOMER
    -> WHERE fname LIKE 'A%';
+-------+-------+------+--------+
| Fname | lname | age  | gender |
+-------+-------+------+--------+
| Ahmed | Ali   |   25 | M      |
| Alaa  | Ali   |   29 | F      |
+-------+-------+------+--------+
2 rows in set (0.001 sec)
```

Find the minimum and maximum number of bookings made by a customer: (Rahaf)

```
MariaDB [TravelPlanner]> SELECT customer_ID, MIN(total_price) AS minimum_total_price, MAX(total_price) AS maximum_total_price
    -> FROM booking
    -> GROUP BY customer_ID;
+------------+--------------------+--------------------+
| customer_ID | minimum_total_price | maximum_total_price |
+------------+--------------------+--------------------+
| 179819     |              90000 |              90000 |
| 343591     |              77000 |              77000 |
| 345921     |              10000 |              10000 |
| 563591     |              50000 |              50000 |
+------------+--------------------+--------------------+
4 rows in set (0.001 sec)
```

Trigger to update the Guide_rate column of the tour_guide table with the average rate of all tour guides whenever a new tour guide is added: (Rahaf)

```
MariaDB [TravelPlanner]> CREATE TRIGGER update_guide_rate
    -> AFTER INSERT ON tour_guide
    -> FOR EACH ROW
    ->   UPDATE tour_guide g
    ->   SET g.Guide_rate = (
    ->     SELECT AVG(Guide_rate)
    ->     FROM tour_guide
    ->   );
Query OK, 0 rows affected (0.014 sec)
```

Join book and customer tables to get the customer's booking information:

(Taif)

```
MariaDB [TravelPlanner]> SELECT *
    -> FROM book
    -> JOIN customer
    -> ON book.customer_ID = customer.Customer_No;
+-------------+-------------------------+-------------+-------------+-------------+--------+---------+--------+-----+---------------------+---------+
| customer_ID | Hotel_Name              | Chechin_date | Chechout_date | Customer_No | Fname  | Lname   | Gender | Age | Email               | Essn    |
+-------------+-------------------------+-------------+-------------+-------------+--------+---------+--------+-----+---------------------+---------+
| 179819      | Holydayin               | 2023-03-04  | 2023-04-02  | 179819      | Taif   | Fawaz   | F      |  21 | Taif33@gmail.com    | 1115186 |
| 343591      | Voss Resort Bavallstunet | 2023-12-03  | 2024-01-20  | 343591      | Sultan | Alsulami | M      |  23 | Sultan23@gmail.com  | 1156546 |
| 345921      | Radisson Blu            | 2023-06-06  | 2023-06-08  | 345921      | Zain   | balfagih | M      |  32 | Zain1@gmail.com     | 1173456 |
| 563591      | Rosa Guest House        | 2023-11-10  | 2023-12-30  | 563591      | Alaa   | Ali     | F      |  29 | Alaa9@gmail.com     | 1134686 |
+-------------+-------------------------+-------------+-------------+-------------+--------+---------+--------+-----+---------------------+---------+
4 rows in set (0.001 sec)
```

Delete all the customer age > 40: (Fawaz age was remove it) (Taif)

```
MariaDB [TravelPlanner]> DELETE FROM customer WHERE Age > 40;
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> select * from customer;
+-------------+--------+----------+--------+------+---------------------+---------+
| Customer_No | Fname  | Lname    | Gender | Age  | Email               | Essn    |
+-------------+--------+----------+--------+------+---------------------+---------+
| 126349      | Khaled | Ali      | M      |   25 | Khaled131@gmail.com | 1118696 |
| 126350      | Ahmed  | Ali      | M      |   25 | Ahmed351@gmail.com  | 1678696 |
| 126899      | Khaled | Ali      | M      |   25 | Khaled11@gmail.com  | 1118466 |
| 143591      | Maram  | Ebrahim  | F      |   19 | Maram8@gmail.com    | 1134546 |
| 143919      | Rahaf  | Banat    | F      |   19 | Rahaf8@gmail.com    | 1117836 |
| 179819      | Taif   | Fawaz    | F      |   21 | Taif33@gmail.com    | 1115186 |
| 343591      | Sultan | Alsulami | M      |   23 | Sultan23@gmail.com  | 1156546 |
| 345921      | Zain   | balfagih | M      |   32 | Zain1@gmail.com     | 1173456 |
| 527831      | Sara   | Mohamed  | F      |   36 | Sara43@gmail.com    | 1443586 |
| 563431      | Rama   | Mohamed  | F      |   26 | Rama34@gmail.com    | 1143686 |
| 563591      | Alaa   | Ali      | F      |   29 | Alaa9@gmail.com     | 1134686 |
+-------------+--------+----------+--------+------+---------------------+---------+
11 rows in set (0.001 sec)
```

Delete all the customer age > 33: (Sara age was remove it)

```
MariaDB [TravelPlanner]> DELETE FROM customer WHERE Age > 33;
Query OK, 1 row affected (0.005 sec)

MariaDB [TravelPlanner]> select * from customer;
+-------------+--------+----------+--------+------+---------------------+---------+
| Customer_No | Fname  | Lname    | Gender | Age  | Email               | Essn    |
+-------------+--------+----------+--------+------+---------------------+---------+
| 126349      | Khaled | Ali      | M      |   25 | Khaled131@gmail.com | 1118696 |
| 126350      | Ahmed  | Ali      | M      |   25 | Ahmed351@gmail.com  | 1678696 |
| 126899      | Khaled | Ali      | M      |   25 | Khaled11@gmail.com  | 1118466 |
| 143591      | Maram  | Ebrahim  | F      |   19 | Maram8@gmail.com    | 1134546 |
| 143919      | Rahaf  | Banat    | F      |   19 | Rahaf8@gmail.com    | 1117836 |
| 179819      | Taif   | Fawaz    | F      |   21 | Taif33@gmail.com    | 1115186 |
| 343591      | Sultan | Alsulami | M      |   23 | Sultan23@gmail.com  | 1156546 |
| 345921      | Zain   | balfagih | M      |   32 | Zain1@gmail.com     | 1173456 |
| 563431      | Rama   | Mohamed  | F      |   26 | Rama34@gmail.com    | 1143686 |
| 563591      | Alaa   | Ali      | F      |   29 | Alaa9@gmail.com     | 1134686 |
+-------------+--------+----------+--------+------+---------------------+---------+
10 rows in set (0.001 sec)
```

Delete the customer_No = 563431: (we delete Rama)

```
MariaDB [TravelPlanner]>
MariaDB [TravelPlanner]> DELETE FROM customer WHERE Customer_No = '563431';
Query OK, 1 row affected (0.004 sec)

MariaDB [TravelPlanner]> select * from customer;
+-------------+--------+----------+--------+------+---------------------+---------+
| Customer_No | Fname  | Lname    | Gender | Age  | Email               | Essn    |
+-------------+--------+----------+--------+------+---------------------+---------+
| 126349      | Khaled | Ali      | M      |   25 | Khaled131@gmail.com | 1118696 |
| 126350      | Ahmed  | Ali      | M      |   25 | Ahmed351@gmail.com  | 1678696 |
| 126899      | Khaled | Ali      | M      |   25 | Khaled11@gmail.com  | 1118466 |
| 143591      | Maram  | Ebrahim  | F      |   19 | Maram8@gmail.com    | 1134546 |
| 143919      | Rahaf  | Banat    | F      |   19 | Rahaf8@gmail.com    | 1117836 |
| 179819      | Taif   | Fawaz    | F      |   21 | Taif33@gmail.com    | 1115186 |
| 343591      | Sultan | Alsulami | M      |   23 | Sultan23@gmail.com  | 1156546 |
| 345921      | Zain   | balfagih | M      |   32 | Zain1@gmail.com     | 1173456 |
| 563591      | Alaa   | Ali      | F      |   29 | Alaa9@gmail.com     | 1134686 |
+-------------+--------+----------+--------+------+---------------------+---------+
9 rows in set (0.001 sec)
```

The original table:

```
MariaDB [TravelPlanner]> select * from customer;
+-------------+--------+----------+--------+------+----------------------+---------+
| Customer_No | Fname  | Lname    | Gender | Age  | Email                | Essn    |
+-------------+--------+----------+--------+------+----------------------+---------+
| 126349      | Khaled | Ali      | M      |   25 | Khaled131@gmail.com  | 1118696 |
| 126350      | Ahmed  | Ali      | M      |   25 | Ahmed351@gmail.com   | 1678696 |
| 126899      | Khaled | Ali      | M      |   25 | Khaled11@gmail.com   | 1118466 |
| 135350      | Fawaz  | Tail     | M      |   45 | Fawaztail3@gmail.com | 1328696 |
| 143591      | Maram  | Ebrahim  | F      |   19 | Maram8@gmail.com     | 1134546 |
| 143919      | Rahaf  | Banat    | F      |   19 | Rahaf8@gmail.com     | 1117836 |
| 179819      | Taif   | Fawaz    | F      |   21 | Taif33@gmail.com     | 1115186 |
| 343591      | Sultan | Alsulami | M      |   23 | Sultan23@gmail.com   | 1156546 |
| 345921      | Zain   | balfagih | M      |   32 | Zain1@gmail.com      | 1173456 |
| 527831      | Sara   | Mohamed  | F      |   36 | Sara43@gmail.com     | 1443586 |
| 563431      | Rama   | Mohamed  | F      |   26 | Rama34@gmail.com     | 1143686 |
| 563591      | Alaa   | Ali      | F      |   29 | Alaa9@gmail.com      | 1134686 |
+-------------+--------+----------+--------+------+----------------------+---------+
12 rows in set (0.001 sec)
```