TASK 1

```
C:\>
C:\>mkdir girls

C:\>cd girls

C:\girls>git remote -v
fatal: detected dubious ownership in repository at 'C:/'
'C:/' is owned by:
        NT SERVICE/TrustedInstaller (S-1-5-80-956008885-3418522649-1831038044-1853292631-2271478464)
but the current user is:
        DESKTOP-UBGE5D9/Bima (S-1-5-21-1886944259-4006171702-4150159324-1001)
To add an exception for this directory, call:

        git config --global --add safe.directory C:/

C:\girls>cd/

C:\>cd girls

C:\girls>git remote add origin https://github.com/rahafsk/newPG.git
fatal: detected dubious ownership in repository at 'C:/'
'C:/' is owned by:
        NT SERVICE/TrustedInstaller (S-1-5-80-956008885-3418522649-1831038044-1853292631-2271478464)
but the current user is:
        DESKTOP-UBGE5D9/Bima (S-1-5-21-1886944259-4006171702-4150159324-1001)
To add an exception for this directory, call:

        git config --global --add safe.directory C:/

C:\girls>git config --global --add safe.directory C:/

C:\girls>git remote add origin https://github.com/rahafsk/newPG.git

C:\girls>git remote -v
origin  https://github.com/rahafsk/newPG.git (fetch)
origin  https://github.com/rahafsk/newPG.git (push)

C:\girls>_
```

TASK 2

```
nothing added to commit but untracked files present (use "git add" to track)

C:\girls\girls>git add about.html

C:\girls\girls>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   about.html


C:\girls\girls>git commit -m "hi"
[master (root-commit) 8b1e17c] hi
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 about.html

C:\girls\girls>git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'

C:\girls\girls>git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'

C:\girls\girls>git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'

C:\girls\girls>git remote -v

C:\girls\girls>git remote -v

C:\girls\girls>git remote add origin https://github.com/rahafsk/newPG.git

C:\girls\girls>git remote -v
origin  https://github.com/rahafsk/newPG.git (fetch)
origin  https://github.com/rahafsk/newPG.git (push)

C:\girls\girls>git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/rahafsk/newPG.git'

C:\girls\girls>git status
On branch master
nothing to commit, working tree clean

C:\girls\girls>git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 212 bytes | 106.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/rahafsk/newPG.git
 * [new branch]      master -> master

C:\girls\girls>git status
On branch master
nothing to commit, working tree clean

C:\girls\girls>
```

TASK 3

```
C:\girls\girls>git remote -v
origin  https://github.com/rahafsk/newPG.git (fetch)
origin  https://github.com/rahafsk/newPG.git (push)

C:\girls\girls>type nul > services.html

C:\girls\girls>git add services.html

C:\girls\girls>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   services.html


C:\girls\girls>git commit -m "HELLO AMEGO"
[master 007e1a3] HELLO AMEGO
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 services.html

C:\girls\girls>git commit -m "HELLO AMEGO"
On branch master
nothing to commit, working tree clean

C:\girls\girls>
```

TASK4

```
:\girls\girls>
:\girls\girls>git remote -v
rigin  https://github.com/rahafsk/newPG.git (fetch)
rigin  https://github.com/rahafsk/newPG.git (push)

:\girls\girls>git pull origin main
atal: couldn't find remote ref main

:\girls\girls>git push origin master
numerating objects: 3, done.
ounting objects: 100% (3/3), done.
elta compression using up to 8 threads
ompressing objects: 100% (2/2), done.
riting objects: 100% (2/2), 259 bytes | 259.00 KiB/s, done.
otal 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
o https://github.com/rahafsk/newPG.git
  8b1e17c..007e1a3  master -> master

:\girls\girls>type nul > contact.html

:\girls\girls>git add contact.html

:\girls\girls>git status
n branch master
hanges to be committed:
 (use "git restore --staged <file>..." to unstage)
       new file:   contact.html


:\girls\girls>git commit -m "Add contact page"
master ab4fde7] Add contact page
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 contact.html

:\girls\girls>git push origin master
numerating objects: 3, done.
ounting objects: 100% (3/3), done.
elta compression using up to 8 threads
ompressing objects: 100% (2/2), done.
riting objects: 100% (2/2), 265 bytes | 265.00 KiB/s, done.
otal 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
o https://github.com/rahafsk/newPG.git
  007e1a3..ab4fde7  master -> master

:\girls\girls>git status
n branch master
othing to commit, working tree clean

:\girls\girls>
```

TASK5

```
C:\girls\girls>
C:\girls\girls>git remote -v
origin  https://github.com/rahafsk/newPG.git (fetch)
origin  https://github.com/rahafsk/newPG.git (push)

C:\girls\girls>git pull origin master
From https://github.com/rahafsk/newPG
 * branch            master     -> FETCH_HEAD
Already up to date.

C:\girls\girls>git status
On branch master
nothing to commit, working tree clean

C:\girls\girls>
```

TASK 6

```
C:\girls\girls>
C:\girls\girls>git remote -v
origin  https://github.com/rahafsk/newPG.git (fetch)
origin  https://github.com/rahafsk/newPG.git (push)

C:\girls\girls>git remote remove orgin
error: No such remote: 'orgin'

C:\girls\girls>
C:\girls\girls>git remote remove origin

C:\girls\girls>git remote add origin https://github.com/rahafsk/GIRLSONLY.git

C:\girls\girls>git remote -v
origin  https://github.com/rahafsk/GIRLSONLY.git (fetch)
origin  https://github.com/rahafsk/GIRLSONLY.git (push)

C:\girls\girls>git pull origin master
fatal: couldn't find remote ref master

C:\girls\girls>git branch
* master

C:\girls\girls>git pull origin master
fatal: couldn't find remote ref master

C:\girls\girls>git pull origin main
fatal: couldn't find remote ref main

C:\girls\girls>git checkout master
Already on 'master'

C:\girls\girls>git pull origin master
fatal: couldn't find remote ref master

C:\girls\girls>git checkout -b master origin/master
fatal: 'origin/master' is not a commit and a branch 'master' cannot be created from it

C:\girls\girls>git ls-remote --heads origin

C:\girls\girls>git push -u origin master
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (7/7), 627 bytes | 627.00 KiB/s, done.
Total 7 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/rahafsk/GIRLSONLY.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

C:\girls\girls>git pull origin main
fatal: couldn't find remote ref main

C:\girls\girls>git pull origin master
From https://github.com/rahafsk/GIRLSONLY
 * branch            master     -> FETCH_HEAD
Already up to date.

C:\girls\girls>
```

TASK 7

```
C:\girls\girls>
C:\girls\girls>git remote -v
origin  https://github.com/rahafsk/GIRLSONLY.git (fetch)
origin  https://github.com/rahafsk/GIRLSONLY.git (push)

C:\girls\girls>type nul > index.html

C:\girls\girls>type nul > about.html

C:\girls\girls>type nul > services.html

C:\girls\girls>type nul > contact.html

C:\girls\girls>git add .

C:\girls\girls>git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   index.html


C:\girls\girls>git add -A

C:\girls\girls>git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   index.html


C:\girls\girls>git add -A
```

```
C:\girls\girls>git add -A

C:\girls\girls>git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   index.html


C:\girls\girls>git commit -m "Add initial project files"
[master dde0ddd] Add initial project files
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html

C:\girls\girls>git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/rahafsk/GIRLSONLY.git

C:\girls\girls>git branch -M main

C:\girls\girls>git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 245 bytes | 245.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'main' on GitHub by visiting:
remote:      https://github.com/rahafsk/GIRLSONLY/pull/new/main
remote:
To https://github.com/rahafsk/GIRLSONLY.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

C:\girls\girls>git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date

C:\girls\girls>git status
```

```
C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\girls\girls>git push -u origin master
error: src refspec master does not match any
error: failed to push some refs to 'https://github.com/rahafsk/GIRLSONLY.git'

C:\girls\girls>git pull origin master
From https://github.com/rahafsk/GIRLSONLY
 * branch            master     -> FETCH_HEAD
Already up to date.

C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\girls\girls>_
```

TASK 8

```
C:\girls\girls>
C:\girls\girls>git remote -v
origin  https://github.com/rahafsk/GIRLSONLY.git (fetch)
origin  https://github.com/rahafsk/GIRLSONLY.git (push)

C:\girls\girls>git pull origin main
From https://github.com/rahafsk/GIRLSONLY
 * branch            main       -> FETCH_HEAD
Already up to date.

C:\girls\girls>type nul > team.html

C:\girls\girls>git add .

C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   team.html


C:\girls\girls>git commit -m "rahaf, reem, shima"
[main 42ed2b2] rahaf, reem, shima
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 team.html

C:\girls\girls>git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 241 bytes | 241.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/rahafsk/GIRLSONLY.git
   dde0ddd..42ed2b2  main -> main

C:\girls\girls>git branch -M main

C:\girls\girls>git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date

C:\girls\girls>git branch -M main

C:\girls\girls>git push origin main
Everything up-to-date

C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\girls\girls>
```

TASK 9

```
C:\girls\girls>
C:\girls\girls>git init
Reinitialized existing Git repository in C:/girls/girls/.git/

C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\girls\girls>type nul > index.html

C:\girls\girls>type nul > style.css

C:\girls\girls>type nul > script.js

C:\girls\girls>type nul > README.md

C:\girls\girls>git add .

C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   README.md
        new file:   script.js
        new file:   style.css


C:\girls\girls>git commit -m "Initial project commit"
[main 021ebec] Initial project commit
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 README.md
 create mode 100644 script.js
 create mode 100644 style.css

C:\girls\girls>git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 279 bytes | 279.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/rahafsk/GIRLSONLY.git
   42ed2b2..021ebec  main -> main
branch 'main' set up to track 'origin/main'.

C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\girls\girls>
```

TASK 10

```
C:\girls\girls>
C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\girls\girls>type nul > .gitignore

C:\girls\girls>notepad .gitignore

C:\girls\girls>type nul > index.html

C:\girls\girls>type nul > style.css

C:\girls\girls>type nul > script.js

C:\girls\girls>type nul > README.md

C:\girls\girls>git add .

C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   .gitignore


C:\girls\girls>git commit -m "Add project files with gitignore"
[main e7110c1] Add project files with gitignore
 1 file changed, 3 insertions(+)
 create mode 100644 .gitignore

C:\girls\girls>git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 317 bytes | 158.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/rahafsk/GIRLSONLY.git
   021ebec..e7110c1  main -> main

C:\girls\girls>git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\girls\girls>
```