TASK 1

```
C:\>mkdir CompanyProfile
A subdirectory or file CompanyProfile already exists.

C:\>cd CompanyProfile

C:\CompanyProfile>git init
Initialized empty Git repository in C:/CompanyProfile/.git/

C:\CompanyProfile>C:/.git/
'C:/.git/' is not recognized as an internal or external command,
operable program or batch file.

C:\CompanyProfile>git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

C:\CompanyProfile>echo. > index.html

C:\CompanyProfile>git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html

nothing added to commit but untracked files present (use "git add" to track)

C:\CompanyProfile>git add index.html

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html


C:\CompanyProfile>
```

TASK 2

```
C:\Users\Bima>CD/

C:\>cd C:\CompanyProfile

C:\CompanyProfile>echo. > index.html

C:\CompanyProfile>echo. > style.css

C:\CompanyProfile>echo. > script.js

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        script.js
        style.css


C:\CompanyProfile>Untracked files:
'Untracked' is not recognized as an internal or external command,
operable program or batch file.

C:\CompanyProfile>  index.html

C:\CompanyProfile>  style.css

C:\CompanyProfile>  script.js

C:\CompanyProfile>
git add --all

C:\CompanyProfile>git add -A

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html
        new file:   script.js
        new file:   style.css
```

TASK 3

```
C:\CompanyProfile>echo. > index.html

C:\CompanyProfile>echo. > style.css

C:\CompanyProfile>echo. > notes.txt

C:\CompanyProfile>git add -A

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css


C:\CompanyProfile>git rm --cached notes.txt
rm 'notes.txt'

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html
        new file:   script.js
        new file:   style.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        notes.txt


C:\CompanyProfile>
```

TASK 4

```
C:\>cd C:\CompanyProfile

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html
        new file:   script.js
        new file:   style.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        notes.txt


C:\CompanyProfile>notepad style.css

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   style.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        notes.txt


C:\CompanyProfile>git status -s
A  index.html
A  script.js
AM style.css
?? notes.txt

C:\CompanyProfile>git status --short
A  index.html
A  script.js
AM style.css
?? notes.txt
```

```
C:\CompanyProfile>git status -s
A  index.html
A  script.js
AM style.css
?? notes.txt

C:\CompanyProfile>git status --short
A  index.html
A  script.js
AM style.css
?? notes.txt

C:\CompanyProfile>git status -v
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   style.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        notes.txt

diff --git a/index.html b/index.html
new file mode 100644
index 0000000..8d1c8b6
--- /dev/null
+++ b/index.html
@@ -0,0 +1 @@
+
diff --git a/script.js b/script.js
new file mode 100644
index 0000000..8d1c8b6
--- /dev/null
+++ b/script.js
@@ -0,0 +1 @@
+
diff --git a/style.css b/style.css
new file mode 100644
index 0000000..8d1c8b6
--- /dev/null
+++ b/style.css
@@ -0,0 +1 @@
+

C:\CompanyProfile>
```

TASK 5

```
C:\>cd C:\CompanyProfile

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   style.css

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        notes.txt


C:\CompanyProfile>git init
Reinitialized existing Git repository in C:/CompanyProfile/.git/

C:\CompanyProfile>echo. > index.html

C:\CompanyProfile>echo. > style.css

C:\CompanyProfile>echo. > about.html

C:\CompanyProfile>notepad index.html

C:\CompanyProfile>echo. > contact.html

C:\CompanyProfile>git add -A

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   about.html
        new file:   contact.html
        new file:   index.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css


C:\CompanyProfile>
```

TASK 6

```
C:\>cd C:\CompanyProfile

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   about.html
        new file:   contact.html
        new file:   index.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        app.js


C:\CompanyProfile>echo. > debug.log

C:\CompanyProfile>mkdir temp
A subdirectory or file temp already exists.

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   about.html
        new file:   contact.html
        new file:   index.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css
```

```
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        app.js


C:\CompanyProfile>git status --ignored
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   about.html
        new file:   contact.html
        new file:   index.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        app.js

Ignored files:
  (use "git add -f <file>..." to include in what will be committed)
        debug.log


C:\CompanyProfile>_
```

TASK 7

```
C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   about.html
        new file:   contact.html
        new file:   index.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        app.js


C:\CompanyProfile>git init
Reinitialized existing Git repository in C:/CompanyProfile/.git/

C:\CompanyProfile>echo. > main.html

C:\CompanyProfile>echo. > style.css

C:\CompanyProfile>echo. > notes.txt

C:\CompanyProfile>git add main.html

C:\CompanyProfile>notepad main.html

C:\CompanyProfile>git status -s
A  about.html
A  contact.html
AM index.html
AM main.html
A  notes.txt
A  script.js
A  style.css
?? .gitignore
?? app.js

C:\CompanyProfile>git status --short
A  about.html
A  contact.html
AM index.html
AM main.html
A  notes.txt
A  script.js
A  style.css
?? .gitignore
?? app.js
```

TASK 8

```
C:\CompanyProfile>git add index.html

C:\CompanyProfile>git status[main 2026-04-20T11:31:17.194Z] update#setState checking for updates

On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   about.html
        new file:   contact.html
        new file:   index.html
        new file:   main.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   main.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        app.js


C:\CompanyProfile>[main 2026-04-20T11:31:17.457Z] update#setState idle
```

TASK 9

```
C:\CompanyProfile>
C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   about.html
        new file:   contact.html
        new file:   index.html
        new file:   main.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   main.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        app.js


C:\CompanyProfile>git init
Reinitialized existing Git repository in C:/CompanyProfile/.git/

C:\CompanyProfile>echo. > index.html

C:\CompanyProfile>echo. > style.css

C:\CompanyProfile>echo. > script.js

C:\CompanyProfile>git add -A

C:\CompanyProfile>git status
On branch master
```

```
C:\CompanyProfile>echo. > style.css

C:\CompanyProfile>echo. > script.js

C:\CompanyProfile>git add -A

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   about.html
        new file:   app.js
        new file:   contact.html
        new file:   index.html
        new file:   main.html
        new file:   notes.txt
        new file:   script.js
        new file:   style.css


C:\CompanyProfile>git rm --cached index.html
rm 'index.html'

C:\CompanyProfile>git rm --cached style.css
rm 'style.css'

C:\CompanyProfile>git rm --cached script.js
rm 'script.js'

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   about.html
        new file:   app.js
        new file:   contact.html
        new file:   main.html
        new file:   notes.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html
        script.js
        style.css


C:\CompanyProfile>
```

TASK 10

```
C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   about.html
        new file:   app.js
        new file:   contact.html
        new file:   main.html
        new file:   notes.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html
        script.js
        style.css


C:\CompanyProfile>echo. > index.html

C:\CompanyProfile>echo. > style.css

C:\CompanyProfile>echo. > script.js

C:\CompanyProfile>echo. > README.md

C:\CompanyProfile>echo. > notes.txt

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   about.html
        new file:   app.js
        new file:   contact.html
        new file:   main.html
        new file:   notes.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        README.md
        index.html
        script.js
        style.css


C:\CompanyProfile>notepad style.css

C:\CompanyProfile>echo. > draft.txt

C:\CompanyProfile>git rm --cached notes.txt
rm 'notes.txt'

C:\CompanyProfile>git status
On branch master
```

```
C:\CompanyProfile>echo. > draft.txt

C:\CompanyProfile>git rm --cached notes.txt
rm 'notes.txt'

C:\CompanyProfile>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   about.html
        new file:   app.js
        new file:   contact.html
        new file:   main.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        README.md
        draft.txt
        index.html
        notes.txt
        script.js
        style.css


C:\CompanyProfile>git status -s
A  .gitignore
A  about.html
A  app.js
A  contact.html
A  main.html
?? README.md
?? draft.txt
?? index.html
?? notes.txt
?? script.js
?? style.css

C:\CompanyProfile>git status --short
A  .gitignore
A  about.html
A  app.js
A  contact.html
A  main.html
?? README.md
?? draft.txt
?? index.html
?? notes.txt
?? script.js
?? style.css

C:\CompanyProfile>
```