Tut - 13

1)

a)



So, Non-conflicting As cycle is there

b)



So, Non conflicting

c)



also,
$w_3(x) \& r_1(x)$
also
$w_3(x) \& w_1(x)$

No Cycle
∴ Conflict Serializable ✓

d)



As ~~graph~~ cycle exist
∴ Non-Serializable

2)

S_3

a)

T_1	T_2	T_3
$R_1(x)$		
	$R_2(z)$	
$R_1(z)$		
		$R_3(x)$
		$BR_3(y)$
$W_1(x)$		
C_1		
		$W_3(y)$
		C_3
	$R_2(y)$	
	$W_2(z)$	
	$W_2(y)$	
	C_2	

No, dirty Read

↳ Yes, Recoverable & Cascadeless

Strict Schedule

↳ No, Read/write operation is there with other after write without Commit

b)

T_1	T_2	T_3
$r_1(x)$		
	$r_2(z)$	
$r_1(z)$		
		$r_3(x)$
		$r_3(y)$
$w_1(x)$		
		$w_3(y)$
	$r_2(y)$	
	$w_2(z)$	
	$w_2(y)$	
c_1		
	c_2	
		c_3

Non Cascadeless

Ans dirty Read between $w_3(y)$ & $R_2(y)$

Non Recoverable

Ans C_3 commit should be done before C_2 as there is dirty read between $W_3(y)$ & $R_2(y)$

but here C_2 is committed before C_3

c)

T_1	T_2	T_3
$R_1(z)$		
	$R_2(z)$	
		$R_3(x)$
$R_1(z)$		
	$R_2(z)$	
		$R_3(y)$
$W_1(x)$		
C_1		
	$W_2(z)$	
		$W_3(y)$
$W_2(y)$		
		C_3
	C_2	

Cascadeless & Recoverable

↓

As No dirty Read

Not Strict Schedule

↓

because $W_3(y)$ & $W_2(y)$ occurs

* even when $W_3(y)$ was not Committed

So, write operation is there before commit

3) → For Schedule S1

a) By Wait-Die policy

1) T_1 acquires Shared lock on X
2) T_2 ~~ask~~ ask exclusive lock but as $T_2 > T_1 \Rightarrow T_2$ killed
3) T_3 gets exclusive lock for Y
4) T_1 ask for exclusive lock on Y
   As $T_3 > T_1 \Rightarrow$ So, T_1 waits
5) T_3 Commit & releas lock on Y
6) T_1 gets exclusive lock on Y
7) T_1 Commits
8) T_2 get exclusive lock on X & Y & then Commit

Date / /
Page No.

~~b) 1) T_1 gets shared lock on x~~
~~2) T_2 gets exclusive lock on y~~

b) 1) T_1 gets shared lock on x.

2) T_1 waits for T_1 to get exclusive lock on x

3) T_3 gets exclusive lock on y

4) T_1 waits for T_3

5) T_3 commit. & release lock

6) T_1 gets exclusive lock on y

7) T_1 commits

8) T_2 gets exclusive lock on x & y

9) T_2 commits

No Deadlock

c)

T_1 gets lock on X & Y & commits
T_2 gets lock on X & Y & commits
T_3 get lock on Y & commits

For Schedule S_2

a) By Wait - Die policy

1) T_1 acquires shared lock on X
2) T_2 acquires exclusive lock on Y
3) T_2 ask exclusive lock for Y
   but as $T_2 > T_1$ then T_2 roll back
4) T_3 acquires exclusive lock on Y.
5) T_1 ask lock for Y but
   as $T_3 > T_1$ So, T_1 waits
6) T_3 Commits
7) T_1 get exclusive lock on Y & Commit
8) T_2 get exclusive lock on X & Y => Commit

Q2

b) 1) T_1 gets a shared lock on Y

2) T_2 waits to get lock on X

3) T_2 get exclusive lock on Y

4) T_3 waits for T_2 to get exclusive lock on Y

5) T_1 waits for T_2 to get exclusive lock on Y

As T_1 waits for T_2 & T_2 waits for T_1

⇓

deadlock



Wait - for graph

c) T_1 gets lock on X & Y, then commit
T_2 gets lock on X & Y, then commit
T_3 gets lock on Y & then commit