

BAAZ & UDAY JKBOSE

2026 CLASS 11TH



ANIMAL KINGDOM

LECTURE-7

ZOOLOGY


DAVOOD SIR (CEO of NG)



Topics To Be Covered

- 1 **Phylum Hemichordata**
- 2 **Phylum Chordata**
- 3 **Previous Year NEET MCQ's**

Phylum Hemichordata (Half Chordates)



Balanoglossus

Phylum Hemichordata (Half Chordates)

↳ Early they were included in phylum chordata, later on classified as individual phylum (Non-chordata)

Habitat:- Exclusively Marine.

Body Features:- Bilateral Symmetrical, Triploblastic, Coelomates and having organ system level of organisation with cylindrical worm like body.

• They have a rod like structure in collar region called Stomochord which resembles like notochord
↓
Buccal diverticulum.

Body is divided into:

a) **Proboscis:-** it contains proboscis gland (kidney like) for excretion and heart for open circulation.

b) **Collar:-** it contains mouth and Stomochord.

c) **Trunk:-** it contains Gills for Respiration and Anus for defecation.

Reproduction:- They are dioecious with external fertilization and show metamorphosis.

Examples:- Balanoglossus (Tongue worm), Saccoglossus.

Phylum Chordata

Habitat:- Every where. (Aquatic, Terrestrial & Aerial)

Body Features:- Bilateral Symmetry, Triploblastic, Coelomates & having organ system level of organisation.

General Features:- Chordates are animals that have following structures at some stage of their life.


- (a) Notochord.
- (b) Nerve chord (Dorsally)
- (c) pharyngeal gill slits.
- (d) post anal tail.
- (e) closed circulatory system.

Phylum Chordata

Subclassified into Sub-phylum


Urochordata (Tunicates)

Notochord is present in Larval tail and Adults loose notochord.
E.g. → Ascidia, Salpa.



Cephalochordata

Notochord extends from Head upto tail present throughout the life.
E.g. → Branchiostoma



Vertebrata

- ① Notochord is present only in embryonic stage and in adult stage Notochord is replaced by vertebral column (Back-Bone).
- ② Vertebrates have ventral muscular heart having 2, 3 or 4 chambered.
- ③ Kidneys for excretion & osmoregulation & paired Appendages.
- ④ All vertebrates are chordates but all chordates are not vertebrates.

Kaun Banayga Nabkaar : NEET-2026

Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): All vertebrates are chordates but all chordates are not vertebrates. T

Reason (R): The members of subphylum vertebrata possess notochord during the embryonic period, the notochord is replaced by a cartilaginous or bony vertebral column in adults. T

In the light of the above statements, choose the correct answer from the options given below:

A Both A and R are true but R is not the correct explanation of A. X

B A is true but R is false X

C A is false but R is true X

D Both A and R are true and R is the correct explanation of A



Kaun Banayga Nabkaar: NEET-2024

Match List I with List II.

List I

- (A) Pleurobranchia
- (B) Radula
- (C) Stomochord
- (D) Air bladder

List II

- (i) Mollusca
- (ii) Ctenophora
- (iii) Osteichthyes
- (iv) Hemichordata

Choose the correct answer from the options given below.

☒ **A** A(iv), B(ii), C(iii), D(i)

☒ **B** A(ii), B(i), C(iv), D(iii)

☒ **C** A(ii), B(iv), C(i), D(iii)

☒ **D** A(iv), B(iii), C(ii), D(i)



Kaun Banayga Nabkaar : NEET-2024

The following are the statements about non-chordates:

- A. Pharynx is perforated by gill slits. F
- ✓ B. Notochord is absent. T
- C. Central nervous system is dorsal. F
- ✓ D. Heart is dorsal if present. T
- ✓ E. Post anal tail is absent T

Choose the correct answer from the options given below

A

A and C only

B

A, B and D only

C

B, D and E only. ✓

D

B, C and D only



Thank
You