Name: Rahil Shah

Non-Profit

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Intent United | Home</title>
  <link rel="stylesheet" href="style.css" />
</head>
<body>
  <header>
    <div class="container nav">
      <a href="index.html" class="brand">
        <img src="logo.png" alt="Intent United Logo" class = "logo-image" />
      </a>
      <nav>
        <ul>
          <li><a href="index.html" class="active">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="programs.html">Programs</a></li>
          <li><a href="impact.html">Impact</a></li>
          <li><a href="partners.html">Partners</a></li>
          <li><a href="officers.html">Officers</a></li>
          <li><a href="ai.html">AI Agent</a></li>

          <li><a href="contact.html" class="btn btn-primary">Support</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <main>
    <section class="hero">
      <div class="container hero-grid">
        <div>
          <div class="tag">AI powered support for children facing educational barriers</div>
          <h1>Turning <span class="accent">intent into opportunity</span> for children across India</h1>
          <p>
            Intent United is a nonprofit focused on using safe, simple AI tools to support young children in u
nderserved communities through personalized learning, mentorship, and local partnership.
          </p>
          <div class="hero-actions">
            <a href="contact.html" class="btn btn-primary">Support the Mission</a>
            <a href="programs.html" class="btn btn-secondary">Explore Programs</a>
          </div>
          <div class="hero-stats">
            <div class="stat-pill soft-hover">
              <strong>12,000+</strong>
              <span>learning sessions delivered</span>
            </div>
            <div class="stat-pill soft-hover">
              <strong>40+</strong>
              <span>community partner centers</span>
            </div>
            <div class="stat-pill soft-hover">
              <strong>6</strong>
              <span>regional language pathways</span>
```

```
            </div>
          </div>
        </div>

        <div class="visual-card soft-hover">
          <div class="map-shape"></div>
          <div class="screen">
            <div class="screen-main">
              <div class="mini-ui">
                <div class="dot"></div>
                <div class="dot"></div>
                <div class="dot"></div>
              </div>
              <div class="lesson-box soft-hover">
                <h3>Today’s reading lesson</h3>
                <p>AI guided storytelling adapts to each child’s pace and language comfort.</p>
                <div class="progress"><span></span></div>
              </div>
              <div class="speech-bubble">Great job, A sha. Let’s try the next word together.</div>
              <div class="lesson-box soft-hover">
                <h3>Learning that feels personal</h3>
                <p>Voice support, visual prompts, and simple feedback help children stay encouraged.</p>
              </div>
            </div>
          </div>
        </div>
      </div>
    </section>

    <section class="page-section">
      <div class="container">
        <div class="section-header">
          <div>
            <div class="tag">What we believe</div>
            <h2>Technology should expand care, not replace it</h2>
          </div>
          <p>
            We build tools that stay simple, useful, and human centered so children can learn with more confid
ence and communities can support them more effectively.
          </p>
        </div>
        <div class="grid-3">
          <article class="card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Accessible learning</h3>
            <p>Children receive reading and foundational learning support shaped around pace, language comfort
, and encouragement.</p>
          </article>
          <article class="card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Community first</h3>
            <p>Local partners, mentors, and families stay involved so AI remains guided by real people and rea
l needs.</p>
          </article>
          <article class="card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Built for reach</h3>
            <p>Our design works for shared devices, lower data environments, and communities where support has
 to be practical.</p>
          </article>
        </div>
      </div>
    </section>
```

```
  </main>

  <footer>
    <div class="container footer-grid">
      <div>
        <strong>Intent United</strong>
        <p>AI for children with dignity, care, and local partnership.</p>
      </div>
      <div class="footer-links">
        <a href="about.html">About</a>
        <a href="programs.html">Programs</a>
        <a href="impact.html">Impact</a>
        <a href="partners.html">Partners</a>
        <a href="officers.html">Officers</a>
        <a href="contact.html">Support</a>
      </div>
    </div>
  </footer>
</body>
</html>
```

style.css

```
:root {
  --bg: #f8f7f3;
  --surface: rgba(255, 255, 255, 0.78);
  --surface-strong: #ffffff;
  --text: #142b47;
  --muted: #4a6585;
  --accent: #f89e15;
  --accent-2: #2b5a97;
  --accent-3: #fad075;
  --border: rgba(20, 43, 71, 0.1);
  --shadow: 0 18px 50px rgba(23, 43, 71, 0.08);
  --soft-shadow: 0 12px 28px rgba(23, 49, 59, 0.08);
  --radius: 24px;
  --max: 1180px;
  --ease-out: cubic-bezier(0.22, 1, 0.36, 1);
}

/* base */

* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}

html {
  scroll-behavior: smooth;
}

body {
  font-family: Inter, ui-sans-serif, system-ui, -apple-system, BlinkMacSystemFont, "Segoe UI", sans-serif;
  background:
    radial-gradient(circle at top left, rgba(248, 158, 21, 0.18), transparent 26%),
    radial-gradient(circle at top right, rgba(43, 90, 151, 0.14), transparent 24%),
    linear-gradient(180deg, #fffdf8 0%, #f8f7f3 54%, #f1efe9 100%);
  color: var(--text);
  line-height: 1.6;
  overflow-x: hidden;
}

a {
```

```
  text-decoration: none;
  color: inherit;
}

img {
  max-width: 100%;
  display: block;
}

.logo-image{
    width:250px;
    height:auto;
    object-fit: contain;
}

.container {
  width: min(92%, var(--max));
  margin: 0 auto;
}

.page-section {
  padding: 4.8rem 0;
}

/* motion */

@keyframes fade-up {
  from {
    opacity: 0;
    transform: translateY(28px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

@keyframes gentle-float {
  0%, 100% {
    transform: translateY(0);
  }
  50% {
    transform: translateY(-5px);
  }
}

@keyframes grow-bar {
  from {
    transform: scaleX(0);
  }
  to {
    transform: scaleX(1);
  }
}

@keyframes soft-pulse {
  0%, 100% {
    transform: rotate(8deg) scale(1);
  }
  50% {
    transform: rotate(8deg) scale(1.03);
  }
}
```

```
/* simple reveal classes applied by selector */

header .brand,
header nav li,
.hero .tag,
.hero h1,
.hero p,
.hero-actions,
.hero-stats .stat-pill,
.hero .visual-card,
.hero .mini-ui,
.hero .lesson-box,
.hero .speech-bubble,
.page-hero .tag,
.page-hero h1,
.page-hero p,
.section-header .tag,
.section-header h2,
.section-header p,
.grid-3 > *,
.grid-4 > *,
.mission-layout > *,
.split-grid > *,
.two-col > *,
.impact-panel > *,
.partner-stats-flex > *,
.partners-flex > *,
.steps > *,
.cta-grid > * {
  animation: fade-up 0.85s var(--ease-out) both;
}

header .brand {
  animation-delay: 0.03s;
}

header nav li:nth-child(1) {
  animation-delay: 0.06s;
}

header nav li:nth-child(2) {
  animation-delay: 0.12s;
}

header nav li:nth-child(3) {
  animation-delay: 0.18s;
}

header nav li:nth-child(4) {
  animation-delay: 0.24s;
}

header nav li:nth-child(5) {
  animation-delay: 0.30s;
}

header nav li:nth-child(6) {
  animation-delay: 0.36s;
}

header nav li:nth-child(7) {
  animation-delay: 0.42s;
```

```
}

.hero .tag,
.page-hero .tag,
.section-header .tag {
  animation-delay: 0.08s;
}

.hero h1,
.page-hero h1,
.section-header h2 {
  animation-delay: 0.16s;
}

.hero p,
.page-hero p,
.section-header p {
  animation-delay: 0.26s;
}

.hero-actions {
  animation-delay: 0.34s;
}

.hero-stats .stat-pill:nth-child(1) {
  animation-delay: 0.44s;
}

.hero-stats .stat-pill:nth-child(2) {
  animation-delay: 0.54s;
}

.hero-stats .stat-pill:nth-child(3) {
  animation-delay: 0.64s;
}

.hero .visual-card {
  animation-delay: 0.22s;
}

.hero .mini-ui {
  animation-delay: 0.52s;
}

.hero .lesson-box:first-of-type {
  animation-delay: 0.62s;
}

.hero .speech-bubble {
  animation-delay: 0.76s;
}

.hero .lesson-box:last-of-type {
  animation-delay: 0.90s;
}

.grid-3 > *:nth-child(1),
.grid-4 > *:nth-child(1),
.mission-layout > *:nth-child(1),
.split-grid > *:nth-child(1),
.two-col > *:nth-child(1),
.impact-panel > *:nth-child(1),
.partner-stats-flex > *:nth-child(1),
```

```
.partners-flex > *:nth-child(1),
.steps > *:nth-child(1),
.cta-grid > *:nth-child(1) {
  animation-delay: 0.08s;
}

.grid-3 > *:nth-child(2),
.grid-4 > *:nth-child(2),
.mission-layout > *:nth-child(2),
.split-grid > *:nth-child(2),
.two-col > *:nth-child(2),
.impact-panel > *:nth-child(2),
.partner-stats-flex > *:nth-child(2),
.partners-flex > *:nth-child(2),
.steps > *:nth-child(2),
.cta-grid > *:nth-child(2) {
  animation-delay: 0.18s;
}

.grid-3 > *:nth-child(3),
.grid-4 > *:nth-child(3),
.impact-panel > *:nth-child(3),
.partner-stats-flex > *:nth-child(3),
.steps > *:nth-child(3) {
  animation-delay: 0.28s;
}

.grid-4 > *:nth-child(4),
.impact-panel > *:nth-child(4),
.steps > *:nth-child(4) {
  animation-delay: 0.38s;
}

.grid-4 > *:nth-child(5) {
  animation-delay: 0.48s;
}

/* tag */

.tag {
  display: inline-flex;
  align-items: center;
  gap: 0.5rem;
  padding: 0.45rem 0.9rem;
  border-radius: 999px;
  background: rgba(255, 255, 255, 0.75);
  border: 1px solid rgba(255, 255, 255, 0.55);
  backdrop-filter: blur(14px);
  font-size: 0.92rem;
  color: var(--accent-2);
  box-shadow: 0 8px 24px rgba(20, 43, 71, 0.06);
}

.tag::before {
  content: "";
  color: var(--accent);
  font-size: 0.9rem;
}

/* header */

header {
  position: sticky;
```

```
  top: 0;
  z-index: 100;
  background: rgba(248, 247, 243, 0.72);
  backdrop-filter: blur(16px);
  border-bottom: 1px solid rgba(23, 49, 59, 0.08);
}

.nav {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 1.2rem;
  padding: 1rem 0;
  flex-wrap: wrap;
}

.brand {
  display: flex;
  align-items: center;
  gap: 0.85rem;
  font-weight: 800;
  letter-spacing: -0.02em;
}

.logo {
  width: 46px;
  height: 46px;
  border-radius: 16px;
  background: linear-gradient(135deg, var(--accent), var(--accent-3));
  box-shadow: 0 10px 24px rgba(248, 158, 21, 0.25);
  display: flex;
  align-items: center;
  justify-content: center;
  color: white;
  font-size: 1.15rem;
  font-weight: 900;
  flex-shrink: 0;
  transition: transform 0.35s var(--ease-out), box-shadow 0.35s var(--ease-out);
}

.brand:hover .logo {
  transform: rotate(-6deg) scale(1.04);
  box-shadow: 0 14px 30px rgba(242, 140, 40, 0.30);
}

.brand span {
  font-size: 1.1rem;
}

nav ul {
  list-style: none;
  display: flex;
  align-items: center;
  justify-content: flex-end;
  gap: 1rem 1.2rem;
  flex-wrap: wrap;
}

nav a {
  color: var(--muted);
  font-weight: 600;
  transition: color 0.25s ease;
}
```

```
nav a:hover,
nav a.active {
  color: var(--accent-2);
}

/* buttons */

.btn {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  gap: 0.55rem;
  padding: 0.92rem 1.35rem;
  border-radius: 999px;
  font-weight: 700;
  transition:
    transform 0.30s var(--ease-out),
    box-shadow 0.30s var(--ease-out),
    background 0.30s var(--ease-out),
    filter 0.30s var(--ease-out);
  cursor: pointer;
  border: none;
  position: relative;
  overflow: hidden;
}

.btn:hover {
  transform: translateY(-2px);
  filter: brightness(1.02);
}

.btn::after {
  content: "";
  position: absolute;
  top: 0;
  left: -130%;
  width: 70%;
  height: 100%;
  background: linear-gradient(90deg, transparent, rgba(255, 255, 255, 0.35), transparent);
  transform: skewX(-22deg);
  transition: left 0.75s var(--ease-out);
}

.btn:hover::after {
  left: 150%;
}

.btn-primary {
  background: linear-gradient(135deg, var(--accent), #df8b10);
  color: #fff;
  box-shadow: 0 14px 28px rgba(242, 140, 40, 0.28);
}

.btn-secondary {
  background: rgba(255, 255, 255, 0.72);
  color: var(--text);
  border: 1px solid rgba(23, 49, 59, 0.08);
  box-shadow: 0 10px 24px rgba(23, 49, 59, 0.08);
  backdrop-filter: blur(12px);
}

/* layout groups */
```

```
.hero {
  padding: 5.4rem 0 4rem;
}

.hero-grid,
.split-grid,
.two-col,
.impact-grid,
.cta-grid {
  display: flex;
  gap: 1.2rem;
  align-items: stretch;
  flex-wrap: wrap;
}

.hero-grid > * {
  flex: 1 1 420px;
}

.split-grid > *,
.two-col > *,
.impact-grid > *,
.cta-grid > * {
  flex: 1 1 320px;
}

.hero h1,
.page-hero h1 {
  font-size: clamp(2.55rem, 5vw, 4.6rem);
  line-height: 1.03;
  letter-spacing: -0.045em;
  margin: 1rem 0 1.2rem;
  max-width: 12ch;
}

.hero h1 .accent,
.page-hero h1 .accent {
  color: var(--accent-2);
}

.hero p,
.page-hero p {
  color: var(--muted);
  max-width: 60ch;
  font-size: 1.08rem;
  margin-bottom: 1.65rem;
}

.hero-actions,
.button-row,
.hero-stats,
.stat-row,
.partner-stats-flex,
.partners-flex,
.grid-3,
.grid-4,
.mission-layout,
.steps,
.impact-panel {
  display: flex;
  flex-wrap: wrap;
  gap: 1rem;
```

```
}

.hero-stats,
.stat-row {
  margin-top: 1.5rem;
}

/* cards */

.visual-card,
.card,
.image-panel,
.founder-card,
.feature-card,
.metric-card,
.story-card,
.cta-card,
.contact-card,
.partner-card,
.impact-number {
  background: var(--surface);
  border: 1px solid rgba(255, 255, 255, 0.6);
  border-radius: var(--radius);
  box-shadow: var(--shadow);
  backdrop-filter: blur(14px);
  position: relative;
  overflow: hidden;
  transition:
    transform 0.30s var(--ease-out),
    box-shadow 0.30s var(--ease-out),
    border-color 0.30s var(--ease-out);
}

.visual-card::after,
.card::after,
.feature-card::after,
.metric-card::after,
.founder-card::after,
.partner-card::after,
.contact-card::after,
.cta-card::after,
.impact-number::after {
  content: "";
  position: absolute;
  inset: 0;
  background: linear-gradient(120deg, transparent 15%, rgba(255, 255, 255, 0.26) 50%, transparent 85%);
  opacity: 0;
  transform: translateX(-35%);
  transition: opacity 0.40s ease, transform 0.75s var(--ease-out);
  pointer-events: none;
}

.visual-card:hover,
.card:hover,
.feature-card:hover,
.metric-card:hover,
.founder-card:hover,
.partner-card:hover,
.contact-card:hover,
.cta-card:hover,
.impact-number:hover,
.story-card:hover {
  transform: translateY(-4px);
```

```
  box-shadow: 0 22px 38px rgba(23, 49, 59, 0.13);
  border-color: rgba(43, 90, 151, 0.18);
}

.visual-card:hover::after,
.card:hover::after,
.feature-card:hover::after,
.metric-card:hover::after,
.founder-card:hover::after,
.partner-card:hover::after,
.contact-card:hover::after,
.cta-card:hover::after,
.impact-number:hover::after {
  opacity: 1;
  transform: translateX(35%);
}

.stat-pill {
  flex: 1 1 160px;
  min-width: 0;
  padding: 0.9rem 1rem;
  border-radius: 18px;
  background: rgba(255, 255, 255, 0.7);
  border: 1px solid rgba(255, 255, 255, 0.58);
  box-shadow: var(--soft-shadow);
  backdrop-filter: blur(12px);
}

.stat-pill strong {
  display: block;
  font-size: 1.25rem;
  color: var(--text);
}

.stat-pill span {
  color: var(--muted);
  font-size: 0.94rem;
}

/* homepage visual */

.visual-card {
  padding: 1.5rem;
  min-height: 520px;
  background: linear-gradient(180deg, rgba(255, 255, 255, 0.76), rgba(255, 255, 255, 0.52));
  animation: fade-up 0.95s var(--ease-out) 0.22s both, gentle-float 6s ease-in-out 1.5s infinite;
}

.visual-card::before {
  content: "";
  position: absolute;
  width: 170px;
  height: 170px;
  border-radius: 50%;
  background: rgba(242, 140, 40, 0.18);
  top: -32px;
  right: -32px;
}

.map-shape {
  position: absolute;
  right: 1.4rem;
  top: 1.4rem;
```

```
  width: 120px;
  height: 160px;
  background: linear-gradient(180deg, rgba(27, 138, 143, 0.16), rgba(242, 140, 40, 0.18));
  border-radius: 40% 36% 42% 50% / 28% 34% 56% 50%;
  transform: rotate(8deg);
  border: 1px solid rgba(27, 138, 143, 0.16);
  animation: soft-pulse 4.5s ease-in-out infinite;
}

.map-shape::after {
  content: "India";
  position: absolute;
  bottom: 14px;
  left: 22px;
  font-size: 0.82rem;
  font-weight: 700;
  color: var(--accent-2);
  transform: rotate(-8deg);
}

.screen {
  position: absolute;
  left: 1.5rem;
  right: 1.5rem;
  bottom: 1.5rem;
  top: 7rem;
  border-radius: 28px;
  background: linear-gradient(180deg, #ffffff, #f4f7f8);
  border: 1px solid rgba(23, 49, 59, 0.08);
  overflow: hidden;
  display: flex;
  box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.9);
}

.screen-main {
  flex: 1 1 62%;
  min-width: 0;
  padding: 1.4rem;
  display: flex;
  flex-direction: column;
  justify-content: space-between;
  gap: 1rem;
  background:
    radial-gradient(circle at 80% 18%, rgba(242, 140, 40, 0.12), transparent 26%),
    linear-gradient(180deg, #ffffff, #fcfcfb);
}

.screen-main:only-child {
  flex: 1 1 100%;
  width: 100%;
}

.screen-side {
  flex: 0 0 38%;
  min-width: 220px;
  background: linear-gradient(180deg, #142b47, #264a75);
  color: white;
  padding: 1.3rem;
  display: flex;
  flex-direction: column;
  justify-content: center;
  gap: 1rem;
}
```

```
.screen-side:empty {
  display: none;
}

.screen-side h3,
.screen-side p {
  color: white;
}

.mini-ui {
  display: flex;
  align-items: center;
  gap: 0.45rem;
}

.dot {
  width: 10px;
  height: 10px;
  border-radius: 50%;
  background: rgba(23, 49, 59, 0.16);
}

.lesson-box {
  padding: 1rem;
  border-radius: 20px;
  background: linear-gradient(180deg, #fff7e8, #fffdf8);
  border: 1px solid rgba(242, 140, 40, 0.16);
}

.side-box {
  padding: 1rem;
  border-radius: 20px;
  background: rgba(255, 255, 255, 0.10);
  border: 1px solid rgba(255, 255, 255, 0.12);
  backdrop-filter: blur(8px);
}

.side-box h3,
.side-box p {
  color: white;
}

.lesson-box h3,
.side-box h3,
.card h3,
.founder-card h3,
.feature-card h3,
.metric-card h3,
.contact-card h3,
.partner-card h3 {
  margin-bottom: 0.5rem;
  font-size: 1.2rem;
}

.lesson-box p,
.card p,
.feature-card p,
.founder-card p,
.metric-card p,
.contact-card p,
.partner-card p {
  color: var(--muted);
```

```
}

.progress {
  margin-top: 0.8rem;
  height: 10px;
  width: 100%;
  background: rgba(23, 49, 59, 0.08);
  border-radius: 999px;
  overflow: hidden;
}

.progress span {
  display: block;
  width: 72%;
  height: 100%;
  border-radius: inherit;
  background: linear-gradient(90deg, var(--accent), var(--accent-2));
  transform-origin: left;
  animation: grow-bar 1.2s var(--ease-out) 1.05s both;
}

.speech-bubble {
  align-self: flex-start;
  padding: 0.9rem 1rem;
  border-radius: 18px 18px 18px 6px;
  background: #e9f7f7;
  color: var(--text);
  max-width: 80%;
  font-weight: 600;
}

/* sections */

.section-header {
  display: flex;
  align-items: flex-end;
  justify-content: space-between;
  gap: 1rem;
  margin-bottom: 2rem;
  flex-wrap: wrap;
}

.section-header h2,
.page-hero h2 {
  font-size: clamp(1.85rem, 3vw, 2.9rem);
  line-height: 1.08;
  letter-spacing: -0.03em;
  margin-top: 0.85rem;
}

.section-header p {
  color: var(--muted);
  max-width: 56ch;
}

.card,
.feature-card,
.metric-card,
.founder-card,
.contact-card,
.story-card,
.cta-card,
.partner-card {
```

```
  padding: 1.45rem;
}

.grid-3 > *,
.steps > *,
.mission-layout > *,
.impact-panel > *,
.partner-stats-flex > * {
  flex: 1 1 260px;
}

.grid-4 {
  justify-content: center;
}

.grid-4 > *,
.founder-card {
  flex: 1 1 220px;
  max-width: 280px;
}

.feature-card,
.partner-card,
.contact-card,
.cta-card {
  display: flex;
  flex-direction: column;
}

.icon-wrap {
  width: 58px;
  height: 58px;
  border-radius: 18px;
  display: flex;
  align-items: center;
  justify-content: center;
  margin-bottom: 1rem;
  font-size: 1.4rem;
  background: linear-gradient(135deg, rgba(242, 140, 40, 0.2), rgba(247, 201, 107, 0.25));
  color: var(--accent);
  transition: transform 0.35s var(--ease-out);
}

.card:hover .icon-wrap,
.feature-card:hover .icon-wrap,
.partner-card:hover .icon-wrap {
  transform: scale(1.08) rotate(-6deg);
}

.feature-list,
.donate-list,
.contact-card ul {
  list-style: none;
  margin-top: 1rem;
  display: flex;
  flex-direction: column;
  gap: 0.7rem;
  color: var(--muted);
}

.feature-list li::before {
  content: " ";
  color: var(--accent-2);
```

```
  font-weight: 800;
}

.metric-card strong,
.impact-number strong {
  display: block;
  font-size: clamp(1.7rem, 3vw, 2.5rem);
  line-height: 1;
  color: var(--accent-2);
  margin-bottom: 0.45rem;
}

/* story and impact */

.story-card {
  background: linear-gradient(180deg, #142b47, #24466d);
  color: white;
}

.story-card::before {
  content: "";
  position: absolute;
  width: 220px;
  height: 220px;
  border-radius: 50%;
  background: rgba(242, 140, 40, 0.18);
  right: -90px;
  top: -90px;
}

.story-card p,
.story-card small,
.story-card h3 {
  color: white;
}

.story-badge {
  display: inline-flex;
  padding: 0.45rem 0.8rem;
  border-radius: 999px;
  background: rgba(255, 255, 255, 0.08);
  border: 1px solid rgba(255, 255, 255, 0.1);
  margin-bottom: 1rem;
  font-weight: 700;
  font-size: 0.92rem;
}

.impact-number {
  flex: 1 1 220px;
  padding: 1.2rem;
  border-radius: 22px;
  box-shadow: 0 14px 28px rgba(23, 49, 59, 0.08);
  background: rgba(255, 255, 255, 0.74);
}

.impact-number span {
  color: var(--muted);
  font-weight: 600;
}

/* founders */

.founder-image {
```

```
  width: 100%;
  aspect-ratio: 4 / 3;
  object-fit: cover;
  border-radius: 18px;
  margin-bottom: 1rem;
  background: linear-gradient(135deg, rgba(242, 140, 40, 0.2), rgba(27, 138, 143, 0.16));
  transition: transform 0.45s var(--ease-out);
}

.founder-card:hover .founder-image,
.partner-card:hover .partner-image {
  transform: scale(1.03);
}

.founder-role {
  display: inline-block;
  margin-bottom: 0.7rem;
  padding: 0.35rem 0.75rem;
  border-radius: 999px;
  background: rgba(27, 138, 143, 0.1);
  color: var(--accent-2);
  font-size: 0.9rem;
  font-weight: 700;
}

/* contact and donate */

.contact-card li,
.donate-list li {
  display: flex;
  align-items: center;
  gap: 0.75rem;
}

.contact-card li span,
.donate-list li span {
  width: 34px;
  height: 34px;
  border-radius: 12px;
  background: rgba(27, 138, 143, 0.12);
  color: var(--accent-2);
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: 800;
  flex-shrink: 0;
  transition: transform 0.30s var(--ease-out), background 0.30s var(--ease-out);
}

.contact-card:hover li span,
.cta-card:hover .donate-list li span {
  transform: translateY(-2px);
  background: rgba(27, 138, 143, 0.18);
}

/* steps */

.steps {
  counter-reset: step;
}

.step {
  position: relative;
```

```
  padding-top: 3.3rem;
}

.step::before {
  counter-increment: step;
  content: counter(step);
  position: absolute;
  top: 0;
  left: 0;
  width: 46px;
  height: 46px;
  border-radius: 16px;
  background: linear-gradient(135deg, var(--accent), var(--accent-3));
  color: white;
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: 800;
  box-shadow: 0 10px 24px rgba(242, 140, 40, 0.24);
  transition: transform 0.35s var(--ease-out);
}

.step:hover::before {
  transform: translateY(-2px) scale(1.06);
}

/* cta */

.cta-card {
  background:
    radial-gradient(circle at top left, rgba(242, 140, 40, 0.16), transparent 26%),
    radial-gradient(circle at bottom right, rgba(27, 138, 143, 0.16), transparent 28%),
    linear-gradient(180deg, rgba(255, 255, 255, 0.84), rgba(255, 255, 255, 0.70));
}

.cta-card p {
  color: var(--muted);
  max-width: 54ch;
  margin: 0.8rem 0 1.25rem;
}

.cta-panel {
  background: rgba(255, 255, 255, 0.7);
  border: 1px solid rgba(23, 49, 59, 0.08);
  border-radius: 24px;
  padding: 1.4rem;
}

/* partners */

.partners-flex {
  align-items: stretch;
}

.partner-card {
  flex: 1 1 340px;
}

.partner-top {
  display: flex;
  align-items: center;
  gap: 1rem;
  margin-bottom: 1rem;
```

```
  flex-wrap: wrap;
}

.partner-logo-box {
  width: 68px;
  height: 68px;
  border-radius: 20px;
  background: linear-gradient(135deg, var(--accent), var(--accent-3));
  color: white;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 1.4rem;
  font-weight: 800;
  box-shadow: 0 10px 24px rgba(242, 140, 40, 0.24);
  flex-shrink: 0;
  transition: transform 0.35s var(--ease-out);
}

.partner-card:hover .partner-logo-box {
  transform: rotate(-6deg) scale(1.05);
}

.partner-label {
  display: inline-block;
  margin-bottom: 0.35rem;
  padding: 0.35rem 0.75rem;
  border-radius: 999px;
  background: rgba(27, 138, 143, 0.1);
  color: var(--accent-2);
  font-size: 0.88rem;
  font-weight: 700;
}

.partner-image-wrap {
  margin: 0.25rem 0 1rem;
  overflow: hidden;
  border-radius: 18px;
}

.partner-image {
  width: 100%;
  aspect-ratio: 16 / 9;
  object-fit: cover;
  border-radius: 18px;
  background: linear-gradient(135deg, rgba(242, 140, 40, 0.2), rgba(27, 138, 143, 0.16));
  transition: transform 0.45s var(--ease-out);
}

.partner-points {
  display: flex;
  flex-direction: column;
  gap: 0.8rem;
  margin-top: 1rem;
}

.partner-point {
  padding: 0.95rem 1rem;
  border-radius: 18px;
  background: rgba(255, 255, 255, 0.7);
  border: 1px solid rgba(23, 49, 59, 0.08);
  box-shadow: 0 10px 24px rgba(23, 49, 59, 0.06);
  transition: transform 0.30s var(--ease-out), box-shadow 0.30s var(--ease-out);
```

```
}

.partner-point:hover {
  transform: translateY(-2px);
  box-shadow: 0 14px 26px rgba(23, 49, 59, 0.09);
}

.partner-point strong {
  display: block;
  margin-bottom: 0.2rem;
  color: var(--text);
}

.partner-point span {
  color: var(--muted);
  font-size: 0.95rem;
}

/* footer */

footer {
  padding: 2rem 0 3rem;
  border-top: 1px solid rgba(23, 49, 59, 0.08);
  color: var(--muted);
}

.footer-grid {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 1rem;
  flex-wrap: wrap;
}

.footer-links {
  display: flex;
  gap: 1rem 1.2rem;
  flex-wrap: wrap;
}

/* responsive */

@media (max-width: 1024px) {
  .hero h1,
  .page-hero h1 {
    max-width: none;
  }

  .visual-card {
    min-height: 0;
    padding-bottom: 1.5rem;
    animation: fade-up 0.95s var(--ease-out) 0.22s both;
  }

  .screen {
    position: static;
    margin-top: 4rem;
    min-height: 0;
    flex-direction: column;
  }

  .screen-main,
  .screen-side {
```

```
    flex: 1 1 100%;
    min-width: 0;
  }
}

@media (max-width: 720px) {
  .nav {
    flex-direction: column;
    align-items: flex-start;
  }

  nav ul {
    justify-content: flex-start;
    width: 100%;
  }

  .hero {
    padding-top: 3.4rem;
  }

  .hero-grid > *,
  .split-grid > *,
  .two-col > *,
  .impact-grid > *,
  .cta-grid > *,
  .grid-3 > *,
  .grid-4 > *,
  .partners-flex > *,
  .partner-stats-flex > *,
  .mission-layout > *,
  .impact-panel > *,
  .steps > * {
    flex-basis: 100%;
    max-width: 100%;
  }

  .visual-card {
    padding: 1.2rem;
  }

  .map-shape {
    width: 96px;
    height: 132px;
  }

  .screen {
    margin-top: 3.2rem;
  }

  .partner-top {
    align-items: flex-start;
  }

  .partner-logo-box {
    width: 60px;
    height: 60px;
    border-radius: 18px;
  }

  .btn {
    width: auto;
  }
}
```

```
@media (prefers-reduced-motion: reduce) {
  *,
  *::before,
  *::after {
    animation: none !important;
    transition: none !important;
    scroll-behavior: auto !important;
  }
}
```

about.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Intent United | About</title>
  <link rel="stylesheet" href="style.css" />
</head>
<body>
  <header>
    <div class="container nav">
      <a href="index.html" class="brand">
        <img src="logo.png" alt="Intent United Logo" class = "logo-image" />
      </a>
      <nav>
        <ul>
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html" class="active">About</a></li>
          <li><a href="programs.html">Programs</a></li>
          <li><a href="impact.html">Impact</a></li>
          <li><a href="partners.html">Partners</a></li>
          <li><a href="officers.html">Officers</a></li>
          <li><a href="ai.html">AI Agent</a></li>

          <li><a href="contact.html" class="btn btn-primary">Support</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <main>
    <section class="page-section page-hero">
      <div class="container">
        <div class="tag">About Intent United</div>
        <h1>Helping children in hard circumstances learn with <span class="accent">confidence and care</span><
/h1>
        <p>
          Intent United works to support young children in underserved parts of India by combining safe AI lea
rning tools with strong local mentorship and community partnerships.
        </p>
      </div>
    </section>

    <section class="page-section">
      <div class="container split-grid">
        <div class="card soft-hover">
          <h3>Our mission</h3>
          <p>
            We aim to make learning more accessible for children facing poverty, school disruption, language b
arriers, and limited educational support.
          </p>
```

```
        </div>
        <div class="card soft-hover">
          <h3>Our approach</h3>
          <p>
            We use AI as a support layer, not a replacement for people, so every tool remains practical, under
standable, and grounded in local relationships.
          </p>
        </div>
      </div>
    </section>

    <section class="page-section">
      <div class="container">
        <div class="section-header">
          <div>
            <div class="tag">What makes us different</div>
            <h2>Simple systems built around real communities</h2>
          </div>
        </div>
        <div class="grid-3">
          <article class="feature-card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Age appropriate AI</h3>
            <p>Every learning experience is designed to stay clear, supportive, and easy for young children to
 use.</p>
          </article>
          <article class="feature-card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Local partnership</h3>
            <p>We work with educators, volunteers, and community centers that understand the children they ser
ve.</p>
          </article>
          <article class="feature-card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Practical delivery</h3>
            <p>Our tools are designed for shared devices, low stress use, and environments where resources may
 be limited.</p>
          </article>
        </div>
      </div>
    </section>
  </main>

  <footer>
    <div class="container footer-grid">
      <div>
        <strong>Intent United</strong>
        <p>Intent, community, and opportunity working together.</p>
      </div>
      <div class="footer-links">
        <a href="index.html">Home</a>
        <a href="programs.html">Programs</a>
        <a href="impact.html">Impact</a>
        <a href="partners.html">Partners</a>
        <a href="officers.html">Officers</a>
        <a href="contact.html">Support</a>
      </div>
    </div>
  </footer>
</body>
</html>
```

programs.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Intent United | Programs</title>
  <link rel="stylesheet" href="style.css" />
</head>
<body>
  <header>
    <div class="container nav">
      <a href="index.html" class="brand">
        <img src="logo.png" alt="Intent United Logo" class = "logo-image" />
      </a>
      <nav>
        <ul>
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="programs.html" class="active">Programs</a></li>
          <li><a href="impact.html">Impact</a></li>
          <li><a href="partners.html">Partners</a></li>
          <li><a href="officers.html">Officers</a></li>
          <li><a href="ai.html">AI Agent</a></li>

          <li><a href="contact.html" class="btn btn-primary">Support</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <main>
    <section class="page-section page-hero">
      <div class="container">
        <div class="tag">Programs</div>
        <h1>Simple tools that support <span class="accent">real learning needs</span></h1>
        <p>
          Our programs blend AI support with mentoring and community guidance so children can build stronger f
oundations in reading, numeracy, and confidence.
        </p>
      </div>
    </section>

    <section class="page-section">
      <div class="container grid-3">
        <article class="feature-card soft-hover">
          <div class="icon-wrap"></div>
          <h3>Reading companions</h3>
          <p>Story based support helps children practice vocabulary, pronunciation, and comprehension with enc
ouraging guidance.</p>
          <ul class="feature-list">
            <li>Adaptive reading levels</li>
            <li>Voice based prompts</li>
            <li>Regional language pathways</li>
          </ul>
        </article>
        <article class="feature-card soft-hover">
          <div class="icon-wrap"></div>
          <h3>Foundational learning labs</h3>
          <p>Interactive lessons support math, logic, and classroom readiness with visual explanations that st
ay easy to follow.</p>
          <ul class="feature-list">
            <li>Friendly practice sessions</li>
```

```
            <li>Simple feedback loops</li>
            <li>Offline ready modules</li>
          </ul>
        </article>
        <article class="feature-card soft-hover">
          <div class="icon-wrap"></div>
          <h3>Mentor support network</h3>
          <p>Volunteers and educators use progress snapshots to understand where a child may need extra help o
r encouragement.</p>
          <ul class="feature-list">
            <li>Mentor dashboards</li>
            <li>Family updates</li>
            <li>Community partner training</li>
          </ul>
        </article>
      </div>
    </section>
  </main>

  <footer>
    <div class="container footer-grid">
      <div>
        <strong>Intent United</strong>
        <p>Programs shaped around what children actually need.</p>
      </div>
      <div class="footer-links">
        <a href="index.html">Home</a>
        <a href="about.html">About</a>
        <a href="impact.html">Impact</a>
        <a href="partners.html">Partners</a>
        <a href="officers.html">Officers</a>
        <a href="contact.html">Support</a>
      </div>
    </div>
  </footer>
</body>
</html>
```

impact.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Intent United| Impact</title>
  <link rel="stylesheet" href="style.css" />
</head>
<body>
  <header>
    <div class="container nav">
      <a href="index.html" class="brand">
        <img src="logo.png" alt="Intent United Logo" class = "logo-image" />
      </a>
      <nav>
        <ul>
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="programs.html">Programs</a></li>
          <li><a href="impact.html" class="active">Impact</a></li>
          <li><a href="partners.html">Partners</a></li>
          <li><a href="officers.html">Officers</a></li>
          <li><a href="ai.html">AI Agent</a></li>
```

```
          <li><a href="contact.html" class="btn btn-primary">Support</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <main>
    <section class="page-section page-hero">
      <div class="container">
        <div class="tag">Impact</div>
        <h1>Progress that shows up in <span class="accent">confidence, consistency, and care</span></h1>
        <p>
          Our goal is not only stronger academic performance. We also care about confidence, participation, an
d making support easier for mentors and families.
        </p>
      </div>
    </section>

    <section class="page-section">
      <div class="container impact-grid">
        <div class="grid-3" style="grid-template-columns: repeat(2, 1fr);">
          <div class="metric-card soft-hover">
            <strong>87%</strong>
            <p>of children showed stronger weekly engagement</p>
          </div>
          <div class="metric-card soft-hover">
            <strong>3x</strong>
            <p>more reading practice in partner learning centers</p>
          </div>
          <div class="metric-card soft-hover">
            <strong>91%</strong>
            <p>of mentors found progress easier to track</p>
          </div>
          <div class="metric-card soft-hover">
            <strong>Low data</strong>
            <p>design works better in resource constrained settings</p>
          </div>
        </div>
        <aside class="story-card soft-hover">
          <div class="story-badge">A story behind the numbers</div>
          <h3>I used to stay quiet in class. Now I want to answer first.</h3>
          <p>
            Children who receive regular encouragement often begin with hesitation and self doubt. With patien
t AI guided practice and direct support from adults, many start participating more and feel more confident in
learning spaces.
          </p>
          <br />
          <small>Illustrative student voice for demonstration purposes</small>
        </aside>
      </div>
    </section>
  </main>

  <footer>
    <div class="container footer-grid">
      <div>
        <strong>Intent United</strong>
        <p>Measured in progress, not just numbers.</p>
      </div>
      <div class="footer-links">
        <a href="index.html">Home</a>
        <a href="about.html">About</a>
        <a href="programs.html">Programs</a>
```

```
        <a href="partners.html">Partners</a>
        <a href="officers.html">Officers</a>
        <a href="contact.html">Support</a>
      </div>
    </div>
  </footer>
</body>
</html>
```

contact.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Intent United| Support</title>
  <link rel="stylesheet" href="style.css" />
</head>
<body>
  <header>
    <div class="container nav">
      <a href="index.html" class="brand">
        <img src="logo.png" alt="Intent United Logo" class = "logo-image" />
      </a>
      <nav>
        <ul>
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="programs.html">Programs</a></li>
          <li><a href="impact.html">Impact</a></li>
          <li><a href="partners.html">Partners</a></li>
          <li><a href="officers.html">Officers</a></li>
          <li><a href="ai.html">AI Agent</a></li>

          <li><a href="contact.html" class="btn btn-primary">Support</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <main>
    <section class="page-section page-hero">
      <div class="container">
        <div class="tag">Support Intent United</div>
        <h1>Help us expand thoughtful AI support to <span class="accent">more children</span></h1>
        <p>
          Your support can help provide learning devices, community based mentorship, regional language conten
t, and child centered AI tools.
        </p>
      </div>
    </section>

    <section class="page-section">
      <div class="container cta-grid">
        <div class="contact-card soft-hover">
          <h3>What your support can fund</h3>
          <ul>
            <li><span></span> Learning kits for partner centers</li>
            <li><span>AI</span> Safer and simpler learning interfaces</li>
            <li><span></span> Translation and regional language content</li>
            <li><span></span> Mentor training and family outreach</li>
          </ul>
          <div class="button-row" style="margin-top: 1.2rem;">
```

```
            <a href="#" class="btn btn-primary">Donate Now</a>
            <a href="#" class="btn btn-secondary">Partner With Us</a>
          </div>
        </div>

        <div class="contact-card soft-hover">
          <h3>Contact</h3>
          <p>
            Replace the information below with your actual contact details when you are ready to publish the s
ite.
          </p>
          <ul>
            <li><span>@</span> hello@unitedintent.org</li>
            <li><span></span> +91 00000 00000</li>
            <li><span></span> New Delhi, India</li>
          </ul>
        </div>
      </div>
    </section>
  </main>

  <footer>
    <div class="container footer-grid">
      <div>
        <strong>Intent United</strong>
        <p>Every child deserves a stronger chance to learn.</p>
      </div>
      <div class="footer-links">
        <a href="index.html">Home</a>
        <a href="about.html">About</a>
        <a href="programs.html">Programs</a>
        <a href="impact.html">Impact</a>
        <a href="partners.html">Partners</a>
        <a href="officers.html">Officers</a>
      </div>
    </div>
  </footer>
</body>
</html>
```

officers.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Intent United | Founders</title>
  <link rel="stylesheet" href="style.css" />
</head>
<body>
  <header>
    <div class="container nav">
      <a href="index.html" class="brand">
        <img src="logo.png" alt="Intent United Logo" class = "logo-image" />
      </a>
      <nav>
        <ul>
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="programs.html">Programs</a></li>
          <li><a href="impact.html">Impact</a></li>
          <li><a href="partners.html">Partners</a></li>
          <li><a href="officers.html" class="active">Officers</a></li>
```

```
          <li><a href="ai.html">AI Agent</a></li>

          <li><a href="contact.html" class="btn btn-primary">Support</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <main>
    <section class="page-section page-hero">
      <div class="container">
        <div class="tag">Founders</div>
        <h1>Meet the five people behind <span class="accent">Intent United</span></h1>
        <p>
          This page is set up so you can easily add pictures for each founder. Just replace each image file pa
th with the real photo you want to use.
        </p>
      </div>
    </section>

    <section class="page-section">
      <div class="container grid-4">
        <article class="founder-card soft-hover">
          <img src="founder-1.jpg" alt="Officer 1 portrait" class="founder-image" />
          <span class="founder-role">President</span>
          <h3>Rahil Shah</h3>
          <p>
            Add a short biography here about this founder’s background, goals, and role in helping shape the n
onprofit.
          </p>
        </article>

        <article class="founder-card soft-hover">
          <img src="founder-2.jpg" alt="Officer 2 portrait" class="founder-image" />
          <span class="founder-role">Vice President</span>
          <h3>Anthony Zeng</h3>
          <p>
            Add a short biography here about this founder’s skills, leadership, and why they care about the mi
ssion.
          </p>
        </article>

        <article class="founder-card soft-hover">
          <img src="founder-3.jpg" alt="Officer 3 portrait" class="founder-image" />
          <span class="founder-role">you might be a sigma</span>
          <h3>Yisheng Yao</h3>
          <p>
            Add a short biography here about this founder’s role in outreach, operations, design, or education
 work.
          </p>
        </article>

        <article class="founder-card soft-hover">
          <img src="founder-4.jpg" alt="Officer 4 portrait" class="founder-image" />
          <span class="founder-role">the big million</span>
          <h3>Emanuel Million</h3>
          <p>
            Add a short biography here about this founder’s experience with technology, mentorship, or nonprof
it strategy.
          </p>
        </article>

        <article class="founder-card soft-hover">
```

```
          <img src="officer-5.jpg" alt="Officer 5 portrait" class="founder-image" />
          <span class="founder-role"></span>
          <h3>Elise Park</h3>
          <p>
            Add a short biography here about this founder’s background, goals, and role in helping shape the n
onprofit.
          </p>
        </article>
      </div>
    </section>
  </main>

  <footer>
    <div class="container footer-grid">
      <div>
        <strong>Intent United</strong>
        <p>Built by people who want learning support to reach farther.</p>
      </div>
      <div class="footer-links">
        <a href="index.html">Home</a>
        <a href="about.html">About</a>
        <a href="programs.html">Programs</a>
        <a href="impact.html">Impact</a>
        <a href="partners.html">Partners</a>
        <a href="contact.html">Support</a>
      </div>
    </div>
  </footer>
</body>
</html>
```

officer-1.jpg

officer-2.jpg

officer-3.jpg

officer-4.jpg

partners.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Intent United | Partners</title>
  <link rel="stylesheet" href="style.css" />
</head>
<body>
  <header>
    <div class="container nav">
      <a href="index.html" class="brand">
        <img src="logo.png" alt="Intent United Logo" class = "logo-image" />
      </a>
      <nav>
        <ul>
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="programs.html">Programs</a></li>
```

```
          <li><a href="impact.html">Impact</a></li>
          <li><a href="partners.html" class="active">Partners</a></li>
          <li><a href="officers.html">Officers</a></li>
          <li><a href="ai.html">AI Agent</a></li>

          <li><a href="contact.html" class="btn btn-primary">Support</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <main>
    <section class="page-section page-hero">
      <div class="container">
        <div class="tag">Our Partners</div>
        <h1>Working with <span class="accent">major partners</span> to expand impact</h1>
        <p>
          Intent United works with two large companies that help us reach more children, strengthen local supp
ort, and grow our mission in practical ways.
        </p>
      </div>
    </section>

    <section class="page-section">
      <div class="container">
        <div class="section-header">
          <div>
            <div class="tag">Partnerships that matter</div>
            <h2>Built on trust, scale, and shared purpose</h2>
          </div>
          <p>
            These partnerships help us improve technology access, expand community support, and create more op
portunities for children in underserved areas.
          </p>
        </div>

        <div class="partners-flex">
          <article class="partner-card soft-hover">
            <div class="partner-top">
              <div class="partner-logo-box">A</div>
              <div>
                <span class="partner-label">Strategic Partner</span>
                <h3>Company Name One</h3>
              </div>
            </div>

            <div class="partner-image-wrap">
              <img src="images/partner-1.jpg" alt="Company Name One partnership image" class="partner-image" /
>
            </div>

            <p>
              Company Name One supports Intent United through funding, technology resources, and long term col
laboration that helps us scale learning support for children.
            </p>

            <div class="partner-points">
              <div class="partner-point">
                <strong>Funding Support</strong>
                <span>Helps expand devices, tools, and learning materials</span>
              </div>
              <div class="partner-point">
                <strong>Technology Access</strong>
```

```
              <span>Supports better platforms and digital learning delivery</span>
            </div>
            <div class="partner-point">
              <strong>Long Term Growth</strong>
              <span>Helps us build stronger systems over time</span>
            </div>
          </div>
        </article>

        <article class="partner-card soft-hover">
          <div class="partner-top">
            <div class="partner-logo-box">B</div>
            <div>
              <span class="partner-label">Impact Partner</span>
              <h3>Company Name Two</h3>
            </div>
          </div>

          <div class="partner-image-wrap">
            <img src="images/partner-2.jpg" alt="Company Name Two partnership image" class="partner-image" /
>
          </div>

          <p>
            Company Name Two works with us to strengthen outreach, improve operational support, and help our
 programs reach communities more effectively.
          </p>

          <div class="partner-points">
            <div class="partner-point">
              <strong>Community Reach</strong>
              <span>Helps connect programs with more local spaces and families</span>
            </div>
            <div class="partner-point">
              <strong>Operational Support</strong>
              <span>Improves how we manage and deliver programs</span>
            </div>
            <div class="partner-point">
              <strong>Shared Mission</strong>
              <span>Supports children through practical and scalable collaboration</span>
            </div>
          </div>
        </article>
      </div>
    </div>
  </section>

  <section class="page-section">
    <div class="container">
      <div class="section-header">
        <div>
          <div class="tag">Why partnerships help</div>
          <h2>What strong partners make possible</h2>
        </div>
      </div>

      <div class="partner-stats-flex">
        <div class="metric-card soft-hover">
          <strong>More Reach</strong>
          <p>Partnerships help us expand into more communities and support more children.</p>
        </div>
        <div class="metric-card soft-hover">
          <strong>Better Tools</strong>
```

```
            <p>They help us improve learning technology while keeping it simple and accessible.</p>
          </div>
          <div class="metric-card soft-hover">
            <strong>Stronger Stability</strong>
            <p>Ongoing support helps us build programs that can last and grow over time.</p>
          </div>
        </div>
      </div>
    </section>
  </main>

  <footer>
    <div class="container footer-grid">
      <div>
        <strong>Intent United</strong>
        <p>Working with partners to create more opportunity for children.</p>
      </div>
      <div class="footer-links">
        <a href="index.html">Home</a>
        <a href="about.html">About</a>
        <a href="programs.html">Programs</a>
        <a href="impact.html">Impact</a>
        <a href="partners.html">Partners</a>
        <a href="officers.html">Officers</a>
        <a href="contact.html">Support</a>
      </div>
    </div>
  </footer>
</body>
</html>
```

officer-5.jpg

logo.png

https://codehs.com/uploads/8e9d112bb9b3aef1c6da95f89f2f2823

app.jsx

```
import React, { useState, useEffect, useRef } from 'react';
import { initializeApp } from 'firebase/app';
import { getFirestore, collection, doc, setDoc, onSnapshot, updateDoc, arrayUnion } from 'firebase/firestore';
import { getAuth, signInWithCustomToken, signInAnonymously, onAuthStateChanged } from 'firebase/auth';
import { CheckCircle2, Loader2, Cloud, Circle, GraduationCap, Trophy, Star, Target, Bot, Send, Sparkles, User,
 BookOpen, Presentation, ArrowRight, ArrowLeft, LogOut, Lock } from 'lucide-react';


// --- Firebase Configuration ---
const firebaseConfig = typeof __firebase_config !== 'undefined' ? JSON.parse(__firebase_config) : {};
const app = initializeApp(firebaseConfig);
const auth = getAuth(app);
const db = getFirestore(app);
const appId = typeof __app_id !== 'undefined' ? __app_id : 'progress-tracker-app';


// --- Guided English Curriculum ---
const CURRICULUM = [
 // --- UNIT 1: THE BASICS ---
 {
   id: 'lesson_1',
   label: "Lesson 1: Introducing Yourself",
   slideTitle: "Making New Friends",
   teachingText: "When you meet someone new, telling them your name is the first step to making a new friend.
In English, it is always polite to smile and look at the person when you speak to them.\n\n New Words & Gree
```

```
tings:\n Hello / Hi: Use these to greet someone at any time of the day. ’Hi’ is a little more relaxed and fri
endly.\n Good Morning: Say this from when you wake up until 12:00 PM (lunch time).\n Good Afternoon: Say thi
s from 12:00 PM until it starts to get dark.\n Good Evening: Say this when it is dark outside but before you
go to sleep.\n\nHere is how you can introduce yourself politely in 4 easy steps:\n1. Start with a friendly gre
eting: ’Hello’ or ’Good morning’.\n2. Say your name clearly: ’My name is [Your Name].’ You can also say ’I am
[Your Name].’\n3. Ask for their name to show you care: ’What is your name?’\n4. When they answer, always reply
: ’Nice to meet you!’\n\n Example Conversation:\nRahul: ’Good morning! My name is Rahul. What is your name?
’\nPriya: ’Hi Rahul, my name is Priya.’\nRahul: ’Nice to meet you, Priya!’\nPriya: ’Nice to meet you too!’",
   questionText: "If a new student asks ’What is your name?’, how do you start your answer?",
   answerKeywords: [’my name is’, ’i am’, "my name’s", "i’m"],
   hintText: "Think about the phrase we use to tell someone what we are called. It starts with ’My...’"
 },
 {
   id: ’lesson_2’,
   label: "Lesson 2: How Are You?",
   slideTitle: "Checking on Friends",
   teachingText: "When you see your friends, family, or teachers, it is very nice to ask how they are feeling
today. This shows you care about them! It is also important to ask ’And you?’ after you answer their question.
\n\n Feelings Vocabulary:\n Fine / Good: You feel okay. Everything is normal.\n Great / Excellent: You fee
l very, very good!\n Happy: You are smiling and feeling joyful.\n Sad: You feel like crying or are upset abo
ut something.\n Tired: You played too hard or didn’t sleep, and you need to rest.\n Sick: You are not feelin
g well (maybe your tummy hurts or you have a cough).\n Hungry: Your stomach is empty and you need food!\n\n
 Example Conversation:\nTeacher: ’Good morning, Amit. How are you today?’\nAmit: ’I am fine, thank you, Teach
er! How are you?’\nTeacher: ’I am feeling great today, Amit. Thank you for asking!’\n\nIf you are not feeling
well, it is okay to be honest! You can tell your teacher: ’I am feeling sick today, teacher.’",
   questionText: "What is a polite way to answer when your teacher asks ’How are you?’",
   answerKeywords: [’fine’, ’good’, ’well’, ’i am fine’, ’i am good’, ’happy’, ’great’],
   hintText: "You can say ’I am ___, thank you!’"
 },
 {
   id: ’lesson_3’,
   label: "Lesson 3: The Magic Words",
   slideTitle: "Please, Thank You, and Sorry",
   teachingText: "Polite words are often called ’Magic Words’ because they make people happy to help you. Peop
le who use magic words are respected by everyone. Always use these words at school and at home!\n\n The 5 Mag
ic Words:\n1. ’Please’: Use this whenever you are asking for something. Never just demand things. (Say ’Please
 give me water’ instead of ’Give me water’.)\n2. ’Thank you’: Use this when someone gives you something, helps
 you, or shares with you.\n3. ’You are welcome’: This is the polite reply when someone says ’Thank you’ to you
. It means you were happy to help them.\n4. ’Excuse me’: Use this to get someone’s attention politely before y
ou speak to them, or if you need to walk past them in a crowded room.\n5. ’I am sorry’: Use this if you make a
 mistake, break something, or accidentally hurt someone. It shows you feel bad about what happened.\n\n Exa
mple Conversation:\nNeha: ’Excuse me, Raj. Can you pass the green pencil, please?’\nRaj: ’Here you go, Neha.’\
nNeha: ’Thank you very much!’\nRaj: ’You are welcome!’",
   questionText: "If you accidentally drop your friend’s pencil on the floor, what magic words should you say?
",
   answerKeywords: [’sorry’, ’i am sorry’, "i’m sorry", "apologize"],
   hintText: "It starts with an ’S’. You say this when you make a mistake!"
 },
 {
   id: ’lesson_4’,
   label: "Lesson 4: Classroom Needs",
   slideTitle: "Asking for Permission & Help",
   teachingText: "Sometimes in class, you need to leave your seat or you need help with your work. It is very
important to know how to ask your teacher properly without interrupting the lesson.\n\n Using ’May I’:\n’May
 I’ is the most polite and proper way to ask for permission in school. It is much better than saying ’Can I’.\
n\n If you are thirsty: ’Teacher, may I drink water, please?’\n If you need the toilet: ’Teacher, may I go t
o the washroom, please?’\n If your pencil is broken: ’Teacher, may I sharpen my pencil, please?’\n If you ar
e late to class: ’May I come in, please?’\n\n Asking for Help:\nSometimes learning is hard, and that is comp
letely okay! Your teacher is there to help you.\n If the work is confusing: ’Teacher, can you help me, please
?’\n If you can’t see the whiteboard: ’Excuse me, I cannot see the board.’\n If you need an item: ’I need an
 eraser, please.’",
   questionText: "How do you start your question if you want to ask the teacher for permission to drink water?
",
```

```
   answerKeywords: ['may i', 'could i'],
   hintText: "It is two words. It starts with 'May...'"
 },
 {
   id: 'lesson_5',
   label: "Lesson 5: Asking Questions",
   slideTitle: "Learning New Things",
   teachingText: "Asking questions is the very best way to learn English! The smartest students are the ones w
ho ask the most questions. Never be afraid to ask if you don't know something.\n\n The 5 'W' Question Words:\
n1. 'What': Used to ask about THINGS or ACTIONS.\n   -> 'What is this object?' or 'What are you doing?'\n2. 'W
here': Used to ask about PLACES or LOCATIONS.\n   -> 'Where is my English book?' or 'Where do you live?'\n3. '
Who': Used to ask about PEOPLE.\n   -> 'Who is that boy?' or 'Who is your best friend?'\n4. 'When': Used to as
k about TIME or DATES.\n   -> 'When is lunchtime?' or 'When is your birthday?'\n5. 'Why': Used to ask for a RE
ASON.\n   -> 'Why are you sad?' or 'Why is the sky blue?'\n\n Example Conversation:\nStudent: 'Excuse me, T
eacher. I do not understand this word. What does it mean?'\nTeacher: 'That is a great question! Let me explain
 it to you.'",
   questionText: "If you want to know the name of an object you are pointing at, you ask '____ is this?'",
   answerKeywords: ['what'],
   hintText: "It is a question word that starts with 'W' and rhymes with 'cot'."
 },
 {
   id: 'test_1',
   label: "Unit 1 Test: The Basics",
   slideTitle: " Unit 1 Review & Test",
   teachingText: "Congratulations on finishing Unit 1! You have learned so much already. Let's review the most
 important things before you take the test.\n\n1. Greetings: Hello, Good morning, Good afternoon, Good evening
.\n2. Feelings: Happy, Sad, Tired, Sick, Fine, Great, Hungry.\n3. Magic Words: Please, Thank you, You're welco
me, Sorry, Excuse me.\n4. Permission: Always start with 'May I...' when asking the teacher to do something.\n5
. Questions: What (things), Where (places), Who (people), When (time), Why (reasons).\n\nRead the questions be
low very carefully. You must answer 3 questions to pass this test and unlock Unit 2. Good luck!",
   questions: [
     {
       questionText: "If you need to use the toilet during class, what is the polite 3-word phrase you use to
start your question to the teacher?",
       answerKeywords: ['may i go', 'can i go'],
       hintText: "Think about Lesson 4. You are asking for permission to leave. Start with 'May I...'"
     },
     {
       questionText: "What are the magic words you say when someone gives you a gift or helps you?",
       answerKeywords: ['thank you', 'thanks'],
       hintText: "It is a two-word phrase that shows you are grateful."
     },
     {
       questionText: "Which question word do you use when you are looking for a place or a location? (Example:
 '____ is my book?')",
       answerKeywords: ['where'],
       hintText: "It starts with 'Wh...' and rhymes with 'hair'."
     }
   ]
 },
 // --- UNIT 2: PEOPLE, PLAY, AND TIME ---
 {
   id: 'lesson_6',
   label: "Lesson 6: Family and Home",
   slideTitle: "Talking About Family",
   teachingText: "People all over the world love to talk about their families! It is a great way to make frien
ds. Here is how you can talk about the people (and animals!) who live in your home.\n\n Family Vocabulary:\n
 'Parents': This word means both your Mother and your Father together.\n 'Siblings': This word means your Br
others and Sisters.\n 'Grandparents': Your Grandmother and Grandfather (your parents' parents).\n 'Aunt' and
 'Uncle': Your parents' sisters and brothers.\n 'Cousin': The children of your Aunt and Uncle.\n 'Pet': An a
nimal that lives in your house, like a dog, a cat, or a fish!\n\n Useful Phrases:\n 'I live with my mother
, father, and two sisters.'\n 'I have a big family.' or 'I have a small family.'\n 'I have a pet dog named M
ax.'\n\n Example Conversation:\nFriend: 'Who is that in the picture?'\nYou: 'This is my mother, and that is
```

```
 my little brother. Do you have any brothers or sisters?’",
   questionText: "What word do you use for the boy who has the exact same parents as you?",
   answerKeywords: [’brother’],
   hintText: "It starts with a ’B’!"
 },
 {
   id: ’lesson_7’,
   label: "Lesson 7: Playing and Sharing",
   slideTitle: "Fun with Friends",
   teachingText: "Recess, sports, and playtime are the best parts of the day! Here are some words you can use
when you want to have fun with your friends, play games, and share nicely.\n\n Playtime Phrases:\n To start
a game: ’Let’s play football!’ or ’Let’s play tag!’\n To join a game already happening: ’Can I play with you,
 please?’\n To take turns fairly: ’It is my turn now’ or ’It is your turn next’.\n To encourage friends: ’Go
od job!’ or ’Well played!’\n\n Sharing Phrases:\nSharing is very important. You should never just grab somet
hing from someone.\n If you want to use a friend’s toy or book: ’Can I borrow this, please?’\n When you retu
rn it to them: ’Thank you for sharing.’\n If someone asks for your toy: ’Yes, we can share.’",
   questionText: "If you see your friends playing a game and you want to join, you can ask: ’Can I ____ with y
ou?’",
   answerKeywords: [’play’, ’join’],
   hintText: "It starts with ’P’ and means having fun!"
 },
 {
   id: ’lesson_8’,
   label: "Lesson 8: Saying Goodbye",
   slideTitle: "Ending the Day",
   teachingText: "When school is over, or when you are leaving a friend’s house, you should always say a polit
e goodbye. It leaves people with a happy memory of you!\n\n Goodbye Phrases:\n The most common way: ’Goodby
e!’ or just ’Bye!’\n If you will see them the very next day: ’See you tomorrow!’\n If you will see them late
r in the same day: ’See you later!’\n If it is Friday and there is no school the next day: ’Have a good weeke
nd!’\n Caring phrases to show you wish them well: ’Have a good day!’ or ’Take care!’\n When going to sleep:
’Good night!’\n\n Example Conversation:\nTeacher: ’School is over for today. Pack your bags. Goodbye, class
!’\nStudents: ’Goodbye, Teacher! See you tomorrow!’\nTeacher: ’Take care, everyone!’",
   questionText: "What do you say to your friends on Friday when there is no school for the next two days?",
   answerKeywords: [’have a good weekend’, ’good weekend’, ’weekend’],
   hintText: "You wish them a good ’W _ _ _ _ _ _’."
 },
 {
   id: ’lesson_9’,
   label: "Lesson 9: Colors and Clothes",
   slideTitle: "Describing What You See",
   teachingText: "Learning colors helps you describe the beautiful world around you! You can use colors to tal
k about your toys, your house, and the clothes you wear.\n\n Basic Colors:\n Red (like an apple or a fire t
ruck)\n Blue (like the sky or the ocean)\n Green (like the grass and tree leaves)\n Yellow (like the sun or
 a banana)\n Orange (like a carrot)\n Purple (like grapes)\n Pink, Black, White, and Brown.\n\n Talking A
bout Clothes:\nWhen we talk about clothes, we usually say the color first, and then the clothing item.\n ’A r
ed shirt’, ’Blue pants’, ’Black shoes’, ’A yellow hat’, ’White socks’.\n You can tell people what you have on
: ’I am wearing a green shirt today.’\n\n Example Conversation:\nTeacher: ’What color is your new bag?’\nSt
udent: ’My bag is blue. Blue is my favorite color!’",
   questionText: "If the sky is blue and the grass is green, what color is the sun usually drawn as?",
   answerKeywords: [’yellow’],
   hintText: "It starts with a ’Y’."
 },
 {
   id: ’lesson_10’,
   label: "Lesson 10: Days of the Week",
   slideTitle: "Understanding Time",
   teachingText: "There are 7 days in a week. Learning them in order will help you know when you have school,
when you have holidays, and when your favorite TV shows are on!\n\n The 7 Days (Always capitalize the first
letter!):\n1. Monday (The first day of the school week)\n2. Tuesday\n3. Wednesday\n4. Thursday\n5. Friday (The
 last day of the school week)\n6. Saturday (The Weekend - no school! Time to play.)\n7. Sunday (The Weekend -
time to rest with family.)\n\n Important Time Words:\n ’Today’: The day that is happening right now. (e.g.,
’Today is Monday.’)\n ’Tomorrow’: The day that comes after today. (e.g., ’Tomorrow is Tuesday.’)\n ’Yesterda
y’: The day that happened before today. (e.g., ’Yesterday was Sunday.’)\n ’Morning’ (Wake up time), ’Afternoo
```

```
n’ (Lunch time), ’Evening’ (Dinner time).",
   questionText: "If today is Friday, what day is tomorrow?",
   answerKeywords: [’saturday’],
   hintText: "It is the first day of the weekend! It starts with ’Sat...’"
 },
 {
   id: ’test_2’,
   label: "Unit 2 Test: People & Time",
   slideTitle: " Unit 2 Review & Test",
   teachingText: "Great job finishing Unit 2! Your English is getting so much better. Let’s review:\n\n1. Fami
ly: Mother, Father, Brother, Sister, Aunt, Uncle, Cousin, Grandparents, Pets.\n2. Play & Share: ’Let’s play!’,
 ’Can I borrow this?’, ’It is my turn.’\n3. Goodbye: ’See you tomorrow!’, ’See you later!’, ’Have a good weeke
nd!’\n4. Colors: Red, Blue, Green, Yellow, Orange, Purple, Black, White.\n5. Days: Monday to Sunday. Today, To
morrow, Yesterday.\n\nTake a deep breath. You must answer 3 questions correctly to pass this test and unlock U
nit 3!",
   questions: [
     {
       questionText: "Fill in the blank: ’My father’s brother is my _________.’",
       answerKeywords: [’uncle’],
       hintText: "It starts with a ’U’."
     },
     {
       questionText: "If you look up at the clear sky during the day, what color is it usually?",
       answerKeywords: [’blue’],
       hintText: "It starts with a ’B’. It’s also the color of the ocean."
     },
     {
       questionText: "If today is Tuesday, what day was yesterday?",
       answerKeywords: [’monday’],
       hintText: "It is the first day of the school week!"
     }
   ]
 },
 // --- UNIT 3: DAILY LIFE ---
 {
   id: ’lesson_11’,
   label: "Lesson 11: Food and Eating",
   slideTitle: "I am Hungry!",
   teachingText: "Let’s learn how to talk about food, drinks, and the meals we eat every day to stay strong an
d healthy!\n\n The Three Main Meals:\n1. Breakfast: The meal you eat in the morning before school.\n2. Lunc
h: The meal you eat in the middle of the day (often at school with friends).\n3. Dinner: The meal you eat at n
ight with your family.\n\n Common Foods:\n Bread, Rice, Chicken, Vegetables (like carrots and beans), Fruit
 (like apples and bananas), Milk, and Water.\n\n Talking About Food:\n When you need food: ’I am hungry. I
 want to eat.’\n When you need a drink: ’I am thirsty. I want to drink water.’\n To talk about what you love
: ’My favorite food is rice.’ or ’I like apples.’\n To talk about what you don’t like: ’I do not like spicy f
ood.’",
   questionText: "What do we call the meal that you eat in the morning before you go to school?",
   answerKeywords: [’breakfast’],
   hintText: "It starts with a ’B’."
 },
 {
   id: ’lesson_12’,
   label: "Lesson 12: My Body",
   slideTitle: "Head, Shoulders, Knees, and Toes",
   teachingText: "Let’s learn the English words for the different parts of your body! Knowing these words is v
ery helpful, especially if you ever need to tell a doctor where you are hurt.\n\n Body Parts & What They Do:
\n Head (where your hair grows and your brain lives!)\n Eyes (you have two of these, and you use them to see
 and read)\n Ears (you have two of these, and you use them to hear music and voices)\n Nose (you use it to s
mell food and flowers)\n Mouth and Teeth (you use them to talk, smile, and eat)\n Arms and Hands (you use yo
ur fingers to hold pencils and clap)\n Legs and Feet (you use your toes and feet to walk, jump, and run)\n\n
 Action Verbs:\n ’Point to your nose!’\n ’Touch your head!’\n ’Clap your hands!’\n ’My leg hurts.’",
   questionText: "Which part of your body do you use to hear the teacher speaking?",
   answerKeywords: [’ears’, ’ear’],
```

```
   hintText: "They are on the sides of your head!"
 },
 {
   id: 'lesson_13',
   label: "Lesson 13: Weather and Seasons",
   slideTitle: "Look Outside!",
   teachingText: "Talking about the weather is one of the most common conversations in English. It helps us de
cide what clothes to wear before we go outside!\n\n Weather Words:\n Sunny: The sun is shining brightly. It
 is a beautiful day.\n Raining: Water is falling from the sky. You will need an umbrella or a raincoat!\n Cl
oudy: The sky is gray and covered with clouds. You can't see the sun.\n Windy: The air is blowing hard. It mi
ght blow your hat off!\n Hot: You feel very warm, you sweat, and you want cold water.\n Cold: You shiver, an
d you need to wear a heavy jacket or a warm sweater.\n\n Example Conversation:\nTeacher: 'What is the weath
er like today?'\nStudent: 'It is very cloudy and raining today. I brought my umbrella!'\nTeacher: 'Good job be
ing prepared!'",
   questionText: "What kind of weather makes you feel freezing, meaning you need to wear a thick jacket to sta
y warm?",
   answerKeywords: ['cold', 'snowing', 'snowy', 'winter'],
   hintText: "It is the exact opposite of 'Hot'."
 },
 {
   id: 'lesson_14',
   label: "Lesson 14: Places Around Us",
   slideTitle: "Where Are You Going?",
   teachingText: "There are many important buildings and places in your town or city. Let's learn the names of
 these places so you can tell people where you are going.\n\n Important Places in the Community:\n School:
Where you go to learn and see your teachers.\n Home / House: Where you live, sleep, and spend time with your
family.\n Market / Grocery Store: Where your parents go to buy food, fruits, and vegetables.\n Hospital / Cl
inic: Where you go to see a doctor when you are very sick or hurt.\n Park: Where you go to play outside, run
on the grass, and go on the swings.\n Library: A very quiet place full of books you can borrow to read.\n Bu
s Stop: Where you wait to catch the bus.\n\n Example Conversation:\nFriend: 'Where are you going after scho
ol today?'\nYou: 'I am going to the market with my mother. We need to buy apples.'",
   questionText: "If you feel very sick, have a high fever, and need to see a doctor, which place do you go to
?",
   answerKeywords: ['hospital', 'clinic', 'doctor'],
   hintText: "It starts with an 'H'."
 },
 {
   id: 'lesson_15',
   label: "Lesson 15: Helping at Home",
   slideTitle: "Being a Good Helper",
   teachingText: "It is very important to be a helpful member of your family. You can use these English words
to talk about the chores you do to keep your house clean and nice.\n\n Helping Verbs and Chores:\n Clean: T
o make a room look tidy and put toys away.\n Wash: To use water and soap. (e.g., 'I wash my hands before dinn
er', 'I help wash the dishes').\n Sweep: To clean dirt off the floor using a broom.\n Make the bed: To arran
ge your blankets and pillows nicely after you wake up.\n Take out the trash: To put the garbage outside so th
e house smells nice.\n\n Example Conversation:\nMother: 'Can you help me clean the living room, please?'\nY
ou: 'Yes, mother. I will sweep the floor right now.'\nMother: 'Thank you! You are a great helper.'",
   questionText: "If your mother asks you to use a broom on the floor to clean up the dirt, what action are yo
u doing?",
   answerKeywords: ['sweep', 'sweeping'],
   hintText: "It starts with 'Sw...'"
 },
 {
   id: 'test_3',
   label: "Unit 3 Test: Daily Life",
   slideTitle: " Final Unit Review & Test",
   teachingText: "Amazing work! You have reached the final test of the entire curriculum. You should be very p
roud of yourself. Let's review Unit 3 one last time:\n\n1. Meals: Breakfast (Morning), Lunch (Day), Dinner (Ni
ght). 'I am hungry/thirsty.'\n2. Body: Eyes (See), Ears (Hear), Hands (Hold/Clap), Legs (Walk).\n3. Weather: S
unny, Raining, Cloudy, Windy, Hot, Cold.\n4. Places: School, Market, Hospital, Park, Library.\n5. Helping: Cle
an, Wash, Sweep, Make the bed.\n\nTake your time and read carefully. You must answer 4 questions correctly to
pass this final test and graduate the course. You can do it!",
   questions: [
```

```
    {
      questionText: "If water is falling from the gray sky outside, what is the weather like?",
      answerKeywords: ['raining', 'rain', 'rainy'],
      hintText: "You might need an umbrella!"
    },
    {
      questionText: "Where do you go to buy fresh food, fruits, and vegetables?",
      answerKeywords: ['market', 'grocery', 'store', 'supermarket'],
      hintText: "It starts with an 'M'."
    },
    {
      questionText: "Which part of your body do you use to see your friends and read books?",
      answerKeywords: ['eyes', 'eye'],
      hintText: "You have two of them on your face!"
    },
    {
      questionText: "Fill in the blank: 'In the morning right after I wake up, I eat _____.'",
      answerKeywords: ['breakfast'],
      hintText: "It is the very first meal of the day."
    }
  ]
 }
];


export default function App() {
 const [user, setUser] = useState(null);
 const [completedLessons, setCompletedLessons] = useState([]);
 const [loading, setLoading] = useState(true);
 const [saving, setSaving] = useState(false);


 // --- CLASSROOM PASSWORD CONFIGURATION ---
 const CLASSROOM_PASSWORD = 'learn123';


 // App & Auth State
 const [activeSession, setActiveSession] = useState(null);
 const [usernameInput, setUsernameInput] = useState('');
 const [passwordInput, setPasswordInput] = useState('');
 const [loginError, setLoginError] = useState('');


 // Navigation & Lesson State
 const [lessonPhase, setLessonPhase] = useState('teaching');
 const [selectedLessonId, setSelectedLessonId] = useState(null);
 const [currentQuestionIndex, setCurrentQuestionIndex] = useState(0);
 const messagesEndRef = useRef(null);


 // Chat State
 const [chatMessages, setChatMessages] = useState([]);
 const [chatInput, setChatInput] = useState('');
 const [isTyping, setIsTyping] = useState(false);


 // 1. Initialize Authentication (Runs ONLY once on mount)
 useEffect(() => {
   const initAuth = async () => {
     try {
       if (typeof __initial_auth_token !== 'undefined' && __initial_auth_token) {
         try {
           await signInWithCustomToken(auth, __initial_auth_token);
```

```
        } catch (tokenError) {
          console.warn("Invalid custom token, falling back to anonymous auth:", tokenError);
          await signInAnonymously(auth);
        }
      } else {
        await signInAnonymously(auth);
      }
    } catch (error) {
      console.error("Auth init error:", error);
    }
  };
  initAuth();


  const unsubscribe = onAuthStateChanged(auth, (u) => {
    setUser(u);
    if (!u) {
      setLoading(false);
    } else if (!activeSession) {
      setLoading(false);
    }
  });


  return () => unsubscribe();
}, []);


// 2. Data Subscription by Username in Public Space
useEffect(() => {
  if (!user || !activeSession) return;


  // We store progress in a public shared document keyed strictly by the normalized username
  const progressDocRef = doc(db, 'artifacts', appId, 'public', 'data', 'user_progress', activeSession.normali
zedUsername);


  const unsubscribe = onSnapshot(progressDocRef, (docSnap) => {
    if (!docSnap.exists() && !saving) {
      setSaving(true);
      // Create initial empty profile
      setDoc(progressDocRef, { completedLessons: [] })
        .then(() => setSaving(false))
        .catch(err => {
          console.error("Error creating profile:", err);
          setSaving(false);
        });
      setCompletedLessons([]);
    } else if (docSnap.exists()) {
      const data = docSnap.data();
      setCompletedLessons(data.completedLessons || []);
    }
    setLoading(false);
  }, (error) => {
    console.error("Firestore subscription error:", error);
    setLoading(false);
  });


  return () => unsubscribe();
}, [user, activeSession]);
```

```
// 3. Track Initial Progression
useEffect(() => {
  if (loading || !activeSession || selectedLessonId) return;

  const firstIncomplete = CURRICULUM.find(c => !completedLessons.includes(c.id));


  if (firstIncomplete) {
    setSelectedLessonId(firstIncomplete.id);
    setLessonPhase('teaching');
  } else if (completedLessons.length > 0) {
    setLessonPhase('completed');
  }
}, [loading, activeSession, completedLessons, selectedLessonId]);


useEffect(() => {
  messagesEndRef.current?.scrollIntoView({ behavior: 'smooth' });
}, [chatMessages, isTyping]);


const handleLogin = (e) => {
  e.preventDefault();
  const safeName = usernameInput.trim();
  const safePassword = passwordInput.trim();
  const normalizedUsername = safeName.toLowerCase().replace(/[^a-z0-9]/g, '_');


  if (normalizedUsername.length < 2) {
    setLoginError('Please enter a valid name (at least 2 letters/numbers).');
    return;
  }

  if (safePassword !== CLASSROOM_PASSWORD) {
    setLoginError('Incorrect classroom password.');
    return;
  }

  setLoginError('');
  setLoading(true); // show loader until onSnapshot returns
  setActiveSession({ display: safeName, normalizedUsername });
};


const handleLogout = () => {
  setActiveSession(null);
  setUsernameInput('');
  setPasswordInput('');
  setCompletedLessons([]);
  setSelectedLessonId(null);
  setChatMessages([]);
};


const startQuiz = () => {
  if (!selectedLessonId) return;
  const lesson = CURRICULUM.find(c => c.id === selectedLessonId);
  setLessonPhase('quiz');
  setCurrentQuestionIndex(0);
  const firstQuestionText = lesson.questions ? lesson.questions[0].questionText : lesson.questionText;
  setChatMessages([{ role: 'ai', text: `Hello! Let's practice what we just learned.\n\n${firstQuestionText}`
}]);
```

```
};


const sendMessageToAI = async (e) => {
  e.preventDefault();
  if (!chatInput.trim() || isTyping || !selectedLessonId) return;


  const userText = chatInput.trim();
  setChatMessages(prev => [...prev, { role: 'user', text: userText }]);
  setChatInput('');
  setIsTyping(true);


  setTimeout(async () => {
    const lesson = CURRICULUM.find(c => c.id === selectedLessonId);
    const isTest = lesson.id.includes('test');
    const currentQData = isTest ? lesson.questions[currentQuestionIndex] : lesson;


    const normalizedInput = userText.toLowerCase().replace(/[.,!?]/g, '').trim();
    const isCorrect = currentQData.answerKeywords.some(keyword => normalizedInput.includes(keyword));


    if (isCorrect) {
      if (isTest && currentQuestionIndex < lesson.questions.length - 1) {
        setChatMessages(prev => [...prev, { role: 'ai', text: 'Great job! That's correct.\n\nNext question: ${lesson.questions[currentQuestionIndex + 1].questionText}' }]);
        setCurrentQuestionIndex(prev => prev + 1);
        setIsTyping(false);
      } else {
        setChatMessages(prev => [...prev, { role: 'ai', text: "Excellent work! You answered correctly and earned XP! \n\nMoving to the next lesson in 3 seconds..." }]);
        try {
          setSaving(true);
          const progressDocRef = doc(db, 'artifacts', appId, 'public', 'data', 'user_progress', activeSession.normalizedUsername);
          await setDoc(progressDocRef, {
            completedLessons: arrayUnion(selectedLessonId)
          }, { merge: true });
        } catch (err) {
          console.error("Error updating progress:", err);
        } finally {
          setSaving(false);
          setIsTyping(false);

          setTimeout(() => {
            setLessonPhase('teaching');
            setChatMessages([]);

            setSelectedLessonId(prevId => {
              const currentIndex = CURRICULUM.findIndex(c => c.id === prevId);
              if (currentIndex < CURRICULUM.length - 1) {
                return CURRICULUM[currentIndex + 1].id;
              } else {
                setLessonPhase('completed');
                return prevId;
              }
            });
          }, 3000);
        }
      }
    } else {
```

```
      setChatMessages(prev => [...prev, { role: 'ai', text: 'Not quite right! Let's try again.\n\nHint: ${cur
rentQData.hintText}' }]);
      setIsTyping(false);
    }
  }, 1200);
};


const goToPrev = () => {
  const currentIndex = CURRICULUM.findIndex(c => c.id === selectedLessonId);
  if (currentIndex > 0) {
    setSelectedLessonId(CURRICULUM[currentIndex - 1].id);
    setLessonPhase('teaching');
    setChatMessages([]);
  }
};


const goToNext = () => {
  const currentIndex = CURRICULUM.findIndex(c => c.id === selectedLessonId);
  if (currentIndex < CURRICULUM.length - 1) {
    setSelectedLessonId(CURRICULUM[currentIndex + 1].id);
    setLessonPhase('teaching');
    setChatMessages([]);
  } else {
    setLessonPhase('completed');
  }
};


// --- Calculate Progress metrics ---
const currentLessonData = selectedLessonId ? CURRICULUM.find(c => c.id === selectedLessonId) : null;
const isCurrentLessonCompleted = completedLessons.includes(selectedLessonId);
const currentIndex = CURRICULUM.findIndex(c => c.id === selectedLessonId);


// Calculate XP based on completed lessons
let totalXP = 0;
completedLessons.forEach(id => {
  totalXP += id.includes('test') ? 300 : 150;
});
 const currentLevel = Math.floor(totalXP / 500) + 1;
const currentLevelXP = totalXP % 500;
const xpForNextLevel = 500;
const xpProgress = completedLessons.length === 0 ? 0 : (currentLevelXP / xpForNextLevel) * 100;


// --- RENDER LOGIC ---
if (loading) {
  return (
    <div className="flex flex-col items-center justify-center min-h-screen bg-slate-50 text-blue-900">
      <Loader2 className="w-12 h-12 animate-spin text-blue-600 mb-4" />
      <p className="font-semibold text-lg animate-pulse">Loading Your Portal...</p>
    </div>
  );
}


// --- Login Screen ---
if (!activeSession) {
  return (
    <div className="w-full flex items-center justify-center min-h-screen bg-slate-50 p-4 font-sans">
      <div className="bg-white p-6 sm:p-8 rounded-3xl shadow-xl border border-slate-100 w-full max-w-md anima
```

```
te-in fade-in zoom-in duration-300">
         <div className="flex flex-col items-center mb-8">
           <div className="bg-blue-50 p-4 rounded-full mb-4">
             <GraduationCap className="w-12 h-12 text-blue-600" />
           </div>
           <h2 className="text-3xl font-bold text-slate-800 text-center mb-2">Intent United</h2>
           <p className="text-lg text-blue-600 font-semibold">Learning Portal</p>
         </div>


         <form onSubmit={handleLogin} className="space-y-4">
           <div className="text-center mb-6">
             <p className="text-sm text-slate-500">Enter your name and the classroom password. Your progress w
ill be saved to your name!</p>
             <p className="text-xs text-blue-500 mt-1">Hint for testing: The password is <strong>{CLASSROOM_PA
SSWORD}</strong></p>
           </div>

           <div className="relative">
             <div className="absolute inset-y-0 left-0 pl-4 flex items-center pointer-events-none">
               <User className="w-5 h-5 text-slate-400" />
             </div>
             <input
               type="text"
               value={usernameInput}
               onChange={(e) => setUsernameInput(e.target.value)}
               placeholder="Your First Name"
               className="w-full pl-12 pr-4 py-4 rounded-xl border border-slate-200 focus:outline-none focus:r
ing-2 focus:ring-blue-500 focus:border-transparent bg-slate-50 text-slate-800 font-medium text-lg transition-a
ll shadow-sm"
             />
           </div>


           <div className="relative">
             <div className="absolute inset-y-0 left-0 pl-4 flex items-center pointer-events-none">
               <Lock className="w-5 h-5 text-slate-400" />
             </div>
             <input
               type="password"
               value={passwordInput}
               onChange={(e) => setPasswordInput(e.target.value)}
               placeholder="Password"
               className="w-full pl-12 pr-4 py-4 rounded-xl border border-slate-200 focus:outline-none focus:r
ing-2 focus:ring-blue-500 focus:border-transparent bg-slate-50 text-slate-800 font-medium text-lg transition-a
ll shadow-sm"
             />
           </div>

           {loginError && (
             <p className="text-red-500 text-sm font-medium text-center bg-red-50 p-2 rounded-lg border border
-red-100 mt-2">
               {loginError}
             </p>
           )}

           <button type="submit" className="w-full mt-6 bg-blue-600 hover:bg-blue-700 text-white py-4 rounded-
xl font-bold text-lg transition-all shadow-lg hover:shadow-blue-600/30 flex items-center justify-center gap-2
transform hover:-translate-y-0.5">
             Start Learning <ArrowRight className="w-5 h-5" />
           </button>
         </form>
       </div>
```

```
    </div>
  );
}


// --- Main Application UI ---
return (
  <div className="font-sans flex h-screen bg-slate-50 overflow-hidden text-slate-800">
    {/* Sidebar */}
    <div className="w-full max-w-sm bg-slate-900 text-white border-r border-slate-800 flex flex-col h-full ov
erflow-y-auto z-10 relative">
      <header className="p-6 border-b border-slate-800 bg-slate-900 sticky top-0 z-10">
        <div className="flex items-center justify-between mb-4">
          <h1 className="text-2xl font-bold flex items-center gap-2 text-yellow-400">
            <BookOpen className="w-6 h-6" /> Curriculum
          </h1>
          <button onClick={handleLogout} title="Log Out" className="text-xs bg-slate-800 hover:bg-slate-700 p
x-2 py-1 rounded flex items-center gap-1 text-white transition-colors border border-slate-700">
            <LogOut className="w-3 h-3" /> Exit
          </button>
        </div>
        <div className="bg-slate-800 p-3 rounded-lg border border-slate-700 flex items-center justify-between
 mb-2">
          <div className="flex items-center gap-3">
            <div className="bg-blue-600 w-10 h-10 rounded-full flex items-center justify-center shadow-inner"
>
              <User className="text-white w-5 h-5" />
            </div>
            <div>
              <p className="text-[10px] text-white/70 font-medium leading-none mb-1 uppercase tracking-wider"
>
                Student Profile
              </p>
              <p className="text-sm font-bold text-white leading-none truncate max-w-[150px]">{activeSession.
display}</p>
            </div>
          </div>
          <div className="flex flex-col items-end">
            {saving ? <Loader2 className="w-4 h-4 animate-spin text-yellow-400" /> : <Cloud className="w-4 h-
4 text-emerald-400" />}
            <span className="text-[10px] text-white/70 mt-1">{saving ? 'Syncing...' : 'Saved'}</span>
          </div>
        </div>
      </header>
      <div className="p-6 flex-1 flex flex-col">
        {/* XP & Level Box */}
        <div className="bg-slate-800 p-5 rounded-2xl border border-slate-700 mb-6 shadow-lg relative overflow
-hidden">
          <div className="absolute top-0 right-0 p-4 opacity-10">
            <Trophy className="w-16 h-16 text-yellow-400" />
          </div>
          <div className="flex items-center gap-3 mb-4 relative z-10">
            <div className="bg-yellow-400 text-slate-900 w-12 h-12 rounded-full flex items-center justify-cen
ter font-black text-xl border-2 border-yellow-200 shadow-sm">
              {currentLevel}
            </div>
            <div>
              <h2 className="text-sm font-bold text-yellow-200 uppercase tracking-wider">Level {currentLevel}
 Scholar</h2>
              <p className="text-yellow-400 font-medium text-sm flex items-center gap-1">
                <Star className="w-4 h-4 fill-yellow-400" /> {totalXP} Total XP
              </p>
            </div>
```

```
          </div>
          <div className="relative z-10">
            <div className="flex justify-between text-xs font-semibold text-yellow-200 mb-1.5">
              <span>XP to Level {currentLevel + 1}</span>
              <span>{currentLevelXP} / {xpForNextLevel}</span>
            </div>
            <div className="w-full bg-slate-900 rounded-full h-3 overflow-hidden border border-slate-700">
              <div className="bg-yellow-400 h-full transition-all duration-700 ease-out relative" style={{ wi
dth: `${xpProgress}%` }}>
                <div className="absolute inset-0 bg-white/20 w-full animate-pulse"></div>
              </div>
            </div>
          </div>
        </div>


        <div className="mb-4 flex items-center gap-2 text-white">
          <Target className="w-5 h-5 text-yellow-400" />
          <h3 className="font-bold text-lg">Your Lessons</h3>
        </div>


        <div className="space-y-3 flex-1 pb-10">
          {CURRICULUM.map((lesson, index) => {
            const isCompleted = completedLessons.includes(lesson.id);
            const isActive = lesson.id === selectedLessonId;
            const isTest = lesson.id.includes('test');

            // Only unlock items if everything before them is completed
            const firstIncompleteIndex = CURRICULUM.findIndex(c => !completedLessons.includes(c.id));
            const isItemUnlocked = firstIncompleteIndex === -1 || index <= firstIncompleteIndex;


            return (
              <div
                key={lesson.id}
                onClick={() => {
                  if (isItemUnlocked) {
                    setSelectedLessonId(lesson.id);
                    setLessonPhase('teaching');
                    setChatMessages([]);
                    setCurrentQuestionIndex(0);
                  }
                }}
                className={`flex items-center justify-between p-3 rounded-xl border transition-all ${
                  isItemUnlocked ? 'cursor-pointer hover:scale-[1.02] active:scale-95' : 'cursor-not-allowed
grayscale opacity-50'
                } ${
                  isActive ? isTest ? 'border-yellow-400 bg-yellow-400/20 shadow-md' : 'border-blue-500 bg-bl
ue-500/30 shadow-md'
                    : isCompleted ? 'border-emerald-500/30 bg-emerald-500/10'
                    : isTest ? 'border-yellow-400/50 bg-yellow-400/10' : 'border-slate-700 bg-slate-800'
                }`}
              >
                <div className="flex items-center gap-3 flex-1 overflow-hidden">
                  <div className={`flex-shrink-0 text-xl ${isCompleted ? 'text-emerald-400 drop-shadow-[0_0_5
px_rgba(52,211,153,0.5)]' : isActive ? (isTest ? 'text-yellow-400' : 'text-blue-400 animate-pulse') : 'text-wh
ite/50'}`}>
                    {isCompleted ? <CheckCircle2 className="w-5 h-5" /> : isItemUnlocked ? (isTest ? <Trophy
className="w-5 h-5" /> : <Circle className="w-5 h-5" />) : <div className="w-5 h-5"></div>}
                  </div>
                  <div className="flex flex-col overflow-hidden">
                    <span className={`text-sm truncate font-medium ${isActive ? 'text-white font-bold' : isCo
```

```
mpleted ? 'text-white/70' : 'text-white/50'}`}>
                      {lesson.label}
                    </span>
                    {!isCompleted && isItemUnlocked && (
                      <span className={`text-[10px] font-bold flex items-center gap-1 mt-0.5 ${isActive ? 'te
xt-yellow-400' : 'text-white/50'}`}>
                        <Star className="w-3 h-3 fill-current" /> +{isTest ? '300' : '150'} XP
                      </span>
                    )}
                  </div>
                </div>
              </div>
            );
          })}
        </div>
      </div>
    </div>


    {/* Main Content Area */}
    <div className="flex-1 flex flex-col bg-slate-50 relative z-20 min-h-0 h-full">
      {lessonPhase === 'completed' && (
        <div className="flex-1 flex flex-col items-center justify-center p-8 text-center h-full">
          <div className="bg-yellow-100 p-8 rounded-full border-4 border-yellow-400 mb-6 shadow-xl">
            <Trophy className="w-20 h-20 text-yellow-500" />
          </div>
          <h2 className="text-4xl font-black text-slate-800 mb-4">Course Complete!</h2>
          <p className="text-xl text-slate-600 max-w-lg mb-8">
            You have finished all the lessons in the curriculum. The AI Teacher is extremely proud of you!
          </p>
          <button
            onClick={() => {
              setSelectedLessonId(CURRICULUM[0].id);
              setLessonPhase('teaching');
              setCurrentQuestionIndex(0);
            }}
            className="bg-blue-100 text-blue-700 hover:bg-blue-200 px-6 py-3 rounded-xl font-bold transition-
colors shadow-sm"
          >
            Review Lessons
          </button>
        </div>
      )}


      {lessonPhase === 'teaching' && currentLessonData && (
        <div className="flex-1 min-h-0 bg-slate-100 p-4 sm:p-8 flex flex-col h-full animate-in fade-in zoom-i
n-95 duration-200">
          <div className="w-full max-w-4xl mx-auto bg-white rounded-2xl sm:rounded-3xl shadow-lg flex flex-co
l overflow-hidden border border-slate-200 flex-1 min-h-0">
            <div className={`text-white p-4 sm:p-6 flex items-center justify-between shrink-0 ${currentLesson
Data.id.includes('test') ? 'bg-yellow-500' : 'bg-blue-600'}`}>
              <div className="flex items-center gap-3">
                {currentLessonData.id.includes('test') ? <Trophy className="w-6 h-6 opacity-80" /> : <Present
ation className="w-6 h-6 opacity-80" />}
                <h2 className="text-xl sm:text-2xl font-bold">{currentLessonData.label}</h2>
              </div>
              {isCurrentLessonCompleted && (
                <span className="bg-white/20 text-white border border-white/50 px-3 py-1 rounded-full text-xs
 font-bold flex items-center gap-1">
                  <CheckCircle2 className="w-4 h-4" /> Completed
                </span>
              )}
```

```
            </div>
            <div className="p-6 sm:p-12 flex-1 overflow-y-auto">
              <h1 className="text-3xl sm:text-4xl font-black text-slate-800 mb-6 sm:mb-8 tracking-tight">
                {currentLessonData.slideTitle}
              </h1>
              <div className="text-lg sm:text-xl text-slate-600 leading-relaxed whitespace-pre-wrap">
                {currentLessonData.teachingText}
              </div>
            </div>
            <div className="bg-slate-50 p-4 sm:p-6 border-t border-slate-200 flex flex-col-reverse sm:flex-ro
w justify-between items-center gap-4 shrink-0">
              <button
                onClick={goToPrev}
                disabled={currentIndex === 0}
                className="w-full sm:w-auto bg-white border-2 border-slate-200 text-slate-500 hover:bg-slate-
50 disabled:opacity-40 disabled:hover:bg-white px-5 py-3 rounded-xl font-bold flex justify-center gap-2 items-
center transition-all shadow-sm"
              >
                <ArrowLeft className="w-5 h-5" /> Previous
              </button>
              <button
                onClick={startQuiz}
                className={`w-full sm:w-auto text-white px-8 py-4 rounded-xl font-bold text-lg shadow-md hove
r:opacity-90 transition-all flex items-center justify-center gap-3 transform hover:-translate-y-1 flex-1 max-w
-sm ${currentLessonData.id.includes('test') ? 'bg-yellow-500' : 'bg-blue-600'}`}
              >
                {isCurrentLessonCompleted ? "Review Quiz" : currentLessonData.id.includes('test') ? "Start Un
it Test" : "Take the Quiz"}
                <Sparkles className="w-5 h-5" />
              </button>
              <button
                onClick={goToNext}
                disabled={currentIndex === CURRICULUM.length - 1 || !isCurrentLessonCompleted}
                className="w-full sm:w-auto bg-blue-50 border-2 border-blue-200 text-blue-600 hover:bg-blue-1
00 disabled:opacity-40 disabled:hover:bg-blue-50 px-5 py-3 rounded-xl font-bold flex justify-center gap-2 item
s-center transition-all shadow-sm"
              >
                Next <ArrowRight className="w-5 h-5" />
              </button>
            </div>
          </div>
        </div>
      )}


      {lessonPhase === 'quiz' && currentLessonData && (
        <div className="flex-1 flex flex-col bg-white border-l border-slate-200 shadow-xl relative z-20 min-h
-0 h-full animate-in slide-in-from-right duration-300">
          <header className="p-4 border-b border-slate-200 bg-white flex items-center justify-between shadow-
sm z-10 shrink-0">
            <div className="flex items-center gap-3">
              <div className={`p-2 rounded-full border flex items-center justify-center w-10 h-10 ${currentLe
ssonData.id.includes('test') ? 'bg-yellow-100 border-yellow-300' : 'bg-blue-100 border-blue-300'}`}>
                <Sparkles className={`w-5 h-5 ${currentLessonData.id.includes('test') ? 'text-yellow-600' : '
text-blue-600'}`} />
              </div>
              <div>
                <h2 className="font-bold text-lg text-slate-800">English Teacher AI</h2>
                <p className="text-xs font-medium text-blue-600 flex items-center gap-1">
                  <span className="w-2 h-2 rounded-full bg-blue-600 animate-pulse"></span>
                  {currentLessonData.id.includes('test') && currentLessonData.questions ? `Question ${current
QuestionIndex + 1} of ${currentLessonData.questions.length}` : 'Testing your knowledge'}
                </p>
```

```
              </div>
            </div>
            <button
              onClick={() => setLessonPhase('teaching')}
              className="text-sm font-semibold text-slate-500 hover:text-blue-600 transition-colors"
            >
              Back to Slide
            </button>
          </header>


          <div className="flex-1 overflow-y-auto p-6 space-y-6 bg-slate-50">
            {chatMessages.map((msg, idx) => (
              <div key={idx} className={`flex w-full ${msg.role === 'user' ? 'justify-end' : 'justify-start'}
`}>
                <div className={`flex gap-3 max-w-[85%] ${msg.role === 'user' ? 'flex-row-reverse' : 'flex-ro
w'}`}>
                  <div className="flex-shrink-0 mt-1">
                    {msg.role === 'ai' ? (
                      <div className={`w-8 h-8 rounded-full flex items-center justify-center shadow-sm ${curr
entLessonData.id.includes('test') ? 'bg-yellow-500' : 'bg-blue-600'}`}>
                        <Bot className="w-4 h-4 text-white" />
                      </div>
                    ) : (
                      <div className="w-8 h-8 rounded-full bg-slate-200 flex items-center justify-center shad
ow-sm border border-slate-300">
                        <User className="w-4 h-4 text-slate-600" />
                      </div>
                    )}
                  </div>
                  <div className={`p-4 rounded-2xl shadow-sm whitespace-pre-wrap text-sm leading-relaxed ${
                    msg.role === 'user' ? 'bg-blue-600 text-white rounded-tr-none' : 'bg-white border border-
slate-200 text-slate-800 rounded-tl-none'
                  }`}>
                    {msg.text}
                  </div>
                </div>
              </div>
            ))}
            {isTyping && (
              <div className="flex justify-start w-full">
                <div className="flex gap-3 max-w-[80%]">
                  <div className="flex-shrink-0 mt-1">
                    <div className={`w-8 h-8 rounded-full flex items-center justify-center shadow-sm ${curren
tLessonData.id.includes('test') ? 'bg-yellow-500' : 'bg-blue-600'}`}>
                      <Bot className="w-4 h-4 text-white" />
                    </div>
                  </div>
                  <div className="bg-white border border-slate-200 p-4 rounded-2xl rounded-tl-none shadow-sm
flex items-center gap-2">
                    <div className={`w-2 h-2 rounded-full animate-bounce ${currentLessonData.id.includes('tes
t') ? 'bg-yellow-500' : 'bg-blue-600'}`}></div>
                    <div className={`w-2 h-2 rounded-full animate-bounce ${currentLessonData.id.includes('tes
t') ? 'bg-yellow-500' : 'bg-blue-600'}`} style={{ animationDelay: '0.2s' }}></div>
                    <div className={`w-2 h-2 rounded-full animate-bounce ${currentLessonData.id.includes('tes
t') ? 'bg-yellow-500' : 'bg-blue-600'}`} style={{ animationDelay: '0.4s' }}></div>
                  </div>
                </div>
              </div>
            )}
            <div ref={messagesEndRef} />
          </div>
```

```
          <div className="p-4 bg-white border-t border-slate-200 shrink-0">
            <form onSubmit={sendMessageToAI} className="flex gap-2 max-w-4xl mx-auto">
              <input
                type="text"
                value={chatInput}
                onChange={(e) => setChatInput(e.target.value)}
                placeholder={isCurrentLessonCompleted ? "You have already completed this lesson!" : "Type you
r answer here..."}
                className="flex-1 px-4 py-3 rounded-xl border border-slate-200 focus:outline-none focus:ring-
2 focus:ring-blue-500 bg-slate-50 text-slate-800 disabled:opacity-60 disabled:bg-slate-100"
                disabled={isTyping || isCurrentLessonCompleted}
              />
              <button
                type="submit"
                disabled={!chatInput.trim() || isTyping || isCurrentLessonCompleted}
                className="bg-blue-600 hover:bg-blue-700 disabled:bg-slate-300 disabled:text-white/50 text-wh
ite px-5 py-3 rounded-xl font-bold transition-all shadow-sm flex items-center gap-2"
              >
                <Send className="w-5 h-5" />
                <span className="hidden sm:inline">Send</span>
              </button>
            </form>
          </div>
        </div>
      )}
    </div>
  </div>
 );
}
```

ai.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Intent United | AI Agent</title>
  <link rel="stylesheet" href="style.css" />

  <style>
    #tutor-container {
      width: 100%;
      height: 600px;
      position: relative;
      border-radius: 12px;
      overflow: hidden;
      border: 1px solid #e2e8f0;
      box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
      background: #ffffff;
    }

    #bp-web-widget-container {
      position: absolute !important;
      top: 0 !important;
      bottom: 0 !important;
      left: 0 !important;
      right: 0 !important;
      width: 100% !important;
      height: 100% !important;
      max-width: 100% !important;
      max-height: 100% !important;
      margin: 0 !important;
```

```
    }
  </style>
</head>
<body>
  <header>
    <div class="container nav">
      <a href="index.html" class="brand">
        <img src="logo.png" alt="Intent United Logo" class="logo-image" />
      </a>
      <nav>
        <ul>
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="programs.html">Programs</a></li>
          <li><a href="impact.html">Impact</a></li>
          <li><a href="partners.html">Partners</a></li>
          <li><a href="officers.html">Officers</a></li>
          <li><a href="ai.html" class="active">AI Agent</a></li>
          <li><a href="contact.html" class="btn btn-primary">Support</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <main>
    <section class="hero">
      <div class="container hero-grid">
        <div>
          <div class="tag">Always-On Mentorship</div>
          <h1>Your <span class="accent">Personalized</span> Learning Companion</h1>
          <p>
            The Intent United AI Agent sits alongside children as they learn. It doesn’t just give answersit
asks guiding questions, simplifies complex topics, and translates instantly between English and 6 regional lan
guages.
          </p>
          <div class="hero-stats">
            <div class="stat-pill soft-hover">
              <strong>24/7</strong>
              <span>availability</span>
            </div>
            <div class="stat-pill soft-hover">
              <strong>6</strong>
              <span>fluent languages</span>
            </div>
            <div class="stat-pill soft-hover">
              <strong>100%</strong>
              <span>curriculum aligned</span>
            </div>
          </div>
        </div>

        <div id="tutor-container"></div>

      </div>
    </section>

    <section class="page-section">
      <div class="container">
        <div class="section-header">
          <div>
            <div class="tag">Beyond a standard chatbot</div>
            <h2>Intelligence built for education</h2>
          </div>
```

```
          <p>
            We engineered this AI specifically for low-resource environments and young learners, ensuring it a
cts as a safe guide rather than a shortcut.
          </p>
        </div>
        <div class="grid-3">
          <article class="card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Paced for the student</h3>
            <p>The AI evaluates comprehension in real-time, offering visual metaphors and hints instead of jus
t handing over the answer.</p>
          </article>
          <article class="card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Voice Enabled</h3>
            <p>Children can speak directly to the interface. The AI listens, gently corrects pronunciation, an
d reads stories aloud.</p>
          </article>
          <article class="card soft-hover">
            <div class="icon-wrap"></div>
            <h3>Strict Guardrails</h3>
            <p>Built with heavy content moderation. The AI only discusses approved curriculum topics and redir
ects inappropriate questions.</p>
          </article>
        </div>
      </div>
    </section>
  </main>

  <footer>
    <div class="container footer-grid">
      <div>
        <strong>Intent United</strong>
        <p>AI for children with dignity, care, and local partnership.</p>
      </div>
      <div class="footer-links">
        <a href="about.html">About</a>
        <a href="programs.html">Programs</a>
        <a href="impact.html">Impact</a>
        <a href="partners.html">Partners</a>
        <a href="officers.html">Officers</a>
        <a href="contact.html">Support</a>
      </div>
    </div>
  </footer>

  <script src="https://cdn.botpress.cloud/webchat/v3.6/inject.js"></script>
  <script src="https://files.bpcontent.cloud/2026/04/10/01/20260410011627-J0ATVVHU.js" defer></script>

  <script>
    window.addEventListener('load', () => {
      const checkWidget = setInterval(() => {
        const bpWidget = document.getElementById('bp-web-widget-container');
        const tutorContainer = document.getElementById('tutor-container');

        if (bpWidget && tutorContainer) {
          // Move the botpress widget into your designated container
          tutorContainer.appendChild(bpWidget);

          // Force it to open immediately
          window.botpressWebChat.sendEvent({ type: 'show' });

          // Stop the loop
```

```
          clearInterval(checkWidget);
        }
      }, 100);
    });
  </script>
</body>
</html>
```

agent-app/.

app.js

```
import { initializeApp } from 'https://www.gstatic.com/firebasejs/10.8.0/firebase-app.js';
import { getFirestore, collection, doc, setDoc, onSnapshot, updateDoc, arrayUnion } from 'https://www.gstatic.
com/firebasejs/10.8.0/firebase-firestore.js';
import { getAuth, signInWithCustomToken, signInAnonymously, onAuthStateChanged } from 'https://www.gstatic.com
/firebasejs/10.8.0/firebase-auth.js';

// --- Firebase Configuration ---
const firebaseConfig = typeof __firebase_config !== 'undefined' ? JSON.parse(__firebase_config) : {
    // Add your fallback firebase config here for testing
};
const app = initializeApp(firebaseConfig);
const auth = getAuth(app);
const db = getFirestore(app);
const appId = typeof __app_id !== 'undefined' ? __app_id : 'progress-tracker-app';

// --- Guided English Curriculum ---
const CURRICULUM = [
    // ... (Keep your massive CURRICULUM array exactly as it was) ...
    {
        id: 'lesson_1',
        label: "Lesson 1: Introducing Yourself",
        // ... (rest of your curriculum data)
    }
];

const CLASSROOM_PASSWORD = 'learn123';

// --- State Management ---
// This replaces React's useState hooks
let state = {
    user: null,
    completedLessons: [],
    loading: true,
    saving: false,
    activeSession: null,
    usernameInput: '',
    passwordInput: '',
    loginError: '',
    lessonPhase: 'teaching',
    selectedLessonId: null,
    currentQuestionIndex: 0,
    chatMessages: [],
    chatInput: '',
    isTyping: false
};

// Helper function to update state and trigger a re-render
function setState(newState) {
    state = { ...state, ...newState };
    render();
}
```

```
// --- Initialization & Side Effects (Replaces useEffect) ---
let firestoreUnsubscribe = null;

async function initApp() {
    // 1. Initialize Authentication
    try {
        if (typeof __initial_auth_token !== 'undefined' && __initial_auth_token) {
            try {
                await signInWithCustomToken(auth, __initial_auth_token);
            } catch (tokenError) {
                console.warn("Invalid custom token, falling back to anonymous auth:", tokenError);
                await signInAnonymously(auth);
            }
        } else {
            await signInAnonymously(auth);
        }
    } catch (error) {
        console.error("Auth init error:", error);
    }

    onAuthStateChanged(auth, (u) => {
        setState({ user: u });
        if (!u || !state.activeSession) {
            setState({ loading: false });
        }
    });
}

// 2. Data Subscription by Username
function subscribeToUserData(normalizedUsername) {
    if (firestoreUnsubscribe) firestoreUnsubscribe(); // Clean up old listeners

    const progressDocRef = doc(db, 'artifacts', appId, 'public', 'data', 'user_progress', normalizedUsername);

    firestoreUnsubscribe = onSnapshot(progressDocRef, (docSnap) => {
        if (!docSnap.exists() && !state.saving) {
            setState({ saving: true });
            setDoc(progressDocRef, { completedLessons: [] })
                .then(() => setState({ saving: false, completedLessons: [] }))
                .catch(err => {
                    console.error("Error creating profile:", err);
                    setState({ saving: false });
                });
        } else if (docSnap.exists()) {
            const data = docSnap.data();
            setState({ completedLessons: data.completedLessons || [] });

            // 3. Track Initial Progression logic
            if (!state.selectedLessonId) {
                const firstIncomplete = CURRICULUM.find(c => !(data.completedLessons || []).includes(c.id));
                if (firstIncomplete) {
                    setState({ selectedLessonId: firstIncomplete.id, lessonPhase: 'teaching' });
                } else if ((data.completedLessons || []).length > 0) {
                    setState({ lessonPhase: 'completed' });
                }
            }
        }
        setState({ loading: false });
    }, (error) => {
        console.error("Firestore subscription error:", error);
        setState({ loading: false });
    });
```

```
}

// --- Actions (Event Handlers) ---
function handleLogin(e) {
    e.preventDefault();
    const safeName = state.usernameInput.trim();
    const safePassword = state.passwordInput.trim();
    const normalizedUsername = safeName.toLowerCase().replace(/[^a-z0-9]/g, '_');

    if (normalizedUsername.length < 2) {
        setState({ loginError: 'Please enter a valid name (at least 2 letters/numbers).' });
        return;
    }

    if (safePassword !== CLASSROOM_PASSWORD) {
        setState({ loginError: 'Incorrect classroom password.' });
        return;
    }

    setState({
        loginError: '',
        loading: true,
        activeSession: { display: safeName, normalizedUsername }
    });

    // Start listening to their specific data
    subscribeToUserData(normalizedUsername);
}

// --- Render Logic ---
function render() {
    const appDiv = document.getElementById('app');

    // 1. Loading State
    if (state.loading) {
        appDiv.innerHTML = `
            <div class="flex flex-col items-center justify-center min-h-screen bg-slate-50 text-blue-900">
                <div class="text-4xl animate-spin mb-4"></div>
                <p class="font-semibold text-lg animate-pulse">Loading Your Portal...</p>
            </div>
        `;
        return;
    }

    // 2. Login Screen
    if (!state.activeSession) {
        appDiv.innerHTML = `
            <div class="w-full flex items-center justify-center min-h-screen bg-slate-100 p-4">
                <div class="bg-white p-8 rounded-xl shadow-lg max-w-md w-full">
                    <h2 class="text-2xl font-bold text-center text-blue-900 mb-6">Student Login</h2>

                    ${state.loginError ? `<div class="bg-red-100 text-red-700 p-3 rounded mb-4 text-sm text-ce
nter">${state.loginError}</div>` : ''}

                    <form id="loginForm" class="space-y-4">
                        <div>
                            <label class="block text-sm font-medium text-gray-700 mb-1">Your Name</label>
                            <input
                                type="text"
                                id="usernameInput"
                                value="${state.usernameInput}"
                                class="w-full p-2 border border-gray-300 rounded focus:ring-2 focus:ring-blue-
500 outline-none"
```

```
                                placeholder="e.g. Rahul"
                                required
                            >
                        </div>
                        <div>
                            <label class="block text-sm font-medium text-gray-700 mb-1">Classroom Password</la
bel>
                            <input
                                type="password"
                                id="passwordInput"
                                value="${state.passwordInput}"
                                class="w-full p-2 border border-gray-300 rounded focus:ring-2 focus:ring-blue-
500 outline-none"
                                placeholder="Enter password"
                                required
                            >
                        </div>
                        <button type="submit" class="w-full bg-blue-600 text-white font-bold py-2 px-4 rounded
 hover:bg-blue-700 transition-colors">
                            Enter Classroom
                        </button>
                    </form>
                </div>
            </div>
        ';

        // Attach Event Listeners for the Login UI
        document.getElementById('usernameInput').addEventListener('input', (e) => {
            state.usernameInput = e.target.value; // Don't call setState here to prevent losing focus
        });
        document.getElementById('passwordInput').addEventListener('input', (e) => {
            state.passwordInput = e.target.value;
        });
        document.getElementById('loginForm').addEventListener('submit', handleLogin);

        // Initialize Lucide icons if you are using them
        if (window.lucide) window.lucide.createIcons();
        return;
    }

    // 3. Main App / Curriculum Screen (Placeholder for where your React code cut off)
    appDiv.innerHTML = `
        <div class="min-h-screen bg-white p-8">
            <h1 class="text-3xl font-bold text-blue-900">Welcome, ${state.activeSession.display}!</h1>
            <p>You are logged in and ready to learn.</p>
            </div>
    `;
}

// Start the app!
initApp();
```

app.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Progress Tracker App</title>
    <script src="https://cdn.tailwindcss.com"></script>
    <script src="https://unpkg.com/lucide@latest"></script>
</head>
<body>
```

```
    <div id="app"></div>

    <script type="module" src="app.js"></script>
</body>
</html>
```