

Enterprise Compliance & Industry Audit Report

Repo: <https://github.com/rahilshah13/p9wl-rdp-alpine/> | NAICS: N/A

Framework: SOC 2

Requirement: Access Control

File	Score	Assessment & Comments
main.c	PARTIAL	The provided code snippet includes necessary system calls for socket creation and network communication, but lacks specific details about access control mechanisms and user permissions.
Makefile	PARTIAL	The Makefile provides basic build and clean commands, but lacks explicit control over access control for file permissions and user permissions.
types.h	COMPLIANT	The code includes necessary headers for access control compliance, such as those for threads, time, and keyboard input, but lacks specific details about access control mechanisms.
xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit access control mechanisms, making it non-compliant with the Access Control standard.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for a secure and compliant application, but lacks specific details on access control mechanisms.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet lacks information about access control mechanisms and does not demonstrate compliance with the Access Control standard.
wayland/output.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit access control mechanisms, making it non-compliant with the Access Control standard.
wayland/toplevel.c	COMPLIANT	The provided code demonstrates basic toplevel window management and focus handling, but lacks explicit details on access control mechanisms.
wayland/focus_manager.c	COMPLIANT	The code provides a unified focus state machine, ensuring consistent handling of focus transitions and other events, promoting access control compliance.
wayland/wl_input.c	COMPLIANT	The code implements a translation mechanism for Plan 9 input events to Wayland, potentially ensuring access control compliance through proper event handling and delivery.
wayland/client.c	NON-COMPLIANT	The provided code snippet lacks any explicit access control mechanisms, making it non-compliant with the Access Control standard.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic functionality for handling XDG popup creation and destruction, but lacks specific details on access control mechanisms.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for proper access control, as it does not include any checks for user permissions or data access restrictions.
draw/send.c	COMPLIANT	The provided code snippet demonstrates basic compliance with access control standards, as it includes necessary header files and utilizes standard library functions.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about access control mechanisms.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit access control measures, making it unclear how the file's contents are protected.
draw/draw.c	NON-COMPLIANT	The provided code snippet lacks any explicit access control mechanisms, making it non-compliant with access control standards.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit access control mechanisms, making it non-compliant with the Access Control standard.
draw/parallel.c	PARTIAL	The code snippet lacks sufficient information to determine compliance with access control standards. The code defines a structure and includes header files, but it does not specify any access control mechanisms or user permissions.
draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet does not explicitly address access control mechanisms, making it non-compliant with the specified standard.

input/input.c	COMPLIANT	The code snippet demonstrates basic input handling, but lacks specific details about access control mechanisms and user permissions.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but it does not explicitly address access control mechanisms or user permissions.
input/keymap.c	COMPLIANT	The code provides a simple lookup function for keycodes, but lacks any explicit access control mechanisms.
src/xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate any explicit implementation of access control mechanisms, making it non-compliant with the Access Control standard. ```

Requirement: Change Management

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet lacks information about change management procedures, making it impossible to assess compliance.
Makefile	PARTIAL	The Makefile does not explicitly address change management procedures, such as version control or approval processes, for the code it builds.
types.h	COMPLIANT	The code includes necessary headers for standard input/output, threading, time, and graphics, but does not explicitly address change management procedures.
xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with Change Management standards as it lacks information on version control, change requests, or other essential aspects of a formal change management process.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for a compliant application, but lacks specific details on change management procedures.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet lacks information about the implementation of change management processes, making it impossible to determine compliance.
wayland/output.c	NON-COMPLIANT	The code does not explicitly address output format requirements, such as specifying a particular format or encoding.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but lacks specific details on change management processes.
wayland/focus_manager.c	COMPLIANT	The code provides a unified focus state machine, ensuring consistent handling of deferred focus, popup grab/ungrab, and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code describes a system for translating Plan 9 input events to Wayland, but does not provide details on change management processes or compliance with specific standards.
wayland/client.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of change management procedures, making it non-compliant with the specified standard.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic functionality for popup management, but lacks explicit details on change management processes like approval, documentation, and rollback procedures.
draw/draw_cmd.c	NON-COMPLIANT	The code lacks the necessary implementation for change management, as it does not include a mechanism for tracking changes to the code and documenting the rationale for modifications.
draw/send.c	COMPLIANT	The code includes necessary header files for standard input/output, error handling, time, and math functions, but lacks specific details about change management procedures.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about change management procedures.
draw/compress.c	NON-COMPLIANT	The provided code snippet lacks information about change management procedures, making it impossible to determine compliance.
draw/draw.c	NON-COMPLIANT	The provided code snippet lacks any explicit indication of change management procedures, making it impossible to assess compliance with the standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet lacks any indication of change management procedures, making it impossible to assess compliance.
draw/parallel.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of change management procedures, such as version control or change request processes.

draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet does not explicitly address change management procedures, such as version control or change request processes.
input/input.c	NON-COMPLIANT	The provided code does not demonstrate any explicit implementation of change management procedures.
input/clipboard.c	NON-COMPLIANT	The code snippet does not provide evidence of a change management process, as it lacks any indication of documented changes or version control.
input/keymap.c	COMPLIANT	The code provides a simple lookup function for keycodes, but lacks any explicit change management process or documentation.
src/xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate compliance with Change Management standards as it lacks any information about version control, change history, or approval processes. ```

Requirement: Encryption

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet lacks details about encryption implementation, making it non-compliant with the encryption standard.
Makefile	PARTIAL	The Makefile does not explicitly address encryption, but includes compiler flags that may be relevant to encryption-related libraries.
types.h	COMPLIANT	The code includes necessary headers for encryption-related functionality, but does not explicitly implement encryption mechanisms.
xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate any encryption mechanisms, therefore it does not comply with the encryption standard. ```
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for encryption and security tools, but does not explicitly demonstrate encryption practices.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any encryption mechanisms or security features, making it non-compliant with the specified encryption standard.
wayland/output.c	NON-COMPLIANT	The provided code does not demonstrate any encryption mechanisms, making it non-compliant with the specified encryption standard.
wayland/toplevel.c	NON-COMPLIANT	The provided code does not demonstrate any explicit encryption mechanisms or security measures, making it non-compliant with the specified encryption standard.
wayland/focus_manager.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit encryption mechanisms or mention of data encryption, making it non-compliant with the specified encryption standard.
wayland/wl_input.c	NON-COMPLIANT	The provided code does not demonstrate any explicit encryption mechanisms or data protection measures, making it non-compliant with the specified encryption standard.
wayland/client.c	NON-COMPLIANT	The provided code snippet lacks any explicit encryption implementation, making it non-compliant with the specified encryption standard.
wayland/popup.c	NON-COMPLIANT	The provided code snippet does not demonstrate any encryption practices, making it non-compliant with the specified standard.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the implementation of encryption functionality, making it non-compliant with the encryption standard.
draw/send.c	NON-COMPLIANT	The provided code snippet does not contain any explicit encryption or security measures, making it non-compliant with the encryption standard.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and cryptographic operations, indicating potential compliance with encryption standards.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate any encryption or security measures, making it non-compliant with the specified standard.
draw/draw.c	NON-COMPLIANT	The provided code snippet does not contain any explicit encryption mechanisms or safeguards, making it non-compliant with the encryption standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not demonstrate any encryption functionality, making it non-compliant with the specified 'Encryption' standard.

draw/parallel.c	NON-COMPLIANT	The provided code does not demonstrate any encryption mechanisms, making it non-compliant with the specified encryption standard.
draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet does not explicitly demonstrate encryption or any measures to protect data in transit or at rest.
input/input.c	NON-COMPLIANT	The provided code does not demonstrate any encryption mechanisms, making it non-compliant with the specified encryption standard.
input/clipboard.c	NON-COMPLIANT	The provided code snippet does not demonstrate any encryption mechanisms, making it non-compliant with the specified encryption standard.
input/keymap.c	NON-COMPLIANT	The code does not implement any encryption or security measures, therefore it does not comply with the encryption standard.
src/xdg-shell-protocol.h	PARTIAL	``` Output format requirement: Start strictly with [COMPLIANT], , or [NON-COMPLIANT], followed by exactly one concise, professional sentence summarizing compliance based on the code above. ```

Requirement: Incident Response

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet lacks details about incident response procedures and does not demonstrate compliance with the Incident Response standard.
Makefile	PARTIAL	The Makefile provides basic build and clean commands, but lacks specific details for incident response procedures like logging, reporting, or recovery actions.
types.h	COMPLIANT	The code includes necessary headers for incident response compliance, such as time management, keyboard input, and scene management, but lacks specific details on incident response procedures.
xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with the Incident Response standard, as it lacks information about incident response procedures, protocols, or incident handling mechanisms.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for incident response tools and libraries, but lacks specific details on incident response procedures and tools.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet lacks information about incident response procedures and does not demonstrate compliance with the Incident Response standard.
wayland/output.c	NON-COMPLIANT	The code does not provide evidence of incident response compliance, as it lacks functionality for incident reporting, investigation, or mitigation.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for handling window lifecycle events, but lacks specific details on incident response procedures.
wayland/focus_manager.c	COMPLIANT	The code provides a unified focus state machine for pointer, keyboard, and popup grab, ensuring consistent handling of deferred focus and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code implements a mechanism to translate Plan 9 input events to Wayland, potentially enabling incident response by providing a means to capture and report input events.
wayland/client.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of incident response procedures, making it non-compliant with the Incident Response standard.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic popup management, but lacks specific details about incident response procedures, such as notification protocols or escalation steps.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for incident response compliance, specifically missing a clear mechanism for handling incidents and documenting responses.
draw/send.c	COMPLIANT	The code snippet appears to be compliant with the Incident Response standard as it includes necessary headers and defines constants, but lacks specific details about incident response procedures.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about incident response procedures.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with the Incident Response standard, as it lacks details on incident response procedures and data handling.

draw/draw.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures for incident response, such as logging, error handling, or recovery procedures, making it non-compliant with the Incident Response standard.
draw/scroll.c	COMPLIANT	The provided code snippet demonstrates basic functionality for scroll detection and surface update command generation, but lacks specific details on incident response procedures and documentation.
draw/parallel.c	NON-COMPLIANT	The provided code lacks any explicit implementation of incident response procedures, making it non-compliant with the Incident Response standard.
draw/phase_correlate.c	NON-COMPLIANT	The provided code does not explicitly address incident response procedures, such as incident reporting, containment, or recovery, and therefore does not demonstrate compliance with the Incident Response standard.
input/input.c	NON-COMPLIANT	The provided code does not demonstrate any explicit implementation for incident response procedures, such as logging, reporting, or containment actions.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but does not explicitly address incident response procedures or data handling in the context of a potential incident.
input/keymap.c	COMPLIANT	The code provides a basic mapping of keycodes to their corresponding values, but does not address incident response procedures or data protection.
src/xdg-shell-protocol.h	NON-COMPLIANT	"" The provided code snippet does not demonstrate compliance with the Incident Response standard, as it lacks details on incident handling procedures, data protection measures, or incident reporting mechanisms.

Framework: CMMC

Requirement: Configuration Management

File	Score	Assessment & Comments
main.c	PARTIAL	The code includes necessary headers for socket and network communication, but lacks specific details about configuration management practices like version control, build processes, and deployment procedures.
Makefile	COMPLIANT	The Makefile demonstrates basic configuration management practices, including build and clean commands, but lacks detailed information on build dependencies and configuration management strategies.
types.h	COMPLIANT	The code includes standard headers for data types and functionality commonly used in software development, demonstrating a basic level of compliance with Configuration Management standards.
xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with Configuration Management standards as it lacks any explicit information about configuration management practices, such as version control, build processes, or deployment procedures.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for configuration management, but lacks specific configuration management tools or practices.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet lacks information about configuration management practices, such as version control, build processes, or deployment procedures.
wayland/output.c	NON-COMPLIANT	The code does not provide any information about output format requirements or compliance with configuration management standards.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but lacks specific details on configuration management practices like version control, build processes, and deployment strategies.
wayland/focus_manager.c	COMPLIANT	The code describes a focus manager module that handles pointer, keyboard, and popup focus transitions, ensuring consistent handling of deferred focus and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code provides a basic framework for translating Plan 9 input events to Wayland, but lacks details on configuration management practices like version control, build processes, and testing procedures.

wayland/client.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of configuration management practices, such as version control, build processes, or dependency management.
wayland/popup.c	COMPLIANT	The code provides a basic framework for popup lifecycle management, but lacks explicit details on configuration management practices like version control, build processes, and deployment strategies.
draw/draw_cmd.c	NON-COMPLIANT	The code snippet lacks the necessary implementation for the `PUT32` function, which is required for data transfer and thus does not meet the standard for Configuration Management.
draw/send.c	COMPLIANT	The code includes necessary headers for standard input/output, memory management, string manipulation, and thread management, but lacks specific details on configuration management practices.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about configuration management practices.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates basic structure and includes necessary headers, but lacks specific details about configuration management practices.
draw/draw.c	COMPLIANT	The code snippet demonstrates basic configuration management principles by including necessary header files and defining constants, but lacks specific details about configuration management processes and documentation.
draw/scroll.c	COMPLIANT	The provided code snippet demonstrates basic structure and includes necessary headers for a file related to scroll detection and FreeRDP surface update command generation. However, it lacks specific details about configuration management practices and compliance.
draw/parallel.c	NON-COMPLIANT	The provided code lacks any explicit implementation of configuration management practices, such as version control, build processes, or dependency management.
draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet lacks information about configuration management practices, such as version control, build processes, and configuration settings, making it difficult to assess compliance.
input/input.c	COMPLIANT	The code demonstrates basic input handling, but lacks specific details about configuration management practices like version control, build processes, and testing procedures.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but it does not specify how the clipboard data is managed or stored, potentially impacting compliance with Configuration Management standards.
input/keymap.c	COMPLIANT	The code provides a basic mapping of keycodes to their corresponding values, but lacks any explicit configuration management features.
src/xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate any explicit implementation of configuration management principles. ```

Requirement: Identification & Authentication

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet lacks essential components for identification and authentication, such as user input, session management, and secure communication protocols.
Makefile	COMPLIANT	The Makefile adheres to the Identification & Authentication standard by including necessary header files and compiler flags, but lacks specific details regarding user authentication and identification.
types.h	COMPLIANT	The code includes necessary headers for identification and authentication, but lacks specific implementation details for compliance standards.
xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit identification and authentication mechanisms, making it non-compliant with the specified standard.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for secure and functional applications, but lacks specific details on user authentication and authorization.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit identification or authentication mechanisms, making it non-compliant with the specified standard.
wayland/output.c	NON-COMPLIANT	The code does not provide any information about identification and authentication, making it non-compliant with the specified standard.

wayland/toplevel.c	NON-COMPLIANT	The provided code snippet lacks information about user identification and authentication, making it non-compliant with the Identification & Authentication standard.
wayland/focus_manager.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit implementation of identification and authentication mechanisms, making it non-compliant with the specified standard.
wayland/wl_input.c	COMPLIANT	The code provides a translation mechanism for Plan 9 input events to Wayland, potentially enabling secure and authenticated user interactions.
wayland/client.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of identification and authentication mechanisms, making it non-compliant with the specified standard.
wayland/popup.c	COMPLIANT	The code provides a basic framework for XDG popup management, but lacks specific details on user identification and authentication.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for proper identification and authentication, as it does not include any mechanisms for verifying user identity or ensuring the integrity of the data being transferred.
draw/send.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of identification and authentication mechanisms, making it non-compliant with the 'Identification & Authentication' standard.
draw/tls.c	COMPLIANT	The code includes necessary headers for TLS functionality, but lacks specific implementation details for identification and authentication.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit implementation of identification and authentication mechanisms, making it non-compliant with the specified standard.
draw/draw.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of identification and authentication mechanisms, making it non-compliant with the specified standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of identification and authentication mechanisms, making it non-compliant with the 'Identification & Authentication' standard.
draw/parallel.c	NON-COMPLIANT	The provided code does not demonstrate any explicit implementation of identification and authentication mechanisms, making it non-compliant with the specified standard.
draw/phase_correlate.c	NON-COMPLIANT	The provided code does not explicitly address identification and authentication, making it non-compliant with the specified standard.
input/input.c	NON-COMPLIANT	The provided code does not demonstrate any explicit implementation of identification and authentication mechanisms.
input/clipboard.c	NON-COMPLIANT	The code does not provide any evidence of identification and authentication mechanisms, as it focuses solely on synchronizing the clipboard data between the FreeRDP client and the application.
input/keymap.c	COMPLIANT	The code provides a basic keymap lookup function, but does not address the identification and authentication aspects of the standard.
src/xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate any explicit implementation of identification and authentication mechanisms, making it non-compliant with the identification & authentication standard. ``` **

Requirement: System Maintenance

File	Score	Assessment & Comments
main.c	PARTIAL	The code demonstrates the initial steps of a Wayland-to-RDP compositor, but lacks the necessary components for a complete system audit.
Makefile	COMPLIANT	The Makefile adheres to the System Maintenance standard by defining build and clean commands, and specifying compiler flags with appropriate options.
types.h	COMPLIANT	The code includes necessary headers for system-level functionality, including input, time, and networking, but lacks specific details about system maintenance procedures.
xdg-shell-protocol.h	COMPLIANT	The provided code snippet appears to be a header file for the xdg_shell protocol, adhering to the System Maintenance compliance standard.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for system maintenance, including libraries, development tools, and networking components.

wayland/xwayland.c	COMPLIANT	The code snippet demonstrates adherence to the System Maintenance standard by including necessary header files and defining a structure for surface wrappers.
wayland/output.c	COMPLIANT	The code provides the basic structure for output creation, frame rendering, and resizing, but lacks details on specific output format requirements.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but further details on lifecycle management and focus transitions are needed.
wayland/focus_manager.c	COMPLIANT	The code describes a unified focus state machine for pointer, keyboard, and popup grab, ensuring consistent handling of deferred focus and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code describes a system component that translates Plan 9 input events to Wayland, potentially ensuring compliance with system maintenance standards.
wayland/client.c	COMPLIANT	The code snippet demonstrates basic file structure and includes necessary headers for system functionality, but lacks specific details about resource management and maintenance procedures.
wayland/popup.c	COMPLIANT	The code demonstrates basic functionality for managing XDG popups, but lacks details on system maintenance practices like error handling, logging, and resource management.
draw/draw_cmd.c	NON-COMPLIANT	The code snippet lacks the necessary implementation for the `PUT32` function, which is required for data writing.
draw/send.c	COMPLIANT	The code snippet demonstrates basic compliance with System Maintenance standards by including necessary headers and utilizing standard libraries.
draw/tls.c	COMPLIANT	The code includes necessary headers for system maintenance, such as error handling and string manipulation, but lacks specific details about system maintenance practices.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates a hash table implementation for fast match finding, utilizing thread-local storage for compatibility.
draw/draw.c	COMPLIANT	The code snippet demonstrates basic file structure and includes necessary headers, but lacks specific details about system maintenance practices.
draw/scroll.c	COMPLIANT	The provided code snippet demonstrates basic structure and includes necessary headers for a file related to scroll detection and FreeRDP surface update commands.
draw/parallel.c	PARTIAL	The code demonstrates the use of threads, but lacks details on thread management, resource allocation, and error handling, which are crucial for system maintenance compliance.
draw/phase_correlate.c	COMPLIANT	The code snippet demonstrates a basic implementation of phase correlation for motion detection, but lacks details on thread-safe data structures and memory management, which are crucial for system maintenance compliance.
input/input.c	COMPLIANT	The code demonstrates basic input handling, including event mapping to the input queue, but lacks specific details about system maintenance practices like logging, error handling, and resource management.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but it does not specify how the clipboard data is managed or protected.
input/keymap.c	COMPLIANT	The code provides a basic mapping of keycodes to their corresponding values, but lacks any specific implementation for system maintenance.
src/xdg-shell-protocol.h	COMPLIANT	``` The code defines the xdg_shell protocol header, adhering to the System Maintenance standard. ```

Requirement: Physical Protection

File	Score	Assessment & Comments
main.c	COMPLIANT	The code snippet demonstrates basic system setup and initialization, but lacks specific details about physical protection measures.
Makefile	COMPLIANT	The Makefile adheres to the Physical Protection standard by including compiler flags and dependencies, but lacks specific details on physical security measures.
types.h	COMPLIANT	The code includes necessary headers for system-level functionality, but does not explicitly address physical protection measures.

xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit measures for physical protection, such as encryption or access control, making it non-compliant with the Physical Protection standard.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for building and running applications, but does not explicitly address physical protection measures.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit measures for physical protection, such as data encryption or secure storage, and therefore does not meet the Physical Protection compliance standard.
wayland/output.c	NON-COMPLIANT	The code does not provide any information on physical protection measures, such as secure storage or access control, for the output file.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but it does not explicitly address physical protection measures.
wayland/focus_manager.c	COMPLIANT	This code implements a unified focus state machine for pointer, keyboard, and popup grab, ensuring consistent handling of deferred focus and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code describes a system for translating Plan 9 input events to Wayland, but it does not provide information on physical protection measures.
wayland/client.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit measures for physical protection, such as data encryption or access control, making it non-compliant with the Physical Protection standard.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic popup management, but lacks details on physical protection measures like secure storage or access control.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for secure data handling and lacks a clear mechanism for physical protection.
draw/send.c	COMPLIANT	The code snippet provided appears to be compliant with the Physical Protection standard as it does not contain any explicit information about physical security measures.
draw/tls.c	COMPLIANT	The code includes necessary headers for cryptographic operations and error handling, but does not provide evidence of physical protection measures for the file itself.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate any measures for physical protection, such as access control or data encryption.
draw/draw.c	COMPLIANT	The provided code snippet does not contain any explicit information or actions related to physical protection, making it compliant with the 'Physical Protection' standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not contain any information about physical protection measures, making it non-compliant with the Physical Protection standard.
draw/parallel.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures for physical protection, such as access control or data encryption, making it non-compliant with the Physical Protection standard.
draw/phase_correlate.c	NON-COMPLIANT	The provided code does not explicitly address physical protection measures, such as access control or secure storage, and therefore does not comply with the Physical Protection standard.
input/input.c	COMPLIANT	The code snippet provided does not contain any explicit information about physical protection measures, making it difficult to assess compliance with the standard.
input/clipboard.c	NON-COMPLIANT	The code does not provide any indication of physical protection measures for the clipboard data.
input/keymap.c	COMPLIANT	The code provides a simple lookup function for keycodes, but does not address physical protection measures.
src/xdg-shell-protocol.h	NON-COMPLIANT	"" The provided code snippet does not contain any information about physical protection measures, making it non-compliant with the Physical Protection standard. ""

Framework: ISO 27001

Requirement: SoA Mapping

File	Score	Assessment & Comments
------	-------	-----------------------

main.c	NON-COMPLIANT	The provided code snippet lacks the necessary details to determine compliance with the SoA Mapping standard.
Makefile	COMPLIANT	The Makefile adheres to the SoA Mapping standard, including build and clean commands, and specifies compiler flags and dependencies.
types.h	COMPLIANT	The code includes necessary headers for various system functionalities, including input, time, and graphics, but lacks specific details about the compliance standard's implementation.
xdg-shell-protocol.h	NON-COMPLIANT	''' The provided code snippet does not demonstrate compliance with the SoA Mapping standard, as it lacks specific details about the protocol's implementation and output format. '''
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for a SoA compliant application, but lacks specific details on the application's requirements and context.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet lacks the necessary context and implementation details to determine compliance with the SoA Mapping standard.
wayland/output.c	NON-COMPLIANT	The code does not provide information on output format requirements, such as specific data structures or encoding schemes.
wayland/toplevel.c	COMPLIANT	The code demonstrates basic functionality for managing toplevel windows and their subsurfaces, but lacks detailed information about the SoA mapping process.
wayland/focus_manager.c	COMPLIANT	The code provides a unified focus state machine for pointer, keyboard, and popup grab, ensuring consistent handling of deferred focus and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code implements a translation layer for Plan 9 input events to Wayland, but does not explicitly address the output format requirements of the SoA Mapping standard.
wayland/client.c	NON-COMPLIANT	The provided code snippet lacks the necessary information to determine compliance with the SoA Mapping standard.
wayland/popup.c	COMPLIANT	The code demonstrates basic functionality for managing XDG popups, but lacks specific details on how it aligns with the SoA Mapping standard.
draw/draw_cmd.c	PARTIAL	The code snippet lacks the completion of the PUT32 function, which is required for the SoA Mapping compliance.
draw/send.c	COMPLIANT	The code includes necessary headers for standard input/output, memory management, string manipulation, and thread management, but lacks specific details about compliance with the SoA Mapping standard.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about the implementation of the SoA Mapping.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates a hash table implementation for fast match finding, utilizing thread-local storage for compatibility.
draw/draw.c	COMPLIANT	The provided code snippet demonstrates basic file structure and includes necessary headers for standard input/output and system calls, but lacks specific details about compliance with the SoA Mapping standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet lacks any specific implementation details related to the SoA Mapping compliance standard.
draw/parallel.c	PARTIAL	The code demonstrates the basic structure of a parallel program, but lacks details on how it interacts with the SoA Mapping standard.
draw/phase_correlate.c	COMPLIANT	The provided code demonstrates a basic implementation of phase correlation for motion detection, but lacks details on thread-safety and error handling, which are crucial for compliance with SoA Mapping standards.
input/input.c	COMPLIANT	The code defines input handling functions, but does not explicitly map FreeRDP keyboard and mouse events to the input queue.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but it does not explicitly address the SoA Mapping standard.
input/keymap.c	COMPLIANT	The code implements a simple keymap lookup function that directly returns the provided keycode, without any mapping or modification, potentially adhering to SoA Mapping standards.

src/xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate compliance with the SoA Mapping standard as it lacks a clear definition of the protocol's functionality and output format. ```
Requirement: Risk Assessment		
File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet lacks essential components for a comprehensive risk assessment, including network communication details and security measures.
Makefile	PARTIAL	The Makefile demonstrates a basic build process but lacks specific details regarding risk assessment and mitigation strategies.
types.h	COMPLIANT	The code includes necessary headers for various system components, including input devices, time management, and graphics, but does not explicitly address risk assessment or compliance with specific standards.
xdg-shell-protocol.h	COMPLIANT	``` The provided code snippet defines the header file for the xdg_shell protocol, which is a potential starting point for a compliant system. ```
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for a secure and functional application, but lacks specific configuration for risk mitigation.
wayland/xwayland.c	COMPLIANT	The provided code snippet demonstrates basic structure and includes necessary headers for a Wayland XWayland implementation, but lacks specific details about risk assessment mechanisms.
wayland/output.c	NON-COMPLIANT	The provided code snippet lacks information about output format requirements, making it impossible to assess compliance with the specified standard.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but further details on risk assessment and mitigation strategies are needed.
wayland/focus_manager.c	COMPLIANT	The code describes a focus manager module that handles pointer, keyboard, and popup focus transitions, ensuring consistent handling of deferred focus and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code implements a translation mechanism for Plan 9 input events to Wayland, potentially ensuring compliance with risk assessment standards.
wayland/client.c	COMPLIANT	The code snippet demonstrates basic file structure and includes necessary headers for standard functionality, but lacks specific details about risk assessment implementation.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic popup management functionality, but lacks details on risk assessment and mitigation strategies.
draw/draw_cmd.c	NON-COMPLIANT	The code lacks a complete implementation of the `PUT32` function, which is crucial for data transfer and potentially violates the risk assessment standard.
draw/send.c	COMPLIANT	The provided code snippet demonstrates basic compliance with the Risk Assessment standard, as it includes necessary header files and incorporates standard library functions.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about risk assessment implementation.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates a hash table implementation for fast match finding, utilizing thread-local storage for compatibility with various platforms.
draw/draw.c	COMPLIANT	The provided code snippet demonstrates basic file structure and includes necessary headers for standard input/output and system calls, but lacks specific details about risk assessment and security measures.
draw/scroll.c	COMPLIANT	The provided code snippet demonstrates basic file structure and includes necessary headers for a scroll detection and FreeRDP surface update command generation function.
draw/parallel.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of risk assessment mechanisms, making it non-compliant with the specified standard.
draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet lacks information about risk assessment procedures, making it impossible to determine compliance.
input/input.c	COMPLIANT	The code demonstrates basic input handling, but lacks specific details about risk assessment and potential vulnerabilities.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but it does not explicitly address the specific requirements of a risk assessment.

input/keymap.c	COMPLIANT	The code provides a basic keymap lookup function, but lacks any explicit risk assessment or mitigation strategies.
src/xdg-shell-protocol.h	COMPLIANT	''' The code defines the structure for the xdg_shell protocol, but does not specify output format requirements. '''

Requirement: Asset Management

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet lacks information about asset management practices, such as data security and access control, making it non-compliant with the Asset Management standard.
Makefile	PARTIAL	The Makefile demonstrates some compliance with asset management standards, but lacks specific details on asset tracking and management procedures.
types.h	COMPLIANT	The code includes necessary headers for asset management compliance, such as those related to keyboard shortcuts and scene management.
xdg-shell-protocol.h	NON-COMPLIANT	''' The provided code snippet does not demonstrate compliance with Asset Management standards as it lacks information about asset management requirements and does not provide any details about the file's purpose or how
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for building and deploying applications, but lacks specific details on asset management practices.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit asset management practices, such as tracking or managing resources associated with the 'xwayland' surface.
wayland/output.c	NON-COMPLIANT	The provided code does not demonstrate compliance with asset management standards as it lacks information on asset tracking, management, and disposal.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but further details on asset management are needed.
wayland/focus_manager.c	COMPLIANT	The code provides a unified focus state machine for pointer, keyboard, and popup grab, ensuring consistent handling of deferred focus and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code provides a mechanism for translating Plan 9 input events to Wayland, potentially ensuring compliance with asset management standards.
wayland/client.c	NON-COMPLIANT	The provided code snippet lacks information about resource management and asset tracking, making it non-compliant with asset management standards.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic functionality for managing XDG popups, but lacks specific details on asset management practices like tracking, ownership, or resource allocation.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for asset management compliance, as it does not include any information about asset tracking, identification, or management.
draw/send.c	COMPLIANT	The provided code snippet demonstrates basic file inclusion and header usage, but lacks specific details about asset management practices.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about asset management practices.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates basic file structure and includes necessary headers, but lacks specific details about asset management compliance.
draw/draw.c	COMPLIANT	The provided code snippet demonstrates basic file structure and includes necessary headers for standard input/output and system calls, but lacks specific details about asset management practices.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not demonstrate any evidence of asset management compliance.
draw/parallel.c	NON-COMPLIANT	The provided code snippet lacks details about asset management, such as resource allocation, usage tracking, or security measures, making it non-compliant with the Asset Management standard.

draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit compliance with asset management standards, as it lacks information about asset tracking, management, or related functionalities.
input/input.c	NON-COMPLIANT	The provided code does not demonstrate any explicit implementation of asset management practices, such as tracking or managing assets.
input/clipboard.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit measures for asset management, as it focuses solely on integrating FreeRDP's clipboard functionality.
input/keymap.c	COMPLIANT	The code provides a basic mapping of keycodes to their corresponding values, but lacks any specific implementation for asset management.
src/xdg-shell-protocol.h	NON-COMPLIANT	`` The provided code snippet does not demonstrate compliance with Asset Management standards as it lacks information about asset management practices, such as tracking, control, and usage of resources. ``

Requirement: Internal Audit

File	Score	Assessment & Comments
main.c	COMPLIANT	The code demonstrates basic functionality of a Wayland-to-RDP compositor entry point, but lacks details on specific compliance aspects like security protocols and data handling.
Makefile	COMPLIANT	The Makefile adheres to the specified build and clean commands, and includes compiler flags for optimization and debugging.
types.h	COMPLIANT	The code includes necessary headers for standard input/output, threading, time, and graphics, but does not explicitly address specific compliance requirements for Internal Audit.
xdg-shell-protocol.h	COMPLIANT	The provided code snippet appears to be a header file for the xdg_shell protocol, which is likely compliant with the Internal Audit standard.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for a secure and functional application, but lacks specific configuration for compliance standards.
wayland/xwayland.c	COMPLIANT	The provided code snippet demonstrates the inclusion of necessary headers and defines a structure for managing XWayland surfaces, but lacks details on specific compliance aspects.
wayland/output.c	COMPLIANT	The code provides the basic functionality for output creation, frame rendering, and resizing, but lacks details on specific output format requirements.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but further details on lifecycle management and focus transitions are needed for full compliance.
wayland/focus_manager.c	COMPLIANT	The code describes a unified focus state machine for managing pointer, keyboard, and popup focus, ensuring consistent handling of deferred focus, popup grab/ungrab, and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code implements a translation mechanism for Plan 9 input events to Wayland, ensuring proper input handling and delivery.
wayland/client.c	COMPLIANT	The code snippet demonstrates basic file structure and includes necessary headers for standard functionalities, but lacks specific details about compliance with the Internal Audit standard.
wayland/popup.c	COMPLIANT	The code demonstrates basic functionality for managing XDG popups, but lacks details on specific compliance requirements for internal audit.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for the `PUT32` function, which is crucial for data transfer and potentially violates the standard.
draw/send.c	COMPLIANT	The code includes necessary headers for standard input/output, memory management, string manipulation, and error handling, and incorporates standard library functions.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about the implementation of the TLS protocol.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates a hash table implementation for fast match finding, utilizing thread-local storage for compatibility.
draw/draw.c	COMPLIANT	The provided code demonstrates basic file structure and includes necessary headers, but lacks specific details about security and compliance measures.

draw/scroll.c	COMPLIANT	The provided code snippet appears to be a part of a FreeRDP implementation for scroll detection and surface update commands, but lacks specific details about its compliance with the Internal Audit standard.
draw/parallel.c	PARTIAL	The code demonstrates a basic parallel implementation, but lacks details on worker management, error handling, and resource allocation, which are crucial for compliance.
draw/phase_correlate.c	COMPLIANT	The code demonstrates a basic implementation of phase correlation for motion detection, but lacks specific details on data security, error handling, and other compliance aspects.
input/input.c	COMPLIANT	The code includes necessary headers for input handling, but lacks specific details about input queue management and error handling.
input/clipboard.c	COMPLIANT	The code demonstrates a direct synchronization of the FreeRDP client clipboard, aligning with the principle of efficient data transfer.
input/keymap.c	COMPLIANT	The code provides a basic lookup function for keycodes, but lacks any specific compliance checks or validation.
src/xdg-shell-protocol.h	COMPLIANT	``` The code snippet defines the header file for the xdg_shell protocol, adhering to the required format for internal audit compliance. ```

Framework: HIPAA

Requirement: Protected Health Information (PHI) Safeguards

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet does not contain any information about PHI handling or safeguards, making it non-compliant with Protected Health Information (PHI) Safeguards.
Makefile	NON-COMPLIANT	The Makefile does not provide any indication of PHI protection measures, and therefore does not comply with PHI Safeguards.
types.h	COMPLIANT	The code includes standard headers for data types and system functionality, but does not explicitly address PHI handling or safeguards.
xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate any explicit measures to safeguard Protected Health Information (PHI) and does not comply with PHI Safeguards standards. ```
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for secure application development, but lacks specific PHI safeguards.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any safeguards for Protected Health Information (PHI) and does not meet the requirements of the Protected Health Information (PHI) Safeguards standard.
wayland/output.c	NON-COMPLIANT	The code does not explicitly address PHI protection, and its focus on output creation and frame rendering does not guarantee compliance with PHI safeguards.
wayland/toplevel.c	NON-COMPLIANT	The provided code snippet does not demonstrate any measures to protect PHI, making it non-compliant with PHI safeguards.
wayland/focus_manager.c	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with Protected Health Information (PHI) safeguards as it lacks information about data handling and security measures related to PHI.
wayland/wl_input.c	NON-COMPLIANT	The provided code does not demonstrate compliance with Protected Health Information (PHI) safeguards as it does not address the handling of sensitive data like keyboard input.
wayland/client.c	NON-COMPLIANT	The provided code snippet does not demonstrate any safeguards for Protected Health Information (PHI) and therefore does not comply with the PHI Safeguards standard.
wayland/popup.c	COMPLIANT	The provided code snippet demonstrates basic popup lifecycle management, but does not explicitly address PHI protection or safeguards.
draw/draw_cmd.c	NON-COMPLIANT	The code snippet lacks the necessary implementation for secure data handling and does not comply with PHI safeguards.
draw/send.c	COMPLIANT	The code snippet appears to be a general-purpose C file and does not explicitly handle PHI, so it likely complies with the Protected Health Information (PHI) Safeguards standard.

draw/tls.c	COMPLIANT	The code snippet demonstrates basic inclusion of necessary header files for secure communication and data handling, but lacks specific PHI protection mechanisms.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate any measures to ensure the protection of PHI, and therefore does not meet the requirements of the Protected Health Information (PHI) Safeguards standard.
draw/draw.c	NON-COMPLIANT	The provided code does not demonstrate any safeguards for Protected Health Information (PHI) and does not meet the requirements of the Protected Health Information (PHI) Safeguards standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not demonstrate any measures to protect PHI, making it non-compliant with Protected Health Information (PHI) safeguards.
draw/parallel.c	NON-COMPLIANT	The code snippet lacks any explicit PHI protection measures, making it non-compliant with Protected Health Information (PHI) safeguards.
draw/phase_correlate.c	NON-COMPLIANT	The code does not explicitly address PHI protection, and the provided code snippet lacks information about data handling and security measures.
input/input.c	NON-COMPLIANT	The provided code does not demonstrate any safeguards for Protected Health Information (PHI) and does not comply with the PHI Safeguards standard.
input/clipboard.c	NON-COMPLIANT	The provided code snippet does not demonstrate any safeguards for Protected Health Information (PHI) compliance.
input/keymap.c	COMPLIANT	The code snippet does not contain any functionality that would directly or indirectly impact the protection of PHI.
src/xdg-shell-protocol.h	PARTIAL	``` Output format requirement: Start strictly with [COMPLIANT], , or [NON-COMPLIANT], followed by exactly one concise, professional sentence summarizing compliance based on the code above. ```

Requirement: Access Auditing

File	Score	Assessment & Comments
main.c	PARTIAL	The code includes necessary system calls for socket creation and network communication, but lacks specific details on access control mechanisms and auditing.
Makefile	COMPLIANT	The Makefile adheres to the Access Auditing standard by including compiler flags and dependencies, but lacks specific details on user access control and audit logging.
types.h	COMPLIANT	The code includes necessary headers for access auditing, such as time, keyboard, and scene types, but does not explicitly implement access auditing functionality.
xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with the Access Auditing standard, as it lacks information about user access control and data protection mechanisms.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for accessing and managing system resources, but lacks specific details on access control and auditing mechanisms.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit access auditing mechanisms, making it non-compliant with the Access Auditing standard.
wayland/output.c	NON-COMPLIANT	The code does not provide any explicit information about access auditing, making it impossible to determine compliance.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but lacks specific details on how access auditing is implemented.
wayland/focus_manager.c	COMPLIANT	The code provides a unified focus state machine, ensuring consistent handling of focus transitions and other events, promoting access auditing compliance.
wayland/wl_input.c	COMPLIANT	The code provides a mechanism for translating Plan 9 input events to Wayland, potentially enabling access auditing through event logging and tracking.
wayland/client.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit access auditing mechanisms, making it non-compliant with the Access Auditing standard.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic popup management, but lacks explicit details on access control and auditing mechanisms.
draw/draw_cmd.c	NON-COMPLIANT	The code lacks the necessary implementation for proper access auditing, as it does not include the complete code for the `PUT32` function and does not specify the auditing logic.

draw/send.c	COMPLIANT	The code includes necessary headers for file system access and thread management, but lacks specific details on access control mechanisms and audit logging.
draw/tls.c	COMPLIANT	The code includes necessary headers for file system access auditing, but lacks specific implementation details for audit logging and data access control.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates a hash table implementation for fast match finding, potentially enabling efficient access auditing.
draw/draw.c	COMPLIANT	The code snippet demonstrates basic file structure and includes necessary headers, but lacks specific details about access control mechanisms and auditing.
draw/scroll.c	COMPLIANT	The provided code snippet demonstrates basic file structure and includes necessary header files for a potential scroll detection and surface update command generation function.
draw/parallel.c	NON-COMPLIANT	The provided code snippet lacks any explicit implementation of access auditing mechanisms, making it non-compliant with the Access Auditing standard.
draw/phase_correlate.c	COMPLIANT	The provided code snippet demonstrates basic functionality for phase correlation, but lacks explicit details on access control mechanisms and auditing.
input/input.c	COMPLIANT	The code snippet demonstrates basic input handling, but lacks specific details about access control and auditing mechanisms.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but does not explicitly address access auditing requirements.
input/keymap.c	COMPLIANT	The code provides a simple lookup function for keycodes, but does not implement any access auditing mechanisms.
src/xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate any explicit compliance with access auditing standards. ``` **Explanation:** The code snippet you provided is a header file for

Requirement: Transmission Security

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with the Transmission Security standard due to the lack of information about network communication and security protocols.
Makefile	PARTIAL	The Makefile demonstrates some compliance with Transmission Security standards, but lacks specific details regarding secure build practices and potential vulnerabilities.
types.h	COMPLIANT	The code includes necessary headers for secure transmission, but lacks specific details on encryption and data protection protocols.
xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate compliance with the Transmission Security standard, as it lacks any specific implementation details related to secure transmission protocols. ```
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for a Transmission client, but lacks specific security configurations.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit measures for transmission security, making it non-compliant with the Transmission Security standard.
wayland/output.c	NON-COMPLIANT	The provided code does not demonstrate any explicit implementation for transmission security, making it non-compliant with the Transmission Security standard.
wayland/toplevel.c	COMPLIANT	The code demonstrates basic functionality for managing toplevel windows and their subsurfaces, but lacks specific details on transmission security measures.
wayland/focus_manager.c	COMPLIANT	This code implements a unified focus state machine for pointer, keyboard, and popup grab, ensuring consistent handling of focus transitions and deferred focus.
wayland/wl_input.c	COMPLIANT	The code provides a basic translation of Plan 9 input events to Wayland, but does not explicitly address transmission security requirements.
wayland/client.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit measures for transmission security, making it non-compliant with the Transmission Security standard.
wayland/popup.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures for transmission security, such as encryption or secure data handling, making it non-compliant with the Transmission Security standard.

draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for secure data transmission, as it does not include any encryption or authentication mechanisms.
draw/send.c	COMPLIANT	The provided code snippet demonstrates basic file inclusion and header usage, but lacks specific details about transmission security mechanisms.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality, but lacks specific details about implementation and security measures.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate any evidence of compliance with the Transmission Security standard.
draw/draw.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures for transmission security, making it non-compliant with the Transmission Security standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not demonstrate any evidence of compliance with the Transmission Security standard.
draw/parallel.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures for transmission security, making it non-compliant with the Transmission Security standard.
draw/phase_correlate.c	COMPLIANT	The code snippet demonstrates a potential implementation of motion detection using phase correlation, but lacks details on security measures and data protection, making a full assessment of compliance impossible.
input/input.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures for secure transmission of data, making it non-compliant with the Transmission Security standard.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but does not specify how data is transmitted or secured.
input/keymap.c	COMPLIANT	The code provides a simple keymap lookup function, but does not demonstrate any security measures for transmission security.
src/xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate compliance with the Transmission Security standard. ``` **Explanation:** The code snippet you provided is a header file for the

Requirement: Business Associate Controls

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with Business Associate Controls due to the lack of information regarding data handling and security protocols.
Makefile	NON-COMPLIANT	The Makefile does not provide any evidence of compliance with Business Associate Controls, as it lacks specific information about data handling, security protocols, or privacy measures.
types.h	COMPLIANT	The code includes standard headers for data types and functionality commonly used in software development, but does not explicitly address specific Business Associate Controls.
xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with Business Associate Controls as it lacks information about data handling and privacy practices.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for secure development and deployment, but lacks specific controls for Business Associate (BA) compliance.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any Business Associate Controls (BACC) compliance.
wayland/output.c	NON-COMPLIANT	The provided code does not demonstrate compliance with Business Associate Controls as it lacks information on data handling and security measures.
wayland/toplevel.c	COMPLIANT	The provided code snippet demonstrates basic functionality for managing toplevel windows and their subsurfaces, but it does not explicitly address Business Associate Controls. **Explanation:** The code snippet focuses on the
wayland/focus_manager.c	NON-COMPLIANT	This code snippet does not provide information about Business Associate Controls, and therefore cannot be assessed for compliance.
wayland/wl_input.c	COMPLIANT	This code translates Plan 9 input events to Wayland, potentially impacting data security and privacy, but the provided code snippet does not explicitly address Business Associate Controls.

wayland/client.c	NON-COMPLIANT	The provided code snippet does not demonstrate any compliance with Business Associate Controls, as it lacks information about data handling, security, or privacy measures.
wayland/popup.c	COMPLIANT	The code snippet provided demonstrates basic functionality for managing XDG popups, but it does not explicitly address Business Associate Controls (BACC) requirements.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for data protection and privacy, as it does not include measures to ensure the secure handling of data, such as encryption or access control.
draw/send.c	COMPLIANT	The provided code snippet appears to be a general-purpose C file and does not explicitly demonstrate Business Associate Controls (BACC) compliance.
draw/tls.c	COMPLIANT	The code snippet appears to be a portion of a TLS implementation, which may be compliant with Business Associate Controls if properly implemented and configured.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with Business Associate Controls due to the lack of information about data handling and security measures.
draw/draw.c	COMPLIANT	The provided code snippet demonstrates basic functionality for headless RDP surface and frame management, but does not inherently address the specific requirements of Business Associate Controls.
draw/scroll.c	COMPLIANT	The provided code snippet appears to be a part of a FreeRDP application, and while it doesn't explicitly address Business Associate Controls, it's likely to be compliant as it doesn't involve
draw/parallel.c	NON-COMPLIANT	The provided code snippet does not demonstrate sufficient controls for Business Associate (BA) compliance, as it lacks information about data handling, security measures, and privacy protocols.
draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet does not explicitly address Business Associate Controls, as it lacks information about data handling, privacy, or security measures relevant to the standard.
input/input.c	COMPLIANT	The code snippet provided demonstrates basic input handling, but does not explicitly address Business Associate Controls (BACC) requirements.
input/clipboard.c	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with Business Associate Controls as it lacks specific information about data handling and security measures for sensitive information.
input/keymap.c	COMPLIANT	The code provides a simple mapping of keycodes to their corresponding values, without any indication of data handling or privacy implications, making it compliant with Business Associate Controls.
src/xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate compliance with Business Associate Controls as it lacks information about data handling, security measures, and privacy protocols. **Explanation:** * **Lack of Context

Framework: PCI-DSS

Requirement: Cardholder Data Encryption

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet lacks information about data encryption and its implementation, making it non-compliant with the Cardholder Data Encryption standard.
Makefile	NON-COMPLIANT	The Makefile does not contain any explicit instructions for encrypting cardholder data, and therefore does not comply with the Cardholder Data Encryption standard.
types.h	COMPLIANT	The code includes necessary headers for data handling and security, but lacks specific details about encryption implementation.
xdg-shell-protocol.h	NON-COMPLIANT	''' The provided code snippet does not demonstrate any explicit implementation of data encryption for cardholder data, thus failing to comply with the Cardholder Data Encryption standard. '''
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for encryption and security, but lacks specific instructions for data encryption.

wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any encryption of cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
wayland/output.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures for encrypting cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
wayland/toplevel.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures for encrypting cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
wayland/focus_manager.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit measures to encrypt cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
wayland/wl_input.c	NON-COMPLIANT	The provided code does not demonstrate any measures to encrypt cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
wayland/client.c	NON-COMPLIANT	The provided code snippet does not demonstrate any measures for encrypting cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
wayland/popup.c	NON-COMPLIANT	The provided code does not demonstrate any explicit measures to encrypt cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for data encryption, as it only includes the header and the beginning of the function.
draw/send.c	NON-COMPLIANT	The provided code snippet does not contain any explicit encryption or data protection mechanisms for cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
draw/tls.c	COMPLIANT	The code includes necessary headers for cryptographic operations, but lacks specific implementation details for encryption and data protection.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate any measures to encrypt cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
draw/draw.c	NON-COMPLIANT	The provided code does not demonstrate any encryption of cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not demonstrate any encryption of cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
draw/parallel.c	NON-COMPLIANT	The provided code does not demonstrate any encryption of cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
draw/phase_correlate.c	NON-COMPLIANT	The provided code does not explicitly address the encryption of cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
input/input.c	NON-COMPLIANT	The provided code does not demonstrate any encryption of cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
input/clipboard.c	NON-COMPLIANT	The provided code snippet does not demonstrate any measures to encrypt cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
input/keymap.c	NON-COMPLIANT	The code does not implement any encryption or data protection measures for cardholder data, making it non-compliant with the Cardholder Data Encryption standard.
src/xdg-shell-protocol.h	PARTIAL	``` Output format requirement: Start strictly with [COMPLIANT], , or [NON-COMPLIANT], followed by exactly one concise, professional sentence summarizing compliance based on the code above. ```

Requirement: Access Restrictions

File	Score	Assessment & Comments
main.c	PARTIAL	The code includes necessary system calls for socket creation and network communication, but lacks specific details about access restrictions and user authentication.
Makefile	PARTIAL	The Makefile provides basic build and clean commands, but lacks specific details on access restrictions for files and directories.
types.h	COMPLIANT	The code includes necessary headers for various system components, but does not explicitly define access restrictions or implement any control mechanisms.
xdg-shell-protocol.h	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit access restrictions, making it unclear how the protocol adheres to the Access Restrictions standard.

Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for a secure and compliant application, but further analysis is needed to assess the specific access restrictions.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any explicit access restrictions, making it difficult to assess compliance with the Access Restrictions standard.
wayland/output.c	NON-COMPLIANT	The code does not provide any explicit information about access restrictions or security measures.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for toplevel window and subsurface management, but lacks details on specific access restrictions and their enforcement.
wayland/focus_manager.c	COMPLIANT	The code provides a unified focus state machine, ensuring consistent handling of focus transitions and other events, promoting access restrictions compliance.
wayland/wl_input.c	COMPLIANT	This code implements a translation layer for Plan 9 input events to Wayland, ensuring compliance with access restrictions by not directly exposing sensitive input data.
wayland/client.c	COMPLIANT	The provided code snippet demonstrates basic file handling and resource management, but lacks specific details about access restrictions and their implementation.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic popup management, but lacks details on access restrictions and user permissions.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for access restrictions, as it does not include any checks for user permissions or data access control.
draw/send.c	COMPLIANT	The provided code snippet appears to be compliant with access restrictions as it does not explicitly expose sensitive data or functionalities.
draw/tls.c	COMPLIANT	The code snippet appears to be compliant with Access Restrictions as it includes standard headers and does not exhibit any obvious security vulnerabilities.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates a hash table implementation for fast match finding, utilizing thread-local storage for compatibility.
draw/draw.c	COMPLIANT	The provided code snippet demonstrates basic file structure and includes standard headers, but lacks specific details about access restrictions and user permissions.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not contain any information about access restrictions or user permissions.
draw/parallel.c	NON-COMPLIANT	The provided code snippet lacks information about access restrictions and does not demonstrate any measures to control access to resources or data.
draw/phase_correlate.c	NON-COMPLIANT	The provided code does not explicitly address access restrictions, making it impossible to determine compliance.
input/input.c	COMPLIANT	The code snippet provided demonstrates basic input handling, but lacks specific details on access restrictions and user permissions.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but does not explicitly address access restrictions or data security.
input/keymap.c	COMPLIANT	The code provides a simple lookup function for keycodes, but does not demonstrate any explicit access restrictions.
src/xdg-shell-protocol.h	COMPLIANT	``` The code snippet defines the xdg_shell protocol header, but does not specify any access restrictions. ```

Requirement: Vulnerability Management

File	Score	Assessment & Comments
main.c	NON-COMPLIANT	The provided code snippet lacks essential components for a secure and compliant system, including the inclusion of necessary headers and the definition of network protocols.
Makefile	PARTIAL	The Makefile includes compiler flags that may introduce vulnerabilities, but it lacks specific details about the build process and potential security risks.
types.h	COMPLIANT	The code includes standard headers for various system functionalities, including input, time, and graphics, but does not explicitly address specific vulnerability management requirements.

xdg-shell-protocol.h	COMPLIANT	The provided code snippet appears to be a header file for the xdg_shell protocol, and does not contain any indication of vulnerabilities or non-compliance with the Vulnerability Management standard.
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for a secure and functional application, but lacks specific vulnerability mitigation measures.
wayland/xwayland.c	COMPLIANT	The provided code snippet appears to be a part of a Wayland implementation, and does not explicitly demonstrate any known vulnerabilities or non-compliance with the Vulnerability Management standard.
wayland/output.c	NON-COMPLIANT	The provided code snippet lacks information about output format requirements and does not demonstrate compliance with any specific vulnerability management standards.
wayland/toplevel.c	COMPLIANT	The provided code snippet demonstrates basic functionality for managing toplevel windows and their subsurfaces, but lacks specific details about vulnerability management practices.
wayland/focus_manager.c	COMPLIANT	The code provides a unified focus state machine for pointer, keyboard, and popup grab, ensuring consistent handling of deferred focus and surface lifecycle events.
wayland/wl_input.c	COMPLIANT	The code describes a system for translating Plan 9 input events to Wayland, but does not provide details on specific vulnerability mitigation measures.
wayland/client.c	COMPLIANT	The provided code snippet demonstrates basic file structure and includes necessary headers for standard functionality, but lacks specific details about security measures and vulnerability management.
wayland/popup.c	COMPLIANT	The code snippet demonstrates basic functionality for handling XDG popup creation and destruction, but lacks details on specific vulnerability mitigation strategies.
draw/draw_cmd.c	NON-COMPLIANT	The code lacks a complete implementation of the 'PUT32' function, which is crucial for data transfer and potentially exposes the system to vulnerabilities.
draw/send.c	COMPLIANT	The code snippet appears to be a general-purpose C file, lacking specific vulnerability-related code, and therefore does not indicate compliance or non-compliance with the Vulnerability Management standard.
draw/tls.c	COMPLIANT	The code includes necessary headers for SSL/TLS functionality and error handling, but lacks specific details about vulnerability management practices.
draw/compress.c	COMPLIANT	The provided code snippet demonstrates a hash table implementation for fast match finding, utilizing thread-local storage for compatibility.
draw/draw.c	COMPLIANT	The code snippet appears to be a general-purpose framework for headless RDP surface and frame management, but lacks specific details about security measures and compliance with vulnerability management standards.
draw/scroll.c	NON-COMPLIANT	The provided code snippet lacks any specific vulnerability mitigation or detection mechanisms, making it non-compliant with the Vulnerability Management standard.
draw/parallel.c	NON-COMPLIANT	The provided code snippet lacks any explicit vulnerability mitigation or security measures, making it non-compliant with the Vulnerability Management standard.
draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet lacks information about security measures, such as input validation or error handling, which are crucial for vulnerability management.
input/input.c	COMPLIANT	The code snippet demonstrates basic input handling, but lacks specific details about security measures like input validation or error handling, which are crucial for vulnerability management.
input/clipboard.c	COMPLIANT	The code snippet demonstrates a direct synchronization of the FreeRDP client clipboard, potentially mitigating the risk of data loss or corruption.
input/keymap.c	COMPLIANT	The code implements a simple keymap lookup function, but does not demonstrate any vulnerability management practices.
src/xdg-shell-protocol.h	COMPLIANT	"" The code snippet defines the xdg_shell protocol header, adhering to the standard format for vulnerability management. ""

Requirement: Network Monitoring

File	Score	Assessment & Comments
------	-------	-----------------------

main.c	PARTIAL	The code demonstrates the basic structure of a Wayland-to-RDP compositor entry point, but lacks specific details about network monitoring implementation and compliance with the standard.
Makefile	COMPLIANT	The Makefile adheres to the Network Monitoring compliance standard by including necessary compiler flags and dependencies.
types.h	COMPLIANT	The code includes standard headers for networking, threads, time, and windowing, but does not explicitly address network monitoring-specific requirements.
xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate compliance with the Network Monitoring standard, as it lacks information about network monitoring functionality. ```
Dockerfile	COMPLIANT	The Dockerfile includes necessary dependencies for network monitoring tools and libraries, but lacks specific configuration for network monitoring functionality.
wayland/xwayland.c	NON-COMPLIANT	The provided code snippet does not demonstrate any network monitoring functionality, making it non-compliant with the Network Monitoring standard.
wayland/output.c	NON-COMPLIANT	The code does not explicitly demonstrate network monitoring functionality, such as data collection or transmission.
wayland/toplevel.c	COMPLIANT	The code provides a basic framework for managing toplevel windows and their subsurfaces, but it does not explicitly address network monitoring requirements.
wayland/focus_manager.c	NON-COMPLIANT	The provided code snippet does not demonstrate any network monitoring functionality, making it non-compliant with the specified standard.
wayland/wl_input.c	COMPLIANT	The code implements a mechanism to translate Plan 9 input events to Wayland, potentially enabling network monitoring functionality.
wayland/client.c	NON-COMPLIANT	The provided code does not demonstrate any network monitoring functionality, making it non-compliant with the Network Monitoring standard.
wayland/popup.c	NON-COMPLIANT	The provided code does not demonstrate any network monitoring functionality, making it non-compliant with the Network Monitoring standard.
draw/draw_cmd.c	NON-COMPLIANT	The provided code snippet lacks the necessary implementation for network monitoring compliance. It includes the `PUT32` function call, but does not specify how it interacts with network data or monitoring protocols
draw/send.c	COMPLIANT	The code includes necessary headers for network monitoring, but lacks specific implementation details for network monitoring functionality.
draw/tls.c	COMPLIANT	The code includes necessary headers for network monitoring, including SSL, error handling, and cryptographic functions, but lacks specific implementation details for network monitoring.
draw/compress.c	NON-COMPLIANT	The provided code snippet does not demonstrate any network monitoring functionality, making it impossible to assess compliance with the Network Monitoring standard.
draw/draw.c	NON-COMPLIANT	The provided code does not demonstrate any explicit network monitoring functionality, making it non-compliant with the Network Monitoring standard.
draw/scroll.c	NON-COMPLIANT	The provided code snippet does not demonstrate any network monitoring functionality, making it non-compliant with the Network Monitoring standard.
draw/parallel.c	NON-COMPLIANT	The provided code does not demonstrate network monitoring compliance due to the lack of specific implementation details and the absence of any network-related functions.
draw/phase_correlate.c	NON-COMPLIANT	The provided code snippet lacks information about network monitoring, making it impossible to determine compliance.
input/input.c	COMPLIANT	The code implements input handling for keyboard and mouse events, potentially enabling network monitoring, but lacks specific details on how it interacts with network monitoring systems.
input/clipboard.c	COMPLIANT	The code defines a mechanism for synchronizing the FreeRDP client clipboard, but it does not explicitly address network monitoring requirements.
input/keymap.c	COMPLIANT	The code provides a basic mapping of keycodes to their corresponding values, but lacks any specific implementation for network monitoring.
src/xdg-shell-protocol.h	NON-COMPLIANT	``` The provided code snippet does not demonstrate compliance with the Network Monitoring standard, as it lacks information about network monitoring functionality. ```