TB2-4G (Optional 4G)

Multimedia Player

Specifications

Features

Output

- Loading capacity up to 650,000 pixels
  - Maximum width: 1920 pixels
  - Maximum height: 1080 pixels
- 1x Gigabit Ethernet port
- 1x Stereo audio output

Input

- 1x HDMI 1.3

  In asynchronous mode, this connector works as the video source which allows content to auto fit to screen

Control

- 1x USB 2.0, allowing for USB playback and storage expansion
- 1x USB Type B

  Connecting this port to a PC allows users to configure screens, publish solutions, etc. with supporting software.

Appearance

Front Panel

Rear Panel



Specifications

Electrical Parameters	Input voltage	DC 5 V~12V
	Maximum power consumption	18 W
	Recommended supply power	25 W

Storage Capacity	RAM	1 GB
	Internal storage	32 GB
Operating Environment	Temperature	–20ºC to +60ºC
	Humidity	0% RH to 80% RH, non-condensing
Storage Environment	Temperature	–40°C to +80°C
	Humidity	0% RH to 80% RH, non-condensing
Physical Specifications	Dimensions (L×W×H)	196.0 mm × 115.5 mm × 34.0 mm
	Net weight	304.5 g
	Gross weight	622.0 g
Packing Information	Dimensions (L×W×H)	335 mm × 190 mm × 62 mm
	Accessories	• 1x Wi-Fi omnidirectional antenna • 1x Power adapter • 1x Quick Start Guide • 1x Certificate of Approval
IP Rating	IP20 Please prevent the product from water intrusion and do not wet or wash the product.	
System Software	• Android operating system software • Android terminal application software • FPGA program Note: Third-party applications are not supported.	