XOMO

hs			
Treatment	Median	IQR	
F=0.50, B=1.00	0.53	0.01	•
F=0.50, B=0.75	0.53	0.01	•
F=0.50, B=0.25	0.53	0.01	•
F=0.75, B=1.00	0.53	0.01	•
F=0.75, B=0.25	0.53	0.01	•
F=0.75, B=0.75	0.53	0.01	•
F=0.75, B=0.50	0.53	0.01	•
F=0.50, B=0.50	0.54	0.01	•
F=0.25, B=1.00	0.54	0.01	•
F=0.25, B=0.75	0.61	0.19	-
			•
			•
Baseline	1.03	0.01	
	Madian	IOD	
		-	•
			•
			•
			•
			•
			•
			•
			•
			-
	0.75		<u> </u>
Base	0.87	0.02	•
F=0.25, B=0.75	0.93	0.07	•
F=0.25, B=0.50	0.94	0.13	_
te			
Treatment	Median	IOR	
F=0.25, B=1.00	0.32	-	•
	0.32		
			•
			•
		0.02	•
F=0.50, B=1.00	0.35	0.02	•
F=0.75, B=0.50	0.37	0.01	•
	0.37	()()	•
F=0.75, B=0.75	0.37	0.01	•
F=0.75, B=0.75 F=0.75, B=0.25	0.37	0.02	•
F=0.75, B=0.75 F=0.75, B=0.25 F=0.75, B=1.00	0.37 0.38	0.02 0.04	•
F=0.75, B=0.75 F=0.75, B=0.25 F=0.75, B=1.00 F=0.25, B=0.50	0.37 0.38 0.42	0.02 0.04 0.07	-
F=0.75, B=0.75 F=0.75, B=0.25 F=0.75, B=1.00 F=0.25, B=0.50 F=0.25, B=0.25	0.37 0.38 0.42 0.68	0.02 0.04 0.07 0.12	-
F=0.75, B=0.75 F=0.75, B=0.25 F=0.75, B=1.00 F=0.25, B=0.50 F=0.25, B=0.25 Base	0.37 0.38 0.42 0.68 1.18	0.02 0.04 0.07 0.12 0.04	-
F=0.75, B=0.75 F=0.75, B=0.25 F=0.75, B=1.00 F=0.25, B=0.50 F=0.25, B=0.25	0.37 0.38 0.42 0.68	0.02 0.04 0.07 0.12	-
	F=0.50, B=1.00 F=0.50, B=0.25 F=0.75, B=1.00 F=0.75, B=0.25 F=0.75, B=0.25 F=0.75, B=0.50 F=0.25, B=0.75 F=0.25, B=0.75 F=0.25, B=0.75 F=0.25, B=0.25 F=0.75, B=0.25 F=0.75, B=0.25 F=0.75, B=0.25 F=0.50, B=0.50 F=0.50, B=0.50 F=0.50, B=0.50 F=0.25, B=0.25 Base F=0.25, B=0.25 F=0.25, B=0.50 F=0.50, B=0.50 F=0.50, B=0.55 F=0.50, B=0.55 F=0.50, B=0.55	F=0.50, B=1.00	F=0.50, B=1.00