


Related Articles

Proof that Clique Decision problem is NP-Complete

Difficulty Level: Expert • Last Updated: 13 Jun, 2020

Prerequisite: NP-Completeness

A clique is a subgraph of a graph such that all the vertices in this subgraph are connected with each other that is the subgraph is a complete graph. The Maximal Clique Problem is to find the maximum sized clique of a given graph G, that is a complete graph which is a subgraph of G and contains the maximum number of vertices. This is an optimization problem. Correspondingly, the Clique Decision Problem is to find if a clique of size k exists in the given graph or not.



To prove that a problem is NP-Complete, we have to show that it belongs to both NP and NP-Hard Classes. (Since NP-Complete problems are NP-Hard problems which also belong to NP)

to verify in polynomial time if it is a solution to the problem.

Proof:


- 1. <u>Certificate</u> Let the certificate be a set S consisting of nodes in the clique and S is a subgraph of G.
- 2. <u>Verification</u> We have to check if there exists a clique of size k in the graph. Hence, verifying if number of nodes in S equals k, takes O(1) time. Verifying whether each vertex has an out-degree of (k-1) takes $O(k^2)$ time. (Since in a complete graph, each vertex is connected to every other vertex through an edge. Hence the total number of edges in a complete graph = ${}^kC_2 = k^*(k-1)/2$). Therefore, to check if the graph formed by the k nodes in S is complete or not, it takes $O(k^2) = O(n^2)$ time (since k<=n, where n is number of vertices in G).

Therefore, the Clique Decision Problem has polynomial time verifiability and hence belongs to the NP Class.

The Clique Decision Problem belongs to NP-Hard – A problem L belongs to NP-Hard if every NP problem is reducible to L in polynomial time. Now, let the Clique Decision Problem by C. To prove that C is NP-Hard, we take an already known NP-Hard problem, say S, and reduce it to C for a particular instance. If this reduction can be done in polynomial time, then C is also an NP-Hard problem. The Boolean Satisfiability Problem (S) is an NP-Complete problem as proved by the Cook's theorem. Therefore, every problem in NP can be reduced to S in polynomial time. Thus, if S is reducible to C in polynomial time, every NP problem can be reduced to C in polynomial time, thereby proving C to be NP-Hard.

Proof that the Boolean Satisfiability problem reduces to the Clique Decision Problem Let the boolean expression be – $F = (x_1 \vee x_2) \wedge (x_1' \vee x_2') \wedge (x_1 \vee x_3)$ where x_1, x_2, x_3 are the variables, '^' denotes logical 'and', 'v' denotes logical 'or' and x' denotes the complement of x. Let the expression within each parentheses be a clause. Hence we have three clauses – C_1 , C_2 and C_3 . Consider the vertices as – $<x_1$, 1>; $<x_2$, 1>; $<x_1'$, 2>; $<x_2'$, 2>; $<x_1$, 3>; $<x_3$, 3> where the second term in each vertex denotes the clause number they belong to. We

2. No variable is connected to its complement.



Thus, the graph G (V, E) is constructed such that $-V = \{ < a, i > | a \text{ belongs to } C_i \}$ and $E = \{ (< a, i > , < b, j >) | i is not equal to j; b is not equal to a' } Consider the subgraph of G with the vertices <math>< x_2, 1 > ; < x_1', 2 > ; < x_3, 3 >$. It forms a clique of size 3 (Depicted by dotted line in above figure). Corresponding to this, for the assignment $- < x_1, x_2, x_3 > = < 0, 1, 1 > F$ evaluates to true. Therefore, if we have k clauses in our satisfiability expression, we get a max clique of size k and for the corresponding assignment of values, the satisfiability expression evaluates to true. Hence, for a particular instance, the satisfiability problem is reduced to the clique decision problem.

Therefore, the Clique Decision Problem is NP-Hard.

Conclusion

The Clique Decision Problem is NP and NP-Hard. Therefore, the Clique decision problem is NP-Complete.

Attention reader! Don't stop learning now. Get hold of all the important DSA concepts with the **DSA Self Paced Course** at a student-friendly price and become industry ready. To complete your preparation from learning a language to DS Algo and many more, please refer **Complete Interview Preparation Course**.

In case you wish to attend live classes with industry experts, please refer <u>Geeks Classes</u>
Live and Geeks Classes Live USA

Previous

RECOMMENDED ARTICLES

01	Proof that Clique Decision problem is NP-Complete Set 2 30, Jun 20	05	Proof that Subgraph Isomorphism problem is NP-Complete 12, Jun 20
02	Two Clique Problem (Check if Graph can be divided in two Cliques) 19, Dec 16	06	Proof that Collinearity Problem is NP Complete 14, 0ct 20
03	Maximal Clique Problem Recursive Solution 07, Feb 20	07	Proof that Hamiltonian Path is NP- Complete 04, Jun 18
NΔ	Proof that traveling salesman	NΑ	Proof that vertex cover is NP

complete

03, Aug 18

Article Contributed By:

03, Jun 20

problem is NP Hard



Page: 1 2 3

Vote for difficulty

Current difficulty: Expert

Easy

Normal

Medium

Hard

Expert

Article Tags:

Algorithms-NP Complete, NP Complete, NPHard, Algorithms, Graph

Practice Tags:

Graph, Algorithms

Improve Article

Report Issue

Writing code in comment? Please use ide.geeksforgeeks.org, generate link and share the link here.

Load Comments



5th Floor, A-118, Sector-136, Noida, Uttar Pradesh - 201305

feedback@geeksforgeeks.org

Company

Learn

About Us

Algorithms

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our <u>Cookie Policy</u> & <u>Privacy</u> <u>Policy</u>

Got It!

Copyright Policy

Video Tutorials

Practice

Contribute

Courses

Write an Article

Company-wise

Write Interview Experience

Topic-wise

Internships

How to begin?

Videos

@geeksforgeeks , Some rights reserved