		2	20-20 los 2000	
	14		Spec Spec	D d.
Type	110	ems	Dimensity6020, 7nm	Remark
1400	TYPE		Octa-core	
Platform	Number of core		up to 2.2GHz	
	Frequicy		6+128	UMOD / USO / DODG! V
				UMCP (UFS+LPDDR4X)
	Memory		Yes	
	FM		Yes	GPS+Beidou+Glonass+Galileo
	GPS		Yes	BT5 2
	Bluetooth		Yes	2.4GHZ+5GHZ 802.11ac/a/b/g/n
	WIFI		6.78" FHD+	
	Size		Punch Hole screen	
	Form		Pundition	
	FOITI		LCD	
	Material type		1080*2460	
	Resolution		120Hz	
Display	Refresh rate		incell	
	TP		580nits (typ.)	
	Brightness		96% (typ)	
	NTSC		B2/3/5/8	
	100			
	2G 3G		10/2/4/5/7/8/12/13/11/20/20/20/30/40/41/42/00/71	
Band	4G		n1/2/3/5/7/25/26/28/38/40/41/66/71/77/78	
	5G		nano+nano+TF	
	SIM			
	Hot plug-in		Yes	
SIM card	Number of slot		3	
SINI Caru	Insert mode		side	
	eSIM		NA .	
	631141	Pixel	8MP	
		Focus	FF	
			F2.0	
	Front Camera	Aperature		
		Viewing Angle	80.2°	
		Lens	4P	
		Sensor TYPE	8M, GC08A3	
		Flash light	NA *	
		Pixel	50MP	
		Focus	AF	
		Aperature	F1.8	
	Main Rear camera		74.2°	
Camera		Viewing Angle	5P	
		Lens		
		Sensor TYPE	50M, JN1	
	2nd Rear camera	Pixel	2M	
		Focus	FF	
	Ziiu Reai Caillela	Aperature	F2.4	
		Lens	3P	
		Pixel	VGA	
	Third Door comore	Focus	FF	
	Third Rear camera	Aperature	F2 8	
		Lens	1P	
	Flash light		single	
	AUDIO PA		Yes	
	Speaker	type	1216 Half Box	
Audio	Number Speaker	-	1	
Audio	Receiver	type	1007	
	MIC	support single &	dual mic	
	Light Sensor		Yes	
	proximity sensor		Yes	
	gravity sensor		Yes	
Concor	gravity sensor gyroscope		NO	
Sensor	gyroscope geomagnetic sensor		Yes	
	geomagnetic sensor		Yes	
	coulometer		side-mounted	
	Fingerprint		5000mAh	
	Battery		Polymer Li-lon	
Charging	Battery Type Assembly form		unremoveable battery	
	Assembly form			
nai ying	Connection TYPE		Type C	
	Charger		18W	
	USB Cable			

			Spec	
	Ite	ms	Dimensity6020, 7nm	Remark
Type	100		Dimensityood	13011011
	TYPE			
	Number of core		up to 2.2GHz	
	Frequncy		6+128	UMCP (UFS+LPDDR4X)
	Memory		Yes	
Platform	FM		Yes	GPS+Beidou+Glonass+Galileo
	GPS		Yes	BT5.2
	Bluetooth		Yes	2.4GHZ+5GHZ 802.11ac/a/b/g/n
	WIFI		-au 5HD+	
			Punch Hole screen	
	Size		Punch Hole	
	Form		LCD	
	Material type		1080*2460	
-1 1-1	Resolution		120Hz	
Display	Refresh rate		incell	
	TP		580nits (typ.)	
	Brightness		96% (typ.)	
	NTSC		B2/3/5/8	
	2G 3G 4G		B1/2/3/4/5/8 B1/2/3/4/5/7/8/12/13/17/25/26/28/38/40/41/42/66/71	
Decid	3G		B1/2/3/4/5/7/8/12/13/11/2/3/26/26/38/40/41/66/71/77/78	
Band	4G		n1/2/3/5/7/23/20/20/30/40/47/00/77/77/0	
	50		nano+nano+TF	
	SIM Hot plug-in		Yes	
	Number of slot		3	
	Insert mode		side	
	eSIM		NA	
	EOHVI	Pixel	8MP	
		Focus	FF	
	Front Camera	Aperature	F2.0	
-		Viewing Angle	80.2°	
		Lens	4P	
200		Sensor TYPE	8M, GC08A3	
			NA *	
		Flash light	50MP	
		Pixel	AF	
		Focus	F1.8	
1	Main Rear camera	Aperature	74.2°	
Camera	mani ricar daniera	Viewing Angle	5P	
		Lens	50M, JN1	
		Sensor TYPE	2M	
		Pixel	FF	
	2nd Rear camera	Focus Aperature	F2.4	
		Lens	3P	
		Pixel	VGA	
		Focus	FF / A A A A A A A A A A A A A A A A A A	
	Third Rear camera	Aperature	F2.8	
		Lens	1P	
	Flash light		single	
	AUDIO PA		Yes	
	Speaker	type	1216 Half Box	
Audio	Number Speaker	-	1	
	Receiver	type	1007	
	MIC	support single &	dual mic	
	Light Sensor		Yes	
	proximity sensor		Yes	
	gravity sensor		Yes	
Sensor	gyroscope		NO Yes	
	geomagnetic sensor		Yes	
	coulometer		yes side-mounted	
	Fingerprint		5000mAh	
	Battery		Polymer Li-ion	
	Dattery Type		unremoveable battery	
Charging	Assembly form		Type C	
	Connection TYPE		18W	
	Charger		1m	
	USB Cable			

				-	Spec Spec	
			Items		Dimensity6020, 7nm	Remark
-	Туре		Rems		Octa-core	T.O.T.
-	. , , ,	TYPE Number o	f core		up to 2 2GHz	
		Number	10010		6+128	UMCP (UFS+LPDDR4X)
		Frequncy			Yes	
- 1	Platform	Platform FM			Yes	GPS+Beidou+Glonass+Galileo
	GPS			Yes	BT5.2	
		Bluetooth			Yes	2.4GHZ+5GHZ 802.11ac/a/b/g/n
	WIFI				6.78" FHD+	
	Size				6.78" FHU+ Punch Hole screen	
					II CD	
	Material typ Resolution	e		1080*2460		
				120Hz		
	Display	Refresh rate			incell 580nits (typ.)	
		TP			10C0/4 (TVD.)	
	Brightness			1-20/6/8		
	1	VTSC			TB1/2/4/5/8	
	12	G			B1/2/3/4/5/7/8/12/13/14/25/26/28/38/40/41/66/71/77/78	
/ E	Band 40	3			n1/2/3/5/7/25/26/26/30/40/47/36/7	
/	5G				nano+nano+TF	
1	SIN	-lug in			Yes	
/	Annual Contract of the Contrac	plug-in ber of slot			3	
SIMC	card Num	t mode			ide	
	eSIM	111000		-	IA	
	eSIM		Pixel	-	MP	
	/		Focus		F	
	/		Aperature		2.0	
	Front (	Camera	Viewing Ang	_	0.2°	
	1.10111		Lens	4	0.00013	
			Sensor TYPE		A, GC08A3	
			Flash light	N		
			Pixel		MP	
	A. Carrier		Focus	A		
			Aperature	F		
	Main Rear camera		Viewing Angle	74	2°	
amera			Lens	15F		
			Sensor TYPE		A, JN1	
			Pixel	2N		
			Focus	FF		
	2nd Rea	rcamera	Aperature	F2.		
	1 1 1 1 1 1 1 1		Lens	3P		
			Pixel	VG		
			Focus	FF		
	Third Re	ar camera	71001010	F2.6		
	260		Lens	-		
	Flash light			sing		
	AUDIO PA			Yes	Half Box	
	Speaker		type	11218	I Idii Dov	
dio	Number St	eaker	-	1007		
	Receiver		type		mic	
1	MIC		support single &	dual	THE	
	Light Senso			Yes		
10	proximity sensor		Yes			
P	ravity sensor		Yes			
	pravity sensor pyroscope		NO			
or o	yroscope ecmagnetic sensor		Yes			
a de	ulometer			Yes		
00	coulometer		side-m	ounted		
FI	ingerprint		5000m	Ah		
199	ttery Type			Polyme	Li-ion	
	TIEN I VDE			unremo	veable battery	
	ssembly form					
Ass	sembly for	VDE		Type C		
ig Cor	nnection T arger Cable	YPE		Type C 18W		