



# Jobs

Generated by Talend Cloud Data Fabric

Project Name	DemoTalend	GENERATION DATE	Feb 1, 2024, 2:55:42 PM
AUTHOR	Lakshmanan, Lux	Talend Cloud VERSION	8.0.1.20240118_0425-patch

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)


## Project Description

Properties	Values
Name	DemoTalend
Language	java
Description	

## Description

Properties	Values
Name	FilesToDB
Author	Lakshmanan, Lux
Version	0.1
Purpose	
Status	
Description	
Creation	Jan 26, 2024, 1:09:39 PM
Modification	Jan 31, 2024, 5:04:54 PM

## Preview Picture



# Settings

## Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

## Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true

---

Catch user warnings	true
---------------------	------

## Context List

### ContextDefault

Name	Prompt	Need Prompt?	Type	Value
SMTPMAIL	SMTPMAIL?	false	id_String	"smtparth
SQLSERVER1_Database	SQLSERVER1_Database?	false	id_String	demodata
SQLSERVER1_Port	SQLSERVER1_Port?	false	id_String	1433
SQLSERVER1_Login	SQLSERVER1_Login?	false	id_String	sa
SQLSERVER1_Password	SQLSERVER1_Password?	false	id_Password	*****
SQLSERVER1_Schema	SQLSERVER1_Schema?	false	id_String	dbo
SQLSERVER1_Server	SQLSERVER1_Server?	false	id_String	10.10.10.
SQLSERVER1_AdditionalParams	SQLSERVER1_AdditionalParams?	false	id_String	
SMTPHOSTNAME	SMTPHOSTNAME?	false	id_String	"smtp-ma
RECIPIENTMAIL	RECIPIENTMAIL?	false	id_String	"rahmana
SMTPPASSWORD	SMTPPASSWORD?	false	id_Password	*****
MariaDB_Server	MariaDB_Server?	false	id_String	10.10.10.

MariaDB_Login	MariaDB_Login?	false	id_String	Dip
MariaDB_Port	MariaDB_Port?	false	id_String	3306
MariaDB_Password	MariaDB_Password?	false	id_Password	*****
MariaDB_AdditionalParams	MariaDB_AdditionalParams?	false	id_String	noDatetin
MariaDB_Database	MariaDB_Database?	false	id_String	demostag
TransacFile	TransacFile?	false	id_String	C:/Users/
CategoryFile	CategoryFile?	false	id_String	C:/Users/
TransacTable	TransacTable?	false	id_String	Transac
DeffectTable	DeffectTable?	false	id_String	DeffectCa

## ContextDEV

Name	Prompt	Need Prompt?	Type	Value
SMTPMAIL	SMTPMAIL?	false	id_String	"smtparth
SQLSERVER1_Database	SQLSERVER1_Database?	false	id_String	demodata
SQLSERVER1_Port	SQLSERVER1_Port?	false	id_String	1433
SQLSERVER1_Login	SQLSERVER1_Login?	false	id_String	sa
SQLSERVER1_Password	SQLSERVER1_Password?	false	id_Password	*****

SQLSERVER1_Schema	SQLSERVER1_Schema?	false	id_String	dbo
SQLSERVER1_Server	SQLSERVER1_Server?	false	id_String	10.10.10.
SQLSERVER1_AdditionalParams	SQLSERVER1_AdditionalParams?	false	id_String	
SMTPHOSTNAME	SMTPHOSTNAME?	false	id_String	"smtp-ma
RECIPIENTMAIL	RECIPIENTMAIL?	false	id_String	"rahmana
SMTPPASSWORD	SMTPPASSWORD?	false	id_Password	*****
MariaDB_Server	MariaDB_Server?	false	id_String	10.10.10.
MariaDB_Login	MariaDB_Login?	false	id_String	Dip
MariaDB_Port	MariaDB_Port?	false	id_String	3306
MariaDB_Password	MariaDB_Password?	false	id_Password	*****
MariaDB_AdditionalParams	MariaDB_AdditionalParams?	false	id_String	noDatetin
MariaDB_Database	MariaDB_Database?	false	id_String	demostag
TransacFile	TransacFile?	false	id_String	
CategoryFile	CategoryFile?	false	id_String	
TransacTable	TransacTable?	false	id_String	
DeffectTable	DeffectTable?	false	id_String	

## Component List


Component Name	Component Type
tDBConnection_1	tMSSqlConnection
tDBConnection_2	tMysqlConnection
tDBOutput_1	tMysqlOutput
tDBOutput_2	tMysqlOutput
tDBOutput_3	tMSSqlOutput
tDBOutput_5	tMysqlOutput
tDBOutput_6	tMysqlOutput
tDie_1	tDie
tDie_2	tDie
tDie_3	tDie
tFileInputExcel_2	tFileInputExcel
tFileInputExcel_3	tFileInputExcel
tJava_1	tJava
tJava_2	tJava
tJava_3	tJava



tLogCatcher_1	tLogCatcher
tPrejob_1	tPrejob
tSetGlobalVar_1	tSetGlobalVar
tSetGlobalVar_2	tSetGlobalVar
tStatCatcher_1	tStatCatcher

## Components Description

### Component tMSSqlConnection

	UNIQUE NAME	tDBConnection_1	INPUT(S)	tSetGlobalVar_1
	LABEL	SQLSERVER	OUTPUT(S)	none


### Component Parameters:

Properties	Values
Database	tMSSqlConnection
Unique Name	tDBConnection_1
Component Name	tMSSqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server ELT/Connections
Start	false
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MSSQL):SQLSERVER
JDBC Provider	JTDS
Host	context.SQLSERVER1_Server
Database Driver	MSSQL
Port	context.SQLSERVER1_Port
Schema	context.SQLSERVER1_Schema
Database	context.SQLSERVER1_Database
Username	context.SQLSERVER1_Login
Password	context.SQLSERVER1_Password

Encoding	"ISO-8859-15"
Additional JDBC Parameters	context.SQLSERVER1_AdditionalParams
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Authenticate using Azure Active Directory	false
Auto Commit	false
Share identity insert in multi table	false
Label format	SQLSERVER
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:  
Component   tMysqlConnection

	UNIQUE NAME	tDBConnection_2	INPUT(S)	tPrejob_1
	LABEL	MariaDB	OUTPUT(S)	tDie_1 , tJava_1, tSetGlobalVar_1


## Component Parameters:

Properties	Values
Database	tMysqlConnection
Unique Name	tDBConnection_2
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Host	context.MariaDB_Server
Database Driver	MYSQL
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Username	context.MariaDB_Login
Password	context.MariaDB_Password
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Auto Commit	false
Label format	MariaDB
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

## Original Function Parameters:

### Component tMysqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tFileInputExcel_3
	LABEL	MariaDB	OUTPUT(S)	tDBOutput_3

## Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tDBOutput_1
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Username	context.MariaDB_Login
Password	context.MariaDB_Password
Table	context.TransacTable
Action on table	DROP_IF_EXISTS_AND_CREATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	True
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""

Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false



Field options	<pre>[{SCHEMA_COLUMN=Affiliate, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DATE_MONTH, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Carline, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Family, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Assembly_Number, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Defect_Description, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=QTY, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Defect_Discovery_Area, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=_M_Change, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Shift_Opt, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=shift, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Defect_Location, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=conveyor_type, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Spesification, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Actual, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Task_Process, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Time, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Rework_Time, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Rework_time_fix_min, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]</pre>
Use Hint Options	false
Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false
Label format	MariaDB
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false


Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for metadata :**

Column	Key	Type	Length	Precision	Nullable	Comment
Affiliate	false	String	200		true	
DATE_MONTH	false	String	200		true	
Date	false	String	200		true	
Carline	false	String	200		true	
Family	false	String	200		true	
Assembly_Number	false	String	200		true	
Defect_Description	false	String	200		true	
QTY	false	Integer	200		true	
Defect_Discovery_Area	false	String	200		true	
_M_Change	false	String	200		true	
Shift_Opt	false	Character	200		true	
shift	false	String	200		true	
Defect_Location	false	String	200		true	

conveyor_type	false	String	200		true	
Spesification	false	String	200		true	
Actual	false	String	200		true	
Task_Process	false	String	200		true	
Time	false	String	200		true	
Rework_Time	false	String	200		true	
Rework_time_fix_min	false	Integer	200		true	

Original Function Parameters:  
Component tMysqlOutput

	UNIQUE NAME	tDBOutput_2	INPUT(S)	tFileInputExcel_2
	LABEL	MariaDB	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tDBOutput_2
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Username	context.MariaDB_Login


Password	context.MariaDB_Password
Table	context.DeffectTable
Action on table	DROP_IF_EXISTS_AND_CREATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[[SCHEMA_COLUMN=newColumn, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true]]
Use Hint Options	false

Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false
Label format	MariaDB
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn	false	Dynamic			true	

Original Function Parameters:  
Component tMSSqlOutput

	UNIQUE NAME	tDBOutput_3	INPUT(S)	tDBOutput_1
	LABEL	SQLSERVER	OUTPUT(S)	none

Component Parameters:

Properties	Values
------------	--------

Database	tMSSqlOutput
Unique Name	tDBOutput_3
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MSSQL):SQLSERVER
Use an existing connection	false

Component List	
JDBC Provider	JTDS
Host	context.SQLSERVER1_Server
Port	context.SQLSERVER1_Port
Schema	context.SQLSERVER1_Schema
Database	context.SQLSERVER1_Database
Database Driver	MSSQL
Username	context.SQLSERVER1_Login
Password	context.SQLSERVER1_Password
Table	context.TransacTable
Action on table	CREATE_IF_NOT_EXISTS
Turn on identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	Affiliate
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	True
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""



Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	context.SQLSERVER1_AdditionalParams
Authenticate using Azure Active Directory	false
Use alternate schema	false
Schema	""
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=Affiliate, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DATE_MONTH, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Carline, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Family, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Assembly_Number, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Defect_Description, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=QTY, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Defect_Discovery_Area, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=_M_Change, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Shift_Opt, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=shift, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Defect_Location, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=conveyor_type, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Spesification, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Actual, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Task_Process, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Time, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Rework_Time, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Rework_time_fix_min, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]

Ignore date out of range	false
Debug query mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Set Query Timeout	false
Timeout (seconds)	30
Label format	SQLSERVER
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


**Schema for metadata :**

Column	Key	Type	Length	Precision	Nullable	Comment
Affiliate	false	String	200		true	
DATE_MONTH	false	String	200		true	
Date	false	String	200		true	
Carline	false	String	200		true	

Family	false	String	200		true	
Assembly_Number	false	String	200		true	
Defect_Description	false	String	200		true	
QTY	false	Integer	200		true	
Defect_Discovery_Area	false	String	200		true	
_M_Change	false	String	200		true	
Shift_Opt	false	Character	200		true	
shift	false	String	200		true	
Defect_Location	false	String	200		true	
conveyor_type	false	String	200		true	
Spesification	false	String	200		true	
Actual	false	String	200		true	
Task_Process	false	String	200		true	
Time	false	String	200		true	
Rework_Time	false	String	200		true	
Rework_time_fix_min	false	Integer	200		true	

**Original Function Parameters:**  
**Component tMySQLOutput**

---

	UNIQUE NAME	tDBOutput_5	INPUT(S)	tStatCatcher_1
	LABEL	MariaDB	OUTPUT(S)	none

### Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tDBOutput_5
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Username	context.MariaDB_Login
Password	context.MariaDB_Password
Table	"StatCatcher"
Action on table	DROP_IF_EXISTS_AND_CREATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id

Additional JDBC Parameters	context.MariaDB_AdditionalParams
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=moment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=father_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=root_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=system_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job_repository_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job_version, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=context, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=origin, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=message_type, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=message, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=duration, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Use Hint Options	false
Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]


Support null in "SQL WHERE" statement	false
Label format	MariaDB
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tDBOutput\_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	8		true	
project	false	String	50		true	
job	false	String	255		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	

context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	8		true	

**Original Function Parameters:**  
**Component tMySQLOutput**

	UNIQUE NAME	tDBOutput_6	INPUT(S)	tLogCatcher_1
	LABEL	MariaDB	OUTPUT(S)	none

**Component Parameters:**

Properties	Values
Database	tMySQLOutput
Unique Name	tDBOutput_6
Component Name	tMySQLOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true



DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Username	context.MariaDB_Login
Password	context.MariaDB_Password
Table	"LogCatcher"


Action on table	DROP_IF_EXISTS_AND_CREATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false

Field options	[{SCHEMA_COLUMN=moment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=root_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=father_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=context, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=priority, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=type, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=origin, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=message, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=code, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Use Hint Options	false
Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false
Label format	MariaDB
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for tDBObject\_6 :**

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:  
Component tDie

	UNIQUE NAME	tDie_1	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

---


Properties	Values
Unique Name	tDie_1
Component Name	tDie
Version	0.102 (ALPHA)
Family	Logs_Errors
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDie
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Die message	"The Connection Is Failed"

Error code	4
Priority	5
Exit the JVM immediately	false
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDie\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tDie

	UNIQUE NAME	tDie_2	INPUT(S)	<a href="#">tFileInputExcel_3</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tDie_2
Component Name	tDie
Version	0.102 (ALPHA)


Family	Logs_Errors
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDie
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Die message	"the end is near"
Error code	4
Priority	5
Exit the JVM immediately	false
Schema	Built-In

Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDie\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tDie

	UNIQUE NAME	tDie_3	INPUT(S)	tFileInputExcel_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tDie_3
Component Name	tDie
Version	0.102 (ALPHA)
Family	Logs_Errors
Start	false
Startable	true
SUBTREE_START	true



END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDie
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Die message	"the end is near"
Error code	4
Priority	5
Exit the JVM immediately	false
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false


Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tDie\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

### Original Function Parameters:

#### Component tFileInputExcel

	UNIQUE NAME	tFileInputExcel_2	INPUT(S)	tJava_2
	LABEL	Deffect	OUTPUT(S)	tDBOutput_2 , tDie_3, tJava_3

### Component Parameters:

Properties	Values
Unique Name	tFileInputExcel_2
Component Name	tFileInputExcel
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tFileInputExcel
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Read excel2007 file format (xlsx)	true
File name/Stream	context.CategoryFile
Password	**
All sheets	true
Sheet list	[{SHEETNAME="Sheet1", USE_REGEX=}]
Header	1
Footer	0
Limit	
Affect each sheet(header&&footer)	false
First column	1
Last column	


Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Schema	repository: EXCEL:ReworkCategory - metadata
Advanced separator (for numbers)	false
Thousands separator	','
Decimal separator	'.'
Trim all columns	false
Check column to trim	[[SCHEMA_COLUMN=newColumn, TRIM=false]]
Convert date column to string	false
Check need convert date column	[[SCHEMA_COLUMN=newColumn, CONVERTDATE=false, PATTERN="MM-dd-yyyy"]]
Encoding	"UTF-8"
Read real values for numbers	false
Stop reading on encountering empty rows	false
Don't validate the cells	false
Ignore the warning	false
Generation mode	USER_MODE
Include phonetic runs	true
Set minimum inflation rate	false
INFLATION_RATIO	
Label format	Deffect
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn	false	Dynamic			true	

### Original Function Parameters: Component tFileInputExcel

	UNIQUE NAME	tFileInputExcel_3	INPUT(S)	none
	LABEL	transac	OUTPUT(S)	tDBOutput_1 , tDie_2, tJava_2

### Component Parameters:

Properties	Values
Unique Name	tFileInputExcel_3
Component Name	tFileInputExcel
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true

END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputExcel
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: EXCEL:transac
Read excel2007 file format (xlsx)	true
File name/Stream	"C:/Users/RahmanaDwiShaputra/Downloads/POC/transac.xlsx"
Password	**
All sheets	true
Sheet list	[{SHEETNAME="Sheet1", USE_REGEX=}]
Header	1
Footer	0
Limit	

Affect each sheet(header&&footer)	false
First column	1
Last column	
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	','
Decimal separator	'.'
Trim all columns	false
Check column to trim	[[{SCHEMA_COLUMN=Affiliate, TRIM=false}, {SCHEMA_COLUMN=DATE_MONTH, TRIM=false}, {SCHEMA_COLUMN=Date, TRIM=false}, {SCHEMA_COLUMN=Carline, TRIM=false}, {SCHEMA_COLUMN=Family, TRIM=false}, {SCHEMA_COLUMN=Assembly_Number, TRIM=false}, {SCHEMA_COLUMN=Defect_Description, TRIM=false}, {SCHEMA_COLUMN=QTY, TRIM=false}, {SCHEMA_COLUMN=Defect_Discovery_Area, TRIM=false}, {SCHEMA_COLUMN=_M_Change, TRIM=false}, {SCHEMA_COLUMN=Shift_Opt, TRIM=false}, {SCHEMA_COLUMN=shift, TRIM=false}, {SCHEMA_COLUMN=Defect_Location, TRIM=false}, {SCHEMA_COLUMN=conveyor_type, TRIM=false}, {SCHEMA_COLUMN=Spesification, TRIM=false}, {SCHEMA_COLUMN=Actual, TRIM=false}, {SCHEMA_COLUMN=Task_Process, TRIM=false}, {SCHEMA_COLUMN=Time, TRIM=false}, {SCHEMA_COLUMN=Rework_Time, TRIM=false}, {SCHEMA_COLUMN=Rework_time_fix_min, TRIM=false}]
Convert date column to string	false

Check need convert date column	{[SCHEMA_COLUMN=Affiliate, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=DATE_MONTH, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Date, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Carline, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Family, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Assembly_Number, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Defect_Description, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=QTY, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Defect_Discovery_Area, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=_M_Change, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Shift_Opt, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=shift, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Defect_Location, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=conveyor_type, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Spesification, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Actual, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Task_Process, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Time, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Rework_Time, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Rework_time_fix_min, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}]}
Encoding	"UTF-8"
Read real values for numbers	false
Stop reading on encountering empty rows	false
Don't validate the cells	false
Ignore the warning	false
Generation mode	USER_MODE
Include phonetic runs	true
Set minimum inflation rate	false
INFLATION_RATIO	
Label format	transac
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false




Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for metadata :**

Column	Key	Type	Length	Precision	Nullable	Comment
Affiliate	false	String	200		true	
DATE_MONTH	false	String	200		true	
Date	false	String	200		true	
Carline	false	String	200		true	
Family	false	String	200		true	
Assembly_Number	false	String	200		true	
Defect_Description	false	String	200		true	
QTY	false	Integer	200		true	
Defect_Discovery_Area	false	String	200		true	
_M_Change	false	String	200		true	
Shift_Opt	false	Character	200		true	
shift	false	String	200		true	
Defect_Location	false	String	200		true	

conveyor_type	false	String	200		true	
Spesification	false	String	200		true	
Actual	false	String	200		true	
Task_Process	false	String	200		true	
Time	false	String	200		true	
Rework_Time	false	String	200		true	
Rework_time_fix_min	false	Integer	200		true	

**Original Function Parameters:**  
**Component tJava**

	UNIQUE NAME	tJava_1	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

**Component Parameters:**

Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true


END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("Connection MariaDB Succes");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tJava\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tJava

	UNIQUE NAME	tJava_2	INPUT(S)	tFileInputExcel_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileInputExcel_2

Component Parameters:

Properties	Values
Unique Name	tJava_2
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true


IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("TRANSAC Number Of Rows Moved is :"+((Integer)globalMap.get("tFileInputExcel_1_NB_LINE")) ); System.out.println("Data Moved Succesfully");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tJava\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

**Original Function Parameters:**  
**Component tJava**

---

	UNIQUE NAME	tJava_3	INPUT(S)	tFileInputExcel_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tSendMail_1 , tSetGlobalVar_2

### Component Parameters:


Properties	Values
Unique Name	tJava_3
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("Deffect Category Number Of Rows Moved is :"+((Integer)globalMap.get("tFileInputExcel_2_NB_LINE")) ); System.out.println("Data Moved Succesfully");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tJava\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

### Original Function Parameters: Component tLogCatcher

	UNIQUE NAME	tLogCatcher_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tDBOutput_6</a>

### Component Parameters:

Properties	Values
------------	--------

Unique Name	tLogCatcher_1
Component Name	tLogCatcher
Version	0.101 (ALPHA)
Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	WITH
Schema	Built-In




Catch Java Exception	true
Catch tDie	true
Catch tWarn	true
Catch tJobFailure	true
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tLogCatcher\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	

priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:  
Component tPrejob


	UNIQUE NAME	tPrejob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tDBConnection_2</a>

Component Parameters:

Properties	Values
Unique Name	tPrejob_1
Component Name	tPrejob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

## Original Function Parameters: Component tSetGlobalVar

	UNIQUE NAME	tSetGlobalVar_1	INPUT(S)	tDBConnection_2

	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBConnection_1
--	-------	-----------------	-----------	-----------------

### Component Parameters:


Properties	Values
Unique Name	tSetGlobalVar_1
Component Name	tSetGlobalVar
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSetGlobalVar
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
Variables	[[KEY="jobname", VALUE=jobName], {KEY="StartTime", VALUE=TalendDate.getCurrentDate()}]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tSetGlobalVar\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

#### Original Function Parameters: Component tSetGlobalVar

	UNIQUE NAME	tSetGlobalVar_2	INPUT(S)	tJava_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

#### Component Parameters:

Properties	Values
Unique Name	tSetGlobalVar_2
Component Name	tSetGlobalVar
Version	0.101 (ALPHA)


Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSetGlobalVar
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Variables	[[KEY="EndTime", VALUE=TalendDate.getCurrentDate()]]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSetGlobalVar\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tStatCatcher

	UNIQUE NAME	tStatCatcher_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tDBOutput_5</a>

Component Parameters:

Properties	Values
Unique Name	tStatCatcher_1
Component Name	tStatCatcher
Version	0.1 (BETA)
Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false

Help	org.talend.help.tStatCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tStatCatcher\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	



father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	8		true	
project	false	String	50		true	
job	false	String	255		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	8		true	

**Original Function Parameters:**