talend

Jobs

Generated by Talend Cloud Data Fabric

Project Name	DemoTalend	GENERATION DATE	Feb 1, 2024, 2:55:46 PM
AUTHOR		Talend Cloud VERSION	8.0.1.20240118_0425-patch

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	DemoTalend
Language	java
Description	

Description

Properties	Values
Name	SourceDBToStagging
Author	
Version	0.1
Purpose	
Status	
Description	
Creation	Jan 26, 2024, 2:50:58 PM
Modification	Jan 31, 2024, 4:59:28 PM

Preview Picture

MSG
tJava 1

MSG
tJava 2

OnComponentOk (order2) OnComponentOk (order1)

Prejob:
tPrejob_1

SQLCon...
SQLSERVER

MariaC...
MariaDB

GlobalVariable
tSetGlobalVar_1

OnComponentOk OnComponentOk (order) OnComponentOk (order2)

OnComponentError
ErrorMSG
tDie_1

OnComponentError
ErrorMSG
tDie_2

ErrorMSG
tDie_3

SplitReworkTransacBasedOnAffilate
Transac

OnSubjobError row4 (Main) tJavaRow 2 row5 (Main) tFlowToIterate 2 Iterate "Transac" row6 (Main) SQLSERVER

OnSubjobOk
MSG
tJava 3

OnSubjobOk
ErrorMSG
tDie 4

SplitReworkCategoryBasedOnAffilate
Deffect Categroy

OnSubjobError row1 (Main) tJavaRow 1 row2 (Main) tFlowToIterate 1 Iterate Deffect Category row3 (Main) SQLSERVER

OnSubjobOk
MSG
tJava 4

OnComponentOk

SetGlobalVariable
tSetGlobalVar 2

OnSubjobOk
SMTP
tSendMail_1

Capture Job Stats
tStatCatcher_1 row7 (Main) MariaDB

Capture Job Log
tLogCatcher_1 row8 (Main) MariaDB

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true

Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value
SQLSERVER1_AdditionalParams	SQLSERVER1_AdditionalParams?	false	id_String	
SQLSERVER1_Port	SQLSERVER1_Port?	false	id_String	1433
SQLSERVER1_Database	SQLSERVER1_Database?	false	id_String	demodata
SQLSERVER1_Schema	SQLSERVER1_Schema?	false	id_String	dbo
SQLSERVER1_Password	SQLSERVER1_Password?	false	id_Password	***********
SQLSERVER1_Login	SQLSERVER1_Login?	false	id_String	sa
SQLSERVER1_Server	SQLSERVER1_Server?	false	id_String	10.10.10.
Affiliate	Affiliate?	false	id_String	
MariaDB_Server	MariaDB_Server?	false	id_String	10.10.10.
MariaDB_Login	MariaDB_Login?	false	id_String	Dip
MariaDB_Port	MariaDB_Port?	false	id_String	3306
MariaDB_Password	MariaDB_Password?	false	id_Password	***********

MariaDB_AdditionalParams	MariaDB_AdditionalParams?	false	id_String	noDatetin
MariaDB_Database	MariaDB_Database?	false	id_String	demostag
Affiliate_category	Affiliate_category?	false	id_String	
SMTPHOSTNAME	SMTPHOSTNAME?	false	id_String	"smtp-ma
SMTPMAIL	SMTPMAIL?	false	id_String	smtparth
SMTPPASSWORD	SMTPPASSWORD?	false	id_Password	**********
RECIPIENTMAIL	RECIPIENTMAIL?	false	id_String	rahmana

Component List

Component Name	Component Type
tDBConnection_1	tMSSqlConnection
tDBConnection_2	tMysqlConnection
tDBInput_1	tMysqlInput
tDBInput_2	tMysqlInput
tDBInput_3	tMysqlInput
tDBInput_4	tMysqlInput
tDBOutput_1	tMSSqlOutput

tDBOutput_2	tMSSqlOutput
tDBOutput_3	tMysqlOutput
tDBOutput_4	tMysqlOutput
tDie_1	tDie
tDie_2	tDie
tDie_3	tDie
tDie_4	tDie
tFlowToIterate_1	tFlowToIterate
tFlowToIterate_2	tFlowToIterate
tJavaRow_1	tJavaRow
tJavaRow_2	tJavaRow
tJava_1	tJava
tJava_2	tJava
tJava_3	tJava
tJava_4	tJava
tLogCatcher_1	tLogCatcher
tPrejob_1	tPrejob

tSetGlobalVar_1	tSetGlobalVar
tSetGlobalVar_2	tSetGlobalVar
tStatCatcher_1	tStatCatcher

Components Description

Component   tMSSqlConnection

	UNIQUE NAME	tDBConnection_1	INPUT(S)	tPrejob_1
	LABEL	SQLSERVER	OUTPUT(S)	tDBConnection_2 , tJava_1, tDie_1

Component Parameters:

Properties	Values
Database	tMSSqlConnection
Unique Name	tDBConnection_1
Component Name	tMSSqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server|ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MSSQL):SQLSERVER
JDBC Provider	JTDS
Host	context.SQLSERVER1_Server
Database Driver	MSSQL
Port	context.SQLSERVER1_Port
Schema	context.SQLSERVER1_Schema
Database	context.SQLSERVER1_Database
Username	context.SQLSERVER1_Login
Password	context.SQLSERVER1_Password
Encoding	"ISO-8859-15"
Additional JDBC Parameters	context.SQLSERVER1_AdditionalParams

Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Authenticate using Azure Active Directory	false
Auto Commit	false
Share identity insert in multi table	false
Label format	SQLSERVER
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tMysqlConnection

	UNIQUE NAME	tDBConnection_2	INPUT(S)	tDBConnection_1
	LABEL	MariaDB	OUTPUT(S)	tDie_2 , tJava_2, tSetGlobalVar_1

Component Parameters:

Properties	Values

Database	tMysqlConnection
Unique Name	tDBConnection_2
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL|ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB

DB Version	MARIADB
Host	context.MariaDB_Server
Database Driver	MYSQL
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Username	context.MariaDB_Login
Password	context.MariaDB_Password
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Auto Commit	false
Label format	MariaDB
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:

Component   tMysqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	tJava_3
	LABEL	Deffect_categroy	OUTPUT(S)	tJavaRow_1 , tDie_4, tJava_4

Component Parameters:

Properties	Values
Database	tMysqlInput
Unique Name	tDBInput_1
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Database Driver	MYSQL
Username	context.MariaDB_Login
Password	context.MariaDB_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	""
Query Type	Built-In
Guess Schema	""
Query	"SELECT DISTINCT(Affiliate) as Affiliate FROM `DeffectCategory`"
Specify a data source alias	false

Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=Affiliate, TRIM=false}]
Label format	Deffect_categroy
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for reworkcategory :

Column	Key	Type	Length	Precision	Nullable	Comment
Affiliate	false	String	100		true	

Original Function Parameters:
Component   tMysqlInput

	UNIQUE NAME	tDBInput_2	INPUT(S)	tFlowToIterate_1
	LABEL	Deffect_Category	OUTPUT(S)	tDBOutput_2

Component Parameters:

Properties	Values
Database	tMysqlInput
Unique Name	tDBInput_2
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Database Driver	MYSQL
Username	context.MariaDB_Login
Password	context.MariaDB_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	""
Query Type	Built-In
Guess Schema	""
Query	"SELECT * FROM `DeffectCategory` where `DeffectCategory`.`Affiliate`='"+context.Affiliate_category+"' "
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Encoding	"ISO-8859-15"
Enable stream	false

Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=newColumn, TRIM=false}]
Label format	Deffect_Category
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for reworkcategory :

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn	false	Dynamic			true	

Original Function Parameters:
Component   tMysqlInput

	UNIQUE NAME	tDBInput_3	INPUT(S)	none
	LABEL	Transac	OUTPUT(S)	tJavaRow_2 , tDie_3, tJava_3

Component Parameters:

Properties	Values
Database	tMysqlInput
Unique Name	tDBInput_3
Component Name	tMysqlInput

Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	

Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Database Driver	MYSQL
Username	context.MariaDB_Login
Password	context.MariaDB_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"reworktransac"
Query Type	Built-In
Guess Schema	""
Query	"SELECT DISTINCT(Affiliate) as Affiliate FROM `transac`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=Affiliate, TRIM=false}]
Label format	Transac
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for ReworkTransac :

Column	Key	Type	Length	Precision	Nullable	Comment
Affiliate	false	String			true	

Original Function Parameters:
Component   tMysqlInput

	UNIQUE NAME	tDBInput_4	INPUT(S)	tFlowToIterate_2
	LABEL	__TABLE__	OUTPUT(S)	tDBOutput_1

Component Parameters:

Properties	Values
Database	tMysqlInput
Unique Name	tDBInput_4
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true

SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Database Driver	MYSQL

Username	context.MariaDB_Login
Password	context.MariaDB_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"transac"
Query Type	Built-In
Guess Schema	""
Query	"SELECT * FROM `transac` where `transac`.`Affiliate`='"+context.Affiliate+"' "
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=newColumn, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	

Schema for reworktransac :

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn	false	Dynamic			true	

Original Function Parameters:
Component   tMSSqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tDBInput_4
	LABEL	SQLSERVER	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMSSqlOutput
Unique Name	tDBOutput_1
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MSSQL):SQLSERVER
Use an existing connection	false
Component List	
JDBC Provider	JTDS
Host	context.SQLSERVER1_Server
Port	context.SQLSERVER1_Port
Schema	context.SQLSERVER1_Schema
Database	context.SQLSERVER1_Database
Database Driver	MSSQL
Username	context.SQLSERVER1_Login
Password	context.SQLSERVER1_Password
Table	context.Affiliate+"_Transac"
Action on table	DROP_IF_EXISTS_AND_CREATE

Turn on identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	newColumn
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	context.SQLSERVER1_AdditionalParams
Authenticate using Azure Active Directory	false
Use alternate schema	false
Schema	""
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=newColumn, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]

Ignore date out of range	false
Debug query mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Set Query Timeout	false
Timeout (seconds)	30
Label format	SQLSERVER
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for reworktransac :

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn	false	Dynamic			true	

Original Function Parameters:
Component   tMSSqlOutput

	UNIQUE NAME	tDBOutput_2	INPUT(S)	tDBInput_2
	LABEL	SQLSERVER	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMSSqlOutput
Unique Name	tDBOutput_2
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MSSQL):SQLSERVER

Use an existing connection	false
Component List	
JDBC Provider	JTDS
Host	context.SQLSERVER1_Server
Port	context.SQLSERVER1_Port
Schema	context.SQLSERVER1_Schema
Database	context.SQLSERVER1_Database
Database Driver	MSSQL
Username	context.SQLSERVER1_Login
Password	context.SQLSERVER1_Password
Table	context.Affiliate_category+"_Category"
Action on table	DROP_IF_EXISTS_AND_CREATE
Turn on identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	newColumn
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false

Data source alias	""
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	context.SQLSERVER1_AdditionalParams
Authenticate using Azure Active Directory	false
Use alternate schema	false
Schema	""
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=newColumn, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Ignore date out of range	false
Debug query mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Set Query Timeout	false
Timeout (seconds)	30
Label format	SQLSERVER
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for reworktransac :

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn	false	Dynamic			true	

Original Function Parameters:
Component   tMysqlOutput

	UNIQUE NAME	tDBOutput_3	INPUT(S)	tStatCatcher_1
	LABEL	MariaDB	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tDBOutput_3
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Username	context.MariaDB_Login

Password	context.MariaDB_Password
Table	"StatCatcher"
Action on table	DROP_IF_EXISTS_AND_CREATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	context.MariaDB_AdditionalParams
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false

Field options	[{SCHEMA_COLUMN=moment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=father_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=root_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=system_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job_repository_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job_version, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=context, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=origin, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=message_type, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=message, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=duration, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Use Hint Options	false
Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false
Label format	MariaDB
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	8		true	
project	false	String	50		true	
job	false	String	255		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	8		true	

Original Function Parameters:
Component   tMysqlOutput

	UNIQUE NAME	tDBOutput_4	INPUT(S)	tLogCatcher_1
	LABEL	MariaDB	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMysqlOutput
Unique Name	tDBOutput_4
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MariaDB
DB Version	MARIADB
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	context.MariaDB_Server
Port	context.MariaDB_Port
Database	context.MariaDB_Database
Username	context.MariaDB_Login
Password	context.MariaDB_Password
Table	"LogCatcher"
Action on table	DROP_IF_EXISTS_AND_CREATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id

Additional JDBC Parameters	context.MariaDB_AdditionalParams
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=moment, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=root_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=father_pid, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=job, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=context, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=priority, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=type, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=origin, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=message, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=code, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Use Hint Options	false
Hint Options	[]
Debug query mode	false
Use duplicate key update mode insert	false
DUPLICATED_KEYS	[]
Support null in "SQL WHERE" statement	false

Label format	MariaDB
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_4 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	

message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:
Component   tDie

	UNIQUE NAME	tDie_1	INPUT(S)	tDBConnection_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tDie_1
Component Name	tDie
Version	0.102 (ALPHA)
Family	Logs_Errors
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDie
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Die message	"Sql Server Connection Error"
Error code	4
Priority	5
Exit the JVM immediately	false
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDie_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tDie

UNIQUE NAME	tDie_2	INPUT(S)	tDBConnection_2
LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tDie_2
Component Name	tDie
Version	0.102 (ALPHA)
Family	Logs_Errors
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDie
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Die message	"MariaDB Connection Failed"
Error code	4
Priority	5
Exit the JVM immediately	false
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDie_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tDie

❌	UNIQUE NAME	tDie_3	INPUT(S)	tDBInput_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values

Unique Name	tDie_3
Component Name	tDie
Version	0.102 (ALPHA)
Family	Logs_Errors
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDie
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Die message	"SplitReworkTransac Subjob Error"
Error code	4

Priority	5
Exit the JVM immediately	false
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDie_3 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tDie

	UNIQUE NAME	tDie_4	INPUT(S)	tDBInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tDie_4
Component Name	tDie
Version	0.102 (ALPHA)
Family	Logs_Errors

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDie
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Die message	"SplitReworkCategoryBasedOnAffilate Subjob Error"
Error code	4
Priority	5
Exit the JVM immediately	false
Schema	Built-In
Label format	__UNIQUE_NAME__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDie_4 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tFlowToIterate

	UNIQUE NAME	tFlowToIterate_1	INPUT(S)	tJavaRow_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBInput_2

Component Parameters:

Properties	Values
Unique Name	tFlowToIterate_1
Component Name	tFlowToIterate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFlowToIterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use the default (key, value) in global variables.	true
Customize	[]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowToIterate_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tFlowToIterate

	UNIQUE NAME	tFlowToIterate_2	INPUT(S)	tJavaRow_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBInput_4

Component Parameters:

Properties	Values
Unique Name	tFlowToIterate_2
Component Name	tFlowToIterate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFlowToIterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use the default (key, value) in global variables.	true
Customize	[]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowToIterate_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tJavaRow

	UNIQUE NAME	tJavaRow_1	INPUT(S)	tDBInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFlowToIterate_1

Component Parameters:

Properties	Values
Unique Name	tJavaRow_1
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Code	//Code generated according to input schema and output schema
	context.Affiliate_category = input_row.Affiliate;

Import	//import java.util.List;
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for reworkcategory :

Column	Key	Type	Length	Precision	Nullable	Comment
Affiliate	false	String	100		true	

Original Function Parameters:
Component   tJavaRow

	UNIQUE NAME	tJavaRow_2	INPUT(S)	tDBInput_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFlowToIterate_2

Component Parameters:

Properties	Values
Unique Name	tJavaRow_2
Component Name	tJavaRow
Version	0.101 (ALPHA)

Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	//Code generated according to input schema and output schema context.Affiliate = input_row.Affiliate;
Import	//import java.util.List;
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for ReworkTransac :

Column	Key	Type	Length	Precision	Nullable	Comment
Affiliate	false	String			true	

Original Function Parameters:
Component   tJava

	UNIQUE NAME	tJava_1	INPUT(S)	tDBConnection_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("Connection SQL Server Succes");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	

Schema for tJava_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tJava

	UNIQUE NAME	tJava_2	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tJava_2
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("Connection MariaDB Succes");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tJava

	UNIQUE NAME	tJava_3	INPUT(S)	tDBInput_3

LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBInput_1

Component Parameters:

Properties	Values
Unique Name	tJava_3
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("Transac Table Created Succesfully");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_3 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tJava

	UNIQUE NAME	tJava_4	INPUT(S)	tDBInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tSendMail_1 , tSetGlobalVar_2

Component Parameters:

Properties	Values
Unique Name	tJava_4
Component Name	tJava

Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("Category Table Created Succesfully");
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_4 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tLogCatcher

	UNIQUE NAME	tLogCatcher_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_4

Component Parameters:

Properties	Values
Unique Name	tLogCatcher_1
Component Name	tLogCatcher
Version	0.101 (ALPHA)
Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Catch Java Exception	true
Catch tDie	true
Catch tWarn	true
Catch tJobFailure	true
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogCatcher_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:
Component   tPrejob

	UNIQUE NAME	tPrejob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBConnection_1

Component Parameters:

Properties	Values
Unique Name	tPrejob_1
Component Name	tPrejob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tSetGlobalVar

2→A 3→B	UNIQUE NAME	tSetGlobalVar_1	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tSetGlobalVar_1
Component Name	tSetGlobalVar
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSetGlobalVar
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Variables	[{KEY="jobname", VALUE=jobName}, {KEY="StartTime", VALUE=TalendDate.getCurrentDate()}]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	

Schema for tSetGlobalVar_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tSetGlobalVar

	UNIQUE NAME	tSetGlobalVar_2	INPUT(S)	tJava_4
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tSetGlobalVar_2
Component Name	tSetGlobalVar
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSetGlobalVar
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Variables	[{KEY="EndTime", VALUE=TalendDate.getCurrentDate()}]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSetGlobalVar_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tStatCatcher

	UNIQUE NAME	tStatCatcher_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_3

Component Parameters:

Properties	Values
Unique Name	tStatCatcher_1
Component Name	tStatCatcher
Version	0.1 (BETA)
Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
Help	org.talend.help.tStatCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tStatCatcher_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	8		true	
project	false	String	50		true	
job	false	String	255		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	

context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	8		true	

Original Function Parameters: