

NMWC

Customer Master — Data Operations

Data Steward User Guide

FOR DATA STEWARDS

NMWC Customer Master · v1.0 · 2026-05


Welcome

You own the integrity of the customer master from head office. Your work is heavier than the field roles — you bulk-import lists from the ERP, merge duplicates that the field can't see across regions, monitor the entire audit trail, and export the cleaned master back to downstream systems. This guide covers every screen you will use, with a focus on the safety rules: every steward action is high-trust, immediately visible across the company, and logged forever.

1. Logging in and your scope

Your account sees everything: every region, every route, every customer. Other roles cannot.

- 1 Open **<https://nmwc-cm.vercel.app>** on your laptop. The steward workflow is desktop-first because of the bulk-import / export / duplicate-review screens.

A screenshot of the NMWC Customer Master login interface. The page has a light blue background. At the top center, the text "NMWC" is displayed in a large, bold, dark blue font, with "Customer Master" in a smaller, regular, dark blue font directly below it. In the center of the page is a white rectangular box containing the login form. Inside this box, the label "Username" is positioned above a white input field with a thin grey border. Below the input field is the label "Password" above another white input field with a thin grey border. Underneath the password field is a solid blue button with the text "Sign in" in white. At the bottom of the white box, there is a line of text: "Forgot your password? Contact your Manager — they can reset it for you."

- 2 Sign in with your steward credentials.

3

After login you land on the **Import** page by default. The left sidebar shows your full menu: Import, Export, Customers, Duplicates, Work items.


YOUR POWER AND YOUR RESPONSIBILITY

You can edit, soft-delete, and merge any customer in any region. There is no four-eyes approval on most steward actions — the audit log is your accountability. Always cross-check before any bulk action.

2. Browse the customer master

See the full master across all regions and routes.

- 1 Tap **Customers** in the sidebar.




- 2 You see every customer in every region. Filter by region, channel, payment terms, or completeness score.
- 3 The search box runs on legal name, NMWC code, or primary phone — partial matches work (e.g. "lulu" finds every Lulu branch).
- 4 Click any row to open the customer profile and see the full record + branches + edit history + audit trail.

3. Import — bulk upload from xlsx

Two distinct importers, one entry point, and a fixed order. The templates for both files are in docs/import-templates (account-master-template.xlsx, customer-master-template.xlsx) with an Instructions tab each.

1 Before any import: make sure the **Manager** and **Steward** accounts already exist in **Users**. The import deliberately cannot create or promote those two roles — no administrator can ever be minted from a spreadsheet. Managers must exist first because the account master then assigns them their regions.

2 Tap **Import** in the sidebar.



3 Account Master (left card) goes **first**: a workbook with three sheets — **Regions, Routes, Users**. Existing rows with matching keys are *updated* in place; new rows are *added*; an existing user keeps their password, role and supervisor unless a column says otherwise. Routes must exist before the customers that reference them.

4 Customer Master (right card) goes **second**: a single-sheet workbook, one row per branch. Region and route are matched on their **codes**, never their names. It goes to a *staged batch* first — nothing changes in the live master until you review and promote.

5 Both cards have an **Expected columns** expandable — read it once before your first import to confirm header names match.

6 Click **Choose File**, pick the .xlsx, then click **Upload**. Wait for the upload to finish.

RECOMMENDED MONTHLY CADENCE

Import account master changes (new salesman, retired route) within 24h of HR notifying you.
Import customer master refreshes from the ERP at month-end after the ERP team confirms their export is final.

ACCOUNT MASTER WRITES IMMEDIATELY

Unlike the customer master, the account-master path applies its changes the moment the upload completes (after Zod validation). There is no staging step. Double-check the workbook before clicking Upload.

4. Review, promote and reconcile a staged customer batch

A customer-master import is staged, promoted in passes, and then reconciled. It is not finished when the screen stops moving — it is finished when the six figures add up.

- 1 After the customer-master upload finishes, you land on the batch page. The **Recent batches** table on the Import page also lists every batch.
- 2 The page shows six figures: **Total · Clean · Quarantined · Promoted · Rejected · Left to promote**. The table below opens on **Needs attention** — every REJECTED and QUARANTINED row you have not excluded. The other views are **Rejected, Quarantined, Loaded with a warning, Excluded** and **All rows**; each says how many rows it holds, and **Previous / Next** reach every one of them, however long the file. Each row shows the customer, its branch, route and day, what happened to it in words, and — under **As uploaded** — the values exactly as your sheet had them.

3 Review the **QUARANTINED** rows first — bad phone format, an unknown channel or visit-day code, a duplicate phone or CR on a different customer. When the reason names a customer already in the master ("phone already exists in master on customer X"), open that customer first: it may be the same shop. Each problem row has a **Fix** column: **Correct...** changes only the cells its problem names (never payment terms, credit or the Temix code) and checks the row again; **Release shared phone...**, offered only when the phone being on another customer is the row's one problem, lets it through with your written reason; **Re-check** checks it again as it stands; **Exclude...** records, with a reason, that it stays out. A fixed row turns CLEAN, waits under **Fixed, waiting to promote**, and loads when you click **Promote**; until then **Withdraw fix** puts it back exactly as it was. The row as your sheet had it is kept; your corrections are shown beside it. For a customer linked to Temix a fixed row writes only its branch — a phone, name, CR, contact or channel you corrected or released there is **not** written to the customer (the row says so, before and after; change those on the customer's page), except a phone when the customer has none, which it fills; a fixed row with no branch_code — every go-live head-office row — comes back REJECTED so you can give it one (a code the customer does not use yet adds a new branch). Fixing a rejected row brings its customer's other rejected rows back with it (they say so); they load with it or not at all, and withdrawing the fix takes back exactly them. Fix a row only in the newest upload that carries it: rows a newer upload superseded offer only Exclude (a rejected row also when one of the rows rejected with it is superseded — exclude that one first), a fix that a newer upload overtakes while it waits, or that waits past 90 days, is rejected at Promote with the rows it brought back, and rows uploaded more than 90 days ago can no longer be fixed. For a customer linked to Temix only a newer row about the same branch counts, so an inbound Temix refresh does not stop you fixing a held-back branch row.

4 Click **Promote N clean rows**. On a full master this **runs in passes** — the button reads "Promoting... 1,200 done, 2,100 left" and keeps going by itself. Leave the tab open until it reports **Done**.

5 If it is interrupted — tab closed, connection dropped — nothing is lost. Everything already promoted is saved. The page shows **Promote interrupted** with a **Resume promote** button that continues exactly where it stopped, and the batch appears in your **Work** list as "Import to resume" so it cannot be forgotten.

6 Only **one** customer import can be promoted at a time. A second attempt is refused and names the file already running — finish (or abandon) that one first.

7 When it finishes, **reconcile**: *Left to promote* must be 0, and *Promoted + Rejected + Quarantined* must equal *Total*. Then open the **Rejected** view and read every row: a rejected row is **not** in the master. Typical reasons are a branch code that already belongs to another customer, a Temix code recorded on a different customer, or payment terms that disagree with the ones on record. Fix a rejected row as above — **Re-check** takes its whole customer with it — or exclude it. A payment-terms or crosswalk rejection comes back rejected until the master itself changes. Then open **Loaded with a warning**: those customers are in the master, but something in the row was substituted or not applied — a route or region that was not found, or, for a customer already linked to Temix, branch values in a file row, which a re-import never changes. Change those on the customer's page. Note that the lane is decided by each ROW: a file row whose **temix_code** cell is blank takes the full lane even for a customer linked to Temix, overwriting its name, phone, CR, contact, channel, status and branch cells without telling Temix — so always fill **temix_code** with the customer's own code.

8 Record the six figures (a screenshot of the batch page is enough) as the evidence that the load was checked. The load is complete when **Needs attention** is empty: every rejected and quarantined row fixed and loaded, or excluded with a reason. Until then the batch stays on your **Work** list.

WHY STAGING, AND WHY PASSES?

A bad bulk-import that lands directly into the master is hard to undo, so the batch is staged and you see exactly what would change before committing. A real master is thousands of rows — far too many for one request — so promotion works through it in passes, each pass committing its customers and recording an audit row. No customer is ever loaded twice and none is skipped, however many times the load is resumed.

A TECHNICAL FAULT IS NOT A REJECTION

If the database falters mid-pass, the affected customers are not rejected — they are retried on the next pass. If a pass makes no progress at all the load stops and tells you; escalate that to IT rather than clicking Resume repeatedly.


IMPORTED CUSTOMERS SKIP THE APPROVAL CHAIN

Customers loaded this way are created directly — they do not go through Supervisor → Finance → GM → Accountant. That is deliberate (they are existing customers being migrated) and it is why importing is yours alone and fully audited. Every customer created in the field after go-live follows the chain in full.

5. Find and merge duplicates

Duplicates are the master's biggest enemy. The steward's queue surfaces two kinds: the same CR number, or the same name, phone and region.

- 1 Tap **Duplicates** in the sidebar.



- 2 Each pair card shows the match reason at the top — **CR-number match** (the same Commercial Registration number, typed with any digits or spacing) or **Name + phone + region match** (the same name, ignoring case and spacing, the same phone, and a region both have a branch in). A shared phone alone is not a match: one owner often runs several shops on one number.

- 3 Compare the two cards side-by-side: NMWC code, phone, CR, branch count. The customer with more branches and a higher completeness score is usually the better keeper.

- 4 Three actions:
 - **Mark distinct** — these are NOT duplicates. The pair is hidden until what they share changes (a new shared CR, or a name or phone changed into another shared one); **Marked distinct**, lower on the page, lists hidden pairs with an **Undo**.
 - **Keep** ← — the LEFT customer is the survivor. The right one is soft-deleted. Its branches and edit history move to the survivor.
 - **Keep** → — same, but the RIGHT customer survives.

CROSS-REGION MERGES NEED A REASON

If the two customers are in different regions, the merge requires you to confirm explicitly and write a 5+ character reason. The reason ends up in the audit trail.


MERGES ARE PERMANENT

A merge soft-deletes one customer. It can be reversed only by a steward intervention via the audit log + a manual restore. Be sure before you click Keep.

6. Export — the master for the ERP, and the field-update report

When the field team has enriched enough records, you push the cleaned master back downstream — and you can see exactly what they changed.

- 1 Tap **Export** in the sidebar.



- 2 Pick filters: region(s), route(s), status, payment terms (cash / credit), completeness threshold (e.g. only records $\geq 80\%$ complete), updated since.

- 3 Click **Download .xlsx** — one row per branch. It is a report, not an import file: do not re-upload it (region, channel and status columns differ from what the importer expects); for bulk changes start from the import template. **Download all (no filters)** gives the whole master (up to 60,000 rows in one file).

- 4 **Field-update report:** in the amber box pick the window (from / until) and click **Download field-update report**. Sheet *Customers* is the same master with every cell changed by an approved salesman edit in the window in **yellow** (hover for was → now, by, when), pending proposals in **orange**, photos added in yellow; sheet *Changes* lists every change, *By salesman* the totals, *Legend* the colours. Unhighlighted cells were not touched.

- 5 If a download fails with "too large", narrow by region or route and try again.

A GOOD COMPLETENESS THRESHOLD

For mid-pilot exports use 60% — gets you the rows with names, phones, GPS, and at least one photo. For year-end exports use 90% — gives you only the records the field has fully validated.

7. Audit log — your investigation tool

Every action by every user, immutable, queryable.

- 1 Tap **Audit log** in the sidebar.

[illegible]

2 Each row: who, when, from what IP and user-agent, what action (CREATE / UPDATE / APPROVE / REJECT / MERGE / IMPORT / REACTIVATE / LOGIN / LOGIN_FAIL / FORCE_OVERRIDE / DELETE / SOFT_DELETE / PHOTO_VIEW), on what entity, with old and new values stored as JSON.

3 Filter by user (e.g. investigate one salesman), date range (e.g. last week), entity type (Customer / Branch / CustomerEdit / User), or action type.

- 4 For an HR investigation: filter by user + date range + entity type Customer to see exactly what they changed.

- 5 For a "what happened" investigation on one customer: open the customer, click **History** — same data filtered to that record.


AUDIT LOGS ARE IMMUTABLE

Once written, no one — not even you — can edit or delete an audit row. By design. This is the trustworthy paper trail. Even `FORCE_OVERRIDE` actions by managers leave a row.

8. Routes, regions, and channel taxonomy

The fixed reference tables that everything else depends on.

- 1 Tap **Routes & regions** in the sidebar.



- 2 You see every region (e.g. Muscat) and every route under it (C1, C4, MH01, etc.).


- 3 Add a new route when a new salesman starts. Mark a route inactive when it's consolidated. Don't delete — it would break audit trails for past customers.

- 4 The **Channel taxonomy** (General Trade, HORECA, Modern Trade, sub-channels) is locked — see PRD Appendix A. If a sub-channel is missing, file an ops ticket; do not edit the taxonomy live.

9. User management — view-only for stewards

Stewards see all users for visibility but most user-edit actions belong to managers.

- 1 Tap **Users** in the sidebar.



- 2 You see users in every region. Useful for understanding "who reports to whom" and confirming the org chart matches what HR has.
- 3 The list opens on the **Active** tab, which is NOT every account: the pilot and QA accounts kept for their audit history are deactivated, and they sit on **Disabled**. When you reconcile the roster against HR, read it from the **All** tab — otherwise the counts will not match and accounts will look missing.
- 4 Reset password, disable, and reassign-route actions live with the user's manager. Forward HR requests to the right manager.
- 5 You CAN onboard a new manager (since managers don't have a higher-rank approver) — head office hands you the request, you create the user record with the **MANAGER** role and the regions they cover.

10. Backup, recovery, and your responsibilities

You are not the database admin, but you are the first to know when something goes wrong.

Concern	What you do
Daily DB backup — check the GitHub Actions tab once a week to confirm the nightly run is green.	If a run is red two days in a row, alert ops. The dump goes to the <code>nmwc-backups</code> R2 bucket as <code>db/<DATE>.sql.gz</code> .
Photo storage — R2 lifecycle deletes "gc-marked" photos after 7 days.	You don't touch this. It runs on its own. If you suspect lost photos, check the audit log first.
"I deleted the wrong customer"	Open the audit log, find the <code>SOFT_DELETE</code> row for that customer, get the JSON of the prior state, and restore it via a steward-only Prisma script (head-office ops can write this).
"I promoted a bad batch"	Audit log filters <code>action=IMPORT</code> — find the batch row, then write a one-off undo script with ops. Don't try to revert via the UI.
Quarterly drill	Run the manual <i>restore-drill</i> GitHub Action. Confirms the latest dump can actually be restored into a Neon branch.

NEVER RUN SCRIPTS AGAINST THE PRODUCTION DB WITHOUT OPS

Stewards have full read access to everything. Direct write scripts to fix mistakes must be run by head-office ops, peer-reviewed, and committed to git. Never run an unsaved one-off SQL command on prod.

11. Common situations

Situation	What to do
"Branch not updated" on a row that loaded	The customer is linked to Temix, so a file row carrying its temix_code refreshes its Temix fields only and leaves its branches alone. Change the branch values on the customer's page. A branch that was held back is added by fixing its held-back row on the batch page, not by uploading it again.
"phone already exists in master on customer X"	Open customer X. If it is the same shop, exclude the held-back row. If it is a different shop sharing the owner's phone, use Release shared phone... on the row, with the reason, then promote the batch. For a customer linked to Temix the release lets the row's branch load, and the phone becomes the customer's phone only if the customer has none — otherwise change it on the customer's page.
"Phone now belongs to X (Y) — reject and ask the salesman"	A salesman submitted a phone that conflicts with another customer in the master. Reject the edit; the salesman fixes at the shop.
"Manager creates regions silently"	A new region was added without the usual ticket. Check audit log for action=CREATE entityType=Region. If unauthorized, escalate.
"Customer master has many duplicates"	Run a duplicate review session on the Duplicates page. CR-number matches come first, then name + phone + region matches. The page says how many pairs there are in all and shows the first 50.
"Export failed"	Check the row's error message. Most are network blips — re-run. If it persists, check the date range — exports over 50k rows can time out.
"User left the company"	Forward to their manager. The manager uses the Users page → Disable. Their audit trail stays.

12. Quick reference card

For your desk.

Steward-only actions

Upload account master	Bulk upload Regions/Routes/Users xlsx. Applied immediately after validation.
Upload customer master	Bulk upload customer xlsx. Goes to staged batch first.
Promote batch	Apply CLEAN rows to the live master.
Mark distinct	A pair the detector flagged is actually two different customers.
Keep ← / Keep →	Merge a duplicate. The chosen side survives.
Generate export	Produce a filtered xlsx for the ERP team.
Audit log	Every action ever taken — searchable.

When to use which action

HR sends new org-chart	Edit account-master xlsx → Upload account master.
ERP team sends month-end customer list	Upload customer master → review staged batch → fix QUARANTINED → Promote.
Salesman flags a duplicate at the shop	Open Duplicates, find the pair, decide Keep ← or Keep → after reviewing both records.
ERP team asks for the cleaned master	Export with completeness ≥ 60% (mid-pilot) or ≥ 90% (year-end).
HR investigates a salesman	Audit log → filter by user + date range.
Customer profile shows wrong info, no one knows why	Audit log → filter by entity Customer + entityId from URL.

Severity guide

 Routine	Customer-master uploads, weekly duplicate review, monthly exports.
--	--

**● Care
needed**

Cross-region merges, batch promotions, account-master uploads.

**● High-
stakes**

Restoring soft-deleted customers, undoing a bad import, anything that touches data outside the staging pipeline.

PRODUCTION URL

<https://nmwc-cm.vercel.app>

NMWC Customer Master · Data Steward Guide · v1.0 · 2026-05-10