

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2014 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Sturgeon, pallid (<i>Scaphirhynchus albus</i>) - Entire	E	\$68,778,575	\$68,778,575
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Snake River Basin DPS	T	\$52,178,312	\$120,956,887
3	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$49,199,036	\$170,155,923
4	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Middle Columbia River DPS	T	\$48,512,887	\$218,668,810
5	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$42,525,708	\$261,194,518
6	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$35,442,077	\$296,636,595
7	Trout, bull (<i>Salvelinus confluentus</i>) - U.S.A., conterminous, lower 48 states	T	\$35,194,738	\$331,831,333
8	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$33,836,557	\$365,667,890
9	Tortoise, desert (<i>Gopherus agassizii</i>) - Entire, except in Sonoran Desert	T	\$33,677,623	\$399,345,513
10	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Upper Columbia River DPS	T	\$31,683,743	\$431,029,256
11	Sea lion, Steller (<i>Eumetopias jubatus</i>) - Western DPS	E	\$30,472,348	\$461,501,604
12	Woodpecker, red-cockaded (<i>Picoides borealis</i>) - Entire	E	\$28,091,150	\$489,592,754
13	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>) - Entire	E	\$23,157,345	\$512,750,099
14	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) nerka) - Snake River ESU	E	\$22,780,787	\$535,530,886
15	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Puget Sound ESU	T	\$21,124,534	\$556,655,420
16	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$17,631,540	\$574,286,960
17	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Lower Columbia River DPS	T	\$15,808,309	\$590,095,269
18	Bat, Indiana (<i>Myotis sodalis</i>) - Entire	E	\$15,192,756	\$605,288,025
19	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) - Lower Columbia River ESU	T	\$14,539,618	\$619,827,643
20	Chub, humpback (<i>Gila cypha</i>) - Entire	E	\$13,409,098	\$633,236,741
21	Owl, northern spotted (<i>Strix occidentalis caurina</i>) - Entire	T	\$13,396,766	\$646,633,507

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
22	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Southern Oregon - Northern California Coast ESU	T	\$12,797,817	\$659,431,324
23	Smelt, delta (<i>Hypomesus transpacificus</i>) - Entire	T	\$11,960,799	\$671,392,123
24	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$11,685,179	\$683,077,302
25	Salmon, chum (<i>Oncorhynchus keta</i>) - Columbia River ESU	T	\$11,329,733	\$694,407,035
26	Sturgeon, white (<i>Acipenser transmontanus</i>) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$10,544,074	\$704,951,109
27	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>) - Entire	E	\$10,207,748	\$715,158,857
28	Sucker, razorback (<i>Xyrauchen texanus</i>) - Entire	E	\$9,539,766	\$724,698,623
29	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$9,334,565	\$734,033,188
30	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Puget Sound DPS	T	\$9,321,316	\$743,354,504
31	Minnow, Rio Grande Silvery (<i>Hybognathus amarus</i>) - Entire, except where listed as an experimental population	E	\$9,223,652	\$752,578,156
32	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northwest Atlantic Ocean DPS	T	\$8,660,093	\$761,238,249
33	Salmon, Atlantic (<i>Salmo salar</i>) - Gulf of Maine DPS	E	\$8,621,892	\$769,860,141
34	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Upper Willamette River DPS	T	\$8,429,010	\$778,289,151
35	Frog, California red-legged (<i>Rana draytonii</i>) - Entire	T	\$8,087,462	\$786,376,613
36	Sea turtle, leatherback (<i>Dermochelys coriacea</i>) - Entire	E	\$8,059,747	\$794,436,360
37	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where listed as an experimental population or delisted	T	\$8,036,953	\$802,473,313
38	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - California Central Valley DPS	T	\$7,758,946	\$810,232,259
39	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Oregon Coast ESU	T	\$7,607,283	\$817,839,542
40	Sea turtle, green (<i>Chelonia mydas</i>) - Except where endangered	T	\$7,593,653	\$825,433,195
41	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Sacramento River winter-run ESU	E	\$7,144,783	\$832,577,978
42	Salmon, chum (<i>Oncorhynchus keta</i>) - Hood Canal summer-run ESU	T	\$6,874,984	\$839,452,962
43	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>) - Entire	E	\$6,763,446	\$846,216,408
44	Chub, bonytail (<i>Gila elegans</i>) - Entire	E	\$6,249,048	\$852,465,456
45	Tortoise, gopher (<i>Gopherus polyphemus</i>) - West of Mobile and Tombigbee Rivers	T	\$6,229,344	\$858,694,800
46	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>) - Entire	T	\$5,863,127	\$864,557,927
47	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>) - Entire	E	\$5,636,214	\$870,194,141

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
48	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Central California Coast ESU	E	\$5,472,499	\$875,666,640
49	Ferret, black-footed (<i>Mustela nigripes</i>) - U.S.A. (WY and specific portions of AZ, CO, MT, SD, and UT)	EXPN	\$5,462,546	\$881,129,186
50	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Central California Coast DPS	T	\$5,417,820	\$886,547,006
51	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>) - Entire	E	\$5,272,505	\$891,819,511
52	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$5,263,502	\$897,083,013
53	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Sonoma County)	E	\$5,135,895	\$902,218,908
54	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Northern California DPS	T	\$5,127,780	\$907,346,688
55	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Ozette Lake ESU	T	\$5,100,711	\$912,447,399
56	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>) - Entire	T	\$5,011,138	\$917,458,537
57	Manatee, West Indian (<i>Trichechus manatus</i>) - Entire	E	\$4,948,295	\$922,406,832
58	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$4,908,883	\$927,315,715
59	Whale, humpback (<i>Megaptera novaeangliae</i>) - Entire	E	\$4,745,649	\$932,061,364
60	Trout, Lahontan cutthroat (<i>Oncorhynchus clarkii henshawi</i>) - Entire	T	\$4,639,473	\$936,700,837
61	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Southern California DPS	E	\$4,306,389	\$941,007,226
62	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - California Coastal ESU	T	\$4,301,951	\$945,309,177
63	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>) - wherever found	E	\$4,276,236	\$949,585,413
64	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$4,226,021	\$953,811,434
65	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Central Valley spring-run ESU	T	\$4,128,190	\$957,939,624
66	Wolf, gray (<i>Canis lupus</i>) - U.S.A.: All of AL, AR, CA, CO, CT, DE, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, ND, NE, NH, NJ, NV, NY, OH, OK, PA, RI, SC, SD, TN, TX, VA, VT, WI, and WV; and portions of AZ, NM, OR, UT, and WA. Mexico.	E	\$4,103,313	\$962,042,937
67	Prairie-chicken, lesser (<i>Tympanuchus pallidicinctus</i>) -	T	\$4,009,488	\$966,052,425
68	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - South-Central California Coast DPS	T	\$3,986,794	\$970,039,219
69	Panther, Florida (<i>Puma</i> (=Felis) <i>concolor coryi</i>) -	E	\$3,773,509	\$973,812,728
70	Bear, polar (<i>Ursus maritimus</i>) - Entire	T	\$3,761,287	\$977,574,015
71	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>) - Entire	T	\$3,585,385	\$981,159,400

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
72	Sturgeon (Gulf subspecies), Atlantic (<i>Acipenser oxyrinchus</i> (=oxyrhynchus) <i>desotoi</i>) - Entire	T	\$3,554,954	\$984,714,354
73	Sucker, shortnose (<i>Chasmistes brevirostris</i>) - Entire	E	\$3,461,673	\$988,176,027
74	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Entire, except EXPN	E	\$3,065,764	\$991,241,791
75	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$3,060,149	\$994,301,940
76	Vireo, least Bell's (<i>Vireo bellii pusillus</i>) - Entire	E	\$2,796,597	\$997,098,537
77	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$2,792,508	\$999,891,045
78	Sucker, Lost River (<i>Deltistes luxatus</i>) - Entire	E	\$2,766,694	\$1,002,657,739
79	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>) - Entire	E	\$2,635,933	\$1,005,293,672
80	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - Entire	E	\$2,627,392	\$1,007,921,064
81	Whale, blue (<i>Balaenoptera musculus</i>) - Entire	E	\$2,560,771	\$1,010,481,835
82	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$2,533,266	\$1,013,015,101
83	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - Gulf of Maine DPS	T	\$2,522,515	\$1,015,537,616
84	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>) - Entire	E	\$2,488,085	\$1,018,025,701
85	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN population	EXPN	\$2,470,481	\$1,020,496,182
86	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, MS, NC, SC	T	\$2,451,722	\$1,022,947,904
87	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$2,408,118	\$1,025,356,022
88	Snake, giant garter (<i>Thamnophis gigas</i>) - Entire	T	\$2,390,199	\$1,027,746,221
89	Sea turtle, loggerhead (<i>Caretta caretta</i>) - North Pacific Ocean DPS	E	\$2,358,970	\$1,030,105,191
90	Condor, California (<i>Gymnogyps californianus</i>) - Entire, except where listed as an experimental population	E	\$2,253,935	\$1,032,359,126
91	Horned lark, streaked (<i>Eremophila alpestris strigata</i>) -	T	\$2,151,512	\$1,034,510,638
92	Whale, beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$2,142,015	\$1,036,652,653
93	Beetle, American burying (<i>Nicrophorus americanus</i>) - Entire	E	\$2,140,182	\$1,038,792,835
94	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Except where endangered	T	\$2,138,012	\$1,040,930,847
95	Snake, eastern indigo (<i>Drymarchon corais couperi</i>) - Entire	T	\$1,985,349	\$1,042,916,196
96	Bat, gray (<i>Myotis grisescens</i>) - Entire	E	\$1,973,625	\$1,044,889,821
97	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>) - Entire	E	\$1,878,739	\$1,046,768,560
98	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>) - Entire	T	\$1,832,848	\$1,048,601,408
99	Alligator, American (<i>Alligator mississippiensis</i>) - Entire	SAT	\$1,777,122	\$1,050,378,530

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
100	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>) - Entire	T	\$1,702,694	\$1,052,081,224
101	Abalone, Black (<i>Haliotis cracherodii</i>)	E	\$1,666,933	\$1,053,748,157
102	Whale, finback (<i>Balaenoptera physalus</i>) - Entire	E	\$1,666,456	\$1,055,414,613
103	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$1,659,623	\$1,057,074,236
104	Crane, whooping (<i>Grus americana</i>) - U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$1,657,439	\$1,058,731,675
105	Sturgeon, green (<i>Acipenser medirostris</i>) - Southern DPS	T	\$1,650,654	\$1,060,382,329
106	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except where experimental	E	\$1,616,739	\$1,061,999,068
107	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>) - Entire	E	\$1,515,820	\$1,063,514,888
108	Parrot, Puerto Rican (<i>Amazona vittata</i>) - Entire	E	\$1,485,468	\$1,065,000,356
109	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>) - Entire	E	\$1,472,559	\$1,066,472,915
110	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus)) - Entire	E	\$1,404,828	\$1,067,877,743
111	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$1,388,887	\$1,069,266,630
112	Sawfish, smalltooth (<i>Pristis pectinata</i>) - United States DPS	E	\$1,368,881	\$1,070,635,511
113	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$1,357,008	\$1,071,992,519
114	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$1,355,477	\$1,073,347,996
115	Darter, duskytail (<i>Etheostoma percnurum</i>) - Entire	E	\$1,337,249	\$1,074,685,245
116	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>) - Entire	E	\$1,324,420	\$1,076,009,665
117	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$1,323,594	\$1,077,333,259
118	Whale, Sei (<i>Balaenoptera borealis</i>) - Entire	E	\$1,275,022	\$1,078,608,281
119	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$1,265,867	\$1,079,874,148
120	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>) - Entire	E	\$1,264,710	\$1,081,138,858
121	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>) - Entire	E	\$1,229,185	\$1,082,368,043
122	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$1,178,969	\$1,083,547,012
123	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>) - Entire	E	\$1,171,312	\$1,084,718,324
124	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - Entire	E	\$1,163,865	\$1,085,882,189
125	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>) - Entire	E	\$1,138,620	\$1,087,020,809
126	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>) - Entire	E	\$1,133,303	\$1,088,154,112
127	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$1,126,077	\$1,089,280,189

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
128	Gnatcatcher, coastal California (<i>Poliophtila californica californica</i>) - Entire	T	\$1,114,177	\$1,090,394,366
129	Eulachon (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$1,112,983	\$1,091,507,349
130	Sucker, June (<i>Chasmistes liorus</i>) - Entire	E	\$1,106,186	\$1,092,613,535
131	Coot, Hawaiian (<i>Fulica americana alai</i>) - Entire	E	\$1,102,481	\$1,093,716,016
132	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - Entire, except where listed as an experimental population	E	\$1,081,982	\$1,094,797,998
133	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - Entire	E	\$1,077,351	\$1,095,875,349
134	Prairie dog, Utah (<i>Cynomys parvidens</i>) - Entire	T	\$1,063,778	\$1,096,939,127
135	Rail, California clapper (<i>Rallus longirostris obsoletus</i>) - Entire	E	\$1,058,309	\$1,097,997,436
136	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>) - Entire	E	\$1,034,476	\$1,099,031,912
137	Skink, sand (<i>Neoseps reynoldsi</i>) - Entire	T	\$1,027,238	\$1,100,059,150
138	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$1,023,858	\$1,101,083,008
139	Wolf, red (<i>Canis rufus</i>) - U.S.A. (portions of NC and TN)	EXPN	\$1,022,673	\$1,102,105,681
140	Ocelot (<i>Leopardus</i> (=Felis) <i>pardalis</i>) - wherever found	E	\$1,016,946	\$1,103,122,627
141	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - Entire	E	\$1,015,050	\$1,104,137,677
142	Bear, grizzly (<i>Ursus arctos horribilis</i>) - U.S.A. (portions of ID and MT, see 17.84(l))	EXPN	\$1,014,481	\$1,105,152,158
143	Gallinule, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>) - Entire	E	\$1,010,512	\$1,106,162,670
144	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>) - Entire	E	\$1,005,996	\$1,107,168,666
145	Mussel, snuffbox (<i>Epioblasma triquetra</i>)	E	\$1,002,972	\$1,108,171,638
146	Spikedace (<i>Meda fulgida</i>) - Entire	E	\$999,595	\$1,109,171,233
147	Chub, Gila (<i>Gila intermedia</i>) - Entire	E	\$994,109	\$1,110,165,342
148	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$985,098	\$1,111,150,440
149	Toad, Wyoming (<i>Bufo hemiophrys baxteri</i>) - Entire	E	\$981,229	\$1,112,131,669
150	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$975,284	\$1,113,106,953
151	Minnow, loach (<i>Tiaroga cobitis</i>) - Entire	E	\$973,397	\$1,114,080,350
152	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>) - Entire	E	\$966,639	\$1,115,046,989
153	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>) - wherever found	E	\$966,117	\$1,116,013,106
154	Cui-ui (<i>Chasmistes cujus</i>) - Entire	E	\$956,601	\$1,116,969,707

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
155	Bear, Louisiana black (<i>Ursus americanus luteolus</i>) - Entire	T	\$950,059	\$1,117,919,766
156	Checkerspot, Taylor's (=whulge) (<i>Euphydryas editha taylori</i>)	E	\$935,487	\$1,118,855,253
157	Rockfish, yelloweye (<i>Sebastes ruberrimus</i>) - Puget Sound - Georgia Basin DPS	T	\$919,200	\$1,119,774,453
158	Rockfish, canary (<i>Sebastes pinniger</i>) - Puget Sound - Georgia Basin DPS	T	\$918,885	\$1,120,693,338
159	Whale, bowhead (<i>Balaena mysticetus</i>) - Entire	E	\$913,017	\$1,121,606,355
160	Bocaccio (<i>Sebastes paucispinis</i>) - Puget Sound - Georgia Basin DPS	E	\$891,384	\$1,122,497,739
161	Tiger beetle, Puritan (<i>Cicindela puritana</i>) - Entire	T	\$889,486	\$1,123,387,225
162	Ferret, black-footed (<i>Mustela nigripes</i>) - entire population, except where EXPN	E	\$887,143	\$1,124,274,368
163	Crane, whooping (<i>Grus americana</i>) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$882,949	\$1,125,157,317
164	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$853,142	\$1,126,010,459
165	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>) - Entire	E	\$809,255	\$1,126,819,714
166	Sea lion, Steller (<i>Eumetopias jubatus</i>) - Eastern DPS	DM	\$801,034	\$1,127,620,748
167	Seal, spotted (<i>Phoca largha</i>) - Southern DPS	T	\$791,875	\$1,128,412,623
168	Pocket gopher, Roy Prairie (<i>Thomomys mazama glacialis</i>)	T	\$777,329	\$1,129,189,952
169	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>) - Entire	E	\$770,946	\$1,129,960,898
170	Eider, spectacled (<i>Somateria fischeri</i>) - Entire	T	\$770,134	\$1,130,731,032
171	Otter, southern sea (<i>Enhydra lutris nereis</i>) -	T	\$757,146	\$1,131,488,178
172	Wolf, gray (<i>Canis lupus</i>) - WY, EXPN population	EXPN	\$752,432	\$1,132,240,610
173	Abalone, White (<i>Haliotis sorenseni</i>) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$749,899	\$1,132,990,509
174	Woundfin (<i>Plagopterus argentissimus</i>) - Entire, except EXPN	E	\$749,300	\$1,133,739,809
175	Warbler, Kirtland's (<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)) - Entire	E	\$744,747	\$1,134,484,556
176	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$739,666	\$1,135,224,222
177	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>) - Entire	E	\$732,025	\$1,135,956,247
178	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>) - Entire	E	\$722,850	\$1,136,679,097
179	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$716,016	\$1,137,395,113
180	Palila (honeycreeper) (<i>Loxioides bailleui</i>) - Entire	E	\$707,392	\$1,138,102,505
181	Chub, Borax Lake (<i>Gila boraxobius</i>) - Entire	E	\$705,319	\$1,138,807,824
182	Shiner, Topeka (<i>Notropis topeka</i> (=tristis)) - Entire	E	\$699,562	\$1,139,507,386

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
183	Frog, Oregon spotted (<i>Rana pretiosa</i>)	T	\$676,681	\$1,140,184,067
184	Petrel, Hawaiian (<i>Pterodroma sandwichensis</i>) - Entire	E	\$647,719	\$1,140,831,786
185	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>) - Entire	T	\$634,681	\$1,141,466,467
186	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>) - Entire	E	\$629,669	\$1,142,096,136
187	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>) - Entire	E	\$628,537	\$1,142,724,673
188	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$626,181	\$1,143,350,854
189	Jaguar (<i>Panthera onca</i>) - Wherever found	E	\$625,665	\$1,143,976,519
190	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - wherever found	T	\$613,787	\$1,144,590,306
191	Mouse, New Mexico meadow jumping (<i>Zapus hudsonius luteus</i>) -	E	\$610,926	\$1,145,201,232
192	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$604,734	\$1,145,805,966
193	Chub, Virgin River (<i>Gila seminuda</i> (=robusta)) - Entire	E	\$596,300	\$1,146,402,266
194	Rail, Guam (<i>Rallus owstoni</i>) - Entire, except where listed as experimental	E	\$594,718	\$1,146,996,984
195	Trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>) - Entire	T	\$592,468	\$1,147,589,452
196	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>) -	E	\$587,350	\$1,148,176,802
197	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$587,187	\$1,148,763,989
198	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$574,318	\$1,149,338,307
199	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>) - Entire	T	\$568,901	\$1,149,907,208
200	Megapode, Micronesian (<i>Megapodius laperouse</i>) - Entire	E	\$564,751	\$1,150,471,959
201	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>) - Entire	E	\$560,996	\$1,151,032,955
202	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - U.S.A. (AZ), Mexico	EXPN	\$554,500	\$1,151,587,455
203	Chub, Oregon (<i>Oregonichthys crameri</i>) - Entire	T	\$546,719	\$1,152,134,174
204	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>)	E	\$543,032	\$1,152,677,206
205	Heelsplitter, Carolina (<i>Lasmigona decorata</i>) - Entire	E	\$536,309	\$1,153,213,515
206	Darter, Okaloosa (<i>Etheostoma okaloosae</i>) - Entire	T	\$530,936	\$1,153,744,451
207	Frog, Sierra Nevada Yellow-legged (<i>Rana sierrae</i>)	E	\$530,738	\$1,154,275,189
208	Goby, tidewater (<i>Eucyclogobius newberryi</i>) - Entire	E	\$528,764	\$1,154,803,953
209	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) - Entire	T	\$521,497	\$1,155,325,450
210	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>) - Entire	E	\$517,754	\$1,155,843,204
211	Vireo, black-capped (<i>Vireo atricapilla</i>) - Entire	E	\$512,531	\$1,156,355,735
212	Pupfish, desert (<i>Cyprinodon macularius</i>) - Entire	E	\$508,385	\$1,156,864,120

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
213	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - Chesapeake Bay DPS	E	\$501,370	\$1,157,365,490
214	Duck, Laysan (<i>Anas laysanensis</i>) - Entire	E	\$495,641	\$1,157,861,131
215	Lupine, Kincaid's (<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>)	T	\$491,893	\$1,158,353,024
216	Monkeyflower, Vandenberg (<i>Diplacus vanderbergensis</i>)	E	\$490,797	\$1,158,843,821
217	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$490,162	\$1,159,333,983
218	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$469,678	\$1,159,803,661
219	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$469,382	\$1,160,273,043
220	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>) - Entire	E	\$462,339	\$1,160,735,382
221	Bat, Virginia big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i>) - Entire	E	\$459,703	\$1,161,195,085
222	Snail, Snake River physa (<i>Physa natricina</i>) - Entire	E	\$443,215	\$1,161,638,300
223	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$439,067	\$1,162,077,367
224	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>) - Entire	T	\$437,915	\$1,162,515,282
225	Trout, Paiute cutthroat (<i>Oncorhynchus clarkii seleniris</i>) - Entire	T	\$434,976	\$1,162,950,258
226	Frog, dusky gopher (<i>Rana sevosia</i>) - Entire	E	\$433,549	\$1,163,383,807
227	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Santa Barbara County)	E	\$431,938	\$1,163,815,745
228	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$427,966	\$1,164,243,711
229	Beetle, [no common name] (<i>Rhadine infernalis</i>)	E	\$417,345	\$1,164,661,056
230	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>) - Entire	E	\$405,342	\$1,165,066,398
231	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$396,740	\$1,165,463,138
232	Skink, bluetail mole (<i>Eumeces egregius lividus</i>) - Entire	T	\$394,740	\$1,165,857,878
233	Iagu, Hayun (=Guam), Tronkon guafi (Rota) (<i>Serianthes nelsonii</i>)	E	\$388,448	\$1,166,246,326
234	Toad, Houston (<i>Bufo houstonensis</i>) - Entire	E	\$388,400	\$1,166,634,726
235	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>) - Entire	T	\$386,752	\$1,167,021,478
236	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>) - Entire	E	\$380,096	\$1,167,401,574
237	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain population	E	\$379,515	\$1,167,781,089
238	Clubshell (<i>Pleurobema clava</i>) - Wherever found; Except where listed as Experimental Populations	E	\$372,398	\$1,168,153,487

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
239	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - Southwest Alaska DPS	T	\$366,520	\$1,168,520,007
240	Pondberry (<i>Lindera melissifolia</i>)	E	\$366,326	\$1,168,886,333
241	Sucker, Warner (<i>Catostomus warnerensis</i>) - Entire	T	\$365,886	\$1,169,252,219
242	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - Entire	E	\$363,655	\$1,169,615,874
243	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Entire; except where listed as experimental populations	E	\$362,422	\$1,169,978,296
244	Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Entire	E	\$361,594	\$1,170,339,890
245	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	T	\$356,709	\$1,170,696,599
246	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$355,297	\$1,171,051,896
247	Lotus, San Clemente Island (<i>Acmispon dendroideus</i> var. <i>traskiae</i> (=Lotus d. ssp. <i>traskiae</i>))	T	\$351,827	\$1,171,403,723
248	Rabbit, Columbia Basin Pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$344,314	\$1,171,748,037
249	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$342,545	\$1,172,090,582
250	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$342,345	\$1,172,432,927
251	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>) - Entire	E	\$334,218	\$1,172,767,145
252	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$333,000	\$1,173,100,145
253	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$332,962	\$1,173,433,107
254	Gartersnake, northern Mexican (<i>Thamnophis eques megalops</i>)	T	\$328,113	\$1,173,761,220
255	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>) -	T	\$324,941	\$1,174,086,161
256	Darter, Niangua (<i>Etheostoma nianguae</i>) - Entire	T	\$324,381	\$1,174,410,542
257	Logperch, Roanoke (<i>Percina rex</i>) - Entire	E	\$315,560	\$1,174,726,102
258	Bat, Florida bonneted (<i>Eumops floridanus</i>)	E	\$315,489	\$1,175,041,591
259	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$310,289	\$1,175,351,880
260	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i>) - Wherever found	E	\$310,054	\$1,175,661,934
261	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$309,823	\$1,175,971,757
262	Kangaroo rat, giant (<i>Dipodomys ingens</i>) - Entire	E	\$307,462	\$1,176,279,219
263	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$301,983	\$1,176,581,202
264	Dace, Moapa (<i>Moapa coriacea</i>) - Entire	E	\$301,909	\$1,176,883,111
265	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>) - Entire	E	\$299,915	\$1,177,183,026
266	Kingfisher, Guam (<i>Todiramphus cinnamominus</i>) - Entire	E	\$298,720	\$1,177,481,746
267	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$298,606	\$1,177,780,352
268	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$296,770	\$1,178,077,122

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
269	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>) - Entire	E	\$296,331	\$1,178,373,453
270	Vole, Amargosa (<i>Microtus californicus scirpensis</i>) - Entire	E	\$295,590	\$1,178,669,043
271	Mussel, sheepnose (<i>Plethobasus cyphus</i>)	E	\$295,233	\$1,178,964,276
272	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$288,402	\$1,179,252,678
273	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)) - Entire	E	\$285,131	\$1,179,537,809
274	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - U.S.A (AZ, NM)	EXPN	\$283,809	\$1,179,821,618
275	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$280,427	\$1,180,102,045
276	Turtle, ringed map (<i>Graptemys oculifera</i>) - Entire	T	\$277,891	\$1,180,379,936
277	Kio`ele (<i>Kadua coriacea</i>)	E	\$275,767	\$1,180,655,703
278	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>) - wherever found	E	\$273,669	\$1,180,929,372
279	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>) - Entire	E	\$272,528	\$1,181,201,900
280	Bison, wood (<i>Bison bison athabasca</i>) - Entire	T	\$272,000	\$1,181,473,900
281	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>) - Wherever found	E	\$268,461	\$1,181,742,361
282	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.) - Entire	E	\$267,909	\$1,182,010,270
283	Rabbitsfoot (<i>Quadrula cylindrica cylindrica</i>) -	T	\$265,706	\$1,182,275,976
284	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$264,181	\$1,182,540,157
285	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$262,691	\$1,182,802,848
286	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$258,084	\$1,183,060,932
287	Pupfish, Owens (<i>Cyprinodon radiosus</i>) - Entire	E	\$257,224	\$1,183,318,156
288	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>) - Entire	E	\$252,334	\$1,183,570,490
289	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - Northern California DPS	E	\$251,856	\$1,183,822,346
290	Darter, leopard (<i>Percina pantherina</i>) - Entire	T	\$251,660	\$1,184,074,006
291	Po`e (<i>Portulaca sclerocarpa</i>)	E	\$249,409	\$1,184,323,415
292	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$248,864	\$1,184,572,279
293	Squirrel, Northern Idaho Ground (<i>Urocyonellus brunneus</i>) - Entire	T	\$248,253	\$1,184,820,532
294	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>) - Entire	E	\$247,883	\$1,185,068,415
295	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$243,240	\$1,185,311,655

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
296	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>) - Entire	E	\$243,000	\$1,185,554,655
297	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$240,007	\$1,185,794,662
298	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>) - Entire	T	\$239,652	\$1,186,034,314
299	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>) - Entire	E	\$239,247	\$1,186,273,561
300	No Common Name (<i>Silene hawaiiensis</i>)	T	\$237,375	\$1,186,510,936
301	No Common Name (<i>Asplenium fragile insulare</i>)	E	\$237,279	\$1,186,748,215
302	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>) - Entire	T	\$235,560	\$1,186,983,775
303	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - Carolina DPS	E	\$235,415	\$1,187,219,190
304	Pink, swamp (<i>Helonias bullata</i>)	T	\$235,094	\$1,187,454,284
305	Wooly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$234,787	\$1,187,689,071
306	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$232,781	\$1,187,921,852
307	Toad, Yosemite (<i>Anaxyrus canorus</i>)	T	\$232,306	\$1,188,154,158
308	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>)	E	\$227,158	\$1,188,381,316
309	Spinymussel, James (<i>Pleurobema collina</i>) - Entire	E	\$226,597	\$1,188,607,913
310	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>) - Entire	E	\$220,413	\$1,188,828,326
311	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$219,543	\$1,189,047,869
312	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$213,206	\$1,189,261,075
313	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissylepsis</i>) - Entire	E	\$213,164	\$1,189,474,239
314	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>) - Entire	E	\$211,281	\$1,189,685,520
315	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>) - wherever found	E	\$210,640	\$1,189,896,160
316	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) - Wherever found	E	\$209,750	\$1,190,105,910
317	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$208,383	\$1,190,314,293
318	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolni</i>) - Entire	E	\$205,904	\$1,190,520,197
319	Madtom, Neosho (<i>Noturus placidus</i>) - Entire	T	\$204,943	\$1,190,725,140
320	Layia, beach (<i>Layia carnosa</i>)	E	\$201,952	\$1,190,927,092
321	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$200,608	\$1,191,127,700
322	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$199,889	\$1,191,327,589
323	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$199,565	\$1,191,527,154
324	Shiner, Topeka (<i>Notropis topeka</i> (=tristis)) - Northern Missouri Experimental Population	EXPN	\$199,460	\$1,191,726,614
325	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$196,730	\$1,191,923,344

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
326	No Common Name (<i>Spermolepis hawaiiensis</i>)	E	\$196,647	\$1,192,119,991
327	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>) - Entire	E	\$195,055	\$1,192,315,046
328	Fatmucket, Arkansas (<i>Lampsilis powellii</i>) - Entire	T	\$194,682	\$1,192,509,728
329	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - New York Bight DPS	E	\$193,898	\$1,192,703,626
330	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>) - Entire	E	\$190,014	\$1,192,893,640
331	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$186,640	\$1,193,080,280
332	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>) - Entire	E	\$186,604	\$1,193,266,884
333	Akikiki (<i>Oreomystis bairdi</i>) - Entire	E	\$185,850	\$1,193,452,734
334	Mucket, Neosho (<i>Lampsilis rafinesqueana</i>) -	E	\$184,086	\$1,193,636,820
335	Tiger beetle, Northeastern beach (<i>Cicindela dorsalis dorsalis</i>) - Entire	T	\$183,029	\$1,193,819,849
336	No Common Name (<i>Neraudia ovata</i>)	E	\$182,636	\$1,194,002,485
337	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>) - Entire	E	\$181,853	\$1,194,184,338
338	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - South Atlantic DPS	E	\$181,191	\$1,194,365,529
339	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$180,690	\$1,194,546,219
340	No Common Name (<i>Stenogyne angustifolia angustifolia</i>)	E	\$180,476	\$1,194,726,695
341	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>) - Entire	E	\$180,011	\$1,194,906,706
342	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>) - Entire	E	\$179,658	\$1,195,086,364
343	Howellia, water (<i>Howellia aquatilis</i>)	T	\$179,252	\$1,195,265,616
344	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$176,409	\$1,195,442,025
345	Honohono (<i>Haplostachys haplostachya</i>)	E	\$176,301	\$1,195,618,326
346	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>) - Entire	E	\$175,273	\$1,195,793,599
347	No Common Name (<i>Hesperomannia arborescens</i>)	E	\$174,808	\$1,195,968,407
348	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$174,670	\$1,196,143,077
349	Salamander, Georgetown (<i>Eurycea naufragia</i>) -	T	\$174,590	\$1,196,317,667
350	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>) - Entire	E	\$173,741	\$1,196,491,408
351	No Common Name (<i>Silene lanceolata</i>)	E	\$173,410	\$1,196,664,818
352	Pocketbook, fat (<i>Potamilus capax</i>) - Entire	E	\$173,311	\$1,196,838,129
353	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$173,191	\$1,197,011,320

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
354	Spinedace, White River (<i>Lepidomeda albivallis</i>) - Entire	E	\$172,734	\$1,197,184,054
355	Dace, blackside (<i>Phoxinus cumberlandensis</i>) - Entire	T	\$172,285	\$1,197,356,339
356	Nanu (<i>Gardenia mannii</i>)	E	\$172,248	\$1,197,528,587
357	Nioi (<i>Eugenia koolauensis</i>)	E	\$171,750	\$1,197,700,337
358	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$171,036	\$1,197,871,373
359	Akekee (<i>Loxops caeruleirostris</i>) - Entire	E	\$170,210	\$1,198,041,583
360	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$169,940	\$1,198,211,523
361	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$169,937	\$1,198,381,460
362	No Common Name (<i>Vigna o-wahuensis</i>)	E	\$169,043	\$1,198,550,503
363	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>) - Entire	E	\$168,800	\$1,198,719,303
364	No Common Name (<i>Viola oahuensis</i>)	E	\$168,419	\$1,198,887,722
365	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$168,244	\$1,199,055,966
366	`Akoko (<i>Euphorbia rockii</i>)	E	\$168,142	\$1,199,224,108
367	Alani (<i>Melicope lydgatei</i>)	E	\$167,754	\$1,199,391,862
368	No Common Name (<i>Tetramolopium arenarium</i>)	E	\$166,850	\$1,199,558,712
369	No Common Name (<i>Lipochaeta venosa</i>)	E	\$164,886	\$1,199,723,598
370	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Wherever found; Except where listed as Experimental Populations	E	\$163,700	\$1,199,887,298
371	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$163,673	\$1,200,050,971
372	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$162,662	\$1,200,213,633
373	Pigtoe, shiny (<i>Fusconaia cor</i>) - Wherever found; Except where listed as Experimental Populations	E	\$162,559	\$1,200,376,192
374	Ivesia, Webber (<i>Ivesia webberi</i>)	T	\$161,624	\$1,200,537,816
375	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$161,045	\$1,200,698,861
376	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$160,670	\$1,200,859,531
377	`Aiea (<i>Nothocestrum breviflorum</i>)	E	\$160,037	\$1,201,019,568
378	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$159,956	\$1,201,179,524
379	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Wherever found; Except where listed as Experimental Populations	E	\$159,200	\$1,201,338,724
380	Aupaka (<i>Isodendron hosakae</i>)	E	\$158,548	\$1,201,497,272
381	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - Wherever found; Except where listed as Experimental Populations	E	\$158,297	\$1,201,655,569
382	Daisy, Willamette (<i>Erigeron decumbens</i>)	E	\$158,053	\$1,201,813,622
383	Pearlymussel, cracking (<i>Hemistena lata</i>) - Wherever found; Except where listed as Experimental Populations	E	\$157,650	\$1,201,971,272

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
384	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) <i>albatrus</i>) - Entire	E	\$156,412	\$1,202,127,684
385	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>) - Entire	E	\$155,516	\$1,202,283,200
386	Creeper, Hawaii (<i>Oreomystis mana</i>) - Entire	E	\$153,662	\$1,202,436,862
387	Harvestman, Bone Cave (<i>Texella reyesi</i>) - Entire	E	\$152,336	\$1,202,589,198
388	Ma`oli`oli (<i>Schiedea hawaiiensis</i>) -	E	\$152,289	\$1,202,741,487
389	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>) - Entire	T	\$151,000	\$1,202,892,487
390	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$150,278	\$1,203,042,765
391	Beetle, [no common name] (<i>Rhadine exilis</i>)	E	\$150,114	\$1,203,192,879
392	Dace, Fosskett speckled (<i>Rhinichthys osculus</i> ssp.) - Entire	T	\$149,576	\$1,203,342,455
393	Monardella, willow (Monardella <i>viminea</i>)	E	\$149,574	\$1,203,492,029
394	Chaffseed, American (<i>Schwalbea americana</i>) -	E	\$148,840	\$1,203,640,869
395	Darter, boulder (<i>Etheostoma wapiti</i>) - Entire	E	\$148,453	\$1,203,789,322
396	Mahoe (<i>Alectryon macrococcus</i>)	E	\$148,335	\$1,203,937,657
397	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$146,626	\$1,204,084,283
398	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>) - Entire	T	\$146,400	\$1,204,230,683
399	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>) - Wherever found	E	\$145,850	\$1,204,376,533
400	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Wherever found; Except where listed as Experimental Populations	E	\$145,248	\$1,204,521,781
401	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$145,029	\$1,204,666,810
402	Cavefish, Ozark (<i>Amblyopsis rosae</i>) - Entire	T	\$143,977	\$1,204,810,787
403	Pocket gopher, Yelm (<i>Thomomys mazama yelmensis</i>)	T	\$142,595	\$1,204,953,382
404	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$140,936	\$1,205,094,318
405	Lily, Western (<i>Lilium occidentale</i>)	E	\$140,482	\$1,205,234,800
406	No Common Name (<i>Gouania vitifolia</i>)	E	\$140,280	\$1,205,375,080
407	`Akoko (<i>Euphorbia celastroides</i> var. <i>kaenana</i>)	E	\$140,061	\$1,205,515,141
408	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>) - Entire	T	\$140,056	\$1,205,655,197
409	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allopshys</i>) - Entire	E	\$139,715	\$1,205,794,912
410	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>) - Entire	E	\$138,230	\$1,205,933,142
411	Kamanomano (<i>Cenchrus agrimonoides</i>)	E	\$137,334	\$1,206,070,476
412	No Common Name (<i>Pteris lidgatei</i>)	E	\$137,256	\$1,206,207,732
413	Threeridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$136,530	\$1,206,344,262
414	No Common Name (<i>Schiedea kaalae</i>)	E	\$136,017	\$1,206,480,279

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
415	Haha (Cyanea st.-johnii)	E	\$135,410	\$1,206,615,689
416	No Common Name (Neraudia angulata)	E	\$134,230	\$1,206,749,919
417	Bankclimber, purple (mussel) (Elliptioideus sloatianus)	T	\$134,226	\$1,206,884,145
418	No Common Name (Lobelia oahuensis)	E	\$134,001	\$1,207,018,146
419	Beaked-rush, Knieskern's (Rhynchospora knieskernii)	T	\$133,671	\$1,207,151,817
420	Kulu`i (Nototrichium humile)	E	\$133,611	\$1,207,285,428
421	No Common Name (Tetramolopium filiforme)	E	\$133,241	\$1,207,418,669
422	Fairy shrimp, Conservancy (Branchinecta conservatio) - Entire	E	\$133,201	\$1,207,551,870
423	`Akoko (Euphorbia herbstii)	E	\$132,959	\$1,207,684,829
424	No Common Name (Abutilon sandwicense)	E	\$132,811	\$1,207,817,640
425	Pamakani (Viola chamissoniana ssp. chamissoniana)	E	\$132,687	\$1,207,950,327
426	Haha (Cyanea grimesiana ssp. obatae)	E	\$132,320	\$1,208,082,647
427	Haha (Cyanea crispa)	E	\$132,310	\$1,208,214,957
428	No Common Name (Phyllostegia mollis)	E	\$129,523	\$1,208,344,480
429	No Common Name (Hesperomannia arbuscula)	E	\$129,128	\$1,208,473,608
430	Skullcap, Florida (Scutellaria floridana)	T	\$129,062	\$1,208,602,670
431	No Common Name (Schiedea nuttallii)	E	\$128,994	\$1,208,731,664
432	Slabshell, Chipola (Elliptio chipolaensis)	T	\$128,723	\$1,208,860,387
433	Haha (Cyanea kolekoleensis)	E	\$128,505	\$1,208,988,892
434	Oha (Delissea subcordata)	E	\$128,402	\$1,209,117,294
435	Haha (Cyanea superba)	E	\$127,589	\$1,209,244,883
436	Wawae`iole (Huperzia nutans)	E	\$127,431	\$1,209,372,314
437	No Common Name (Kadua degeneri)	E	\$127,377	\$1,209,499,691
438	No Common Name (Phyllostegia kaalaensis)	E	\$127,362	\$1,209,627,053
439	Ha`iwale (Cyrtandra dentata)	E	\$127,348	\$1,209,754,401
440	No Common Name (Lobelia koolauensis)	E	\$127,227	\$1,209,881,628
441	Milk-vetch, Sentry (Astragalus cremnophylax var. cremnophylax)	E	\$126,993	\$1,210,008,621
442	No Common Name (Phyllostegia hirsuta)	E	\$126,954	\$1,210,135,575
443	No Common Name (Sanicula purpurea)	E	\$126,871	\$1,210,262,446
444	Haha (Cyanea acuminata)	E	\$126,711	\$1,210,389,157
445	Fanshell (Cyprogenia stegaria)	E	\$126,636	\$1,210,515,793
446	Ha`iwale (Cyrtandra subumbellata)	E	\$126,628	\$1,210,642,421
447	Haha (Cyanea longiflora)	E	\$126,534	\$1,210,768,955
448	Nehe (Melanthera tenuifolia)	E	\$126,514	\$1,210,895,469

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
449	Kolea (Myrsine juddii)	E	\$126,447	\$1,211,021,916
450	Ha'i wale (Cyrtandra viridiflora)	E	\$126,406	\$1,211,148,322
451	No Common Name (Stenogyne kanehoana)	E	\$126,389	\$1,211,274,711
452	Lo'ulu (Pritchardia kaalae)	E	\$126,384	\$1,211,401,095
453	No Common Name (Sanicula mariversa)	E	\$126,364	\$1,211,527,459
454	No Common Name (Schiedea trinervis)	E	\$126,323	\$1,211,653,782
455	Ladies'-tresses, Canelo Hills (Spiranthes delitescens)	E	\$126,109	\$1,211,779,891
456	Aster, decurrent false (Boltonia decurrens)	T	\$125,614	\$1,211,905,505
457	Turtle, bog (=Muhlenberg) (Clemmys muhlenbergii) - southern	SAT	\$125,069	\$1,212,030,574
458	Frog, mountain yellow-legged (Rana muscosa) - Southern California DPS	E	\$123,769	\$1,212,154,343
459	Gartersnake, narrow-headed (Thamnophis rufipunctatus) -	T	\$123,250	\$1,212,277,593
460	Quillwort, Louisiana (Isoetes louisianensis)	E	\$123,148	\$1,212,400,741
461	Birds-in-a-nest, white (Macbridea alba)	T	\$122,562	\$1,212,523,303
462	Lampmussel, Alabama (Lampsilis virescens) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$122,478	\$1,212,645,781
463	Pennyroyal, Todsen's (Hedeoma todsenii)	E	\$122,000	\$1,212,767,781
464	Poolfish, Pahrump (Empetrichthys latos) - Entire	E	\$121,854	\$1,212,889,635
465	Butterfly, Quino checkerspot (Euphydryas editha quino (=E. e. wrightii)) - Entire	E	\$120,847	\$1,213,010,482
466	Amole, purple (Chlorogalum purpureum)	T	\$119,815	\$1,213,130,297
467	Barberry, Nevin's (Berberis nevinii)	E	\$118,500	\$1,213,248,797
468	Darter, Cherokee (Etheostoma scotti) - Entire	T	\$118,015	\$1,213,366,812
469	Whale, gray (Eschrichtius robustus) - Western North Pacific DPS	E	\$117,844	\$1,213,484,656
470	Dudleya, Verity's (Dudleya verityi)	T	\$117,059	\$1,213,601,715
471	Butterfly, Mitchell's satyr (Neonympha mitchellii mitchellii) - Entire	E	\$116,352	\$1,213,718,067
472	Ambrosia, south Texas (Ambrosia cheiranthifolia)	E	\$116,309	\$1,213,834,376
473	Ko'oko'olau (Bidens micrantha ctenophylla)	E	\$115,376	\$1,213,949,752
474	Fox, Santa Rosa Island (Urocyon littoralis santarosae) - wherever found	E	\$114,063	\$1,214,063,815
475	Goldfields, Burke's (Lasthenia burkei)	E	\$113,300	\$1,214,177,115
476	Pocket gopher, Olympia (Thomomys mazama pugetensis)	T	\$113,095	\$1,214,290,210
477	Bird's-beak, soft (Cordylanthus mollis ssp. mollis) -	E	\$112,760	\$1,214,402,970
478	Wallflower, Contra Costa (Erysimum capitatum var. angustatum) -	E	\$112,559	\$1,214,515,529

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
479	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$112,086	\$1,214,627,615
480	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$110,870	\$1,214,738,485
481	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$110,712	\$1,214,849,197
482	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>) - Entire	T	\$110,466	\$1,214,959,663
483	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$109,560	\$1,215,069,223
484	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>) - Entire	E	\$109,424	\$1,215,178,647
485	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>) - Entire	E	\$109,403	\$1,215,288,050
486	Haha (<i>Cyanea shipmanii</i>)	E	\$109,262	\$1,215,397,312
487	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>) - Entire	E	\$108,015	\$1,215,505,327
488	Hellbender, Ozark (<i>Cryptobranchus alleganiensis bishopi</i>) - Entire	E	\$107,046	\$1,215,612,373
489	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - Sierra Nevada	E	\$106,868	\$1,215,719,241
490	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>) - wherever found	T	\$106,070	\$1,215,825,311
491	Tui chub, Mohave (<i>Gila bicolor</i> ssp. <i>mohavensis</i>) - Entire	E	\$105,389	\$1,215,930,700
492	White-eye, Rota bridled (<i>Zosterops rotensis</i>) - Entire	E	\$103,829	\$1,216,034,529
493	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$102,137	\$1,216,136,666
494	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$102,000	\$1,216,238,666
495	Limpet, Banbury Springs (<i>Lanx</i> sp.) - Entire	E	\$101,542	\$1,216,340,208
496	Cactus, Tobusch fishhook (<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>)	E	\$101,300	\$1,216,441,508
497	Shiner, beautiful (<i>Cyprinella formosa</i>) - Entire	T	\$101,280	\$1,216,542,788
497	Haha (<i>Cyanea stictophylla</i>)	E	\$101,280	\$1,216,644,068
498	Catfish, Yaqui (<i>Ictalurus pricei</i>) - Entire	T	\$101,000	\$1,216,745,068
499	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>) - Entire	E	\$100,726	\$1,216,845,794
500	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$100,526	\$1,216,946,320
501	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$100,470	\$1,217,046,790
502	Darter, Etowah (<i>Etheostoma etowahae</i>) - Entire	E	\$100,238	\$1,217,147,028
503	Oha wai (<i>Clermontia lindseyana</i>)	E	\$100,089	\$1,217,247,117
504	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$100,000	\$1,217,347,117
505	Chub, Yaqui (<i>Gila purpurea</i>) - Entire	E	\$99,600	\$1,217,446,717
506	Salamander, Jollyville Plateau (<i>Eurycea tonkawae</i>) -	T	\$99,400	\$1,217,546,117

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
507	Darter, fountain (<i>Etheostoma fonticola</i>) - Entire	E	\$99,000	\$1,217,645,117
508	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>) - Entire	E	\$98,785	\$1,217,743,902
509	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$98,780	\$1,217,842,682
510	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$98,327	\$1,217,941,009
511	Bean, rayed (<i>Villosa fabalis</i>)	E	\$98,118	\$1,218,039,127
512	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$98,067	\$1,218,137,194
513	Whale, false killer (<i>Pseudorca crassidens</i>) - Main Hawaiian Islands Insular DPS	E	\$97,741	\$1,218,234,935
514	Pigtoe, fuzzy (<i>Pleurobema strodeanum</i>)	T	\$97,282	\$1,218,332,217
515	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$97,000	\$1,218,429,217
516	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$96,100	\$1,218,525,317
517	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$94,774	\$1,218,620,091
518	`Oha wai (<i>Clermontia pyrularia</i>)	E	\$94,312	\$1,218,714,403
519	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$94,110	\$1,218,808,513
520	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$93,692	\$1,218,902,205
521	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$93,631	\$1,218,995,836
522	Cobana negra (<i>Stahlia monosperma</i>)	T	\$93,500	\$1,219,089,336
523	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$92,861	\$1,219,182,197
524	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>) -	E	\$92,464	\$1,219,274,661
525	Shrimp, California freshwater (<i>Syncaris pacifica</i>) - Entire	E	\$91,936	\$1,219,366,597
526	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>) -	T	\$90,933	\$1,219,457,530
527	Ākuāku (<i>Cyanea platyphylla</i>)	E	\$90,738	\$1,219,548,268
528	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$90,563	\$1,219,638,831
529	No Common Name (<i>Eugenia woodburyana</i>)	E	\$90,500	\$1,219,729,331
530	Crayfish, Shasta (<i>Pacifastacus fortis</i>) - Entire	E	\$90,217	\$1,219,819,548
531	No Common Name (<i>Phyllostegia velutina</i>)	E	\$89,961	\$1,219,909,509
532	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>) - Entire	E	\$89,093	\$1,219,998,602
533	Glade cress, Kentucky (<i>Leavenworthia exigua laciniata</i>) -	T	\$86,220	\$1,220,084,822
534	Uhi uhi (<i>Mezoneuron kavaense</i>)	E	\$85,574	\$1,220,170,396
535	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$85,004	\$1,220,255,400
536	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$84,609	\$1,220,340,009
537	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$84,588	\$1,220,424,597
538	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$84,454	\$1,220,509,051

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
539	Cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$84,100	\$1,220,593,151
540	Lomatium, Cook's (<i>Lomatium cookii</i>) -	E	\$82,973	\$1,220,676,124
541	Elktoe, Appalachian (<i>Alasmodonta raveneliana</i>) - Entire	E	\$82,654	\$1,220,758,778
542	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$82,581	\$1,220,841,359
542	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$82,581	\$1,220,923,940
543	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$82,400	\$1,221,006,340
544	Seal, Ringed (<i>Phoca</i> (=Pusa) <i>hispida hispida</i>) - Arctic subspecies	T	\$82,383	\$1,221,088,723
545	Sucker, Modoc (<i>Catostomus microps</i>) - Entire	E	\$81,441	\$1,221,170,164
546	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$80,938	\$1,221,251,102
547	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$80,500	\$1,221,331,602
548	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$80,200	\$1,221,411,802
549	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>) - Entire	E	\$80,170	\$1,221,491,972
550	Pocket gopher, Tenino (<i>Thomomys mazama tumuli</i>)	T	\$79,595	\$1,221,571,567
551	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$79,361	\$1,221,650,928
552	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$78,762	\$1,221,729,690
553	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$77,784	\$1,221,807,474
554	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$76,850	\$1,221,884,324
555	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$76,492	\$1,221,960,816
556	Elktoe, Cumberland (<i>Alasmodonta atropurpurea</i>)	E	\$76,091	\$1,222,036,907
557	Lizard, Island night (<i>Xantusia riversiana</i>) - Entire	DM	\$76,085	\$1,222,112,992
558	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$75,996	\$1,222,188,988
559	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$75,670	\$1,222,264,658
560	Monkshood, northern wild (<i>Aconitum noveboracense</i>) -	T	\$75,214	\$1,222,339,872
561	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$75,200	\$1,222,415,072
562	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>) - Entire	E	\$75,000	\$1,222,490,072
562	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$75,000	\$1,222,565,072
562	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$75,000	\$1,222,640,072
563	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Entire, except where EXPN	T	\$74,850	\$1,222,714,922
564	Salamander, desert slender (<i>Batrachoseps aridus</i>) - Entire	E	\$74,240	\$1,222,789,162
565	Spinymussel, Tar River (<i>Elliptio steinstansana</i>) - Entire	E	\$74,082	\$1,222,863,244
566	Cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$74,000	\$1,222,937,244

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
567	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$73,766	\$1,223,011,010
568	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>) - Entire	E	\$73,183	\$1,223,084,193
569	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$72,992	\$1,223,157,185
570	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$72,600	\$1,223,229,785
571	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>) - Entire	E	\$70,290	\$1,223,300,075
572	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>) - Entire	E	\$69,426	\$1,223,369,501
573	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$69,200	\$1,223,438,701
574	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Wherever found; Except where listed as Experimental Populations	E	\$69,050	\$1,223,507,751
575	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$68,867	\$1,223,576,618
576	Chub, spotfin (<i>Erimonax monachus</i>) - Entire, except where listed as an experimental population	T	\$68,708	\$1,223,645,326
577	Boa, Puerto Rican (<i>Epicrates inornatus</i>) - Entire	E	\$68,524	\$1,223,713,850
578	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>) - Entire	E	\$68,051	\$1,223,781,901
579	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$67,923	\$1,223,849,824
580	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$67,654	\$1,223,917,478
581	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>) - Entire	T	\$67,563	\$1,223,985,041
582	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$67,246	\$1,224,052,287
583	Butterfly, Bartram's hairstreak (<i>Strymon acis bartrami</i>) -	E	\$66,400	\$1,224,118,687
584	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$65,922	\$1,224,184,609
585	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$65,833	\$1,224,250,442
586	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$65,797	\$1,224,316,239
587	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$65,443	\$1,224,381,682
588	Bladderpod, Short's (<i>Physaria globosa</i>) -	E	\$65,207	\$1,224,446,889
589	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>)	T	\$65,100	\$1,224,511,989
590	Shiner, Cape Fear (<i>Notropis mekistocholas</i>) - Entire	E	\$64,979	\$1,224,576,968
591	Cactus, Acuna (<i>Echinomastus erectocentrus</i> var. <i>acunensis</i>)	E	\$64,800	\$1,224,641,768
592	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>) - Entire	E	\$64,491	\$1,224,706,259
593	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>) - Entire	T	\$64,207	\$1,224,770,466

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
594	Butterfly, Florida leafwing (<i>Anaea troglodyta floridalis</i>) -	E	\$63,900	\$1,224,834,366
595	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$63,716	\$1,224,898,082
596	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>) -	E	\$63,534	\$1,224,961,616
597	Sturgeon, Shovelnose (<i>Scaphirhynchus platyrhynchus</i>) - Entire	SAT	\$63,000	\$1,225,024,616
598	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$62,600	\$1,225,087,216
599	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$62,414	\$1,225,149,630
600	No Common Name (<i>Platanthera holochila</i>)	E	\$62,006	\$1,225,211,636
601	Cactus, Cochise pincushion (<i>Coryphantha robbinsiorum</i>)	T	\$61,500	\$1,225,273,136
602	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>) - Entire	E	\$61,261	\$1,225,334,397
603	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$61,145	\$1,225,395,542
604	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$60,628	\$1,225,456,170
605	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$60,504	\$1,225,516,674
606	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$60,252	\$1,225,576,926
607	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$60,000	\$1,225,636,926
608	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$59,800	\$1,225,696,726
609	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$58,808	\$1,225,755,534
610	Mountain beaver, Point Arena (<i>Apodontia rufa nigra</i>) - Entire	E	\$58,013	\$1,225,813,547
611	Chub, Owens Tui (<i>Gila bicolor</i> ssp. <i>snyderi</i>) - Entire	E	\$57,344	\$1,225,870,891
612	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$57,173	\$1,225,928,064
613	Shiner, smalleye (<i>Notropis buccula</i>)	E	\$56,700	\$1,225,984,764
614	Shiner, sharpnose (<i>Notropis oxyrhynchus</i>)	E	\$56,600	\$1,226,041,364
615	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) -	E	\$56,384	\$1,226,097,748
616	Springsnail, San Bernardino (<i>Pyrgulopsis bernardina</i>) - Entire	T	\$56,180	\$1,226,153,928
617	Kidneyshell, southern (<i>Ptychobranhus jonesi</i>)	E	\$56,061	\$1,226,209,989
618	Alani (<i>Melicope hiiakae</i>)	E	\$55,943	\$1,226,265,932
619	A`e (<i>Zanthoxylum oahuense</i>)	E	\$55,917	\$1,226,321,849
620	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$55,903	\$1,226,377,752
621	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>) - Entire	E	\$55,460	\$1,226,433,212
622	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$55,428	\$1,226,488,640
623	Lau `ehu (<i>Panicum niihauense</i>)	E	\$55,333	\$1,226,543,973
624	Phacelia, DeBeque (<i>Phacelia submutica</i>)	T	\$54,744	\$1,226,598,717

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
625	Clubshell (Pleurobema clava) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$54,700	\$1,226,653,417
626	Rock cress, Shale barren (Arabis serotina)	E	\$54,697	\$1,226,708,114
627	Sandwort, Marsh (Arenaria paludicola)	E	\$54,689	\$1,226,762,803
628	Manzanita, Santa Rosa Island (Arctostaphylos confertiflora)	E	\$54,418	\$1,226,817,221
629	Clover, showy Indian (Trifolium amoenum)	E	\$54,128	\$1,226,871,349
630	Gerardia, sandplain (Agalinis acuta)	E	\$54,100	\$1,226,925,449
631	Ohai (Sesbania tomentosa)	E	\$53,954	\$1,226,979,403
632	Steelhead (Oncorhynchus (=Salmo) mykiss) - Middle Columbia River DPS	EXPN	\$53,800	\$1,227,033,203
633	Lupine, Nipomo Mesa (Lupinus nipomensis)	E	\$53,798	\$1,227,087,001
634	Harperella (Ptilimnium nodosum) -	E	\$53,252	\$1,227,140,253
635	Finch, Nihoa (honeycreeper) (Telespyza ultima) - Entire	E	\$52,604	\$1,227,192,857
636	Mussel, oyster (Epioblasma capsaeformis) - Wherever found; Except where listed as Experimental Populations	E	\$52,409	\$1,227,245,266
637	Beetle, Coffin Cave mold (Batrisodes texanus) - Entire	E	\$52,336	\$1,227,297,602
638	Rabbit, riparian brush (Sylvilagus bachmani riparius) - Entire	E	\$51,684	\$1,227,349,286
639	Prairie-clover, leafy (Dalea foliosa)	E	\$51,681	\$1,227,400,967
640	Pupfish, Warm Springs (Cyprinodon nevadensis pectoralis) - Entire	E	\$51,600	\$1,227,452,567
641	Amphipod, Hay's Spring (Stygobromus hayi) - Entire	E	\$51,478	\$1,227,504,045
642	Geranium, Hawaiian red-flowered (Geranium arboreum)	E	\$51,473	\$1,227,555,518
643	Beetle, Comal Springs dryopid (Stygoparnus comalensis)	E	\$51,320	\$1,227,606,838
644	Salamander, San Marcos (Eurycea nana) - Entire	T	\$50,900	\$1,227,657,738
645	Salamander, Texas blind (Typhlomolge rathbuni) - Entire	E	\$50,850	\$1,227,708,588
646	Glade cress, Fleshy-fruit (Leavenworthia crassa) -	E	\$50,500	\$1,227,759,088
647	Tuctoria, Greene's (Tuctoria greenei)	E	\$50,486	\$1,227,809,574
648	Squirrel, Mount Graham red (Tamiasciurus hudsonicus grahamensis) - Entire	E	\$50,455	\$1,227,860,029
649	Pimpleback, orangefoot (pearly mussel) (Plethobasus cooperianus)	E	\$50,411	\$1,227,910,440
650	Pigtoe, narrow (Fusconaia escambia)	T	\$50,401	\$1,227,960,841
651	Chaff-flower, round-leaved (Achyranthes splendens var. rotundata)	E	\$50,350	\$1,228,011,191
652	Spurge, telephus (Euphorbia telephioides)	T	\$50,260	\$1,228,061,451
653	Amphipod, Peck's cave (Stygobromus (=Stygonectes) pecki)	E	\$50,200	\$1,228,111,651

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
654	Damselfly, blackline Hawaiian (Megalagrion nigrohamatum nigrolineatum)	E	\$50,185	\$1,228,161,836
655	Gambusia, San Marcos (Gambusia georgei) - Entire	E	\$50,000	\$1,228,211,836
655	Pupfish, Leon Springs (Cyprinodon bovinus) - Entire	E	\$50,000	\$1,228,261,836
655	Beetle, Tooth Cave ground (Rhadine persephone) - Entire	E	\$50,000	\$1,228,311,836
655	Beetle, Comal Springs riffle (Heterelmis comalensis)	E	\$50,000	\$1,228,361,836
655	Beetle, Helotes mold (Batrisodes venyivi)	E	\$50,000	\$1,228,411,836
655	Pseudoscorpion, Tooth Cave (Tartarocreagris texana) - Entire	E	\$50,000	\$1,228,461,836
655	Spider, Tooth Cave (Neoleptoneta myopica) - Entire	E	\$50,000	\$1,228,511,836
656	Kaulu (Pteralyxia macrocarpa)	E	\$49,814	\$1,228,561,650
657	Pitcher-plant, mountain sweet (Sarracenia rubra ssp. jonesii) -	E	\$49,675	\$1,228,611,325
658	Pikeminnow (=squawfish), Colorado (Ptychocheilus lucius) - Salt and Verde R. drainages, AZ	EXPN	\$49,670	\$1,228,660,995
659	Crayfish, Nashville (Orconectes shoupi) - Entire	E	\$49,536	\$1,228,710,531
660	Vole, Hualapai Mexican (Microtus mexicanus hualpaiensis) - Entire	E	\$49,450	\$1,228,759,981
661	Haha (Cyanea humboldtiana)	E	\$49,222	\$1,228,809,203
662	`Ohe`ohe (Polyscias gymnocarpa)	E	\$49,195	\$1,228,858,398
663	Spinedace, Big Spring (Lepidomeda mollispinis pratensis) - Entire	T	\$49,168	\$1,228,907,566
664	Kauila (Colubrina oppositifolia)	E	\$49,004	\$1,228,956,570
665	Trout, Gila (Oncorhynchus gilae) - Entire	T	\$48,500	\$1,229,005,070
666	Haha (Cyanea lanceolata)	E	\$48,393	\$1,229,053,463
667	Joint-vetch, Sensitive (Aeschynomene virginica)	T	\$48,312	\$1,229,101,775
668	Haha (Cyanea koolauensis)	E	\$48,291	\$1,229,150,066
669	Butterfly, Myrtle's silverspot (Speyeria zerene myrtleae) - Entire	E	\$47,656	\$1,229,197,722
670	Mallow, Gierisch (Sphaeralcea gierischii)	E	\$47,600	\$1,229,245,322
671	Darter, slackwater (Etheostoma boschungii) - Entire	T	\$47,500	\$1,229,292,822
672	Pearlymussel, littlewing (Pegias fabula) - Entire	E	\$47,120	\$1,229,339,942
673	Cypress, Santa Cruz (Cupressus abramsiana) -	E	\$46,322	\$1,229,386,264
674	Larkspur, Baker's (Delphinium bakeri)	E	\$45,964	\$1,229,432,228
675	Springfish, Hiko White River (Crenichthys baileyi grandis) - Entire	E	\$45,704	\$1,229,477,932
676	Trout, Apache (Oncorhynchus apache) - Entire	T	\$45,680	\$1,229,523,612
677	Sunflower, whorled (Helianthus verticillatus) -	E	\$45,600	\$1,229,569,212
678	Koki`o (Kokia drynarioides)	E	\$45,530	\$1,229,614,742

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
679	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$45,456	\$1,229,660,198
680	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>) - Entire	T	\$45,424	\$1,229,705,622
681	Darter, diamond (<i>Crystallaria cincotta</i>)	E	\$45,151	\$1,229,750,773
682	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$44,836	\$1,229,795,609
683	Springfish, White River (<i>Crenichthys baileyi baileyi</i>) - Entire	E	\$44,668	\$1,229,840,277
684	Dace, desert (<i>Eremichthys acros</i>) - Entire	T	\$44,572	\$1,229,884,849
685	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$44,064	\$1,229,928,913
686	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>) -	E	\$44,000	\$1,229,972,913
687	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>) -	T	\$43,977	\$1,230,016,890
688	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$43,112	\$1,230,060,002
689	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$43,083	\$1,230,103,085
690	Isopod, Madison Cave (<i>Antrolana lira</i>) - Entire	T	\$43,000	\$1,230,146,085
691	Salamander, Salado (<i>Eurycea chisholmensis</i>) -	T	\$42,576	\$1,230,188,661
692	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$42,444	\$1,230,231,105
693	Sculpin, Grotto (<i>Cottus specus</i>)	E	\$42,007	\$1,230,273,112
694	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Central Valley spring-run ESU	EXPN	\$42,000	\$1,230,315,112
695	Purple Cat's paw (=Purple Cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Wherever found; Except where listed as Experimental Populations	E	\$41,750	\$1,230,356,862
696	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$41,652	\$1,230,398,514
697	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>) - Entire	E	\$41,000	\$1,230,439,514
698	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>) - Entire	E	\$40,463	\$1,230,479,977
699	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$40,204	\$1,230,520,181
700	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$40,150	\$1,230,560,331
701	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$40,000	\$1,230,600,331
702	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$39,536	\$1,230,639,867
703	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i>)) - Entire	E	\$39,523	\$1,230,679,390
704	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$39,429	\$1,230,718,819
705	`Oha wai (<i>Clermontia peleana</i>)	E	\$39,262	\$1,230,758,081
706	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$38,800	\$1,230,796,881
707	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	\$38,620	\$1,230,835,501
708	Roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>) -	T	\$38,490	\$1,230,873,991
709	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Wherever found; Except where listed as Experimental Populations	E	\$38,428	\$1,230,912,419

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
710	Pocketbook, speckled (<i>Lampsilis streckeri</i>) - Entire	E	\$38,200	\$1,230,950,619
711	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$38,000	\$1,230,988,619
711	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$38,000	\$1,231,026,619
712	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$37,971	\$1,231,064,590
713	Curlew, Eskimo (<i>Numenius borealis</i>) - Entire	E	\$37,754	\$1,231,102,344
714	Logperch, Conasauga (<i>Percina jenkinsi</i>) - Entire	E	\$37,658	\$1,231,140,002
715	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$37,388	\$1,231,177,390
716	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$36,700	\$1,231,214,090
716	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$36,700	\$1,231,250,790
717	Darter, amber (<i>Percina antesella</i>) - Entire	E	\$36,219	\$1,231,287,009
718	Isopod, Lee County cave (<i>Lirceus usdagalun</i>) - Entire	E	\$36,000	\$1,231,323,009
719	`Akoko, Ewa Plains (<i>Euphorbia skottsbergii</i> var. <i>skottsbergii</i>)	E	\$35,645	\$1,231,358,654
720	No Common Name (<i>Bonamia menziesii</i>)	E	\$35,364	\$1,231,394,018
721	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>) - Entire	E	\$35,200	\$1,231,429,218
722	Ceanothus, coyote (<i>Ceanothus ferrisiae</i>)	E	\$35,148	\$1,231,464,366
722	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$35,148	\$1,231,499,514
723	Gambusia, Pecos (<i>Gambusia nobilis</i>) - Entire	E	\$34,900	\$1,231,534,414
724	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$34,631	\$1,231,569,045
725	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$34,537	\$1,231,603,582
726	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>) -	T	\$34,186	\$1,231,637,768
727	Bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$33,998	\$1,231,671,766
728	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>) - Entire	E	\$33,700	\$1,231,705,466
729	Lo`ulu (<i>Pritchardia maideniana</i>)	E	\$33,600	\$1,231,739,066
730	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$33,496	\$1,231,772,562
731	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$33,108	\$1,231,805,670
732	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$33,000	\$1,231,838,670
732	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$33,000	\$1,231,871,670
733	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$32,951	\$1,231,904,621
734	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$32,800	\$1,231,937,421
734	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$32,800	\$1,231,970,221
735	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$32,743	\$1,232,002,964
736	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$32,264	\$1,232,035,228

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
737	Salamander, Barton Springs (<i>Eurycea sosorum</i>) - Entire	E	\$32,223	\$1,232,067,451
737	Salamander, Austin blind (<i>Eurycea waterlooensis</i>)	E	\$32,223	\$1,232,099,674
738	Tree snail, Newcomb's (<i>Newcombia cumingi</i>)	E	\$32,137	\$1,232,131,811
739	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$32,116	\$1,232,163,927
740	Deer, key (<i>Odocoileus virginianus clavium</i>) - Entire	E	\$31,930	\$1,232,195,857
741	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$31,844	\$1,232,227,701
742	Sedge, golden (<i>Carex lutea</i>)	E	\$31,681	\$1,232,259,382
743	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$31,544	\$1,232,290,926
744	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$31,292	\$1,232,322,218
745	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$31,100	\$1,232,353,318
746	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>) - Entire	E	\$31,000	\$1,232,384,318
747	Gumplant, Ash Meadows (<i>Grindelia fraxinipratensis</i>)	T	\$30,783	\$1,232,415,101
748	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$30,630	\$1,232,445,731
749	Sandshell, Southern (<i>Hamiota australis</i>) -	T	\$30,611	\$1,232,476,342
750	Silverside, Waccamaw (<i>Menidia extensa</i>) - Entire	T	\$30,400	\$1,232,506,742
751	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$30,350	\$1,232,537,092
752	Bean, Choctaw (<i>Villosa choctawensis</i>)	E	\$30,100	\$1,232,567,192
753	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$30,037	\$1,232,597,229
754	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$29,824	\$1,232,627,053
755	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$29,640	\$1,232,656,693
756	Iliau, dwarf (<i>Wilkesia hobbdi</i>)	E	\$29,549	\$1,232,686,242
757	Madtom, pygmy (<i>Noturus stanauli</i>) - Entire	E	\$29,381	\$1,232,715,623
758	Ebonyshell, round (<i>Fusconaia rotulata</i>)	E	\$29,355	\$1,232,744,978
759	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$29,335	\$1,232,774,313
760	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$29,188	\$1,232,803,501
761	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekaensis</i>)	E	\$28,896	\$1,232,832,397
762	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$28,796	\$1,232,861,193
763	Wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$28,759	\$1,232,889,952
764	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>) - Entire	E	\$28,614	\$1,232,918,566
765	Salamander, Shenandoah (<i>Plethodon shenandoah</i>) - Entire	E	\$28,500	\$1,232,947,066
765	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$28,500	\$1,232,975,566

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
766	Bladderpod, White Bluffs (<i>Physaria douglasii</i> ssp. <i>tuplashensis</i>) -	T	\$28,494	\$1,233,004,060
767	Kidneyshell, fluted (<i>Ptychobranhus subtentum</i>) -	E	\$28,069	\$1,233,032,129
768	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$28,061	\$1,233,060,190
769	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$28,024	\$1,233,088,214
770	Beardtongue, Parachute (<i>Penstemon debilis</i>)	T	\$27,844	\$1,233,116,058
771	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$27,838	\$1,233,143,896
772	Manzanita, Franciscan (<i>Arctostaphylos franciscana</i>) -	E	\$27,680	\$1,233,171,576
773	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$27,650	\$1,233,199,226
774	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$27,600	\$1,233,226,826
775	Trillium, relict (<i>Trillium reliquum</i>)	E	\$27,505	\$1,233,254,331
776	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>) - Entire	E	\$27,430	\$1,233,281,761
777	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$27,352	\$1,233,309,113
778	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$27,258	\$1,233,336,371
779	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$26,958	\$1,233,363,329
780	Ko'oko'olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$26,951	\$1,233,390,280
781	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$26,931	\$1,233,417,211
782	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$26,853	\$1,233,444,064
783	A'e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$26,840	\$1,233,470,904
784	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$26,757	\$1,233,497,661
785	No Common Name (<i>Phyllostegia warshaueri</i>)	E	\$26,692	\$1,233,524,353
786	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$26,680	\$1,233,551,033
787	Madtom, chunky (<i>Noturus crypticus</i>) - Entire	E	\$26,531	\$1,233,577,564
788	Bear, American black (<i>Ursus americanus</i>) - County range of LA b.bear	SAT	\$26,490	\$1,233,604,054
789	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$26,309	\$1,233,630,363
790	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$26,233	\$1,233,656,596
791	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$26,000	\$1,233,682,596
792	Salamander, Jemez Mountains (<i>Plethodon neomexicanus</i>)	E	\$25,800	\$1,233,708,396
793	Daisy, Lakeside (<i>Hymenoxys herbacea</i>)	T	\$25,696	\$1,233,734,092
794	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$25,668	\$1,233,759,760
795	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>) - Entire	T	\$25,648	\$1,233,785,408
796	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$25,575	\$1,233,810,983
797	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$25,500	\$1,233,836,483
797	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$25,500	\$1,233,861,983

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
798	Buttercup, autumn (Ranunculus aestivalis (=acriiformis))	E	\$25,484	\$1,233,887,467
799	Centauray, spring-loving (Centaurium namophilum)	T	\$25,364	\$1,233,912,831
800	Lupine, scrub (Lupinus aridorum)	E	\$24,800	\$1,233,937,631
801	Lead-plant, Crenulate (Amorpha crenulata)	E	\$24,500	\$1,233,962,131
802	Ceanothus, Pine Hill (Ceanothus roderickii)	E	\$24,352	\$1,233,986,483
803	Warea, wide-leaf (Warea amplexifolia)	E	\$24,300	\$1,234,010,783
804	Barbara's Buttons, Mohr's (Marshallia mohrii)	T	\$24,231	\$1,234,035,014
805	Alani (Melicope knudsenii)	E	\$24,064	\$1,234,059,078
806	Coqui, golden (Eleutherodactylus jasperii) - Entire	T	\$24,000	\$1,234,083,078
807	Bear, grizzly (Ursus arctos horribilis) - Cabinet-Yaak Recovery Zone Population	T	\$23,770	\$1,234,106,848
808	Darter, yellowcheek (Etheostoma moorei) - Entire	E	\$23,731	\$1,234,130,579
809	Ambersnail, Kanab (Oxyloma haydeni kanabensis) - Entire	E	\$23,700	\$1,234,154,279
809	Frankenia, Johnston's (Frankenia johnstonii)	E	\$23,700	\$1,234,177,979
810	Rock-cress, Braun's (Arabis perstellata)	E	\$23,690	\$1,234,201,669
811	Darter, Cumberland (Etheostoma susanae) - Entire	E	\$23,684	\$1,234,225,353
812	`Awikiwiki (Canavalia pubescens)	E	\$23,660	\$1,234,249,013
813	Sculpin, pygmy (Cottus paulus (=pygmaeus)) - Entire	T	\$23,500	\$1,234,272,513
814	Hau kuahiwi (Hibiscadelphus hualalaiensis)	E	\$23,498	\$1,234,296,011
815	Olulu (Brighamia insignis)	E	\$23,474	\$1,234,319,485
816	Rabbitsfoot, rough (Quadrula cylindrica strigillata)	E	\$23,418	\$1,234,342,903
817	Butterfly, Miami Blue (Cyclargus (=Hemiargus) thomasi bethunebakeri)	E	\$23,300	\$1,234,366,203
818	Alani (Melicope adscendens)	E	\$23,165	\$1,234,389,368
819	Alani (Melicope mucronulata)	E	\$23,125	\$1,234,412,493
820	Kuahiwi laukahi (Plantago hawaiiensis)	E	\$23,052	\$1,234,435,545
821	Mallow, Kern (Eremalche kernensis)	E	\$23,020	\$1,234,458,565
822	Cliffrose, Arizona (Purshia (=Cowania) subintegra)	E	\$23,000	\$1,234,481,565
822	Lupine, clover (Lupinus tidestromii)	E	\$23,000	\$1,234,504,565
823	Bat, little Mariana fruit (Pteropus tokudae) - Entire	E	\$22,967	\$1,234,527,532
824	Milk-vetch, triple-ribbed (Astragalus tricarinatus)	E	\$22,933	\$1,234,550,465
825	No Common Name (Phyllostegia haliakalae) -	E	\$22,835	\$1,234,573,300
826	Naupaka, dwarf (Scaevola coriacea)	E	\$22,812	\$1,234,596,112
827	Silversword, Mauna Loa (=Ka'u) (Argyroxiphium kauense)	E	\$22,759	\$1,234,618,871
828	Pigtoe, tapered (Fusconaia burkei)	T	\$22,746	\$1,234,641,617
829	`aku (Cyanea tritomantha)	E	\$22,686	\$1,234,664,303

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
830	Darter, snail (<i>Percina tanasi</i>) - Entire	T	\$22,403	\$1,234,686,706
831	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$22,393	\$1,234,709,099
832	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$22,329	\$1,234,731,428
833	Cactus, Nichol's Turk's head (<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>)	E	\$22,300	\$1,234,753,728
833	Plum, scrub (<i>Prunus geniculata</i>)	E	\$22,300	\$1,234,776,028
834	No Common Name (<i>Phyllostegia floribunda</i>)	E	\$22,140	\$1,234,798,168
835	Lizard, St. Croix ground (<i>Ameiva polops</i>) - Entire	E	\$22,000	\$1,234,820,168
836	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>) - Entire	T	\$21,889	\$1,234,842,057
837	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$21,764	\$1,234,863,821
838	Ragwort, San Francisco Peaks (<i>Packera franciscana</i>)	T	\$21,693	\$1,234,885,514
839	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$21,543	\$1,234,907,057
840	No Common Name (<i>Tetramolopium rockii</i>)	T	\$21,299	\$1,234,928,356
841	No Common Name (<i>Platydesma remyi</i>)	E	\$21,244	\$1,234,949,600
842	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$21,164	\$1,234,970,764
843	No Common Name (<i>Viola helenae</i>)	E	\$21,124	\$1,234,991,888
844	Rose-mallow, Neches River (<i>Hibiscus dasycalyx</i>)	T	\$21,100	\$1,235,012,988
845	No Common Name (<i>Phyllostegia parviflora</i>)	E	\$21,081	\$1,235,034,069
846	No Common Name (<i>Pittosporum hawaiiense</i>) -	E	\$21,071	\$1,235,055,140
847	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotes</i>)	E	\$21,041	\$1,235,076,181
848	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$21,016	\$1,235,097,197
849	Sandlace (<i>Polygonella myriophylla</i>)	E	\$20,900	\$1,235,118,097
850	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$20,850	\$1,235,138,947
851	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>) - Entire	E	\$20,819	\$1,235,159,766
852	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$20,815	\$1,235,180,581
853	`Akoko (<i>Euphorbia remyi</i> var. <i>remyi</i>)	E	\$20,799	\$1,235,201,380
854	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$20,765	\$1,235,222,145
855	Pa`iniu (<i>Astelia waialealae</i>)	E	\$20,758	\$1,235,242,903
856	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$20,725	\$1,235,263,628
857	Chub, Chihuahua (<i>Gila nigrescens</i>) - Entire	T	\$20,600	\$1,235,284,228
858	No Common Name (<i>Polyscias bisattenuata</i>)	E	\$20,428	\$1,235,304,656
859	Clubshell, southern (<i>Pleurobema decisum</i>) -	E	\$20,271	\$1,235,324,927
860	No Common Name (<i>Schiedea membranacea</i>)	E	\$20,265	\$1,235,345,192
861	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>) - Entire	E	\$20,189	\$1,235,365,381

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
862	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$20,156	\$1,235,385,537
863	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$20,092	\$1,235,405,629
864	No Common Name (<i>Catesbaea melanocarpa</i>)	E	\$20,000	\$1,235,425,629
864	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$20,000	\$1,235,445,629
865	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$19,925	\$1,235,465,554
866	Wireweed (<i>Polygonella basiramia</i>)	E	\$19,800	\$1,235,485,354
867	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$19,673	\$1,235,505,027
868	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$19,584	\$1,235,524,611
869	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$19,462	\$1,235,544,073
870	No Common Name (<i>Asplenium dielpallidum</i>)	E	\$19,418	\$1,235,563,491
871	No Common Name (<i>Cyrtandra wagneri</i>) -	E	\$19,391	\$1,235,582,882
872	Madtom, smoky (<i>Noturus baileyi</i>) - Entire	E	\$19,350	\$1,235,602,232
873	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$19,292	\$1,235,621,524
874	Alani (<i>Melicope degeneri</i>)	E	\$19,170	\$1,235,640,694
874	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$19,170	\$1,235,659,864
875	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$19,119	\$1,235,678,983
876	No Common Name (<i>Asplenium dielmannii</i>)	E	\$19,102	\$1,235,698,085
877	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$19,037	\$1,235,717,122
878	Cactus, Fickeisen plains (<i>Pediocactus peeblesianus fickeiseniae</i>)	E	\$19,000	\$1,235,736,122
879	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>) - Entire	E	\$18,846	\$1,235,754,968
880	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$18,834	\$1,235,773,802
881	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$18,793	\$1,235,792,595
882	Haha (<i>Cyanea dunbarii</i>)	E	\$18,672	\$1,235,811,267
883	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$18,662	\$1,235,829,929
884	Alani (<i>Melicope zahlbruckneri</i>)	E	\$18,658	\$1,235,848,587
885	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$18,528	\$1,235,867,115
886	No Common Name (<i>Stenogyne kealiae</i>)	E	\$18,513	\$1,235,885,628
887	Buckwheat, Umtanum Desert (<i>Eriogonum codium</i>) -	T	\$18,494	\$1,235,904,122
888	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$18,471	\$1,235,922,593
889	No Common Name (<i>Diplazium molokaiense</i>)	E	\$18,386	\$1,235,940,979
890	No Common Name (<i>Polyscias flynnii</i>)	E	\$18,215	\$1,235,959,194
891	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$18,164	\$1,235,977,358

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
892	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$18,126	\$1,235,995,484
893	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$18,088	\$1,236,013,572
894	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$18,052	\$1,236,031,624
895	No Common Name (<i>Schiedea kauaiensis</i>)	E	\$18,037	\$1,236,049,661
896	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$18,000	\$1,236,067,661
897	No Common Name (<i>Xylosma crenatum</i>)	E	\$17,933	\$1,236,085,594
898	No Common Name (<i>Achyranthes mutica</i>)	E	\$17,930	\$1,236,103,524
899	No Common Name (<i>Stenogyne bifida</i>)	E	\$17,834	\$1,236,121,358
900	Haha (<i>Cyanea lobata</i>)	E	\$17,799	\$1,236,139,157
901	Haha (<i>Cyanea procera</i>)	E	\$17,589	\$1,236,156,746
902	Nui, haha (<i>Cyanea horrida</i>) -	E	\$17,579	\$1,236,174,325
903	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$17,555	\$1,236,191,880
904	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$17,500	\$1,236,209,380
905	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$17,493	\$1,236,226,873
906	No Common Name (<i>Schiedea diffusa</i> ssp. <i>macraei</i>) -	E	\$17,481	\$1,236,244,354
907	Haha (<i>Cyanea remyi</i>)	E	\$17,405	\$1,236,261,759
908	Minnow, Devils River (<i>Dionda diaboli</i>) - Entire	T	\$17,400	\$1,236,279,159
909	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$17,368	\$1,236,296,527
910	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>) - Entire	T	\$17,300	\$1,236,313,827
911	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>) -	E	\$17,091	\$1,236,330,918
912	Haha (<i>Cyanea maritae</i>) -	E	\$17,080	\$1,236,347,998
913	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$17,052	\$1,236,365,050
914	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$17,050	\$1,236,382,100
915	Kopiko (<i>Psychotria grandiflora</i>)	E	\$17,023	\$1,236,399,123
916	No Common Name (<i>Pittosporum halophilum</i>) -	E	\$17,021	\$1,236,416,144
917	Chub, slender (<i>Erimystax cahni</i>) - Entire	T	\$17,000	\$1,236,433,144
918	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$16,950	\$1,236,450,094
919	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$16,915	\$1,236,467,009
920	Popolo (<i>Cyanea solanacea</i>) -	E	\$16,855	\$1,236,483,864
921	Beetle, American burying (<i>Nicrophorus americanus</i>) - Ex Pop, SW Missouri	EXPN	\$16,814	\$1,236,500,678
922	Turtle, Plymouth Redbelly (<i>Pseudemys rubriventris bangsi</i>) - Entire	E	\$16,793	\$1,236,517,471
923	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$16,700	\$1,236,534,171
924	Ihī`ihi (<i>Marsilea villosa</i>)	E	\$16,653	\$1,236,550,824
925	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$16,638	\$1,236,567,462

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
926	Ha`iwale (Cyrtandra giffardii)	E	\$16,633	\$1,236,584,095
927	No Common Name (Cyrtandra nanawaleensis) -	E	\$16,523	\$1,236,600,618
928	Spurge, Hoover's (Chamaesyce hooveri)	T	\$16,518	\$1,236,617,136
929	Kamakahala (Labordia triflora)	E	\$16,514	\$1,236,633,650
930	No Common Name (Silene alexandri)	E	\$16,504	\$1,236,650,154
931	Pomace fly, [unnamed] (Drosophila ochrobasis)	E	\$16,500	\$1,236,666,654
931	Aster, Ruth's golden (Pityopsis ruthii)	E	\$16,500	\$1,236,683,154
932	Cavesnail, Tumbling Creek (Antrobia culveri)	E	\$16,438	\$1,236,699,592
933	Lehua makanoe (Lysimachia daphnoides)	E	\$16,420	\$1,236,716,012
934	No Common Name (Remya montgomeryi)	E	\$16,382	\$1,236,732,394
935	Kohe malama malama o kanaloa (Kanaloa kahoolawensis)	E	\$16,173	\$1,236,748,567
936	No Common Name (Phyllostegia renovans)	E	\$16,159	\$1,236,764,726
937	Orcutt grass, hairy (Orcuttia pilosa)	E	\$16,054	\$1,236,780,780
938	No Common Name (Phyllostegia waimeae)	E	\$16,050	\$1,236,796,830
939	No Common Name (Delissea undulata)	E	\$16,029	\$1,236,812,859
940	No Common Name (Delissea rhytidosperra)	E	\$16,009	\$1,236,828,868
941	Haha (Cyanea obtusa)	E	\$16,007	\$1,236,844,875
941	No Common Name (Cyanea profuga) -	E	\$16,007	\$1,236,860,882
941	No Common Name (Stenogyne kauaulaensis) -	E	\$16,007	\$1,236,876,889
942	Cactus, star (Astrophytum asterias)	E	\$16,000	\$1,236,892,889
942	Cactus, Sneed pincushion (Coryphantha sneedii var. sneedii)	E	\$16,000	\$1,236,908,889
943	Pearlymussel, slabside (Pleuonaia dolabelloides) -	E	\$15,955	\$1,236,924,844
944	Honeycreeper, crested (Palmeria dolei) - Entire	E	\$15,863	\$1,236,940,707
945	Twinpod, Dudley Bluffs (Physaria obcordata)	T	\$15,862	\$1,236,956,569
946	`Akoko (Euphorbia kuwaleana)	E	\$15,752	\$1,236,972,321
947	Alani (Melicope haupuensis)	E	\$15,744	\$1,236,988,065
948	Darter, bayou (Etheostoma rubrum) - Entire	T	\$15,733	\$1,237,003,798
949	Finch, Laysan (honeycreeper) (Telespyza cantans) - Entire	E	\$15,650	\$1,237,019,448
950	Campion, fringed (Silene polypetala)	E	\$15,638	\$1,237,035,086
951	Shiner, blue (Cyprinella caerulea) - Entire	T	\$15,619	\$1,237,050,705
952	Dogweed, ashy (Thymophylla tephroleuca)	E	\$15,600	\$1,237,066,305
953	Pua `ala (Brighamia rockii)	E	\$15,549	\$1,237,081,854
954	Blue-star, Kearney's (Amsonia kearneyana)	E	\$15,546	\$1,237,097,400
955	Darter, watercress (Etheostoma nuchale) - Entire	E	\$15,500	\$1,237,112,900
956	Hau kuahiwi (Hibiscadelphus giffardianus)	E	\$15,451	\$1,237,128,351

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
957	Crane, whooping (<i>Grus americana</i>) - U.S.A (Southwestern Louisiana)	EXPN	\$15,383	\$1,237,143,734
958	Heau (<i>Exocarpos luteolus</i>)	E	\$15,341	\$1,237,159,075
959	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>) - Entire	E	\$15,320	\$1,237,174,395
960	No Common Name (<i>Cyperus pennatifolius</i>)	E	\$15,294	\$1,237,189,689
961	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$15,265	\$1,237,204,954
962	No Common Name (<i>Phyllostegia mannii</i>)	E	\$15,225	\$1,237,220,179
963	Koki`o (<i>Kokia kauaiensis</i>)	E	\$15,204	\$1,237,235,383
964	Pilo (<i>Hedyotis mannii</i>)	E	\$15,193	\$1,237,250,576
965	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>) - Entire	T	\$15,128	\$1,237,265,704
966	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$15,109	\$1,237,280,813
967	Kolea (<i>Myrsine mezii</i>)	E	\$15,036	\$1,237,295,849
968	Gambusia, Clear Creek (<i>Gambusia heterochir</i>) - Entire	E	\$15,000	\$1,237,310,849
969	No Common Name (<i>Gouania meyenii</i>)	E	\$14,995	\$1,237,325,844
969	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$14,995	\$1,237,340,839
970	`Aiea (<i>Nothocestrum peltatum</i>)	E	\$14,924	\$1,237,355,763
971	Wawae`iole (<i>Huperzia mannii</i>)	E	\$14,896	\$1,237,370,659
972	Haha (<i>Cyanea undulata</i>)	E	\$14,889	\$1,237,385,548
973	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$14,875	\$1,237,400,423
974	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$14,851	\$1,237,415,274
975	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>) - Entire	E	\$14,830	\$1,237,430,104
976	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$14,802	\$1,237,444,906
977	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$14,800	\$1,237,459,706
978	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$14,777	\$1,237,474,483
979	No Common Name (<i>Neraudia sericea</i>)	E	\$14,765	\$1,237,489,248
980	Haha (<i>Cyanea truncata</i>)	E	\$14,759	\$1,237,504,007
981	Turtle, flattened musk (<i>Sternotherus depressus</i>) - Black Warrior R. system upstream from Bankhead Dam	T	\$14,697	\$1,237,518,704
982	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$14,693	\$1,237,533,397
983	Seablite, California (<i>Suaeda californica</i>)	E	\$14,664	\$1,237,548,061
984	Dace, Laurel (<i>Chrosomus saylori</i>) - Entire	E	\$14,650	\$1,237,562,711
985	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>)	E	\$14,595	\$1,237,577,306
986	No Common Name (<i>Silene perlmanii</i>)	E	\$14,486	\$1,237,591,792
987	No Common Name (<i>Phyllostegia hispida</i>)	E	\$14,449	\$1,237,606,241
988	Opuhe (<i>Urera kaalae</i>)	E	\$14,445	\$1,237,620,686

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
988	No Common Name (Cyrtandra gracilis) -	E	\$14,445	\$1,237,635,131
989	No Common Name (Lobelia monostachya)	E	\$14,374	\$1,237,649,505
990	Milkvetch, Osterhout (Astragalus osterhoutii)	E	\$14,325	\$1,237,663,830
991	Milk-vetch, Cushenbury (Astragalus albens)	E	\$14,315	\$1,237,678,145
992	Ha`iwale (Cyrtandra filipes)	E	\$14,287	\$1,237,692,432
993	Mountain balm, Indian Knob (Eriodictyon altissimum)	E	\$14,248	\$1,237,706,680
994	Checkermallow, Wenatchee Mountains (Sidalcea oregana var. calva) -	E	\$14,224	\$1,237,720,904
995	Rosemary, Apalachicola (Conradina glabra)	E	\$14,200	\$1,237,735,104
996	Alani (Melicope quadrangularis)	E	\$14,161	\$1,237,749,265
997	Kuawawaenohu (Schiedea lychnoides)	E	\$14,144	\$1,237,763,409
998	Mint, scrub (Dicerandra frutescens)	E	\$14,100	\$1,237,777,509
999	Clubshell, ovate (Pleurobema perovatum) -	E	\$14,049	\$1,237,791,558
1000	Oxytheca, cushenbury (Oxytheca parishii var. goodmaniana)	E	\$14,035	\$1,237,805,593
1001	Palo de nigua (Cornutia obovata)	E	\$14,000	\$1,237,819,593
1002	`Anunu (Sicyos albus)	E	\$13,931	\$1,237,833,524
1003	Reed-mustard, Barneby (Schoenocrambe barnebyi)	E	\$13,900	\$1,237,847,424
1004	No Common Name (Geocarpon minimum)	T	\$13,861	\$1,237,861,285
1005	No Common Name (Phyllostegia wawrana)	E	\$13,681	\$1,237,874,966
1006	Mariposa lily, Tiburon (Calochortus tiburonensis)	T	\$13,666	\$1,237,888,632
1007	Pu`uka`a (Cyperus trachysanthos)	E	\$13,604	\$1,237,902,236
1008	Butterfly, mission blue (Icaricia icarioides missionensis) - Entire	E	\$13,600	\$1,237,915,836
1008	Milk-vetch, Jesup's (Astragalus robbinsii var. jesupi)	E	\$13,600	\$1,237,929,436
1009	Haha (Cyanea marksii) -	E	\$13,596	\$1,237,943,032
1010	Woodrat, riparian (=San Joaquin Valley) (Neotoma fuscipes riparia) - Entire	E	\$13,588	\$1,237,956,620
1011	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (Adelocosa anops) - Entire	E	\$13,581	\$1,237,970,201
1012	Rosemary, Cumberland (Conradina verticillata)	T	\$13,565	\$1,237,983,766
1013	Fly, Hawaiian picture-wing (Drosophila sharpi)	E	\$13,548	\$1,237,997,314
1014	No Common Name (Lobelia niihauensis)	E	\$13,533	\$1,238,010,847
1015	Blossom, tubercled (pearlymussel) (Epioblasma torulosa torulosa) - Wherever found; Except where listed as Experimental Populations	E	\$13,519	\$1,238,024,366
1016	Palo de ramon (Banara vanderbiltii)	E	\$13,500	\$1,238,037,866
1016	Jacquemontia, beach (Jacquemontia reclinata)	E	\$13,500	\$1,238,051,366

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1016	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$13,500	\$1,238,064,866
1017	No Common Name (<i>Phyllostegia pilosa</i>) -	E	\$13,496	\$1,238,078,362
1018	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$13,444	\$1,238,091,806
1019	Darter, goldline (<i>Percina aurolineata</i>) - Entire	T	\$13,427	\$1,238,105,233
1020	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$13,412	\$1,238,118,645
1021	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$13,373	\$1,238,132,018
1022	No Common Name (<i>Kadua st.-johnii</i>)	E	\$13,357	\$1,238,145,375
1023	Sandalwood, Lanai (= `ilahi) (<i>Santalum haleakalae</i> var. <i>lanaiense</i>)	E	\$13,302	\$1,238,158,677
1024	No Common Name (<i>Polyscias lydgatei</i>) -	E	\$13,279	\$1,238,171,956
1025	Haha (<i>Cyanea magnicalyx</i>) -	E	\$13,275	\$1,238,185,231
1026	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$13,200	\$1,238,198,431
1027	No Common Name (<i>Schiedea hookeri</i>)	E	\$13,143	\$1,238,211,574
1028	No Common Name (<i>Kadua parvula</i>)	E	\$13,084	\$1,238,224,658
1029	Na`ena`e (<i>Dubautia waialealae</i>)	E	\$13,051	\$1,238,237,709
1030	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$13,043	\$1,238,250,752
1031	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$13,000	\$1,238,263,752
1032	Pilo kea lau li`i (<i>Platydesma rostrata</i>)	E	\$12,988	\$1,238,276,740
1033	Pocketbook, finelined (<i>Lampsilis altilis</i>) -	T	\$12,824	\$1,238,289,564
1034	Haha (<i>Cyanea pinnatifida</i>)	E	\$12,817	\$1,238,302,381
1035	Kamakahala (<i>Labordia pumila</i>)	E	\$12,815	\$1,238,315,196
1036	Wild coffee, Oahu (=kopiko) (<i>Psychotria hexandra</i> ssp. <i>oahuensis</i>)	E	\$12,766	\$1,238,327,962
1037	Sucker, Zuni bluehead (<i>Catostomus discobolus yarrowi</i>)	E	\$12,700	\$1,238,340,662
1038	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$12,673	\$1,238,353,335
1039	No Common Name (<i>Keysseria</i> (=Lagenifera) <i>helenae</i>)	E	\$12,670	\$1,238,366,005
1040	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$12,656	\$1,238,378,661
1041	Nehe (<i>Lipochaeta micrantha</i>)	E	\$12,630	\$1,238,391,291
1042	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$12,624	\$1,238,403,915
1043	No Common Name (<i>Asplenium unisorum</i>)	E	\$12,599	\$1,238,416,514
1044	Alani (<i>Melicope puberula</i>)	E	\$12,598	\$1,238,429,112
1045	Snail, Lanai tree (<i>Partulina semicarinata</i>)	E	\$12,593	\$1,238,441,705
1045	Snail, Lanai tree (<i>Partulina variabilis</i>)	E	\$12,593	\$1,238,454,298
1046	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$12,535	\$1,238,466,833
1046	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$12,535	\$1,238,479,368
1047	`Akoko (<i>Euphorbia remyi</i> var. <i>kauaiensis</i>)	E	\$12,530	\$1,238,491,898

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1048	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$12,519	\$1,238,504,417
1049	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$12,500	\$1,238,516,917
1049	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$12,500	\$1,238,529,417
1050	Kolea (<i>Myrsine linearifolia</i>)	T	\$12,467	\$1,238,541,884
1051	Nohoanu (<i>Geranium kauaiense</i>)	E	\$12,454	\$1,238,554,338
1052	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$12,413	\$1,238,566,751
1053	Pomace fly, [unnamed] (<i>Drosophila musaphilia</i>)	E	\$12,371	\$1,238,579,122
1054	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$12,364	\$1,238,591,486
1055	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$12,310	\$1,238,603,796
1056	No Common Name (<i>Keysseria</i> (=Lagenifera) <i>erici</i>)	E	\$12,230	\$1,238,616,026
1057	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>) -	E	\$12,222	\$1,238,628,248
1058	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$12,200	\$1,238,640,448
1059	Alani (<i>Melicope paniculata</i>)	E	\$12,159	\$1,238,652,607
1060	Snail, Newcomb's (<i>Erinna newcombi</i>) - Entire	T	\$12,083	\$1,238,664,690
1061	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>)	E	\$12,048	\$1,238,676,738
1062	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$12,000	\$1,238,688,738
1062	No Common Name (<i>Aristida chaseae</i>)	E	\$12,000	\$1,238,700,738
1063	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$11,900	\$1,238,712,638
1064	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$11,893	\$1,238,724,531
1065	Aupaka (<i>Isodendron longifolium</i>)	T	\$11,884	\$1,238,736,415
1066	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$11,848	\$1,238,748,263
1067	Alani (<i>Melicope saint-johnii</i>)	E	\$11,806	\$1,238,760,069
1068	Na'ena'e (<i>Dubautia plantaginea magnifolia</i>)	E	\$11,744	\$1,238,771,813
1069	Darter, relict (<i>Etheostoma chienense</i>) - Entire	E	\$11,700	\$1,238,783,513
1070	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>) - Entire	T	\$11,692	\$1,238,795,205
1071	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>) - Entire	E	\$11,622	\$1,238,806,827
1071	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$11,622	\$1,238,818,449
1072	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$11,500	\$1,238,829,949
1072	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$11,500	\$1,238,841,449
1072	No Common Name (<i>Cordia bellonis</i>)	E	\$11,500	\$1,238,852,949
1072	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>)	E	\$11,500	\$1,238,864,449

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1073	Butterfly, Uncompahgre fritillary (<i>Boloria acrocnema</i>) - Entire	E	\$11,317	\$1,238,875,766
1074	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>) - Entire	T	\$11,300	\$1,238,887,066
1075	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$11,274	\$1,238,898,340
1076	Ha`iwale (<i>Cyrtandra oenobarba</i>)	E	\$11,242	\$1,238,909,582
1077	No Common Name (<i>Phyllostegia bracteata</i>)	E	\$11,228	\$1,238,920,810
1078	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$11,200	\$1,238,932,010
1079	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$11,158	\$1,238,943,168
1080	`Oha wai (<i>Clermontia samuelii</i>)	E	\$11,153	\$1,238,954,321
1081	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$11,100	\$1,238,965,421
1082	No Common Name (<i>Schiedea viscosa</i>)	E	\$11,089	\$1,238,976,510
1083	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$11,047	\$1,238,987,557
1084	No Common Name (<i>Lysimachia pendens</i>)	E	\$11,037	\$1,238,998,594
1085	Naenae (<i>Dubautia kalalauensis</i>)	E	\$11,024	\$1,239,009,618
1086	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$11,000	\$1,239,020,618
1086	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$11,000	\$1,239,031,618
1086	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$11,000	\$1,239,042,618
1086	No Common Name (<i>Lyonia truncata</i> var. <i>proctorii</i>)	E	\$11,000	\$1,239,053,618
1086	No Common Name (<i>Vernonia proctorii</i>)	E	\$11,000	\$1,239,064,618
1087	Stickseed, showy (<i>Hackelia venusta</i>) -	E	\$10,824	\$1,239,075,442
1088	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$10,820	\$1,239,086,262
1089	`Akoko (<i>Euphorbia haeleeleana</i>)	E	\$10,816	\$1,239,097,078
1090	Koholapehu (<i>Dubautia latifolia</i>)	E	\$10,808	\$1,239,107,886
1091	Shrimp, anchialine pool (<i>Vetericaris chaceorum</i>)	E	\$10,800	\$1,239,118,686
1092	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$10,700	\$1,239,129,386
1093	No Common Name (<i>Lysimachia maxima</i>)	E	\$10,699	\$1,239,140,085
1094	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$10,695	\$1,239,150,780
1095	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>) -	T	\$10,658	\$1,239,161,438
1096	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$10,598	\$1,239,172,036
1097	Haha (<i>Cyanea asarifolia</i>)	E	\$10,573	\$1,239,182,609
1098	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$10,566	\$1,239,193,175
1099	No Common Name (<i>Remya kauaiensis</i>)	E	\$10,554	\$1,239,203,729
1099	No Common Name (<i>Doryopteris angelica</i>)	E	\$10,554	\$1,239,214,283

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1100	Moccasinshell, Coosa (<i>Medionidus parvulus</i>) -	E	\$10,547	\$1,239,224,830
1101	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$10,524	\$1,239,235,354
1102	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>) - Entire	E	\$10,500	\$1,239,245,854
1102	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>) - Entire	E	\$10,500	\$1,239,256,354
1102	No Common Name (<i>Schoepfia arenaria</i>)	T	\$10,500	\$1,239,266,854
1102	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$10,500	\$1,239,277,354
1103	No Common Name (<i>Nesogenes rotensis</i>)	E	\$10,468	\$1,239,287,822
1104	Awiiwi (<i>Centaurium sebaeoides</i>)	E	\$10,465	\$1,239,298,287
1105	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>) - Entire	E	\$10,450	\$1,239,308,737
1106	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$10,412	\$1,239,319,149
1107	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$10,400	\$1,239,329,549
1107	Cactus, Florida semaphore (<i>Consolea corallicola</i>)	E	\$10,400	\$1,239,339,949
1108	No Common Name (<i>Lysimachia venosa</i>)	E	\$10,356	\$1,239,350,305
1109	Haha (<i>Cyanea asplenifolia</i>)	E	\$10,338	\$1,239,360,643
1110	Hala pepe (<i>Pleomele fernaldii</i>)	E	\$10,328	\$1,239,370,971
1111	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>) - Entire	E	\$10,310	\$1,239,381,281
1112	No Common Name (<i>Asplenium dielfalcatum</i>)	E	\$10,268	\$1,239,391,549
1113	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$10,250	\$1,239,401,799
1114	No Common Name (<i>Schiedea jacobii</i>) -	E	\$10,243	\$1,239,412,042
1115	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$10,192	\$1,239,422,234
1116	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$10,124	\$1,239,432,358
1117	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$10,100	\$1,239,442,458
1117	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$10,100	\$1,239,452,558
1118	Kolea (<i>Myrsine knudsenii</i>)	E	\$10,094	\$1,239,462,652
1119	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$10,065	\$1,239,472,717
1120	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>) - Entire	T	\$10,050	\$1,239,482,767
1121	No Common Name (<i>Abutilon eremitopetalum</i>) -	E	\$10,012	\$1,239,492,779
1122	Parrot, thick-billed (<i>Rhynchopsitta pachyrhyncha</i>) - Entire	E	\$10,000	\$1,239,502,779
1122	Crow, white-necked (<i>Corvus leucognaphalus</i>) - Entire	E	\$10,000	\$1,239,512,779
1122	Harvestman, Bee Creek Cave (<i>Texella redbelli</i>) - Entire	E	\$10,000	\$1,239,522,779
1122	Trillium, persistent (<i>Trillium persistens</i>)	E	\$10,000	\$1,239,532,779
1122	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$10,000	\$1,239,542,779
1122	No Common Name (<i>Thelypteris verecunda</i>)	E	\$10,000	\$1,239,552,779

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1123	No Common Name (<i>Osmoxylon mariannense</i>)	E	\$9,994	\$1,239,562,773
1124	Pigtoe, rough (<i>Pleurobema plenum</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$9,984	\$1,239,572,757
1125	No Common Name (<i>Schiedea laui</i>) -	E	\$9,979	\$1,239,582,736
1126	Haha (<i>Cyanea mceldowneyi</i>)	E	\$9,971	\$1,239,592,707
1127	No Common Name (<i>Wikstroemia villosa</i>) -	E	\$9,968	\$1,239,602,675
1128	Haha (<i>Cyanea eleeeensis</i>)	E	\$9,951	\$1,239,612,626
1129	Remya, Maui (<i>Remya mauiensis</i>)	E	\$9,933	\$1,239,622,559
1130	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$9,902	\$1,239,632,461
1131	Creeper, Molokai (<i>Paroreomyza flammea</i>) - Entire	E	\$9,898	\$1,239,642,359
1132	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$9,864	\$1,239,652,223
1133	`Ala `ala wai nui (<i>Peperomia subpetiolata</i>)	E	\$9,855	\$1,239,662,078
1134	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$9,839	\$1,239,671,917
1135	No Common Name (<i>Schiedea haleakalensis</i>)	E	\$9,820	\$1,239,681,737
1136	Spinymussel, Altamaha (<i>Elliptio spinosa</i>) - Entire	E	\$9,750	\$1,239,691,487
1137	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>) - Entire	E	\$9,739	\$1,239,701,226
1138	No Common Name (<i>Lysimachia iniki</i>)	E	\$9,687	\$1,239,710,913
1139	No Common Name (<i>Stenogyne campanulata</i>)	E	\$9,602	\$1,239,720,515
1140	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$9,593	\$1,239,730,108
1141	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$9,590	\$1,239,739,698
1142	No Common Name (<i>Stenogyne cranwelliae</i>)	E	\$9,588	\$1,239,749,286
1143	Liliwai (<i>Acaena exigua</i>)	E	\$9,558	\$1,239,758,844
1144	Haiwale (<i>Cyrtandra paliku</i>)	E	\$9,531	\$1,239,768,375
1145	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Wherever found; Except where listed as Experimental Populations	E	\$9,500	\$1,239,777,875
1145	Boxwood, Vahl's (<i>Buxus vahlilii</i>)	E	\$9,500	\$1,239,787,375
1145	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$9,500	\$1,239,796,875
1145	No Common Name (<i>Ilex sintenisii</i>)	E	\$9,500	\$1,239,806,375
1145	No Common Name (<i>Thelypteris yaucoensis</i>)	E	\$9,500	\$1,239,815,875
1146	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$9,493	\$1,239,825,368
1147	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$9,489	\$1,239,834,857
1148	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>) - Entire	E	\$9,453	\$1,239,844,310
1149	Haha (<i>Cyanea duvalliorum</i>) -	E	\$9,452	\$1,239,853,762
1150	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>) - Entire	T	\$9,430	\$1,239,863,192

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1151	Aupaka (<i>Isodendron laurifolium</i>)	E	\$9,408	\$1,239,872,600
1152	Kopiko (<i>Psychotria hobbii</i>)	E	\$9,398	\$1,239,881,998
1153	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$9,368	\$1,239,891,366
1154	No Common Name (<i>Cyanea purpurellifolia</i>)	E	\$9,362	\$1,239,900,728
1155	Papala (<i>Charpentiera densiflora</i>)	E	\$9,358	\$1,239,910,086
1155	Bluegrass, Hawaiian (<i>Poa sandwicensis</i>)	E	\$9,358	\$1,239,919,444
1155	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$9,358	\$1,239,928,802
1156	Haha (<i>Cyanea mauensis</i>) -	E	\$9,352	\$1,239,938,154
1157	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$9,300	\$1,239,947,454
1158	Haiwale (<i>Cyrtandra ferripilosa</i>) -	E	\$9,290	\$1,239,956,744
1159	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$9,236	\$1,239,965,980
1160	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$9,210	\$1,239,975,190
1160	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$9,210	\$1,239,984,400
1161	No Common Name (<i>Phyllostegia knudsenii</i>)	E	\$9,181	\$1,239,993,581
1162	Kamakahala (<i>Labordia lydgatei</i>)	E	\$9,179	\$1,240,002,760
1163	Naenae (<i>Dubautia kenwoodii</i>)	E	\$9,169	\$1,240,011,929
1164	Nohoanu (<i>Geranium multiflorum</i>)	E	\$9,166	\$1,240,021,095
1165	Haha (<i>Cyanea dolichopoda</i>)	E	\$9,131	\$1,240,030,226
1166	No Common Name (<i>Hesperomannia lydgatei</i>)	E	\$9,082	\$1,240,039,308
1167	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>) - Entire	E	\$9,044	\$1,240,048,352
1167	Haha (<i>Cyanea munroi</i>) -	E	\$9,044	\$1,240,057,396
1168	No Common Name (<i>Festuca molokaiensis</i>) -	E	\$9,008	\$1,240,066,404
1169	Capa rosa (<i>Callicarpa ampla</i>)	E	\$9,000	\$1,240,075,404
1169	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$9,000	\$1,240,084,404
1169	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$9,000	\$1,240,093,404
1169	No Common Name (<i>Ternstroemia subsessilis</i>)	E	\$9,000	\$1,240,102,404
1169	No Common Name (<i>Myrcia paganii</i>)	E	\$9,000	\$1,240,111,404
1169	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$9,000	\$1,240,120,404
1169	No Common Name (<i>Thelypteris inabonensis</i>)	E	\$9,000	\$1,240,129,404
1170	Ha`iwale (<i>Cyrtandra kaulantha</i>)	E	\$8,965	\$1,240,138,369
1171	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$8,919	\$1,240,147,288
1172	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>) - Entire	E	\$8,895	\$1,240,156,183
1173	Haha (<i>Cyanea recta</i>)	T	\$8,888	\$1,240,165,071
1174	Creeper, Oahu (<i>Paroreomyza maculata</i>) - Entire	E	\$8,884	\$1,240,173,955
1175	Fly, Hawaiian picture-wing (<i>Drosophila digressa</i>)	E	\$8,873	\$1,240,182,828

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1176	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>) -	T	\$8,864	\$1,240,191,692
1177	Holei (<i>Ochrosia kilaeensis</i>)	E	\$8,848	\$1,240,200,540
1178	Sedge, white (<i>Carex albida</i>)	E	\$8,816	\$1,240,209,356
1178	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$8,816	\$1,240,218,172
1178	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$8,816	\$1,240,226,988
1179	Haha (<i>Cyanea kuhihewa</i>)	E	\$8,815	\$1,240,235,803
1180	No Common Name (<i>Cyrtandra waiolani</i>) -	E	\$8,807	\$1,240,244,610
1181	Damselfly, oceanic Hawaiian (<i>Megalagrion oceanicum</i>) -	E	\$8,754	\$1,240,253,364
1182	Pigtoe, southern (<i>Pleurobema georgianum</i>) -	E	\$8,747	\$1,240,262,111
1183	No Common Name (<i>Platydesma cornuta cornuta</i>)	E	\$8,732	\$1,240,270,843
1184	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$8,714	\$1,240,279,557
1185	Ha`iwale (<i>Cyrtandra oxybapha</i>)	E	\$8,706	\$1,240,288,263
1186	Ko`oko`olau (<i>Bidens campylotheca waihoiensis</i>)	E	\$8,681	\$1,240,296,944
1187	Ko`oko`olau (<i>Bidens campylotheca pentamera</i>)	E	\$8,651	\$1,240,305,595
1188	Nukupu`u (honeycreeper) (<i>Hemignathus lucidus</i>) - Entire	E	\$8,522	\$1,240,314,117
1189	No Common Name (<i>Daphnopsis hellerana</i>)	E	\$8,500	\$1,240,322,617
1189	No Common Name (<i>Lepanthes eltoroensis</i>)	E	\$8,500	\$1,240,331,117
1189	No Common Name (<i>Cranichis ricartii</i>)	E	\$8,500	\$1,240,339,617
1190	No Common Name (<i>Tetramolopium remyi</i>)	E	\$8,499	\$1,240,348,116
1191	Pauoa (<i>Ctenitis squamigera</i>)	E	\$8,494	\$1,240,356,610
1192	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$8,478	\$1,240,365,088
1193	Haha (<i>Cyanea kunthiana</i>)	E	\$8,424	\$1,240,373,512
1193	Nohoanu (<i>Geranium hillebrandii</i>)	E	\$8,424	\$1,240,381,936
1194	Nohoanu (<i>Geranium hanaense</i>)	E	\$8,400	\$1,240,390,336
1195	Na`ena`e (<i>Dubautia imbricata imbricata</i>)	E	\$8,384	\$1,240,398,720
1196	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$8,377	\$1,240,407,097
1196	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>) - Entire	E	\$8,377	\$1,240,415,474
1197	Kolea (<i>Myrsine vaccinioides</i>)	E	\$8,341	\$1,240,423,815
1198	No Common Name (<i>Bidens hillebrandiana</i> ssp. <i>hillebrandiana</i>) -	E	\$8,308	\$1,240,432,123
1199	No Common Name (<i>Schiedea salicaria</i>)	E	\$8,300	\$1,240,440,423
1199	No Common Name (<i>Platydesma cornuta decurrens</i>)	E	\$8,300	\$1,240,448,723
1199	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$8,300	\$1,240,457,023

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1199	Thoroughwort, Cape Sable (<i>Chromolaena frustrata</i>)	E	\$8,300	\$1,240,465,323
1200	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$8,236	\$1,240,473,559
1200	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$8,236	\$1,240,481,795
1200	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$8,236	\$1,240,490,031
1201	Kamakahala (<i>Labordia helleri</i>)	E	\$8,232	\$1,240,498,263
1201	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$8,232	\$1,240,506,495
1202	No Common Name (<i>Lysimachia lydgatei</i>)	E	\$8,206	\$1,240,514,701
1203	Bean, sea (<i>Mucuna sloanei persericea</i>) -	E	\$8,187	\$1,240,522,888
1204	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$8,164	\$1,240,531,052
1204	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$8,164	\$1,240,539,216
1205	Haha (<i>Cyanea glabra</i>)	E	\$8,157	\$1,240,547,373
1206	'Awiwi (<i>Kadua cookiana</i>)	E	\$8,088	\$1,240,555,461
1207	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$8,084	\$1,240,563,545
1208	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$8,078	\$1,240,571,623
1209	No Common Name (<i>Poa siphonoglossa</i>)	E	\$8,037	\$1,240,579,660
1210	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>) - Entire	E	\$8,015	\$1,240,587,675
1211	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>) - Entire	E	\$8,000	\$1,240,595,675
1211	Sunfish, spring pygmy (<i>Elassoma alabamae</i>) -	T	\$8,000	\$1,240,603,675
1211	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$8,000	\$1,240,611,675
1211	Erubia (<i>Solanum drymophilum</i>)	E	\$8,000	\$1,240,619,675
1211	No Common Name (<i>Tectaria estremerana</i>)	E	\$8,000	\$1,240,627,675
1212	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$7,974	\$1,240,635,649
1213	'Akoko (<i>Euphorbia halemanui</i>)	E	\$7,968	\$1,240,643,617
1214	No Common Name (<i>Amaranthus brownii</i>)	E	\$7,922	\$1,240,651,539
1215	No Common Name (<i>Viola lanaiensis</i>)	E	\$7,893	\$1,240,659,432
1216	Avens, spreading (<i>Geum radiatum</i>)	E	\$7,787	\$1,240,667,219
1217	Alani (<i>Melicope ovalis</i>)	E	\$7,779	\$1,240,674,998
1218	No Common Name (<i>Schiedea spergulina</i> var. <i>leiopoda</i>)	E	\$7,776	\$1,240,682,774
1219	Alani (<i>Melicope pallida</i>)	E	\$7,753	\$1,240,690,527
1220	Acornshell, southern (<i>Epioblasma othcaloogensis</i>) -	E	\$7,748	\$1,240,698,275
1221	Pamakani (<i>Tetramolopium capillare</i>)	E	\$7,722	\$1,240,705,997
1222	Alani (<i>Melicope christophersenii</i>)	E	\$7,669	\$1,240,713,666
1223	`Akoko (<i>Euphorbia eleanoriae</i>)	E	\$7,665	\$1,240,721,331
1224	Lo`ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>)	E	\$7,659	\$1,240,728,990
1225	Hulumoa (<i>Korthalsella degeneri</i>)	E	\$7,641	\$1,240,736,631

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1226	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$7,600	\$1,240,744,231
1226	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$7,600	\$1,240,751,831
1227	No Common Name (<i>Lysimachia scopulensis</i>)	E	\$7,553	\$1,240,759,384
1228	Ko`oko`olau (<i>Bidens conjuncta</i>)	E	\$7,537	\$1,240,766,921
1228	Reedgrass, Hillebrand's (<i>Calamagrostis hillebrandii</i>)	E	\$7,537	\$1,240,774,458
1229	No Common Name (<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>)	E	\$7,528	\$1,240,781,986
1230	Guajon (<i>Eleutherodactylus cooki</i>) - Entire	T	\$7,500	\$1,240,789,486
1230	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Wherever found; Except where listed as Experimental Populations	E	\$7,500	\$1,240,796,986
1230	Amphipod, diminutive (<i>Gammarus hyalleloides</i>)	E	\$7,500	\$1,240,804,486
1230	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$7,500	\$1,240,811,986
1230	No Common Name (<i>Auerodendron pauciflorum</i>)	E	\$7,500	\$1,240,819,486
1231	Nehe (<i>Lipochaeta fauriei</i>)	E	\$7,436	\$1,240,826,922
1232	`Akoko (<i>Euphorbia deppeana</i>)	E	\$7,428	\$1,240,834,350
1233	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$7,400	\$1,240,841,750
1234	Haha (<i>Cyanea rivularis</i>)	E	\$7,399	\$1,240,849,149
1235	No Common Name (<i>Lysimachia filifolia</i>)	E	\$7,380	\$1,240,856,529
1236	Makou (<i>Peucedanum sandwicense</i>)	T	\$7,370	\$1,240,863,899
1236	No Common Name (<i>Schiedea helleri</i>)	E	\$7,370	\$1,240,871,269
1236	No Common Name (<i>Schiedea attenuata</i>)	E	\$7,370	\$1,240,878,639
1237	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$7,340	\$1,240,885,979
1238	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>) - Entire	E	\$7,275	\$1,240,893,254
1239	No Common Name (<i>Schiedea spergulina</i> var. <i>spergulina</i>)	T	\$7,269	\$1,240,900,523
1240	Shiner, palezone (<i>Notropis albizonatus</i>) - Entire	E	\$7,231	\$1,240,907,754
1241	No Common Name (<i>Schiedea obovata</i>)	E	\$7,226	\$1,240,914,980
1242	No Common Name (<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>)	E	\$7,203	\$1,240,922,183
1243	Gladecress, Texas golden (<i>Leavenworthia texana</i>)	E	\$7,200	\$1,240,929,383
1244	Haha (<i>Cyanea calycina</i>)	E	\$7,167	\$1,240,936,550
1245	Lo`ulu (<i>Pritchardia remota</i>)	E	\$7,165	\$1,240,943,715
1245	No Common Name (<i>Schiedea verticillata</i>)	E	\$7,165	\$1,240,950,880
1246	Damselfly, crimson Hawaiian (<i>Megalagrion leptodemas</i>) -	E	\$7,150	\$1,240,958,030
1246	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$7,150	\$1,240,965,180
1246	Picture-wing fly, Hawaiian (<i>Drosophila differens</i>)	E	\$7,150	\$1,240,972,330
1247	`Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$7,114	\$1,240,979,444
1248	Elimia, lacy (snail) (<i>Elimia crenatella</i>) - Entire	T	\$7,100	\$1,240,986,544

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1248	Rocksnail, painted (<i>Leptoxis taeniata</i>) - Entire	T	\$7,100	\$1,240,993,644
1249	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$7,011	\$1,241,000,655
1250	Ko`oko`olau (<i>Bidens amplexans</i>)	E	\$7,001	\$1,241,007,656
1251	Iguana, Mona ground (<i>Cyclura stejnegeri</i>) - Entire	T	\$7,000	\$1,241,014,656
1251	Rocksnail, plicate (<i>Leptoxis plicata</i>) - Entire	E	\$7,000	\$1,241,021,656
1251	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$7,000	\$1,241,028,656
1251	Bariaco (<i>Trichilia triacantha</i>)	E	\$7,000	\$1,241,035,656
1251	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$7,000	\$1,241,042,656
1251	No Common Name (<i>Adiantum vivesii</i>)	E	\$7,000	\$1,241,049,656
1252	Alani (<i>Melicope balloui</i>)	E	\$6,920	\$1,241,056,576
1253	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$6,917	\$1,241,063,493
1254	No Common Name (<i>Gouania hillebrandii</i>)	E	\$6,862	\$1,241,070,355
1255	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$6,828	\$1,241,077,183
1256	No Common Name (<i>Schiedea sarmentosa</i>)	E	\$6,820	\$1,241,084,003
1256	Hala pepe (<i>Pleomele forbesii</i>)	E	\$6,820	\$1,241,090,823
1256	No Common Name (<i>Trematolobelia singularis</i>)	E	\$6,820	\$1,241,097,643
1257	Ha`iwale (<i>Cyrtandra sessilis</i>)	E	\$6,817	\$1,241,104,460
1258	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$6,800	\$1,241,111,260
1259	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$6,779	\$1,241,118,039
1259	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$6,779	\$1,241,124,818
1259	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$6,779	\$1,241,131,597
1259	Alani (<i>Melicope makahae</i>)	E	\$6,779	\$1,241,138,376
1259	Alani (<i>Melicope munroi</i>)	E	\$6,779	\$1,241,145,155
1259	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$6,779	\$1,241,151,934
1259	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$6,779	\$1,241,158,713
1259	No Common Name (<i>Schiedea lydgatei</i>)	E	\$6,779	\$1,241,165,492
1259	No Common Name (<i>Cyperus fauriei</i>)	E	\$6,779	\$1,241,172,271
1260	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$6,777	\$1,241,179,048
1260	Haha (<i>Cyanea mannii</i>)	E	\$6,777	\$1,241,185,825
1261	Alani (<i>Melicope reflexa</i>)	E	\$6,708	\$1,241,192,533
1261	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$6,708	\$1,241,199,241
1261	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$6,708	\$1,241,205,949
1262	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$6,600	\$1,241,212,549
1263	No Common Name (<i>Doryopteris takeuchii</i>)	E	\$6,584	\$1,241,219,133
1264	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$6,578	\$1,241,225,711

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1265	Pigtoe, Georgia (Pleurobema hanleyianum) -	E	\$6,547	\$1,241,232,258
1266	Mucket, orangenacre (Lampsilis perovalis) -	T	\$6,509	\$1,241,238,767
1267	Warbler (=wood), Bachman's (Vermivora bachmanii) - Entire	E	\$6,500	\$1,241,245,267
1267	Boa, Mona (Epicrates monensis monensis) - Entire	T	\$6,500	\$1,241,251,767
1267	Gecko, Monito (Sphaerodactylus micropithecus) - Entire	E	\$6,500	\$1,241,258,267
1267	No Common Name (Calyptranthes thomasiona)	E	\$6,500	\$1,241,264,767
1267	No Common Name (Chamaecrista glandulosa var. mirabilis)	E	\$6,500	\$1,241,271,267
1267	No Common Name (Mitracarpus maxwelliae)	E	\$6,500	\$1,241,277,767
1267	No Common Name (Mitracarpus polycladus)	E	\$6,500	\$1,241,284,267
1267	No Common Name (Gesneria pauciflora)	T	\$6,500	\$1,241,290,767
1267	No Common Name (Leptocereus grantianus)	E	\$6,500	\$1,241,297,267
1267	Fern, Elfin tree (Cyathea dryopteroides)	E	\$6,500	\$1,241,303,767
1267	No Common Name (Polystichum calderonense)	E	\$6,500	\$1,241,310,267
1268	Reed-mustard, shrubby (Schoenocrambe suffrutescens)	E	\$6,400	\$1,241,316,667
1268	Rosemary, Etonia (Conradina etonia)	E	\$6,400	\$1,241,323,067
1269	Snail, Virginia fringed mountain (Polygyriscus virginianus) - Entire	E	\$6,350	\$1,241,329,417
1270	Combshell, upland (Epioblasma metastriata) -	E	\$6,324	\$1,241,335,741
1271	Rosemary, short-leaved (Conradina brevifolia)	E	\$6,300	\$1,241,342,041
1272	No Common Name (Polyscias racemosa)	E	\$6,280	\$1,241,348,321
1273	Mustard, Carter's (Warea carteri)	E	\$6,200	\$1,241,354,521
1274	Vole, Florida salt marsh (Microtus pennsylvanicus dukecampbelli) - Entire	E	\$6,000	\$1,241,360,521
1274	Anole, Culebra Island giant (Anolis roosevelti) - Entire	E	\$6,000	\$1,241,366,521
1274	Coqui, Llanero (Eleutherodactylus juanariveroi) - Entire	E	\$6,000	\$1,241,372,521
1274	Gambusia, Big Bend (Gambusia gaigei) - Entire	E	\$6,000	\$1,241,378,521
1274	Trout, bull (Salvelinus confluentus) - Clackamas River subbasin experimental population	EXPN	\$6,000	\$1,241,384,521
1274	Marstonia, royal (snail) (Pyrgulopsis ogmorhaphae) - Entire	E	\$6,000	\$1,241,390,521
1274	Rattleweed, hairy (Baptisia arachnifera)	E	\$6,000	\$1,241,396,521
1274	Holly, Cook's (Ilex cookii)	E	\$6,000	\$1,241,402,521
1274	Mallow, Peter's Mountain (Iliamna corei)	E	\$6,000	\$1,241,408,521
1274	No Common Name (Elaphoglossum serpens)	E	\$6,000	\$1,241,414,521
1275	Dace, Independence Valley speckled (Rhinichthys osculus lethoporus) - Entire	E	\$5,996	\$1,241,420,517
1276	Spurge, Garber's (Chamaesyce garberi)	T	\$5,700	\$1,241,426,217

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1277	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>) - Entire	E	\$5,500	\$1,241,431,717
1277	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$5,500	\$1,241,437,217
1278	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$5,499	\$1,241,442,716
1279	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$5,442	\$1,241,448,158
1280	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$5,372	\$1,241,453,530
1281	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>) - Entire	E	\$5,000	\$1,241,458,530
1282	Combshell, southern (<i>Epioblasma penita</i>) - Entire	E	\$4,943	\$1,241,463,473
1283	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$4,900	\$1,241,468,373
1284	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) - Entire	T	\$4,889	\$1,241,473,262
1285	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$4,850	\$1,241,478,112
1286	Pigtoe, heavy (<i>Pleurobema taitianum</i>) - Entire	E	\$4,799	\$1,241,482,911
1287	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$4,762	\$1,241,487,673
1288	Crayfish, cave (<i>Cambarus aculabrum</i>) - Entire	E	\$4,560	\$1,241,492,233
1289	Pigtoe, dark (<i>Pleurobema furvum</i>) -	E	\$4,500	\$1,241,496,733
1289	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$4,500	\$1,241,501,233
1289	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$4,500	\$1,241,505,733
1289	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$4,500	\$1,241,510,233
1290	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$4,425	\$1,241,514,658
1291	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>) - Entire	T	\$4,407	\$1,241,519,065
1292	Bear, grizzly (<i>Ursus arctos horribilis</i>) - Selkirk Recovery Zone Population	T	\$4,400	\$1,241,523,465
1293	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>) - Entire	T	\$4,375	\$1,241,527,840
1294	Chub, Sonora (<i>Gila ditaenia</i>) - Entire	T	\$4,300	\$1,241,532,140
1294	Mapleleaf, winged (<i>Quadrula fragosa</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,300	\$1,241,536,440
1295	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>) - Entire	E	\$4,257	\$1,241,540,697
1296	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)) - Entire	T	\$4,230	\$1,241,544,927
1297	Darter, vermilion (<i>Etheostoma chermocki</i>) - Entire	E	\$4,000	\$1,241,548,927
1297	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$4,000	\$1,241,552,927
1297	Pearlymussel, dromedary (<i>Dromus dromas</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,000	\$1,241,556,927

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1297	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,000	\$1,241,560,927
1297	Snail, painted snake coiled forest (<i>Anguispira picta</i>) - Entire	T	\$4,000	\$1,241,564,927
1297	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,000	\$1,241,568,927
1298	Madtom, Scioto (<i>Noturus trautmani</i>) - Entire	E	\$3,932	\$1,241,572,859
1299	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$3,800	\$1,241,576,659
1299	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$3,800	\$1,241,580,459
1300	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$3,528	\$1,241,583,987
1301	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>) - Entire	E	\$3,500	\$1,241,587,487
1302	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$3,464	\$1,241,590,951
1303	Polygala, tiny (<i>Polygala smallii</i>)	E	\$3,200	\$1,241,594,151
1304	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$3,132	\$1,241,597,283
1305	Springsnail, Alamosa (<i>Tryonia alamosae</i>) - Entire	E	\$3,100	\$1,241,600,383
1306	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$3,082	\$1,241,603,465
1307	Madtom, pygmy (<i>Noturus stanauli</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i))	EXPN	\$3,000	\$1,241,606,465
1307	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>) - Entire	E	\$3,000	\$1,241,609,465
1307	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$3,000	\$1,241,612,465
1308	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>) - Entire	E	\$2,988	\$1,241,615,453
1309	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$2,950	\$1,241,618,403
1310	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - Entire	E	\$2,700	\$1,241,621,103
1311	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>) - Entire	E	\$2,641	\$1,241,623,744
1312	Beetle, Casey's June (<i>Dinacoma caseyi</i>) - Entire	E	\$2,640	\$1,241,626,384
1313	Hornsnail, rough (<i>Pleurocera foremani</i>) - Entire	E	\$2,600	\$1,241,628,984
1313	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$2,600	\$1,241,631,584
1314	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,500	\$1,241,634,084
1314	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>) - Entire	E	\$2,500	\$1,241,636,584
1314	Amphipod, Pecos (<i>Gammarus pecos</i>) -	E	\$2,500	\$1,241,639,084
1314	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$2,500	\$1,241,641,584

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1314	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$2,500	\$1,241,644,084
1315	Pearlshell, Alabama (<i>Margaritifera marrianae</i>) -	E	\$2,409	\$1,241,646,493
1316	Darter, Maryland (<i>Etheostoma sellare</i>) - Entire	E	\$2,400	\$1,241,648,893
1316	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$2,400	\$1,241,651,293
1316	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$2,400	\$1,241,653,693
1317	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$2,388	\$1,241,656,081
1318	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$2,274	\$1,241,658,355
1319	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$2,200	\$1,241,660,555
1320	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$2,100	\$1,241,662,655
1320	Minnow, Rio Grande Silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$2,100	\$1,241,664,755
1320	Rocksnail, interrupted (=Georgia) (<i>Leptoxis foremani</i>) -	E	\$2,100	\$1,241,666,855
1321	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$2,088	\$1,241,668,943
1322	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$2,037	\$1,241,670,980
1323	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>) - Entire	T	\$2,000	\$1,241,672,980
1323	Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek	EXPN	\$2,000	\$1,241,674,980
1323	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$2,000	\$1,241,676,980
1324	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$1,914	\$1,241,678,894
1325	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$1,819	\$1,241,680,713
1326	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$1,800	\$1,241,682,513
1327	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>) - Entire	T	\$1,740	\$1,241,684,253
1328	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>) - Entire	E	\$1,600	\$1,241,685,853
1328	Pebblesnail, flat (<i>Lepyrium showalteri</i>) - Entire	E	\$1,600	\$1,241,687,453
1328	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$1,600	\$1,241,689,053
1329	Snail, tulotoma (<i>Tulotoma magnifica</i>) - Entire	T	\$1,576	\$1,241,690,629
1330	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$1,550	\$1,241,692,179
1331	Globe, noonday (<i>Patera clarki nantahala</i>) - Entire	T	\$1,500	\$1,241,693,679
1331	Rocksnail, round (<i>Leptoxis ampla</i>) - Entire	T	\$1,500	\$1,241,695,179
1331	Crayfish, cave (<i>Cambarus zophonastes</i>) - Entire	E	\$1,500	\$1,241,696,679
1331	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$1,500	\$1,241,698,179
1331	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$1,500	\$1,241,699,679
1331	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$1,500	\$1,241,701,179
1331	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$1,500	\$1,241,702,679

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1331	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$1,500	\$1,241,704,179
1332	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>) - Entire	E	\$1,381	\$1,241,705,560
1333	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$1,334	\$1,241,706,894
1334	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Wherever found; Except where listed as Experimental Populations	E	\$1,300	\$1,241,708,194
1334	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>) - Entire	E	\$1,300	\$1,241,709,494
1335	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$1,160	\$1,241,710,654
1336	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$1,035	\$1,241,711,689
1337	Whale, Southern Right (<i>Eubalaena australis</i>) - Entire	E	\$1,000	\$1,241,712,689
1337	Campelema, slender (<i>Campelema decampi</i>) - Entire	E	\$1,000	\$1,241,713,689
1337	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$1,000	\$1,241,714,689
1337	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$1,000	\$1,241,715,689
1337	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$1,000	\$1,241,716,689
1338	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Wherever found; Except where listed as Experimental Populations	E	\$950	\$1,241,717,639
1339	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$935	\$1,241,718,574
1340	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>) - Entire	E	\$900	\$1,241,719,474
1340	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$900	\$1,241,720,374
1341	Darter, rush (<i>Etheostoma phytophilum</i>) - Entire	E	\$850	\$1,241,721,224
1342	Stirrupshell (<i>Quadrula stapes</i>) - Entire	E	\$800	\$1,241,722,024
1343	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$764	\$1,241,722,788
1344	Shiner, Cahaba (<i>Notropis cahabae</i>) - Entire	E	\$700	\$1,241,723,488
1344	Butterfly, Mount Charleston blue (<i>Icaricia (Plebejus) shasta charlestonensis</i>)	E	\$700	\$1,241,724,188
1345	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$696	\$1,241,724,884
1345	Onion, Munz's (<i>Allium munzii</i>)	E	\$696	\$1,241,725,580
1346	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>) - Entire	E	\$600	\$1,241,726,180
1346	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$600	\$1,241,726,780
1346	Prickly-apple, aboriginal (<i>Harrisia</i> (=Cereus) <i>aboriginum</i> (=gracilis)) -	E	\$600	\$1,241,727,380
1346	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$600	\$1,241,727,980
1347	Springsnail, Chupadera (<i>Pyrgulopsis chupaderae</i>)	E	\$500	\$1,241,728,480

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1347	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$500	\$1,241,728,980
1347	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$500	\$1,241,729,480
1347	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$500	\$1,241,729,980
1347	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$500	\$1,241,730,480
1347	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$500	\$1,241,730,980
1348	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>) - Entire	T	\$400	\$1,241,731,380
1349	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$374	\$1,241,731,754
1350	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$1,241,732,054
1351	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$274	\$1,241,732,328
1351	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$274	\$1,241,732,602
1352	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$250	\$1,241,732,852
1353	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>) - Entire	E	\$200	\$1,241,733,052
1353	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$200	\$1,241,733,252
1354	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$174	\$1,241,733,426
1355	Jaguarundi, Sinaloa (<i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i>) - Entire	E	\$100	\$1,241,733,526
1355	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$100	\$1,241,733,626
1355	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$100	\$1,241,733,726
1355	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>) - Entire	E	\$100	\$1,241,733,826
1355	Clubshell, black (<i>Pleurobema curtum</i>) - Entire	E	\$100	\$1,241,733,926
1355	Pigtoe, flat (<i>Pleurobema marshalli</i>) - Entire	E	\$100	\$1,241,734,026
1355	Tryonia, Phantom (<i>Tryonia cheatumi</i>)	E	\$100	\$1,241,734,126
1355	Tryonia, Gonzales (<i>Tryonia circumstriata</i> (=stocktonensis))	E	\$100	\$1,241,734,226
1355	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$100	\$1,241,734,326
1355	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$100	\$1,241,734,426
1355	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$100	\$1,241,734,526
1355	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$100	\$1,241,734,626
1356	Seal, Ringed (<i>Phoca</i> (=Pusa) <i>hispida ladogensis</i>) - Ladoga subspecies	E	\$0	\$1,241,734,626
1356	Seal, Ringed (<i>Phoca</i> (=Pusa) <i>hispida ochotensis</i>) - Okhotsk subspecies	T	\$0	\$1,241,734,626

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1356	Seal, Ringed (Phoca (=Pusa) hispida botnica) - Baltic subspecies	T	\$0	\$1,241,734,626
1356	Seal, bearded (Erignathus barbatus nauticus) - Beringia DPS	T	\$0	\$1,241,734,626
1356	Seal, bearded (Erignathus barbatus nauticus) - Okhotsk DPS	T	\$0	\$1,241,734,626
1356	Sawfish, largetooth (Pristis pristis)	E	\$0	\$1,241,734,626
1356	Sturgeon, Adriatic (Acipenser naccarii)	E	\$0	\$1,241,734,626
1356	Sturgeon, Chinese (Acipenser sinensis)	E	\$0	\$1,241,734,626
1356	Sturgeon, European (Acipenser sturio)	E	\$0	\$1,241,734,626
1356	Sturgeon, Kaluga (Huso dauricus)	E	\$0	\$1,241,734,626
1356	Shark, Scalloped Hammerhead (Sphyrna lewini) - Eastern Pacific DPS	E	\$0	\$1,241,734,626
1356	Shark, Scalloped Hammerhead (Sphyrna lewini) - Central and Southwest Atlantic DPS	T	\$0	\$1,241,734,626
1356	Shark, Scalloped Hammerhead (Sphyrna lewini) - Eastern Atlantic DPS	E	\$0	\$1,241,734,626
1356	Shark, Scalloped Hammerhead (Sphyrna lewini) - Indo-West Pacific DPS	T	\$0	\$1,241,734,626
1356	Sturgeon, Sakhalin (Acipenser mikadoi)	E	\$0	\$1,241,734,626
1356	Fanshell (Cyprogenia stegaria) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$1,241,734,626
1356	Springsnail, Phantom (Pyrgulopsis texana)	E	\$0	\$1,241,734,626
1356	Flannelbush, Mexican (Fremontodendron mexicanum)	E	\$0	\$1,241,734,626
1356	Spineflower, Scotts Valley (Chorizanthe robusta var. hartwegii) -	E	\$0	\$1,241,734,626
Total				\$1,241,734,626