TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2006 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

|      | ACQUISITION COSTS  | 01-1- | Consider Territ | Ourseletter Tet 1 |
|------|--|-------|-----------------|-------------------|
| Rank | Species (50 CFR Part 17)   |       | Species Total   | Cumulative Total  |
| 1    | Sturgeon, pallid (Scaphirhynchus albus)  | E     | \$38,892,982    | \$38,892,982      |
| 2    | Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) spring/summer Snake R.                      | Т     | \$38,540,898    | \$77,433,880      |
| 3    | Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) fall Snake R.                               | Т     | \$34,188,890    | \$111,622,770     |
| 4    | Steelhead (Oncorhynchus (=Salmo) mykiss) middle Columbia R.  | Т     | \$32,032,545    | \$143,655,315     |
| 5    | Steelhead (Oncorhynchus (=Salmo) mykiss)<br>Snake R. Basin   | Т     | \$31,169,604    | \$174,824,919     |
| 6    | Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) spring upper Columbia R.                    | E     | \$27,241,805    | \$202,066,724     |
| 7    | Steelhead (Oncorhynchus (=Salmo) mykiss) upper Columbia R. Basin   | Т     | \$25,840,140    | \$227,906,864     |
| 8    | Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) western pop.   | E     | \$24,791,913    | \$252,698,777     |
| 9    | Trout, bull (Salvelinus confluentus) U.S.A., conterminous, lower 48 states                               | Т     | \$23,863,886    | \$276,562,663     |
| 10   | Salmon, coho ( <i>Oncorhynchus (=Salmo) kisutch</i> )<br>OR, CA pop.                                     | т     | \$20,310,735    | \$296,873,398     |
| 11   | Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) winter Sacramento R.                        | E     | \$20,247,212    | \$317,120,610     |
| 12   | Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) CA Central Valley spring-run                | т     | \$19,799,558    | \$336,920,168     |
| 13   | Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) Puget Sound                                 | Т     | \$17,951,332    | \$354,871,500     |
| 14   | Salmon, sockeye ( <i>Oncorhynchus (=Salmo) nerka</i> ) U.S.A. (Snake River, ID stock wherever found.)    | E     | \$17,744,147    | \$372,615,647     |
| 15   | Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) lower Columbia R.                           | Т     | \$16,688,630    | \$389,304,277     |
| 16   | Flycatcher, southwestern willow (Empidonax traillii extimus)   | E     | \$14,668,834    | \$403,973,111     |
| 17   | Woodpecker, red-cockaded (Picoides borealis)   | E     | \$13,875,377    | \$417,848,488     |
| 18   | Tortoise, gopher ( <i>Gopherus polyphemus</i> ) W of of Mobile/Tombigbee Rs.                             | т     | \$13,348,459    | \$431,196,947     |
| 19   | Steelhead (Oncorhynchus (=Salmo) mykiss) lower Columbia R.   | т     | \$13,096,409    | \$444,293,356     |
| 20   | Eagle, bald (Haliaeetus leucocephalus)<br>lower 48 States  | Т     | \$12,309,254    | \$456,602,610     |
| 21   | Salmon, coho ( <i>Oncorhynchus (=Salmo) kisutch</i> )<br>Lower Columbia River                            | Т     | \$11,216,106    | \$467,818,716     |
| 22   | Tortoise, desert ( <i>Gopherus agassizii</i> )<br>U.S.A., except in Sonoran Desert                       | Т     | \$10,547,873    | \$478,366,589     |
| 23   | Sucker, razorback (Xyrauchen texanus) entire   | Е     | \$10,540,595    | \$488,907,184     |
| 24   | Manatee, West Indian (Trichechus manatus)  | E     | \$9,737,769     | \$498,644,953     |
| 25   | Minnow, Rio Grande silvery (Hybognathus amarus)  | E     | \$9,701,954     | \$508,346,907     |
| 26   | Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) except Salt and Verde R. drainages, AZ | Е     | \$9,670,160     | \$518,017,067     |
| 27   | Salmon, chinook ( <i>Oncorhynchus (=Salmo) tshawytscha</i> ) upper Willamette R.                         | Т     | \$9,616,276     | \$527,633,343     |
| 28   | Whale, right (Balaena glacialis (incl. australis))   | E     | \$9,349,875     | \$536,983,218     |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 29   | Sturgeon, white ( <i>Acipenser transmontanus</i> ) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system                           | E      | \$9,113,933   | \$546,097,151    |
| 30   | Steelhead (Oncorhynchus (=Salmo) mykiss) upper Willamette R.  | Т      | \$8,670,405   | \$554,767,556    |
| 31   | Plover, piping (Charadrius melodus) except Great Lakes watershed  | Т      | \$7,836,680   | \$562,604,236    |
| 32   | Chub, humpback (Gila cypha) entire  | E      | \$7,410,806   | \$570,015,042    |
| 33   | Bear, grizzly ( <i>Ursus arctos horribilis</i> ) lower 48 States, except where listed as an experimental population or delisted | Т      | \$6,851,086   | \$576,866,128    |
| 34   | Salmon, chum ( <i>Oncorhynchus (=Salmo) keta</i> )<br>Columbia R.   | Т      | \$6,825,799   | \$583,691,927    |
| 35   | Sea turtle, leatherback (Dermochelys coriacea)  | E      | \$6,824,249   | \$590,516,176    |
| 36   | Sea turtle, loggerhead (Caretta caretta)  | Т      | \$6,791,863   | \$597,308,039    |
| 37   | Tern, least (Sterna antillarum) interior pop.   | E      | \$6,577,825   | \$603,885,864    |
| 38   | Salmon, Atlantic ( <i>Salmo salar</i> ) Gulf of Maine Atlantic Salmon DPS   | E      | \$6,177,575   | \$610,063,439    |
| 39   | Owl, northern spotted (Strix occidentalis caurina)  | Т      | \$6,109,964   | \$616,173,403    |
| 40   | Crane, whooping ( <i>Grus americana</i> ) except where EXPN   | E      | \$5,987,523   | \$622,160,926    |
| 41   | Chub, bonytail ( <i>Gila elegans</i> ) entire   | E      | \$5,733,982   | \$627,894,908    |
| 42   | Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> )<br>Central Valley CA  | т      | \$5,718,233   | \$633,613,141    |
| 43   | Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) eastern pop.  | т      | \$5,712,509   | \$639,325,650    |
| 44   | Salmon, chum ( <i>Oncorhynchus (=Salmo) keta</i> )<br>summer-run Hood Canal   | Т      | \$4,887,292   | \$644,212,942    |
| 45   | Salmon, sockeye ( <i>Oncorhynchus (=Salmo) nerka</i> )<br>U.S.A. (Ozette Lake, WA)  | Т      | \$4,741,473   | \$648,954,415    |
| 46   | Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) CA coastal  | Т      | \$4,724,656   | \$653,679,071    |
| 47   | Wolf, gray ( <i>Canis lupus</i> ) Lower 48 States, except where delisted and where EXPN. Mexico.                                | E      | \$4,308,275   | \$657,987,346    |
| 48   | Bat, Indiana (Myotis sodalis)   | E      | \$4,179,484   | \$662,166,830    |
| 49   | Lynx, Canada ( <i>Lynx canadensis</i> ) lower 48 States DPS   | Т      | \$4,057,162   | \$666,223,992    |
| 50   | Steelhead (Oncorhynchus (=Salmo) mykiss) central CA coast   | Т      | \$4,053,317   | \$670,277,309    |
| 51   | Steelhead (Oncorhynchus (=Salmo) mykiss) northern CA  | Т      | \$4,047,557   | \$674,324,866    |
| 52   | Whale, bowhead (Balaena mysticetus)   | E      | \$4,020,096   | \$678,344,962    |
| 53   | Sucker, Lost River (Deltistes luxatus)  | E      | \$3,958,514   | \$682,303,476    |
| 54   | Whale, humpback (Megaptera novaeangliae)  | E      | \$3,920,313   | \$686,223,789    |
| 55   | Sucker, shortnose (Chasmistes brevirostris)   | E      | \$3,755,014   | \$689,978,803    |
| 56   | Sea turtle, Kemp's ridley (Lepidochelys kempii)   | E      | \$3,753,258   | \$693,732,061    |
| 57   | Salmon, coho (Oncorhynchus (=Salmo) kisutch) central CA coast   | E      | \$3,614,670   | \$697,346,731    |
| 58   | Steelhead (Oncorhynchus (=Salmo) mykiss)  | Е      | \$3,163,435   | \$700,510,166    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
|      | southern CA coast   |        |               |                  |
| 59   | Sea turtle, green ( <i>Chelonia mydas</i> ) except where endangered                                       | Т      | \$3,068,067   | \$703,578,233    |
| 60   | Stork, wood ( <i>Mycteria americana</i> ) AL, FL, GA, SC  | E      | \$3,005,638   | \$706,583,871    |
| 61   | Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) Pacific coastal pop.                     | Т      | \$2,897,722   | \$709,481,593    |
| 62   | Smelt, delta (Hypomesus transpacificus)   | Т      | \$2,881,714   | \$712,363,307    |
| 63   | Panther, Florida (Puma (=Felis) concolor coryi)   | E      | \$2,864,132   | \$715,227,439    |
| 64   | Seal, Hawaiian monk (Monachus schauinslandi)  | E      | \$2,839,166   | \$718,066,605    |
| 65   | Steelhead (Oncorhynchus (=Salmo) mykiss) south central CA coast   | Т      | \$2,814,822   | \$720,881,427    |
| 66   | Trout, Lahontan cutthroat (Oncorhynchus clarki henshawi)  | Т      | \$2,614,574   | \$723,496,001    |
| 67   | Jay, Florida scrub ( <i>Aphelocoma coerulescens</i> )   | Т      | \$2,587,062   | \$726,083,063    |
| 68   | Sparrow, Cape Sable seaside (Ammodramus maritimus mirabilis)  | E      | \$2,586,012   | \$728,669,075    |
| 69   | Owl, Mexican spotted (Strix occidentalis lucida)  | Т      | \$2,373,182   | \$731,042,257    |
| 70   | Beetle, valley elderberry longhorn (Desmocerus californicus dimorphus)                                    | Т      | \$2,298,612   | \$733,340,869    |
| 71   | Frog, California red-legged ( <i>Rana aurora draytonii</i> ) subspecies range clarified                   | Т      | \$2,236,288   | \$735,577,157    |
| 72   | Sea turtle, hawksbill (Eretmochelys imbricata)  | E      | \$2,102,828   | \$737,679,985    |
| 73   | Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) CA, OR, WA  | Т      | \$2,067,907   | \$739,747,892    |
| 74   | Sturgeon, shortnose (Acipenser brevirostrum)  | E      | \$2,067,906   | \$741,815,798    |
| 75   | Wolf, gray ( <i>Canis lupus</i> ) Mexican gray wolf, EXPN population                                      | EXPN   | \$1,856,333   | \$743,672,131    |
| 76   | Salamander, flatwoods (Ambystoma cingulatum)  | Т      | \$1,814,300   | \$745,486,431    |
| 77   | Woodpecker, ivory-billed (Campephilus principalis)  | E      | \$1,809,870   | \$747,296,301    |
| 78   | Wolf, gray ( <i>Canis lupus</i> )<br>WY, ID, MT   | EXPN   | \$1,791,511   | \$749,087,812    |
| 79   | Shrike, San Clemente loggerhead (Lanius Iudovicianus mearnsi)   | E      | \$1,744,181   | \$750,831,993    |
| 80   | Pondberry (Lindera melissifolia)  | E      | \$1,634,085   | \$752,466,078    |
| 81   | Eider, Steller's ( <i>Polysticta stelleri</i> )  AK breeding pop.   | Т      | \$1,580,390   | \$754,046,468    |
| 82   | Ferret, black-footed ( <i>Mustela nigripes</i> ) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY) | EXPN   | \$1,563,118   | \$755,609,586    |
| 83   | Pronghorn, Sonoran (Antilocapra americana sonoriensis)  | E      | \$1,483,432   | \$757,093,018    |
| 84   | Snake, giant garter (Thamnophis gigas)  | Т      | \$1,465,861   | \$758,558,879    |
| 85   | Snake, eastern indigo (Drymarchon corais couperi)   | Т      | \$1,460,331   | \$760,019,210    |
| 86   | Vireo, black-capped (Vireo atricapilla)   | E      | \$1,457,462   | \$761,476,672    |
| 87   | Parrot, Puerto Rican (Amazona vittata)  | E      | \$1,397,200   | \$762,873,872    |
| 88   | Sturgeon, gulf (Acipenser oxyrinchus desotoi)   | Т      | \$1,385,841   | \$764,259,713    |
| 89   | Fairy shrimp, vernal pool (Branchinecta lynchi)   | Т      | \$1,377,963   | \$765,637,676    |
| 90   | Condor, California ( <i>Gymnogyps californianus</i> )<br>U.S.A. only                                      | E      | \$1,236,274   | \$766,873,950    |
| 91   | Warbler (=wood), golden-cheeked (Dendroica chrysoparia)   | E      | \$1,205,849   | \$768,079,799    |
| 92   | Tern, California least (Sterna antillarum browni)   | E      | \$1,203,250   | \$769,283,049    |
| 93   | Sea turtle, green ( <i>Chelonia mydas</i> ) FL, Mexico nesting pops.                                      | E      | \$1,093,617   | \$770,376,666    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 94   | Higgins eye (pearlymussel) (Lampsilis higginsii)   | E      | \$1,057,719   | \$771,434,385    |
| 95   | Bat, gray (Myotis grisescens)  | E      | \$1,020,123   | \$772,454,508    |
| 96   | Trout, Apache (Oncorhynchus apache)  | T      | \$980,000     | \$773,434,508    |
| 97   | Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) FL pop.                          | E      | \$955,039     | \$774,389,547    |
| 98   | Otter, southern sea ( <i>Enhydra lutris nereis</i> ) except where EXPN                           | Т      | \$951,950     | \$775,341,497    |
| 99   | Fox, San Joaquin kit (Vulpes macrotis mutica)  | E      | \$946,767     | \$776,288,264    |
| 100  | Warbler (=wood), Kirtland's (Dendroica kirtlandii)   | E      | \$907,475     | \$777,195,739    |
| 101  | Alligator, American (Alligator mississippiensis)   | SAT    | \$857,807     | \$778,053,546    |
| 102  | Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) U.S.A. only                         | E      | \$848,554     | \$778,902,100    |
| 103  | Eider, spectacled (Somateria fischeri)   | Т      | \$848,100     | \$779,750,200    |
| 104  | Crow, Hawaiian (='alala) (Corvus hawaiiensis)  | E      | \$846,099     | \$780,596,299    |
| 105  | Pelican, brown ( <i>Pelecanus occidentalis</i> ) except U.S. Atlantic coast, FL, AL              | E      | \$837,221     | \$781,433,520    |
| 106  | Butterfly, Karner blue (Lycaeides melissa samuelis)  | E      | \$821,498     | \$782,255,018    |
| 107  | Crow, Mariana (=aga) (Corvus kubaryi)  | E      | \$792,816     | \$783,047,834    |
| 108  | Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) southwest Alaska DPS                       | Т      | \$772,700     | \$783,820,534    |
| 109  | Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) northern                               | Т      | \$759,778     | \$784,580,312    |
| 110  | Shiner, Pecos bluntnose (Notropis simus pecosensis)  | Т      | \$746,167     | \$785,326,479    |
| 111  | Palila (honeycreeper) (Loxioides bailleui)   | E      | \$745,672     | \$786,072,151    |
| 112  | Tadpole shrimp, vernal pool (Lepidurus packardi)   | E      | \$744,717     | \$786,816,868    |
| 113  | Chaffseed, American (Schwalbea americana)  | E      | \$740,749     | \$787,557,617    |
| 114  | Falcon, northern aplomado (Falco femoralis septentrionalis)                                      | E      | \$734,330     | \$788,291,947    |
| 115  | Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) Entire, except Sussex Co., DE | E      | \$730,391     | \$789,022,338    |
| 116  | Frog, Chiricahua leopard (Rana chiricahuensis)   | Т      | \$723,813     | \$789,746,151    |
| 117  | Seagrass, Johnson's (Halophila johnsonii)  | Т      | \$723,350     | \$790,469,501    |
| 118  | Bear, Louisiana black (Ursus americanus luteolus)  | Т      | \$717,340     | \$791,186,841    |
| 119  | Ferret, black-footed ( <i>Mustela nigripes</i> ) entire population, except where EXPN            | E      | \$714,680     | \$791,901,521    |
| 120  | Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (Central CA DPS)          | Т      | \$714,125     | \$792,615,646    |
| 121  | Whale, sperm (Physeter catodon (=macrocephalus))   | E      | \$707,417     | \$793,323,063    |
| 122  | Spikedace (Meda fulgida)   | Т      | \$686,100     | \$794,009,163    |
| 123  | Wolf, red ( <i>Canis rufus</i> ) U.S.A. (portions of NC and TN)                                  | EXPN   | \$646,825     | \$794,655,988    |
| 124  | Trout, Gila (Oncorhynchus gilae)   | Т      | \$641,200     | \$795,297,188    |
| 125  | Sawfish, smalltooth (Pristis pectinata)  | E      | \$638,744     | \$795,935,932    |
| 126  | Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )  | Т      | \$624,257     | \$796,560,189    |
| 127  | Mouse, Alabama beach (Peromyscus polionotus ammobates)   | E      | \$619,830     | \$797,180,019    |
| 128  | Vireo, least Bell's (Vireo bellii pusillus)  | E      | \$615,541     | \$797,795,560    |
| 129  | Minnow, loach (Tiaroga cobitis)  | Т      | \$614,700     | \$798,410,260    |
| 130  | Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) southern California DPS                     | E      | \$607,657     | \$799,017,917    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 131  | Bear, grizzly ( <i>Ursus arctos horribilis</i> )<br>Yellowstone DPS                                    | PT     | \$606,764     | \$799,624,681    |
| 132  | Gnatcatcher, coastal California (Polioptila californica californica)                                   | Т      | \$604,372     | \$800,229,053    |
| 133  | Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) U.S.A. only                         | Е      | \$578,500     | \$800,807,553    |
| 134  | Darter, Etowah (Etheostoma etowahae)   | E      | \$564,827     | \$801,372,380    |
| 135  | Goose, Hawaiian ( <i>Branta (=Nesochen</i> ) sandvicensis)   | E      | \$557,270     | \$801,929,650    |
| 136  | Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) Mexican nesting pop.                         | E      | \$551,725     | \$802,481,375    |
| 137  | Darter, Cherokee (Etheostoma scotti)   | Т      | \$549,077     | \$803,030,452    |
| 138  | Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) except where endangered                      | Т      | \$544,837     | \$803,575,289    |
| 139  | Goby, tidewater ( <i>Eucyclogobius newberryi</i> ) Entire  | Е      | \$536,096     | \$804,111,385    |
| 140  | Rail, Guam ( <i>Rallus owstoni</i> ) except Rota   | Е      | \$533,600     | \$804,644,985    |
| 141  | Woundfin ( <i>Plagopterus argentissimus</i> )<br>except Gila R. drainage, AZ, NM                       | E      | \$529,363     | \$805,174,348    |
| 142  | Wolf, red ( <i>Canis rufus</i> ) except where EXPN   | E      | \$512,215     | \$805,686,563    |
| 143  | Chub, Virgin River (Gila seminuda (=robusta))  | E      | \$511,844     | \$806,198,407    |
| 144  | Fox, San Miguel Island (Urocyon littoralis littoralis)   | E      | \$494,022     | \$806,692,429    |
| 145  | Snails, Oahu tree ( <i>Achatinella spp.</i> )  | E      | \$485,128     | \$807,177,557    |
| 146  | Fox, Santa Cruz Island (Urocyon littoralis santacruzae)  | E      | \$484,962     | \$807,662,519    |
| 147  | Sparrow, Florida grasshopper (Ammodramus savannarum floridanus)  | E      | \$482,473     | \$808,144,992    |
| 148  | Pupfish, Devils Hole (Cyprinodon diabolis)   | E      | \$478,550     | \$808,623,542    |
| 149  | Logperch, Roanoke ( <i>Percina rex</i> )   | E      | \$476,621     | \$809,100,163    |
| 150  | Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )   | T      | \$474,080     | \$809,574,243    |
| 151  | Shiner, Topeka (Notropis topeka (=tristis))  | E      | \$467,683     | \$810,041,926    |
| 152  | Rail, California clapper (Rallus longirostris obsoletus)   | E      | \$460,396     | \$810,502,322    |
| 153  | Butterfly, Schaus swallowtail (Heraclides aristodemus ponceanus)                                       | E      | \$460,327     | \$810,962,649    |
| 154  | Plover, piping ( <i>Charadrius melodus</i> )<br>Great Lakes watershed                                  | E      | \$458,697     | \$811,421,346    |
| 155  | Sheep, bighorn ( <i>Ovis canadensis</i> )<br>Peninsular CA pop.  | E      | \$442,759     | \$811,864,105    |
| 156  | Darter, Niangua (Etheostoma nianguae)  | Т      | \$437,511     | \$812,301,616    |
| 157  | Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> )<br>FL pop.                          | Т      | \$437,124     | \$812,738,740    |
| 158  | Trout, greenback cutthroat (Oncorhynchus clarki stomias)   | Т      | \$432,492     | \$813,171,232    |
| 159  | Crane, whooping ( <i>Grus americana</i> ) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming) | EXPN   | \$416,750     | \$813,587,982    |
| 160  | Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )   | E      | \$411,404     | \$813,999,386    |
| 161  | Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )  | E      | \$410,100     | \$814,409,486    |
| 162  | Mapleleaf, winged ( <i>Quadrula fragosa</i> ) Entire; except where listed as experimental populations  | Е      | \$408,897     | \$814,818,383    |
| 163  | Bat, lesser long-nosed (Leptonycteris curasoae yerbabuenae)  | E      | \$408,700     | \$815,227,083    |
| 164  | Lupine, Kincaid's (Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii))                    | Т      | \$405,136     | \$815,632,219    |
| 165  | Butterfly, Fender's blue (Icaricia icarioides fenderi)   | E      | \$404,249     | \$816,036,468    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 166  | Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> )<br>Sierra Nevada   | E      | \$402,530     | \$816,438,998    |
| 167  | Paintbrush, golden (Castilleja levisecta)  | Т      | \$393,767     | \$816,832,765    |
| 168  | Crane, whooping ( <i>Grus americana</i> )<br>U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN,<br>VA, WI, WV)                     | EXPN   | \$392,435     | \$817,225,200    |
| 169  | Dragonfly, Hine's emerald (Somatochlora hineana)   | E      | \$382,167     | \$817,607,367    |
| 170  | Bat, Hawaiian hoary (Lasiurus cinereus semotus)  | E      | \$381,938     | \$817,989,305    |
| 171  | Prairie-chicken, Attwater's greater (Tympanuchus cupido attwateri)   | E      | \$376,123     | \$818,365,428    |
| 172  | Skink, sand (Neoseps reynoldsi)  | Т      | \$375,791     | \$818,741,219    |
| 173  | Spermolepis hawaiiensis (=Sci name)  | E      | \$371,243     | \$819,112,462    |
| 174  | Beetle, American burying (Nicrophorus americanus)  | E      | \$369,329     | \$819,481,791    |
| 175  | Snail, Utah valvata (Valvata utahensis)  | E      | \$363,987     | \$819,845,778    |
| 176  | Heelsplitter, Carolina (Lasmigona decorata)  | E      | \$360,976     | \$820,206,754    |
| 177  | Mouse, salt marsh harvest (Reithrodontomys raviventris)  | E      | \$358,396     | \$820,565,150    |
| 178  | Wolf, gray ( <i>Canis lupus</i> )<br>MN  | Т      | \$353,137     | \$820,918,287    |
| 179  | Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))  | E      | \$351,908     | \$821,270,195    |
| 180  | Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) Colorado   | Т      | \$345,432     | \$821,615,627    |
| 181  | Tortoise, desert ( <i>Gopherus agassizii</i> ) outside/taken from Sonoran Desert   | SAT    | \$342,142     | \$821,957,769    |
| 182  | Ladies'-tresses, Ute (Spiranthes diluvialis)   | Т      | \$338,673     | \$822,296,442    |
| 183  | Springsnail, Idaho ( <i>Pyrgulopsis idahoensis</i> )   | E      | \$333,516     | \$822,629,958    |
| 184  | Darter, leopard (Percina pantherina)   | Т      | \$333,300     | \$822,963,258    |
| 185  | Sucker, June (Chasmistes liorus)   | E      | \$330,130     | \$823,293,388    |
| 186  | Snail, Bliss Rapids (Taylorconcha serpenticola)  | Т      | \$327,442     | \$823,620,830    |
| 187  | Mucket, pink (pearlymussel) (Lampsilis abrupta)  | E      | \$324,880     | \$823,945,710    |
| 188  | Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis</i> euryxanthus)  | Т      | \$319,283     | \$824,264,993    |
| 189  | Prairie dog, Utah (Cynomys parvidens)  | Т      | \$319,259     | \$824,584,252    |
| 190  | Butterfly, mission blue (Icaricia icarioides missionensis)   | E      | \$318,513     | \$824,902,765    |
| 191  | Bonamia, Florida ( <i>Bonamia grandiflora</i> )  | Т      | \$317,100     | \$825,219,865    |
| 192  | Buckwheat, scrub (Eriogonum longifolium var. gnaphalifolium)   | Т      | \$316,580     | \$825,536,445    |
| 193  | Catchfly, Spalding's (Silene spaldingii)   | Т      | \$316,158     | \$825,852,603    |
| 194  | Cactus, star (Astrophytum asterias)  | Е      | \$315,044     | \$826,167,647    |
| 195  | Goldenrod, Short's (Solidago shortii)  | E      | \$314,600     | \$826,482,247    |
| 196  | Pimpleback, orangefoot (pearlymussel) (Plethobasus cooperianus)  | Е      | \$314,032     | \$826,796,279    |
| 197  | Albatross, short-tailed (Phoebastria (=Diomedea) albatrus)   | E      | \$310,290     | \$827,106,569    |
| 198  | Butterfly, Oregon silverspot (Speyeria zerene hippolyta)   | Т      | \$309,817     | \$827,416,386    |
| 199  | Petrel, Hawaiian dark-rumped (Pterodroma phaeopygia sandwichensis)   | Е      | \$307,052     | \$827,723,438    |
| 200  | Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )  | E      | \$301,600     | \$828,025,038    |
| 201  | Rabbit, riparian brush (Sylvilagus bachmani riparius)  | Е      | \$301,413     | \$828,326,451    |
| 202  | Abalone, White ( <i>Haliotis sorenseni</i> )  North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico) | E      | \$300,501     | \$828,626,952    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 203  | Kangaroo rat, giant (Dipodomys ingens)   | E      | \$300,272     | \$828,927,224    |
| 204  | Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) U.S.A. only  | E      | \$299,190     | \$829,226,414    |
| 205  | Butterfly, Saint Francis' satyr (Neonympha mitchellii francisci)   | E      | \$294,008     | \$829,520,422    |
| 206  | Wedgemussel, dwarf (Alasmidonta heterodon)   | E      | \$293,106     | \$829,813,528    |
| 207  | Falcon, northern aplomado (Falco femoralis septentrionalis) Southwestern population                                    | EXPN   | \$291,964     | \$830,105,492    |
| 208  | Darter, Okaloosa (Etheostoma okaloosae)  | E      | \$288,916     | \$830,394,408    |
| 209  | Warbler, nightingale reed (old world warbler) (Acrocephalus luscinia)  | E      | \$287,963     | \$830,682,371    |
| 210  | Sunflower, Pecos (=puzzle, =paradox) (Helianthus paradoxus)  | Т      | \$282,242     | \$830,964,613    |
| 211  | Pupfish, desert (Cyprinodon macularius)  | E      | \$282,153     | \$831,246,766    |
| 212  | Squirrel, northern Idaho ground (Spermophilus brunneus brunneus)   | Т      | \$281,932     | \$831,528,698    |
| 213  | Bobwhite, masked (quail) (Colinus virginianus ridgwayi)  | E      | \$280,450     | \$831,809,148    |
| 214  | White-eye, Rota bridled (Zosterops rotensis)   | E      | \$272,767     | \$832,081,915    |
| 215  | Rabbit, pygmy ( <i>Brachylagus idahoensis</i> )<br>Columbia Basin DPS  | E      | \$271,461     | \$832,353,376    |
| 216  | Coneflower, smooth (Echinacea laevigata)   | E      | \$267,093     | \$832,620,469    |
| 217  | Piperia, Yadon's ( <i>Piperia yadonii</i> )  | E      | \$266,701     | \$832,887,170    |
| 218  | Toad, Houston (Bufo houstonensis)  | E      | \$266,015     | \$833,153,185    |
| 219  | Milk-vetch, Peirson's (Astragalus magdalenae var. peirsonii)   | Т      | \$265,664     | \$833,418,849    |
| 220  | Squirrel, Mount Graham red (Tamiasciurus hudsonicus grahamensis)   | E      | \$265,150     | \$833,683,999    |
| 221  | Popolo ku mai (Solanum incompletum)  | E      | \$263,501     | \$833,947,500    |
| 222  | Vigna o-wahuensis (=Sci name)  | E      | \$260,358     | \$834,207,858    |
| 223  | Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) Entire Range; Except where listed as Experimental Populations | E      | \$259,168     | \$834,467,026    |
| 224  | Squirrel, Virginia northern flying (Glaucomys sabrinus fuscus)   | E      | \$258,901     | \$834,725,927    |
| 225  | Pigtoe, shiny ( <i>Fusconaia cor</i> ) Entire Range; Except where listed as Experimental Populations                   | E      | \$258,581     | \$834,984,508    |
| 226  | Duck, Hawaiian (=koloa) (Anas wyvilliana)  | E      | \$257,373     | \$835,241,881    |
| 227  | Po`e (Portulaca sclerocarpa)   | E      | \$257,286     | \$835,499,167    |
| 228  | Neraudia ovata (=Sci name)   | E      | \$255,297     | \$835,754,464    |
| 229  | Stenogyne angustifolia var. angustifolia (=Sci name)   | E      | \$249,869     | \$836,004,333    |
| 230  | Cui-ui (Chasmistes cujus)  | E      | \$247,821     | \$836,252,154    |
| 231  | Wild-rice, Texas (Zizania texana)  | E      | \$247,550     | \$836,499,704    |
| 232  | Silene hawaiiensis (=Sci name)   | Т      | \$247,539     | \$836,747,243    |
| 233  | A`e (Zanthoxylum hawaiiense)   | E      | \$247,349     | \$836,994,592    |
| 234  | Silene lanceolata (=Sci name)  | Е      | \$245,739     | \$837,240,331    |
| 235  | Honohono (Haplostachys haplostachya)   | Е      | \$243,704     | \$837,484,035    |
| 236  | Duck, Laysan ( <i>Anas laysanensis</i> )   | E      | \$242,770     | \$837,726,805    |
| 237  | Asplenium fragile var. insulare (=Sci name)  | Е      | \$242,383     | \$837,969,188    |
| 238  | Elepaio, Oahu (Chasiempis sandwichensis ibidis)  | E      | \$241,269     | \$838,210,457    |
| 239  | Pocketbook, fat (Potamilus capax)  | Е      | \$241,011     | \$838,451,468    |
| 240  | Kio`ele (Hedyotis coriacea)  | E      | \$240,641     | \$838,692,109    |
| 241  | Daisy, Willamette (Erigeron decumbens var. decumbens)  | E      | \$239,975     | \$838,932,084    |
| 242  | Pigtoe, finerayed (Fusconaia cuneolus) Entire Range; Except where listed as Experimental Populations                   | E      | \$239,664     | \$839,171,748    |

| Rank       | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------------|---|--------|---------------|------------------|
| 243        | Tetramolopium arenarium (=Sci name)   | E      | \$238,939     | \$839,410,687    |
| 244        | Orchid, western prairie fringed (Platanthera praeclara)   | Т      | \$237,145     | \$839,647,832    |
| 245        | Lipochaeta venosa (=Sci name)   | E      | \$237,089     | \$839,884,921    |
| 246        | Bluecurls, Hidden Lake ( <i>Trichostema austromontanum ssp. compactum</i> )                                     | Т      | \$236,321     | \$840,121,242    |
| 247        | Aupaka (Isodendrion hosakae)  | E      | \$234,141     | \$840,355,383    |
| 248        | Springfish, Railroad Valley (Crenichthys nevadae)   | Т      | \$232,726     | \$840,588,109    |
| 249        | Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) Entire Range; Except where listed as Experimental Populations | E      | \$232,391     | \$840,820,500    |
| 250        | Hawk, Hawaiian (='lo) (Buteo solitarius)  | E      | \$230,444     | \$841,050,944    |
| 251        | Rabbit, Lower Keys marsh (Sylvilagus palustris hefneri)   | E      | \$230,327     | \$841,281,271    |
| 252        | Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )   | E      | \$227,112     | \$841,508,383    |
| 253        | Fanshell (Cyprogenia stegaria)  | E      | \$225,521     | \$841,733,904    |
| 254        | Meshweaver, Madla's Cave (Cicurina madla)   | E      | \$223,560     | \$841,957,464    |
| 255        | Rabbitsfoot, rough (Quadrula cylindrica strigillata)  | E      | \$222,149     | \$842,179,613    |
| 256        | Milk-vetch, Lane Mountain (Astragalus jaegerianus)  | Е      | \$221,865     | \$842,401,478    |
| 257        | Clubshell ( <i>Pleurobema clava</i> ) Entire Range; Except where listed as Experimental Populations             | E      | \$221,663     | \$842,623,141    |
| 258        | Salamander, California tiger ( <i>Ambystoma californiense</i> )<br>U.S.A. (CA - Sonoma County)                  | E      | \$216,894     | \$842,840,035    |
| 259        | Amole, purple (Chlorogalum purpureum)   | Т      | \$214,186     | \$843,054,221    |
| 260        | Skipper, Carson wandering (Pseudocopaeodes eunus obscurus)  | E      | \$211,855     | \$843,266,076    |
| 261        | Minnow, Devils River (Dionda diaboli)   | Т      | \$209,826     | \$843,475,902    |
| 262        | Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )  | E      | \$208,401     | \$843,684,303    |
| 263        | Dace, Moapa (Moapa coriacea)  | E      | \$207,174     | \$843,891,477    |
| 264        | Mouse, Perdido Key beach (Peromyscus polionotus trissyllepsis)  | E      | \$206,434     | \$844,097,911    |
| 265        | Darter, fountain (Etheostoma fonticola)   | E      | \$204,113     | \$844,302,024    |
| 266        | Blackbird, yellow-shouldered (Agelaius xanthomus)   | E      | \$204,100     | \$844,506,124    |
| 267        | Pearlymussel, cracking ( <i>Hemistena lata</i> ) Entire Range; Except where listed as Experimental Populations  | E      | \$203,743     | \$844,709,867    |
| 268        | Ambersnail, Kanab (Oxyloma haydeni kanabensis)  | E      | \$203,715     | \$844,913,582    |
| 269        | Butterfly, Palos Verdes blue (Glaucopsyche lygdamus palosverdesensis)   | E      | \$203,663     | \$845,117,245    |
| 270        | Pearlymussel, birdwing (Conradilla caelata) Entire Range; Except where listed as Experimental Populations       | E      | \$202,943     | \$845,320,188    |
| 271        | Pygmy-owl, cactus ferruginous ( <i>Glaucidium brasilianum cactorum</i> ) AZ pop.                                | DO     | \$202,712     | \$845,522,900    |
| 272        | Dace, blackside (Phoxinus cumberlandensis)  | Т      | \$202,550     | \$845,725,450    |
| 273        | Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )   | E      | \$201,464     | \$845,926,914    |
| 274        | Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (CA - Santa Barbara County)              | E      | \$200,451     | \$846,127,365    |
| 275        | Water-umbel, Huachuca (Lilaeopsis schaffneriana var. recurva)   | E      | \$199,900     | \$846,327,265    |
| 276        | Pearlymussel, dromedary ( <i>Dromus dromas</i> ) Entire Range; Except where listed as Experimental Populations  | E      | \$198,451     | \$846,525,716    |
|            | Potato-bean, Price's (Apios priceana)   | Т      | \$197,555     | \$846,723,271    |
| 277        |   |        |               |                  |
| 277<br>278 | Amaranth, seabeach (Amaranthus pumilus)   | Т      | \$193,962     | \$846,917,233    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 280  | Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )  | Т      | \$192,121     | \$847,302,165    |
| 281  | Loosestrife, rough-leaved (Lysimachia asperulaefolia)   | E      | \$191,430     | \$847,493,595    |
| 282  | Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> )<br>Entire Range; Except where listed as Experimental Populations | E      | \$191,364     | \$847,684,959    |
| 283  | Sumac, Michaux's (Rhus michauxii)   | E      | \$190,841     | \$847,875,800    |
| 284  | Clover, running buffalo (Trifolium stoloniferum)  | E      | \$190,386     | \$848,066,186    |
| 285  | Mussel, scaleshell (Leptodea leptodon)  | E      | \$188,751     | \$848,254,937    |
| 286  | Fox, Santa Rosa Island (Urocyon littoralis santarosae)  | E      | \$187,953     | \$848,442,890    |
| 287  | Pupfish, Comanche Springs (Cyprinodon elegans)  | E      | \$187,641     | \$848,630,531    |
| 288  | Shearwater, Newell's Townsend's (Puffinus auricularis newelli)  | Т      | \$185,836     | \$848,816,367    |
| 289  | Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> ) entire   | Т      | \$185,103     | \$849,001,470    |
| 290  | Sucker, Warner (Catostomus warnerensis)   | Т      | \$184,700     | \$849,186,170    |
| 291  | Monkeyface, Appalachian (pearlymussel) (Quadrula sparsa)  | E      | \$184,382     | \$849,370,552    |
| 292  | Milk-vetch, Coachella Valley (Astragalus lentiginosus var. coachellae)  | E      | \$183,042     | \$849,553,594    |
| 293  | Monardella, willowy (Monardella linoides ssp. viminea)  | E      | \$182,737     | \$849,736,331    |
| 294  | Madtom, yellowfin ( <i>Noturus flavipinnis</i> )<br>Holston River, VA, TN   | EXPN   | \$179,612     | \$849,915,943    |
| 295  | Chub, slender (Erimystax cahni)   | Т      | \$179,240     | \$850,095,183    |
| 296  | Trout, Paiute cutthroat (Oncorhynchus clarki seleniris)   | Т      | \$178,719     | \$850,273,902    |
| 297  | Chub, Oregon ( <i>Oregonichthys crameri</i> )   | E      | \$178,228     | \$850,452,130    |
| 298  | Gerardia, sandplain ( <i>Agalinis acuta</i> )   | E      | \$178,089     | \$850,630,219    |
| 299  | Salamander, Texas blind (Typhlomolge rathbuni)  | E      | \$177,516     | \$850,807,735    |
| 300  | Goldfields, Contra Costa (Lasthenia conjugens)  | E      | \$177,107     | \$850,984,842    |
| 301  | Deer, key (Odocoileus virginianus clavium)  | E      | \$175,500     | \$851,160,342    |
| 302  | Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) Columbia River DPS  | E      | \$174,613     | \$851,334,955    |
| 303  | Milk-vetch, Shivwits (Astragalus ampullarioides)  | E      | \$173,399     | \$851,508,354    |
| 304  | Spineflower, Monterey (Chorizanthe pungens var. pungens)  | Т      | \$171,909     | \$851,680,263    |
| 305  | Snake, San Francisco garter (Thamnophis sirtalis tetrataenia)   | E      | \$170,721     | \$851,850,984    |
| 306  | Bird's beak, palmate-bracted (Cordylanthus palmatus)  | E      | \$170,632     | \$852,021,616    |
| 307  | Sandwort, Bear Valley (Arenaria ursina)   | Т      | \$169,400     | \$852,191,016    |
| 308  | Woodrat, Key Largo (Neotoma floridana smalli)   | E      | \$169,131     | \$852,360,147    |
| 309  | Pupfish, Owens (Cyprinodon radiosus)  | E      | \$168,021     | \$852,528,168    |
| 310  | Four-o'clock, MacFarlane's (Mirabilis macfarlanei)  | Т      | \$167,986     | \$852,696,154    |
| 311  | Tiger beetle, northeastern beach (Cicindela dorsalis dorsalis)  | Т      | \$167,224     | \$852,863,378    |
| 312  | Mouse, St. Andrew beach (Peromyscus polionotus peninsularis)  | E      | \$164,661     | \$853,028,039    |
| 313  | Swiftlet, Mariana gray (Aerodramus vanikorensis bartschi)   | E      | \$161,300     | \$853,189,339    |
| 314  | Chub, spotfin ( <i>Erimonax monachus</i> ) Entire   | Т      | \$159,058     | \$853,348,397    |
| 315  | Ground beetle, [unnamed] (Rhadine infernalis)   | E      | \$158,182     | \$853,506,579    |
| 315  | Ground beetle, [unnamed] (Rhadine exilis)   | E      | \$158,182     | \$853,664,761    |
| 316  | Sparrow, San Clemente sage (Amphispiza belli clementeae)  | Т      | \$156,888     | \$853,821,649    |
| 317  | Jaguar (Panthera onca)  | E      | \$155,117     | \$853,976,766    |
| 318  | Riffleshell, tan (Epioblasma florentina walkeri (=E. walkeri))  | E      | \$154,682     | \$854,131,448    |
| 319  | Crocodile, American ( <i>Crocodylus acutus</i> ) FL pop.  | E      | \$154,105     | \$854,285,553    |

| Lomatium, Cook's (Lomatium cookit)   | Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|--|------|--|--------|---------------|------------------|
| Ringfisher, Guam Micronesian (Halcyon cinnamomina cinnamomina)   | 320  | Mouse, Choctawhatchee beach (Peromyscus polionotus allophrys)  | Е      | \$151,711     | \$854,437,264    |
| Chub, Mohave tui ( <i>Glla bicolor mohavensis</i> )  | 321  | Lomatium, Cook's (Lomatium cookii)   | E      | \$147,740     | \$854,585,004    |
| 324         Orcutt grass, slender (Orcuttia tenuis)         T         \$145,769         \$855,023,708           325         Manzanita, lone (Arctostaphylos myritrolia)         T         \$145,608         \$855,123,314           326         Cactus, Kuenzler hedgehog (Echinocereus fendleri var. kuenzleri)         E         \$145,380         \$855,163,314           327         Parrottili, Maui (honeycreeper) (Pseudonestor xanthophrys)         E         \$145,060         \$855,603,417           328         Mehamehame (Flueggea neowawraea)         E         \$143,661         \$855,603,417           329         Poolfish, Pahrump (Empetrichitys latos)         E         \$140,531         \$855,603,417           330         Sattand Verde R. drainages, Az         EXPN         \$140,533         \$855,604,418           331         Towhee, Inyo California (Pipilo crissalis eremophilus)         T         \$140,187         \$856,024,418           332         Coot, Hawalian (Fulica americana alah)         E         \$139,865         \$856,304,156           334         Term, roseate (Sterna dougallii dougallii)         E         \$139,865         \$856,304,156           334         Term, roseate (Sterna dougallii dougallii)         E         \$137,271         \$856,142,931           335         Schiedea kaalae (=Sci name)         E   | 322  | Kingfisher, Guam Micronesian (Halcyon cinnamomina cinnamomina)                                       | Е      | \$147,040     | \$854,732,044    |
| Manzanita, lone (Arctostaphylos myrtifolia)  | 323  | Chub, Mohave tui (Gila bicolor mohavensis)   | E      | \$145,895     | \$854,877,939    |
| 326         Cactus, Kuenzler hedgehog (Echinocereus fendleri var. kuenzleri)         E         \$145,380         \$855,314,696           327         Parrotbill, Maui (honeycreeper) (Pseudonestor xanthophrys)         E         \$145,060         \$855,439,765           328         Mehamehame (Flueggea neowawraea)         E         \$143,661         \$855,033,417           329         Poolfish, Pahrump (Empetrichtiys latos)         E         \$140,521         \$855,733,944           330         Pikeminnow (-squawfish), Colorado (Ptychocheilus lucius)         EXPN         \$140,823         \$855,843,944           331         Towhee, Inyo Californal (Piplic crissalis eremophilus)         T         \$140,187         \$856,024,418           332         Coot, Hawaiian (Fulica americana alai)         E         \$139,873         \$856,164,291           333         Ma'o hau hele, (-native yellow hibiscus) (Hibiscus brackenridgeh)         E         \$133,841         \$866,424,391           334         Tern, roseate (Sterna dougallii dougallii)         E         \$137,931         \$866,684,239           334         Schiedea kaalae (-Sci name)         E         \$137,931         \$866,684,239           335         Schiedea kaalae (-Sci name)         E         \$137,931         \$866,684,105           336         Karjana (Rampifer tarandus caribou   | 324  | Orcutt grass, slender (Orcuttia tenuis)  | Т      | \$145,769     | \$855,023,708    |
| Parrothill, Maul (honeycreeper) (Pseudonestor xanthophrys)   | 325  | Manzanita, Ione (Arctostaphylos myrtifolia)  | Т      | \$145,608     | \$855,169,316    |
| Mehamehame (Flueggea neowawraea)   | 326  | Cactus, Kuenzler hedgehog (Echinocereus fendleri var. kuenzleri)                                     | Е      | \$145,380     | \$855,314,696    |
| Poolfish, Pahrump (Empetrichthys latos)   E   \$140,531   \$855,743,948  | 327  | Parrotbill, Maui (honeycreeper) (Pseudonestor xanthophrys)   | Е      | \$145,060     | \$855,459,756    |
| Pikeminnow (=squawfish), Colorado (Ptychochelius lucius)   Salt and Verde R. drainages, AZ   | 328  | Mehamehame (Flueggea neowawraea)   | Е      | \$143,661     | \$855,603,417    |
| 333         Salt and Verde R. drainages, AZ         Salt and Verde R. drainages, AZ         330,000,24,18           331         Towhee, Inyo California (Pipilo crissalis eremophilus)         T         \$140,187         \$856,024,418           332         Coot, Hawaiian (Fulica americana alai)         E         \$139,865         \$856,044,293           333         Ma'o hau hele, (enative yellow hibiscus) (Hibiscus brackenridge)         E         \$138,241         \$856,442,397           334         Tern, roseate (Sterna dougallii dougallii) northeast U.S. nesting pop.         E         \$137,931         \$856,803,228           335         Schiedea kaalae (e.Sci name)         E         \$137,701         \$856,803,228           336         Pearlymussel, littlewing (Pegias fabula)         E         \$137,270         \$856,803,228           337         Selkirk Mountain population         E         \$136,507         \$856,894,105           338         Fly, Delhi Sands flower-loving (Rhaphiomidas terminatus abdominalis)         E         \$135,497         \$856,989,602           339         Kangaroo rat, San Bernardino Merriam's (Dipodomys merriami parvus)         E         \$135,495         \$857,125,097           340         Checker-mallow, Nelson's (Sidalcea nelsoniana)         T         \$134,024         \$857,259,601           341         As  | 329  | Poolfish, Pahrump ( <i>Empetrichthys latos</i> )   | Е      | \$140,531     | \$855,743,948    |
| Coot, Hawaiian (Fulica americana alai)   E   \$139,873   \$855,164,291   | 330  | Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> )<br>Salt and Verde R. drainages, AZ | EXPN   | \$140,283     | \$855,884,231    |
| Ma`o hau hele, (=native yellow hibiscus) (Hibiscus brackenridgei)   E  | 331  | Towhee, Inyo California (Pipilo crissalis eremophilus)   | Т      | \$140,187     | \$856,024,418    |
| Tern, roseate (Sterna dougallii)   E   \$138,241   \$856,442,397   \$856,580,328   \$856,580,328   \$856,580,328   \$856,580,328   \$856,580,328   \$856,580,328   \$856,580,328   \$856,580,328   \$856,580,328   \$856,580,328   \$856,717,598   \$856,717,598   \$856,717,598   \$856,717,598   \$856,717,598   \$856,717,598   \$856,874,105   \$856,874,105   \$856,874,105   \$856,874,105   \$856,874,105   \$856,880,602   \$856,880,602   \$856,880,602   \$856,880,602   \$856,880,602   \$857,125,097   \$856,898,602   \$857,125,097   \$856,989,602   \$857,125,097   \$856,989,602   \$857,125,097   \$856,989,602   \$857,125,097   \$856,989,602   \$857,125,097   \$856,989,602   \$857,125,097   \$856,989,602   \$857,125,097   \$856,989,602   \$857,125,097   \$856,989,602   \$857,125,097   \$856,989,602   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,125,097   \$857,393,825 | 332  | Coot, Hawaiian (Fulica americana alai)   | E      | \$139,873     | \$856,164,291    |
| Schiedea kaalae (=Sci name)  | 333  | Ma`o hau hele, (=native yellow hibiscus) (Hibiscus brackenridgei)                                    | E      | \$139,865     | \$856,304,156    |
| Pearlymussel, littlewing (Pegias fabula)   E   \$137,270   \$856,717,598   | 334  |  | E      | \$138,241     | \$856,442,397    |
| 337         Caribou, woodland (Rangifer tarandus caribou)         E         \$136,507         \$856,854,105           338         Fly, Delhi Sands flower-loving (Rhaphiomidas terminatus abdominalis)         E         \$135,497         \$856,898,602           339         Kangaroo rat, San Bernardino Merriam's (Dipodomys merriami parvus)         E         \$135,495         \$857,125,097           340         Checker-mallow, Nelson's (Sidalcea nelsoniana)         T         \$134,504         \$857,259,601           341         Aster, decurrent false (Boltonia decurrens)         T         \$131,622         \$857,525,451           342         Cavefish, Ozark (Amblyopsis rosae)         T         \$131,622         \$857,525,451           343         Kamanomano (Cenchrus agrimonioides)         E         \$130,658         \$857,656,105           344         Butterfly, Smith's blue (Euphilotes enoptes smithi)         E         \$130,436         \$857,786,545           345         Ocelot (Leopardus (=Felis) pardalis)         E         \$129,945         \$857,916,490           346         Kulu'i (Nototrichium humile)         E         \$129,945         \$857,916,545           347         Barberry, Nevin's (Berberis nevinii)         E         \$122,433         \$858,173,826           348         Mahoe (Alectryon macrococcus)         E <td>335</td> <td>Schiedea kaalae (=Sci name)</td> <td>E</td> <td>\$137,931</td> <td>\$856,580,328</td>  | 335  | Schiedea kaalae (=Sci name)  | E      | \$137,931     | \$856,580,328    |
| 337         Selkirk Mountain population         E         \$130,507         \$856,834,103           338         Fly, Delhi Sands flower-loving (Rhaphiomidas terminatus abdominalis)         E         \$135,497         \$856,989,602           339         Kangaroo rat, San Bernardino Merriam's (Dipodomys merriami parvus)         E         \$135,495         \$857,259,601           340         Checker-mallow, Nelson's (Sidalcea nelsoniana)         T         \$134,504         \$857,259,601           341         Aster, decurrent false (Boltonia decurrens)         T         \$134,228         \$857,393,829           342         Cavefish, Ozark (Amblyopsis rosae)         T         \$131,622         \$857,525,451           343         Kamanomano (Cenchrus agrimonioides)         E         \$130,658         \$857,656,109           344         Butterfly, Smith's blue (Euphilotes enoptes smithi)         E         \$130,436         \$857,786,544           345         Ocelot (Leopardus (=Felis) pardalis)         E         \$129,945         \$857,916,490           346         Kulu'i (Nototrichium humile)         E         \$129,945         \$857,916,490           347         Barberry, Nevin's (Berberis nevinii)         E         \$129,945         \$858,045,585           347         Barberry, Nevin's (Berberis nevinii)         E  | 336  | Pearlymussel, littlewing (Pegias fabula)   | E      | \$137,270     | \$856,717,598    |
| 339         Kangaroo rat, San Bernardino Merriam's (Dipodomys merriami parvus)         E         \$135,495         \$857,125,097           340         Checker-mallow, Nelson's (Sidalcea nelsoniana)         T         \$134,504         \$857,259,601           341         Aster, decurrent false (Boltonia decurrens)         T         \$134,228         \$857,393,829           342         Cavefish, Ozark (Amblyopsis rosae)         T         \$131,622         \$857,525,451           343         Kamanomano (Cenchrus agrimonioides)         E         \$130,658         \$857,656,103           344         Butterfly, Smith's blue (Euphilotes enoptes smithi)         E         \$130,436         \$857,786,545           345         Ocelot (Leopardus (=Felis) pardalis)         E         \$129,945         \$857,916,490           346         Kulu'i (Notorichium humile)         E         \$129,095         \$858,045,585           347         Barberry, Nevin's (Berberis nevinii)         E         \$128,243         \$858,173,826           348         Mahoe (Alectryon macrococcus)         E         \$124,425         \$858,429,652           349         Hesperomannia arbuscula (=Sci name)         E         \$124,425         \$858,424,077           351         Schiedea nuttalliii (=Sci name)         E         \$124,085         \$856,67  | 337  | ,  | E      | \$136,507     | \$856,854,105    |
| 340         Checker-mallow, Nelson's (Sidalcea nelsoniana)         T         \$134,504         \$857,259,601           341         Aster, decurrent false (Boltonia decurrens)         T         \$134,228         \$857,393,825           342         Cavefish, Ozark (Amblyopsis rosae)         T         \$131,622         \$857,525,451           343         Kamanomano (Cenchrus agrimonioides)         E         \$130,658         \$857,656,108           344         Butterfly, Smith's blue (Euphilotes enoptes smithi)         E         \$130,436         \$857,786,545           345         Ocelot (Leopardus (=Felis) pardalis)         E         \$129,945         \$857,916,490           346         Kulu'i (Nototrichium humile)         E         \$129,995         \$858,045,585           347         Barberry, Nevin's (Berberis nevinii)         E         \$128,243         \$858,173,826           348         Mahoe (Alectryon macrococcus)         E         \$122,824         \$858,299,652           349         Hesperomannia arbuscula (=Sci name)         E         \$124,425         \$858,424,077           350         Guajon (Eleutherodactylus cooki)         T         \$124,250         \$858,548,327           351         Schiedea nuttallii (=Sci name)         E         \$124,085         \$858,795,245   | 338  | Fly, Delhi Sands flower-loving (Rhaphiomidas terminatus abdominalis)                                 | E      | \$135,497     | \$856,989,602    |
| 341       Aster, decurrent false (Boltonia decurrens)       T       \$134,228       \$857,393,825         342       Cavefish, Ozark (Amblyopsis rosae)       T       \$131,622       \$857,525,451         343       Kamanomano (Cenchrus agrimonioides)       E       \$130,658       \$857,656,105         344       Butterfly, Smith's blue (Euphilotes enoptes smithi)       E       \$130,436       \$857,786,545         345       Ocelot (Leopardus (=Felis) pardalis)       E       \$129,945       \$857,916,490         346       Kulu'i (Nototrichium humile)       E       \$129,095       \$858,045,585         347       Barberry, Nevin's (Berberis nevinii)       E       \$128,243       \$858,173,826         348       Mahoe (Alectryon macrococcus)       E       \$125,824       \$858,493,652         349       Hesperomannia arbuscula (=Sci name)       E       \$124,425       \$858,424,077         350       Guajon (Eleutherodactylus cooki)       T       \$124,250       \$858,548,327         351       Schiedea nuttallii (=Sci name)       E       \$124,085       \$858,672,412         352       Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)       E       \$122,833       \$858,795,245         353       Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))  | 339  | Kangaroo rat, San Bernardino Merriam's (Dipodomys merriami parvus)                                   | E      | \$135,495     | \$857,125,097    |
| 342       Cavefish, Ozark (Amblyopsis rosae)       T       \$131,622       \$857,525,451         343       Kamanomano (Cenchrus agrimonioides)       E       \$130,658       \$857,525,451         344       Butterfly, Smith's blue (Euphilotes enoptes smithi)       E       \$130,436       \$857,786,545         345       Ocelot (Leopardus (=Felis) pardalis)       E       \$129,945       \$857,916,490         346       Kulu'i (Nototrichium humile)       E       \$129,095       \$858,045,585         347       Barberry, Nevin's (Berberis nevinii)       E       \$128,243       \$858,173,826         348       Mahoe (Alectryon macrococcus)       E       \$125,824       \$858,299,652         349       Hesperomannia arbuscula (=Sci name)       E       \$124,425       \$858,424,077         350       Guajon (Eleutherodactylus cooki)       T       \$124,250       \$858,543,327         351       Schiedea nuttallii (=Sci name)       E       \$124,085       \$858,672,412         352       Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)       E       \$122,833       \$858,795,245         353       Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))       E       \$122,480       \$858,917,725         354       Kangaroo rat, Tipton (Dipodomys nitratoides nitratoi   | 340  | Checker-mallow, Nelson's (Sidalcea nelsoniana)   | Т      | \$134,504     | \$857,259,601    |
| 343         Kamanomano (Cenchrus agrimonioides)         E         \$130,658         \$857,656,109           344         Butterfly, Smith's blue (Euphilotes enoptes smithi)         E         \$130,436         \$857,786,545           345         Ocelot (Leopardus (=Felis) pardalis)         E         \$129,945         \$857,916,490           346         Kulu'i (Nototrichium humile)         E         \$129,095         \$858,045,585           347         Barberry, Nevin's (Berberis nevinii)         E         \$128,243         \$858,173,826           348         Mahoe (Alectryon macrococcus)         E         \$125,824         \$858,299,652           349         Hesperomannia arbuscula (=Sci name)         E         \$124,425         \$858,424,077           350         Guajon (Eleutherodactylus cooki)         T         \$124,250         \$858,548,327           351         Schiedea nuttallii (=Sci name)         E         \$124,085         \$858,672,412           352         Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)         E         \$122,833         \$858,795,245           353         Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))         E         \$122,480         \$859,177,25           354         Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)         E         \$120,854   | 341  | Aster, decurrent false (Boltonia decurrens)  | Т      | \$134,228     | \$857,393,829    |
| 344         Butterfly, Smith's blue (Euphilotes enoptes smithi)         E         \$130,436         \$857,786,545           345         Ocelot (Leopardus (=Felis) pardalis)         E         \$129,945         \$857,916,490           346         Kulu'i (Nototrichium humile)         E         \$129,095         \$858,045,585           347         Barberry, Nevin's (Berberis nevinii)         E         \$128,243         \$858,173,828           348         Mahoe (Alectryon macrococcus)         E         \$125,824         \$858,299,652           349         Hesperomannia arbuscula (=Sci name)         E         \$124,425         \$858,424,077           350         Guajon (Eleutherodactylus cooki)         T         \$124,250         \$858,548,327           351         Schiedea nuttallii (=Sci name)         E         \$124,085         \$858,672,412           352         Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)         E         \$122,833         \$858,795,245           353         Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))         E         \$122,480         \$858,917,725           354         Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)         E         \$121,275         \$859,039,000           355         Hedyotis degeneri (=Sci name)         E         \$119,425  | 342  | Cavefish, Ozark (Amblyopsis rosae)   | Т      | \$131,622     | \$857,525,451    |
| 345         Ocelot (Leopardus (=Felis) pardalis)         E         \$129,945         \$857,916,490           346         Kulu'i (Nototrichium humile)         E         \$129,095         \$858,045,585           347         Barberry, Nevin's (Berberis nevinii)         E         \$128,243         \$858,173,826           348         Mahoe (Alectryon macrococcus)         E         \$125,824         \$858,299,652           349         Hesperomannia arbuscula (=Sci name)         E         \$124,425         \$858,424,077           350         Guajon (Eleutherodactylus cooki)         T         \$124,250         \$858,548,327           351         Schiedea nuttallii (=Sci name)         E         \$124,085         \$858,672,412           352         Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)         E         \$122,833         \$858,795,245           353         Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))         E         \$122,480         \$858,917,725           354         Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)         E         \$121,275         \$859,039,000           355         Hedyotis degeneri (=Sci name)         E         \$120,854         \$859,159,854           356         Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)         E         \$119,747 </td <td>343</td> <td>Kamanomano (Cenchrus agrimonioides)</td> <td>E</td> <td>\$130,658</td> <td>\$857,656,109</td>  | 343  | Kamanomano (Cenchrus agrimonioides)  | E      | \$130,658     | \$857,656,109    |
| 346         Kulu'i (Nototrichium humile)         E         \$129,095         \$858,045,585           347         Barberry, Nevin's (Berberis nevinii)         E         \$128,243         \$858,173,828           348         Mahoe (Alectryon macrococcus)         E         \$125,824         \$858,299,652           349         Hesperomannia arbuscula (=Sci name)         E         \$124,425         \$858,424,077           350         Guajon (Eleutherodactylus cooki)         T         \$124,250         \$858,548,327           351         Schiedea nuttallii (=Sci name)         E         \$124,085         \$858,672,412           352         Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)         E         \$122,833         \$858,795,245           353         Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))         E         \$122,480         \$858,917,725           354         Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)         E         \$121,275         \$859,039,000           355         Hedyotis degeneri (=Sci name)         E         \$120,854         \$859,159,854           356         Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)         E         \$119,747         \$859,279,601           357         Oha (Delissea subcordata)         E         \$119,195   | 344  | Butterfly, Smith's blue (Euphilotes enoptes smithi)  | E      | \$130,436     | \$857,786,545    |
| 347         Barberry, Nevin's (Berberis nevinii)         E         \$128,243         \$858,173,828           348         Mahoe (Alectryon macrococcus)         E         \$125,824         \$858,299,652           349         Hesperomannia arbuscula (=Sci name)         E         \$124,425         \$858,424,077           350         Guajon (Eleutherodactylus cooki)         T         \$124,250         \$858,548,327           351         Schiedea nuttallii (=Sci name)         E         \$124,085         \$858,672,412           352         Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)         E         \$122,833         \$858,795,245           353         Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))         E         \$122,480         \$858,917,725           354         Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)         E         \$121,275         \$859,039,000           355         Hedyotis degeneri (=Sci name)         E         \$120,854         \$859,159,854           356         Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)         E         \$119,747         \$859,279,601           357         Oha (Delissea subcordata)         E         \$119,195         \$859,399,026           358         `Akoko (Chamaesyce celastroides var. kaenana)         E         \$119  | 345  | Ocelot (Leopardus (=Felis) pardalis)   | E      | \$129,945     | \$857,916,490    |
| 348       Mahoe (Alectryon macrococcus)       E       \$125,824       \$858,299,652         349       Hesperomannia arbuscula (=Sci name)       E       \$124,425       \$858,424,077         350       Guajon (Eleutherodactylus cooki)       T       \$124,250       \$858,548,327         351       Schiedea nuttallii (=Sci name)       E       \$124,085       \$858,672,412         352       Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)       E       \$122,833       \$858,795,245         353       Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))       E       \$122,480       \$858,917,725         354       Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)       E       \$121,275       \$859,039,000         355       Hedyotis degeneri (=Sci name)       E       \$120,854       \$859,159,854         356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       `Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,084       \$859,637,305         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,000       \$859,756,305  | 346  | Kulu`i (Nototrichium humile)   | E      | \$129,095     | \$858,045,585    |
| 349       Hesperomannia arbuscula (=Sci name)       E       \$124,425       \$858,424,077         350       Guajon (Eleutherodactylus cooki)       T       \$124,250       \$858,548,327         351       Schiedea nuttallii (=Sci name)       E       \$124,085       \$858,672,412         352       Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)       E       \$122,833       \$858,795,245         353       Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))       E       \$122,480       \$858,917,725         354       Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)       E       \$121,275       \$859,039,000         355       Hedyotis degeneri (=Sci name)       E       \$120,854       \$859,159,854         356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       `Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,084       \$859,637,305         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,000       \$859,756,305         360       Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305   | 347  | Barberry, Nevin's ( <i>Berberis nevinii</i> )  | E      | \$128,243     | \$858,173,828    |
| 350       Guajon (Eleutherodactylus cooki)       T       \$124,250       \$858,548,327         351       Schiedea nuttallii (=Sci name)       E       \$124,085       \$858,672,412         352       Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)       E       \$122,833       \$858,795,245         353       Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))       E       \$122,480       \$858,917,725         354       Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)       E       \$121,275       \$859,039,000         355       Hedyotis degeneri (=Sci name)       E       \$120,854       \$859,159,854         356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,084       \$859,518,221         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,000       \$859,637,305         360       Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305  | 348  | Mahoe (Alectryon macrococcus)  | E      | \$125,824     | \$858,299,652    |
| 351       Schiedea nuttallii (=Sci name)       E       \$124,085       \$858,672,412         352       Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)       E       \$122,833       \$858,795,245         353       Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))       E       \$122,480       \$858,917,725         354       Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)       E       \$121,275       \$859,039,000         355       Hedyotis degeneri (=Sci name)       E       \$120,854       \$859,159,854         356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       'Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,195       \$859,518,221         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,084       \$859,637,305         360       Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305  | 349  | Hesperomannia arbuscula (=Sci name)  | E      | \$124,425     | \$858,424,077    |
| 352       Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)       E       \$122,833       \$858,795,245         353       Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))       E       \$122,480       \$858,917,725         354       Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)       E       \$121,275       \$859,039,000         355       Hedyotis degeneri (=Sci name)       E       \$120,854       \$859,159,854         356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       `Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,195       \$859,518,221         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,084       \$859,637,305         360       Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305   | 350  | Guajon (Eleutherodactylus cooki)   | Т      | \$124,250     | \$858,548,327    |
| 353       Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))       E       \$122,480       \$858,917,725         354       Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)       E       \$121,275       \$859,039,000         355       Hedyotis degeneri (=Sci name)       E       \$120,854       \$859,159,854         356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,195       \$859,518,221         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,084       \$859,637,305         360       Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305  | 351  | Schiedea nuttallii (=Sci name)   | E      | \$124,085     | \$858,672,412    |
| 354       Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)       E       \$121,275       \$859,039,000         355       Hedyotis degeneri (=Sci name)       E       \$120,854       \$859,159,854         356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       `Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,195       \$859,518,221         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,084       \$859,637,305         360       Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305   | 352  | Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis)  | E      | \$122,833     | \$858,795,245    |
| 355       Hedyotis degeneri (=Sci name)       E       \$120,854       \$859,159,854         356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       `Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,195       \$859,518,221         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,084       \$859,637,305         360       Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305  | 353  | Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus))                                      | E      | \$122,480     | \$858,917,725    |
| 356       Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)       E       \$119,747       \$859,279,601         357       Oha (Delissea subcordata)       E       \$119,425       \$859,399,026         358       Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,195       \$859,518,221         359       Limpet, Banbury Springs (Lanx sp.)       E       \$119,084       \$859,637,305         360       Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305   | 354  | Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides)   | E      | \$121,275     | \$859,039,000    |
| 357         Oha (Delissea subcordata)         E         \$119,425         \$859,399,026           358         `Akoko (Chamaesyce celastroides var. kaenana)         E         \$119,195         \$859,518,221           359         Limpet, Banbury Springs (Lanx sp.)         E         \$119,084         \$859,637,305           360         Polygala, Lewton's (Polygala lewtonii)         E         \$119,000         \$859,756,305  | 355  | Hedyotis degeneri (=Sci name)  | E      | \$120,854     | \$859,159,854    |
| 358 Akoko (Chamaesyce celastroides var. kaenana)       E       \$119,195       \$859,518,221         359 Limpet, Banbury Springs (Lanx sp.)       E       \$119,084       \$859,637,305         360 Polygala, Lewton's (Polygala lewtonii)       E       \$119,000       \$859,756,305   | 356  | Moorhen, Hawaiian common (Gallinula chloropus sandvicensis)  | E      | \$119,747     | \$859,279,601    |
| 359         Limpet, Banbury Springs (Lanx sp.)         E         \$119,084         \$859,637,305           360         Polygala, Lewton's (Polygala lewtonii)         E         \$119,000         \$859,756,305  | 357  | Oha (Delissea subcordata)  | E      | \$119,425     | \$859,399,026    |
| 360 Polygala, Lewton's ( <i>Polygala lewtonii</i> ) E \$119,000 \$859,756,305  | 358  | `Akoko (Chamaesyce celastroides var. kaenana)  | E      | \$119,195     | \$859,518,221    |
|  | 359  | Limpet, Banbury Springs ( <i>Lanx sp.</i> )  | E      | \$119,084     | \$859,637,305    |
| 361   Haha ( <i>Cyanea superba</i> )   E   \$118,650   \$859,874,955   | 360  | Polygala, Lewton's ( <i>Polygala lewtonii</i> )  | E      | \$119,000     | \$859,756,305    |
|  | 361  | Haha (Cyanea superba)  | E      | \$118,650     | \$859,874,955    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 361  | Haha (Cyanea grimesiana ssp. obatae)  | E      | \$118,650     | \$859,993,605    |
| 362  | Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )  | E      | \$118,456     | \$860,112,061    |
| 363  | Phyllostegia kaalaensis (=Sci name)   | E      | \$117,839     | \$860,229,900    |
| 364  | Thistle, Suisun (Cirsium hydrophilum var. hydrophilum)  | E      | \$117,075     | \$860,346,975    |
| 365  | Alsinidendron obovatum (=Sci name)  | E      | \$116,964     | \$860,463,939    |
| 365  | `Akoko (Chamaesyce herbstii)  | E      | \$116,964     | \$860,580,903    |
| 366  | Neraudia angulata (=Sci name)   | Е      | \$116,931     | \$860,697,834    |
| 367  | Hedyotis parvula (=Sci name)  | E      | \$116,431     | \$860,814,265    |
| 367  | Tetramolopium filiforme (=Sci name)   | E      | \$116,431     | \$860,930,696    |
| 367  | Pamakani ( <i>Viola chamissoniana ssp. chamissoniana</i> )  | E      | \$116,431     | \$861,047,127    |
| 367  | Na`ena`e (Dubautia herbstobatae)  | E      | \$116,431     | \$861,163,558    |
| 367  | Lo`ulu ( <i>Pritchardia kaalae</i> )  | E      | \$116,431     | \$861,279,989    |
| 367  | Sanicula mariversa (=Sci name)  | E      | \$116,431     | \$861,396,420    |
| 368  | Ha`iwale (Cyrtandra dentata)  | E      | \$116,056     | \$861,512,476    |
| 369  | Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta</i> walkeriana)   | E      | \$115,638     | \$861,628,114    |
| 370  | Haha (Cyanea longiflora)  | E      | \$115,099     | \$861,743,213    |
| 371  | Nehe (Lipochaeta tenuifolia)  | E      | \$114,931     | \$861,858,144    |
| 372  | Salamander, Sonora tiger (Ambystoma tigrinum stebbinsi)   | E      | \$113,150     | \$861,971,294    |
| 373  | Snail, Snake River physa ( <i>Physa natricina</i> )   | E      | \$113,048     | \$862,084,342    |
| 374  | Salamander, Santa Cruz long-toed (Ambystoma macrodactylum croceum)  | E      | \$112,865     | \$862,197,207    |
| 375  | Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )   | Т      | \$112,457     | \$862,309,664    |
| 376  | Three-ridge, fat (mussel) (Amblema neislerii)   | E      | \$112,415     | \$862,422,079    |
| 377  | Butterfly plant, Colorado (Gaura neomexicana var. coloradensis)   | Т      | \$112,218     | \$862,534,297    |
| 378  | Catesbaea melanocarpa (=Sci name)   | E      | \$111,900     | \$862,646,197    |
| 379  | Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) Entire Range; Except where listed as Experimental Populations | E      | \$110,245     | \$862,756,442    |
| 380  | Riffleshell, northern (Epioblasma torulosa rangiana)  | E      | \$109,648     | \$862,866,090    |
| 381  | Cactus, Sneed pincushion (Coryphantha sneedii var. sneedii)   | Е      | \$109,128     | \$862,975,218    |
| 382  | Shrimp, Alabama cave ( <i>Palaemonias alabamae</i> )  | E      | \$108,792     | \$863,084,010    |
| 383  | Desert-parsley, Bradshaw's (Lomatium bradshawii)  | E      | \$108,579     | \$863,192,589    |
| 384  | Howellia, water (Howellia aquatilis)  | Т      | \$106,539     | \$863,299,128    |
| 385  | Bean, purple (Villosa perpurpurea)  | E      | \$106,531     | \$863,405,659    |
| 386  | Spinymussel, James (Pleurobema collina)   | E      | \$104,943     | \$863,510,602    |
| 387  | Shiner, Arkansas River ( <i>Notropis girardi</i> )<br>Arkansas R. Basin   | т      | \$104,111     | \$863,614,713    |
| 388  | Chub, Borax Lake (Gila boraxobius)  | E      | \$103,957     | \$863,718,670    |
| 389  | Layia, beach ( <i>Layia carnosa</i> )   | E      | \$103,682     | \$863,822,352    |
| 390  | Bird's-beak, soft (Cordylanthus mollis ssp. mollis)   | E      | \$103,588     | \$863,925,940    |
| 391  | Lizard, blunt-nosed leopard (Gambelia silus)  | E      | \$103,104     | \$864,029,044    |
| 392  | Creeper, Hawaii (Oreomystis mana)   | E      | \$102,588     | \$864,131,632    |
| 393  | Salamander, San Marcos ( <i>Eurycea nana</i> )  | Т      | \$102,557     | \$864,234,189    |
| 394  | Toad, Wyoming (Bufo baxteri (=hemiophrys))  | Е      | \$101,495     | \$864,335,684    |
| 395  | Mouse, southeastern beach (Peromyscus polionotus niveiventris)  | Т      | \$100,930     | \$864,436,614    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 396  | Turtle, Alabama red-belly (Pseudemys alabamensis)   | Е      | \$100,155     | \$864,536,769    |
| 397  | Fairy shrimp, Conservancy (Branchinecta conservatio)  | Е      | \$99,784      | \$864,636,553    |
| 398  | Tiger beetle, Puritan (Cicindela puritana)  | Т      | \$98,921      | \$864,735,474    |
| 399  | Pogonia, small whorled (Isotria medeoloides)  | Т      | \$97,447      | \$864,832,921    |
| 400  | Sucker, Santa Ana ( <i>Catostomus santaanae</i> )<br>3 CA river basins  | Т      | \$96,101      | \$864,929,022    |
| 401  | Clubshell, southern ( <i>Pleurobema decisum</i> )   | Е      | \$95,282      | \$865,024,304    |
| 402  | Lily, Western (Lilium occidentale)  | Е      | \$93,500      | \$865,117,804    |
| 403  | Trillium, relict ( <i>Trillium reliquum</i> )   | Е      | \$93,191      | \$865,210,995    |
| 404  | Kangaroo rat, Fresno (Dipodomys nitratoides exilis)   | Е      | \$92,734      | \$865,303,729    |
| 405  | Mountain beaver, Point Arena (Aplodontia rufa nigra)  | Е      | \$92,404      | \$865,396,133    |
| 406  | Frog, Mississippi gopher ( <i>Rana capito sevosa</i> ) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA | E      | \$92,077      | \$865,488,210    |
| 407  | Evening-primrose, San Benito (Camissonia benitensis)  | Т      | \$91,402      | \$865,579,612    |
| 408  | Otter, southern sea ( <i>Enhydra lutris nereis</i> ) south of Pt. Conception, CA  | EXPN   | \$90,910      | \$865,670,522    |
| 409  | Pupfish, Ash Meadows Amargosa (Cyprinodon nevadensis mionectes)   | Е      | \$90,398      | \$865,760,920    |
| 410  | Thornmint, San Diego (Acanthomintha ilicifolia)   | Т      | \$89,093      | \$865,850,013    |
| 411  | Orchid, eastern prairie fringed (Platanthera leucophaea)  | Т      | \$88,916      | \$865,938,929    |
| 412  | Quillwort, Louisiana (Isoetes louisianensis)  | Е      | \$88,902      | \$866,027,831    |
| 413  | Ko`oloa`ula ( <i>Abutilon menziesii</i> )   | Е      | \$88,126      | \$866,115,957    |
| 414  | Wallflower, Menzies' ( <i>Erysimum menziesii</i> )  | Е      | \$88,000      | \$866,203,957    |
| 415  | Megapode, Micronesian (Megapodius Iaperouse)  | Е      | \$87,950      | \$866,291,907    |
| 416  | Beauty, Harper's (Harperocallis flava)  | Е      | \$87,616      | \$866,379,523    |
| 417  | Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )   | Е      | \$87,553      | \$866,467,076    |
| 418  | Cladonia, Florida perforate ( <i>Cladonia perforata</i> )   | Е      | \$87,166      | \$866,554,242    |
| 419  | Dropwort, Canby's (Oxypolis canbyi)   | Е      | \$87,152      | \$866,641,394    |
| 420  | Orcutt grass, Sacramento (Orcuttia viscida)   | Е      | \$82,300      | \$866,723,694    |
| 421  | Pentachaeta, Lyon's (Pentachaeta Iyonii)  | Е      | \$81,693      | \$866,805,387    |
| 422  | Sunburst, Hartweg's golden (Pseudobahia bahiifolia)   | Е      | \$80,938      | \$866,886,325    |
| 423  | Orcutt grass, hairy (Orcuttia pilosa)   | Е      | \$80,819      | \$866,967,144    |
| 424  | Bankclimber, purple (mussel) (Elliptoideus sloatianus)  | Т      | \$80,515      | \$867,047,659    |
| 425  | Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )  | Е      | \$79,170      | \$867,126,829    |
| 426  | Phlox, Texas trailing (Phlox nivalis ssp. texensis)   | Е      | \$78,850      | \$867,205,679    |
| 427  | Elktoe, Cumberland (Alasmidonta atropurpurea)   | Е      | \$77,987      | \$867,283,666    |
| 428  | Boa, Puerto Rican (Epicrates inornatus)   | Е      | \$77,074      | \$867,360,740    |
| 429  | Akiapola`au (honeycreeper) ( <i>Hemignathus munroi</i> )  | Е      | \$77,001      | \$867,437,741    |
| 430  | Butterfly, Quino checkerspot (Euphydryas editha quino (=E. e. wrighti))   | Е      | \$76,956      | \$867,514,697    |
| 431  | Rattlesnake, New Mexican ridge-nosed (Crotalus willardi obscurus)   | Т      | \$76,230      | \$867,590,927    |
| 432  | Pigtoe, rough ( <i>Pleurobema plenum</i> )  | Е      | \$75,562      | \$867,666,489    |
| 433  | Salamander, Barton Springs ( <i>Eurycea sosorum</i> )   | Е      | \$75,377      | \$867,741,866    |
| 434  | Niterwort, Amargosa (Nitrophila mohavensis)   | Е      | \$75,162      | \$867,817,028    |
| 435  | Thistle, fountain (Cirsium fontinale var. fontinale)  | E      | \$75,000      | \$867,892,028    |
| 436  | Cactus, Wright fishhook (Sclerocactus wrightiae)  | Е      | \$74,666      | \$867,966,694    |

| Rank       | Species (50 CFR Part 17)  | Status        | Species Total        | Cumulative Total               |
|------------|---|---------------|----------------------|--------------------------------|
| 437        | Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> )<br>MI, OH, IN N of 400 N. Lat. | Т             | \$74,400             | \$868,041,094                  |
| 438        | Meadowfoam, Butte County (Limnanthes floccosa ssp. californica)                                   | E             | \$74,380             | \$868,115,474                  |
| 439        | Nioi (Eugenia koolauensis)  | Е             | \$73,849             | \$868,189,323                  |
| 440        | Wooly-threads, San Joaquin (Monolopia (=Lembertia) congdonii)                                     | Е             | \$73,661             | \$868,262,984                  |
| 441        | Akepa, Hawaii (honeycreeper) (Loxops coccineus coccineus)   | Е             | \$73,391             | \$868,336,375                  |
| 442        | Milk-vetch, Holmgren (Astragalus holmgreniorum)   | Е             | \$73,256             | \$868,409,631                  |
| 443        | Butterfly, Mitchell's satyr (Neonympha mitchellii mitchellii)                                     | E             | \$72,583             | \$868,482,214                  |
| 444        | Spinedace, White River (Lepidomeda albivallis)  | E             | \$72,582             | \$868,554,796                  |
| 445        | Darter, goldline (Percina aurolineata)  | Т             | \$71,454             | \$868,626,250                  |
| 446        | Stickleback, unarmored threespine (Gasterosteus aculeatus williamsoni)                            | E             | \$71,217             | \$868,697,467                  |
| 447        | Tarplant, Gaviota (Deinandra increscens ssp. villosa)   | Е             | \$70,529             | \$868,767,996                  |
| 448        | Pink, swamp (Helonias bullata)  | Т             | \$70,200             | \$868,838,196                  |
| 449        | Snail, flat-spired three-toothed ( <i>Triodopsis platysayoides</i> )                              | Т             | \$69,660             | \$868,907,856                  |
| 450        | Pupfish, Warm Springs (Cyprinodon nevadensis pectoralis)  | E             | \$69,580             | \$868,977,436                  |
| 451        | Kuahiwi laukahi ( <i>Plantago princeps</i> )  | Е             | \$69,418             | \$869,046,854                  |
| 452        | Nightjar, Puerto Rican (Caprimulgus noctitherus)  | Е             | \$69,000             | \$869,115,854                  |
| 453        | Nanu (Gardenia mannii)  | Е             | \$68,941             | \$869,184,795                  |
| 454        | Ring pink (mussel) (Obovaria retusa)  | Е             | \$68,582             | \$869,253,377                  |
| 455        | Bladderpod, Missouri (Lesquerella filiformis)   | Т             | \$68,437             | \$869,321,814                  |
| 456        | Birds-in-a-nest, white (Macbridea alba)   | Т             | \$67,816             | \$869,389,630                  |
| 457        | Gilia, Monterey (Gilia tenuiflora ssp. arenaria)  | E             | \$67,493             | \$869,457,123                  |
| 458        | Pocketbook, shinyrayed (Lampsilis subangulata)  | E             | \$67,302             | \$869,524,425                  |
| 459        | Hesperomannia arborescens (=Sci name)   | E             | \$66,501             | \$869,590,926                  |
| 460        | Poppy, Sacramento prickly (Argemone pleiacantha ssp. pinnatisecta)                                | E             | \$66,080             | \$869,657,006                  |
| 461        | Cyanea (=Rollandia) crispa (=Sci name)  | E             | \$65,855             | \$869,722,861                  |
| 462        | Abutilon sandwicense (=Sci name)  | E             | \$65,435             | \$869,788,296                  |
| 463        | Chub, Chihuahua (Gila nigrescens)   | T             | \$65,350             | \$869,853,646                  |
| 464        | Crayfish, Nashville (Orconectes shoupi)   | E             | \$65,197             | \$869,918,843                  |
| 465        | Haha (Cyanea acuminata)   | E             | \$64,947             | \$869,983,790                  |
| 466        | Po`ouli (honeycreeper) (Melamprosops phaeosoma)   | E             | \$64,798             | \$870,048,588                  |
| 467        | Cactus, Pima pineapple (Coryphantha scheeri var. robustispina)                                    | E             | \$64,750             | \$870,113,338                  |
| 468        | Shiner, blue (Cyprinella caerulea)  | <u>-</u><br>Т | \$64,141             | \$870,177,479                  |
| 469        | Kauila (Colubrina oppositifolia)  | E             | \$63,791             | \$870,241,270                  |
| 470        | Pocketbook, Ouachita rock (Arkansia wheeleri)   | E             | \$63,660             | \$870,304,930                  |
| 471        | Fox, Santa Catalina Island (Urocyon littoralis catalinae)   | E             | \$63,589             | \$870,368,519                  |
| 472        | Heartleaf, dwarf-flowered (Hexastylis naniflora)  | T             | \$63,456             | \$870,431,975                  |
|            |   | T             |                      |                                |
| 473<br>474 | Butterweed, Layne's (Senecio layneae)  Spurge, Hoover's (Chamaesyce hooveri)                      | T             | \$63,236<br>\$62,105 | \$870,495,211<br>\$870,557,316 |
|            |   |               | \$62,105             |                                |
| 475        | Pocketbook, speckled (Lampsilis streckeri)  | E             |                      | \$870,619,393                  |
| 476        | Trout, Little Kern golden (Oncorhynchus aguabonita whitei)  | T             | \$62,060             | \$870,681,453                  |
| 477        | Spineflower, Ben Lomond (Chorizanthe pungens var. hartwegiana)                                    | E             | \$61,972             | \$870,743,425                  |
| 478        | Popcornflower, rough (Plagiobothrys hirtus)   | E             | \$61,761             | \$870,805,186                  |
| 479        | Milk-vetch, Braunton's (Astragalus brauntonii)  | E             | \$61,704             | \$870,866,8                    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 480  | Koki`o (Kokia drynarioides)  | E      | \$61,692      | \$870,928,582    |
| 481  | Ziziphus, Florida (Ziziphus celata)  | E      | \$61,500      | \$870,990,082    |
| 482  | Daisy, Maguire ( <i>Erigeron maguirei</i> )  | Т      | \$61,436      | \$871,051,518    |
| 483  | Sucker, Modoc (Catostomus microps)   | E      | \$61,367      | \$871,112,885    |
| 484  | Dace, desert (Eremichthys acros)   | Т      | \$60,994      | \$871,173,879    |
| 485  | Bladderpod, white (Lesquerella pallida)  | E      | \$60,943      | \$871,234,822    |
| 486  | Spineflower, Orcutt's (Chorizanthe orcuttiana)   | E      | \$60,848      | \$871,295,670    |
| 487  | Pearlymussel, Curtis (Epioblasma florentina curtisii)  | E      | \$60,214      | \$871,355,884    |
| 488  | Jewelflower, California (Caulanthus californicus)  | E      | \$60,129      | \$871,416,013    |
| 489  | Thistle, Sacramento Mountains (Cirsium vinaceum)   | Т      | \$60,000      | \$871,476,013    |
| 490  | Bat, Ozark big-eared (Corynorhinus (=Plecotus) townsendii ingens)  | E      | \$59,700      | \$871,535,713    |
| 491  | Penstemon, blowout (Penstemon haydenii)  | E      | \$59,225      | \$871,594,938    |
| 492  | Nukupu`u (honeycreeper) (Hemignathus lucidus)  | E      | \$59,164      | \$871,654,102    |
| 493  | Spinymussel, Tar River (Elliptio steinstansana)  | E      | \$58,657      | \$871,712,759    |
| 494  | Spiraea, Virginia (Spiraea virginiana)   | Т      | \$58,580      | \$871,771,339    |
| 495  | Moccasinshell, Gulf (Medionidus penicillatus)  | E      | \$58,402      | \$871,829,741    |
| 496  | Butterwort, Godfrey's (Pinguicula ionantha)  | Т      | \$58,316      | \$871,888,057    |
| 497  | Pigtoe, oval (Pleurobema pyriforme)  | E      | \$58,202      | \$871,946,259    |
| 498  | Honeycreeper, crested ( <i>Palmeria dolei</i> )  | E      | \$57,534      | \$872,003,793    |
| 499  | Moccasinshell, Ochlockonee (Medionidus simpsonianus)   | E      | \$56,327      | \$872,060,120    |
| 500  | Phyllostegia mollis (=Sci name)  | E      | \$56,242      | \$872,116,362    |
| 501  | Pigeon wings (Clitoria fragrans)   | Т      | \$56,100      | \$872,172,462    |
| 502  | Butterfly, El Segundo blue (Euphilotes battoides allyni)   | E      | \$55,871      | \$872,228,333    |
| 503  | Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )   | Т      | \$55,480      | \$872,283,813    |
| 504  | Silversword, Mauna Loa (=Ka'u) (Argyroxiphium kauense)   | E      | \$55,106      | \$872,338,919    |
| 505  | Uhiuhi (Caesalpinia kavaiense)   | E      | \$54,557      | \$872,393,476    |
| 506  | Springsnail, Bruneau Hot (Pyrgulopsis bruneauensis)  | E      | \$54,523      | \$872,447,999    |
| 507  | Darter, duskytail (Etheostoma percnurum) Entire  | E      | \$54,477      | \$872,502,476    |
| 508  | Gambusia, Pecos (Gambusia nobilis)   | E      | \$53,850      | \$872,556,326    |
| 509  | Bush-clover, prairie (Lespedeza leptostachya)  | Т      | \$53,827      | \$872,610,153    |
| 510  | Shiner, Cape Fear (Notropis mekistocholas)   | E      | \$53,804      | \$872,663,957    |
| 511  | Ceanothus, Pine Hill (Ceanothus roderickii)  | E      | \$53,462      | \$872,717,419    |
| 512  | `Aiea (Nothocestrum breviflorum)   | E      | \$53,211      | \$872,770,630    |
| 513  | Schiedea hookeri (=Sci name)   | E      | \$53,064      | \$872,823,694    |
| 514  | Sandwort, Cumberland (Arenaria cumberlandensis)  | E      | \$52,325      | \$872,876,019    |
| 515  | Thistle, Pitcher's (Cirsium pitcheri)  | Т      | \$52,087      | \$872,928,106    |
| 516  | Tuctoria, Greene's (Tuctoria greenei)  | E      | \$51,924      | \$872,980,030    |
| 517  | Clubshell, ovate (Pleurobema perovatum)  | E      | \$51,782      | \$873,031,812    |
| 518  | Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) Entire Range; Except where listed as Experimental Populations | E      | \$51,577      | \$873,083,389    |
| 519  | Snake, Lake Erie water ( <i>Nerodia sipedon insularum</i> ) subspecies range clarified                           | Т      | \$51,340      | \$873,134,729    |
| 520  | Shagreen, Magazine Mountain (Mesodon magazinensis)   | Т      | \$51,000      | \$873,185,729    |
| 521  | Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )  | E      | \$50,964      | \$873,236,693    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 522  | Watercress, Gambel's (Rorippa gambellii)                                   | Е      | \$50,522      | \$873,287,215    |
| 523  | Shrimp, California freshwater (Syncaris pacifica)                          | Е      | \$50,422      | \$873,337,637    |
| 524  | Bat, Mexican long-nosed (Leptonycteris nivalis)                            | E      | \$50,314      | \$873,387,951    |
| 525  | Shiner, palezone (Notropis albizonatus)                                    | Е      | \$50,277      | \$873,438,228    |
| 526  | Naucorid, Ash Meadows (Ambrysus amargosus)                                 | Т      | \$50,272      | \$873,488,500    |
| 527  | Bladderpod, Zapata (Lesquerella thamnophila)                               | Е      | \$50,233      | \$873,538,733    |
| 528  | Cactus, Nichol's Turk's head (Echinocactus horizonthalonius var. nicholii) | E      | \$49,970      | \$873,588,703    |
| 529  | Hala pepe (Pleomele hawaiiensis)   | E      | \$49,780      | \$873,638,483    |
| 530  | Pupfish, Leon Springs (Cyprinodon bovinus)                                 | E      | \$49,650      | \$873,688,133    |
| 531  | Stenogyne kanehoana (=Sci name)  | E      | \$49,349      | \$873,737,482    |
| 531  | Kamakahala (Labordia cyrtandrae)   | E      | \$49,349      | \$873,786,831    |
| 532  | Alsinidendron trinerve (=Sci name)   | E      | \$48,935      | \$873,835,766    |
| 533  | Haha (Cyanea st-johnii)  | E      | \$48,574      | \$873,884,340    |
| 534  | Geocarpon minimum (=Sci name)  | Т      | \$48,553      | \$873,932,893    |
| 535  | Thelypody, Howell's spectacular (Thelypodium howellii spectabilis)         | Т      | \$48,540      | \$873,981,433    |
| 536  | Wireweed (Polygonella basiramia)   | E      | \$48,500      | \$874,029,933    |
| 537  | Ayenia, Texas ( <i>Ayenia limitaris</i> )                                  | Е      | \$47,965      | \$874,077,898    |
| 538  | Phyllostegia hirsuta (=Sci name)   | Е      | \$47,941      | \$874,125,839    |
| 538  | Kolea (Myrsine juddii)   | E      | \$47,941      | \$874,173,780    |
| 539  | Taraxacum, California ( <i>Taraxacum californicum</i> )                    | E      | \$47,887      | \$874,221,667    |
| 540  | Ha`iwale (Cyrtandra subumbellata)  | E      | \$47,841      | \$874,269,508    |
| 541  | Thistle, Chorro Creek bog (Cirsium fontinale var. obispoense)              | Е      | \$47,485      | \$874,316,993    |
| 542  | Alani ( <i>Melicope lydgatei</i> )   | E      | \$47,449      | \$874,364,442    |
| 542  | Wawae`iole (Lycopodium (=Phlegmariurus) nutans)                            | Е      | \$47,449      | \$874,411,891    |
| 543  | Skullcap, Florida (Scutellaria floridana)                                  | Т      | \$47,431      | \$874,459,322    |
| 544  | Leather flower, Alabama (Clematis socialis)                                | E      | \$47,416      | \$874,506,738    |
| 545  | Sanicula purpurea (=Sci name)  | E      | \$47,349      | \$874,554,087    |
| 546  | Dace, Independence Valley speckled (Rhinichthys osculus lethoporus)        | Е      | \$47,163      | \$874,601,250    |
| 547  | Phlox, Yreka ( <i>Phlox hirsuta</i> )                                      | E      | \$46,671      | \$874,647,921    |
| 548  | Haha (Cyanea humboldtiana)   | Е      | \$46,609      | \$874,694,530    |
| 548  | Haha (Cyanea koolauensis)  | E      | \$46,609      | \$874,741,139    |
| 549  | Beetle, Comal Springs riffle (Heterelmis comalensis)                       | Е      | \$46,580      | \$874,787,719    |
| 550  | Lobelia gaudichaudii ssp. koolauensis (=Sci name)                          | E      | \$46,541      | \$874,834,260    |
| 550  | Viola oahuensis (=Sci name)  | E      | \$46,541      | \$874,880,801    |
| 551  | Bonamia menziesii (=Sci name)  | Е      | \$46,516      | \$874,927,317    |
| 552  | Ha`iwale (Cyrtandra viridiflora)   | E      | \$46,441      | \$874,973,758    |
| 552  | `Akoko (Chamaesyce rockii)   | E      | \$46,441      | \$875,020,199    |
| 552  | Pteris lidgatei (=Sci name)  | Е      | \$46,441      | \$875,066,640    |
| 553  | Sandwort, Marsh ( <i>Arenaria paludicola</i> )                             | Е      | \$46,348      | \$875,112,988    |
| 554  | Darter, slackwater (Etheostoma boschungi)                                  | Т      | \$46,279      | \$875,159,267    |
| 555  | Bladderpod, Spring Creek (Lesquerella perforata)                           | Е      | \$45,077      | \$875,204,344    |
| 556  | Clarkia, Presidio (Clarkia franciscana)                                    | Е      | \$45,000      | \$875,249,344    |
| 557  | Morning-glory, Stebbins' (Calystegia stebbinsii)                           | Е      | \$44,765      | \$875,294,109    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 558  | Makou (Peucedanum sandwicense)   | Т      | \$44,758      | \$875,338,867    |
| 559  | Sunflower, Schweinitz's (Helianthus schweinitzii)                        | E      | \$44,686      | \$875,383,553    |
| 560  | Ohai (Sesbania tomentosa)  | E      | \$44,478      | \$875,428,031    |
| 561  | Monkshood, northern wild (Aconitum noveboracense)                        | Т      | \$44,352      | \$875,472,383    |
| 562  | Milk-vetch, Ash meadows (Astragalus phoenix)                             | Т      | \$44,309      | \$875,516,692    |
| 563  | Jaguarundi, Gulf Coast (Herpailurus (=Felis) yagouaroundi cacomitli)     | E      | \$43,480      | \$875,560,172    |
| 564  | Snowbells, Texas (Styrax texanus)  | E      | \$43,102      | \$875,603,274    |
| 565  | Chub, Sonora ( <i>Gila ditaenia</i> )                                    | Т      | \$43,100      | \$875,646,374    |
| 566  | Chub, Pahranagat roundtail (Gila robusta jordani)                        | E      | \$43,033      | \$875,689,407    |
| 567  | Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )                      | Т      | \$42,815      | \$875,732,222    |
| 568  | Cactus, Uinta Basin hookless (Sclerocactus glaucus)                      | Т      | \$42,722      | \$875,774,944    |
| 569  | Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )                    | E      | \$42,600      | \$875,817,544    |
| 570  | Pitcher-plant, green (Sarracenia oreophila)                              | E      | \$42,506      | \$875,860,050    |
| 571  | Orcutt grass, San Joaquin (Orcuttia inaequalis)                          | Т      | \$42,325      | \$875,902,375    |
| 572  | Stickseed, showy (Hackelia venusta)                                      | E      | \$42,277      | \$875,944,652    |
| 573  | Bear-poppy, dwarf (Arctomecon humilis)                                   | E      | \$42,250      | \$875,986,902    |
| 574  | Skullcap, large-flowered (Scutellaria montana)                           | Т      | \$42,131      | \$876,029,033    |
| 575  | Cactus, Tobusch fishhook (Ancistrocactus tobuschii)                      | E      | \$42,064      | \$876,071,097    |
| 576  | Chub, Hutton tui ( <i>Gila bicolor ssp.</i> )<br>Hutton                  | т      | \$42,000      | \$876,113,097    |
| 577  | Iguana, Mona ground (Cyclura cornuta stejnegeri)                         | Т      | \$41,900      | \$876,154,997    |
| 578  | Gambusia, Big Bend ( <i>Gambusia gaigei</i> )                            | E      | \$41,650      | \$876,196,647    |
| 579  | Pitcher-plant, Alabama canebrake (Sarracenia rubra alabamensis)          | E      | \$41,591      | \$876,238,238    |
| 580  | Ladies'-tresses, Navasota (Spiranthes parksii)                           | E      | \$41,576      | \$876,279,814    |
| 581  | Plymouth Red-Bellied Turtle (Pseudemys rubriventris bangsi)              | E      | \$41,408      | \$876,321,222    |
| 582  | Pua `ala ( <i>Brighamia rockii</i> )                                     | E      | \$41,398      | \$876,362,620    |
| 583  | Mouse, Key Largo cotton (Peromyscus gossypinus allapaticola)             | E      | \$41,278      | \$876,403,898    |
| 584  | Spinedace, Big Spring (Lepidomeda mollispinis pratensis)                 | Т      | \$41,243      | \$876,445,141    |
| 585  | Meadowfoam, large-flowered woolly (Limnanthes floccosa ssp. grandiflora) | E      | \$41,240      | \$876,486,381    |
| 586  | Turtle, yellow-blotched map (Graptemys flavimaculata)                    | Т      | \$41,110      | \$876,527,491    |
| 587  | Mucket, orangenacre (Lampsilis perovalis)                                | Т      | \$40,832      | \$876,568,323    |
| 588  | Darter, amber (Percina antesella)  | E      | \$40,651      | \$876,608,974    |
| 589  | Bird's-beak, salt marsh (Cordylanthus maritimus ssp. maritimus)          | E      | \$40,540      | \$876,649,514    |
| 589  | Manioc, Walker's (Manihot walkerae)                                      | E      | \$40,540      | \$876,690,054    |
| 590  | Ambrosia, south Texas (Ambrosia cheiranthifolia)                         | E      | \$40,531      | \$876,730,585    |
| 591  | Dwarf-flax, Marin (Hesperolinon congestum)                               | Т      | \$40,191      | \$876,770,776    |
| 592  | Butterfly, Behren's silverspot (Speyeria zerene behrensii)               | E      | \$39,661      | \$876,810,437    |
| 592  | Checker-mallow, Keck's (Sidalcea keckii)                                 | E      | \$39,661      | \$876,850,098    |
| 593  | Spider, Kauai cave wolf or pe'e pe'e maka 'ole (Adelocosa anops)         | E      | \$39,475      | \$876,889,573    |
| 594  | Milkweed, Mead's (Asclepias meadii)                                      | Т      | \$38,845      | \$876,928,418    |
| 595  | Owl's-clover, fleshy (Castilleja campestris ssp. succulenta)             | Т      | \$38,525      | \$876,966,943    |
| 596  | Wire-lettuce, Malheur (Stephanomeria malheurensis)                       | E      | \$38,500      | \$877,005,443    |
| 597  | Dace, Foskett speckled ( <i>Rhinichthys osculus ssp.</i> ) Foskett       | т      | \$38,379      | \$877,043,822    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 598  | Moorhen, Mariana common (Gallinula chloropus guami)   | Е      | \$38,200      | \$877,082,022    |
| 599  | Sunray, Ash Meadows (Enceliopsis nudicaulis var. corrugata)   | Т      | \$38,000      | \$877,120,022    |
| 600  | Boa, Virgin Islands tree (Epicrates monensis granti)  | Е      | \$37,644      | \$877,157,666    |
| 601  | Chub, Gila (Gila intermedia)  | E      | \$37,600      | \$877,195,266    |
| 602  | Flannelbush, Pine Hill (Fremontodendron californicum ssp. decumbens)  | E      | \$37,474      | \$877,232,740    |
| 603  | Blazingstar, Ash Meadows (Mentzelia leucophylla)  | Т      | \$36,654      | \$877,269,394    |
| 604  | Pomace fly, [unnamed] ( <i>Drosophila aglaia</i> )  | Е      | \$36,365      | \$877,305,759    |
| 604  | Pomace fly, [unnamed] (Drosophila heteroneura)  | E      | \$36,365      | \$877,342,124    |
| 604  | Pomace fly, [unnamed] (Drosophila montgomeryi)  | Е      | \$36,365      | \$877,378,489    |
| 604  | Pomace fly, [unnamed] (Drosophila mulli)  | Т      | \$36,365      | \$877,414,854    |
| 604  | Pomace fly, [unnamed] ( <i>Drosophila musaphila</i> )   | Е      | \$36,365      | \$877,451,219    |
| 604  | Pomace fly, [unnamed] (Drosophila neoclavisetae)  | Е      | \$36,365      | \$877,487,584    |
| 604  | Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )  | Е      | \$36,365      | \$877,523,949    |
| 604  | Pomace fly, [unnamed] (Drosophila substenoptera)  | E      | \$36,365      | \$877,560,314    |
| 604  | Pomace fly, [unnamed] (Drosophila tarphytrichia)  | E      | \$36,365      | \$877,596,679    |
| 604  | Pomace fly, [unnamed] (Drosophila hemipeza)   | E      | \$36,365      | \$877,633,044    |
| 604  | Pomace fly, [unnamed] (Drosophila ochrobasis)   | E      | \$36,365      | \$877,669,409    |
| 604  | Pomace fly, [unnamed] (Drosophila differens)  | E      | \$36,365      | \$877,705,774    |
| 605  | Beetle, Tooth Cave ground (Rhadine persephone)  | E      | \$36,342      | \$877,742,116    |
| 606  | Cactus, Cochise pincushion (Coryphantha robbinsorum)  | Т      | \$36,180      | \$877,778,296    |
| 607  | Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata</i> obliquata) Entire Range; Except where listed as Experimental Populations | E      | \$35,600      | \$877,813,896    |
| 608  | Moth, Kern primrose sphinx (Euproserpinus euterpe)  | Т      | \$35,571      | \$877,849,467    |
| 609  | Pennyroyal, Todsen's (Hedeoma todsenii)   | E      | \$35,250      | \$877,884,717    |
| 610  | Snake, Concho water (Nerodia paucimaculata)   | Т      | \$35,012      | \$877,919,729    |
| 611  | Amphipod, Kauai cave (Spelaeorchestia koloana)  | E      | \$34,975      | \$877,954,704    |
| 612  | Beetle, Comal Springs dryopid (Stygoparnus comalensis)  | E      | \$34,974      | \$877,989,678    |
| 613  | Milk-vetch, Fish Slough (Astragalus lentiginosus var. piscinensis)  | Т      | \$34,869      | \$878,024,547    |
| 614  | Mallow, Kern (Eremalche kernensis)  | E      | \$34,765      | \$878,059,312    |
| 615  | Sunburst, San Joaquin adobe (Pseudobahia peirsonii)   | Т      | \$34,629      | \$878,093,941    |
| 616  | Snail, Newcomb's ( <i>Erinna newcombi</i> )   | Т      | \$34,600      | \$878,128,541    |
| 617  | Amphipod, Peck's cave (Stygobromus (=Stygonectes) pecki)  | E      | \$34,560      | \$878,163,101    |
| 618  | Daisy, Parish's (Erigeron parishii)   | Т      | \$34,336      | \$878,197,437    |
| 619  | Butterfly, Lange's metalmark (Apodemia mormo langei)  | E      | \$34,206      | \$878,231,643    |
| 620  | Kula wahine noho (Isodendrion pyrifolium)   | E      | \$33,939      | \$878,265,582    |
| 621  | Rosemary, Cumberland (Conradina verticillata)   | Т      | \$33,933      | \$878,299,515    |
| 622  | Cycladenia, Jones (Cycladenia jonesii (=humilis))   | Т      | \$33,886      | \$878,333,401    |
| 623  | Seablite, California (Suaeda californica)   | E      | \$33,843      | \$878,367,244    |
| 624  | Spurge, Garber's (Chamaesyce garberi)   | Т      | \$33,800      | \$878,401,044    |
| 625  | Darter, snail ( <i>Percina tanasi</i> )   | Т      | \$33,277      | \$878,434,321    |
| 626  | Goldenrod, white-haired (Solidago albopilosa)   | Т      | \$33,200      | \$878,467,521    |
| 627  | Kiponapona (Phyllostegia racemosa)  | E      | \$32,981      | \$878,500,502    |
| 628  | Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )   | E      | \$32,830      | \$878,533,332    |
| 629  | Beetle, Hungerford's crawling water (Brychius hungerfordi)  | E      | \$32,600      | \$878,565,932    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 630  | Polygala, tiny ( <i>Polygala smallii</i> )  | E      | \$32,350      | \$878,598,282    |
| 631  | Meadowfoam, Sebastopol (Limnanthes vinculans)   | E      | \$32,330      | \$878,630,612    |
| 632  | Crayfish, Shasta (Pacifastacus fortis)  | E      | \$32,204      | \$878,662,816    |
| 633  | Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) southern                                  | SAT    | \$32,150      | \$878,694,966    |
| 634  | `Oha wai ( <i>Clermontia pyrularia</i> )  | E      | \$32,013      | \$878,726,979    |
| 635  | Frankenia, Johnston's (Frankenia johnstonii)  | E      | \$31,957      | \$878,758,936    |
| 636  | Cactus, Siler pincushion (Pediocactus (=Echinocactus,=Utahia) sileri)                               | Т      | \$31,856      | \$878,790,792    |
| 637  | Prickly-apple, fragrant (Cereus eriophorus var. fragrans)   | E      | \$31,750      | \$878,822,542    |
| 638  | Haha (Cyanea grimesiana ssp. grimesiana)  | E      | \$31,568      | \$878,854,110    |
| 639  | Logperch, Conasauga (Percina jenkinsi)  | E      | \$31,451      | \$878,885,561    |
| 640  | Butterfly, Uncompangre fritillary (Boloria acrocnema)   | E      | \$31,362      | \$878,916,923    |
| 641  | Haha (Cyanea shipmannii)  | E      | \$31,088      | \$878,948,011    |
| 642  | Cactus, Peebles Navajo (Pediocactus peeblesianus peeblesianus)                                      | E      | \$30,850      | \$878,978,861    |
| 643  | Ground-plum, Guthrie's (=Pyne's) (Astragalus bibullatus)  | E      | \$30,778      | \$879,009,639    |
| 644  | Bulrush, Northeastern (Scirpus ancistrochaetus)   | E      | \$30,664      | \$879,040,303    |
| 645  | Darter, relict (Etheostoma chienense)   | E      | \$30,577      | \$879,070,880    |
| 646  | Harperella (Ptilimnium nodosum)   | E      | \$30,568      | \$879,101,448    |
| 647  | Prairie-clover, leafy (Dalea foliosa)   | E      | \$30,494      | \$879,131,942    |
| 648  | Darter, boulder (Etheostoma wapiti)   | E      | \$30,343      | \$879,162,285    |
| 649  | Oha wai (Clermontia peleana)  | E      | \$30,304      | \$879,192,589    |
| 650  | Spineflower, Robust (incl. Scotts Valley) (Chorizanthe robusta (incl. vars. robusta and hartwegii)) | E      | \$30,085      | \$879,222,674    |
| 651  | Mouse, Anastasia Island beach (Peromyscus polionotus phasma)  | E      | \$29,730      | \$879,252,404    |
| 652  | Clarkia, Pismo (Clarkia speciosa ssp. immaculata)   | E      | \$29,590      | \$879,281,994    |
| 653  | Akepa, Maui (honeycreeper) (Loxops coccineus ochraceus)   | E      | \$29,352      | \$879,311,346    |
| 654  | Buckwheat, steamboat (Eriogonum ovalifolium var. williamsiae)                                       | E      | \$29,199      | \$879,340,545    |
| 655  | Oha wai (Clermontia lindseyana)   | E      | \$29,104      | \$879,369,649    |
| 656  | Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )  | E      | \$29,025      | \$879,398,674    |
| 657  | Skink, bluetail mole (Eumeces egregius lividus)   | Т      | \$28,791      | \$879,427,465    |
| 658  | Madtom, Neosho (Noturus placidus)   | Т      | \$28,653      | \$879,456,118    |
| 659  | Darter, watercress (Etheostoma nuchale)   | E      | \$28,477      | \$879,484,595    |
| 660  | Crayfish, cave (Cambarus aculabrum)   | E      | \$28,414      | \$879,513,009    |
| 661  | Wolf, gray ( <i>Canis lupus</i> )<br>Western Great Lakes DPS  | PE     | \$28,251      | \$879,541,260    |
| 662  | Mouse, Pacific pocket (Perognathus longimembris pacificus)  | E      | \$28,095      | \$879,569,355    |
| 663  | Manzanita, Santa Rosa Island (Arctostaphylos confertiflora)   | E      | \$28,009      | \$879,597,364    |
| 664  | Sandlace (Polygonella myriophylla)  | E      | \$28,000      | \$879,625,364    |
| 665  | Paintbrush, soft-leaved (Castilleja mollis)   | E      | \$27,774      | \$879,653,138    |
| 666  | Toad, Puerto Rican crested (Peltophryne lemur)  | Т      | \$27,500      | \$879,680,638    |
| 667  | Lilliput, pale (pearlymussel) (Toxolasma cylindrellus)  | E      | \$27,232      | \$879,707,870    |
| 668  | Springfish, Hiko White River (Crenichthys baileyi grandis)  | Е      | \$27,143      | \$879,735,013    |
| 669  | Goldfields, Burke's (Lasthenia burkei)  | E      | \$26,730      | \$879,761,743    |
| 670  | Woodrat, riparian (=San Joaquin Valley) (Neotoma fuscipes riparia)                                  | E      | \$26,500      | \$879,788,243    |
| 671  | Squirrel, Carolina northern flying (Glaucomys sabrinus coloratus)                                   | E      | \$26,450      | \$879,814,693    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 672  | Fern, Aleutian shield (Polystichum aleuticum)                              | E      | \$26,300      | \$879,840,993    |
| 673  | Pauoa (Ctenitis squamigera)  | E      | \$26,185      | \$879,867,178    |
| 674  | Sturgeon, Alabama (Scaphirhynchus suttkusi)                                | E      | \$26,154      | \$879,893,332    |
| 675  | Dace, Kendall Warm Springs (Rhinichthys osculus thermalis)                 | E      | \$25,975      | \$879,919,307    |
| 676  | Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) except where EXPN         | Т      | \$25,821      | \$879,945,128    |
| 677  | Catfish, Yaqui (Ictalurus pricei)  | Т      | \$25,600      | \$879,970,728    |
| 678  | Harvestman, Bone Cave (Texella reyesi)                                     | E      | \$25,491      | \$879,996,219    |
| 679  | Pigtoe, heavy (Pleurobema taitianum)                                       | E      | \$25,382      | \$880,021,601    |
| 680  | Milk-vetch, Osterhout (Astragalus osterhoutii)                             | E      | \$25,188      | \$880,046,789    |
| 681  | Heelsplitter, Alabama (=inflated) (Potamilus inflatus)                     | Т      | \$25,107      | \$880,071,896    |
| 682  | Milk-vetch, Ventura Marsh (Astragalus pycnostachyus var. lanosissimus)     | E      | \$25,056      | \$880,096,952    |
| 683  | Tarplant, Santa Cruz (Holocarpha macradenia)                               | Т      | \$24,957      | \$880,121,909    |
| 684  | Haha (Cyanea lobata)   | E      | \$24,731      | \$880,146,640    |
| 685  | Cactus, Mesa Verde (Sclerocactus mesae-verdae)                             | Т      | \$24,569      | \$880,171,209    |
| 686  | Bear, American black ( <i>Ursus americanus</i> ) County range of LA b.bear | SAT    | \$24,534      | \$880,195,743    |
| 687  | Woolly-star, Santa Ana River (Eriastrum densifolium ssp. sanctorum)        | E      | \$24,475      | \$880,220,218    |
| 688  | Checkermallow, Wenatchee Mountains (Sidalcea oregana var. calva)           | E      | \$24,466      | \$880,244,684    |
| 689  | Rock-cress, Braun's (Arabis perstellata)                                   | E      | \$24,450      | \$880,269,134    |
| 690  | Grass, Colusa (Neostapfia colusana)  | Т      | \$24,399      | \$880,293,533    |
| 691  | Iris, dwarf lake (Iris lacustris)  | Т      | \$23,900      | \$880,317,433    |
| 692  | Madtom, smoky ( <i>Noturus baileyi</i> )<br>Entire                         | E      | \$23,851      | \$880,341,284    |
| 693  | Townsendia, Last Chance (Townsendia aprica)                                | Т      | \$23,836      | \$880,365,120    |
| 694  | Centaury, spring-loving (Centaurium namophilum)                            | Т      | \$22,924      | \$880,388,044    |
| 695  | Kopa (Hedyotis schlechtendahliana var. remyi)                              | E      | \$22,731      | \$880,410,775    |
| 696  | Spider, spruce-fir moss (Microhexura montivaga)                            | E      | \$22,516      | \$880,433,291    |
| 697  | Fiddleneck, large-flowered (Amsinckia grandiflora)                         | E      | \$22,276      | \$880,455,567    |
| 698  | Pawpaw, beautiful (Deeringothamnus pulchellus)                             | E      | \$22,200      | \$880,477,767    |
| 699  | Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )                         | Т      | \$22,138      | \$880,499,905    |
| 700  | Chub, Yaqui (Gila purpurea)  | E      | \$22,100      | \$880,522,005    |
| 701  | Cactus, Arizona hedgehog (Echinocereus triglochidiatus var. arizonicus)    | E      | \$21,670      | \$880,543,675    |
| 702  | Liveforever, Santa Barbara Island (Dudleya traskiae)                       | E      | \$21,607      | \$880,565,282    |
| 703  | Lizard, Island night (Xantusia riversiana)                                 | Т      | \$21,304      | \$880,586,586    |
| 704  | Shiner, beautiful (Cyprinella formosa)                                     | Т      | \$21,300      | \$880,607,886    |
| 704  | Tiger beetle, Salt Creek (Cicindela nevadica lincolniana)                  | E      | \$21,300      | \$880,629,186    |
| 705  | Haha (Cyanea truncata)   | E      | \$21,218      | \$880,650,404    |
| 706  | Coneflower, Tennessee purple (Echinacea tennesseensis)                     | E      | \$20,928      | \$880,671,332    |
| 707  | `Oha wai (Clermontia oblongifolia ssp. mauiensis)                          | E      | \$20,854      | \$880,692,186    |
| 708  | Milk-vetch, Sentry (Astragalus cremnophylax var. cremnophylax)             | E      | \$20,850      | \$880,713,036    |
| 709  | Rice rat (Oryzomys palustris natator) lower FL Keys                        | E      | \$20,777      | \$880,733,813    |
| 710  | Haha (Cyanea glabra)   | E      | \$20,729      | \$880,754,542    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 711  | Spineflower, Howell's (Chorizanthe howellii)                              | E      | \$20,400      | \$880,774,942    |
| 712  | Diellia, asplenium-leaved (Diellia erecta)                                | E      | \$20,360      | \$880,795,302    |
| 713  | Beetle, delta green ground (Elaphrus viridis)                             | Т      | \$20,353      | \$880,815,655    |
| 714  | Cactus, Knowlton (Pediocactus knowltonii)                                 | E      | \$20,344      | \$880,835,999    |
| 715  | Phyllostegia parviflora (=Sci name)                                       | E      | \$20,261      | \$880,856,260    |
| 716  | `Ahinahina (Argyroxiphium sandwicense ssp. sandwicense)                   | E      | \$20,188      | \$880,876,448    |
| 717  | Vetch, Hawaiian ( <i>Vicia menziesii</i> )                                | E      | \$20,142      | \$880,896,590    |
| 718  | Avens, spreading (Geum radiatum)  | E      | \$20,076      | \$880,916,666    |
| 719  | Skipper, Pawnee montane (Hesperia leonardus montana)                      | Т      | \$20,029      | \$880,936,695    |
| 720  | Buckwheat, cushenbury (Eriogonum ovalifolium var. vineum)                 | Е      | \$19,929      | \$880,956,624    |
| 720  | Bladderpod, San Bernardino Mountains (Lesquerella kingii ssp. bernardina) | E      | \$19,929      | \$880,976,553    |
| 720  | Milk-vetch, Cushenbury (Astragalus albens)                                | E      | \$19,929      | \$880,996,482    |
| 720  | Oxytheca, cushenbury (Oxytheca parishii var. goodmaniana)                 | E      | \$19,929      | \$881,016,411    |
| 721  | Catspaw, white (pearlymussel) (Epioblasma obliquata perobliqua)           | E      | \$19,777      | \$881,036,188    |
| 722  | Wild-buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )             | Е      | \$19,750      | \$881,055,938    |
| 723  | Haha (Cyanea macrostegia ssp. gibsonii)                                   | E      | \$19,731      | \$881,075,669    |
| 724  | Lupine, clover (Lupinus tidestromii)                                      | Е      | \$19,588      | \$881,095,257    |
| 725  | Evening-primrose, Eureka Valley (Oenothera avita ssp. eurekensis)         | Е      | \$19,469      | \$881,114,726    |
| 726  | Bladderpod, Dudley Bluffs (Lesquerella congesta)                          | Т      | \$19,151      | \$881,133,877    |
| 727  | Naupaka, dwarf (Scaevola coriacea)  | E      | \$19,118      | \$881,152,995    |
| 728  | Haha (Cyanea hamatiflora ssp. carlsonii)                                  | Е      | \$18,999      | \$881,171,994    |
| 729  | Cypress, Gowen (Cupressus goveniana ssp. goveniana)                       | Т      | \$18,970      | \$881,190,964    |
| 730  | Puma (=cougar), eastern (Puma (=Felis) concolor couguar)                  | Е      | \$18,969      | \$881,209,933    |
| 731  | Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )                      | Т      | \$18,928      | \$881,228,861    |
| 732  | Larkspur, Baker's (Delphinium bakeri)                                     | Е      | \$18,882      | \$881,247,743    |
| 733  | Moccasinshell, Alabama (Medionidus acutissimus)                           | Т      | \$18,877      | \$881,266,620    |
| 734  | Chaff-flower, round-leaved (Achyranthes splendens var. rotundata)         | Е      | \$18,815      | \$881,285,435    |
| 735  | Viola lanaiensis (=Sci name)  | Е      | \$18,731      | \$881,304,166    |
| 736  | Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )                      | Е      | \$18,604      | \$881,322,770    |
| 737  | Spurge, deltoid (Chamaesyce deltoidea ssp. deltoidea)                     | E      | \$18,600      | \$881,341,370    |
| 738  | Pu`uka`a (Cyperus trachysanthos)  | E      | \$18,343      | \$881,359,713    |
| 739  | Lizard, Coachella Valley fringe-toed (Uma inornata)                       | Т      | \$18,007      | \$881,377,720    |
| 740  | Pseudoscorpion, Tooth Cave (Tartarocreagris texana)                       | Е      | \$17,948      | \$881,395,668    |
| 741  | Lousewort, Furbish (Pedicularis furbishiae)                               | Е      | \$17,944      | \$881,413,612    |
| 742  | Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )                      | E      | \$17,942      | \$881,431,554    |
| 743  | A`e (Zanthoxylum dipetalum var. tomentosum)                               | E      | \$17,618      | \$881,449,172    |
| 744  | Milkpea, Small's (Galactia smallii)                                       | E      | \$17,600      | \$881,466,772    |
| 745  | Stirrupshell (Quadrula stapes)  | E      | \$17,577      | \$881,484,349    |
| 746  | Plum, scrub ( <i>Prunus geniculata</i> )                                  | E      | \$17,500      | \$881,501,849    |
| 746  | Lessingia, San Francisco (Lessingia germanorum (=L.g. var. germanorum))   | E      | \$17,500      | \$881,519,349    |
| 747  | Grass, Eureka Dune (Swallenia alexandrae)                                 | E      | \$17,378      | \$881,536,727    |
| 748  | Ihi`ihi (Marsilea villosa)  | E      | \$17,354      | \$881,554,081    |
| 749  | Dogweed, ashy (Thymophylla tephroleuca)                                   | E      | \$17,347      | \$881,571,428    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 750  | Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )                                       | E      | \$17,342      | \$881,588,770    |
| 751  | Fern, pendant kihi (Adenophorus periens)  | E      | \$17,298      | \$881,606,068    |
| 752  | Mint, Lakela's (Dicerandra immaculata)  | E      | \$17,000      | \$881,623,068    |
| 753  | Gouania vitifolia (=Sci name)   | E      | \$16,927      | \$881,639,995    |
| 754  | Ha`iwale (Cyrtandra giffardii)  | E      | \$16,859      | \$881,656,854    |
| 755  | Rush-pea, slender (Hoffmannseggia tenella)  | E      | \$16,766      | \$881,673,620    |
| 756  | Awiwi (Centaurium sebaeoides)   | E      | \$16,718      | \$881,690,338    |
| 757  | Shrew, Buena Vista Lake ornate (Sorex ornatus relictus)   | E      | \$16,636      | \$881,706,974    |
| 758  | Clarkia, Springville (Clarkia springvillensis)  | Т      | \$16,503      | \$881,723,477    |
| 759  | Snail, tulotoma (Tulotoma magnifica)  | E      | \$16,452      | \$881,739,929    |
| 760  | Fairy shrimp, Riverside (Streptocephalus woottoni)  | E      | \$16,404      | \$881,756,333    |
| 761  | Ipomopsis, Holy Ghost (Ipomopsis sancti-spiritus)   | E      | \$16,400      | \$881,772,733    |
| 762  | Broom, San Clemente Island (Lotus dendroideus ssp. traskiae)  | E      | \$16,335      | \$881,789,068    |
| 763  | Turtle, ringed map (Graptemys oculifera)  | Т      | \$16,260      | \$881,805,328    |
| 764  | Gumplant, Ash Meadows (Grindelia fraxino-pratensis)   | Т      | \$16,236      | \$881,821,564    |
| 765  | Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )  | E      | \$16,100      | \$881,837,664    |
| 766  | Wallflower, Contra Costa (Erysimum capitatum var. angustatum)                                       | E      | \$16,070      | \$881,853,734    |
| 766  | Evening-primrose, Antioch Dunes (Oenothera deltoides ssp. howellii)                                 | E      | \$16,070      | \$881,869,804    |
| 767  | Ha`iwale (Cyrtandra tintinnabula)   | E      | \$15,966      | \$881,885,770    |
| 768  | Grass, Solano (Tuctoria mucronata)  | E      | \$15,925      | \$881,901,695    |
| 769  | Grass, Tennessee yellow-eyed (Xyris tennesseensis)  | E      | \$15,886      | \$881,917,581    |
| 770  | Rockcress, Santa Cruz Island (Sibara filifolia)   | E      | \$15,834      | \$881,933,415    |
| 771  | Neraudia sericea (=Sci name)  | E      | \$15,831      | \$881,949,246    |
| 772  | Gahnia lanaiensis (=Sci name)   | E      | \$15,731      | \$881,964,977    |
| 772  | Alani ( <i>Melicope munroi</i> )  | E      | \$15,731      | \$881,980,708    |
| 772  | Kamakahala (Labordia tinifolia var. lanaiensis)   | E      | \$15,731      | \$881,996,439    |
| 773  | Isopod, Madison Cave (Antrolana lira)   | Т      | \$15,723      | \$882,012,162    |
| 774  | Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )  | E      | \$15,715      | \$882,027,877    |
| 775  | Ha`iwale (Cyrtandra munroi)   | E      | \$15,641      | \$882,043,518    |
| 776  | Haha (Cyanea hamatiflora ssp. hamatiflora)  | E      | \$15,622      | \$882,059,140    |
| 777  | Calyptranthes thomasiana (=Sci name)  | E      | \$15,615      | \$882,074,755    |
| 778  | Millerbird, Nihoa (old world warbler) (Acrocephalus familiaris kingi)                               | E      | \$15,606      | \$882,090,361    |
| 779  | Hau kuahiwi (Hibiscadelphus hualalaiensis)  | E      | \$15,518      | \$882,105,879    |
| 780  | Bluet, Roan Mountain (Hedyotis purpurea var. montana)   | E      | \$15,500      | \$882,121,379    |
| 781  | Darter, boulder ( <i>Etheostoma wapiti</i> )<br>Shoal Creek   | EXPN   | \$15,490      | \$882,136,869    |
| 782  | Hau kuahiwi (Hibiscadelphus giffardianus)   | E      | \$15,353      | \$882,152,222    |
| 782  | Alani ( <i>Melicope zahlbruckneri</i> )   | E      | \$15,353      | \$882,167,575    |
| 783  | `Ahinahina (Argyroxiphium sandwicense ssp. macrocephalum)   | Т      | \$15,182      | \$882,182,757    |
| 784  | Bedstraw, El Dorado (Galium californicum ssp. sierrae)  | E      | \$15,165      | \$882,197,922    |
| 785  | Bear, grizzly ( <i>Ursus arctos horribilis</i> ) experimental, non-essential, portions of ID and MT | EXPN   | \$15,100      | \$882,213,022    |
| 786  | Nohoanu (Geranium multiflorum)  | E      | \$15,082      | \$882,228,104    |
| 787  | Kohe malama malama o kanaloa (Kanaloa kahoolawensis)  | E      | \$15,079      | \$882,243,183    |
| 788  | Ambrosia, San Diego ( <i>Ambrosia pumila</i> )  | Е      | \$15,056      | \$882,258,239    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total        | Cumulative Total |
|------|--|--------|----------------------|------------------|
| 789  | Chub, Owens tui (Gila bicolor snyderi)   | Е      | \$15,016             | \$882,273,255    |
| 790  | Crownbeard, big-leaved (Verbesina dissita)   | Т      | \$15,000             | \$882,288,255    |
| 790  | Adiantum vivesii (=Sci name)   | Е      | \$15,000             | \$882,303,255    |
| 791  | Lead-plant, Crenulate (Amorpha crenulata)  | E      | \$14,931             | \$882,318,186    |
| 792  | Bush-mallow, Santa Cruz Island (Malacothamnus fasciculatus var. nesioticus)                                      | E      | \$14,907             | \$882,333,093    |
| 793  | Condor, California ( <i>Gymnogyps californianus</i> )<br>U.S.A. (specific portions of Arizona, Nevada, and Utah) | EXPN   | \$14,830             | \$882,347,923    |
| 794  | Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )   | E      | \$14,816             | \$882,362,739    |
| 795  | `Aiakeakua, popolo (Solanum sandwicense)   | E      | \$14,811             | \$882,377,550    |
| 796  | Goldenrod, Blue Ridge (Solidago spithamaea)  | Т      | \$14,600             | \$882,392,150    |
| 797  | Wawae`iole (Huperzia mannii)   | E      | \$14,403             | \$882,406,553    |
| 798  | `Akoko (Euphorbia haeleeleana)   | E      | \$14,394             | \$882,420,947    |
| 799  | Campion, fringed (Silene polypetala)   | E      | \$14,391             | \$882,435,338    |
| 800  | Cactus, black lace (Echinocereus reichenbachii var. albertii)  | E      | \$14,345             | \$882,449,683    |
| 801  | Milk-vetch, Jesup's (Astragalus robbinsii var. jesupi)   | Е      | \$14,333             | \$882,464,016    |
| 802  | Cactus, Key tree (Pilosocereus robinii)  | E      | \$14,100             | \$882,478,116    |
| 803  | Snakeroot ( <i>Eryngium cuneifolium</i> )  | E      | \$14,077             | \$882,492,193    |
| 804  | Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )  | E      | \$14,000             | \$882,506,193    |
| 805  | Joint-vetch, sensitive (Aeschynomene virginica)  | Т      | \$13,828             | \$882,520,021    |
| 806  | Clover, showy Indian ( <i>Trifolium amoenum</i> )  | Е      | \$13,742             | \$882,533,763    |
| 807  | Manzanita, pallid (Arctostaphylos pallida)   | Т      | \$13,711             | \$882,547,474    |
| 808  | Snail, Pecos assiminea (Assiminea pecos)   | Е      | \$13,650             | \$882,561,124    |
| 809  | Haha (Cyanea copelandii ssp. haleakalaensis)   | E      | \$13,606             | \$882,574,730    |
| 810  | Irisette, white (Sisyrinchium dichotomum)  | Е      | \$13,516             | \$882,588,246    |
| 811  | Harebells, Avon Park (Crotalaria avonensis)  | E      | \$13,500             | \$882,601,746    |
| 812  | Gooseberry, Miccosukee (Ribes echinellum)  | Т      | \$13,416             | \$882,615,162    |
| 813  | Whale, finback (Balaenoptera physalus)   | E      | \$13,229             | \$882,628,391    |
| 814  | Ceanothus, coyote (Ceanothus ferrisae)   | Е      | \$13,188             | \$882,641,579    |
| 815  | Pinkroot, gentian (Spigelia gentianoides)  | Е      | \$13,075             | \$882,654,654    |
| 816  | Snail, Chittenango ovate amber (Succinea chittenangoensis)   | Т      | \$13,000             | \$882,667,654    |
| 817  | Milk-vetch, Applegate's (Astragalus applegatei)  | E      | \$12,900             | \$882,680,554    |
| 818  | Whitlow-wort, papery ( <i>Paronychia chartacea</i> )   | Т      | \$12,591             | \$882,693,145    |
| 819  | Chub, spotfin ( <i>Erimonax monachus</i> ) Tellico River, TN   | EXPN   | \$12,500             | \$882,705,645    |
| 820  | Silverside, Waccamaw ( <i>Menidia extensa</i> )  | Т      | \$12,497             | \$882,718,142    |
| 821  | Sedge, white (Carex albida)  | E      | \$12,482             | \$882,730,624    |
| 822  | Blazingstar, scrub (Liatris ohlingerae)  | E      | \$12,416             | \$882,743,040    |
| 823  | Diplazium molokaiense (=Sci name)  | E      | \$12,376             | \$882,755,416    |
| 824  | Larkspur, San Clemente Island (Delphinium variegatum ssp. kinkiense)   | E      | \$12,235             | \$882,767,651    |
| 825  | Lichen, rock gnome (Gymnoderma lineare)  | E      | \$12,116             | \$882,779,767    |
| 826  | Cactus, San Rafael ( <i>Pediocactus despainii</i> )  | E      | \$12,006             | \$882,791,773    |
| 827  | Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )   | E      | \$12,000             | \$882,803,773    |
| 828  | Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )  | E      | \$11,970             | \$882,815,743    |
| 829  | Spider, Tooth Cave (Leptoneta myopica)   | E      | \$11,948             | \$882,827,691    |
| JZJ  | opider, 100th Cave (Leptoneta myopica)   |        | ψ11, <del>34</del> 0 | φου∠,ο∠1,091     |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 830  | Poppy-mallow, Texas (Callirhoe scabriuscula)  | E      | \$11,877      | \$882,839,568    |
| 831  | Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN   | \$11,670      | \$882,851,238    |
| 832  | Phyllostegia mannii (=Sci name)   | E      | \$11,472      | \$882,862,710    |
| 833  | Woodland-star, San Clemente Island (Lithophragma maximum)   | E      | \$11,354      | \$882,874,064    |
| 834  | Haha (Cyanea dunbarii)  | E      | \$11,246      | \$882,885,310    |
| 835  | Palo de rosa (Ottoschulzia rhodoxylon)  | E      | \$11,200      | \$882,896,510    |
| 836  | Finch, Nihoa (honeycreeper) (Telespyza ultima)  | E      | \$11,106      | \$882,907,616    |
| 837  | Beaked-rush, Knieskern's (Rhynchospora knieskernii)   | Т      | \$11,105      | \$882,918,721    |
| 838  | Wartyback, white (pearlymussel) (Plethobasus cicatricosus)  | E      | \$11,082      | \$882,929,803    |
| 839  | Fairy shrimp, San Diego (Branchinecta sandiegonensis)   | E      | \$11,009      | \$882,940,812    |
| 840  | Fatmucket, Arkansas (Lampsilis powelli)   | Т      | \$10,977      | \$882,951,789    |
| 841  | Grasshopper, Zayante band-winged (Trimerotropis infantilis)   | E      | \$10,965      | \$882,962,754    |
| 842  | Aupaka (Isodendrion laurifolium)  | Е      | \$10,925      | \$882,973,679    |
| 843  | Rock-cress, McDonald's (Arabis mcdonaldiana)  | E      | \$10,900      | \$882,984,579    |
| 844  | Indian paintbrush, San Clemente Island (Castilleja grisea)  | E      | \$10,780      | \$882,995,359    |
| 845  | Spurge, telephus (Euphorbia telephioides)   | Т      | \$10,700      | \$883,006,059    |
| 846  | Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) Entire Range; Except where listed as Experimental Populations                             | Е      | \$10,682      | \$883,016,741    |
| 847  | Gourd, Okeechobee (Cucurbita okeechobeensis ssp. okeechobeensis)  | E      | \$10,616      | \$883,027,357    |
| 848  | Finch, Laysan (honeycreeper) (Telespyza cantans)  | E      | \$10,606      | \$883,037,963    |
| 849  | Blossom, green (pearlymussel) (Epioblasma torulosa gubernaculum)  | E      | \$10,595      | \$883,048,558    |
| 850  | Nehe (Lipochaeta lobata var. leptophylla)   | E      | \$10,579      | \$883,059,137    |
| 851  | `Oha wai ( <i>Clermontia samuelii</i> )   | E      | \$10,531      | \$883,069,668    |
| 852  | Whale, Sei (Balaenoptera borealis)  | E      | \$10,518      | \$883,080,186    |
| 853  | `Akoko, Ewa Plains (Chamaesyce skottsbergii var. kalaeloana)  | E      | \$10,479      | \$883,090,665    |
| 854  | Tiger beetle, Ohlone (Cicindela ohlone)   | E      | \$10,420      | \$883,101,085    |
| 855  | Snail, Stock Island tree (Orthalicus reses (not incl. nesodryas))   | Т      | \$10,416      | \$883,111,501    |
| 856  | Nesogenes rotensis (=Sci name)  | E      | \$10,325      | \$883,121,826    |
| 856  | Osmoxylon mariannense (=Sci name)   | E      | \$10,325      | \$883,132,151    |
| 857  | Snail, painted snake coiled forest (Anguispira picta)   | Т      | \$10,316      | \$883,142,467    |
| 858  | Spider, Government Canyon Bat Cave (Neoleptoneta microps)   | E      | \$10,085      | \$883,152,552    |
| 858  | Meshweaver, Government Canyon Bat Cave (Cicurina vespera)   | E      | \$10,085      | \$883,162,637    |
| 859  | Tetramolopium remyi (=Sci name)   | E      | \$10,079      | \$883,172,716    |
| 860  | Pawpaw, four-petal (Asimina tetramera)  | E      | \$10,077      | \$883,182,793    |
| 861  | Chub, spotfin ( <i>Erimonax monachus</i> ) Shoal Creek  | EXPN   | \$10,000      | \$883,192,793    |
| 861  | Phacelia, clay ( <i>Phacelia argillacea</i> )   | E      | \$10,000      | \$883,202,793    |
| 862  | Kidneyshell, triangular ( <i>Ptychobranchus greenii</i> )   | E      | \$9,877       | \$883,212,670    |
| 863  | Milkweed, Welsh's (Asclepias welshii)   | Т      | \$9,850       | \$883,222,520    |
| 864  | `Anaunau (Lepidium arbuscula)   | E      | \$9,673       | \$883,232,193    |
| 865  | Bush-mallow, San Clemente Island (Malacothamnus clementinus)  | E      | \$9,655       | \$883,241,848    |
| 866  | Milk-vetch, Mancos (Astragalus humillimus)  | E      | \$9,619       | \$883,251,467    |
| 867  | Lobelia niihauensis (=Sci name)   | E      | \$9,573       | \$883,261,040    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 868  | Lo`ulu (Pritchardia affinis)  | E      | \$9,543       | \$883,270,583    |
| 869  | Darter, Maryland (Etheostoma sellare)   | E      | \$9,408       | \$883,279,991    |
| 869  | Amphipod, Hay's Spring (Stygobromus hayi)   | E      | \$9,408       | \$883,289,399    |
| 870  | Birch, Virginia round-leaf (Betula uber)  | Т      | \$9,339       | \$883,298,738    |
| 871  | Phyllostegia warshaueri (=Sci name)   | E      | \$9,259       | \$883,307,997    |
| 872  | Lo`ulu (Pritchardia munroi)   | E      | \$9,246       | \$883,317,243    |
| 873  | Geranium, Hawaiian red-flowered (Geranium arboreum)   | E      | \$9,189       | \$883,326,432    |
| 874  | Checker-mallow, Kenwood Marsh (Sidalcea oregana ssp. valida)  | E      | \$9,117       | \$883,335,549    |
| 875  | Pitcher-plant, mountain sweet (Sarracenia rubra ssp. jonesii)   | E      | \$9,116       | \$883,344,665    |
| 876  | `Anunu (Sicyos alba)  | E      | \$9,094       | \$883,353,759    |
| 877  | Springsnail, Roswell (Pyrgulopsis roswellensis)   | E      | \$9,000       | \$883,362,759    |
| 877  | Springsnail, Koster's ( <i>Juturnia kosteri</i> )   | E      | \$9,000       | \$883,371,759    |
| 877  | Amphipod, Noel's (Gammarus desperatus)  | E      | \$9,000       | \$883,380,759    |
| 878  | Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) Entire Range; Except where listed as Experimental Populations | E      | \$8,982       | \$883,389,741    |
| 879  | Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )   | Т      | \$8,962       | \$883,398,703    |
| 880  | Meshweaver, Robber Baron Cave (Cicurina baronia)  | E      | \$8,948       | \$883,407,651    |
| 881  | Delissea rhytidosperma (=Sci name)  | E      | \$8,902       | \$883,416,553    |
| 882  | Haha (Cyanea platyphylla)   | E      | \$8,866       | \$883,425,419    |
| 883  | Lobelia monostachya (=Sci name)   | E      | \$8,793       | \$883,434,212    |
| 884  | Butterfly, bay checkerspot (Euphydryas editha bayensis)   | Т      | \$8,791       | \$883,443,003    |
| 885  | Harvestman, Cokendolpher Cave (Texella cokendolpheri)   | E      | \$8,788       | \$883,451,791    |
| 886  | Cactus, Lloyd's Mariposa (Echinomastus mariposensis)  | Т      | \$8,752       | \$883,460,543    |
| 887  | Haha (Cyanea stictophylla)  | E      | \$8,746       | \$883,469,289    |
| 888  | Cactus, Lee pincushion (Coryphantha sneedii var. leei)  | Т      | \$8,720       | \$883,478,009    |
| 889  | Goldenrod, Houghton's (Solidago houghtonii)   | Т      | \$8,700       | \$883,486,709    |
| 890  | Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )  | E      | \$8,643       | \$883,495,352    |
| 891  | Vole, Amargosa (Microtus californicus scirpensis)   | E      | \$8,609       | \$883,503,961    |
| 892  | Warea, wide-leaf (Warea amplexifolia)   | E      | \$8,600       | \$883,512,561    |
| 893  | Cat's-eye, Terlingua Creek (Cryptantha crassipes)   | E      | \$8,492       | \$883,521,053    |
| 894  | Beetle, Helotes mold (Batrisodes venyivi)   | E      | \$8,491       | \$883,529,544    |
| 895  | Haha (Cyanea mceldowneyi)   | Е      | \$8,472       | \$883,538,016    |
| 896  | Ko`oko`olau (Bidens micrantha ssp. kalealaha)   | E      | \$8,436       | \$883,546,452    |
| 897  | Meshweaver, Braken Bat Cave (Cicurina venii)  | Е      | \$8,411       | \$883,554,863    |
| 898  | Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> )   | Т      | \$8,333       | \$883,563,196    |
| 899  | Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) Tellico River, TN  | EXPN   | \$8,331       | \$883,571,527    |
| 899  | Darter, duskytail ( <i>Etheostoma percnurum</i> )<br>Tellico River, TN  | EXPN   | \$8,331       | \$883,579,858    |
| 900  | Gilia, Hoffmann's slender-flowered (Gilia tenuiflora ssp. hoffmannii)   | E      | \$8,325       | \$883,588,183    |
| 901  | Ivesia, Ash Meadows (Ivesia kingii var. eremica)  | Т      | \$8,309       | \$883,596,492    |
| 902  | Koki`o, Cooke's ( <i>Kokia cookei</i> )   | E      | \$8,246       | \$883,604,738    |
| 903  | Pocketbook, finelined (Lampsilis altilis)   | Т      | \$8,189       | \$883,612,927    |
| 904  | Whale, blue (Balaenoptera musculus)   | E      | \$8,179       | \$883,621,106    |
| 905  | Arrowhead, bunched (Sagittaria fasciculata)   | E      | \$8,177       | \$883,629,283    |

| Rank | Species (50 CFR Part 17)                                      | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 906  | Akialoa, Kauai (honeycreeper) (Hemignathus procerus)          | E      | \$8,111       | \$883,637,394    |
| 906  | `O`o, Kauai (honeyeater) (Moho braccatus)                     | E      | \$8,111       | \$883,645,505    |
| 906  | 'O'u (honeycreeper) (Psittirostra psittacea)                  | E      | \$8,111       | \$883,653,616    |
| 906  | Thrush, large Kauai (=kamao) (Myadestes myadestinus)          | E      | \$8,111       | \$883,661,727    |
| 906  | Thrush, Molokai (Myadestes lanaiensis rutha)                  | E      | \$8,111       | \$883,669,838    |
| 906  | Creeper, Molokai ( <i>Paroreomyza flammea</i> )               | E      | \$8,111       | \$883,677,949    |
| 907  | Lo`ulu (Pritchardia schattaueri)                              | E      | \$8,094       | \$883,686,043    |
| 908  | Pilo (Hedyotis mannii)  | E      | \$8,079       | \$883,694,122    |
| 909  | Rosemary, Etonia (Conradina etonia)                           | E      | \$8,000       | \$883,702,122    |
| 910  | Ceanothus, Vail Lake (Ceanothus ophiochilus)                  | Т      | \$7,997       | \$883,710,119    |
| 911  | Torreya, Florida ( <i>Torreya taxifolia</i> )                 | E      | \$7,875       | \$883,717,994    |
| 912  | Alani (Melicope ovalis)                                       | E      | \$7,836       | \$883,725,830    |
| 913  | Hibiscus, Clay's ( <i>Hibiscus clayi</i> )                    | E      | \$7,825       | \$883,733,655    |
| 913  | Schiedea kauaiensis (=Sci name)                               | E      | \$7,825       | \$883,741,480    |
| 914  | Phyllostegia velutina (=Sci name)                             | E      | \$7,763       | \$883,749,243    |
| 915  | Mariscus pennatiformis (=Sci name)                            | E      | \$7,753       | \$883,756,996    |
| 916  | Butterfly, San Bruno elfin (Callophrys mossii bayensis)       | E      | \$7,737       | \$883,764,733    |
| 916  | Tarplant, Otay (Deinandra (=Hemizonia) conjugens)             | Т      | \$7,737       | \$883,772,470    |
| 916  | Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )         | E      | \$7,737       | \$883,780,207    |
| 916  | Pentachaeta, white-rayed (Pentachaeta bellidiflora)           | E      | \$7,737       | \$883,787,944    |
| 917  | Sedge, Navajo (Carex specuicola)                              | Т      | \$7,660       | \$883,795,604    |
| 918  | Abutilon eremitopetalum (=Sci name)                           | E      | \$7,579       | \$883,803,183    |
| 918  | Alani (Melicope mucronulata)                                  | E      | \$7,579       | \$883,810,762    |
| 918  | Silene alexandri (=Sci name)                                  | E      | \$7,579       | \$883,818,341    |
| 918  | Haha (Cyanea procera)   | E      | \$7,579       | \$883,825,920    |
| 919  | Snake, Atlantic salt marsh (Nerodia clarkii taeniata)         | Т      | \$7,577       | \$883,833,497    |
| 920  | Rush-rose, island (Helianthemum greenei)                      | Т      | \$7,543       | \$883,841,040    |
| 921  | Madtom, smoky ( <i>Noturus baileyi</i> )<br>Tellico River, TN | EXPN   | \$7,500       | \$883,848,540    |
| 922  | Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )     | E      | \$7,440       | \$883,855,980    |
| 923  | Sand-verbena, large-fruited (Abronia macrocarpa)              | E      | \$7,427       | \$883,863,407    |
| 923  | Sedge, golden ( <i>Carex lutea</i> )                          | E      | \$7,427       | \$883,870,834    |
| 924  | Kauai hau kuahiwi (Hibiscadelphus distans)                    | E      | \$7,403       | \$883,878,237    |
| 924  | Ischaemum, Hilo (Ischaemum byrone)                            | E      | \$7,403       | \$883,885,640    |
| 925  | Alsinidendron viscosum (=Sci name)                            | E      | \$7,402       | \$883,893,042    |
| 926  | Beetle, Coffin Cave mold (Batrisodes texanus)                 | E      | \$7,342       | \$883,900,384    |
| 927  | Bedstraw, island (Galium buxifolium)                          | E      | \$7,333       | \$883,907,717    |
| 928  | Delissea undulata (=Sci name)                                 | E      | \$7,283       | \$883,915,000    |
| 929  | Gambusia, San Marcos (Gambusia georgei)                       | E      | \$7,234       | \$883,922,234    |
| 930  | Springfish, White River (Crenichthys baileyi baileyi)         | E      | \$7,179       | \$883,929,413    |
| 931  | Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )             | E      | \$7,177       | \$883,936,590    |
| 932  | Kamakahala ( <i>Labordia triflora</i> )                       | E      | \$7,079       | \$883,943,669    |
| 932  | Alani (Melicope adscendens)                                   | E      | \$7,079       | \$883,950,748    |
| 933  | Amphianthus, little (Amphianthus pusillus)                    | Т      | \$7,077       | \$883,957,825    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 934  | Woundfin ( <i>Plagopterus argentissimus</i> ) Gila R. drainage, AZ, NM                | EXPN   | \$7,006       | \$883,964,831    |
| 935  | Reed-mustard, clay (Schoenocrambe argillacea)   | Т      | \$7,000       | \$883,971,831    |
| 935  | Diellia falcata (=Sci name)   | E      | \$7,000       | \$883,978,831    |
| 936  | Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )                               | Т      | \$6,920       | \$883,985,751    |
| 937  | Ha`iwale (Cyrtandra polyantha)  | E      | \$6,893       | \$883,992,644    |
| 938  | Barberry, island (Berberis pinnata ssp. insularis)                                    | E      | \$6,833       | \$883,999,477    |
| 938  | Phacelia, island (Phacelia insularis ssp. insularis)                                  | E      | \$6,833       | \$884,006,310    |
| 938  | Fringepod, Santa Cruz Island (Thysanocarpus conchuliferus)                            | E      | \$6,833       | \$884,013,143    |
| 939  | Rattleweed, hairy (Baptisia arachnifera)  | E      | \$6,775       | \$884,019,918    |
| 940  | Cactus, Bakersfield (Opuntia treleasei)   | E      | \$6,763       | \$884,026,681    |
| 941  | Pitaya, Davis' green (Echinocereus viridiflorus var. davisii)                         | E      | \$6,750       | \$884,033,431    |
| 941  | Pondweed, Little Aguja (=Creek) (Potamogeton clystocarpus)                            | E      | \$6,750       | \$884,040,181    |
| 941  | Oak, Hinckley (Quercus hinckleyi)   | Т      | \$6,750       | \$884,046,931    |
| 942  | Lizard, St. Croix ground (Ameiva polops)  | E      | \$6,700       | \$884,053,631    |
| 943  | Alani (Melicope balloui)  | E      | \$6,695       | \$884,060,326    |
| 944  | Cactus, Chisos Mountain hedgehog (Echinocereus chisoensis var. chisoensis)            | Т      | \$6,650       | \$884,066,976    |
| 945  | Madtom, pygmy (Noturus stanauli)  | E      | \$6,631       | \$884,073,607    |
| 946  | Creeper, Oahu (Paroreomyza maculata)  | E      | \$6,611       | \$884,080,218    |
| 947  | Navarretia, many-flowered (Navarretia leucocephala ssp. plieantha)                    | E      | \$6,556       | \$884,086,774    |
| 948  | Buckwheat, Ione (incl. Irish Hill) (Eriogonum apricum (incl. var. prostratum))        | E      | \$6,500       | \$884,093,274    |
| 948  | Lily, Minnesota dwarf trout (Erythronium propullans)                                  | E      | \$6,500       | \$884,099,774    |
| 949  | Thistle, La Graciosa (Cirsium Ioncholepis)  | E      | \$6,469       | \$884,106,243    |
| 950  | Sneezeweed, Virginia (Helenium virginicum)  | Т      | \$6,362       | \$884,112,605    |
| 951  | Gouania meyenii (=Sci name)   | E      | \$6,325       | \$884,118,930    |
| 951  | Lo`ulu (Pritchardia viscosa)  | E      | \$6,325       | \$884,125,255    |
| 952  | Vervain, Red Hills (Verbena californica)  | Т      | \$6,295       | \$884,131,550    |
| 953  | Daisy, lakeside (Hymenoxys herbacea)  | Т      | \$6,273       | \$884,137,823    |
| 954  | Awiwi (Hedyotis cookiana)   | E      | \$6,253       | \$884,144,076    |
| 955  | Groundsel, San Francisco Peaks (Senecio franciscanus)                                 | Т      | \$6,250       | \$884,150,326    |
| 956  | Platanthera holochila (=Sci name)   | E      | \$6,202       | \$884,156,528    |
| 957  | Tern, roseate ( <i>Sterna dougallii dougallii</i> ) Western Hemisphere except NE U.S. | т      | \$6,200       | \$884,162,728    |
| 958  | Pigtoe, dark (Pleurobema furvum)  | E      | \$6,177       | \$884,168,905    |
| 959  | Yellowhead, desert (Yermo xanthocephalus)   | Т      | \$6,160       | \$884,175,065    |
| 960  | Meadowrue, Cooley's (Thalictrum cooleyi)  | E      | \$6,139       | \$884,181,204    |
| 961  | Cactus, Brady pincushion (Pediocactus bradyi)   | E      | \$6,100       | \$884,187,304    |
| 962  | Crayfish, cave (Cambarus zophonastes)   | E      | \$6,077       | \$884,193,381    |
| 963  | Manzanita, Morro (Arctostaphylos morroensis)  | Т      | \$6,076       | \$884,199,457    |
| 964  | Snail, Virginia fringed mountain (Polygyriscus virginianus)                           | E      | \$6,020       | \$884,205,477    |
| 965  | Hawk, Puerto Rican broad-winged (Buteo platypterus brunnescens)                       | Е      | \$6,000       | \$884,211,477    |
| 965  | Hawk, Puerto Rican sharp-shinned (Accipiter striatus venator)                         | Е      | \$6,000       | \$884,217,477    |
| 965  | Jacquemontia, beach (Jacquemontia reclinata)  | E      | \$6,000       | \$884,223,477    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 965  | Cobana negra (Stahlia monosperma)  | Т      | \$6,000       | \$884,229,477    |
| 966  | Penny-cress, Kneeland Prairie (Thlaspi californicum)   | E      | \$5,700       | \$884,235,177    |
| 967  | Remya, Maui ( <i>Remya mauiensis</i> )   | E      | \$5,579       | \$884,240,756    |
| 967  | `Oha wai (Clermontia oblongifolia ssp. brevipes)   | E      | \$5,579       | \$884,246,335    |
| 968  | Harvestman, Bee Creek Cave (Texella reddelli)  | E      | \$5,491       | \$884,251,826    |
| 969  | Darter, bluemask (=jewel) (Etheostoma sp.)   | E      | \$5,331       | \$884,257,157    |
| 970  | `Oha wai (Clermontia drepanomorpha)  | E      | \$5,311       | \$884,262,468    |
| 971  | Pussypaws, Mariposa (Calyptridium pulchellum)  | Т      | \$5,295       | \$884,267,763    |
| 972  | Vole, Florida salt marsh (Microtus pennsylvanicus dukecampbelli)   | E      | \$5,254       | \$884,273,017    |
| 973  | Panicgrass, Carter's (Panicum fauriei var. carteri)  | E      | \$5,243       | \$884,278,260    |
| 974  | Kuahiwi laukahi (Plantago hawaiensis)  | E      | \$5,201       | \$884,283,461    |
| 975  | Achyranthes mutica (=Sci name)   | E      | \$5,194       | \$884,288,655    |
| 976  | Butterfly, callippe silverspot (Speyeria callippe callippe)  | E      | \$5,191       | \$884,293,846    |
| 976  | Jewelflower, Metcalf Canyon (Streptanthus albidus ssp. albidus)  | E      | \$5,191       | \$884,299,037    |
| 976  | Dudleya, Santa Clara Valley (Dudleya setchellii)   | E      | \$5,191       | \$884,304,228    |
| 977  | Stonecrop, Lake County (Parvisedum leiocarpum)   | E      | \$5,156       | \$884,309,384    |
| 978  | Shiner, Cahaba (Notropis cahabae)  | E      | \$5,154       | \$884,314,538    |
| 979  | Vole, Hualapai Mexican (Microtus mexicanus hualpaiensis)   | E      | \$5,150       | \$884,319,688    |
| 980  | Heau (Exocarpos luteolus)  | E      | \$5,125       | \$884,324,813    |
| 981  | Tetramolopium lepidotum ssp. lepidotum (=Sci name)   | E      | \$5,087       | \$884,329,900    |
| 982  | Liliwai (Acaena exigua)  | E      | \$5,079       | \$884,334,979    |
| 982  | Alani ( <i>Melicope knudsenii</i> )  | E      | \$5,079       | \$884,340,058    |
| 982  | Lysimachia maxima (=Sci name)  | E      | \$5,079       | \$884,345,137    |
| 983  | Marstonia, royal (snail) (Pyrgulopsis ogmorhaphe)  | E      | \$5,077       | \$884,350,214    |
| 984  | Navarretia, few-flowered (Navarretia leucocephala ssp. pauciflora (=N. pauciflora))  | E      | \$5,056       | \$884,355,270    |
| 985  | Rail, Guam ( <i>Rallus owstoni</i> )<br>Rota   | EXPN   | \$5,049       | \$884,360,319    |
| 986  | Aster, Florida golden (Chrysopsis floridana)   | E      | \$5,016       | \$884,365,335    |
| 987  | Schiedea haleakalensis (=Sci name)   | E      | \$5,007       | \$884,370,342    |
| 988  | Paintbrush, ash-grey (Castilleja cinerea)  | Т      | \$5,000       | \$884,375,342    |
| 988  | Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi var.</i> austromontanum)   | Т      | \$5,000       | \$884,380,342    |
| 989  | Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) Entire Range; Except where listed as Experimental Populations             | E      | \$4,982       | \$884,385,324    |
| 990  | Cliff-rose, Arizona (Purshia (=Cowania) subintegra)  | E      | \$4,900       | \$884,390,224    |
| 991  | Pigtoe, southern (Pleurobema georgianum)   | E      | \$4,877       | \$884,395,101    |
| 992  | Curlew, Eskimo (Numenius borealis)   | E      | \$4,850       | \$884,399,951    |
| 993  | Ma`oli`oli (Schiedea kealiae)  | E      | \$4,829       | \$884,404,780    |
| 994  | Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) Entire Range; Except where listed as Experimental Populations | E      | \$4,782       | \$884,409,562    |
| 995  | Moccasinshell, Coosa (Medionidus parvulus)   | E      | \$4,677       | \$884,414,239    |
| 996  | Gambusia, Clear Creek (Gambusia heterochir)  | E      | \$4,650       | \$884,418,889    |
| 997  | Lily, Pitkin Marsh ( <i>Lilium pardalinum ssp. pitkinense</i> )  | E      | \$4,632       | \$884,423,521    |
| 998  | Monkey-flower, Michigan (Mimulus glabratus var. michiganensis)   | E      | \$4,612       | \$884,428,133    |
| 999  | Olulu (Brighamia insignis)   | E      | \$4,579       | \$884,432,712    |

| Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|------|--|--------|---------------|------------------|
| 1000 | Rosemary, short-leaved (Conradina brevifolia)  | Е      | \$4,500       | \$884,437,212    |
| 1000 | Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )  | Е      | \$4,500       | \$884,441,712    |
| 1000 | Fringe-tree, pygmy (Chionanthus pygmaeus)  | Е      | \$4,500       | \$884,446,212    |
| 1000 | Quillwort, black spored (Isoetes melanospora)  | Е      | \$4,500       | \$884,450,712    |
| 1000 | Quillwort, mat-forming (Isoetes tegetiformans)   | Е      | \$4,500       | \$884,455,212    |
| 1000 | Diellia pallida (=Sci name)  | Е      | \$4,500       | \$884,459,712    |
| 1001 | Wahane ( <i>Pritchardia aylmer-robinsonii</i> )  | Е      | \$4,425       | \$884,464,137    |
| 1001 | Schiedea membranacea (=Sci name)   | Е      | \$4,425       | \$884,468,562    |
| 1001 | Chamaesyce halemanui (=Sci name)   | Е      | \$4,425       | \$884,472,987    |
| 1001 | Kaulu (Pteralyxia kauaiensis)  | Е      | \$4,425       | \$884,477,412    |
| 1001 | Remya montgomeryi (=Sci name)  | Е      | \$4,425       | \$884,481,837    |
| 1002 | Capa rosa (Callicarpa ampla)   | Е      | \$4,416       | \$884,486,253    |
| 1003 | Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )   | Е      | \$4,345       | \$884,490,598    |
| 1004 | Aupaka (Isodendrion longifolium)   | Т      | \$4,325       | \$884,494,923    |
| 1004 | Kolea (Myrsine linearifolia)   | Т      | \$4,325       | \$884,499,248    |
| 1004 | Na`ena`e ( <i>Dubautia latifolia</i> )   | Е      | \$4,325       | \$884,503,573    |
| 1004 | Koki`o ke`oke`o (Hibiscus waimeae ssp. hannerae)   | Е      | \$4,325       | \$884,507,898    |
| 1004 | Koki`o (Kokia kauaiensis)  | Е      | \$4,325       | \$884,512,223    |
| 1004 | Nehe (Lipochaeta fauriei)  | E      | \$4,325       | \$884,516,548    |
| 1004 | Alani ( <i>Melicope pallida</i> )  | Е      | \$4,325       | \$884,520,873    |
| 1004 | Munroidendron racemosum (=Sci name)  | Е      | \$4,325       | \$884,525,198    |
| 1004 | Remya kauaiensis (=Sci name)   | E      | \$4,325       | \$884,529,523    |
| 1004 | Iliau, dwarf (Wilkesia hobdyi)   | Е      | \$4,325       | \$884,533,848    |
| 1004 | Nehe (Lipochaeta micrantha)  | Е      | \$4,325       | \$884,538,173    |
| 1004 | Nehe (Lipochaeta waimeaensis)  | Е      | \$4,325       | \$884,542,498    |
| 1004 | Kuawawaenohu (Alsinidendron lychnoides)  | Е      | \$4,325       | \$884,546,823    |
| 1005 | Button-celery, San Diego (Eryngium aristulatum var. parishii)  | E      | \$4,275       | \$884,551,098    |
| 1005 | Navarretia, spreading (Navarretia fossalis)  | Т      | \$4,275       | \$884,555,373    |
| 1006 | Alani (Melicope reflexa)   | Е      | \$4,246       | \$884,559,619    |
| 1007 | Kangaroo rat, Morro Bay (Dipodomys heermanni morroensis)   | E      | \$4,227       | \$884,563,846    |
| 1008 | Rock-cress, Hoffmann's (Arabis hoffmannii)   | E      | \$4,182       | \$884,568,028    |
| 1009 | Lau `ehu ( <i>Panicum niihauense</i> )   | E      | \$4,179       | \$884,572,207    |
| 1010 | Turtle, flattened musk (Sternotherus depressus) species range clarified  | Т      | \$4,154       | \$884,576,361    |
| 1011 | Haha (Cyanea undulata)   | Е      | \$4,079       | \$884,580,440    |
| 1011 | Phyllostegia waimeae (=Sci name)   | Е      | \$4,079       | \$884,584,519    |
| 1012 | Onion, Munz's ( <i>Allium munzii</i> )   | Е      | \$3,925       | \$884,588,444    |
| 1012 | Crownscale, San Jacinto Valley (Atriplex coronata var. notatior)   | Е      | \$3,925       | \$884,592,369    |
| 1013 | Blue-star, Kearney's (Amsonia kearneyana)  | Е      | \$3,800       | \$884,596,169    |
| 1014 | Acornshell, southern (Epioblasma othcaloogensis)   | E      | \$3,777       | \$884,599,946    |
| 1014 | Combshell, upland ( <i>Epioblasma metastriata</i> )  | Е      | \$3,777       | \$884,603,723    |
| 1015 | Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )  | Е      | \$3,726       | \$884,607,449    |
| 1016 | Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN   | \$3,700       | \$884,611,149    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 1016 | Chumbo, Higo (Harrisia portoricensis)   | Т      | \$3,700       | \$884,614,849    |
| 1017 | Fern, American hart's-tongue (Asplenium scolopendrium var. americanum)  | Т      | \$3,680       | \$884,618,529    |
| 1018 | Xylosma crenatum (=Sci name)  | E      | \$3,656       | \$884,622,185    |
| 1019 | Spineflower, Sonoma (Chorizanthe valida)  | Е      | \$3,650       | \$884,625,835    |
| 1020 | Alopecurus, Sonoma (Alopecurus aequalis var. sonomensis)  | Е      | \$3,594       | \$884,629,429    |
| 1021 | Stenogyne bifida (=Sci name)  | E      | \$3,579       | \$884,633,008    |
| 1022 | Blazingstar, Heller's ( <i>Liatris helleri</i> )  | Т      | \$3,576       | \$884,636,584    |
| 1023 | Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )  | E      | \$3,504       | \$884,640,088    |
| 1024 | Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL | EXPN   | \$3,500       | \$884,643,588    |
| 1024 | `Awikiwiki (Canavalia molokaiensis)   | E      | \$3,500       | \$884,647,088    |
| 1024 | Uvillo (Eugenia haematocarpa)   | Е      | \$3,500       | \$884,650,588    |
| 1025 | Dudleyea, Santa Monica Mountains ( <i>Dudleya cymosa ssp. ovatifolia</i> )  | Т      | \$3,436       | \$884,654,024    |
| 1026 | Trillium, persistent (Trillium persistens)  | Е      | \$3,416       | \$884,657,440    |
| 1027 | Rock-cress, shale barren ( <i>Arabis serotina</i> )   | Е      | \$3,324       | \$884,660,764    |
| 1028 | Clubshell ( <i>Pleurobema clava</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL                 | EXPN   | \$3,300       | \$884,664,064    |
| 1029 | Dudleya, marcescent (Dudleya cymosa ssp. marcescens)  | Т      | \$3,236       | \$884,667,300    |
| 1030 | Aristida chaseae (=Sci name)  | E      | \$3,200       | \$884,670,500    |
| 1030 | Milk-vetch, triple-ribbed (Astragalus tricarinatus)   | E      | \$3,200       | \$884,673,700    |
| 1030 | Eugenia woodburyana (=Sci name)   | E      | \$3,200       | \$884,676,900    |
| 1031 | Mustard, Carter's (Warea carteri)   | Е      | \$3,180       | \$884,680,080    |
| 1032 | Shrimp, Squirrel Chimney Cave (Palaemonetes cummingi)   | Т      | \$3,177       | \$884,683,257    |
| 1033 | Lysimachia lydgatei (=Sci name)   | E      | \$3,079       | \$884,686,336    |
| 1034 | Schiedea, Diamond Head (Schiedea adamantis)   | Е      | \$3,054       | \$884,689,390    |
| 1035 | Mint, scrub (Dicerandra frutescens)   | Е      | \$3,000       | \$884,692,390    |
| 1035 | Mint, Garrett's ( <i>Dicerandra christmanii</i> )   | Е      | \$3,000       | \$884,695,390    |
| 1036 | Silene perlmanii (=Sci name)  | Е      | \$2,987       | \$884,698,377    |
| 1037 | Cory cactus, bunched (Coryphantha ramillosa)  | Т      | \$2,950       | \$884,701,327    |
| 1038 | Cypress, Santa Cruz (Cupressus abramsiana)  | E      | \$2,788       | \$884,704,115    |
| 1039 | Butterfly, lotis blue (Lycaeides argyrognomon lotis)  | Е      | \$2,750       | \$884,706,865    |
| 1040 | Haha (Cyanea pinnatifida)   | E      | \$2,712       | \$884,709,577    |
| 1041 | `Akoko (Chamaesyce deppeana)  | Е      | \$2,612       | \$884,712,189    |
| 1042 | Phyllostegia knudsenii (=Sci name)  | Е      | \$2,579       | \$884,714,768    |
| 1042 | Hedyotis, Na Pali beach (Hedyotis stjohnii)   | E      | \$2,579       | \$884,717,347    |
| 1042 | `Aiea (Nothocestrum peltatum)   | Е      | \$2,579       | \$884,719,926    |
| 1042 | Viola helenae (=Sci name)   | E      | \$2,579       | \$884,722,505    |
| 1042 | Nani wai`ale`ale ( <i>Viola kauaiensis var. wahiawaensis</i> )  | Е      | \$2,579       | \$884,725,084    |
| 1042 | Kamakahala ( <i>Labordia lydgatei</i> )   | Е      | \$2,579       | \$884,727,663    |
| 1042 | Haha (Cyanea asarifolia)  | E      | \$2,579       | \$884,730,242    |
| 1042 | Na`ena`e (Dubautia pauciflorula)  | E      | \$2,579       | \$884,732,821    |
| 1042 | Phyllostegia wawrana (=Sci name)  | E      | \$2,579       | \$884,735,400    |
| 1042 | Stenogyne campanulata (=Sci name)   | E      | \$2,579       | \$884,737,979    |
|      | ctoriogynio bampanana (-bor namo)   |        | Ψ2,573        | Ψυυπ, τυτ , στ ο |

| 1042   Kamakahala (Labordia tinifolia var. wahiawaensis)   | Rank | Species (50 CFR Part 17)   | Status | Species Total | Cumulative Total |
|--|------|--|--------|---------------|------------------|
| 1043   Salamander, desert stender (Batrachoseps aridus)  | 1042 | Kamakahala (Labordia tinifolia var. wahiawaensis)                              | Е      | \$2,579       | \$884,740,558    |
| 1044   Cactus, Netlle cory (Coryphantha minima)  | 1043 | White-eye, bridled (Zosterops conspicillatus conspicillatus)                   | Е      | \$2,500       | \$884,743,058    |
| 1045   Phacelia, North Park (Phacelia formosula)   E   \$2,444   \$884,750,452   \$884,750,452   \$884,755,834   \$884,755,834   \$884,755,834   \$884,755,834   \$884,755,834   \$884,755,834   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,840   \$884,755,840   \$884,755,840   \$884,755,840   \$884,756,840   \$884,756,840   \$884,761,212     | 1043 | Salamander, desert slender (Batrachoseps aridus)                               | Е      | \$2,500       | \$884,745,558    |
| 1046   Campeloma, slender (Campeloma decampi)  | 1044 | Cactus, Nellie cory (Coryphantha minima)                                       | Е      | \$2,450       | \$884,748,008    |
| 1047   Alani (Melicope haupuensis)   E   \$2,375   \$884,755,213   \$884,755,213   \$884,755,213   \$884,755,528   \$884,755,528   \$884,755,528   \$884,755,528   \$884,755,528   \$884,755,528   \$884,755,528   \$884,755,528   \$884,755,328   \$884,755,328   \$884,755,328   \$884,755,328   \$884,755,328   \$884,755,328   \$884,755,328   \$884,755,328   \$884,756,329   \$884,756,329   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,766,309   \$884,767,466,300   \$884,776,766   \$884,776,766   \$884,776,766   \$884,776,766   \$884,776,766   \$884,776,766   \$884,776,766   \$884,776,766   \$884,776,766   \$884,777,766   \$884,776,776   \$884,776,776   \$884,776,776   \$884,776,776   \$884,776,776   \$884,776,776   \$884,776,7 | 1045 | Phacelia, North Park ( <i>Phacelia formosula</i> )                             | Е      | \$2,444       | \$884,750,452    |
| 1048   Mallow, Peter's Mountain (Iliamna corei)  | 1046 | Campeloma, slender (Campeloma decampi)   | Е      | \$2,382       | \$884,752,834    |
| 1049   Clubshell, black (Pleurobema curtum)  | 1047 | Alani (Melicope haupuensis)  | Е      | \$2,379       | \$884,755,213    |
| 1049   Combshell, southern (Epioblasma penita)   E   \$2,282   \$884,762,122     1050   Bittercress, small-anthered (Cardamine micranthera)   E   \$2,256   \$884,762,6378     1051   Rocksnail, painted (Leptoxis taeniata)   T   \$2,252   \$884,766,740     1052   Snail, noonday (Mesodon clarki nantahala)   T   \$2,116   \$884,766,740     1053   Bariaco (Trichilia triacantha)   E   \$2,116   \$884,766,740     1054   Spineflower, slender-horned (Dodecahema leptoceras)   E   \$2,101   \$884,772,965     1055   Lupine, scrub (Lupinus aridorum)   E   \$2,100   \$884,772,965     1056   Tetramolopium rockii (=Sci name)   T   \$2,077   \$884,773,662     1057   Sculpin, pygmy (Cottus paulus (=pygmaeus))   T   \$2,077   \$884,773,120     1057   Pigtoe, flat (Pleurobeam marshall)   E   \$2,077   \$884,783,399     1057   Pigtoe, flat (Pleurobeam marshall)   E   \$2,077   \$884,783,399     1057   Pigtoe, flat (Pleurobeam marshall)   E   \$2,077   \$884,785,476     1057   Elimia, lacy (snail) (Elimia crenatelia)   T   \$2,077   \$884,785,476     1057   Pibblesnail, flat (Lepyrium showalter)   E   \$2,077   \$884,785,630     1057   Rocksnail, plicate (Leptoxis pilicata)   E   \$2,077   \$884,791,707     1057   Rocksnail, round (Leptoxis ampla)   T   \$2,077   \$884,793,801     1058   Cactus, Winkler (Pediocactus winkler)   T   \$2,077   \$884,793,801     1058   Roder-mustard, shrubby (Schoenocrambe suffrutescens)   E   \$2,000   \$884,800,001     1059   Paypaw, Rugel's (Deeringothamnus rugelii)   E   \$2,000   \$884,800,001     1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,800,001     1059   Schoepfia arenaria (=Sci name)   E   \$1,900   \$884,810,001     1061   Anole, Culebra Island giant (Anolis roosevelti)   E   \$1,900   \$884,810,004     1062   Alichiera   Cactus winkleri)   E   \$1,900   \$884,810,004     1063   Palpogrum, Scotts Valley (Polygonum hickmanii)   E   \$1,744   \$884,823,378     1064   Cavefish, Alabama (Speoplatyrhinus poulsoni)   E   \$1,741   \$884,823,378     1065   Cavefish, Alabama (Speoplatyrhinus poulsoni)   E   \$1,741   \$884,823,378   | 1048 | Mallow, Peter's Mountain ( <i>Iliamna corei</i> )                              | Е      | \$2,345       | \$884,757,558    |
| 1050   Bittercress, small-anthered (Cardamine micranthera)   E   \$2,256   \$884,764,378     1051   Rocksnail, painted (Leptoxis taeniata)   T   \$2,252   \$884,766,204     1052   Snail, noonday (Mesodon clarki nantahala)   T   \$2,116   \$884,770,862     1053   Malacothrix, island (Malacothrix squalida)   E   \$2,116   \$884,770,862     1054   Spineflower, slender-horned (Dodecahema leptoceras)   E   \$2,101   \$884,772,955     1055   Lupine, scrub (Lupinus aridorum)   E   \$2,101   \$884,777,106     1055   Lupine, scrub (Lupinus aridorum)   E   \$2,100   \$884,777,106     1056   Tetramolopium rockii (=Sci name)   T   \$2,077   \$884,779,245     1057   Sculpin, pygmy (Cottus paulus (=pygmaeus))   T   \$2,077   \$884,781,322     1057   Darter, vermilion (Etheostoma chermocki)   E   \$2,077   \$884,781,323     1057   Pigtoe, flat (Pleurobema marshalli)   E   \$2,077   \$884,781,339     1057   Pigtoe, flat (Pleurobema marshalli)   E   \$2,077   \$884,781,533     1057   Pebblesnail, flat (Lepyrium showalteri)   E   \$2,077   \$884,781,533     1057   Rocksnail, plicate (Leptoxis plicata)   E   \$2,077   \$884,793,630     1057   Rocksnail, plicate (Leptoxis mpla)   T   \$2,077   \$884,793,84     1057   Water-willow, Cooley's (Justicia cooleyi)   E   \$2,077   \$884,793,938     1058   Cactus, Winkler (Pediocactus winkleri)   T   \$2,077   \$884,800,015     1059   Papam, Rugel's (Deeringothamus rugelii)   E   \$2,000   \$884,800,081     1059   Papam, Rugel's (Deeringothamus rugelii)   E   \$2,000   \$884,810,081     1059   Papam, Rugel's (Deeringothamus rugelii)   E   \$2,000   \$884,810,081     1059   Papam, Rugel's (Deeringothamus rugelii)   E   \$1,000   \$884,810,081     1059   Papam, Rugel's (Deeringothamus rugelii)   E   \$1,000   \$884,810,081     1059   Papam, Rugel's (Deeringothamus rugelii)   E   \$1,000   \$884,810,081     1059   Papam, Rugel's (Peperomia wheeleri)   E   \$1,000   \$884,810,081     1060   Anole, Culebra Island giant (Anolis roosevelti)   E   \$1,000   \$884,810,031     1061   Polygonum, Scotts Valley (Polygonum hickmanii)   E   \$1,731   | 1049 | Clubshell, black (Pleurobema curtum)   | Е      | \$2,282       | \$884,759,840    |
| 1051         Rocksnail, painted (Leptoxis taeniata)         T         \$2,252         \$884,766,630           1052         Snail, noonday (Mesodon clarki nantahala)         T         \$2,116         \$884,768,746           1053         Bariaco (Trichilla triacantha)         E         \$2,116         \$884,772,965           1053         Malacothrix, island (Malacothrix squalida)         E         \$2,101         \$884,772,965           1054         Spineflower, slender-horned (Dodecahema leptoceras)         E         \$2,101         \$884,775,066           1055         Lupine, scrub (Lupinus aridorum)         E         \$2,100         \$884,775,066           1056         Tetramolopium rockii (=Sci name)         T         \$2,077         \$884,773,045           1057         Darter, vermilion (Etheostoma chermocki)         E         \$2,077         \$884,783,399           1057         Pigtoe, flat (Pleurobema marshall)         E         \$2,077         \$884,783,399           1057         Pigtoe, flat (Pleurobema marshall)         T         \$2,077         \$884,785,476           1057         Pigtoe, flat (Pleurobema marshall)         T         \$2,077         \$884,785,630           1057         Pigtoe, flat (Pleurobema marshall)         T         \$2,077         \$884,783,630           <  | 1049 | Combshell, southern ( <i>Epioblasma penita</i> )                               | Е      | \$2,282       | \$884,762,122    |
| 1052         Snail, noonday (Mesodon clarki nantahala)         T         \$2,116         \$884,768,746           1052         Bariaco (Trichilia triacantha)         E         \$2,116         \$884,770,862           1053         Malacothrix, Island (Malacothrix squalida)         E         \$2,103         \$884,772,966           1054         Spineflower, Island (Malacothrix squalida)         E         \$2,100         \$884,775,066           1055         Lupine, scrub (Lupinus aridorum)         E         \$2,100         \$884,777,166           1055         Tetramolopium rockii (=Sci name)         T         \$2,077         \$884,777,166           1057         Sculpin, pygmy (Cottus paulus (=pygmaeus))         T         \$2,077         \$884,783,392           1057         Darter, vermilion (Etheostoma chermocki)         E         \$2,077         \$884,783,393           1057         Pigtoe, flat (Pleurobema marshalli)         E         \$2,077         \$884,783,393           1057         Pigtoe, flat (Pleurobema marshalli)         T         \$2,077         \$884,783,783           1057         Pigtoe, flat (Pleurobema marshalli)         T         \$2,077         \$884,783,783           1057         Pigtoe, flat (Pleurobema marshalli)         T         \$2,077         \$884,783,783 <t< td=""><td>1050</td><td>Bittercress, small-anthered (Cardamine micranthera)</td><td>Е</td><td>\$2,256</td><td>\$884,764,378</td></t<>  | 1050 | Bittercress, small-anthered (Cardamine micranthera)                            | Е      | \$2,256       | \$884,764,378    |
| 1052   Bariaco (Trichilia triacantha)  | 1051 | Rocksnail, painted (Leptoxis taeniata)   | Т      | \$2,252       | \$884,766,630    |
| 1053   Malacothrix, island (Malacothrix squalida)   E   \$2,103   \$884,772,965     1054   Spineflower, slender-horned (Dodecahema leptoceras)   E   \$2,101   \$884,775,066     1055   Lupine, scrub (Lupinus aridorum)   E   \$2,100   \$884,777,166     1056   Tetramolopium rockii (=Sci name)   T   \$2,077   \$884,793,432     1057   Sculpin, pygmy (Cottus paulus (=pygmaeus))   T   \$2,077   \$884,793,332     1057   Darter, vermilion (Etheostoma chermock)   E   \$2,077   \$884,783,339     1057   Pigtoe, flat (Pleurobema marshali)   E   \$2,077   \$884,783,339     1057   Elimia, lacy (snail) (Elimia crenatella)   T   \$2,077   \$884,787,553     1057   Elimia, lacy (snail) (Elimia crenatella)   T   \$2,077   \$884,787,553     1057   Rocksnail, plicate (Leptoxis picata)   E   \$2,077   \$884,793,707     1057   Rocksnail, round (Leptoxis ampla)   T   \$2,077   \$884,791,707     1058   Rocksnail, round (Leptoxis ampla)   T   \$2,077   \$884,793,784     1059   Water-willow, Cooley's (Justicia cooleyi)   E   \$2,077   \$884,800,015     1058   Cactus, Winkler (Pediocactus winkleri)   T   \$2,066   \$884,800,015     1059   Manzanita, Presidio (Arctostaphylos hookeri var. ravenii)   E   \$2,000   \$884,800,081     1059   Pawpaw, Rugel's (Deeringothamnus rugelii)   E   \$2,000   \$884,800,881     1059   Paypaw, Rugel's (Deeringothamnus rugelii)   E   \$2,000   \$884,800,881     1059   Palo colorado (Ternstroemia luquillensis)   E   \$2,000   \$884,810,881     1059   Paperomia, Wheeler's (Peperomia wheeler)   E   \$1,900   \$884,810,881     1060   Mariscus fauriei (-Sci name)   E   \$1,900   \$884,810,831     1061   Peperomia, Wheeler's (Peperomia wheeler)   E   \$1,900   \$884,810,831     1062   Catigaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata)   AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL   \$884,823,378     1062   Polygonum, Scotts Valley (Polygonum hickmanii)   E   \$1,731   \$884,825,109  | 1052 | Snail, noonday (Mesodon clarki nantahala)                                      | Т      | \$2,116       | \$884,768,746    |
| 1054   Spineflower, slender-horned (Dodecahema leptoceras)   E   \$2,101   \$884,775,066   \$884,777,166   \$1055   Lupine, scrub (Lupinus aridorum)   E   \$2,100   \$884,777,166   \$1056   Tetramolopium rockii (=Sci name)   T   \$2,079   \$884,779,245   \$1057   Sculpin, pygmy (Cottus paulus (=pygmaeus))   T   \$2,077   \$884,783,392   \$1057   Darter, vermilion (Etheostoma chermock)   E   \$2,077   \$884,783,393   \$1057   Elimia, lacy (snail) (Elimia crenatella)   T   \$2,077   \$884,785,476   \$1057   Elimia, lacy (snail) (Elimia crenatella)   T   \$2,077   \$884,785,476   \$1057   Elimia, lacy (snail) (Elimia crenatella)   T   \$2,077   \$884,785,476   \$1057   Elimia, lacy (snail) (Elimia crenatella)   T   \$2,077   \$884,785,630   \$1057   Pebblesnail, flat (Lepyrium showalteri)   E   \$2,077   \$884,793,784   \$1057   Rocksnail, pilicate (Leptoxis pilicata)   E   \$2,077   \$884,793,784   \$1057   Rocksnail, round (Leptoxis ampla)   T   \$2,077   \$884,793,884   \$1057   Water-willow, Cooley's (Justicia cooleyi)   E   \$2,077   \$884,890,015   \$1058   Cactus, Winkler (Pediocactus winkleri)   T   \$2,066   \$884,800,015   \$1058   Reed-mustard, shrubby (Schoenocrambe suffrutescens)   E   \$2,000   \$884,800,015   \$1059   Reed-mustard, shrubby (Schoenocrambe suffrutescens)   E   \$2,000   \$884,806,081   \$1059   Papuay, Rugel's (Deeringothamnus rugelii)   E   \$2,000   \$884,806,081   \$1059   Papuay, Rugel's (Deeringothamnus rugelii)   E   \$2,000   \$884,810,081   \$1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,810,081   \$1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,810,081   \$1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,810,081   \$1059   Schoepfia arenaria (=Sci name)   E   \$1,900   \$884,810,081   \$1059   Schoepfia arenaria (=Sci name)   E   \$   | 1052 | Bariaco (Trichilia triacantha)   | Е      | \$2,116       | \$884,770,862    |
| 1055   Lupine, scrub (Lupinus aridorum)  | 1053 | Malacothrix, island ( <i>Malacothrix squalida</i> )                            | Е      | \$2,103       | \$884,772,965    |
| 1056         Tetramolopium rockii (=Sci name)         T         \$2,079         \$884,779,245           1057         Sculpin, pygmy (Cottus paulus (=pygmaeus))         T         \$2,077         \$884,781,322           1057         Darter, vermilion (Etheostoma chermocki)         E         \$2,077         \$884,783,399           1057         Pigtoe, flat (Pleurobema marshalli)         E         \$2,077         \$884,785,476           1057         Elimia, lacy (snail) (Elimia crenatella)         T         \$2,077         \$884,783,693           1057         Elimia, lacy (snail) (Lioplax cyclostomaformis)         E         \$2,077         \$884,789,6930           1057         Pebblesnail, flat (Lepyrium showalteri)         E         \$2,077         \$884,789,6630           1057         Rocksnail, plicate (Leptoxis plicata)         E         \$2,077         \$884,791,707           1057         Rocksnail, round (Leptoxis ampla)         T         \$2,077         \$884,793,784           1057         Water-willow, Cooley's (Justicia cooley)         E         \$2,077         \$884,797,938           1057         Water-plantain, Kral's (Sagittaria secundifolia)         T         \$2,077         \$884,800,015           1058         Cactus, Winkler (Pediocactus winkler)         T         \$2,006         \$884,800,015 <td>1054</td> <td>Spineflower, slender-horned (Dodecahema leptoceras)</td> <td>Е</td> <td>\$2,101</td> <td>\$884,775,066</td>  | 1054 | Spineflower, slender-horned (Dodecahema leptoceras)                            | Е      | \$2,101       | \$884,775,066    |
| 1057         Sculpin, pygmy (Cottus paulus (=pygmaeus))         T         \$2,077         \$884,781,322           1057         Darter, vermilion (Etheostoma chermocki)         E         \$2,077         \$884,783,399           1057         Pigtoe, flat (Pleurobema marshalli)         E         \$2,077         \$884,785,476           1057         Elimia, lacy (snail) (Elimia crenatella)         T         \$2,077         \$884,787,553           1057         Lioplax, cylindrical (snail) (Lioplax cyclostomaformis)         E         \$2,077         \$884,789,630           1057         Pebblesnail, flat (Lepyrium showalteri)         E         \$2,077         \$884,791,707           1057         Rocksnail, plicate (Leptoxis plicata)         E         \$2,077         \$884,793,784           1057         Rocksnail, round (Leptoxis ampla)         T         \$2,077         \$884,793,784           1057         Water-willow, Cooley's (Justicia cooleyi)         E         \$2,077         \$884,797,938           1057         Water-plantain, Kral's (Sagittaria secundifolia)         T         \$2,077         \$884,800,015           1058         Cactus, Winkler (Pediocactus winkler)         T         \$2,007         \$884,800,001           1058         Reed-mustard, shrubby (Schoenocrambe suffrutescens)         E         \$2,000  | 1055 | Lupine, scrub ( <i>Lupinus aridorum</i> )                                      | Е      | \$2,100       | \$884,777,166    |
| 1057   Darter, vermilion (Etheostoma chermocki)   E   \$2,077   \$884,783,399   1057   Pigtoe, flat (Pleurobema marshalli)   E   \$2,077   \$884,785,476   1057   Elimia, lacy (snail) (Elimia crenatella)   T   \$2,077   \$884,785,553   1057   Lioplax, cylindrical (snail) (Lioplax cyclostomaformis)   E   \$2,077   \$884,789,630   1057   Pebblesnail, flat (Lepyrium showalteri)   E   \$2,077   \$884,791,707   1057   Rocksnail, plicate (Leptoxis plicata)   E   \$2,077   \$884,791,707   1057   Rocksnail, round (Leptoxis ampla)   T   \$2,077   \$884,793,784   1057   Water-willow, Cooley's (Justicia cooleyi)   E   \$2,077   \$884,793,784   1057   Water-plantain, Kral's (Sagittaria secundifolia)   T   \$2,077   \$884,800,015   1058   Cactus, Winkler (Pediocactus winkleri)   T   \$2,066   \$884,800,015   1059   Reed-mustard, shrubby (Schoenocrambe suffrutescens)   E   \$2,000   \$884,800,015   1059   Manzanita, Presidio (Arctostaphylos hookeri var. ravenii)   E   \$2,000   \$884,806,081   1059   Pawpaw, Rugel's (Deeringothamnus rugelii)   E   \$2,000   \$884,808,081   1059   Palo colorado (Ternstroemia luquillensis)   E   \$2,000   \$884,810,081   1059   Mint, longspurred (Dicerandra cornutissima)   E   \$2,000   \$884,810,081   1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,810,081   1059   Schoepfia arenaria (=Sci name)   E   \$1,953   \$884,810,081   1050   Mariscus fauriei (=Sci name)   E   \$1,953   \$884,810,081   1050   Reperomia, Wheeler's (Peperomia wheeleri)   E   \$1,900   \$884,813,834   1061   Anole, Culebra Island giant (Anolis roosevelti)   E   \$1,900   \$884,813,834   1062   Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata obliquata)   AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL   \$884,823,378   1064   Polygonum, Scotts Valley (Polygonum hickmanii)   E   \$1,744   \$884,823,378   1064   Roverish, Alabama (Speoplatyrhinus poulsoni)   E   \$1,731   \$884,825,109   1062   \$1,731   \$884,825,109   1062   \$1,731   \$884,825,109   1063   \$1,731   \$884,825,10  | 1056 | Tetramolopium rockii (=Sci name)   | Т      | \$2,079       | \$884,779,245    |
| 1057   Pigtoe, flat (Pleurobema marshalli)   | 1057 | Sculpin, pygmy (Cottus paulus (=pygmaeus))                                     | Т      | \$2,077       | \$884,781,322    |
| 1057         Elimia, lacy (snail) ( <i>Elimia crenatella</i> )         T         \$2,077         \$884,787,553           1057         Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )         E         \$2,077         \$884,789,630           1057         Pebblesnail, flat ( <i>Leptyrium showalteri</i> )         E         \$2,077         \$884,791,707           1057         Rocksnail, plicate ( <i>Leptoxis plicata</i> )         E         \$2,077         \$884,793,784           1057         Rocksnail, round ( <i>Leptoxis ampla</i> )         T         \$2,077         \$884,793,784           1057         Water-willow, Cooley's ( <i>Justicia cooleyi</i> )         E         \$2,077         \$884,793,861           1057         Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )         T         \$2,077         \$884,800,015           1058         Cactus, Winkler ( <i>Pediocactus winkleri</i> )         T         \$2,077         \$884,800,081           1059         Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )         E         \$2,000         \$884,804,081           1059         Manzanita, Presidio ( <i>Arctostaphylos hookeri var. ravenii</i> )         E         \$2,000         \$884,806,081           1059         Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )         E         \$2,000         \$884,806,081           1059         Palo colorado ( <i>Ternstroemia luquillensis</i> ) <td>1057</td> <td>Darter, vermilion (Etheostoma chermocki)</td> <td>Е</td> <td>\$2,077</td> <td>\$884,783,399</td>   | 1057 | Darter, vermilion (Etheostoma chermocki)                                       | Е      | \$2,077       | \$884,783,399    |
| 1057   Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )   E   \$2,077   \$884,789,630   1057   Pebblesnail, flat ( <i>Leptrium showalteri</i> )   E   \$2,077   \$884,791,707   1057   Rocksnail, plicate ( <i>Leptoxis plicata</i> )   E   \$2,077   \$884,793,784   1057   Rocksnail, round ( <i>Leptoxis ampla</i> )   T   \$2,077   \$884,795,861   1057   Water-willow, Cooley's ( <i>Justicia cooleyi</i> )   E   \$2,077   \$884,797,938   1058   Cactus, Winkler ( <i>Pediocactus winkleri</i> )   T   \$2,066   \$884,800,015   1059   Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )   E   \$2,000   \$884,804,081   1059   Manzanita, Presidio ( <i>Arctostaphylos hookeri var. ravenii</i> )   E   \$2,000   \$884,806,081   1059   Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )   E   \$2,000   \$884,808,081   1059   Palo colorado ( <i>Ternstroemia luquillensis</i> )   E   \$2,000   \$884,810,081   1059   Mint, longspurred ( <i>Dicerandra cornutissima</i> )   E   \$2,000   \$884,810,081   1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,812,081   1060   Mariscus fauriei (=Sci name)   T   \$2,000   \$884,814,081   1061   Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )   E   \$1,900   \$884,817,934   1062   Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> )   Al., Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL   1063   Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )   E   \$1,731   \$884,823,378   1064   Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )   E   \$1,731   \$884,825,109  | 1057 | Pigtoe, flat (Pleurobema marshalli)  | Е      | \$2,077       | \$884,785,476    |
| 1057   Pebblesnail, flat (Lepyrium showalteri)   | 1057 | Elimia, lacy (snail) (Elimia crenatella)                                       | Т      | \$2,077       | \$884,787,553    |
| 1057   Rocksnail, plicate (Leptoxis plicata)   E   \$2,077   \$884,793,784     1057   Rocksnail, round (Leptoxis ampla)   T   \$2,077   \$884,795,861     1057   Water-willow, Cooley's (Justicia cooleyi)   E   \$2,077   \$884,797,938     1057   Water-plantain, Kral's (Sagittaria secundifolia)   T   \$2,077   \$884,800,015     1058   Cactus, Winkler (Pediocactus winkleri)   T   \$2,066   \$884,802,081     1059   Reed-mustard, shrubby (Schoenocrambe suffrutescens)   E   \$2,000   \$884,804,081     1059   Manzanita, Presidio (Arctostaphylos hookeri var. ravenii)   E   \$2,000   \$884,806,081     1059   Pawpaw, Rugel's (Deeringothamnus rugelii)   E   \$2,000   \$884,808,081     1059   Palo colorado (Ternstroemia luquillensis)   E   \$2,000   \$884,810,081     1059   Mint, longspurred (Dicerandra cornutissima)   E   \$2,000   \$884,810,081     1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,812,081     1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,814,081     1060   Mariscus fauriei (=Sci name)   E   \$1,953   \$884,814,081     1061   Anole, Culebra Island giant (Anolis roosevelti)   E   \$1,900   \$884,817,934     1062   Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata obliquata)   Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata)   Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata)   Colbert and Lauderdale Counties, AL   EXPN   \$1,800   \$884,823,378     1064   Cavefish, Alabama (Speoplatyrhinus poulsoni)   E   \$1,731   \$884,823,378   | 1057 | Lioplax, cylindrical (snail) (Lioplax cyclostomaformis)                        | Е      | \$2,077       | \$884,789,630    |
| 1057   Rocksnail, round (Leptoxis ampla)   | 1057 | Pebblesnail, flat (Lepyrium showalteri)  | Е      | \$2,077       | \$884,791,707    |
| 1057   Water-willow, Cooley's (Justicia cooleyi)   E   \$2,077   \$884,797,938     1058   Water-plantain, Kral's (Sagittaria secundifolia)   T   \$2,077   \$884,800,015     1058   Cactus, Winkler (Pediocactus winkleri)   T   \$2,066   \$884,802,081     1059   Reed-mustard, shrubby (Schoenocrambe suffrutescens)   E   \$2,000   \$884,804,081     1059   Manzanita, Presidio (Arctostaphylos hookeri var. ravenii)   E   \$2,000   \$884,806,081     1059   Pawpaw, Rugel's (Deeringothamnus rugelii)   E   \$2,000   \$884,808,081     1059   Palo colorado (Ternstroemia luquillensis)   E   \$2,000   \$884,810,081     1059   Mint, longspurred (Dicerandra cornutissima)   E   \$2,000   \$884,810,081     1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,812,081     1060   Mariscus fauriei (=Sci name)   T   \$2,000   \$884,814,081     1061   Anole, Culebra Island giant (Anolis roosevelti)   E   \$1,900   \$884,817,934     1062   Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata)   AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL   \$884,823,378     1064   Cavefish, Alabama (Speoplatyrhinus poulsoni)   E   \$1,731   \$884,825,109  | 1057 | Rocksnail, plicate (Leptoxis plicata)  | Е      | \$2,077       | \$884,793,784    |
| 1057   Water-plantain, Kral's (Sagittaria secundifolia)   T   \$2,077   \$884,800,015  | 1057 | Rocksnail, round ( <i>Leptoxis ampla</i> )                                     | Т      | \$2,077       | \$884,795,861    |
| 1058         Cactus, Winkler ( <i>Pediocactus winkleri</i> )         T         \$2,066         \$884,802,081           1059         Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )         E         \$2,000         \$884,804,081           1059         Manzanita, Presidio ( <i>Arctostaphylos hookeri var. ravenii</i> )         E         \$2,000         \$884,806,081           1059         Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )         E         \$2,000         \$884,808,081           1059         Palo colorado ( <i>Ternstroemia luquillensis</i> )         E         \$2,000         \$884,810,081           1059         Mint, longspurred ( <i>Dicerandra cornutissima</i> )         E         \$2,000         \$884,810,081           1059         Schoepfia arenaria (=Sci name)         T         \$2,000         \$884,810,081           1059         Schoepfia arenaria (=Sci name)         T         \$2,000         \$884,812,081           1059         Schoepfia arenaria (=Sci name)         T         \$2,000         \$884,812,081           1060         Mariscus fauriei (=Sci name)         E         \$1,953         \$884,814,081           1061         Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )         E         \$1,900         \$884,817,934           1061         Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )         E         \$1,900   | 1057 | Water-willow, Cooley's (Justicia cooleyi)                                      | Е      | \$2,077       | \$884,797,938    |
| 1059         Reed-mustard, shrubby (Schoenocrambe suffrutescens)         E         \$2,000         \$884,804,081           1059         Manzanita, Presidio (Arctostaphylos hookeri var. ravenii)         E         \$2,000         \$884,806,081           1059         Pawpaw, Rugel's (Deeringothamnus rugelii)         E         \$2,000         \$884,808,081           1059         Palo colorado (Ternstroemia luquillensis)         E         \$2,000         \$884,810,081           1059         Mint, longspurred (Dicerandra cornutissima)         E         \$2,000         \$884,812,081           1059         Schoepfia arenaria (=Sci name)         T         \$2,000         \$884,812,081           1059         Schoepfia arenaria (=Sci name)         T         \$2,000         \$884,812,081           1060         Mariscus fauriei (=Sci name)         E         \$1,953         \$884,814,081           1061         Anole, Culebra Island giant (Anolis roosevelti)         E         \$1,900         \$884,817,934           1061         Peperomia, Wheeler's (Peperomia wheeleri)         E         \$1,900         \$884,819,834           1062         Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata obliquata)         AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL         EXPN         \$1,800         \$884   | 1057 | Water-plantain, Kral's (Sagittaria secundifolia)                               | Т      | \$2,077       | \$884,800,015    |
| 1059       Manzanita, Presidio (Arctostaphylos hookeri var. ravenii)       E       \$2,000       \$884,806,081         1059       Pawpaw, Rugel's (Deeringothamnus rugelii)       E       \$2,000       \$884,808,081         1059       Palo colorado (Ternstroemia luquillensis)       E       \$2,000       \$884,810,081         1059       Mint, longspurred (Dicerandra cornutissima)       E       \$2,000       \$884,812,081         1059       Schoepfia arenaria (=Sci name)       T       \$2,000       \$884,814,081         1060       Mariscus fauriei (=Sci name)       E       \$1,953       \$884,814,081         1061       Anole, Culebra Island giant (Anolis roosevelti)       E       \$1,900       \$884,817,934         1061       Peperomia, Wheeler's (Peperomia wheeleri)       E       \$1,900       \$884,819,834         1062       Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata obliquata) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL       EXPN       \$1,800       \$884,821,634         1063       Polygonum, Scotts Valley (Polygonum hickmanii)       E       \$1,744       \$884,823,378         1064       Cavefish, Alabama (Speoplatyrhinus poulsoni)       E       \$1,731       \$884,825,109  | 1058 | Cactus, Winkler (Pediocactus winkleri)   | Т      | \$2,066       | \$884,802,081    |
| 1059 Pawpaw, Rugel's (Deeringothamnus rugelii)       E       \$2,000       \$884,808,081         1059 Palo colorado (Ternstroemia luquillensis)       E       \$2,000       \$884,810,081         1059 Mint, longspurred (Dicerandra cornutissima)       E       \$2,000       \$884,812,081         1059 Schoepfia arenaria (=Sci name)       T       \$2,000       \$884,812,081         1060 Mariscus fauriei (=Sci name)       T       \$2,000       \$884,814,081         1061 Anole, Culebra Island giant (Anolis roosevelti)       E       \$1,953       \$884,816,034         1061 Peperomia, Wheeler's (Peperomia wheeleri)       E       \$1,900       \$884,817,934         1062 Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata obliquata) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL       EXPN       \$1,800       \$884,821,634         1063 Polygonum, Scotts Valley (Polygonum hickmanii)       E       \$1,744       \$884,823,378         1064 Cavefish, Alabama (Speoplatyrhinus poulsoni)       E       \$1,731       \$884,825,109   | 1059 | Reed-mustard, shrubby (Schoenocrambe suffrutescens)                            | E      | \$2,000       | \$884,804,081    |
| 1059   Palo colorado ( <i>Ternstroemia luquillensis</i> )   E   \$2,000   \$884,810,081     1059   Mint, longspurred ( <i>Dicerandra cornutissima</i> )   E   \$2,000   \$884,812,081     1059   Schoepfia arenaria (=Sci name)   T   \$2,000   \$884,814,081     1060   Mariscus fauriei (=Sci name)   E   \$1,953   \$884,816,034     1061   Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )   E   \$1,900   \$884,817,934     1061   Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )   E   \$1,900   \$884,819,834     1062   Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> )   AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL   \$1,800   \$1,800   \$1,800     1063   Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )   E   \$1,744   \$884,823,378     1064   Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )   E   \$1,731   \$884,825,109  | 1059 | Manzanita, Presidio (Arctostaphylos hookeri var. ravenii)                      | E      | \$2,000       | \$884,806,081    |
| 1059 Mint, longspurred ( <i>Dicerandra cornutissima</i> )       E       \$2,000       \$884,812,081         1059 Schoepfia arenaria (=Sci name)       T       \$2,000       \$884,812,081         1060 Mariscus fauriei (=Sci name)       E       \$1,953       \$884,816,034         1061 Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )       E       \$1,900       \$884,817,934         1061 Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )       E       \$1,900       \$884,819,834         Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> )   | 1059 | Pawpaw, Rugel's (Deeringothamnus rugelii)                                      | E      | \$2,000       | \$884,808,081    |
| 1059       Schoepfia arenaria (=Sci name)       T       \$2,000       \$884,814,081         1060       Mariscus fauriei (=Sci name)       E       \$1,953       \$884,816,034         1061       Anole, Culebra Island giant (Anolis roosevelti)       E       \$1,900       \$884,817,934         1061       Peperomia, Wheeler's (Peperomia wheeleri)       E       \$1,900       \$884,819,834         Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata obliquata)  | 1059 | Palo colorado (Ternstroemia luquillensis)                                      | E      | \$2,000       | \$884,810,081    |
| 1060 Mariscus fauriei (=Sci name)  1061 Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )  1061 Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )  1062 Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL  1063 Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )  E \$1,953 \$884,816,034  E \$1,900 \$884,819,834  EXPN \$1,800 \$884,819,834  EXPN \$1,800 \$884,821,634  EXPN \$1,800 \$884,821,634  EXPN \$1,800 \$884,821,634  EXPN \$1,800 \$884,821,634   | 1059 | Mint, longspurred (Dicerandra cornutissima)                                    | E      | \$2,000       | \$884,812,081    |
| 1061 Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )  1061 Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )  Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL  1063 Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )  E \$1,900 \$884,817,934  EXPN \$1,800 \$884,819,834  EXPN \$1,800 \$884,821,634  Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )  E \$1,744 \$884,823,378  | 1059 | Schoepfia arenaria (=Sci name)   | Т      | \$2,000       | \$884,814,081    |
| 1061 Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )  Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL  1063 Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )  E \$1,900 \$884,819,834  EXPN \$1,800 \$884,821,634  1064 Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )  E \$1,744 \$884,823,378  | 1060 | Mariscus fauriei (=Sci name)   | Е      | \$1,953       | \$884,816,034    |
| Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata</i> obliquata) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL  1063 Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )  E \$1,800 \$884,821,634  \$884,823,378  1064 Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )  E \$1,731 \$884,825,109   | 1061 | Anole, Culebra Island giant (Anolis roosevelti)                                | Е      | \$1,900       | \$884,817,934    |
| 1062obliquata)<br>AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam,<br>Colbert and Lauderdale Counties, ALEXPN\$1,800\$884,821,6341063Polygonum, Scotts Valley (Polygonum hickmanii)E\$1,744\$884,823,3781064Cavefish, Alabama (Speoplatyrhinus poulsoni)E\$1,731\$884,825,109   | 1061 | Peperomia, Wheeler's (Peperomia wheeleri)                                      | Е      | \$1,900       | \$884,819,834    |
| 1064 Cavefish, Alabama (Speoplatyrhinus poulsoni) E \$1,731 \$884,825,109  | 1062 | obliquata) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, | EXPN   | \$1,800       | \$884,821,634    |
|  | 1063 | Polygonum, Scotts Valley (Polygonum hickmanii)                                 | Е      | \$1,744       | \$884,823,378    |
| 1065 Amaranthus brownii (=Sci name) E \$1,704 \$884,826,813  | 1064 | Cavefish, Alabama (Speoplatyrhinus poulsoni)                                   | E      | \$1,731       | \$884,825,109    |
|  | 1065 | Amaranthus brownii (=Sci name)   | Е      | \$1,704       | \$884,826,813    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 1066 | Chamaecrista glandulosa var. mirabilis (=Sci name)                    | E      | \$1,700       | \$884,828,513    |
| 1066 | Leptocereus grantianus (=Sci name)                                    | E      | \$1,700       | \$884,830,213    |
| 1067 | Ladies'-tresses, Canelo Hills (Spiranthes delitescens)                | E      | \$1,680       | \$884,831,893    |
| 1068 | Lo`ulu ( <i>Pritchardia napaliensis</i> )                             | E      | \$1,657       | \$884,833,550    |
| 1069 | Bladderpod, lyrate (Lesquerella lyrata)                               | Т      | \$1,621       | \$884,835,171    |
| 1070 | Opuhe ( <i>Urera kaalae</i> )   | E      | \$1,587       | \$884,836,758    |
| 1071 | Thistle, Loch Lomond coyote (Eryngium constancei)                     | E      | \$1,582       | \$884,838,340    |
| 1072 | Koki`o ke`oke`o (Hibiscus arnottianus ssp. immaculatus)               | E      | \$1,579       | \$884,839,919    |
| 1073 | Beardtongue, Penland (Penstemon penlandii)                            | E      | \$1,507       | \$884,841,426    |
| 1074 | Prickly-ash, St. Thomas (Zanthoxylum thomasianum)                     | E      | \$1,500       | \$884,842,926    |
| 1075 | Lobelia oahuensis (=Sci name)   | E      | \$1,487       | \$884,844,413    |
| 1075 | `Ohe`ohe (Tetraplasandra gymnocarpa)                                  | E      | \$1,487       | \$884,845,900    |
| 1075 | Ha`iwale (Cyrtandra crenata)  | E      | \$1,487       | \$884,847,387    |
| 1076 | Ilex sintenisii (=Sci name)   | E      | \$1,416       | \$884,848,803    |
| 1077 | Mitracarpus maxwelliae (=Sci name)                                    | E      | \$1,400       | \$884,850,203    |
| 1077 | Mitracarpus polycladus (=Sci name)                                    | E      | \$1,400       | \$884,851,603    |
| 1078 | Darter, bayou (Etheostoma rubrum)                                     | Т      | \$1,311       | \$884,852,914    |
| 1079 | Sandalwood, Lanai (=`iliahi) (Santalum freycinetianum var. lanaiense) | E      | \$1,279       | \$884,854,193    |
| 1080 | Holei (Ochrosia kilaueaensis)   | E      | \$1,253       | \$884,855,446    |
| 1080 | Haha (Cyanea copelandii ssp. copelandii)                              | E      | \$1,253       | \$884,856,699    |
| 1081 | Lupine, Nipomo Mesa (Lupinus nipomensis)                              | E      | \$1,242       | \$884,857,941    |
| 1082 | Boa, Mona (Epicrates monensis monensis)                               | Т      | \$1,200       | \$884,859,141    |
| 1082 | Coqui, golden ( <i>Eleutherodactylus jasperi</i> )                    | Т      | \$1,200       | \$884,860,341    |
| 1082 | Palo de ramon ( <i>Banara vanderbiltii</i> )                          | E      | \$1,200       | \$884,861,541    |
| 1082 | Boxwood, Vahl's ( <i>Buxus vahlii</i> )                               | E      | \$1,200       | \$884,862,741    |
| 1082 | Cordia bellonis (=Sci name)   | E      | \$1,200       | \$884,863,941    |
| 1082 | Goetzea, beautiful (Goetzea elegans)                                  | E      | \$1,200       | \$884,865,141    |
| 1082 | lagu, Hayun (=(Guam), Tronkon guafi (Rota)) (Serianthes nelsonii)     | E      | \$1,200       | \$884,866,341    |
| 1082 | Fern, Elfin tree (Cyathea dryopteroides)                              | E      | \$1,200       | \$884,867,541    |
| 1082 | Elaphoglossum serpens (=Sci name)                                     | E      | \$1,200       | \$884,868,741    |
| 1082 | Polystichum calderonense (=Sci name)                                  | E      | \$1,200       | \$884,869,941    |
| 1082 | Tectaria estremerana (=Sci name)                                      | E      | \$1,200       | \$884,871,141    |
| 1082 | Thelypteris inabonensis (=Sci name)                                   | E      | \$1,200       | \$884,872,341    |
| 1082 | Thelypteris verecunda (=Sci name)                                     | E      | \$1,200       | \$884,873,541    |
| 1082 | Thelypteris yaucoensis (=Sci name)                                    | E      | \$1,200       | \$884,874,741    |
| 1083 | Phyllostegia glabra var. lanaiensis (=Sci name)                       | E      | \$1,179       | \$884,875,920    |
| 1084 | Beargrass, Britton's (Nolina brittoniana)                             | E      | \$1,100       | \$884,877,020    |
| 1085 | Ridge-cress, Barneby (Lepidium barnebyanum)                           | E      | \$1,090       | \$884,878,110    |
| 1086 | Buttercup, autumn (Ranunculus aestivalis (=acriformis))               | E      | \$1,060       | \$884,879,170    |
| 1087 | Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )                   | Т      | \$1,016       | \$884,880,186    |
| 1088 | Gecko, Monito (Sphaerodactylus micropithecus)                         | E      | \$1,000       | \$884,881,186    |
| 1088 | Butterfly, Myrtle's silverspot (Speyeria zerene myrtleae)             | Е      | \$1,000       | \$884,882,186    |
| 1088 | Dudleya, Conejo ( <i>Dudleya abramsii ssp. parva</i> )                | Т      | \$1,000       | \$884,883,186    |
| 1088 | Bladderpod, kodachrome (Lesquerella tumulosa)                         | Е      | \$1,000       | \$884,884,186    |

| Rank | Species (50 CFR Part 17)                                  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 1088 | Pelos del diablo (Aristida portoricensis)                 | E      | \$1,000       | \$884,885,186    |
| 1088 | Manaca, palma de (Calyptronoma rivalis)                   | Т      | \$1,000       | \$884,886,186    |
| 1088 | Palo de nigua (Cornutia obovata)                          | E      | \$1,000       | \$884,887,186    |
| 1088 | Higuero de sierra (Crescentia portoricensis)              | E      | \$1,000       | \$884,888,186    |
| 1088 | Daphnopsis hellerana (=Sci name)                          | E      | \$1,000       | \$884,889,186    |
| 1088 | Holly, Cook's ( <i>Ilex cookii</i> )                      | E      | \$1,000       | \$884,890,186    |
| 1088 | Lepanthes eltoroensis (=Sci name)                         | E      | \$1,000       | \$884,891,186    |
| 1088 | Locoweed, Fassett's (Oxytropis campestris var. chartacea) | Т      | \$1,000       | \$884,892,186    |
| 1088 | Chupacallos (Pleodendron macranthum)                      | E      | \$1,000       | \$884,893,186    |
| 1088 | Erubia (Solanum drymophilum)                              | E      | \$1,000       | \$884,894,186    |
| 1088 | Ternstroemia subsessilis (=Sci name)                      | E      | \$1,000       | \$884,895,186    |
| 1088 | Dudleya, Verity's ( <i>Dudleya verityi</i> )              | Т      | \$1,000       | \$884,896,186    |
| 1088 | Myrcia paganii (=Sci name)                                | E      | \$1,000       | \$884,897,186    |
| 1088 | Palo de jazmin (Styrax portoricensis)                     | E      | \$1,000       | \$884,898,186    |
| 1088 | Gesneria pauciflora (=Sci name)                           | Т      | \$1,000       | \$884,899,186    |
| 1088 | Auerodendron pauciflorum (=Sci name)                      | E      | \$1,000       | \$884,900,186    |
| 1088 | Lyonia truncata var. proctorii (=Sci name)                | E      | \$1,000       | \$884,901,186    |
| 1088 | Vernonia proctorii (=Sci name)                            | E      | \$1,000       | \$884,902,186    |
| 1088 | Cranichis ricartii (=Sci name)                            | E      | \$1,000       | \$884,903,186    |
| 1089 | Checker-mallow, pedate (Sidalcea pedata)                  | E      | \$900         | \$884,904,086    |
| 1090 | Agave, Arizona ( <i>Agave arizonica</i> )                 | DO     | \$850         | \$884,904,936    |
| 1091 | Orcutt grass, California (Orcuttia californica)           | E      | \$806         | \$884,905,742    |
| 1092 | Oha (Delissea rivularis)                                  | E      | \$679         | \$884,906,421    |
| 1092 | Alani (Melicope quadrangularis)                           | E      | \$679         | \$884,907,100    |
| 1092 | Schiedea helleri (=Sci name)                              | E      | \$679         | \$884,907,779    |
| 1092 | Na`ena`e (Dubautia plantaginea ssp. humilis)              | E      | \$679         | \$884,908,458    |
| 1093 | Snail, armored (Pyrgulopsis (=Marstonia) pachyta)         | E      | \$621         | \$884,909,079    |
| 1094 | Pamakani (Tetramolopium capillare)                        | E      | \$600         | \$884,909,679    |
| 1095 | Love grass, Fosberg's (Eragrostis fosbergii)              | E      | \$579         | \$884,910,258    |
| 1095 | Alani (Melicope saint-johnii)                             | E      | \$579         | \$884,910,837    |
| 1095 | Lo`ulu ( <i>Pritchardia remota</i> )                      | E      | \$579         | \$884,911,416    |
| 1095 | Schiedea sarmentosa (=Sci name)                           | E      | \$579         | \$884,911,995    |
| 1095 | Schiedea verticillata (=Sci name)                         | E      | \$579         | \$884,912,574    |
| 1095 | Ko`oko`olau ( <i>Bidens wiebkei</i> )                     | E      | \$579         | \$884,913,153    |
| 1095 | Gouania hillebrandii (=Sci name)                          | E      | \$579         | \$884,913,732    |
| 1095 | Hesperomannia lydgatei (=Sci name)                        | E      | \$579         | \$884,914,311    |
| 1095 | Bluegrass, Hawaiian (Poa sandvicensis)                    | E      | \$579         | \$884,914,890    |
| 1095 | Nehe (Lipochaeta kamolensis)                              | Е      | \$579         | \$884,915,469    |
| 1095 | Lysimachia filifolia (=Sci name)                          | E      | \$579         | \$884,916,048    |
| 1095 | Bluegrass, Mann's ( <i>Poa mannii</i> )                   | E      | \$579         | \$884,916,627    |
| 1095 | Poa siphonoglossa (=Sci name)                             | E      | \$579         | \$884,917,206    |
| 1095 | Ma`oli`oli (Schiedea apokremnos)                          | E      | \$579         | \$884,917,785    |
| 1095 | Schiedea lydgatei (=Sci name)                             | E      | \$579         | \$884,918,364    |
| 1095 | Schiedea spergulina var. leiopoda (=Sci name)             | E      | \$579         | \$884,918,943    |

| Rank | Species (50 CFR Part 17)  | Status | Species Total | Cumulative Total |
|------|---|--------|---------------|------------------|
| 1095 | Schiedea spergulina var. spergulina (=Sci name)   | Т      | \$579         | \$884,919,522    |
| 1095 | Laulihilihi (Schiedea stellarioides)  | E      | \$579         | \$884,920,101    |
| 1095 | `Akoko (Chamaesyce kuwaleana)   | E      | \$579         | \$884,920,680    |
| 1095 | Haha (Cyanea mannii)  | E      | \$579         | \$884,921,259    |
| 1095 | Haha (Cyanea recta)   | Т      | \$579         | \$884,921,838    |
| 1095 | Mapele (Cyrtandra cyaneoides)   | E      | \$579         | \$884,922,417    |
| 1095 | Ha`iwale (Cyrtandra limahuliensis)  | Т      | \$579         | \$884,922,996    |
| 1095 | Trematolobelia singularis (=Sci name)   | Е      | \$579         | \$884,923,575    |
| 1095 | Haha (Cyanea remyi)   | Е      | \$579         | \$884,924,154    |
| 1096 | Madtom, Scioto (Noturus trautmani)  | Е      | \$520         | \$884,924,674    |
| 1097 | Malacothrix, Santa Cruz Island (Malacothrix indecora)   | E      | \$500         | \$884,925,174    |
| 1097 | Diellia unisora (=Sci name)   | E      | \$500         | \$884,925,674    |
| 1098 | Mustard, Penland alpine fen (Eutrema penlandii)   | Т      | \$445         | \$884,926,119    |
| 1099 | Heather, mountain golden (Hudsonia montana)   | Т      | \$416         | \$884,926,535    |
| 1099 | Leather flower, Morefield's (Clematis morefieldii)  | E      | \$416         | \$884,926,951    |
| 1100 | Springsnail, Alamosa ( <i>Tryonia alamosae</i> )  | E      | \$350         | \$884,927,301    |
| 1100 | Springsnail, Socorro (Pyrgulopsis neomexicana)  | Е      | \$350         | \$884,927,651    |
| 1100 | Isopod, Socorro (Thermosphaeroma thermophilus)  | Е      | \$350         | \$884,928,001    |
| 1100 | Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )   | E      | \$350         | \$884,928,351    |
| 1100 | Mesa-mint, Otay (Pogogyne nudiuscula)   | Е      | \$350         | \$884,928,701    |
| 1101 | Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL  | EXPN   | \$305         | \$884,929,006    |
| 1102 | Amphipod, Illinois cave (Gammarus acherondytes)   | Е      | \$270         | \$884,929,276    |
| 1103 | Clover, Monterey (Trifolium trichocalyx)  | Е      | \$244         | \$884,929,520    |
| 1104 | Seal, Guadalupe fur (Arctocephalus townsendi)   | Т      | \$205         | \$884,929,725    |
| 1104 | Pearlymussel, dromedary ( <i>Dromus dromas</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL    | EXPN   | \$205         | \$884,929,930    |
| 1105 | Cahow (Pterodroma cahow)  | Е      | \$200         | \$884,930,130    |
| 1105 | Yerba santa, Lompoc (Eriodictyon capitatum)   | E      | \$200         | \$884,930,330    |
| 1106 | Jaguarundi, Sinaloan (Herpailurus (=Felis) yagouaroundi tolteca)  | Е      | \$150         | \$884,930,480    |
| 1107 | Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN   | \$142         | \$884,930,622    |
| 1108 | Roseroot, Leedy's (Sedum integrifolium ssp. leedyi)   | Т      | \$100         | \$884,930,722    |
| 1109 | Milk-vetch, heliotrope (Astragalus montii)  | Т      | \$90          | \$884,930,812    |
| 1110 | Primrose, Maguire ( <i>Primula maguirei</i> )   | Т      | \$11          | \$884,930,823    |
| 1111 | Reed-mustard, Barneby (Schoenocrambe barnebyi)  | Е      | \$6           | \$884,930,829    |
| 1112 | Whale, gray (Eschrichtius robustus) W Pacific Ocean   | Е      | \$0           | \$884,930,829    |