

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY2012 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Snake R. Basin	T	\$67,559,317	\$67,559,317
2	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - middle Columbia R.	T	\$67,401,574	\$134,960,891
3	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$60,832,177	\$195,793,068
4	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$53,827,474	\$249,620,542
5	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$49,047,500	\$298,668,042
6	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - upper Columbia R. Basin	T	\$41,683,568	\$340,351,610
7	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$37,900,480	\$378,252,090
8	Trout, bull ( <i>Salvelinus confluentus</i> ) - conterminous, lower 48 states	T	\$37,697,010	\$415,949,100
9	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$35,707,536	\$451,656,636
10	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$30,213,869	\$481,870,505
11	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$30,180,634	\$512,051,139
12	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - Snake River, ID stock wherever found.	E	\$25,098,251	\$537,149,390
13	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - western pop.	E	\$22,254,726	\$559,404,116
14	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - lower Columbia R.	T	\$21,176,753	\$580,580,869
15	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$20,465,308	\$601,046,177
16	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - upper Willamette R.	T	\$20,190,094	\$621,236,271
17	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - eastern pop.	T	\$17,960,107	\$639,196,378
18	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - Southern Oregon–Northern California Coast ESU	T	\$17,596,555	\$656,792,933
19	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	\$17,263,815	\$674,056,748
20	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$16,841,162	\$690,897,910
21	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) keta) - Columbia R.	T	\$15,772,130	\$706,670,040
22	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$15,028,862	\$721,698,902
23	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) - Puget Sound ESU	T	\$14,849,784	\$736,548,686
24	Sturgeon, white ( <i>Acipenser transmontanus</i> ) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$13,632,338	\$750,181,024

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
25	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Lower Columbia River ESU	T	\$13,183,361	\$763,364,385
26	Sucker, razorback ( <i>Xyrauchen texanus</i> )	E	\$12,415,575	\$775,779,960
27	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	\$11,955,724	\$787,735,684
28	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Central Valley CA	T	\$11,840,159	\$799,575,843
29	Plover, piping ( <i>Charadrius melodus</i> ) - except Great Lakes watershed	T	\$11,602,303	\$811,178,146
30	Salmon, Atlantic ( <i>Salmo salar</i> ) - Expanded Gulf of Maine DPS	E	\$10,913,156	\$822,091,302
31	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - central CA coast	T	\$10,103,546	\$832,194,848
32	Tern, least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$9,969,552	\$842,164,400
33	Whale, North Atlantic Right ( <i>Eubalaena glacialis</i> )	E	\$9,905,912	\$852,070,312
34	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - except where listed as EXPN	E	\$9,182,533	\$861,252,845
35	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Sacramento River winter-run ESU	E	\$9,171,593	\$870,424,438
36	Chub, humpback ( <i>Gila cypha</i> )	E	\$9,005,463	\$879,429,901
37	Tortoise, desert ( <i>Gopherus agassizii</i> ) - except in Sonoran Desert	T	\$7,958,057	\$887,387,958
38	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Puget Sound DPS	T	\$7,753,711	\$895,141,669
39	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Oregon Coast ESU	T	\$7,374,489	\$902,516,158
40	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - lower 48 States, except where listed as EXPN or delisted	T	\$7,351,556	\$909,867,714
41	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) - CA, OR, WA	T	\$7,322,553	\$917,190,267
42	Stork, wood ( <i>Mycteria americana</i> ) - AL, FL, GA, SC	E	\$6,872,943	\$924,063,210
43	Frog, California red-legged ( <i>Rana draytonii</i> )	T	\$6,388,743	\$930,451,953
44	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Central CA ESU	E	\$6,323,590	\$936,775,543
45	Chub, bonytail ( <i>Gila elegans</i> )	E	\$5,998,367	\$942,773,910
46	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$5,947,661	\$948,721,571
47	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Central Valley spring-run ESU	T	\$5,872,013	\$954,593,584
48	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$5,807,681	\$960,401,265
49	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - except Salt and Verde R. drainages, AZ	E	\$5,619,379	\$966,020,644
50	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$5,614,736	\$971,635,380
51	Sea turtle, green ( <i>Chelonia mydas</i> ) - except where endangered	T	\$5,598,649	\$977,234,029
52	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - northern CA	T	\$5,531,899	\$982,765,928

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
53	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$5,436,912	\$988,202,840
54	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) - 3 CA river basins	T	\$5,412,525	\$993,615,365
55	Salmon, chum ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i> ) - summer-run Hood Canal	T	\$5,147,915	\$998,763,280
56	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$5,130,935	\$1,003,894,215
57	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	\$5,119,958	\$1,009,014,173
58	Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - southern CA coast	E	\$5,086,308	\$1,014,100,481
59	Lynx, Canada ( <i>Lynx canadensis</i> ) - Contiguous U.S. DPS	T	\$4,941,283	\$1,019,041,764
60	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarkii henshawi</i> )	T	\$4,922,649	\$1,023,964,413
61	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$4,830,808	\$1,028,795,221
62	Salmon, chinook ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i> ) - CA coast	T	\$4,814,557	\$1,033,609,778
63	Steelhead ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i> ) - south central CA coast	T	\$4,811,613	\$1,038,421,391
64	Salmon, sockeye ( <i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i> ) - Ozette Lake, WA	T	\$4,718,325	\$1,043,139,716
65	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$4,626,033	\$1,047,765,749
66	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	\$4,594,393	\$1,052,360,142
67	Bear, polar ( <i>Ursus maritimus</i> )	T	\$4,438,621	\$1,056,798,763
68	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) - U.S.A. only	E	\$4,386,407	\$1,061,185,170
69	Tortoise, desert ( <i>Gopherus agassizii</i> ) - outside/taken from Sonoran Desert	SAT	\$4,376,424	\$1,065,561,594
70	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) - Pacific coast pop.	T	\$3,983,469	\$1,069,545,063
71	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$3,636,851	\$1,073,181,914
72	Sturgeon, North American green ( <i>Acipenser medirostris</i> ) - CA Southern DPS	T	\$3,605,068	\$1,076,786,982
73	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	\$3,560,723	\$1,080,347,705
74	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	\$3,459,513	\$1,083,807,218
75	Wolf, red ( <i>Canis rufus</i> ) - portions of NC and TN	EXPN	\$3,457,000	\$1,087,264,218
76	Spikedace ( <i>Meda fulgida</i> )	T	\$3,436,727	\$1,090,700,945
77	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	\$3,313,867	\$1,094,014,812
78	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	\$3,277,341	\$1,097,292,153
79	Tern, California least ( <i>Sterna antillarum browni</i> )	E	\$3,269,772	\$1,100,561,925
80	Sturgeon, Atlantic ( <i>Acipenser oxyrinchus oxyrinchus</i> ) -	T	\$3,222,504	\$1,103,784,429
81	Sea turtle, loggerhead ( <i>Caretta caretta</i> ) - Northwest Atlantic DPS	T	\$3,198,330	\$1,106,982,759

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
82	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$3,081,388	\$1,110,064,147
83	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - U.S.A.	E	\$2,956,265	\$1,113,020,412
84	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> ) - CA	E	\$2,900,783	\$1,115,921,195
85	Bat, gray ( <i>Myotis grisescens</i> )	E	\$2,851,238	\$1,118,772,433
86	Wolf, gray ( <i>Canis lupus</i> ) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; those portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, and WA; Mexico.	E	\$2,847,421	\$1,121,619,854
87	Chub, Gila ( <i>Gila intermedia</i> )	E	\$2,764,031	\$1,124,383,885
88	Wolf, gray ( <i>Canis lupus</i> ) - WY, ID, MT	EXPN	\$2,754,285	\$1,127,138,170
89	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	\$2,707,104	\$1,129,845,274
90	Whale, Beluga ( <i>Delphinapterus leucas</i> ) - Cook Inlet DPS	E	\$2,655,502	\$1,132,500,776
91	Crane, whooping ( <i>Grus americana</i> ) - except where EXPN	E	\$2,641,215	\$1,135,141,991
92	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	\$2,605,237	\$1,137,747,228
93	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	\$2,542,389	\$1,140,289,617
94	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) - W of Mobile/Tombigbee Rs.	T	\$2,388,354	\$1,142,677,971
95	Wolf, gray ( <i>Canis lupus</i> ) - Mexican gray wolf, EXPN population	EXPN	\$2,355,478	\$1,145,033,449
96	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$2,352,043	\$1,147,385,492
97	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS	E	\$2,324,063	\$1,149,709,555
98	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	\$2,319,024	\$1,152,028,579
99	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$2,258,563	\$1,154,287,142
100	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$2,190,217	\$1,156,477,359
101	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$2,174,581	\$1,158,651,940
102	Whale, sperm ( <i>Physeter catodon</i> (=macrocephalus))	E	\$2,162,842	\$1,160,814,782
103	scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> )	T	\$2,146,215	\$1,162,960,997
104	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$2,130,951	\$1,165,091,948
105	Whale, blue ( <i>Balaenoptera musculus</i> )	E	\$2,127,762	\$1,167,219,710
106	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. wrighti))	E	\$2,117,111	\$1,169,336,821
107	Ferret, black-footed ( <i>Mustela nigripes</i> ) - except where EXPN	E	\$2,106,534	\$1,171,443,355
108	Panther, Florida ( <i>Puma</i> (=Felis) concolor coryi) - LA and AR east to SC and FL	E	\$2,104,148	\$1,173,547,503

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
109	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	\$2,030,869	\$1,175,578,372
110	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$2,012,757	\$1,177,591,129
111	Sea turtle, loggerhead ( <i>Caretta caretta</i> ) - North Pacific Ocean DPS	E	\$1,956,932	\$1,179,548,061
112	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$1,936,898	\$1,181,484,959
113	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - Central CA DPS	T	\$1,919,472	\$1,183,404,431
114	Condor, California ( <i>Gymnogyps californianus</i> ) - except where EXPN	E	\$1,841,104	\$1,185,245,535
115	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> ) - CA	E	\$1,781,472	\$1,187,027,007
116	Whale, killer ( <i>Orcinus orca</i> ) - Southern Resident DPS	E	\$1,741,589	\$1,188,768,596
117	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - northern	T	\$1,717,286	\$1,190,485,882
118	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - FL pop.	E	\$1,689,190	\$1,192,175,072
119	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$1,620,552	\$1,193,795,624
120	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$1,608,659	\$1,195,404,283
121	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$1,590,650	\$1,196,994,933
122	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	\$1,556,868	\$1,198,551,801
123	Eider, Steller's ( <i>Polysticta stelleri</i> ) - AK breeding pop.	T	\$1,545,430	\$1,200,097,231
124	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - except where listed as EXPN	E	\$1,539,057	\$1,201,636,288
125	Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )	E	\$1,537,659	\$1,203,173,947
126	Crane, whooping ( <i>Grus americana</i> ) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$1,522,406	\$1,204,696,353
127	Prairie dog, Utah ( <i>Cynomys parvidens</i> ) - UT	T	\$1,496,766	\$1,206,193,119
128	Sucker, June ( <i>Chasmistes liorus</i> )	E	\$1,440,552	\$1,207,633,671
129	Wolf, gray ( <i>Canis lupus</i> ) - MN	T	\$1,405,323	\$1,209,038,994
130	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Sonoma County	E	\$1,399,781	\$1,210,438,775
131	Warbler, Kirtland's ( <i>Dendroica kirtlandii</i> )	E	\$1,365,618	\$1,211,804,393
132	Gnatcatcher, coastal California ( <i>Poliophtila californica californica</i> )	T	\$1,363,671	\$1,213,168,064
133	Sea turtle, green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.	E	\$1,340,532	\$1,214,508,596
134	Wolf, gray ( <i>Canis lupus</i> ) - WY, EXPN population	EXPN	\$1,309,776	\$1,215,818,372
135	Butterfly, Karner blue ( <i>Lycæides melissa samuelis</i> )	E	\$1,298,182	\$1,217,116,554
136	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - except where endangered	T	\$1,266,283	\$1,218,382,837
137	Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> ) - Sierra Nevada	E	\$1,241,568	\$1,219,624,405

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
138	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - CA - Santa Barbara County	E	\$1,207,356	\$1,220,831,761
139	Cui-ui ( <i>Chasmistes cujus</i> )	E	\$1,181,533	\$1,222,013,294
140	Coral, elkhorn ( <i>Acropora palmata</i> )	T	\$1,173,382	\$1,223,186,676
141	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	\$1,160,894	\$1,224,347,570
142	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) - U.S.A.	E	\$1,156,964	\$1,225,504,534
143	Toad, arroyo (=arroyo southwestern) ( <i>Anaxyrus californicus</i> )	E	\$1,144,825	\$1,226,649,359
144	Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> ) - CA	E	\$1,142,597	\$1,227,791,956
145	Pupfish, Owens ( <i>Cyprinodon radiosus</i> )	E	\$1,109,722	\$1,228,901,678
146	Sawfish, smalltooth ( <i>Pristis pectinata</i> ) - TX, FL	E	\$1,108,466	\$1,230,010,144
147	Goose, Hawaiian ( <i>Branta</i> (=Nesochen) <i>sandvicensis</i> )	E	\$1,101,201	\$1,231,111,345
148	Wolf, gray ( <i>Canis lupus</i> ) - Western Great Lakes DPS	DM	\$1,098,690	\$1,232,210,035
149	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$1,094,184	\$1,233,304,219
150	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$1,062,000	\$1,234,366,219
151	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	\$1,059,474	\$1,235,425,693
152	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	\$1,058,016	\$1,236,483,709
153	Plover, piping ( <i>Charadrius melodus</i> ) - Great Lakes watershed	E	\$1,046,182	\$1,237,529,891
154	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$1,028,772	\$1,238,558,663
155	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	\$1,026,915	\$1,239,585,578
156	Sheep, Peninsular bighorn ( <i>Ovis canadensis nelsoni</i> ) - Peninsular CA	E	\$1,017,980	\$1,240,603,558
157	Coral, staghorn ( <i>Acropora cervicornis</i> )	T	\$1,013,144	\$1,241,616,702
158	Abalone, White ( <i>Haliotis sorenseni</i> ) - West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	E	\$1,004,328	\$1,242,621,030
159	Snails, Oahu tree ( <i>Achatinella</i> spp.)	E	\$977,451	\$1,243,598,481
160	Chub, Oregon ( <i>Oregonichthys crameri</i> )	T	\$972,151	\$1,244,570,632
161	Abalone, Black ( <i>Haliotis cracherodii</i> )	E	\$963,645	\$1,245,534,277
162	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	\$958,482	\$1,246,492,759
163	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	\$957,395	\$1,247,450,154
164	Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) – So. CA DPS	E	\$952,650	\$1,248,402,804
165	Goby, tidewater ( <i>Eucyclogobius newberryi</i> )	E	\$944,722	\$1,249,347,526
166	Eulachon, Pacific ( <i>Thaleichthys pacificus</i> ) - Southern DPS	T	\$933,127	\$1,250,280,653
167	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	\$913,747	\$1,251,194,400
168	Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )	T	\$898,484	\$1,252,092,884
169	Chub, Virgin River ( <i>Gila seminuda</i> (=robusta))	E	\$890,379	\$1,252,983,263

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
170	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	\$854,681	\$1,253,837,944
171	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) – IN, MI, OH	T	\$837,385	\$1,254,675,329
172	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	\$826,052	\$1,255,501,381
173	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$810,227	\$1,256,311,608
174	Fatmucket, Arkansas ( <i>Lampsilis powellii</i> )	T	\$791,720	\$1,257,103,328
175	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	\$782,255	\$1,257,885,583
176	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> ssp. <i>kincaidii</i> )	T	\$761,052	\$1,258,646,635
177	Woundfin ( <i>Plagopterus argentissimus</i> ) - except Gila R. drainage, AZ, NM	E	\$749,149	\$1,259,395,784
178	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$747,090	\$1,260,142,874
179	Nehe ( <i>Lipochaeta kamolensis</i> )	E	\$728,469	\$1,260,871,343
180	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )	E	\$726,139	\$1,261,597,482
181	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$686,548	\$1,262,284,030
182	Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )	T	\$683,195	\$1,262,967,225
183	Caribou, woodland ( <i>Rangifer tarandus caribou</i> ) - Selkirk Mountains	E	\$680,317	\$1,263,647,542
184	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	\$659,200	\$1,264,306,742
185	Bear, American black ( <i>Ursus americanus</i> ) - County range of LA b.bear	SAT	\$648,280	\$1,264,955,022
186	Peppergrass, Slickspot ( <i>Lepidium papilliferum</i> )	T	\$638,065	\$1,265,593,087
187	Otter, southern sea ( <i>Enhydra lutris nereis</i> )	T	\$635,493	\$1,266,228,580
188	Rockfish, Yelloweye ( <i>Sebastes ruberrimus</i> ) - Puget Sound–GA Basin DPS	T	\$631,230	\$1,266,859,810
189	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	\$631,149	\$1,267,490,959
190	Rockfish, Canary ( <i>Sebastes pinniger</i> ) - Puget Sound–GA Basin DPS	T	\$628,991	\$1,268,119,950
191	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	\$598,233	\$1,268,718,183
192	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL	T	\$574,895	\$1,269,293,078
193	Whale, North Pacific Right ( <i>Eubalaena japonica</i> )	E	\$570,759	\$1,269,863,837
194	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) - Sonoran Desert DPS	T	\$560,767	\$1,270,424,604
195	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	\$558,046	\$1,270,982,650
196	Ferret, black-footed ( <i>Mustela nigripes</i> ) - portions of AZ, CO, MT, SD, UT, WY	EXPN	\$557,007	\$1,271,539,657
197	Bocaccio ( <i>Sebastes paucispinis</i> ) - Puget Sound–GA Basin DPS	E	\$554,690	\$1,272,094,347

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
198	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) - CO, WY	T	\$554,186	\$1,272,648,533
199	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	\$553,033	\$1,273,201,566
200	Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )	E	\$547,428	\$1,273,748,994
201	Howellia, water ( <i>Howellia aquatilis</i> )	T	\$539,612	\$1,274,288,606
202	Mussel, snuffbox ( <i>Epioblasma triquetra</i> )	E	\$533,251	\$1,274,821,857
203	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	\$531,440	\$1,275,353,297
204	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	\$525,255	\$1,275,878,552
205	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$521,140	\$1,276,399,692
206	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$518,700	\$1,276,918,392
207	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))	E	\$514,028	\$1,277,432,420
208	Sparrow, San Clemente sage ( <i>Amphispiza belli clementae</i> )	T	\$513,785	\$1,277,946,205
209	Lizard, Island night ( <i>Xantusia riversiana</i> )	T	\$513,172	\$1,278,459,377
210	Fox, Santa Cruz Island ( <i>Urocyon littoralis santacruzae</i> ) - CA	E	\$507,870	\$1,278,967,247
211	Wedgemussel, dwarf ( <i>Alasmodonta heterodon</i> )	E	\$504,091	\$1,279,471,338
212	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	\$503,935	\$1,279,975,273
213	Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	\$496,840	\$1,280,472,113
214	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	\$494,726	\$1,280,966,839
215	trout, Greenback Cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	\$490,727	\$1,281,457,566
216	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> )	E	\$483,660	\$1,281,941,226
217	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	\$482,800	\$1,282,424,026
218	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) - SW Alaska DPS	T	\$478,997	\$1,282,903,023
219	Tui chub, Mohave ( <i>Gila bicolor</i> ssp. <i>mohavensis</i> )	E	\$475,243	\$1,283,378,266
220	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	\$473,122	\$1,283,851,388
221	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	\$471,966	\$1,284,323,354
222	Frog, dusky gopher ( <i>Rana sevosia</i> )	E	\$470,425	\$1,284,793,779
223	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	\$464,995	\$1,285,258,774
224	Bat, Ozark big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i> )	E	\$460,926	\$1,285,719,700
225	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuenae</i> )	E	\$458,362	\$1,286,178,062
226	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	\$449,201	\$1,286,627,263
227	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$446,230	\$1,287,073,493
228	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	\$446,175	\$1,287,519,668
229	Wolf, red ( <i>Canis rufus</i> ) - except where EXPN	E	\$444,500	\$1,287,964,168



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
230	Kangaroo rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cactus</i> ))	E	\$430,105	\$1,288,394,273
231	Albatross, short-tailed ( <i>Phoebastria</i> (= <i>Diomedea</i> ) <i>albatrus</i> )	E	\$428,142	\$1,288,822,415
232	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> )	E	\$422,965	\$1,289,245,380
233	Hawk, Hawaiian (= 'lo) ( <i>Buteo solitarius</i> )	E	\$415,806	\$1,289,661,186
234	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	\$409,240	\$1,290,070,426
235	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	\$406,696	\$1,290,477,122
236	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> ) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$405,921	\$1,290,883,043
237	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$399,635	\$1,291,282,678
238	Kangaroo rat, Tipton ( <i>Dipodomys nitratoideus nitratoideus</i> )	E	\$398,808	\$1,291,681,486
239	Crocodile, American ( <i>Crocodylus acutus</i> ) - FL pop.	T	\$396,321	\$1,292,077,807
240	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	\$395,174	\$1,292,472,981
241	Rail, Guam ( <i>Rallus owstoni</i> ) - except Rota	E	\$394,583	\$1,292,867,564
242	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	\$381,218	\$1,293,248,782
243	Toad, Wyoming ( <i>Bufo baxteri</i> (= <i>hemiphrys</i> ))	E	\$380,428	\$1,293,629,210
244	Seal, Caribbean monk ( <i>Monachus tropicalis</i> )	E	\$380,000	\$1,294,009,210
245	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	\$378,665	\$1,294,387,875
246	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	\$377,589	\$1,294,765,464
247	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	\$376,132	\$1,295,141,596
248	Butterfly, Palos Verdes blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> )	E	\$375,745	\$1,295,517,341
249	Bat, Virginia big-eared ( <i>Corynorhinus</i> (= <i>Plecotus</i> ) <i>townsendii virginianus</i> )	E	\$368,740	\$1,295,886,081
250	Salamander, frosted flatwoods ( <i>Ambystoma cingulatum</i> )	T	\$365,606	\$1,296,251,687
251	Phlox, Texas trailing ( <i>Phlox nivalis</i> ssp. <i>texensis</i> )	E	\$364,407	\$1,296,616,094
252	Fox, Santa Rosa Island ( <i>Urocyon littoralis santarosae</i> ) - CA	E	\$363,840	\$1,296,979,934
253	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - except where EXPN	E	\$361,236	\$1,297,341,170
254	Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )	T	\$355,000	\$1,297,696,170
255	Chaffseed, American ( <i>Schwalbea americana</i> )	E	\$351,708	\$1,298,047,878
256	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$346,644	\$1,298,394,522
257	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$342,235	\$1,298,736,757
258	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - Mexican nesting pop.	E	\$340,550	\$1,299,077,307
259	Three-ridge, fat (mussel) ( <i>Amblema neislerii</i> )	E	\$327,788	\$1,299,405,095
260	Logperch, Roanoke ( <i>Percina rex</i> )	E	\$324,757	\$1,299,729,852

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
261	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$324,540	\$1,300,054,392
262	Rabbit, pygmy ( <i>Brachylagus idahoensis</i> ) - Columbia Basin DPS	E	\$324,517	\$1,300,378,909
263	Pearlmyssel, cracking ( <i>Hemistena lata</i> ) - Except where EXPN	E	\$324,475	\$1,300,703,384
264	Condor, California ( <i>Gymnogyps californianus</i> ) - AZ, NV, UT	EXPN	\$323,516	\$1,301,026,900
265	Snail, Snake River physa ( <i>Physa natricina</i> )	E	\$318,094	\$1,301,344,994
266	Salamander, Reticulated flatwoods ( <i>Ambystoma bishopi</i> )	E	\$313,250	\$1,301,658,244
267	Clubshell ( <i>Pleurobema clava</i> ) - Except where EXPN	E	\$310,978	\$1,301,969,222
268	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> )	T	\$309,727	\$1,302,278,949
269	Monkeyface, Cumberland (pearlmyssel) ( <i>Quadrula intermedia</i> ) - Except where EXPN	E	\$308,861	\$1,302,587,810
270	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$304,939	\$1,302,892,749
271	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	\$304,677	\$1,303,197,426
272	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )	E	\$297,695	\$1,303,495,121
273	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	\$297,434	\$1,303,792,555
274	Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )	E	\$296,436	\$1,304,088,991
275	Wooly-threads, San Joaquin ( <i>Monolopia</i> (=Lembertia) <i>congdonii</i> )	E	\$293,677	\$1,304,382,668
276	Ocelot ( <i>Leopardus</i> (=Felis) <i>pardalis</i> ) - AZ, TX to Central and South America	E	\$291,026	\$1,304,673,694
277	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	\$289,547	\$1,304,963,241
278	Darter, bluemark (=jewel) ( <i>Etheostoma</i> sp.)	E	\$289,300	\$1,305,252,541
279	Honohono ( <i>Haplostachys haplostachya</i> )	E	\$287,067	\$1,305,539,608
280	Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )	E	\$286,314	\$1,305,825,922
281	Popolo ku mai ( <i>Solanum incompletum</i> )	E	\$286,298	\$1,306,112,220
282	<i>Asplenium fragile insulare</i> (=Sci name)	E	\$284,750	\$1,306,396,970
283	<i>Silene hawaiiensis</i> (=Sci name)	T	\$283,091	\$1,306,680,061
284	<i>Stenogyne angustifolia angustifolia</i> (=Sci name)	E	\$283,046	\$1,306,963,107
285	<i>Neraudia ovata</i> (=Sci name)	E	\$282,647	\$1,307,245,754
286	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	\$282,200	\$1,307,527,954
287	Sucker, Warner ( <i>Catostomus warnerensis</i> )	T	\$281,750	\$1,307,809,704
288	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - portions of ID and MT	EXPN	\$280,600	\$1,308,090,304
289	Po'e ( <i>Portulaca sclerocarpa</i> )	E	\$279,972	\$1,308,370,276
290	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	\$279,502	\$1,308,649,778
291	Kio`ele ( <i>Kadua coriacea</i> )	E	\$279,435	\$1,308,929,213

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
292	Bankclimber, purple (mussel) ( <i>Elliptioideus sloatianus</i> )	T	\$276,875	\$1,309,206,088
293	<i>Silene lanceolata</i> (=Sci name)	E	\$276,867	\$1,309,482,955
294	<i>Lipochaeta venosa</i> (=Sci name)	E	\$276,164	\$1,309,759,119
295	A`e ( <i>Zanthoxylum hawaiiense</i> )	E	\$273,615	\$1,310,032,734
296	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) ( <i>Serianthes nelsonii</i> )	E	\$273,190	\$1,310,305,924
297	Aupaka ( <i>Isodendron hosakae</i> )	E	\$273,013	\$1,310,578,937
298	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	\$272,780	\$1,310,851,717
299	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$271,081	\$1,311,122,798
300	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	\$270,474	\$1,311,393,272
301	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - northeast U.S. nesting pop.	E	\$267,384	\$1,311,660,656
302	Spinymussel, James ( <i>Pleurobema collina</i> )	E	\$265,350	\$1,311,926,006
303	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - Southwestern population	EXPN	\$264,750	\$1,312,190,756
304	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )	E	\$262,690	\$1,312,453,446
305	Seal, spotted ( <i>Phoca largha</i> ) - Southern DPS	T	\$262,500	\$1,312,715,946
306	Jaguar ( <i>Panthera onca</i> ) - AZ,CA,LA,NM,TX,Mexico,Central and South America	E	\$260,695	\$1,312,976,641
307	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	\$254,983	\$1,313,231,624
308	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	\$253,670	\$1,313,485,294
309	Creeper, Hawaii ( <i>Oreomystis mana</i> )	E	\$252,720	\$1,313,738,014
310	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	\$248,068	\$1,313,986,082
311	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	\$247,657	\$1,314,233,739
312	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$247,504	\$1,314,481,243
313	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - Except where EXPN	E	\$246,950	\$1,314,728,193
314	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	\$246,480	\$1,314,974,673
315	Mussel, sheepnose ( <i>Plethobasus cyphus</i> )	E	\$246,463	\$1,315,221,136
316	Akiapola`au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	\$241,502	\$1,315,462,638
317	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	\$240,489	\$1,315,703,127
318	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	\$237,273	\$1,315,940,400
319	Shiner, Arkansas River ( <i>Notropis girardi</i> ) - Arkansas R. Basin	T	\$234,223	\$1,316,174,623
320	Dace, Moapa ( <i>Moapa coriacea</i> )	E	\$232,549	\$1,316,407,172
321	Butterfly, Miami Blue ( <i>Cyclargus</i> (=Hemiargus) thomasi bethunebakeri)	E	\$227,369	\$1,316,634,541

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
322	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	\$226,928	\$1,316,861,469
323	Lily, Western ( <i>Lilium occidentale</i> )	E	\$224,692	\$1,317,086,161
324	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> )	E	\$222,277	\$1,317,308,438
325	Seal, Guadalupe fur ( <i>Arctocephalus townsendi</i> )	T	\$220,905	\$1,317,529,343
326	Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> )	T	\$215,700	\$1,317,745,043
327	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	\$215,503	\$1,317,960,546
328	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - south of Pt. Conception, CA	EXPN	\$210,527	\$1,318,171,073
329	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$210,428	\$1,318,381,501
330	Pocketbook, finlined ( <i>Lampsilis altilis</i> )	T	\$210,145	\$1,318,591,646
331	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	\$210,122	\$1,318,801,768
332	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - Except where EXPN	E	\$208,939	\$1,319,010,707
333	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	\$208,518	\$1,319,219,225
334	Duck, Laysan ( <i>Anas laysanensis</i> )	E	\$207,375	\$1,319,426,600
335	Fox, San Miguel Island ( <i>Urocyon littoralis littoralis</i> ) - CA	E	\$206,107	\$1,319,632,707
336	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	\$205,612	\$1,319,838,319
337	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )	E	\$203,360	\$1,320,041,679
338	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	E	\$199,454	\$1,320,241,133
339	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	\$197,709	\$1,320,438,842
340	Ma`o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	\$197,324	\$1,320,636,166
341	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	\$194,228	\$1,320,830,394
342	Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )	E	\$193,925	\$1,321,024,319
343	Bean, purple ( <i>Villosa perpurpurea</i> )	E	\$193,775	\$1,321,218,094
344	Chub, spotfin ( <i>Erimonax monachus</i> )	T	\$192,096	\$1,321,410,190
345	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	\$191,172	\$1,321,601,362
346	Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )	E	\$190,507	\$1,321,791,869
347	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	\$190,287	\$1,321,982,156
348	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	\$189,625	\$1,322,171,781
349	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscini</i> )	E	\$189,404	\$1,322,361,185
350	Woolly-star, Santa Ana River ( <i>Eriastrum densifolium</i> ssp. <i>sanctorum</i> )	E	\$187,971	\$1,322,549,156
351	<i>Phyllostegia hispida</i> (=Sci name)	E	\$187,749	\$1,322,736,905

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
352	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$187,149	\$1,322,924,054
353	Pearlmyssel, birdwing ( <i>Lemiox rimosus</i> ) - Except where EXPN	E	\$186,721	\$1,323,110,775
354	Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> )	E	\$185,126	\$1,323,295,901
355	Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )	E	\$184,627	\$1,323,480,528
356	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	\$184,611	\$1,323,665,139
357	Rocksnaill, plicate ( <i>Leptoxis plicata</i> )	E	\$184,000	\$1,323,849,139
358	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> ) FL	T	\$183,804	\$1,324,032,943
359	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	\$183,021	\$1,324,215,964
360	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$181,356	\$1,324,397,320
361	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )	E	\$181,337	\$1,324,578,657
362	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	\$181,052	\$1,324,759,709
363	Pondberry ( <i>Lindera melissifolia</i> )	E	\$180,018	\$1,324,939,727
364	Darter, leopard ( <i>Percina pantherina</i> )	T	\$178,001	\$1,325,117,728
365	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	\$177,782	\$1,325,295,510
366	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )	E	\$175,244	\$1,325,470,754
367	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	\$173,888	\$1,325,644,642
368	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$172,678	\$1,325,817,320
369	Cactus, Bakersfield ( <i>Opuntia treleasei</i> )	E	\$171,594	\$1,325,988,914
370	Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )	E	\$171,226	\$1,326,160,140
371	Lessingia, San Francisco ( <i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> ))	E	\$4,782	\$1,326,164,922
372	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	\$169,335	\$1,326,334,257
373	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) - Except where EXPN	E	\$169,000	\$1,326,503,257
374	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	\$168,014	\$1,326,671,271
375	Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri</i> var. <i>kuenzleri</i> )	E	\$167,535	\$1,326,838,806
376	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	\$167,194	\$1,327,006,000
377	Pebblesnail, flat ( <i>Lepyrium showalteri</i> )	E	\$166,591	\$1,327,172,591
378	Darter, snail ( <i>Percina tanasi</i> )	T	\$164,684	\$1,327,337,275
379	Pink, swamp ( <i>Helonias bullata</i> )	T	\$164,394	\$1,327,501,669
380	Limpet, Banbury Springs ( <i>Lanx</i> sp.)	E	\$163,387	\$1,327,665,056
381	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	\$163,158	\$1,327,828,214
382	Monardella, willowy ( <i>Monardella viminea</i> )	E	\$163,031	\$1,327,991,245
383	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	\$160,839	\$1,328,152,084

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
384	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - except Sussex Co., DE	E	\$160,087	\$1,328,312,171
385	Hellbender, Ozark ( <i>Cryptobranchus alleganiensis bishopi</i> )	E	\$158,760	\$1,328,470,931
386	Madtom, Neosho ( <i>Noturus placidus</i> )	T	\$158,179	\$1,328,629,110
387	Mehamehame ( <i>Flueggea neowawraea</i> )	E	\$157,757	\$1,328,786,867
388	Crane, whooping ( <i>Grus americana</i> ) - CO, ID, FL, NM, UT, WY	EXPN	\$156,345	\$1,328,943,212
389	Trout, Gila ( <i>Oncorhynchus gilae</i> )	T	\$154,086	\$1,329,097,298
390	Lomatium, Cook's ( <i>Lomatium cookii</i> )	E	\$153,384	\$1,329,250,682
391	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	\$152,939	\$1,329,403,621
392	Snake, Concho water ( <i>Nerodia paucimaculata</i> )	T	\$152,763	\$1,329,556,384
393	Kangaroo rat, Fresno ( <i>Dipodomys nitratoides exilis</i> )	E	\$152,027	\$1,329,708,411
394	Bear-poppy, Dwarf ( <i>Arctomecon humilis</i> )	E	\$150,530	\$1,329,858,941
395	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	\$150,500	\$1,330,009,441
396	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	\$149,875	\$1,330,159,316
397	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	\$147,911	\$1,330,307,227
398	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - Except where EXPN	E	\$145,975	\$1,330,453,202
399	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) - Except where EXPN	E	\$144,600	\$1,330,597,802
400	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	\$144,068	\$1,330,741,870
401	Madtom, pygmy ( <i>Noturus stanauli</i> )	E	\$144,000	\$1,330,885,870
402	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	\$143,800	\$1,331,029,670
403	Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )	T	\$143,651	\$1,331,173,321
404	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	\$142,764	\$1,331,316,085
405	Poolfish, Pahrump ( <i>Empetrichthys latos</i> )	E	\$141,842	\$1,331,457,927
406	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	\$140,434	\$1,331,598,361
407	Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	\$140,348	\$1,331,738,709
408	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> ) - FL	E	\$139,652	\$1,331,878,361
409	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> ) - Entire	T	\$138,787	\$1,332,017,148
410	Broom, San Clemente Island ( <i>Lotus dendroideus</i> ssp. <i>traskiae</i> )	E	\$136,570	\$1,332,153,718
411	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	\$136,107	\$1,332,289,825
412	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	\$135,105	\$1,332,424,930
413	Mahoe ( <i>Alectryon macrococcus</i> )	E	\$134,712	\$1,332,559,642
414	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )	T	\$133,673	\$1,332,693,315
415	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$133,200	\$1,332,826,515

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
415	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$133,200	\$1,332,959,715
416	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	\$133,014	\$1,333,092,729
417	Crane, whooping ( <i>Grus americana</i> ) - SW LA	EXPN	\$132,680	\$1,333,225,409
418	Whale, gray ( <i>Eschrichtius robustus</i> ) - W Pacific Ocean	E	\$132,510	\$1,333,357,919
419	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )	T	\$132,280	\$1,333,490,199
420	Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allopheys</i> )	E	\$132,240	\$1,333,622,439
421	Spinymussel, Tar River ( <i>Elliptio steinstansana</i> )	E	\$131,230	\$1,333,753,669
422	Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )	E	\$130,619	\$1,333,884,288
423	Cactus, Colorado hookless ( <i>Sclerocactus glaucus</i> )	T	\$130,418	\$1,334,014,706
424	Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )	E	\$128,803	\$1,334,143,509
425	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	\$127,633	\$1,334,271,142
426	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	\$127,527	\$1,334,398,669
427	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	\$126,088	\$1,334,524,757
428	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	\$125,876	\$1,334,650,633
429	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	\$124,096	\$1,334,774,729
430	Akikiki ( <i>Oreomystis bairdi</i> )	E	\$123,587	\$1,334,898,316
431	Milk-vetch, triple-ribbed ( <i>Astragalus tricarlinatus</i> )	E	\$123,502	\$1,335,021,818
432	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniana</i> )	E	\$123,002	\$1,335,144,820
433	<i>Neraudia angulata</i> (=Sci name)	E	\$121,888	\$1,335,266,708
434	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	\$121,599	\$1,335,388,307
435	<i>Abutilon sandwicense</i> (=Sci name)	E	\$121,531	\$1,335,509,838
436	<i>Gouania vitifolia</i> (=Sci name)	E	\$121,255	\$1,335,631,093
437	Chub, Sonora ( <i>Gila ditaenia</i> )	T	\$120,355	\$1,335,751,448
438	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	\$119,265	\$1,335,870,713
439	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$119,069	\$1,335,989,782
440	<i>Kadua parvula</i> (=Sci name)	E	\$118,131	\$1,336,107,913
441	Pamakani ( <i>Viola chamissoniana</i> ssp. <i>chamissoniana</i> )	E	\$117,985	\$1,336,225,898
442	Haha ( <i>Cyanea acuminata</i> )	E	\$117,221	\$1,336,343,119
443	Sumac, Michaux's ( <i>Rhus michauxii</i> )	E	\$117,209	\$1,336,460,328
444	Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )	E	\$116,778	\$1,336,577,106
445	Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )	E	\$115,990	\$1,336,693,096
446	Kulu'i ( <i>Nototrichium humile</i> )	E	\$115,208	\$1,336,808,304

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
447	<i>Schiedea nuttallii</i> (=Sci name)	E	\$115,108	\$1,336,923,412
448	Kamanomano ( <i>Cenchrus agrimonoides</i> )	E	\$115,078	\$1,337,038,490
449	<i>Pteris lidgatei</i> (=Sci name)	E	\$114,546	\$1,337,153,036
450	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$113,459	\$1,337,266,495
451	Bean, rayed ( <i>Villosa fabalis</i> )	E	\$113,126	\$1,337,379,621
452	Taraxacum, California ( <i>Taraxacum californicum</i> )	E	\$112,913	\$1,337,492,534
453	Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )	E	\$112,561	\$1,337,605,095
454	Oha ( <i>Delissea subcordata</i> )	E	\$112,498	\$1,337,717,593
455	`Akoko ( <i>Chamaesyce celastroides</i> var. <i>kaenana</i> )	E	\$112,276	\$1,337,829,869
456	Haha ( <i>Cyanea st.-johnii</i> )	E	\$112,114	\$1,337,941,983
457	Haha ( <i>Cyanea superba</i> )	E	\$112,108	\$1,338,054,091
458	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	\$111,816	\$1,338,165,907
459	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )	E	\$111,608	\$1,338,277,515
460	Uhiuhi ( <i>Caesalpinia kawaiense</i> )	E	\$111,577	\$1,338,389,092
461	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$111,284	\$1,338,500,376
462	Dace, Foscett speckled ( <i>Rhinichthys osculus</i> ssp.)	T	\$110,850	\$1,338,611,226
463	Ha`iwale ( <i>Cyrtandra dentata</i> )	E	\$109,676	\$1,338,720,902
463	<i>Schiedea obovata</i> (=Sci name)	E	\$109,676	\$1,338,830,578
463	`Akoko ( <i>Chamaesyce herbstii</i> )	E	\$109,676	\$1,338,940,254
464	Lo`ulu ( <i>Pritchardia kaalae</i> )	E	\$109,187	\$1,339,049,441
465	Nehe ( <i>Melanthera tenuifolia</i> )	E	\$109,176	\$1,339,158,617
465	<i>Sanicula mariversa</i> (=Sci name)	E	\$109,176	\$1,339,267,793
465	Haha ( <i>Cyanea longiflora</i> )	E	\$109,176	\$1,339,376,969
466	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$108,938	\$1,339,485,907
466	<i>Lobelia oahuensis</i> (=Sci name)	E	\$108,938	\$1,339,594,845
467	<i>Kadua degeneri</i> (=Sci name)	E	\$108,822	\$1,339,703,667
468	Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> ) - FL	E	\$108,621	\$1,339,812,288
469	Fox, Santa Catalina Island ( <i>Urocyon littoralis catalinae</i> ) - CA	E	\$108,587	\$1,339,920,875
470	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	\$108,423	\$1,340,029,298
471	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - Except where listed as EXPN	E	\$108,389	\$1,340,137,687
472	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$108,329	\$1,340,246,016
473	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$108,180	\$1,340,354,196
474	Na`ena`e ( <i>Dubautia herbstobatae</i> )	E	\$108,176	\$1,340,462,372



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
475	Akekee ( <i>Loxops caeruleirostris</i> )	E	\$108,020	\$1,340,570,392
476	Sucker, Modoc ( <i>Catostomus microps</i> )	E	\$107,964	\$1,340,678,356
477	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )	T	\$107,478	\$1,340,785,834
478	Nanu ( <i>Gardenia mannii</i> )	E	\$107,153	\$1,340,892,987
479	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$107,036	\$1,341,000,023
480	Ha`iwale ( <i>Cyrtandra viridiflora</i> )	E	\$106,721	\$1,341,106,744
481	Cycladenia, Jones ( <i>Cycladenia humilis</i> var. <i>jonesii</i> )	T	\$106,400	\$1,341,213,144
482	Kolea ( <i>Myrsine juddii</i> )	E	\$106,221	\$1,341,319,365
482	`Akoko ( <i>Chamaesyce rockii</i> )	E	\$106,221	\$1,341,425,586
483	Koki`o ( <i>Kokia drynarioides</i> )	E	\$105,469	\$1,341,531,055
484	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i> )	E	\$104,090	\$1,341,635,145
485	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	\$103,842	\$1,341,738,987
486	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	\$102,994	\$1,341,841,981
487	Wawae`iole ( <i>Huperzia nutans</i> )	E	\$102,367	\$1,341,944,348
488	Crownscale, San Jacinto Valley ( <i>Atriplex coronata</i> var. <i>notatior</i> )	E	\$101,777	\$1,342,046,125
489	Penstemon, blowout ( <i>Penstemon haydenii</i> )	E	\$101,628	\$1,342,147,753
490	Trout, Paiute cutthroat ( <i>Oncorhynchus clarkii seleniris</i> )	T	\$101,140	\$1,342,248,893
491	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina</i> <i>cinnamomina</i> )	E	\$100,893	\$1,342,349,786
492	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	\$100,840	\$1,342,450,626
493	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	\$100,835	\$1,342,551,461
494	Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> ))	E	\$100,815	\$1,342,652,276
495	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	\$99,620	\$1,342,751,896
496	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	T	\$98,662	\$1,342,850,558
497	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	\$98,463	\$1,342,949,021
498	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$97,907	\$1,343,046,928
499	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$97,215	\$1,343,144,143
500	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$96,721	\$1,343,240,864
501	<i>Phyllostegia mollis</i> (=Sci name)	E	\$96,329	\$1,343,337,193
502	Spectaclecase (mussel) ( <i>Cumberlandia monodonta</i> )	E	\$95,918	\$1,343,433,111
503	Woundfin ( <i>Plagopterus argentissimus</i> ) - Gila R. drainage, AZ, NM	EXPN	\$95,661	\$1,343,528,772
504	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	\$95,311	\$1,343,624,083
505	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	\$93,643	\$1,343,717,726

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
506	Jaguarundi, Gulf Coast ( <i>Herpailurus (=Felis) yagouaroundi cacomitli</i> ) – TX , Mexico	E	\$93,281	\$1,343,811,007
507	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	\$93,114	\$1,343,904,121
508	Pomace fly, [unnamed] ( <i>Drosophila montgomeryi</i> )	E	\$92,934	\$1,343,997,055
508	Pomace fly, [unnamed] ( <i>Drosophila substenoptera</i> )	E	\$92,934	\$1,344,089,989
509	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	\$92,755	\$1,344,182,744
510	Sturgeon, Shovelnose ( <i>Scaphirhynchus platyrhynchus</i> )	SAT	\$92,547	\$1,344,275,291
511	Pennyroyal, Todsens's ( <i>Hedeoma todsenii</i> )	E	\$92,415	\$1,344,367,706
512	Nioi ( <i>Eugenia koolauensis</i> )	E	\$92,153	\$1,344,459,859
513	Haha ( <i>Cyanea koolauensis</i> )	E	\$91,721	\$1,344,551,580
514	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$91,329	\$1,344,642,909
515	<i>Schiedea trinervis</i> (=Sci name)	E	\$91,221	\$1,344,734,130
516	<i>Cyanea (=Rollandia) crispa</i> (=Sci name)	E	\$91,153	\$1,344,825,283
517	Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )	E	\$91,100	\$1,344,916,383
518	Butterfly, Schaus swallowtail ( <i>Heraclides aristodemus ponceanus</i> )	E	\$90,880	\$1,345,007,263
519	Alani ( <i>Melicope lydgatei</i> )	E	\$90,721	\$1,345,097,984
520	Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )	E	\$90,670	\$1,345,188,654
521	Onion, Munz's ( <i>Allium munzii</i> )	E	\$90,660	\$1,345,279,314
522	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	\$90,100	\$1,345,369,414
523	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	\$89,721	\$1,345,459,135
524	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	\$89,402	\$1,345,548,537
525	Moccasinsheel, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	\$89,264	\$1,345,637,801
526	<i>Viola oahuensis</i> (=Sci name)	E	\$89,221	\$1,345,727,022
527	Skipper, Carson wandering ( <i>Pseudocopaeodes eunus obscurus</i> ) - NV, CA	E	\$88,652	\$1,345,815,674
528	Skyrocket, Pagosa ( <i>Ipomopsis polyantha</i> )	E	\$86,825	\$1,345,902,499
529	Salamander, desert slender ( <i>Batrachoseps aridus</i> )	E	\$86,511	\$1,345,989,010
530	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	\$85,896	\$1,346,074,906
531	Ko`oloha`ula ( <i>Abutilon menziesii</i> )	E	\$85,724	\$1,346,160,630
532	Meadowfoam, large-flowered woolly ( <i>Limnanthes floccosa</i> ssp. <i>grandiflora</i> )	E	\$85,634	\$1,346,246,264
533	Megapode, Micronesian ( <i>Megapodius laperouse</i> )	E	\$85,444	\$1,346,331,708
534	Cactus, San Rafael ( <i>Pediocactus despainii</i> )	E	\$85,100	\$1,346,416,808
535	Evening-primrose, Eureka Valley ( <i>Oenothera avita</i> ssp. <i>eurekensis</i> )	E	\$84,904	\$1,346,501,712
536	`Aiea ( <i>Nothocestrum breviflorum</i> )	E	\$84,599	\$1,346,586,311

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
537	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	\$84,435	\$1,346,670,746
538	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$83,603	\$1,346,754,349
539	Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )	E	\$83,201	\$1,346,837,550
540	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	\$83,066	\$1,346,920,616
541	Poppy, Sacramento prickly ( <i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i> )	E	\$83,015	\$1,347,003,631
542	Thistle, Chorro Creek bog ( <i>Cirsium fontinale</i> var. <i>obispoense</i> )	E	\$82,773	\$1,347,086,404
543	Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )	E	\$80,503	\$1,347,166,907
544	Darter, yellowcheek ( <i>Etheostoma moorei</i> )	E	\$79,396	\$1,347,246,303
545	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	\$79,100	\$1,347,325,403
546	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )	E	\$79,000	\$1,347,404,403
547	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	\$78,860	\$1,347,483,263
548	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	\$78,687	\$1,347,561,950
549	Phacelia, DeBeque ( <i>Phacelia submutica</i> )	T	\$78,341	\$1,347,640,291
550	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	\$78,154	\$1,347,718,445
551	Piperia, Yadon's ( <i>Piperia yadonii</i> )	E	\$78,096	\$1,347,796,541
552	Butterfly plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> )	T	\$77,872	\$1,347,874,413
553	Spurge, telephus ( <i>Euphorbia telephioides</i> )	T	\$77,341	\$1,347,951,754
554	Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )	T	\$76,129	\$1,348,027,883
555	Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i> )	T	\$75,401	\$1,348,103,284
556	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )	E	\$75,186	\$1,348,178,470
557	Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )	E	\$74,783	\$1,348,253,253
558	wild buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )	E	\$74,036	\$1,348,327,289
559	cactus, Uinta Basin hookless ( <i>Sclerocactus wetlandicus</i> )	T	\$72,230	\$1,348,399,519
560	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	\$71,558	\$1,348,471,077
561	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> )	E	\$71,264	\$1,348,542,341
562	Akoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>skottsbergii</i> )	E	\$71,210	\$1,348,613,551
563	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> )	E	\$71,138	\$1,348,684,689
564	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	\$71,084	\$1,348,755,773
565	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	\$70,677	\$1,348,826,450
566	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	\$70,030	\$1,348,896,480
567	Akoko ( <i>Chamaesyce kuwaleana</i> )	E	\$69,919	\$1,348,966,399
568	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	\$69,853	\$1,349,036,252
569	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> )	T	\$69,438	\$1,349,105,690

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
570	Ceanothus, coyote ( <i>Ceanothus ferrisiae</i> )	E	\$67,785	\$1,349,173,475
571	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$67,245	\$1,349,240,720
572	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	\$67,126	\$1,349,307,846
573	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$66,821	\$1,349,374,667
574	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )	T	\$66,546	\$1,349,441,213
575	Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )	E	\$66,000	\$1,349,507,213
576	Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> )	E	\$65,858	\$1,349,573,071
577	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	\$65,459	\$1,349,638,530
578	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	\$65,390	\$1,349,703,920
579	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> ) - AZ, Mexico	EXPN	\$65,000	\$1,349,768,920
580	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )	T	\$64,878	\$1,349,833,798
581	cactus, Pariette ( <i>Sclerocactus brevispinus</i> )	T	\$64,600	\$1,349,898,398
582	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	\$64,568	\$1,349,962,966
583	Layia, beach ( <i>Layia carnosa</i> )	E	\$63,363	\$1,350,026,329
584	Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )	E	\$63,285	\$1,350,089,614
585	Pearlymussel, littlewing ( <i>Pegias fabula</i> )	E	\$63,166	\$1,350,152,780
586	Beauty, Harper's ( <i>Harperocallis flava</i> )	E	\$63,078	\$1,350,215,858
587	Butterfly, El Segundo blue ( <i>Euphilotes battoides allyni</i> )	E	\$62,245	\$1,350,278,103
588	Clubshell, ovate ( <i>Pleurobema perovatum</i> ) -	E	\$61,864	\$1,350,339,967
589	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	\$61,758	\$1,350,401,725
590	Kauila ( <i>Colubrina oppositifolia</i> )	E	\$61,467	\$1,350,463,192
591	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	\$61,069	\$1,350,524,261
592	Lizard, St. Croix ground ( <i>Ameiva polops</i> )	E	\$60,795	\$1,350,585,056
593	Phacelia, North Park ( <i>Phacelia formosula</i> )	E	\$60,411	\$1,350,645,467
594	Phlox, Yreka ( <i>Phlox hirsuta</i> )	E	\$60,367	\$1,350,705,834
595	Evening-primrose, Antioch Dunes ( <i>Oenothera deltoides</i> ssp. <i>howellii</i> )	E	\$60,303	\$1,350,766,137
596	Ohai ( <i>Sesbania tomentosa</i> )	E	\$59,764	\$1,350,825,901
597	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	\$59,727	\$1,350,885,628
598	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - Except where EXPN	E	\$59,660	\$1,350,945,288
599	Butterfly, callippe silverspot ( <i>Speyeria callippe callippe</i> )	E	\$58,600	\$1,351,003,888
600	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana</i> var. <i>calva</i> )	E	\$58,584	\$1,351,062,472

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
601	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	\$58,254	\$1,351,120,726
602	Harperella ( <i>Ptilimnium nodosum</i> )	E	\$58,137	\$1,351,178,863
603	Kula wahine noho ( <i>Isodendron pyriformis</i> )	E	\$58,118	\$1,351,236,981
604	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	\$58,102	\$1,351,295,083
605	Trillium, relict ( <i>Trillium reliquum</i> )	E	\$57,970	\$1,351,353,053
606	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	\$57,550	\$1,351,410,603
607	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )	E	\$57,442	\$1,351,468,045
608	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$56,779	\$1,351,524,824
609	Iliau, dwarf ( <i>Wilkesia hobbii</i> )	E	\$56,288	\$1,351,581,112
610	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	\$55,955	\$1,351,637,067
611	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )	T	\$55,764	\$1,351,692,831
612	Beardtongue, Parachute ( <i>Penstemon debilis</i> )	T	\$55,484	\$1,351,748,315
613	Alani ( <i>Melicope zahlbruckneri</i> )	E	\$55,160	\$1,351,803,475
614	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	\$54,749	\$1,351,858,224
615	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - Salt and Verde R. drainages, AZ	EXPN	\$54,734	\$1,351,912,958
616	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	\$54,654	\$1,351,967,612
617	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )	E	\$54,337	\$1,352,021,949
618	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	\$54,100	\$1,352,076,049
619	Seablite, California ( <i>Suaeda californica</i> )	E	\$53,902	\$1,352,129,951
620	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	\$53,421	\$1,352,183,372
620	Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )	E	\$53,421	\$1,352,236,793
621	popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	\$53,292	\$1,352,290,085
622	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	\$53,275	\$1,352,343,360
623	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	\$52,151	\$1,352,395,511
624	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	\$52,131	\$1,352,447,642
625	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	\$52,100	\$1,352,499,742
626	Isopod, Lee County cave ( <i>Lirceus usdagalum</i> )	E	\$51,790	\$1,352,551,532
627	Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensii</i> )	E	\$50,528	\$1,352,602,060
628	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	\$50,449	\$1,352,652,509
629	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	\$50,204	\$1,352,702,713
630	Chub, Pahrnagat roundtail ( <i>Gila robusta jordani</i> )	E	\$49,912	\$1,352,752,625
631	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	\$49,496	\$1,352,802,121

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
632	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	\$49,278	\$1,352,851,399
633	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - southern	SAT	\$48,884	\$1,352,900,283
634	<i>Bonamia menziesii</i> (=Sci name)	E	\$48,436	\$1,352,948,719
635	Cactus, Tobusch fishhook ( <i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i> )	E	\$48,300	\$1,352,997,019
636	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. <i>californica</i> )	E	\$48,030	\$1,353,045,049
637	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	\$47,875	\$1,353,092,924
638	Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> )	E	\$47,675	\$1,353,140,599
639	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	\$47,655	\$1,353,188,254
640	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	\$46,960	\$1,353,235,214
641	Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )	E	\$46,694	\$1,353,281,908
642	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	\$46,640	\$1,353,328,548
643	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )	E	\$46,533	\$1,353,375,081
643	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> )	E	\$46,533	\$1,353,421,614
644	Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> )	E	\$46,320	\$1,353,467,934
645	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	\$46,260	\$1,353,514,194
646	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	\$45,981	\$1,353,560,175
647	Pussypaws, Mariposa ( <i>Calyptridium pulchellum</i> )	T	\$45,830	\$1,353,606,005
648	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$45,251	\$1,353,651,256
649	Larkspur, Baker's ( <i>Delphinium bakeri</i> )	E	\$44,940	\$1,353,696,196
650	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )	E	\$44,895	\$1,353,741,091
651	Bedstraw, El Dorado ( <i>Galium californicum</i> ssp. <i>sierrae</i> )	E	\$44,860	\$1,353,785,951
652	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	\$44,804	\$1,353,830,755
653	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$44,492	\$1,353,875,247
654	Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> )	E	\$44,100	\$1,353,919,347
655	Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi</i> var. <i>austromontanum</i> )	T	\$44,085	\$1,353,963,432
656	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	\$43,945	\$1,354,007,377
657	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	\$43,900	\$1,354,051,277
658	bladderpod, Missouri ( <i>Physaria filiformis</i> )	T	\$43,610	\$1,354,094,887
659	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	\$43,466	\$1,354,138,353
660	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	\$43,000	\$1,354,181,353
661	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	\$42,986	\$1,354,224,339
662	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	\$42,728	\$1,354,267,067

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
663	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	\$42,449	\$1,354,309,516
664	<i>Tetramolopium rockii</i> (=Sci name)	T	\$42,356	\$1,354,351,872
665	<i>Gesneria pauciflora</i> (=Sci name)	T	\$42,000	\$1,354,393,872
666	Guajon ( <i>Eleutherodactylus cooki</i> )	T	\$41,887	\$1,354,435,759
667	Bird's-beak, Pennell's ( <i>Cordylanthus tenuis</i> ssp. <i>capillaris</i> )	E	\$41,852	\$1,354,477,611
668	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	\$41,678	\$1,354,519,289
669	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )	T	\$41,490	\$1,354,560,779
670	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	\$41,186	\$1,354,601,965
671	Rock-cress, McDonald's ( <i>Arabis macdonaldiana</i> )	E	\$41,122	\$1,354,643,087
672	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> )	E	\$41,019	\$1,354,684,106
673	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	\$40,900	\$1,354,725,006
674	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	\$40,893	\$1,354,765,899
675	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	\$40,812	\$1,354,806,711
676	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	\$40,566	\$1,354,847,277
677	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	\$40,181	\$1,354,887,458
678	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - Except where listed as EXPN	E	\$40,079	\$1,354,927,537
679	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )	E	\$39,938	\$1,354,967,475
680	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	\$39,705	\$1,355,007,180
681	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - except where EXPN	T	\$39,293	\$1,355,046,473
682	Potato-bean, Price's ( <i>Apios priceana</i> )	T	\$39,123	\$1,355,085,596
683	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	\$38,904	\$1,355,124,500
684	Cactus, star ( <i>Astrophytum asterias</i> )	E	\$38,400	\$1,355,162,900
685	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	\$38,100	\$1,355,201,000
686	Chaff-flower, round-leaved ( <i>Achyranthes splendens</i> var. <i>rotundata</i> )	E	\$37,970	\$1,355,238,970
687	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	\$37,881	\$1,355,276,851
688	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )	E	\$37,864	\$1,355,314,715
689	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	\$37,386	\$1,355,352,101
690	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$36,165	\$1,355,388,266
691	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	\$35,800	\$1,355,424,066
692	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	\$35,780	\$1,355,459,846
693	Wireweed ( <i>Polygonella basiramia</i> )	E	\$35,650	\$1,355,495,496
694	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	\$35,600	\$1,355,531,096

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
695	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )	E	\$35,533	\$1,355,566,629
696	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	\$35,512	\$1,355,602,141
697	Oha wai ( <i>Clermontia drepanomorpha</i> )	E	\$35,243	\$1,355,637,384
698	Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )	T	\$35,100	\$1,355,672,484
699	Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )	T	\$35,061	\$1,355,707,545
700	Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )	T	\$34,740	\$1,355,742,285
701	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	\$34,500	\$1,355,776,785
702	Moth, Kern primrose sphinx ( <i>Euprosepinus euterpe</i> )	T	\$34,403	\$1,355,811,188
703	Boa, Puerto Rican ( <i>Epicrates inornatus</i> )	E	\$34,241	\$1,355,845,429
704	Ko'oko'olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> )	E	\$34,211	\$1,355,879,640
705	Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )	E	\$33,930	\$1,355,913,570
706	Yellowhead, desert ( <i>Yermo xanthocephalus</i> )	T	\$33,903	\$1,355,947,473
707	Moccasinsheel, Alabama ( <i>Medionidus acutissimus</i> )	T	\$33,837	\$1,355,981,310
708	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - Western Hemisphere except NE U.S.	T	\$33,739	\$1,356,015,049
709	Rock cress, Shale barren ( <i>Arabis serotina</i> )	E	\$33,737	\$1,356,048,786
710	Darter, duskytail ( <i>Etheostoma percnurum</i> )	E	\$33,393	\$1,356,082,179
711	Clover, showy Indian ( <i>Trifolium amoenum</i> )	E	\$33,315	\$1,356,115,494
712	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	\$33,050	\$1,356,148,544
713	Tarplant, Otay ( <i>Deinandra</i> (= <i>Hemizonia</i> ) <i>conjugens</i> )	T	\$32,849	\$1,356,181,393
714	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	\$32,600	\$1,356,213,993
715	Boa, Virgin Islands tree ( <i>Epicrates monensis granti</i> )	E	\$32,516	\$1,356,246,509
716	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	\$32,500	\$1,356,279,009
717	Crownbeard, big-leaved ( <i>Verbesina dissita</i> )	T	\$32,485	\$1,356,311,494
718	Ihī'ihī ( <i>Marsilea villosa</i> )	E	\$32,451	\$1,356,343,945
719	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> )	E	\$32,447	\$1,356,376,392
720	Madtom, smoky ( <i>Noturus baileyi</i> )	E	\$31,972	\$1,356,408,364
721	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	\$31,783	\$1,356,440,147
722	Kidneyshell, triangular ( <i>Ptychobranchus greenii</i> )	E	\$31,700	\$1,356,471,847
723	Cactus, Knowlton's ( <i>Pediocactus knowltonii</i> )	E	\$31,554	\$1,356,503,401
724	Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> )	E	\$31,388	\$1,356,534,789
725	Fern, pendant kihi ( <i>Adenophorus periens</i> )	E	\$31,198	\$1,356,565,987
726	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$30,891	\$1,356,596,878
727	Darter, amber ( <i>Percina antesella</i> )	E	\$30,839	\$1,356,627,717



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
728	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	\$30,370	\$1,356,658,087
729	Buttercup, autumn ( <i>Ranunculus aestivalis</i> (= <i>acriiformis</i> ))	E	\$30,300	\$1,356,688,387
730	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> )	E	\$29,942	\$1,356,718,329
731	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	\$29,879	\$1,356,748,208
732	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	\$29,853	\$1,356,778,061
733	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	\$29,813	\$1,356,807,874
734	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	\$29,533	\$1,356,837,407
734	Clarkia, Vine Hill ( <i>Clarkia imbricata</i> )	E	\$29,533	\$1,356,866,940
734	Larkspur, yellow ( <i>Delphinium luteum</i> )	E	\$29,533	\$1,356,896,473
734	Mariposa lily, Tiburon ( <i>Calochortus tiburonensis</i> )	T	\$29,533	\$1,356,926,006
735	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	\$29,290	\$1,356,955,296
736	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	\$29,186	\$1,356,984,482
737	`Oha wai ( <i>Clermontia peleana</i> )	E	\$29,102	\$1,357,013,584
738	`Oha wai ( <i>Clermontia lindseyana</i> )	E	\$29,093	\$1,357,042,677
739	Bluecurls, Hidden Lake ( <i>Trichostema austromontanum</i> ssp. <i>compactum</i> )	T	\$29,081	\$1,357,071,758
740	Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )	T	\$29,000	\$1,357,100,758
741	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	\$28,600	\$1,357,129,358
742	Plymouth Red-Bellied Turtle ( <i>Pseudemys rubriventris bangsi</i> )	E	\$28,380	\$1,357,157,738
743	<i>Platanthera holochila</i> (=Sci name)	E	\$28,067	\$1,357,185,805
744	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	\$27,364	\$1,357,213,169
745	Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )	E	\$27,190	\$1,357,240,359
746	Iguana, Mona ground ( <i>Cyclura stejnegeri</i> )	T	\$27,000	\$1,357,267,359
747	Lupine, scrub ( <i>Lupinus aridorum</i> )	E	\$26,850	\$1,357,294,209
748	Dace, desert ( <i>Eremichthys acros</i> )	T	\$26,790	\$1,357,320,999
749	Daisy, Lakeside ( <i>Hymenoxys herbacea</i> )	T	\$26,742	\$1,357,347,741
750	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> )	T	\$26,682	\$1,357,374,423
751	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	\$26,626	\$1,357,401,049
752	Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )	E	\$26,433	\$1,357,427,482
753	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	\$26,218	\$1,357,453,700
754	Rail, Guam ( <i>Rallus owstoni</i> ) - Rota	EXPN	\$26,200	\$1,357,479,900
755	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> )	E	\$26,163	\$1,357,506,063
756	Plum, scrub ( <i>Prunus geniculata</i> )	E	\$26,150	\$1,357,532,213
757	Haha ( <i>Cyanea shipmanii</i> )	E	\$25,991	\$1,357,558,204

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
758	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	\$25,923	\$1,357,584,127
759	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$25,681	\$1,357,609,808
760	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )	E	\$25,600	\$1,357,635,408
761	Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )	E	\$25,473	\$1,357,660,881
762	Campion, fringed ( <i>Silene polypetala</i> )	E	\$25,408	\$1,357,686,289
763	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	\$25,300	\$1,357,711,589
764	White-eye, Rota bridled ( <i>Zosterops rotensis</i> )	E	\$25,000	\$1,357,736,589
765	Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )	E	\$24,923	\$1,357,761,512
766	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	\$24,845	\$1,357,786,357
767	Madtom, pygmy ( <i>Noturus stanauli</i> ) -TN - portions of the French Broad and Holston Rivers	EXPN	\$24,700	\$1,357,811,057
767	Manzanita, Ione ( <i>Arctostaphylos myrtifolia</i> )	T	\$24,700	\$1,357,835,757
768	Cactus, Arizona hedgehog ( <i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i> )	E	\$24,637	\$1,357,860,394
769	Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> )	E	\$24,635	\$1,357,885,029
770	Puma (=cougar), eastern ( <i>Puma</i> (= <i>Felis</i> ) <i>concolor cougar</i> )	E	\$24,250	\$1,357,909,279
771	Aupaka ( <i>Isodendron longifolium</i> )	T	\$24,142	\$1,357,933,421
772	Cactus, Brady pincushion ( <i>Pediocactus bradyi</i> )	E	\$23,870	\$1,357,957,291
773	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )	E	\$23,687	\$1,357,980,978
774	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	\$23,604	\$1,358,004,582
775	Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtleae</i> )	E	\$23,500	\$1,358,028,082
776	Sandlace ( <i>Polygonella myriophylla</i> )	E	\$23,150	\$1,358,051,232
777	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	\$23,100	\$1,358,074,332
778	Kamakahala ( <i>Labordia lydgatei</i> )	E	\$23,032	\$1,358,097,364
779	Ragwort, San Francisco Peaks ( <i>Packera franciscana</i> )	T	\$23,025	\$1,358,120,389
780	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	\$22,990	\$1,358,143,379
781	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	\$22,886	\$1,358,166,265
782	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	\$22,869	\$1,358,189,134
783	Koki'o ke'oke'o ( <i>Hibiscus waimeae</i> ssp. <i>hannerae</i> )	E	\$22,788	\$1,358,211,922
784	Pa'iniu ( <i>Astelia waialealae</i> )	E	\$22,681	\$1,358,234,603
785	Chumbo, Higo ( <i>Harrisia portoricensis</i> )	T	\$22,500	\$1,358,257,103
786	<i>Diplazium molokaiense</i> (=Sci name)	E	\$22,488	\$1,358,279,591
787	Springsnail, Three Forks ( <i>Pyrgulopsis trivialis</i> )	E	\$22,400	\$1,358,301,991
788	Kolea ( <i>Myrsine linearifolia</i> )	T	\$22,288	\$1,358,324,279

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
789	Alani ( <i>Melicope pallida</i> )	E	\$22,210	\$1,358,346,489
790	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	\$22,060	\$1,358,368,549
791	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - Holston River, VA, TN	EXPN	\$22,000	\$1,358,390,549
792	Centaury, spring-loving ( <i>Centaurium namophilum</i> )	T	\$21,978	\$1,358,412,527
793	Butterfly, Uncompahgre fritillary ( <i>Boloria acrocneuma</i> )	E	\$21,974	\$1,358,434,501
794	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$21,870	\$1,358,456,371
795	<i>Keysseria</i> (= <i>Lagenifera</i> ) <i>erici</i> (=Sci name)	E	\$21,856	\$1,358,478,227
796	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$21,700	\$1,358,499,927
797	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )	E	\$21,686	\$1,358,521,613
798	Goshawk, Queen Charlotte ( <i>Accipiter gentilis laingi</i> ) - British Columbia DPS	T	\$21,652	\$1,358,543,265
799	Milk-vetch, coastal dunes ( <i>Astragalus tener</i> var. <i>titi</i> )	E	\$21,600	\$1,358,564,865
800	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	\$21,590	\$1,358,586,455
801	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	\$21,500	\$1,358,607,955
802	Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )	E	\$21,362	\$1,358,629,317
803	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	\$21,300	\$1,358,650,617
803	Clarkia, Presidio ( <i>Clarkia franciscana</i> )	E	\$21,300	\$1,358,671,917
804	Shiner, blue ( <i>Cyprinella caerulea</i> )	T	\$21,296	\$1,358,693,213
805	Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )	E	\$21,100	\$1,358,714,313
805	Beetle, Helotes mold ( <i>Batrisodes venyivi</i> )	E	\$21,100	\$1,358,735,413
805	Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )	E	\$21,100	\$1,358,756,513
806	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	\$21,050	\$1,358,777,563
807	Stickseed, showy ( <i>Hackelia venusta</i> )	E	\$21,014	\$1,358,798,577
808	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	\$20,900	\$1,358,819,477
809	Milkvetch, Osterhout ( <i>Astragalus osterhoutii</i> )	E	\$20,862	\$1,358,840,339
810	Pauoa ( <i>Ctenitis squamigera</i> )	E	\$20,810	\$1,358,861,149
811	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	\$20,750	\$1,358,881,899
812	Sneezeweed, Virginia ( <i>Helenium virginicum</i> )	T	\$20,578	\$1,358,902,477
813	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$20,500	\$1,358,922,977
814	Sunflower, San Mateo woolly ( <i>Eriophyllum latilobum</i> )	E	\$20,300	\$1,358,943,277
815	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	\$20,208	\$1,358,963,485
816	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	\$20,200	\$1,358,983,685
817	Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )	E	\$20,100	\$1,359,003,785
818	Sedge, golden ( <i>Carex lutea</i> )	E	\$20,050	\$1,359,023,835

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
819	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	\$19,980	\$1,359,043,815
820	<i>Munroidendron racemosum</i> (=Sci name)	E	\$19,856	\$1,359,063,671
820	Ha`iwale ( <i>Cyrtandra limahuliensis</i> )	T	\$19,856	\$1,359,083,527
821	Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )	E	\$19,845	\$1,359,103,372
822	Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )	E	\$19,728	\$1,359,123,100
823	Chub, slender ( <i>Erimystax cahni</i> )	T	\$19,700	\$1,359,142,800
824	roseroot, Leedy's ( <i>Rhodiola integrifolia</i> ssp. <i>leedyi</i> )	T	\$19,632	\$1,359,162,432
825	Fanshell ( <i>Cyprogenia stegaria</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$19,589	\$1,359,182,021
826	Dace, Laurel ( <i>Chrosomus saylori</i> )	E	\$19,546	\$1,359,201,567
827	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	\$19,364	\$1,359,220,931
828	Haha ( <i>Cyanea stictophylla</i> )	E	\$19,275	\$1,359,240,206
829	<i>Viola lanaiensis</i> (=Sci name)	E	\$19,113	\$1,359,259,319
829	Haha ( <i>Cyanea lobata</i> )	E	\$19,113	\$1,359,278,432
830	Whale, Southern Right ( <i>Eubalaena australis</i> )	E	\$19,050	\$1,359,297,482
831	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	\$19,000	\$1,359,316,482
832	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	\$18,900	\$1,359,335,382
833	<i>Neraudia sericea</i> (=Sci name)	E	\$18,885	\$1,359,354,267
834	`Anaunau ( <i>Lepidium arbuscula</i> )	E	\$18,851	\$1,359,373,118
835	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$18,849	\$1,359,391,967
836	`Anunu ( <i>Sicyos alba</i> )	E	\$18,703	\$1,359,410,670
837	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$18,616	\$1,359,429,286
838	`Oha wai ( <i>Clermontia pyrularia</i> )	E	\$18,502	\$1,359,447,788
839	Turtle, flattened musk ( <i>Sternotherus depressus</i> ) - species range clarified	T	\$18,452	\$1,359,466,240
840	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	\$18,326	\$1,359,484,566
841	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	\$18,220	\$1,359,502,786
842	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	\$18,121	\$1,359,520,907
843	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	\$18,104	\$1,359,539,011
844	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	\$18,037	\$1,359,557,048
845	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	\$18,019	\$1,359,575,067
846	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	\$18,000	\$1,359,593,067
847	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$17,982	\$1,359,611,049
848	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	\$17,885	\$1,359,628,934

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
849	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	\$17,870	\$1,359,646,804
850	Heau ( <i>Exocarpos luteolus</i> )	E	\$17,856	\$1,359,664,660
851	Avens, spreading ( <i>Geum radiatum</i> )	E	\$17,820	\$1,359,682,480
852	Kopa ( <i>Hedyotis schlechtendahlana</i> var. <i>remyi</i> )	E	\$17,532	\$1,359,700,012
853	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	\$17,329	\$1,359,717,341
854	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	\$17,300	\$1,359,734,641
855	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$17,250	\$1,359,751,891
856	Purple cat's paw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - Except where EXPN	E	\$17,230	\$1,359,769,121
857	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	\$17,127	\$1,359,786,248
858	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	\$17,101	\$1,359,803,349
859	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	\$17,099	\$1,359,820,448
860	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	\$17,000	\$1,359,837,448
860	Cobana negra ( <i>Stahlia monosperma</i> )	T	\$17,000	\$1,359,854,448
860	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	\$17,000	\$1,359,871,448
861	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	\$16,870	\$1,359,888,318
862	Sandalwood, Lanai (=ilialihi) ( <i>Santalum freycinetianum</i> var. <i>lanaiense</i> )	E	\$16,856	\$1,359,905,174
862	Nohoanu ( <i>Geranium kauaiense</i> )	E	\$16,856	\$1,359,922,030
862	<i>Keysseria</i> (=Lagenifera) <i>helenae</i> (=Sci name)	E	\$16,856	\$1,359,938,886
863	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	\$16,783	\$1,359,955,669
864	Rice rat ( <i>Oryzomys palustris natator</i> ) - lower FL Keys	E	\$16,710	\$1,359,972,379
865	Nohoanu ( <i>Geranium multiflorum</i> )	E	\$16,641	\$1,359,989,020
866	Cliff-rose, Arizona ( <i>Purshia</i> (=Cowania) <i>subintegra</i> )	E	\$16,615	\$1,360,005,635
867	Nehe ( <i>Lipochaeta lobata</i> var. <i>leptophylla</i> )	E	\$16,519	\$1,360,022,154
868	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	\$16,492	\$1,360,038,646
869	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	\$16,400	\$1,360,055,046
870	Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )	E	\$16,372	\$1,360,071,418
871	Na'ena'e ( <i>Dubautia waialealae</i> )	E	\$16,356	\$1,360,087,774
871	Awikiwiki ( <i>Canavalia molokaiensis</i> )	E	\$16,356	\$1,360,104,130
871	Kamakahala ( <i>Labordia pumila</i> )	E	\$16,356	\$1,360,120,486
872	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$16,190	\$1,360,136,676
873	Darter, Cumberland ( <i>Etheostoma susanae</i> )	E	\$16,177	\$1,360,152,853
874	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	\$16,158	\$1,360,169,011

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
875	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	\$16,120	\$1,360,185,131
876	<i>Eugenia woodburyana</i> (=Sci name)	E	\$16,000	\$1,360,201,131
877	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	\$15,900	\$1,360,217,031
878	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	\$15,894	\$1,360,232,925
879	Lehua makanoe ( <i>Lysimachia daphnoides</i> )	E	\$15,856	\$1,360,248,781
880	Clarkia, Springville ( <i>Clarkia springvillensis</i> )	T	\$15,705	\$1,360,264,486
881	Rocksail, painted ( <i>Leptoxis taeniata</i> )	T	\$15,638	\$1,360,280,124
882	monkey-flower, Michigan ( <i>Mimulus michiganensis</i> )	E	\$15,562	\$1,360,295,686
883	Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )	T	\$15,533	\$1,360,311,219
884	Haha ( <i>Cyanea platyphylla</i> )	E	\$15,532	\$1,360,326,751
884	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	\$15,532	\$1,360,342,283
885	Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra</i> ssp. <i>alabamensis</i> )	E	\$15,500	\$1,360,357,783
885	Fern, Aleutian shield ( <i>Polystichum aleuticum</i> )	E	\$15,500	\$1,360,373,283
886	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	\$15,443	\$1,360,388,726
887	Alani ( <i>Melicope knudsenii</i> )	E	\$15,434	\$1,360,404,160
888	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	\$15,400	\$1,360,419,560
889	Alani ( <i>Melicope munroi</i> )	E	\$15,356	\$1,360,434,916
889	Ha`iwale ( <i>Cyrtandra munroi</i> )	E	\$15,356	\$1,360,450,272
890	June Beetle, Caseys ( <i>Dinacoma caseyi</i> )	E	\$15,350	\$1,360,465,622
891	<i>Achyranthes mutica</i> (=Sci name)	E	\$15,326	\$1,360,480,948
892	Bison, wood ( <i>Bison bison athabasca</i> )	E	\$15,300	\$1,360,496,248
893	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	\$15,262	\$1,360,511,510
894	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	\$15,085	\$1,360,526,595
895	Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )	E	\$15,044	\$1,360,541,639
896	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	\$15,033	\$1,360,556,672
897	Clubshell ( <i>Pleurobema clava</i> ) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$15,000	\$1,360,571,672
897	<i>Leptocereus grantianus</i> (=Sci name)	E	\$15,000	\$1,360,586,672
898	Rush-rose, island ( <i>Helianthemum greenii</i> )	T	\$14,973	\$1,360,601,645
899	Lo`ulu ( <i>Pritchardia affinis</i> )	E	\$14,960	\$1,360,616,605
900	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	\$14,900	\$1,360,631,505
901	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	\$14,826	\$1,360,646,331
902	Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )	E	\$14,743	\$1,360,661,074

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
903	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	\$14,733	\$1,360,675,807
904	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	\$14,720	\$1,360,690,527
905	<i>Schiedea hookeri</i> (=Sci name)	E	\$14,619	\$1,360,705,146
906	Lo`ulu ( <i>Pritchardia schattaueri</i> )	E	\$14,570	\$1,360,719,716
907	Alani ( <i>Melicope saint-johnii</i> )	E	\$14,519	\$1,360,734,235
907	<i>Diellia unisora</i> (=Sci name)	E	\$14,519	\$1,360,748,754
908	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> )	E	\$14,456	\$1,360,763,210
909	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$14,450	\$1,360,777,660
910	`Aiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	\$14,400	\$1,360,792,060
911	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	\$14,350	\$1,360,806,410
912	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$14,264	\$1,360,820,674
913	Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )	T	\$14,192	\$1,360,834,866
914	Cactus, Lee pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> )	T	\$14,100	\$1,360,848,966
915	Amphipod, Noel's ( <i>Gammarus desperatus</i> )	E	\$14,065	\$1,360,863,031
916	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	\$14,046	\$1,360,877,077
917	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	\$13,970	\$1,360,891,047
918	Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )	E	\$13,894	\$1,360,904,941
919	Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> )	E	\$13,884	\$1,360,918,825
920	Alani ( <i>Melicope mucronulata</i> )	E	\$13,866	\$1,360,932,691
921	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	\$13,833	\$1,360,946,524
922	tui chub, Owens ( <i>Gila bicolor</i> ssp. <i>snyderi</i> )	E	\$13,757	\$1,360,960,281
923	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	\$13,623	\$1,360,973,904
924	Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> )	E	\$13,565	\$1,360,987,469
925	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$13,535	\$1,361,001,004
926	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - Except where EXPN	E	\$13,500	\$1,361,014,504
926	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	\$13,500	\$1,361,028,004
927	Springsnail, Koster's ( <i>Juturnia kosteri</i> )	E	\$13,465	\$1,361,041,469
928	Sedge, Navajo ( <i>Carex specuicola</i> )	T	\$13,388	\$1,361,054,857
929	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$13,356	\$1,361,068,213
930	Pua `ala ( <i>Brighamia rockii</i> )	E	\$13,181	\$1,361,081,394
931	Pinkroot, gentian ( <i>Spigelia gentianoides</i> )	E	\$13,138	\$1,361,094,532
932	<i>Diellia falcata</i> (=Sci name)	E	\$13,063	\$1,361,107,595
933	Cactus, Nichol's Turk's head ( <i>Echinocactus horzonthalonius</i> var. <i>nicholii</i> )	E	\$13,050	\$1,361,120,645

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
934	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> ))	E	\$13,009	\$1,361,133,654
935	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i> )	E	\$12,976	\$1,361,146,630
936	Wild-rice, Texas ( <i>Zizania texana</i> )	E	\$12,900	\$1,361,159,530
937	Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )	E	\$12,868	\$1,361,172,398
938	Alani ( <i>Melicope adscendens</i> )	E	\$12,866	\$1,361,185,264
939	Lichen, rock gnome ( <i>Gymnoderma lineare</i> )	E	\$12,830	\$1,361,198,094
940	<i>Lobelia niihauensis</i> (=Sci name)	E	\$12,668	\$1,361,210,762
941	Makou ( <i>Peucedanum sandwicense</i> )	T	\$12,642	\$1,361,223,404
942	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$12,605	\$1,361,236,009
943	<i>Phyllostegia velutina</i> (=Sci name)	E	\$12,526	\$1,361,248,535
944	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	\$12,500	\$1,361,261,035
944	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	\$12,500	\$1,361,273,535
945	<i>Gouania meyenii</i> (=Sci name)	E	\$12,467	\$1,361,286,002
946	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	\$12,455	\$1,361,298,457
947	Pomace fly, [unnamed] ( <i>Drosophila musaphilia</i> )	E	\$12,423	\$1,361,310,880
948	Ha`iwale ( <i>Cyrtandra giffardii</i> )	E	\$12,394	\$1,361,323,274
949	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$12,356	\$1,361,335,630
950	Awiiwi ( <i>Centaurium sebaeoides</i> )	E	\$12,341	\$1,361,347,971
951	Laulihilihi ( <i>Schiedea stellarioides</i> )	E	\$12,240	\$1,361,360,211
952	<i>Abutilon eremitopetalum</i> (=Sci name) -	E	\$12,181	\$1,361,372,392
953	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	\$12,155	\$1,361,384,547
954	Bellflower, Brooksville ( <i>Campanula robinsiae</i> )	E	\$12,000	\$1,361,396,547
955	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> )	E	\$11,970	\$1,361,408,517
956	Haha ( <i>Cyanea truncata</i> )	E	\$11,967	\$1,361,420,484
957	<i>Diellia mannii</i> (=Sci name)	E	\$11,929	\$1,361,432,413
958	<i>Delissea undulata</i> (=Sci name)	E	\$11,901	\$1,361,444,314
959	Cactus, black lace ( <i>Echinocereus reichenbachii</i> var. <i>albertii</i> )	E	\$11,900	\$1,361,456,214
959	<i>Geocarpon minimum</i> (=Sci name)	T	\$11,900	\$1,361,468,114
960	Pigeon wings ( <i>Clitoria fragrans</i> )	T	\$11,850	\$1,361,479,964
961	Lau`ehu ( <i>Panicum niihauense</i> )	E	\$11,613	\$1,361,491,577
962	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	\$11,605	\$1,361,503,182
963	Darter, relict ( <i>Etheostoma chienense</i> )	E	\$11,600	\$1,361,514,782
964	<i>Delissea rhytidosperma</i> (=Sci name)	E	\$11,532	\$1,361,526,314



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
965	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	\$11,500	\$1,361,537,814
965	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	\$11,500	\$1,361,549,314
965	Bariaco ( <i>Trichilia triacantha</i> )	E	\$11,500	\$1,361,560,814
966	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	\$11,350	\$1,361,572,164
967	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	\$11,336	\$1,361,583,500
968	Trillium, persistent ( <i>Trillium persistens</i> )	E	\$11,212	\$1,361,594,712
969	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	\$11,202	\$1,361,605,914
970	Tarplant, Gaviota ( <i>Deinandra increscens</i> ssp. <i>villosa</i> )	E	\$11,173	\$1,361,617,087
971	Snail, Pecos assiminea ( <i>Assiminea pecos</i> )	E	\$11,037	\$1,361,628,124
972	<i>Schiedea kaalae</i> (=Sci name)	E	\$11,035	\$1,361,639,159
972	Opuhe ( <i>Urera kaalae</i> )	E	\$11,035	\$1,361,650,194
973	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	\$11,004	\$1,361,661,198
974	Uvillo ( <i>Eugenia haematocarpa</i> )	E	\$11,000	\$1,361,672,198
975	ʻOha wai ( <i>Clermontia samuelii</i> )	E	\$10,956	\$1,361,683,154
976	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	\$10,915	\$1,361,694,069
977	Remya, Maui ( <i>Remya mauensis</i> )	E	\$10,856	\$1,361,704,925
978	Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> )	T	\$10,848	\$1,361,715,773
979	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	\$10,830	\$1,361,726,603
980	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	\$10,749	\$1,361,737,352
981	Snail, Chittenango ovate amber ( <i>Succinea chittenangoensis</i> )	T	\$10,693	\$1,361,748,045
982	ʻOha wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> )	E	\$10,681	\$1,361,758,726
982	Naenae ( <i>Dubautia kalalauensis</i> )	E	\$10,681	\$1,361,769,407
983	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> )	T	\$10,626	\$1,361,780,033
984	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	\$10,620	\$1,361,790,653
985	Darter, bayou ( <i>Etheostoma rubrum</i> )	T	\$10,600	\$1,361,801,253
986	<i>Calyptanthus thomasiana</i> (=Sci name)	E	\$10,500	\$1,361,811,753
986	Palo de jazmin ( <i>Styrax portoricensis</i> )	E	\$10,500	\$1,361,822,253
986	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	\$10,500	\$1,361,832,753
987	Haha ( <i>Cyanea dunbarii</i> )	E	\$10,464	\$1,361,843,217
988	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$10,386	\$1,361,853,603
989	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	\$10,336	\$1,361,863,939
990	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	\$10,300	\$1,361,874,239

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
991	<i>Silene perlmanii</i> (=Sci name)	E	\$10,291	\$1,361,884,530
992	<i>Tetramolopium remyi</i> (=Sci name)	E	\$10,249	\$1,361,894,779
992	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$10,249	\$1,361,905,028
992	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )	E	\$10,249	\$1,361,915,277
993	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	\$10,190	\$1,361,925,467
994	<i>Schiedea membranacea</i> (=Sci name)	E	\$10,181	\$1,361,935,648
994	<i>Lysimachia maxima</i> (=Sci name)	E	\$10,181	\$1,361,945,829
995	Creeper, Molokai ( <i>Paroreomyza flammea</i> )	E	\$10,109	\$1,361,955,938
996	Wawae`iole ( <i>Huperzia mannii</i> )	E	\$10,055	\$1,361,965,993
997	Nehe ( <i>Lipochaeta micrantha</i> )	E	\$10,032	\$1,361,976,025
998	Koki`o, Cooke's ( <i>Kokia cookei</i> )	E	\$10,005	\$1,361,986,030
999	Allocarya, Calistoga ( <i>Plagiobothrys strictus</i> )	E	\$10,000	\$1,361,996,030
999	Bluegrass, Napa ( <i>Poa napensis</i> )	E	\$10,000	\$1,362,006,030
999	Thistle, fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> )	E	\$10,000	\$1,362,016,030
999	Capa rosa ( <i>Callicarpa ampla</i> )	E	\$10,000	\$1,362,026,030
999	Chupacallos ( <i>Pleodendron macranthum</i> )	E	\$10,000	\$1,362,036,030
999	Palo colorado ( <i>Ternstroemia luquillensis</i> )	E	\$10,000	\$1,362,046,030
1000	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	\$9,990	\$1,362,056,020
1000	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$9,990	\$1,362,066,010
1000	Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )	T	\$9,990	\$1,362,076,000
1001	Pomace fly, [unnamed] ( <i>Drosophila ochrobasis</i> )	E	\$9,923	\$1,362,085,923
1002	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$9,916	\$1,362,095,839
1003	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	\$9,900	\$1,362,105,739
1004	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	\$9,820	\$1,362,115,559
1005	Aupaka ( <i>Isodendron laurifolium</i> )	E	\$9,791	\$1,362,125,350
1006	<i>Viola helenae</i> (=Sci name)	E	\$9,749	\$1,362,135,099
1006	Haha ( <i>Cyanea procera</i> )	E	\$9,749	\$1,362,144,848
1006	Na`ena`e ( <i>Dubautia pauciflora</i> )	E	\$9,749	\$1,362,154,597
1006	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> )	E	\$9,749	\$1,362,164,346
1006	<i>Phyllostegia mannii</i> (=Sci name)	E	\$9,749	\$1,362,174,095
1007	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	\$9,746	\$1,362,183,841
1008	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	\$9,739	\$1,362,193,580
1009	<i>Remya montgomeryi</i> (=Sci name)	E	\$9,681	\$1,362,203,261
1009	<i>Stenogyne campanulata</i> (=Sci name)	E	\$9,681	\$1,362,212,942

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1009	Haiwale ( <i>Cyrtandra paliku</i> )	E	\$9,681	\$1,362,222,623
1010	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	\$9,537	\$1,362,232,160
1011	Kamakahala ( <i>Labordia triflora</i> )	E	\$9,532	\$1,362,241,692
1012	Creeper, Oahu ( <i>Paroreomyza maculata</i> )	E	\$9,500	\$1,362,251,192
1012	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	\$9,500	\$1,362,260,692
1012	Palo de nigua ( <i>Cornutia obovata</i> )	E	\$9,500	\$1,362,270,192
1012	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	\$9,500	\$1,362,279,692
1012	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$9,500	\$1,362,289,192
1012	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$9,500	\$1,362,298,692
1012	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )	E	\$9,500	\$1,362,308,192
1012	Walnut (=Nogal), West Indian ( <i>Juglans jamaicensis</i> )	E	\$9,500	\$1,362,317,692
1012	<i>Ilex sintenisii</i> (=Sci name)	E	\$9,500	\$1,362,327,192
1013	Pomace fly, [unnamed] ( <i>Drosophila aglaia</i> )	E	\$9,423	\$1,362,336,615
1014	Sedge, white ( <i>Carex albida</i> )	E	\$9,400	\$1,362,346,015
1014	Lily, Pitkin Marsh ( <i>Lilium pardalinum</i> ssp. <i>pitkinense</i> )	E	\$9,400	\$1,362,355,415
1014	Jewelflower, Tiburon ( <i>Streptanthus niger</i> )	E	\$9,400	\$1,362,364,815
1015	<i>Doryopteris angelica</i> (=Sci name)	E	\$9,397	\$1,362,374,212
1016	Ipomopsis, Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> )	E	\$9,259	\$1,362,383,471
1017	<i>Xylosma crenatum</i> (=Sci name)	E	\$9,249	\$1,362,392,720
1017	<i>Stenogyne bifida</i> (=Sci name)	E	\$9,249	\$1,362,401,969
1018	<i>Sanicula purpurea</i> (=Sci name)	E	\$9,210	\$1,362,411,179
1019	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	\$9,181	\$1,362,420,360
1019	Haha ( <i>Cyanea undulata</i> )	E	\$9,181	\$1,362,429,541
1020	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$9,170	\$1,362,438,711
1021	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	\$9,080	\$1,362,447,791
1022	<i>Lobelia monostachya</i> (=Sci name)	E	\$9,035	\$1,362,456,826
1023	<i>Tetraplasandra flynnii</i> (=Sci name)	E	\$9,032	\$1,362,465,858
1023	<i>Diellia pallida</i> (=Sci name)	E	\$9,032	\$1,362,474,890
1024	Cactus, Siler pincushion ( <i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i> )	T	\$9,020	\$1,362,483,910
1025	Coqui, golden ( <i>Eleutherodactylus jasperii</i> )	T	\$9,000	\$1,362,492,910
1025	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	\$9,000	\$1,362,501,910
1025	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	\$9,000	\$1,362,510,910
1025	Pelos del diablo ( <i>Aristida portoricensis</i> )	E	\$9,000	\$1,362,519,910

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1025	Palo de ramon ( <i>Banara vanderbiltii</i> )	E	\$9,000	\$1,362,528,910
1025	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$9,000	\$1,362,537,910
1025	Holly, Cook's ( <i>Ilex cookii</i> )	E	\$9,000	\$1,362,546,910
1025	Palo de rosa ( <i>Ottoschulzia rhodoxylon</i> )	E	\$9,000	\$1,362,555,910
1025	Erubia ( <i>Solanum drymophilum</i> )	E	\$9,000	\$1,362,564,910
1025	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$9,000	\$1,362,573,910
1025	<i>Myrcia paganii</i> (=Sci name)	E	\$9,000	\$1,362,582,910
1025	<i>Aristida chaseae</i> (=Sci name)	E	\$9,000	\$1,362,591,910
1025	<i>Vernonia proctorii</i> (=Sci name)	E	\$9,000	\$1,362,600,910
1025	<i>Cranichis ricartii</i> (=Sci name)	E	\$9,000	\$1,362,609,910
1025	Fern, Elfin tree ( <i>Cyathea X dryopteroides</i> )	E	\$9,000	\$1,362,618,910
1025	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$9,000	\$1,362,627,910
1025	<i>Thelypteris verecunda</i> (=Sci name)	E	\$9,000	\$1,362,636,910
1025	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$9,000	\$1,362,645,910
1026	Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )	E	\$8,950	\$1,362,654,860
1027	Pomace fly, [unnamed] ( <i>Drosophila heteroneura</i> )	E	\$8,923	\$1,362,663,783
1027	Pomace fly, [unnamed] ( <i>Drosophila mulli</i> )	T	\$8,923	\$1,362,672,706
1027	Pomace fly, [unnamed] ( <i>Drosophila neoclavisetae</i> )	E	\$8,923	\$1,362,681,629
1027	Pomace fly, [unnamed] ( <i>Drosophila tarphytrichia</i> )	E	\$8,923	\$1,362,690,552
1027	Pomace fly, [unnamed] ( <i>Drosophila hemipeza</i> )	E	\$8,923	\$1,362,699,475
1027	Pomace fly, [unnamed] ( <i>Drosophila differens</i> )	E	\$8,923	\$1,362,708,398
1028	Ha`iwale ( <i>Cyrtandra polyantha</i> )	E	\$8,818	\$1,362,717,216
1029	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	\$8,815	\$1,362,726,031
1030	Kopiko ( <i>Psychotria grandiflora</i> )	E	\$8,749	\$1,362,734,780
1030	Alani ( <i>Melicope haupuensis</i> )	E	\$8,749	\$1,362,743,529
1030	`Aiea ( <i>Nothocestrum peltatum</i> )	E	\$8,749	\$1,362,752,278
1030	Kolea ( <i>Myrsine mezii</i> )	E	\$8,749	\$1,362,761,027
1030	Lo`ulu ( <i>Pritchardia viscosa</i> )	E	\$8,749	\$1,362,769,776
1030	<i>Lysimachia pendens</i> (=Sci name)	E	\$8,749	\$1,362,778,525
1031	Boxwood, Vahl's ( <i>Buxus vahliei</i> )	E	\$8,695	\$1,362,787,220
1032	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$8,681	\$1,362,795,901
1033	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$8,650	\$1,362,804,551
1034	Madtom, chunky ( <i>Noturus crypticus</i> )	E	\$8,596	\$1,362,813,147
1035	Koki`o ( <i>Kokia kauaiensis</i> )	E	\$8,573	\$1,362,821,720

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1036	Kohe malama malama o kanaloa ( <i>Kanaloa kahoolawensis</i> )	E	\$8,532	\$1,362,830,252
1037	Nukupu`u (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	\$8,500	\$1,362,838,752
1037	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	\$8,500	\$1,362,847,252
1037	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomsonianum</i> )	E	\$8,500	\$1,362,855,752
1038	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	\$8,460	\$1,362,864,212
1039	Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )	E	\$8,423	\$1,362,872,635
1040	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	\$8,382	\$1,362,881,017
1041	<i>Cyperus pennatiformis</i> (=Sci name)	E	\$8,356	\$1,362,889,373
1042	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	\$8,308	\$1,362,897,681
1043	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	\$8,282	\$1,362,905,963
1044	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	\$8,275	\$1,362,914,238
1045	Campeloma, slender ( <i>Campeloma decampi</i> )	E	\$8,200	\$1,362,922,438
1046	<i>Silene alexandri</i> (=Sci name)	E	\$8,181	\$1,362,930,619
1047	`Akoko ( <i>Euphorbia haeleleana</i> )	E	\$8,142	\$1,362,938,761
1047	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	\$8,142	\$1,362,946,903
1048	Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )	E	\$8,100	\$1,362,955,003
1049	Haha ( <i>Cyanea pinnatifida</i> )	E	\$8,075	\$1,362,963,078
1050	Milkpea, Small's ( <i>Galactia smallii</i> )	E	\$8,050	\$1,362,971,128
1051	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	\$8,042	\$1,362,979,170
1052	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> )	E	\$8,039	\$1,362,987,209
1053	Boa, Mona ( <i>Epicrates monensis monensis</i> )	T	\$8,000	\$1,362,995,209
1053	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	\$8,000	\$1,363,003,209
1054	Nani wai`ale`ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> )	E	\$7,964	\$1,363,011,173
1055	Fly, Hawaiian picture-wing ( <i>Drosophila sharpi</i> )	E	\$7,923	\$1,363,019,096
1056	Olulu ( <i>Brighamia insignis</i> )	E	\$7,897	\$1,363,026,993
1057	<i>Tetraplasandra bisattenuata</i> (=Sci name)	E	\$7,856	\$1,363,034,849
1057	Koki`o ke`oke`o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> )	E	\$7,856	\$1,363,042,705
1058	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	\$7,850	\$1,363,050,555
1059	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	\$7,750	\$1,363,058,305
1060	Kolea ( <i>Myrsine knudsenii</i> )	E	\$7,749	\$1,363,066,054
1061	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	\$7,700	\$1,363,073,754
1062	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$7,695	\$1,363,081,449
1063	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	\$7,540	\$1,363,088,989
1064	<i>Lysimachia iniki</i> (=Sci name)	E	\$7,532	\$1,363,096,521

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1064	<i>Phyllostegia renovans</i> (=Sci name)	E	\$7,532	\$1,363,104,053
1065	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	\$7,500	\$1,363,111,553
1065	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	\$7,500	\$1,363,119,053
1065	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )	E	\$7,500	\$1,363,126,553
1065	Phacelia, island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> )	E	\$7,500	\$1,363,134,053
1065	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	\$7,500	\$1,363,141,553
1065	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$7,500	\$1,363,149,053
1066	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	\$7,477	\$1,363,156,530
1067	Haha ( <i>Cyanea asarifolia</i> )	E	\$7,464	\$1,363,163,994
1068	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )	E	\$7,456	\$1,363,171,450
1069	Springsnail, San Bernardino ( <i>Pyrgulopsis bernardina</i> )	T	\$7,400	\$1,363,178,850
1070	Liliwai ( <i>Acaena exigua</i> )	E	\$7,356	\$1,363,186,206
1070	Pamakani ( <i>Tetramolopium capillare</i> )	E	\$7,356	\$1,363,193,562
1070	Nehe ( <i>Lipochaeta waimeaensis</i> )	E	\$7,356	\$1,363,200,918
1070	<i>Mariscus fauriei</i> (=Sci name)	E	\$7,356	\$1,363,208,274
1071	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	\$7,315	\$1,363,215,589
1072	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	\$7,290	\$1,363,222,879
1073	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )	E	\$7,249	\$1,363,230,128
1074	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	\$7,200	\$1,363,237,328
1074	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	\$7,200	\$1,363,244,528
1075	Alani ( <i>Melicope ovalis</i> )	E	\$7,156	\$1,363,251,684
1076	<i>Lysimachia filifolia</i> (=Sci name)	E	\$7,142	\$1,363,258,826
1077	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	\$7,128	\$1,363,265,954
1078	Pigtoe, Georgia ( <i>Pleurobema hanleyianum</i> )	E	\$7,122	\$1,363,273,076
1079	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	\$7,100	\$1,363,280,176
1080	<i>Cordia bellonis</i> (=Sci name)	E	\$7,000	\$1,363,287,176
1080	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )	E	\$7,000	\$1,363,294,176
1080	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	\$7,000	\$1,363,301,176
1080	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	\$7,000	\$1,363,308,176
1080	<i>Schoepfia arenaria</i> (=Sci name)	T	\$7,000	\$1,363,315,176
1080	<i>Nesogenes rotensis</i> (=Sci name)	E	\$7,000	\$1,363,322,176
1081	Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana</i> ssp. <i>valida</i> )	E	\$6,975	\$1,363,329,151
1082	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	\$6,964	\$1,363,336,115

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1082	<i>Lysimachia scopulensis</i> (=Sci name)	E	\$6,964	\$1,363,343,079
1083	Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> )	E	\$6,956	\$1,363,350,035
1084	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	\$6,945	\$1,363,356,980
1085	Damselfly, flying earwig Hawaiian ( <i>Megalagrion nesiotes</i> )	E	\$6,923	\$1,363,363,903
1085	Damselfly, Pacific Hawaiian ( <i>Megalagrion pacificum</i> )	E	\$6,923	\$1,363,370,826
1086	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$6,856	\$1,363,377,682
1086	<i>Gouania hillebrandii</i> (=Sci name)	E	\$6,856	\$1,363,384,538
1086	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	\$6,856	\$1,363,391,394
1087	Ma`oli`oli ( <i>Schiedea kealiae</i> )	E	\$6,810	\$1,363,398,204
1088	<i>Remya kauaiensis</i> (=Sci name)	E	\$6,788	\$1,363,404,992
1089	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	\$6,721	\$1,363,411,713
1090	Mustard, Carter's ( <i>Warea carteri</i> )	E	\$6,700	\$1,363,418,413
1091	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	\$6,691	\$1,363,425,104
1092	Polygala, tiny ( <i>Polygala smallii</i> )	E	\$6,650	\$1,363,431,754
1093	Holei ( <i>Ochrosia kilaueaensis</i> )	E	\$6,639	\$1,363,438,393
1094	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	\$6,596	\$1,363,444,989
1095	Alani ( <i>Melicope degeneri</i> )	E	\$6,532	\$1,363,451,521
1095	Alani ( <i>Melicope quadrangularis</i> )	E	\$6,532	\$1,363,458,053
1096	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	\$6,506	\$1,363,464,559
1097	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	\$6,500	\$1,363,471,059
1097	`O`o, Kauai (honeyeater) ( <i>Moho braccatus</i> )	E	\$6,500	\$1,363,477,559
1097	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )	E	\$6,500	\$1,363,484,059
1097	<i>Polystichum calderonense</i> (=Sci name)	E	\$6,500	\$1,363,490,559
1098	Penny-cress, Kneeland Prairie ( <i>Thlaspi californicum</i> )	E	\$6,482	\$1,363,497,041
1099	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	\$6,425	\$1,363,503,466
1100	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )	E	\$6,393	\$1,363,509,859
1101	Alani ( <i>Melicope balloui</i> )	E	\$6,389	\$1,363,516,248
1102	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$6,356	\$1,363,522,604
1102	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$6,356	\$1,363,528,960
1102	Na`ena`e ( <i>Dubautia imbricata imbricata</i> )	E	\$6,356	\$1,363,535,316
1102	Haha ( <i>Cyanea dolichopoda</i> )	E	\$6,356	\$1,363,541,672
1102	Naenae ( <i>Dubautia kenwoodii</i> )	E	\$6,356	\$1,363,548,028
1103	Oxytheca, cushenbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> )	E	\$6,328	\$1,363,554,356
1104	Kopiko ( <i>Psychotria hobdyi</i> )	E	\$6,288	\$1,363,560,644

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1105	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	\$6,217	\$1,363,566,861
1106	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )	E	\$6,212	\$1,363,573,073
1107	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	\$6,210	\$1,363,579,283
1107	Akoko ( <i>Chamaesyce deppeana</i> )	E	\$6,210	\$1,363,585,493
1108	Vervain, Red Hills ( <i>Verbena californica</i> )	T	\$6,172	\$1,363,591,665
1109	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )	E	\$6,150	\$1,363,597,815
1109	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - Tellico River, TN	EXPN	\$6,150	\$1,363,603,965
1109	Madtom, smoky ( <i>Noturus baileyi</i> ) - Tellico River, TN	EXPN	\$6,150	\$1,363,610,115
1109	Darter, duskytail ( <i>Etheostoma percnurum</i> ) - Tellico River, TN	EXPN	\$6,150	\$1,363,616,265
1110	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	\$6,130	\$1,363,622,395
1111	Combshell, southern ( <i>Epioblasma penita</i> )	E	\$6,124	\$1,363,628,519
1112	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	\$6,100	\$1,363,634,619
1113	<i>Stenogyne kealiae</i> (=Sci name)	E	\$6,073	\$1,363,640,692
1114	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$6,032	\$1,363,646,724
1114	<i>Schiedea attenuata</i> (=Sci name)	E	\$6,032	\$1,363,652,756
1115	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	\$6,000	\$1,363,658,756
1115	Po'ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	\$6,000	\$1,363,664,756
1115	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	\$6,000	\$1,363,670,756
1115	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	\$6,000	\$1,363,676,756
1115	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$6,000	\$1,363,682,756
1115	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$6,000	\$1,363,688,756
1115	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$6,000	\$1,363,694,756
1115	<i>Adiantum vivesii</i> (=Sci name)	E	\$6,000	\$1,363,700,756
1115	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$6,000	\$1,363,706,756
1115	<i>Tectaria estremerana</i> (=Sci name)	E	\$6,000	\$1,363,712,756
1116	Lo'ulu ( <i>Pritchardia munroi</i> )	E	\$5,964	\$1,363,718,720
1117	Haha ( <i>Cyanea glabra</i> )	E	\$5,956	\$1,363,724,676
1118	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> )	E	\$5,950	\$1,363,730,626
1119	Papala ( <i>Charpentiera densiflora</i> )	E	\$5,856	\$1,363,736,482
1119	Haha ( <i>Cyanea mceldowneyi</i> )	E	\$5,856	\$1,363,742,338
1119	Alani ( <i>Melicope paniculata</i> )	E	\$5,856	\$1,363,748,194
1119	Alani ( <i>Melicope reflexa</i> )	E	\$5,856	\$1,363,754,050
1119	Ma'oli'oli ( <i>Schiedea apokremnos</i> )	E	\$5,856	\$1,363,759,906
1119	<i>Schiedea lydgatei</i> (=Sci name)	E	\$5,856	\$1,363,765,762



Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1119	Haha ( <i>Cyanea mannii</i> )	E	\$5,856	\$1,363,771,618
1119	Haha ( <i>Cyanea recta</i> )	T	\$5,856	\$1,363,777,474
1119	Pilo kea lau li'i ( <i>Platydesma rostrata</i> )	E	\$5,856	\$1,363,783,330
1119	Haha ( <i>Cyanea kuhihewa</i> )	E	\$5,856	\$1,363,789,186
1119	Haha ( <i>Cyanea eleeleensis</i> )	E	\$5,856	\$1,363,795,042
1120	Chub, Hutton tui ( <i>Gila bicolor</i> ssp.)	T	\$5,850	\$1,363,800,892
1121	Water-willow, Cooley's ( <i>Justicia cooleyi</i> )	E	\$5,800	\$1,363,806,692
1122	<i>Schiedea helleri</i> (=Sci name)	E	\$5,788	\$1,363,812,480
1122	Lo'ulu, (=Na'ena'e) ( <i>Pritchardia hardyi</i> )	E	\$5,788	\$1,363,818,268
1123	Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )	T	\$5,771	\$1,363,824,039
1124	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	\$5,721	\$1,363,829,760
1125	Haha ( <i>Cyanea humboldtiana</i> )	E	\$5,710	\$1,363,835,470
1125	<i>Trematolobelia singularis</i> (=Sci name)	E	\$5,710	\$1,363,841,180
1126	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	\$5,700	\$1,363,846,880
1126	Snail, armored ( <i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i> )	E	\$5,700	\$1,363,852,580
1127	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	\$5,640	\$1,363,858,220
1128	Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> )	E	\$5,519	\$1,363,863,739
1129	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhappe</i> )	E	\$5,500	\$1,363,869,239
1129	Cactus, Chisos Mountain hedgehog ( <i>Echinocereus chisoensis</i> var. <i>chisoensis</i> )	T	\$5,500	\$1,363,874,739
1130	Ha'iwale ( <i>Cyrtandra oenobarba</i> )	E	\$5,356	\$1,363,880,095
1130	Awikiwiki ( <i>Canavalia napaliensis</i> )	E	\$5,356	\$1,363,885,451
1130	Akoko ( <i>Chamaesyce remyi</i> var. <i>kauaiensis</i> )	E	\$5,356	\$1,363,890,807
1130	<i>Poa siphonoglossa</i> (=Sci name)	E	\$5,356	\$1,363,896,163
1130	Alani ( <i>Melicope puberula</i> )	E	\$5,356	\$1,363,901,519
1131	Minnow, Devils River ( <i>Dionda diaboli</i> )	T	\$5,350	\$1,363,906,869
1132	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	\$5,300	\$1,363,912,169
1133	Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )	E	\$5,200	\$1,363,917,369
1133	Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )	E	\$5,200	\$1,363,922,569
1134	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	\$5,000	\$1,363,927,569
1134	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	\$5,000	\$1,363,932,569
1134	Amphipod, Peck's cave ( <i>Stygobromus</i> (=Stygonectes) <i>pecki</i> )	E	\$5,000	\$1,363,937,569
1134	Bedstraw, island ( <i>Galium buxifolium</i> )	E	\$5,000	\$1,363,942,569
1134	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> )	E	\$5,000	\$1,363,947,569

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1134	Goldenrod, Blue Ridge ( <i>Solidago spithamea</i> )	T	\$5,000	\$1,363,952,569
1135	Spinymussel, Altamaha ( <i>Elliptio spinosa</i> )	E	\$4,900	\$1,363,957,469
1136	Ko`oko`olau ( <i>Bidens wiebkei</i> )	E	\$4,856	\$1,363,962,325
1136	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$4,856	\$1,363,967,181
1136	`Akoko ( <i>Chamaesyce remyi</i> var. <i>remyi</i> )	E	\$4,856	\$1,363,972,037
1136	Na`ena`e ( <i>Dubautia latifolia</i> )	E	\$4,856	\$1,363,976,893
1136	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> )	E	\$4,856	\$1,363,981,749
1136	Bluegrass, Mann's ( <i>Poa mannii</i> )	E	\$4,856	\$1,363,986,605
1136	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$4,856	\$1,363,991,461
1136	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$4,856	\$1,363,996,317
1136	<i>Alsinidendron viscosum</i> (=Sci name)	E	\$4,856	\$1,364,001,173
1136	Kuawawaenuhu ( <i>Alsinidendron lychnoides</i> )	E	\$4,856	\$1,364,006,029
1136	Kamakahala ( <i>Labordia helleri</i> )	E	\$4,856	\$1,364,010,885
1136	Ho`awa ( <i>Pittosporum napaliense</i> )	E	\$4,856	\$1,364,015,741
1136	Haha ( <i>Cyanea remyi</i> )	E	\$4,856	\$1,364,020,597
1136	Na`ena`e ( <i>Dubautia plantaginea magnifolia</i> )	E	\$4,856	\$1,364,025,453
1136	<i>Lysimachia venosa</i> (=Sci name)	E	\$4,856	\$1,364,030,309
1136	`Akoko ( <i>Chamaesyce eleanoriae</i> )	E	\$4,856	\$1,364,035,165
1136	Haha ( <i>Cyanea kolekoleensis</i> )	E	\$4,856	\$1,364,040,021
1137	aumakua, Palapalai ( <i>Dryopteris crinalis</i> var. <i>podosorus</i> )	E	\$4,670	\$1,364,044,691
1138	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	\$4,600	\$1,364,049,291
1139	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> )	E	\$4,400	\$1,364,053,691
1140	Ceanothus, Vail Lake ( <i>Ceanothus ophiocylus</i> )	T	\$4,379	\$1,364,058,070
1141	Awii ( <i>Hedyotis cookiana</i> )	E	\$4,356	\$1,364,062,426
1141	Nehe ( <i>Lipochaeta fauriei</i> )	E	\$4,356	\$1,364,066,782
1141	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	\$4,356	\$1,364,071,138
1142	Oha ( <i>Delissea rivularis</i> )	E	\$4,346	\$1,364,075,484
1143	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	\$4,336	\$1,364,079,820
1144	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	\$4,300	\$1,364,084,120
1145	Chub, spotfin ( <i>Erimonax monachus</i> ) - Tellico River, TN	EXPN	\$4,150	\$1,364,088,270
1146	Fern, Alabama streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> )	T	\$4,138	\$1,364,092,408
1147	Pilo ( <i>Hedyotis mannii</i> )	E	\$4,132	\$1,364,096,540
1148	Baccharis, Encinitas ( <i>Baccharis vanessae</i> )	T	\$4,065	\$1,364,100,605
1149	Darter, boulder ( <i>Etheostoma wapiti</i> ) - Shoal Creek	EXPN	\$4,000	\$1,364,104,605

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1149	Darter, vermilion ( <i>Etheostoma chermocki</i> )	E	\$4,000	\$1,364,108,605
1149	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	\$4,000	\$1,364,112,605
1150	<i>Amaranthus brownii</i> (=Sci name)	E	\$3,856	\$1,364,116,461
1150	Lo`ulu ( <i>Pritchardia remota</i> )	E	\$3,856	\$1,364,120,317
1150	Ha`iwale ( <i>Cyrtandra crenata</i> )	E	\$3,856	\$1,364,124,173
1151	`Ohe`ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	\$3,810	\$1,364,127,983
1152	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. <i>ravenii</i> )	E	\$3,782	\$1,364,131,765
1153	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	\$3,635	\$1,364,135,400
1154	Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )	E	\$3,552	\$1,364,138,952
1154	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	\$3,552	\$1,364,142,504
1155	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	\$3,500	\$1,364,146,004
1156	<i>Schiedea verticillata</i> (=Sci name)	E	\$3,356	\$1,364,149,360
1157	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	\$3,250	\$1,364,152,610
1158	Beetle, Coffin Cave mold ( <i>Batrissodes texanus</i> )	E	\$3,200	\$1,364,155,810
1158	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )	T	\$3,200	\$1,364,159,010
1159	Cactus, Cochise pincushion ( <i>Coryphantha robbinsiorum</i> )	T	\$2,900	\$1,364,161,910
1160	Snowbells, Texas ( <i>Styrax texanus</i> )	E	\$2,800	\$1,364,164,710
1160	Primrose, Maguire ( <i>Primula maguirei</i> )	T	\$2,800	\$1,364,167,510
1161	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,738	\$1,364,170,248
1162	Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )	E	\$2,650	\$1,364,172,898
1163	Phacelia, clay ( <i>Phacelia argillacea</i> )	E	\$2,600	\$1,364,175,498
1164	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus</i> var. <i>piscinensis</i> )	T	\$2,584	\$1,364,178,082
1165	globe, noonday ( <i>Patera clarki nantahala</i> )	T	\$2,500	\$1,364,180,582
1165	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	\$2,500	\$1,364,183,082
1165	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	\$2,500	\$1,364,185,582
1166	Jaguarundi, Sinaloa ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i> )	E	\$2,300	\$1,364,187,882
1167	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	\$2,228	\$1,364,190,110
1168	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> )	E	\$2,100	\$1,364,192,210
1168	Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )	T	\$2,100	\$1,364,194,310
1168	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	\$2,100	\$1,364,196,410
1168	Milk-vetch, heliotrope ( <i>Astragalus montii</i> )	T	\$2,100	\$1,364,198,510
1168	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	\$2,100	\$1,364,200,610

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1169	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	\$2,000	\$1,364,202,610
1169	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	\$2,000	\$1,364,204,610
1169	Chub, spotfin ( <i>Erimonax monachus</i> )	EXPN	\$2,000	\$1,364,206,610
1170	White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )	E	\$1,900	\$1,364,208,510
1171	Harvestman, Bone Cave ( <i>Texella reyesi</i> )	E	\$1,750	\$1,364,210,260
1172	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	\$1,700	\$1,364,211,960
1173	Rocksail, interrupted (=Georgia) ( <i>Leptoxis foremani</i> ) -	E	\$1,633	\$1,364,213,593
1174	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - Except where listed as EXPN	E	\$1,600	\$1,364,215,193
1174	Pawpaw, beautiful ( <i>Deeringothamnus pulchellus</i> )	E	\$1,600	\$1,364,216,793
1175	Spider, Tooth Cave ( <i>Leptoneta myopica</i> )	E	\$1,500	\$1,364,218,293
1176	Ambrosia, San Diego ( <i>Ambrosia pumila</i> )	E	\$1,431	\$1,364,219,724
1177	O'u (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	\$1,400	\$1,364,221,124
1177	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	\$1,400	\$1,364,222,524
1177	Beetle, Kretschmarr Cave mold ( <i>Texamauirops reddelli</i> )	E	\$1,400	\$1,364,223,924
1178	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - DE, Sussex Co.	EXPN	\$1,346	\$1,364,225,270
1179	Pearlymussel, birdwing ( <i>Lemiox rimosus</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,321	\$1,364,226,591
1180	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	\$1,300	\$1,364,227,891
1181	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	\$1,283	\$1,364,229,174
1182	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,260	\$1,364,230,434
1183	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )	E	\$1,250	\$1,364,231,684
1184	Buckwheat, cushionbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )	E	\$1,212	\$1,364,232,896
1185	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,200	\$1,364,234,096
1186	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,175	\$1,364,235,271
1187	Mountain-mahogany, Catalina Island ( <i>Cercocarpus traskiae</i> )	E	\$1,158	\$1,364,236,429
1188	Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )	E	\$1,150	\$1,364,237,579
1188	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	\$1,150	\$1,364,238,729
1189	Gambusia, Clear Creek ( <i>Gambusia heterochir</i> )	E	\$1,000	\$1,364,239,729
1189	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	\$1,000	\$1,364,240,729
1189	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	\$1,000	\$1,364,241,729

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1189	Hornsnail, rough ( <i>Pleurocera foremani</i> )	E	\$1,000	\$1,364,242,729
1189	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	\$1,000	\$1,364,243,729
1190	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	\$996	\$1,364,244,725
1191	Mustard, slender-petaled ( <i>Thelypodium stenopetalum</i> )	E	\$939	\$1,364,245,664
1192	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$921	\$1,364,246,585
1193	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	\$900	\$1,364,247,485
1194	Puma (=mountain lion) ( <i>Puma</i> (= <i>Felis</i> ) <i>concolor</i> (all subsp. except <i>coryi</i> )) - FL	SAT	\$800	\$1,364,248,285
1194	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$800	\$1,364,249,085
1195	Clarkia, Pismo ( <i>Clarkia speciosa</i> ssp. <i>immaculata</i> )	E	\$761	\$1,364,249,846
1196	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	\$700	\$1,364,250,546
1196	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> )	E	\$700	\$1,364,251,246
1196	Chub, slender ( <i>Erimystax cahni</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,251,946
1196	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,252,646
1196	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,253,346
1196	Pigtoe, rough ( <i>Pleurobema plenum</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,254,046
1196	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,254,746
1196	Pearlymussel, cracking ( <i>Hemistena lata</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,364,255,446
1196	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	\$700	\$1,364,256,146
1197	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	\$690	\$1,364,256,836
1198	Clubshell, black ( <i>Pleurobema curtum</i> )	E	\$532	\$1,364,257,368
1199	Shiner, Cahaba ( <i>Notropis cahabae</i> )	E	\$519	\$1,364,257,887
1200	Pondweed, Little Aguja (=Creek) ( <i>Potamogeton clystocarpus</i> )	E	\$500	\$1,364,258,387
1200	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	\$500	\$1,364,258,887
1201	Chub, spotfin ( <i>Erimonax monachus</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$480	\$1,364,259,367
1202	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	\$455	\$1,364,259,822

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1203	Pearlymussel, birdwing ( <i>Lemiox rimosus</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$400	\$1,364,260,222
1203	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$400	\$1,364,260,622
1203	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	\$400	\$1,364,261,022
1203	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$400	\$1,364,261,422
1203	Stirrupshell ( <i>Quadrula stapes</i> )	E	\$400	\$1,364,261,822
1203	Beetle, delta green ground ( <i>Elaphrus viridis</i> )	T	\$400	\$1,364,262,222
1203	Bladderpod, lyrate ( <i>Lesquerella lyrata</i> )	T	\$400	\$1,364,262,622
1204	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) - Except where listed as EXPN	E	\$396	\$1,364,263,018
1205	Checker-mallow, pedate ( <i>Sidalcea pedata</i> )	E	\$355	\$1,364,263,373
1206	Dudleya, marcescent ( <i>Dudleya cymosa</i> ssp. <i>marcescens</i> )	T	\$300	\$1,364,263,673
1207	Darter, rush ( <i>Etheostoma phytophilum</i> )	E	\$296	\$1,364,263,969
1208	Rocksnailed, round ( <i>Leptoxis ampla</i> )	T	\$291	\$1,364,264,260
1209	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	\$283	\$1,364,264,543
1209	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$283	\$1,364,264,826
1210	Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )	E	\$250	\$1,364,265,076
1211	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$235	\$1,364,265,311
1212	Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )	T	\$233	\$1,364,265,544
1213	Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))	T	\$200	\$1,364,265,744
1213	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$200	\$1,364,265,944
1213	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$200	\$1,364,266,144
1213	Shrimp, Alabama cave ( <i>Palaemonias alabamiae</i> )	E	\$200	\$1,364,266,344
1213	Cactus, Nellie cory ( <i>Coryphantha minima</i> )	E	\$200	\$1,364,266,544
1213	Pitaya, Davis' green ( <i>Echinocereus viridiflorus</i> var. <i>davisii</i> )	E	\$200	\$1,364,266,744
1214	Pearlymussel, cracking ( <i>Hemistena lata</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$121	\$1,364,266,865
1215	Darter, duskytail ( <i>Etheostoma percnurum</i> ) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$1,364,266,965

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1216	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$96	\$1,364,267,061
1217	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$94	\$1,364,267,155
1218	Liveforever, Laguna Beach ( <i>Dudleya stolonifera</i> )	T	\$86	\$1,364,267,241
1219	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - Free-Flowing Reach of TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$60	\$1,364,267,301