

**TABLE 3. REPORTED LAND ACQUISITION EXPENDITURES FOR FY 2016 FOR
ENDANGERED AND THREATENED SPECIES**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Mammals	100	Bat, gray (Myotis grisescens) - Wherever found	E	\$0	\$0	\$0	\$10,000	\$10,000
	38	Bat, Indiana (Myotis sodalis) - Wherever found	E	\$336,756	\$216,748	\$553,504	\$10,000	\$563,504
	1	Bat, Northern long-eared (Myotis septentrionalis) - Wherever found	T	\$0	\$10,003,000	\$10,003,000	\$10,000	\$10,013,000
	39	Bear, Louisiana black (Ursus americanus luteolus) - Wherever found	T	\$551,343	\$0	\$551,343	\$0	\$551,343
	94	Bear, polar (Ursus maritimus) - Wherever found	T	\$21,333	\$0	\$21,333	\$0	\$21,333
	40	Fox, San Joaquin kit (Vulpes macrotis mutica) - wherever found	E	\$188,103	\$360,500	\$548,603	\$0	\$548,603
	71	Jaguarundi, Gulf Coast (Herpailurus (=Felis) yagouaroundi cacomitli) - Wherever found	E	\$125,000	\$0	\$125,000	\$0	\$125,000
	40	Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides) - Wherever found	E	\$188,103	\$360,500	\$548,603	\$0	\$548,603
	32	Lynx, Canada (Lynx canadensis) - Contiguous U.S. DPS	T	\$140,544	\$722,716	\$863,260	\$0	\$863,260
	82	Manatee, West Indian (Trichechus manatus) - Wherever found	E	\$48,571	\$0	\$48,571	\$0	\$48,571
	71	Ocelot (Leopardus (=Felis) pardalis) - wherever found	E	\$125,000	\$0	\$125,000	\$0	\$125,000
	106	Otter, Northern Sea (Enhydra lutris kenyonii) - Southwest Alaska DPS	T	\$5,333	\$0	\$5,333	\$0	\$5,333
	46	Otter, southern sea (Enhydra lutris nereis) - Wherever found	T	\$0	\$375,000	\$375,000	\$0	\$375,000
	17	Panther, Florida (Puma (=Felis) concolor coryi) - Wherever found	E	\$12,000	\$1,650,000	\$1,662,000	\$0	\$1,662,000
	103	Sea lion, Steller (Eumetopias jubatus) - Western DPS	E	\$5,333	\$2,000	\$7,333	\$0	\$7,333
	16	Squirrel, Delmarva Peninsula fox (Sciurus niger cinereus) - Wherever found, except where listed as an experimental population	E	\$1,948,000	\$0	\$1,948,000	\$0	\$1,948,000
	112	Whale, beluga (Delphinapterus leucas) - Cook Inlet DPS	E	\$0	\$1,500	\$1,500	\$0	\$1,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	106	Whale, blue (<i>Balaenoptera musculus</i>) - Wherever found	E	\$5,333	\$0	\$5,333	\$0	\$5,333
	94	Whale, bowhead (<i>Balaena mysticetus</i>) - Wherever found	E	\$21,333	\$0	\$21,333	\$0	\$21,333
	104	Whale, finback (<i>Balaenoptera physalus</i>) - Wherever found	E	\$5,333	\$1,000	\$6,333	\$0	\$6,333
	105	Whale, gray (<i>Eschrichtius robustus</i>) - Western North Pacific DPS	E	\$5,333	\$500	\$5,833	\$0	\$5,833
	106	Whale, humpback (<i>Megaptera novaeangliae</i>) - Wherever found	E	\$5,333	\$0	\$5,333	\$0	\$5,333
	106	Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Wherever found	E	\$5,333	\$0	\$5,333	\$0	\$5,333
	106	Whale, Sei (<i>Balaenoptera borealis</i>) - Wherever found	E	\$5,333	\$0	\$5,333	\$0	\$5,333
	106	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus)) - Wherever found	E	\$5,333	\$0	\$5,333	\$0	\$5,333
	55	Wolf, gray (<i>Canis lupus</i>) - U.S.A.: All of AL, AR, CA, CO, CT, DE, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, ND, NE, NH, NJ, NV, NY, OH, OK, PA, RI, SC, SD, TN, TX, VA, VT, WI, and WV; and portions of AZ, NM, OR, UT, and WA. Mexico.	E	\$0	\$0	\$0	\$244,000	\$244,000
	82	Wolf, red (<i>Canis rufus</i>) - Wherever found, except where listed as an experimental population	E	\$48,571	\$0	\$48,571	\$0	\$48,571
Mammals subtotal				\$3,802,654	\$13,693,464	\$17,496,118	\$274,000	\$17,770,118
Birds	106	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) albatrus) - Wherever found	E	\$5,333	\$0	\$5,333	\$0	\$5,333
	95	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>) - Wherever found	E	\$20,375	\$0	\$20,375	\$0	\$20,375
	23	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$12,370	\$1,200,000	\$1,212,370	\$0	\$1,212,370
	36	Crane, whooping (<i>Grus americana</i>) - Wherever found, except where listed as an experimental population	E	\$600,000	\$0	\$600,000	\$0	\$600,000
	13	Cuckoo, yellow-billed (<i>Coccyzus americanus</i>) - Western U.S. DPS	T	\$0	\$2,325,000	\$2,325,000	\$0	\$2,325,000
	58	Eider, spectacled (<i>Somateria fischeri</i>) - Wherever found	T	\$213,333	\$0	\$213,333	\$0	\$213,333

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	94	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$21,333	\$0	\$21,333	\$0	\$21,333
	71	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - Wherever found, except where listed as an experimental population	E	\$125,000	\$0	\$125,000	\$0	\$125,000
	15	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>) - Wherever found	E	\$0	\$2,075,000	\$2,075,000	\$0	\$2,075,000
	73	Gnatcatcher, coastal California (<i>Poliophtila californica californica</i>) - Wherever found	T	\$102,308	\$0	\$102,308	\$0	\$102,308
	41	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - Wherever found	E	\$12,000	\$450,000	\$462,000	\$0	\$462,000
	42	Owl, northern spotted (<i>Strix occidentalis caurina</i>) - Wherever found	T	\$0	\$0	\$0	\$454,791	\$454,791
	7	Plover, piping (<i>Charadrius melodus</i>) - [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	T	\$3,163,811	\$0	\$3,163,811	\$0	\$3,163,811
	90	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>) - Wherever found	T	\$27,642	\$0	\$27,642	\$0	\$27,642
	68	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>) - Wherever found	E	\$0	\$150,000	\$150,000	\$0	\$150,000
	6	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, MS, NC, SC	T	\$1,365,464	\$2,050,000	\$3,415,464	\$0	\$3,415,464
	29	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$758,723	\$226,130	\$984,853	\$0	\$984,853
	52	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$265,000	\$0	\$265,000	\$0	\$265,000
	37	Vireo, least Bell's (<i>Vireo bellii pusillus</i>) - Wherever found	E	\$102,308	\$487,883	\$590,191	\$0	\$590,191
	4	Woodpecker, red-cockaded (<i>Picoides borealis</i>) - Wherever found	E	\$3,669,753	\$147,267	\$3,817,020	\$0	\$3,817,020
Birds subtotal				\$10,464,753	\$9,111,280	\$19,576,033	\$454,791	\$20,030,824
Reptiles	40	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>) - Wherever found	E	\$188,103	\$360,500	\$548,603	\$0	\$548,603
	60	Sea turtle, green (<i>Chelonia mydas</i>) - Central North Pacific DPS	T	\$200,844	\$0	\$200,844	\$0	\$200,844
	67	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>) - Wherever found	E	\$152,273	\$0	\$152,273	\$0	\$152,273

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	64	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>) - Wherever found	E	\$173,571	\$0	\$173,571	\$0	\$173,571
	60	Sea turtle, leatherback (<i>Dermochelys coriacea</i>) - Wherever found	E	\$200,844	\$0	\$200,844	\$0	\$200,844
	113	Skink, bluetail mole (<i>Eumeces egregius lividus</i>) - Wherever found	T	\$370	\$0	\$370	\$0	\$370
	113	Skink, sand (<i>Neoseps reynoldsi</i>) - Wherever found	T	\$370	\$0	\$370	\$0	\$370
	84	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$36,756	\$0	\$36,756	\$0	\$36,756
	5	Snake, eastern indigo (<i>Drymarchon corais couperi</i>) - Wherever found	T	\$1,285,642	\$500,000	\$1,785,642	\$2,000,000	\$3,785,642
	48	Snake, giant garter (<i>Thamnophis gigas</i>) - Wherever found	T	\$252,871	\$88,302	\$341,173	\$0	\$341,173
	2	Tortoise, desert (<i>Gopherus agassizii</i>) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$0	\$8,500,000	\$8,500,000	\$0	\$8,500,000
	91	Tortoise, gopher (<i>Gopherus polyphemus</i>) - West of Mobile and Tombigbee Rivers	T	\$27,273	\$0	\$27,273	\$0	\$27,273
	9	Turtle, bog (<i>Clemmys muhlenbergii</i>) - Wherever found, except GA, NC, SC, TN, VA	T	\$180,000	\$2,396,808	\$2,576,808	\$0	\$2,576,808
Reptiles subtotal				\$2,698,917	\$11,845,610	\$14,544,527	\$2,000,000	\$16,544,527
Amphibians	95	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>) - Wherever found	T	\$20,375	\$0	\$20,375	\$0	\$20,375
	99	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Santa Barbara County)	E	\$0	\$12,000	\$12,000	\$0	\$12,000
	81	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS)	T	\$53,571	\$0	\$53,571	\$0	\$53,571
	20	Salamander, Salado (<i>Eurycea chisholmensis</i>) - Wherever found	T	\$0	\$0	\$0	\$1,519,892	\$1,519,892
Amphibians subtotal				\$73,946	\$12,000	\$85,946	\$1,519,892	\$1,605,838
Fishes	15	Chub, bonytail (<i>Gila elegans</i>) - Wherever found	E	\$0	\$2,075,000	\$2,075,000	\$0	\$2,075,000
	26	Cui-ui (<i>Chasmistes cujus</i>) - Wherever found	E	\$1,157,875	\$0	\$1,157,875	\$0	\$1,157,875

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	97	Dace, blackside (Phoxinus cumberlandensis) - Wherever found	T	\$0	\$15,000	\$15,000	\$0	\$15,000
	83	Darter, Cherokee (Etheostoma scotti) - Wherever found	T	\$0	\$0	\$0	\$40,000	\$40,000
	83	Darter, Etowah (Etheostoma etowahae) - Wherever found	E	\$0	\$0	\$0	\$40,000	\$40,000
	98	Darter, Okaloosa (Etheostoma okaloosae) - Wherever found	T	\$0	\$13,750	\$13,750	\$0	\$13,750
	78	Logperch, Roanoke (Percina rex) - Wherever found	E	\$0	\$60,000	\$60,000	\$0	\$60,000
	54	Minnow, loach (Tiaroga cobitis) - Wherever found	E	\$0	\$244,500	\$244,500	\$0	\$244,500
	10	Minnow, Rio Grande Silvery (Hybognathus amarus) - Wherever found, except where listed as an experimental population	E	\$0	\$2,500,000	\$2,500,000	\$0	\$2,500,000
	98	Salmon, Atlantic (Salmo salar) - Gulf of Maine DPS	E	\$0	\$13,750	\$13,750	\$0	\$13,750
	51	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$0	\$302,500	\$302,500	\$0	\$302,500
	21	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$7,800	\$302,500	\$310,300	\$1,202,808	\$1,513,108
	74	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Sacramento River winter-run ESU	E	\$7,800	\$88,000	\$95,800	\$0	\$95,800
	34	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$0	\$302,500	\$302,500	\$454,791	\$757,291
	18	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$0	\$0	\$0	\$1,657,599	\$1,657,599
	27	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$0	\$1,142,297	\$1,142,297	\$0	\$1,142,297
	75	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Central Valley spring-run ESU	T	\$0	\$88,000	\$88,000	\$0	\$88,000
	85	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Lower Columbia River ESU	T	\$0	\$36,247	\$36,247	\$0	\$36,247
	51	Salmon, sockeye (Oncorhynchus (=Salmo) nerka) - Snake River ESU	E	\$0	\$302,500	\$302,500	\$0	\$302,500
	28	Shiner, Pecos bluntnose (Notropis simus pecosensis) - Wherever found	T	\$0	\$1,100,000	\$1,100,000	\$0	\$1,100,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	65	Shiner, sharpnose (<i>Notropis oxyrinchus</i>) - Wherever found	E	\$0	\$156,130	\$156,130	\$0	\$156,130
	35	Shiner, Topeka (<i>Notropis topeka</i> (=tristis)) - Wherever found, except where listed as an experimental population	E	\$691,900	\$0	\$691,900	\$0	\$691,900
	74	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - California Central Valley DPS	T	\$7,800	\$88,000	\$95,800	\$0	\$95,800
	22	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Snake River Basin DPS	T	\$0	\$302,500	\$302,500	\$1,202,808	\$1,505,308
	33	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Lower Columbia River DPS	T	\$0	\$306,269	\$306,269	\$454,791	\$761,060
	43	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Upper Columbia River DPS	T	\$8,500	\$416,900	\$425,400	\$0	\$425,400
	12	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Middle Columbia River DPS	T	\$0	\$619,675	\$619,675	\$1,738,000	\$2,357,675
	25	Sturgeon, green (<i>Acipenser medirostris</i>) - Southern DPS	T	\$7,800	\$1,171,583	\$1,179,383	\$0	\$1,179,383
	77	Sturgeon (Gulf subspecies), Atlantic (<i>Acipenser oxyrinchus</i> (=oxyrinchus) desotoi) - Wherever found	T	\$0	\$60,618	\$60,618	\$0	\$60,618
	8	Sturgeon, pallid (<i>Scaphirhynchus albus</i>) - Wherever found	E	\$993,867	\$1,605,721	\$2,599,588	\$0	\$2,599,588
	87	Sturgeon, white (<i>Acipenser transmontanus</i>) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$0	\$32,432	\$32,432	\$0	\$32,432
	11	Sucker, razorback (<i>Xyrauchen texanus</i>) - Wherever found	E	\$0	\$2,419,707	\$2,419,707	\$0	\$2,419,707
	14	Trout, bull (<i>Salvelinus confluentus</i>) - U.S.A., conterminous, lower 48 states	T	\$0	\$2,160,964	\$2,160,964	\$0	\$2,160,964
	26	Trout, Lahontan cutthroat (<i>Oncorhynchus clarkii henshawi</i>) - Wherever found	T	\$1,157,875	\$0	\$1,157,875	\$0	\$1,157,875
	93	Woundfin (<i>Plagiopterus argentissimus</i>) - Wherever found, except where listed as an experimental population	E	\$0	\$25,000	\$25,000	\$0	\$25,000
Fishes subtotal				\$4,041,217	\$17,952,043	\$21,993,260	\$6,790,797	\$28,784,057
Clams	57	Bean, rayed (<i>Villosa fabalis</i>) - Wherever found	E	\$0	\$229,000	\$229,000	\$0	\$229,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	86	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>) - Wherever found	E	\$32,567	\$0	\$32,567	\$0	\$32,567
	96	Mucket, Neosho (<i>Lampsilis rafinesqueana</i>) - Wherever found	E	\$0	\$18,200	\$18,200	\$0	\$18,200
	31	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>) - Wherever found	E	\$903,200	\$0	\$903,200	\$0	\$903,200
	59	Mussel, sheepnose (<i>Plethobasus cyphus</i>) - Wherever found	E	\$25,067	\$177,467	\$202,534	\$0	\$202,534
	89	Mussel, snuffbox (<i>Epioblasma triquetra</i>) - Wherever found	E	\$0	\$30,000	\$30,000	\$0	\$30,000
	108	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$3,666	\$3,666	\$0	\$3,666
	30	Pocketbook, fat (<i>Potamilus capax</i>) - Wherever found	E	\$903,200	\$1,991	\$905,191	\$0	\$905,191
	80	Rabbitsfoot (<i>Quadrula cylindrica cylindrica</i>) - Wherever found	T	\$0	\$56,800	\$56,800	\$0	\$56,800
	92	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>) - Wherever found	E	\$25,067	\$0	\$25,067	\$0	\$25,067
	70	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>) - Wherever found	E	\$140,544	\$0	\$140,544	\$0	\$140,544
Clams subtotal				\$2,029,645	\$517,124	\$2,546,769	\$0	\$2,546,769
Snails	54	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>) - Wherever found	E	\$0	\$244,500	\$244,500	\$0	\$244,500
Snails subtotal				\$0	\$244,500	\$244,500	\$0	\$244,500
Insects	69	Beetle, American burying (<i>Nicrophorus americanus</i>) - Ex Pop, SW Missouri	EXPN	\$0	\$145,167	\$145,167	\$0	\$145,167
	101	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>) - Wherever found	T	\$7,800	\$0	\$7,800	\$0	\$7,800
	47	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>) - Wherever found	T	\$0	\$342,716	\$342,716	\$0	\$342,716
	102	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>) - Wherever found	E	\$0	\$0	\$0	\$7,500	\$7,500
	53	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>) - Wherever found	E	\$0	\$250,000	\$250,000	\$0	\$250,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	73	Butterfly, Quino checkerspot (Euphydryas editha quino (=E. e. wrighti)) - Wherever found	E	\$102,308	\$0	\$102,308	\$0	\$102,308
	70	Tiger beetle, Puritan (Cicindela puritana) - Wherever found	T	\$140,544	\$0	\$140,544	\$0	\$140,544
	63	Tiger beetle, Salt Creek (Cicindela nevadica lincolniiana) - Wherever found	E	\$0	\$0	\$0	\$175,000	\$175,000
Insects subtotal				\$250,652	\$737,883	\$988,535	\$182,500	\$1,171,035
Crustaceans	81	Fairy shrimp, Conservancy (Branchinecta conservatio) - Wherever found	E	\$53,571	\$0	\$53,571	\$0	\$53,571
	81	Fairy shrimp, longhorn (Branchinecta longiantenna) - Wherever found	E	\$53,571	\$0	\$53,571	\$0	\$53,571
	73	Fairy shrimp, San Diego (Branchinecta sandiegonensis) - Wherever found	E	\$102,308	\$0	\$102,308	\$0	\$102,308
	56	Fairy shrimp, vernal pool (Branchinecta lynchi) - Wherever found	T	\$241,674	\$0	\$241,674	\$0	\$241,674
	81	Tadpole shrimp, vernal pool (Lepidurus packardii) - Wherever found	E	\$53,571	\$0	\$53,571	\$0	\$53,571
Crustaceans subtotal				\$504,695	\$0	\$504,695	\$0	\$504,695
Flowering Plants	89	Amaranth, seabeach (Amaranthus pumilus) - Wherever found	T	\$0	\$30,000	\$30,000	\$0	\$30,000
	73	Ambrosia, San Diego (Ambrosia pumila) - Wherever found	E	\$102,308	\$0	\$102,308	\$0	\$102,308
	100	Arrowhead, bunched (Sagittaria fasciculata) - Wherever found	E	\$0	\$10,000	\$10,000	\$0	\$10,000
	66	Aster, decurrent false (Boltonia decurrens) - Wherever found	T	\$156,000	\$0	\$156,000	\$0	\$156,000
	111	Avens, spreading (Geum radiatum) - Wherever found	E	\$0	\$0	\$0	\$1,887	\$1,887
	113	Beargrass, Britton's (Nolina brittoniana) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	61	Bird's beak, palmate-bracted (Cordylanthus palmatus) - Wherever found	E	\$199,300	\$0	\$199,300	\$0	\$199,300
	113	Blazingstar, scrub (Liatris ohlingerae) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	95	Blue-star, Kearney's (Amsonia kearneyana) - Wherever found	E	\$20,375	\$0	\$20,375	\$0	\$20,375

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	113	Bonamia, Florida (Bonamia grandiflora) - Wherever found	T	\$370	\$0	\$370	\$0	\$370
	113	Buckwheat, scrub (Eriogonum longifolium var. gnaphalifolium) - Wherever found	T	\$370	\$0	\$370	\$0	\$370
	49	Bulrush, Northeastern (Scirpus ancistrochaetus) - Wherever found	E	\$320,544	\$0	\$320,544	\$0	\$320,544
	107	Butterweed, Layne's (Senecio layneae) - Wherever found	T	\$0	\$4,000	\$4,000	\$0	\$4,000
	73	Button-celery, San Diego (Eryngium aristulatum var. parishii) - Wherever found	E	\$102,308	\$0	\$102,308	\$0	\$102,308
	95	Cactus, Pima pineapple (Coryphantha scheeri var. robustispina) - Wherever found	E	\$20,375	\$0	\$20,375	\$0	\$20,375
	79	Catchfly, Spalding's (Silene spaldingii) - Wherever found	T	\$59,500	\$0	\$59,500	\$0	\$59,500
	109	Ceanothus, Pine Hill (Ceanothus roderickii) - Wherever found	E	\$0	\$3,000	\$3,000	\$0	\$3,000
	44	Checkermallow, Wenatchee Mountains (Sidalcea oregana var. calva) - Local Endemic	E	\$0	\$0	\$0	\$405,000	\$405,000
	50	Clover, running buffalo (Trifolium stoloniferum) - Wherever found	E	\$0	\$310,618	\$310,618	\$0	\$310,618
	89	Coneflower, smooth (Echinacea laevigata) - Wherever found	E	\$0	\$30,000	\$30,000	\$0	\$30,000
	54	Dropwort, Canby's (Oxypolis canbyi) - Wherever found	E	\$0	\$244,500	\$244,500	\$0	\$244,500
	73	Flannelbush, Mexican (Fremontodendron mexicanum) - Wherever found	E	\$102,308	\$0	\$102,308	\$0	\$102,308
	113	Fringe-tree, pygmy (Chionanthus pygmaeus) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	46	Goldenrod, Blue Ridge (Solidago spithamea) - Wherever found	T	\$0	\$375,000	\$375,000	\$0	\$375,000
	89	Gourd, Okeechobee (Cucurbita okeechobeensis ssp. okeechobeensis) - Wherever found	E	\$0	\$30,000	\$30,000	\$0	\$30,000
	45	Howellia, water (Howellia aquatilis) - Wherever found	T	\$59,500	\$342,716	\$402,216	\$0	\$402,216
	113	Hypericum, highlands scrub (Hypericum cumulicola) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	76	Iris, dwarf lake (Iris lacustris) - Wherever found	T	\$76,000	\$0	\$76,000	\$0	\$76,000
	72	Ladies'-tresses, Ute (Spiranthes diluvialis) - Wherever found	T	\$0	\$105,200	\$105,200	\$0	\$105,200

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	113	Lupine, scrub (<i>Lupinus aridorum</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	62	Mallow, Kern (<i>Eremalche kernensis</i>) - Wherever found	E	\$188,103	\$0	\$188,103	\$0	\$188,103
	89	Manioc, Walker's (<i>Manihot walkerae</i>) - Wherever found	E	\$0	\$30,000	\$30,000	\$0	\$30,000
	73	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>) - Wherever found	E	\$102,308	\$0	\$102,308	\$0	\$102,308
	73	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>) - Wherever found	E	\$102,308	\$0	\$102,308	\$0	\$102,308
	113	Mint, Garrett's (<i>Dicerandra christmanii</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	91	Mint, Lakela's (<i>Dicerandra immaculata</i>) - Wherever found	E	\$27,273	\$0	\$27,273	\$0	\$27,273
	78	Mint, scrub (<i>Dicerandra frutescens</i>) - Wherever found	E	\$0	\$60,000	\$60,000	\$0	\$60,000
	113	Mustard, Carter's (<i>Warea carteri</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	73	Navarretia, spreading (<i>Navarretia fossalis</i>) - Wherever found	T	\$102,308	\$0	\$102,308	\$0	\$102,308
	3	Orchid, western prairie fringed (<i>Platanthera praeclara</i>) - Wherever found	T	\$317,900	\$4,700,000	\$5,017,900	\$0	\$5,017,900
	73	Orcutt grass, California (<i>Orcuttia californica</i>) - Wherever found	E	\$102,308	\$0	\$102,308	\$0	\$102,308
	91	Pawpaw, four-petal (<i>Asimina tetramera</i>) - Wherever found	E	\$27,273	\$0	\$27,273	\$0	\$27,273
	113	Pigeon wings (<i>Clitoria fragrans</i>) - Wherever found	T	\$370	\$0	\$370	\$0	\$370
	88	Pitcher-plant, green (<i>Sarracenia oreophila</i>) - Wherever found	E	\$0	\$32,087	\$32,087	\$0	\$32,087
	113	Plum, scrub (<i>Prunus geniculata</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	113	Polygala, Lewton's (<i>Polygala lewtonii</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	24	Pondberry (<i>Lindera melissifolia</i>) - Wherever found	E	\$903,200	\$305,000	\$1,208,200	\$0	\$1,208,200
	113	Sandlace (<i>Polygonella myriophylla</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	91	Seagrass, Johnson's (<i>Halophila johnsonii</i>) - Wherever found	T	\$27,273	\$0	\$27,273	\$0	\$27,273
	36	Skullcap, large-flowered (<i>Scutellaria montana</i>) - Wherever found	T	\$0	\$600,000	\$600,000	\$0	\$600,000
	19	Spiraea, Virginia (<i>Spiraea virginiana</i>) - Wherever found	T	\$0	\$1,531,130	\$1,531,130	\$0	\$1,531,130

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	73	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) conjugens) - Wherever found	T	\$102,308	\$0	\$102,308	\$0	\$102,308
	76	Thistle, Pitcher's (<i>Cirsium pitcheri</i>) - Wherever found	T	\$76,000	\$0	\$76,000	\$0	\$76,000
	73	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>) - Wherever found	T	\$102,308	\$0	\$102,308	\$0	\$102,308
	110	Trillium, relict (<i>Trillium reliquum</i>) - Wherever found	E	\$0	\$1,991	\$1,991	\$0	\$1,991
	113	Whitlow-wort, papery (<i>Paronychia chartacea</i>) - Wherever found	T	\$370	\$0	\$370	\$0	\$370
	113	Wireweed (<i>Polygonella basiramia</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
	113	Ziziphus, Florida (<i>Ziziphus celata</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
Flowering Plants subtotal				\$3,405,308	\$8,745,242	\$12,150,550	\$406,887	\$12,557,437
Ferns and Allies	106	Fern, Aleutian shield (<i>Polystichum aleuticum</i>) - Wherever found	E	\$5,333	\$0	\$5,333	\$0	\$5,333
Ferns and Allies subtotal				\$5,333	\$0	\$5,333	\$0	\$5,333
Lichens	113	Cladonia, Florida perforate (<i>Cladonia perforata</i>) - Wherever found	E	\$370	\$0	\$370	\$0	\$370
Lichens subtotal				\$370	\$0	\$370	\$0	\$370
Multi-species				\$0	\$308,500	\$308,500	\$1,079,600	\$1,388,100
				\$27,277,490	\$63,167,646	\$90,445,136	\$12,708,467	\$103,153,603
Multi-species subtotal				\$0	\$308,500	\$308,500	\$1,079,600	\$1,388,100
Total Land Expenditures				\$27,277,490	\$63,167,646	\$90,445,136	\$12,708,467	\$103,153,603