

**TABLE 3. FY 2001 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED
AND THREATENED SPECIES**

Land Rank	Species (50 CFR Part 17)	Status	FWS Total (\$)	Other Fed (\$)	Fed Total (\$)	States Total (\$)	Species Total (\$)
6	Bat, Indiana (<i>Myotis sodalis</i>)	E	0	3,953,405	3,953,405	0	3,953,405
22	Bear, grizzly (<i>Ursus arctos horribilis</i>)	T	0	815,000	815,000	384,400	1,199,400
2	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	7,707,000	6,502,900	14,209,900	0	14,209,900
85	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	215,722	0	215,722	0	215,722
120	Ferret, black-footed (<i>Mustela nigripes</i>)	E	32,000	0	32,000	0	32,000
108	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	81,400	0	81,400	0	81,400
25	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	0	94,000	94,000	1,030,000	1,124,000
48	Lynx, Canada (<i>Lynx canadensis</i>)	T	0	1,000	1,000	394,400	395,400
7	Manatee, West Indian (<i>Trichechus manatus</i>)	E	3,258,456	0	3,258,456	0	3,258,456
92	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	126,000	0	126,000	0	126,000
98	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	111,722	0	111,722	0	111,722
10	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	2,962,500	0	2,962,500	0	2,962,500
98	Rice rat (<i>Oryzomys palustris natator</i>)	E	111,722	0	111,722	0	111,722
106	Sheep, bighorn (<i>Ovis canadensis</i>)	E	100,000	0	100,000	0	100,000
8	Sheep, bighorn (<i>Ovis canadensis californiana</i>)	E	0	0	0	3,020,000	3,020,000
48	Wolf, gray (<i>Canis lupus</i>)	E,T	0	1,000	1,000	394,400	395,400
	Mammals Subtotal		14,706,522	11,367,305	26,073,827	5,223,200	31,297,027
40	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	598,000	0	598,000	0	598,000
1	Eagle, bald (<i>Haliaeetus leucocephalus</i>)	T	20,073,093	1,350,260	21,423,353	320,800	21,744,153
54	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	355,045	0	355,045	0	355,045
18	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	1,408,100	0	1,408,100	0	1,408,100
71	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	336,000	0	336,000	0	336,000
134	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	11,217	0	11,217	0	11,217
44	Murrelet, marbled (<i>Brachyramphus marmoratus marmoratus</i>)	T	543,000	0	543,000	0	543,000
118	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	36,100	0	36,100	0	36,100
23	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	0	1,180,000	1,180,000	0	1,180,000
9	Pelican, brown (<i>Pelecanus occidentalis</i>)	E	2,996,350	0	2,996,350	0	2,996,350
87	Plover, piping (<i>Charadrius melodus</i>)	E,T	188,000	0	188,000	0	188,000
113	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>)	T	63,100	0	63,100	0	63,100
45	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	517,916	0	517,916	0	517,916
136	Rail, Yuma clapper (<i>Rallus longirostris</i>)	E	0	0	0	1,500	1,500

Land Rank	Species (50 CFR Part 17)	Status	FWS Total (\$)	Other Fed (\$)	Fed Total (\$)	States Total (\$)	Species Total (\$)
	<i>yumanensis</i>)						
32	Stork, wood (<i>Mycteria americana</i>)	E	1,027,178	0	1,027,178	0	1,027,178
5	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	1,894,230	0	1,894,230	2,127,300	4,021,530
71	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	336,000	0	336,000	0	336,000
4	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	1,894,231	0	1,894,231	2,127,300	4,021,531
14	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	820,000	983,000	1,803,000	0	1,803,000
	Birds Subtotal		33,097,560	3,513,260	36,610,820	4,576,900	41,187,720
108	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	81,400	0	81,400	0	81,400
12	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	2,000,000	0	2,000,000	35,000	2,035,000
13	Sea turtle, green (<i>Chelonia mydas</i>)	E,T	1,875,806	0	1,875,806	0	1,875,806
38	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	683,706	0	683,706	0	683,706
47	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	430,556	0	430,556	0	430,556
81	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	325,350	0	325,350	0	325,350
15	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	1,769,558	0	1,769,558	0	1,769,558
147	Skink, sand (<i>Neoseps reynoldsi</i>)	T	213	0	213	0	213
50	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	394,456	0	394,456	0	394,456
96	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	111,939	0	111,939	0	111,939
102	Snake, giant garter (<i>Thamnophis gigas</i>)	T	105,100	0	105,100	0	105,100
3	Tortoise, desert (<i>Gopherus agassizii</i>)	T	0	12,132,000	12,132,000	657,000	12,789,000
20	Tortoise, gopher (<i>Gopherus polyphemus</i>)	T	832,000	486,500	1,318,500	0	1,318,500
110	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>)	T	0	0	0	80,000	80,000
131	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	12,000	0	12,000	0	12,000
34	Frog, California red-legged (<i>Rana aurora draytonii</i>)	T	827,000	0	827,000	0	827,000
46	Salamander, California tiger (<i>Ambystoma californiense</i>)	E	491,000	0	491,000	0	491,000
84	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	250,000	0	250,000	0	250,000
71	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	336,000	0	336,000	0	336,000
	Amphibians Subtotal		1,904,000	0	1,904,000	0	1,904,000
111	Darter, watercress (<i>Etheostoma nuchale</i>)	E	77,000	0	77,000	0	77,000
121	Goby, tidewater (<i>Eucyclogobius newberryi</i>)	E	27,000	0	27,000	0	27,000
128	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	0	15,000	15,000	0	15,000
53	Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS (<i>Salmo</i>	E	0	0	0	369,400	369,400

Land Rank	Species (50 CFR Part 17)	Status	FWS Total (\$)	Other Fed (\$)	Fed Total (\$)	States Total (\$)	Species Total (\$)
	<i>salar</i>)						
92	Salmon, chinook fall Snake R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	0	126,000	126,000	0	126,000
92	Salmon, chinook spring/summer Snake R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	0	126,000	126,000	0	126,000
125	Salmon, chinook winter Sacramento R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	E	25,400	0	25,400	0	25,400
37	Salmon, chinook Puget Sound (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	0	126,000	126,000	569,000	695,000
92	Salmon, chinook lower Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	0	126,000	126,000	0	126,000
91	Salmon, chinook spring upper Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	25,400	127,000	152,400	0	152,400
89	Salmon, chum Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>)	T	0	0	0	174,600	174,600
114	Salmon, chum summer-run Hood Canal (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>)	T	0	63,000	63,000	0	63,000
121	Salmon, coho OR, CA pop. (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>)	T	27,000	0	27,000	0	27,000
114	Salmon, sockeye U.S.A. (Snake River, ID stock wherever found. (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>)	E	0	63,000	63,000	0	63,000
128	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	0	15,000	15,000	0	15,000
24	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	0	0	0	1,143,500	1,143,500
28	Splittail, Sacramento (<i>Pogonichthys macrolepidotus</i>)	T	1,072,100	0	1,072,100	0	1,072,100
35	Steelhead Snake R. Basin (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	0	105,000	105,000	664,400	769,400
103	Steelhead central CA coast (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	0	105,000	105,000	0	105,000
103	Steelhead lower Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	0	105,000	105,000	0	105,000
103	Steelhead upper Columbia R. Basin (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	E	0	105,000	105,000	0	105,000
112	Steelhead upper Willamette R. (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	0	76,303	76,303	0	76,303
121	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	27,000	0	27,000	0	27,000
131	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	12,000	0	12,000	0	12,000

Land Rank	Species (50 CFR Part 17)	Status	FWS Total (\$)	Other Fed (\$)	Fed Total (\$)	States Total (\$)	Species Total (\$)
19	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	0	1,322,000	1,322,000	0	1,322,000
82	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	222,700	68,130	290,830	0	290,830
82	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	222,700	68,130	290,830	0	290,830
16	Trout, bull (<i>Salvelinus confluentus</i>)	T	506,900	126,000	632,900	1,049,600	1,682,500
	Fishes Subtotal		2,245,200	2,867,563	5,112,763	3,970,500	9,083,263
135	Pocketbook, fat (<i>Potamilus capax</i>)	E	3,000	0	3,000	0	3,000
131	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	0	0	0	12,000	12,000
	Clams Subtotal		3,000	0	3,000	12,000	15,000
25	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	0	94,000	94,000	1,030,000	1,124,000
97	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	111,724	0	111,724	0	111,724
33	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	848,690	0	848,690	0	848,690
	Snails Subtotal		960,414	94,000	1,054,414	1,030,000	2,084,414
27	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	1,096,000	0	1,096,000	0	1,096,000
71	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrightii</i>))	E	336,000	0	336,000	0	336,000
	Insects Subtotal		1,432,000	0	1,432,000	0	1,432,000
28	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	1,072,100	0	1,072,100	0	1,072,100
28	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	1,072,100	0	1,072,100	0	1,072,100
71	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	336,000	0	336,000	0	336,000
71	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	336,000	0	336,000	0	336,000
17	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	1,072,100	562,500	1,634,600	0	1,634,600
21	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	1,072,100	160,000	1,232,100	0	1,232,100
	Crustaceans Subtotal		4,960,400	722,500	5,682,900	0	5,682,900
54	Aupaka (<i>Isodendron laurifolium</i>)	E	355,045	0	355,045	0	355,045
116	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	0	62,500	62,500	0	62,500
126	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	23,800	0	23,800	0	23,800
138	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	217	0	217	0	217
138	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	217	0	217	0	217
41	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	0	0	0	560,000	560,000
138	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	217	0	217	0	217

Land Rank	Species (50 CFR Part 17)	Status	FWS Total (\$)	Other Fed (\$)	Fed Total (\$)	States Total (\$)	Species Total (\$)
51	Butterweed, Layne's (<i>Senecio layneae</i>)	T	0	385,500	385,500	0	385,500
71	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	336,000	0	336,000	0	336,000
98	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	111,722	0	111,722	0	111,722
51	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	0	385,500	385,500	0	385,500
88	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	0	184,500	184,500	0	184,500
41	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notation</i>)	E	0	0	0	560,000	560,000
11	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	0	2,500,000	2,500,000	0	2,500,000
116	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	0	62,500	62,500	0	62,500
138	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	217	0	217	0	217
54	Haha (<i>Cyanea acuminata</i>)	E	355,045	0	355,045	0	355,045
54	Haha (<i>Cyanea humboldtiana</i>)	E	355,045	0	355,045	0	355,045
54	Haha (<i>Cyanea koolauensis</i>)	E	355,045	0	355,045	0	355,045
54	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	355,045	0	355,045	0	355,045
54	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	355,045	0	355,045	0	355,045
127	Iris, dwarf lake (<i>Iris lacustris</i>)	T	0	0	0	15,100	15,100
36	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	0	764,000	764,000	0	764,000
121	Layia, beach (<i>Layia carnosa</i>)	E	27,000	0	27,000	0	27,000
107	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	0	94,000	94,000	0	94,000
71	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	336,000	0	336,000	0	336,000
71	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	336,000	0	336,000	0	336,000
119	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	0	0	0	35,000	35,000
138	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	217	0	217	0	217
31	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	0	0	0	1,030,000	1,030,000
54	Nanu (<i>Gardenia mannii</i>)	E	355,045	0	355,045	0	355,045
41	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	0	0	0	560,000	560,000
54	Hesperomannia arborescens (=Sci name)	E	355,045	0	355,045	0	355,045
54	Lobelia gaudichaudii ssp. koolauensis (=Sci name)	E	355,045	0	355,045	0	355,045
54	Lobelia oahuensis (=Sci name)	E	355,045	0	355,045	0	355,045
54	Phyllostegia hirsuta (=Sci name)	E	355,045	0	355,045	0	355,045
54	Sanicula purpurea (=Sci name)	E	355,045	0	355,045	0	355,045
54	Viola oahuensis (=Sci name)	E	355,045	0	355,045	0	355,045
136	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	0	1,500	1,500	0	1,500
71	Orcutt grass, California (<i>Orcuttia californica</i>)	E	336,000	0	336,000	0	336,000
90	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	0	160,000	160,000	0	160,000
138	Pigeon wings (<i>Clitoria fragrans</i>)	T	217	0	217	0	217
39	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	0	0	0	615,000	615,000

Land Rank	Species (50 CFR Part 17)	Status	FWS Total (\$)	Other Fed (\$)	Fed Total (\$)	States Total (\$)	Species Total (\$)
138	Plum, scrub (<i>Prunus geniculata</i>)	E	217	0	217	0	217
98	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	111,722	0	111,722	0	111,722
128	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	0	15,000	15,000	0	15,000
138	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	217	0	217	0	217
138	Wireweed (<i>Polygonella basiramia</i>)	E	217	0	217	0	217
54	`Akoko (<i>Chamaesyce rockii</i>)	E	355,045	0	355,045	0	355,045
86	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	190,500	0	190,500	0	190,500
	Flowering Plants Subtotal		6,781,327	4,615,000	11,396,327	3,375,100	14,771,427
54	<i>Pteris lidgatei</i> (=Sci name)	E	355,045	0	355,045	0	355,045
54	Wawae`iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	355,045	0	355,045	0	355,045
	Ferns and Allies Subtotal		710,090	0	710,090	0	710,090
	Subtotal		75,422,597	35,798,128	111,220,725	18,959,700	130,180,425
	Other ESA Expenses		44,227,545	3,075,000	47,302,545	0	47,302,545
	Total		119,650,142	38,873,128	158,523,270	18,959,700	177,482,970