

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1	Salmon, coho	Oncorhynchus (=Salmo) kisutch	T	34,944.97	\$34,944.97	9.13%
2	Salmon, chinook, Snake R. spring/summer run	Oncorhynchus tshawytscha	T	29,036.67	\$63,981.64	16.72%
3	Salmon, chinook, Snake R. fall run	Oncorhynchus tshawytscha	T	27,045.34	\$91,026.98	23.79%
4	Salmon, sockeye (=red, =blueback), Snake R.	Oncorhynchus nerka	E	24,720.00	\$115,746.97	30.25%
5	Steelhead (Snake R. Basin)	Oncorhynchus (=Salmo) mykiss gilberti	T	22,549.22	\$138,296.19	36.14%
6	Steelhead (lower Columbia R.)	Oncorhynchus (=Salmo) mykiss gilberti	T	19,738.99	\$158,035.18	41.30%
7	Steelhead (southern CA coast)	Oncorhynchus (=Salmo) mykiss gilberti	E	18,201.86	\$176,237.04	46.06%
8	Woodpecker, red-cockaded	Picoides borealis	E	11,262.99	\$187,500.02	49.00%
9	Owl, northern spotted	Strix occidentalis caurina	T	9,510.03	\$197,010.06	51.49%
10	Flycatcher, southwestern willow	Empidonax traillii extimus	E	7,260.46	\$204,270.52	53.38%
11	Murrelet, marbled	Brachyramphus marmoratus marmoratus	T	7,090.35	\$211,360.86	55.24%
12	Sucker, razorback	Xyrauchen texanus	E	6,382.81	\$217,743.67	56.90%
13	Eagle, bald	Haliaeetus leucocephalus	T	5,999.43	\$223,743.11	58.47%
14	Trout, bull (Columbia R. pop.)	Salvelinus confluentus	T	5,590.16	\$229,333.27	59.93%
15	Bear, grizzly	Ursus arctos	T	5,009.31	\$234,342.58	61.24%
16	Tortoise, desert	Gopherus agassizii	T	4,903.29	\$239,245.87	62.52%
17	Panther, Florida	Felis concolor coryi	E	4,803.42	\$244,049.30	63.78%
18	Squawfish, Colorado	Ptychocheilus lucius	E	4,678.14	\$248,727.44	65.00%
19	Crane, whooping	Grus americana	E	4,589.12	\$253,316.56	66.20%
20	Wolf, gray	Canis lupus	E, T	4,454.25	\$257,770.81	67.36%
21	Rush-pea, slender	Hoffmannseggia tenella	E	4,006.00	\$261,776.81	68.41%
22	Sturgeon, white (Kootenai River pop.)	Acipenser transmontanus	E	3,589.47	\$265,366.28	69.35%
23	Sea-lion, Steller	Eumetopias jubatus	E, T	3,079.18	\$268,445.46	70.15%
24	Cui-ui	Chasmistes cujus	E	3,026.00	\$271,471.46	70.94%
25	Owl, Mexican spotted	Strix occidentalis lucida	T	2,955.85	\$274,427.31	71.72%
26	Falcon, American peregrine	Falco peregrinus anatum	E	2,759.09	\$277,186.39	72.44%
27	Sucker, Lost River	Deltistes luxatus	E	2,528.84	\$279,715.23	73.10%
28	Sucker, shortnose	Chasmistes brevirostris	E	2,524.71	\$282,239.95	73.76%
29	Trout, Umpqua River cutthroat	Oncorhynchus clarki clarki	E	2,429.52	\$284,669.47	74.39%
30	Plover, piping	Charadrius melodus	E, T	2,419.95	\$287,089.42	75.03%
31	Steelhead (upper Columbia R. Basin)	Oncorhynchus (=Salmo) mykiss gilberti	E	2,294.84	\$289,384.26	75.63%
32	Vireo, least Bell's	Vireo bellii pusillus	E	1,899.98	\$291,284.24	76.12%
33	Bat, Indiana	Myotis sodalis	E	1,854.12	\$293,138.36	76.61%
34	Gnatcatcher, coastal California	Poliophtila californica californica	T	1,812.50	\$294,950.86	77.08%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
35	Ferret, black-footed	<i>Mustela nigripes</i>	E	1,734.42	\$296,685.28	77.53%
36	Salmon, chinook, Sacramento R. winter run	<i>Oncorhynchus tshawytscha</i>	T	1,700.79	\$298,386.08	77.98%
37	Turtle, loggerhead sea	<i>Caretta caretta</i>	T	1,681.12	\$300,067.20	78.42%
38	Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	E	1,657.34	\$301,724.53	78.85%
39	Manatee, West Indian (=Florida)	<i>Trichechus manatus</i>	E	1,564.68	\$303,289.22	79.26%
40	Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	E	1,516.00	\$304,805.22	79.66%
41	Whale, right	<i>Balaena glacialis</i> (incl. <i>australis</i>)	E	1,459.65	\$306,264.87	80.04%
42	Chub, humpback	<i>Gila cypha</i>	E	1,430.04	\$307,694.91	80.41%
43	Turtle, green sea	<i>Chelonia mydas</i>	E, T	1,361.92	\$309,056.83	80.77%
44	Turtle, olive ridley sea	<i>Lepidochelys olivacea</i>	E, T	1,286.20	\$310,343.03	81.10%
45	Sucker, June	<i>Chasmistes liorus</i>	E	1,242.00	\$311,585.03	81.43%
46	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	E	1,180.32	\$312,765.35	81.74%
47	Chub, bonytail	<i>Gila elegans</i>	E	1,177.94	\$313,943.29	82.04%
48	Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	T	1,174.06	\$315,117.35	82.35%
49	Parrot, Puerto Rican	<i>Amazona vittata</i>	E	1,163.80	\$316,281.15	82.65%
50	Vireo, black-capped	<i>Vireo atricapillus</i>	E	1,127.90	\$317,409.05	82.95%
51	Turtle, Kemp's ridley sea	<i>Lepidochelys kempii</i>	E	1,113.40	\$318,522.45	83.24%
52	Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	E	1,103.00	\$319,625.45	83.53%
53	Condor, California	<i>Gymnogyps californianus</i>	E	1,058.00	\$320,683.45	83.81%
54	Turtle, leatherback sea	<i>Dermochelys coriacea</i>	E	1,056.21	\$321,739.66	84.08%
55	Warbler, golden-cheeked	<i>Dendroica chrysoparia</i>	E	1,033.50	\$322,773.16	84.35%
56	Tern, California least	<i>Sterna antillarum browni</i>	E	982.04	\$323,755.19	84.61%
57	Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	E	979.20	\$324,734.39	84.86%
58	Tern, least	<i>Sterna antillarum</i>	E	978.75	\$325,713.15	85.12%
59	Wolf, red	<i>Canis rufus</i>	E	978.50	\$326,691.65	85.38%
60	Turtle, hawksbill sea (=carey)	<i>Eretmochelys imbricata</i>	E	948.60	\$327,640.25	85.62%
61	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	E	933.70	\$328,573.95	85.87%
62	Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	E	873.90	\$329,447.85	86.10%
63	Toad, Arroyo southwestern	<i>Bufo microscaphus californicus</i>	E	872.90	\$330,320.75	86.32%
64	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	E	811.60	\$331,132.35	86.54%
65	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	E	801.86	\$331,934.20	86.75%
66	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	E	791.64	\$332,725.84	86.95%
67	Gambusia, Pecos	<i>Gambusia nobilis</i>	E	775.50	\$333,501.34	87.15%
68	Pygmy-owl, cactus ferruginous	<i>Glaucidium brasilianum cactorum</i>	E	773.00	\$334,274.34	87.36%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
69	Darter, Okaloosa	Etheostoma okaloosae	E	767.00	\$335,041.34	87.56%
70	Plover, western snowy	Charadrius alexandrinus nivosus	T	758.55	\$335,799.89	87.76%
71	Butterfly, Karner blue	Lycaeides melissa samuelis	E	711.76	\$336,511.65	87.94%
72	Steelhead (Central Valley CA)	Oncorhynchus (=Salmo) mykiss gilberti	T	659.92	\$337,171.57	88.11%
73	Pronghorn, Sonoran	Antilocapra americana sonoriensis	E	625.30	\$337,796.87	88.28%
74	Frog, California red-legged	Rana aurora draytonii	T	601.62	\$338,398.49	88.43%
75	Warbler, Kirtland's	Dendroica kirtlandii	E	591.52	\$338,990.01	88.59%
76	Trout, Lahontan cutthroat	Oncorhynchus clarki henshawi	T	587.94	\$339,577.95	88.74%
77	Stork, wood	Mycteria americana	E	566.10	\$340,144.05	88.89%
78	Bat, gray	Myotis grisescens	E	541.20	\$340,685.25	89.03%
79	Duck, Hawaiian (=koloa)	Anas wyvilliana	E	535.56	\$341,220.81	89.17%
80	Steelhead (central CA coast)	Oncorhynchus (=Salmo) mykiss gilberti	T	520.06	\$341,740.87	89.31%
81	Jay, Florida scrub	Aphelocoma coerulescens coerulescens	T	512.09	\$342,252.96	89.44%
82	Otter, southern sea	Enhydra lutris nereis	T	495.00	\$342,747.96	89.57%
83	Falcon, northern aplomado	Falco femoralis septentrionalis	E	494.90	\$343,242.86	89.70%
84	Steelhead (south central CA coast)	Oncorhynchus (=Salmo) mykiss gilberti	T	482.36	\$343,725.21	89.83%
85	Sunflower, Eggert's	Helianthus eggertii	T	452.70	\$344,177.91	89.94%
86	Snake, giant garter	Thamnophis gigas	T	450.38	\$344,628.29	90.06%
87	Bear, Louisiana black	Ursus americanus luteolus	T	446.67	\$345,074.96	90.18%
88	Shiner, Pecos bluntnose	Notropis simus pecosensis	T	425.00	\$345,499.96	90.29%
89	Tortoise, gopher	Gopherus polyphemus	T	422.49	\$345,922.45	90.40%
90	Sturgeon, Gulf	Acipenser oxyrhynchus desotoi	T	412.86	\$346,335.31	90.51%
91	Chub, Virgin River	Gila robusta semidnuda	E	404.75	\$346,740.06	90.61%
92	Woundfin	Plagopterus argentissimus	E	395.95	\$347,136.01	90.72%
93	Fairy shrimp, vernal pool	Branchinecta lynchi	T	390.98	\$347,526.98	90.82%
94	Butterfly, Mitchell's satyr	Neonympha mitchellii mitchellii	E	381.50	\$347,908.48	90.92%
95	Whale, humpback	Megaptera novaeangliae	E	361.02	\$348,269.50	91.01%
96	Ladies'-tresses, Ute	Spiranthes diluvialis	T	353.58	\$348,623.08	91.11%
97	Rail, California clapper	Rallus longirostris obsoletus	E	350.85	\$348,973.93	91.20%
98	Caribou, woodland	Rangifer tarandus caribou	E	350.23	\$349,324.16	91.29%
99	Eider, spectacled	Somateria fischeri	T	346.45	\$349,670.61	91.38%
100	Prairie dog, Utah	Cynomys parvidens	T	326.27	\$349,996.87	91.47%
101	Prairie-chicken, Attwater's greater	Tympanuchus cupido attwateri	E	319.29	\$350,316.17	91.55%
102	Trout, greenback cutthroat	Oncorhynchus clarki stomias	T	309.17	\$350,625.33	91.63%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
103	Bat, lesser long-nosed	Leptonycteris curasoae yerbabuenae	E	305.00	\$350,930.33	91.71%
104	Eider, Steller's	Polysticta stelleri	T	304.45	\$351,234.78	91.79%
105	Pearlymussel, Higgins' eye	Lampsilis higginsii	E	301.61	\$351,536.39	91.87%
106	Rail, Guam	Rallus owstoni	E	290.50	\$351,826.89	91.94%
107	Goose, Aleutian Canada	Branta canadensis leucopareia	T	289.34	\$352,116.23	92.02%
108	Cactus, Mesa Verde	Sclerocactus mesae-verdae	T	288.80	\$352,405.03	92.09%
109	Snails, Oahu tree	Achatinella^ spp. (all species)	E	281.82	\$352,686.85	92.17%
110	Darter, Cherokee	Etheostoma (Ulocentra) sp.	T	281.25	\$352,968.10	92.24%
111	Toad, Wyoming	Bufo hemiophrys baxteri	E	277.99	\$353,246.09	92.31%
112	Milk-vetch, Mancos	Astragalus humillimus	E	275.50	\$353,521.59	92.39%
113	Tadpole shrimp, vernal pool	Lepidurus packardii	E	269.30	\$353,790.89	92.46%
114	Crow, Mariana	Corvus kubaryi	E	265.20	\$354,056.09	92.53%
115	Snail, Utah valvata	Valvata utahensis	E	261.16	\$354,317.25	92.59%
116	Kangaroo rat, San Bernardino Merriam's	Dipodomys merriami parvus	E	257.00	\$354,574.25	92.66%
117	Crow, Hawaiian (= alala)	Corvus hawaiiensis	E	249.00	\$354,823.25	92.73%
118	Deer, key	Odocoileus virginianus clavium	E	243.80	\$355,067.05	92.79%
119	Pearlymussel, white cat's paw	Epioblasma obliquata perobliqua	E	238.00	\$355,305.05	92.85%
120	Stilt, Hawaiian (=ae'o)	Himantopus mexicanus knudseni	E	235.80	\$355,540.85	92.91%
121	Orchid, western prairie fringed	Platanthera praeclara	T	225.64	\$355,766.49	92.97%
122	Spikedace	Meda fulgida	T	225.30	\$355,991.79	93.03%
123	Mouse, Pacific pocket	Perognathus longimembris pacificus	E	223.00	\$356,214.79	93.09%
124	Beetle, valley elderberry longhorn	Desmocerus californicus dimorphus	T	219.99	\$356,434.79	93.15%
125	Pupfish, Devils Hole	Cyprinodon diabolis	E	210.75	\$356,645.54	93.20%
126	Button-celery, San Diego	Eryngium aristulatum var. parishii	E	205.20	\$356,850.74	93.26%
127	Squirrel, Mount Graham red	Tamiasciurus hudsonicus grahamensis	E	196.10	\$357,046.84	93.31%
128	Checker-mallow, Nelson's	Sidalcea nelsoniana	T	192.18	\$357,239.01	93.36%
129	Minnow, loach	Rhinichthys cobitis	T	190.97	\$357,429.98	93.41%
130	Beetle, American burying (=giant carrion)	Nicrophorus americanus	E	189.61	\$357,619.59	93.46%
131	Rail, Yuma clapper	Rallus longirostris yumanensis	E	189.40	\$357,808.99	93.51%
132	Blackbird, yellow-shouldered	Agelaius xanthomus	E	185.26	\$357,994.25	93.56%
133	Mussel, dwarf wedge	Alasmidonta heterodon	E	181.54	\$358,175.78	93.60%
134	Fairy shrimp, San Diego	Branchinecta sandiegoensis	E	180.50	\$358,356.28	93.65%
135	Howellia, water	Howellia aquatilis	T	179.83	\$358,536.11	93.70%
136	Chub, Oregon	Oregonichthys crameri	E	178.14	\$358,714.25	93.74%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
137	Lizard, blunt-nosed leopard	Gambelia silus	E	174.20	\$358,888.45	93.79%
138	Snake, eastern indigo	Drymarchon corais couperi	T	173.99	\$359,062.44	93.83%
139	Ocelot	Felis pardalis	E	173.20	\$359,235.64	93.88%
140	Goose, Hawaiian (=nene)	Nesochen sandvicensis	E	170.18	\$359,405.83	93.92%
141	Tern, roseate	Sterna dougallii dougallii	E, T	165.23	\$359,571.05	93.97%
142	Dragonfly, Hine's (=Ohio) emerald	Somatochlora hineana	E	163.72	\$359,734.77	94.01%
143	Pupfish, desert	Cyprinodon macularius	E	163.49	\$359,898.26	94.05%
144	Po'ouli (honeycreeper)	Melamprosops phaeosoma	E	158.50	\$360,056.76	94.09%
145	Sumac, Michaux's	Rhus michauxii	E	156.67	\$360,213.43	94.14%
146	Mussel, winged mapleleaf	Quadrula fragosa	E	156.01	\$360,369.44	94.18%
147	Orchid, eastern prairie fringed	Platanthera leucophaea	T	155.24	\$360,524.68	94.22%
148	Kangaroo rat, Tipton	Dipodomys nitratoides nitratoides	E	153.30	\$360,677.98	94.26%
149	Kangaroo rat, giant	Dipodomys ingens	E	151.90	\$360,829.88	94.30%
150	Goby, tidewater	Eucyclogobius newberryi	E	150.00	\$360,979.88	94.34%
151	Squirrel, Delmarva Peninsula fox	Sciurus niger cinereus	E	148.22	\$361,128.11	94.37%
152	Trout, bull (Klamath R. pop.)	Salvelinus confluentus	T	147.93	\$361,276.04	94.41%
153	Trout, Gila	Oncorhynchus gilae	E	147.83	\$361,423.87	94.45%
154	Fairy shrimp, riverside	Streptocephalus woottoni	E	147.70	\$361,571.57	94.49%
155	Pelican, brown	Pelecanus occidentalis	E	147.57	\$361,719.14	94.53%
156	Smelt, delta	Hypomesus transpacificus	T	143.61	\$361,862.76	94.57%
157	Chaffseed, American	Schwalbea americana	E	143.28	\$362,006.03	94.60%
158	Cactus, Pima pineapple	Coryphantha scheeri var. robustispina	E	142.30	\$362,148.33	94.64%
159	Amaranth, seabeach	Amaranthus pumilus	T	139.08	\$362,287.41	94.68%
160	Stickleback, unarmored threespine	Gasterosteus aculeatus williamsoni	E	137.00	\$362,424.41	94.71%
161	Deer, Columbian white-tailed	Odocoileus virginianus leucurus	E	136.06	\$362,560.47	94.75%
162	Mouse, salt marsh harvest	Reithrodontomys raviventris	E	135.52	\$362,695.99	94.78%
163	Loosestrife, rough-leaved	Lysimachia asperulaefolia	E	132.60	\$362,828.59	94.82%
164	Rabbit, Lower Keys	Sylvilagus palustris hefneri	E	132.00	\$362,960.59	94.85%
165	Bird's beak, palmate-bracted	Cordylanthus palmatus	E	130.30	\$363,090.89	94.89%
165	Layia, beach	Layia carnosa	E	130.30	\$363,221.19	94.92%
167	`Ohai	Sesbania tomentosa	E	129.50	\$363,350.69	94.96%
168	Whale, gray	Eschrichtius robustus	E	128.25	\$363,478.94	94.99%
169	Wallflower, Menzies'	Erysimum menziesii	E	126.00	\$363,604.94	95.02%
170	Kangaroo rat, Stephens'	Dipodomys stephensi	E	124.90	\$363,729.84	95.05%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
171	Coot, Hawaiian (=ʻalae-keʻokeʻo)	Fulica americana alai	E	124.80	\$363,854.64	95.09%
172	Spinedace, Little Colorado	Lepidomeda vittata	T	124.00	\$363,978.64	95.12%
173	Logperch, Roanoke	Percina rex	E	123.60	\$364,102.24	95.15%
174	Kangaroo rat, Fresno	Dipodomys nitratoideis exilis	E	122.30	\$364,224.54	95.18%
175	Lomatium, Bradshaw's	Lomatium bradshawii	E	121.60	\$364,346.14	95.22%
176	Nukupū'u (honeycreeper)	Hemignathus lucidus	E	119.50	\$364,465.64	95.25%
177	Butterfly, Oregon silverspot	Speyeria zerene hippolyta	T	119.00	\$364,584.64	95.28%
178	Vole, Hualapai Mexican	Microtus mexicanus hualpaiensis	E	117.50	\$364,702.14	95.31%
179	Pearlymussel, pink mucket	Lampsilis abrupta	E	114.17	\$364,816.31	95.34%
180	Butterweed, Layne's	Senecio layneae	T	114.00	\$364,930.31	95.37%
181	Parrotbill, Maui (honeycreeper)	Pseudonestor xanthophrys	E	112.43	\$365,042.75	95.40%
182	Chub, Pahrnagat roundtail (=bonytail)	Gila robusta jordani	E	112.00	\$365,154.75	95.43%
183	Sparrow, Florida grasshopper	Ammodramus savannarum floridanus	E	111.33	\$365,266.08	95.46%
184	Turtle, bog (=Muhlenberg)	Clemmys muhlenbergii	T	111.04	\$365,377.12	95.48%
185	Mouse, Alabama beach	Peromyscus polionotus ammobates	E	110.17	\$365,487.29	95.51%
186	Palila (honeycreeper)	Loxioides bailleui	E	105.79	\$365,593.08	95.54%
187	Trout, bull (Jarbridge R. pop.)	Salvelinus confluentus	E	105.64	\$365,698.73	95.57%
188	Spineflower, slender-horned	Dodecahema leptoceras	E	105.40	\$365,804.13	95.60%
189	Salamander, Barton Springs	Eurycea sosorum	E	105.00	\$365,909.13	95.62%
190	Toad, Houston	Bufo houstonensis	E	103.00	\$366,012.13	95.65%
191	Madtom, Neosho	Noturus placidus	T	102.25	\$366,114.38	95.68%
192	Woolly-star, Santa Ana River	Eriastrum densifolium ssp. sanctorum	E	102.00	\$366,216.38	95.70%
193	Pitcher-plant, green	Sarracenia oreophila	E	99.35	\$366,315.73	95.73%
194	Ambersnail, Kanab	Oxyloma haydeni kanabensis	E	97.30	\$366,413.03	95.76%
195	Rock-pocketbook, Ouachita (=Wheeler's pearly)	Arkansia wheeleri	E	97.05	\$366,510.08	95.78%
196	Moorhen, Hawaiian common	Gallinula chloropus sandvicensis	E	96.86	\$366,606.94	95.81%
197	Clubshell	Pleurobema clava	E	95.99	\$366,702.93	95.83%
198	Pogonia, small whorled	Isotria medeoloides	T	94.74	\$366,797.67	95.86%
199	Butterfly, Quino checkerspot	Euphydryas editha quino (=E. e. wrighti)	E	94.50	\$366,892.17	95.88%
200	Megapode, Micronesian (=La Perouse's)	Megapodius laperouse	E	88.50	\$366,980.67	95.90%
201	Darter, Niangua	Etheostoma nianguae	T	86.00	\$367,066.67	95.93%
201	Butterfly, Palos Verdes blue	Glaucopsyche lygdamus palosverdesensis	E	86.00	\$367,152.67	95.95%
203	Springfish, White River	Crenichthys baileyi baileyi	E	84.90	\$367,237.57	95.97%
204	Thrush, small Kauai (=puaiohi)	Myadestes palmeri	E	84.00	\$367,321.57	95.99%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
204	Mesa-mint, Otay	Pogogyne nudiusscula	E	84.00	\$367,405.57	96.02%
206	Kite, Everglade snail	Rostrhamus sociabilis plumbeus	E	83.78	\$367,489.35	96.04%
207	Heelsplitter, Carolina	Lasmigona decorata	E	83.30	\$367,572.65	96.06%
208	Shiner, blue	Cyprinella caerulea	T	80.99	\$367,653.64	96.08%
209	Bat, Ozark big-eared	Plecotus townsendii ingens	E	80.60	\$367,734.24	96.10%
210	Springfish, Hiko White River	Crenichthys baileyi grandis	E	77.69	\$367,811.93	96.12%
211	Mesa-mint, San Diego	Pogogyne abramsii	E	77.30	\$367,889.23	96.14%
212	Penstemon, blowout	Penstemon haydenii	E	75.50	\$367,964.73	96.16%
213	Ladies'-tresses, Navasota	Spiranthes parksii	E	75.00	\$368,039.73	96.18%
214	Cactus, Kuenzler hedgehog	Echinocereus fendleri var. kuenzleri	E	74.70	\$368,114.43	96.20%
215	Crocodile, American	Crocodylus acutus	E	73.80	\$368,188.23	96.22%
216	Bladderpod, Missouri	Lesquerella filiformis	E	72.30	\$368,260.53	96.24%
217	Snail, Bliss Rapids	Taylorconcha serpenticola	T	72.10	\$368,332.62	96.26%
218	Milk-vetch, Applegate's	Astragalus applegatei	E	72.00	\$368,404.62	96.28%
219	Snail, Snake River physa	Physa natricina	E	71.66	\$368,476.29	96.29%
219	Springsnail, Idaho	Fontelicella idahoensis	E	71.66	\$368,547.95	96.31%
221	Akepa, Maui (honeycreeper)	Loxops coccineus ochraceus	E	71.50	\$368,619.45	96.33%
222	Sucker, Warner	Catostomus warnerensis	T	70.47	\$368,689.92	96.35%
223	Salamander, Red Hills	Phaeognathus hubrichti	T	70.00	\$368,759.92	96.37%
224	Butterfly, bay checkerspot	Euphydryas editha bayensis	T	69.30	\$368,829.22	96.39%
225	Chub, Sonora	Gila ditaenia	T	68.10	\$368,897.32	96.40%
226	Darter, leopard	Percina pantherina	T	67.90	\$368,965.21	96.42%
227	Snake, copperbelly water (northern pop.)	Nerodia erythrogaster neglecta	T	67.16	\$369,032.37	96.44%
228	Coneflower, smooth	Echinacea laevigata	E	67.13	\$369,099.50	96.46%
229	Jaguarundi	Felis yagouaroundi cacomitli	E	66.00	\$369,165.50	96.47%
230	Rattlesnake, New Mexican ridge-nosed	Crotalus willardi obscurus	T	65.68	\$369,231.18	96.49%
231	Dace, Clover Valley speckled	Rhinichthys osculus oligoporus	E	65.00	\$369,296.18	96.51%
231	Dace, Independence Valley speckled	Rhinichthys osculus lethoporus	E	65.00	\$369,361.18	96.53%
233	Spinedace, Big Spring	Lepidomeda mollispinis pratensis	T	64.70	\$369,425.88	96.54%
234	Pigeon, Puerto Rican plain	Columba inornata wetmorei	E	64.60	\$369,490.48	96.56%
235	Clubshell, southern	Pleurobema decisum	E	64.47	\$369,554.94	96.58%
236	Aster, decurrent false	Boltonia decurrens	T	63.72	\$369,618.66	96.59%
237	Mallow, Kern	Eremalche kernensis	E	63.30	\$369,681.96	96.61%
238	Cavefish, Ozark	Amblyopsis rosae	T	63.25	\$369,745.21	96.63%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
239	Fairy shrimp, longhorn	Branchinecta longiantenna	E	62.30	\$369,807.51	96.64%
240	Pocketbook, fat	Potamilus capax	E	60.80	\$369,868.31	96.66%
241	Trout, Apache (=Arizona)	Oncorhynchus apache	T	60.50	\$369,928.81	96.67%
242	Mustard, slender-petaled	Thelypodium stenopetalum	E	59.70	\$369,988.51	96.69%
243	Snake, San Francisco garter	Thamnophis sirtalis tetrataenia	E	59.30	\$370,047.81	96.71%
243	Shrimp, California freshwater	Syncaris pacifica	E	59.30	\$370,107.11	96.72%
245	Grass, California Orcutt	Orcuttia californica	E	59.00	\$370,166.11	96.74%
246	Bat, Hawaiian hoary	Lasiurus cinereus semotus	E	58.50	\$370,224.61	96.75%
247	Dace, blackside	Phoxinus cumberlandensis	T	58.30	\$370,282.91	96.77%
248	Checker-mallow, pedate	Sidalcea pedata	E	58.00	\$370,340.91	96.78%
249	Turtle, yellow-blotched map (=sawback)	Graptemys flavimaculata	T	57.25	\$370,398.16	96.80%
250	Honeycreeper, crested (= `akohekohe)	Palmeria dolei	E	56.43	\$370,454.60	96.81%
251	Pearlymussel, little-wing	Pegias fabula	E	55.77	\$370,510.36	96.83%
252	Jewelflower, California	Caulanthus californicus	E	55.30	\$370,565.66	96.84%
253	Towhee, Inyo California (=brown)	Pipilo crissalis eremophilus	T	55.00	\$370,620.66	96.86%
254	Moccasinshell, Alabama	Medionidus acutissimus	T	54.86	\$370,675.52	96.87%
255	Creepers, Hawaii	Oreomystis mana	E	54.79	\$370,730.31	96.88%
256	Monkshood, northern wild	Aconitum noveboracense	T	54.04	\$370,784.35	96.90%
257	Bat, Mariana fruit	Pteropus mariannus mariannus	E	54.00	\$370,838.35	96.91%
258	`Akepa, Hawaii (honeycreeper)	Loxops coccineus coccineus	E	53.79	\$370,892.14	96.93%
258	`Akiapola`au (honeycreeper)	Hemignathus munroi	E	53.79	\$370,945.94	96.94%
260	Pondberry	Lindera melissifolia	E	53.13	\$370,999.06	96.95%
261	Lizard, Coachella Valley fringe-toed	Uma inornata	T	53.09	\$371,052.16	96.97%
262	Butterfly, El Segundo blue	Euphilotes battoides allyni	E	53.00	\$371,105.16	96.98%
263	Darter, Etowah	Etheostoma etowahae	E	52.95	\$371,158.11	97.00%
264	Trout, Little Kern golden	Oncorhynchus aguabonita whitei	T	52.80	\$371,210.91	97.01%
265	Moorhen, Mariana common	Gallinula chloropus guami	E	52.50	\$371,263.41	97.02%
266	Sandwort, Marsh	Arenaria paludicola	E	51.70	\$371,315.11	97.04%
267	Riffleshell, northern	Epioblasma torulosa rangiana	E	51.56	\$371,366.66	97.05%
268	Clubshell, ovate	Pleurobema perovatum	E	51.47	\$371,418.13	97.06%
269	Butterfly, Saint Francis' satyr	Neonympha mitchellii francisci	E	51.20	\$371,469.33	97.08%
270	Springsnail, Bruneau Hot	Pyrgulopsis bruneauensis	E	50.94	\$371,520.27	97.09%
271	Squirrel, Virginia northern flying	Glaucomys sabrinus fuscus	E	50.16	\$371,570.43	97.10%
272	Jaguar	Panthera onca	E	49.72	\$371,620.15	97.12%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
273	Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	E	49.50	\$371,669.65	97.13%
274	Cactus, Winkler	<i>Pediocactus winkleri</i>	T	48.70	\$371,718.35	97.14%
275	Riffleshell, tan	<i>Epioblasma walkeri</i>	E	47.82	\$371,766.17	97.15%
276	Monkey-flower, Michigan	<i>Mimulus glabratus</i> var. <i>michiganensis</i>	E	47.00	\$371,813.17	97.17%
277	Mucket, orange-nacre	<i>Lampsilis perovalis</i>	T	45.76	\$371,858.93	97.18%
278	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	T	45.70	\$371,904.63	97.19%
279	Kidneyshell, triangular	<i>Ptychobranhus greeni</i>	E	45.36	\$371,949.99	97.20%
280	Woolly-star, Hoover's	<i>Eriastrum hooveri</i>	T	45.30	\$371,995.29	97.21%
281	Pearlymussel, orange-foot pimpleback	<i>Plethobasus cooperianus</i>	E	44.60	\$372,039.89	97.23%
282	Turtle, Alabama redbelly (=red-bellied)	<i>Pseudemys alabamensis</i>	E	44.50	\$372,084.39	97.24%
283	Boa, Puerto Rican	<i>Epicrates inornatus</i>	E	44.30	\$372,128.69	97.25%
284	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	E	44.06	\$372,172.75	97.26%
285	Jaguarundi	<i>Felis yagouaroundi tolteca</i>	E	43.60	\$372,216.35	97.27%
286	Potato-bean, Price's	<i>Apios priceana</i>	T	43.20	\$372,259.55	97.28%
287	Sucker, Modoc	<i>Catostomus microps</i>	E	43.17	\$372,302.72	97.29%
288	Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	E	42.70	\$372,345.42	97.31%
289	Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>	E	42.60	\$372,388.02	97.32%
290	Spinedace, White River	<i>Lepidomeda albivallis</i>	E	42.50	\$372,430.52	97.33%
290	Milkweed, Mead's	<i>Asclepias meadii</i>	T	42.50	\$372,473.02	97.34%
290	Watercress, Gambel's	<i>Rorippa gambellii</i>	E	42.50	\$372,515.52	97.35%
293	Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	E	42.30	\$372,557.82	97.36%
294	Neraudia angulata (=Sci name)	<i>Neraudia angulata</i>	E	42.02	\$372,599.85	97.37%
295	Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	E	42.00	\$372,641.85	97.38%
296	Trillium, relict	<i>Trillium reliquum</i>	E	41.85	\$372,683.70	97.39%
297	Paintbrush, golden	<i>Castilleja levisecta</i>	T	41.51	\$372,725.21	97.41%
298	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	T	41.00	\$372,766.21	97.42%
299	Darter, amber	<i>Percina antesella</i>	E	40.99	\$372,807.19	97.43%
300	Woolly-threads, San Joaquin	<i>Lembertia congdonii</i>	E	40.30	\$372,847.49	97.44%
301	Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	E	40.00	\$372,887.49	97.45%
302	Hawk, Hawaiian (=io)	<i>Buteo solitarius</i>	E	39.75	\$372,927.24	97.46%
303	Thistle, Chorro Creek	<i>Cirsium fontinale</i> var. <i>obispoense</i>	E	39.50	\$372,966.74	97.47%
304	Beetle, northeastern beach tiger	<i>Cicindela dorsalis dorsalis</i>	T	38.90	\$373,005.64	97.48%
305	Cactus, Bakersfield	<i>Opuntia treleasei</i>	E	38.80	\$373,044.44	97.49%
306	Bat, Virginia big-eared	<i>Plecotus townsendii virginianus</i>	E	38.77	\$373,083.21	97.50%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
307	Pearlymussel, Curtis'	Epioblasma florentina curtisi	E	38.40	\$373,121.61	97.51%
308	Orcutt grass, slender	Orcuttia tenuis	T	38.30	\$373,159.91	97.52%
309	Bush-clover, prairie	Lespedeza leptostachya	T	37.13	\$373,197.04	97.53%
310	Butterfly, Schaus swallowtail	Heraclides aristodemus ponceanus	E	36.64	\$373,233.68	97.54%
311	Four-o'clock, MacFarlane's	Mirabilis macfarlanei	E	36.60	\$373,270.28	97.55%
311	Gardenia, Hawaiian (na`u)	Gardenia brighamii	E	36.60	\$373,306.88	97.56%
313	Darter, fountain	Etheostoma fonticola	E	36.50	\$373,343.38	97.57%
313	Wild-rice, Texas	Zizania texana	E	36.50	\$373,379.88	97.58%
315	Milkweed, Welsh's	Asclepias welshii	T	36.40	\$373,416.28	97.59%
316	Hawk, Puerto Rican broad-winged	Buteo platypterus brunescens	E	36.30	\$373,452.58	97.60%
317	Fly, Delhi Sands flower-loving	Rhaphiomidas terminatus abdominalis	E	36.00	\$373,488.58	97.60%
317	Rock-cress, McDonald's	Arabis mcdonaldiana	E	36.00	\$373,524.58	97.61%
319	Ladies'-tresses, Canelo Hills (=Madrean)	Spiranthes delitescens	E	35.80	\$373,560.38	97.62%
320	Limpet, Banbury Springs	Lanx sp.	E	35.80	\$373,596.18	97.63%
321	Snail, Stock Island tree	Orthalicus reses	T	35.50	\$373,631.68	97.64%
322	Quillwort, Louisiana	Isoetes louisianensis	E	35.23	\$373,666.90	97.65%
323	Crayfish, Shasta (=placid)	Pacifastacus fortis	E	35.04	\$373,701.94	97.66%
324	Indian paintbrush, San Clemente Island	Castilleja grisea	E	34.90	\$373,736.84	97.67%
325	Gambusia, San Marcos	Gambusia georgei	E	34.50	\$373,771.34	97.68%
325	Lily, Western	Lilium occidentale	E	34.50	\$373,805.84	97.69%
327	Kulu'i	Nototrichium humile	E	34.42	\$373,840.27	97.70%
328	Pigtoe (mussel), oval	Pleurobema pyriforme	E	34.20	\$373,874.47	97.71%
329	Mouse, Perdido Key beach	Peromyscus polionotus trissyllepsis	E	34.10	\$373,908.57	97.71%
330	Kuahiwi, Iaukahi	Plantago princeps	E	34.00	\$373,942.57	97.72%
330	Rockcress, Santa Cruz Island	Sibara filifolia	E	34.00	\$373,976.57	97.73%
330	Woodland-star, San Clemente Island	Lithophragma maximum	E	34.00	\$374,010.57	97.74%
333	Fairy shrimp, Conservancy	Branchinecta conservatio	E	33.30	\$374,043.87	97.75%
333	Dwarf-flax, Marin	Hesperolinon congestum	T	33.30	\$374,077.17	97.76%
333	Paintbrush, Tiburon	Castilleja affinis ssp. neglecta	E	33.30	\$374,110.47	97.77%
336	Darter, boulder (=Elk River)	Etheostoma wapiti	E	33.20	\$374,143.67	97.78%
337	Ma`ohau hele (=biscus, native yellow)	Hibiscus brackenridgei	E	32.80	\$374,176.47	97.78%
338	Butterfly, Uncompahgre fritillary	Boloria acrocynema	E	32.70	\$374,209.17	97.79%
338	Bonamia menziesii (=Sci name)	Bonamia menziesii	E	32.70	\$374,241.87	97.80%
340	Lobelia niihauensis (=Sci name)	Lobelia niihauensis	E	32.50	\$374,274.37	97.81%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
341	Elktoe, Appalachian	<i>Alasmodonta raveneliana</i>	E	32.24	\$374,306.61	97.82%
342	Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>	E	32.00	\$374,338.61	97.83%
343	<i>Sanicula purpurea</i> (=Sci. name)	<i>Sanicula purpurea</i>	E	31.75	\$374,370.36	97.84%
344	Dace, desert	<i>Eremichthys acros</i>	T	31.50	\$374,401.86	97.84%
344	Nanu	<i>Gardenia mannii</i>	E	31.50	\$374,433.36	97.85%
346	Bird's-beak, Pennell's	<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>	E	31.30	\$374,464.66	97.86%
346	Ceanothus, coyote (=California-lilac, Coyote	<i>Ceanothus ferrisiae</i>	E	31.30	\$374,495.96	97.87%
346	Clarkia, Presidio	<i>Clarkia franciscana</i>	E	31.30	\$374,527.26	97.88%
346	Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>	E	31.30	\$374,558.56	97.88%
346	Jewelflower, Metcalf Canyon	<i>Streptanthus albidus</i> ssp. <i>albidus</i>	E	31.30	\$374,589.86	97.89%
346	Jewelflower, Tiburon	<i>Streptanthus niger</i>	E	31.30	\$374,621.16	97.90%
346	Mariposa lily, Tiburon	<i>Calochortus tiburonensis</i>	T	31.30	\$374,652.46	97.91%
346	Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>	E	31.30	\$374,683.76	97.92%
346	Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>	E	31.30	\$374,715.06	97.93%
346	Thistle, fountain	<i>Cirsium fontinale</i> var. <i>fontinale</i>	E	31.30	\$374,746.36	97.93%
356	Clover, running buffalo	<i>Trifolium stoloniferum</i>	E	31.24	\$374,777.60	97.94%
357	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	E	31.00	\$374,808.60	97.95%
357	Thornmint, San Mateo	<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>	E	31.00	\$374,839.60	97.96%
359	Mehamehame	<i>Flueggea neowawraea</i>	E	30.80	\$374,870.40	97.97%
360	<i>Hesperomannia arborescens</i> (=Sci name)	<i>Hesperomannia arborescens</i>	E	30.60	\$374,901.00	97.97%
360	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	T	30.60	\$374,931.60	97.98%
362	Amphianthus, little	<i>Amphianthus pusillus</i>	T	30.54	\$374,962.13	97.99%
363	Mountain beaver, Point Arena	<i>Apodonta rufa nigra</i>	E	30.50	\$374,992.63	98.00%
363	Broadbill, Guam	<i>Myiagra freycineti</i>	E	30.50	\$375,023.13	98.01%
363	Monarch, Tinian (old world flycatcher)	<i>Monarcha takatsukasae</i>	T	30.50	\$375,053.63	98.01%
363	Swiftlet, Mariana gray (=vanikoro)	<i>Aerodramus vanikorensis bartschi</i>	E	30.50	\$375,084.13	98.02%
363	White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>	E	30.50	\$375,114.63	98.03%
368	Gambusia, Big Bend	<i>Gambusia gaigei</i>	E	30.09	\$375,144.73	98.04%
369	Creeper, Oahu (=alauwahio)	<i>Paroreomyza maculata</i>	E	29.62	\$375,174.35	98.05%
370	Haha	<i>Cyanea koolauensis</i>	E	29.60	\$375,203.95	98.05%
370	<i>Lobelia oahuensis</i> (=Sci name)	<i>Lobelia oahuensis</i>	E	29.60	\$375,233.55	98.06%
372	Iris, dwarf lake	<i>Iris lacustris</i>	T	29.40	\$375,262.95	98.07%
373	`Oha wai	<i>Clermontia lindseyana</i>	E	29.30	\$375,292.25	98.08%
374	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	E	29.10	\$375,321.35	98.08%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
375	Shrimp, Alabama cave	<i>Palaemonias alabamiae</i>	E	29.00	\$375,350.35	98.09%
375	`Akoko	<i>Chamaesyce rockii</i>	E	29.00	\$375,379.35	98.10%
377	Heelsplitter, inflated	<i>Potamilus inflatus</i>	T	28.86	\$375,408.21	98.11%
378	`Anaunau	<i>Lepidium arbuscula</i>	E	28.80	\$375,437.01	98.11%
379	Spiny mussel, James River (=Virginia)	<i>Pleurobema collina</i>	E	28.70	\$375,465.71	98.12%
380	<i>Cyanea superba</i> (=Sci name)	<i>Cyanea superba</i>	E	28.60	\$375,494.31	98.13%
381	Combshell, upland	<i>Epioblasma metastrata</i>	E	28.50	\$375,522.81	98.14%
382	Spiny mussel, Tar River	<i>Elliptio steinstansana</i>	E	28.39	\$375,551.20	98.14%
383	<i>Sanicula mariversa</i> (=Sci name)	<i>Sanicula mariversa</i>	E	28.32	\$375,579.53	98.15%
384	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	T	28.12	\$375,607.65	98.16%
385	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	E	28.10	\$375,635.75	98.17%
386	Salamander, San Marcos	<i>Eurycea nana</i>	T	28.00	\$375,663.75	98.17%
386	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	E	28.00	\$375,691.75	98.18%
386	Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	E	28.00	\$375,719.75	98.19%
386	Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	E	28.00	\$375,747.75	98.20%
386	Amphipod, Peck's cave	<i>Stygobromus pecki</i> (=Stygonectes p.)	E	28.00	\$375,775.75	98.20%
386	<i>Daphnopsis hellerana</i> (=Sci name)	<i>Daphnopsis hellerana</i>	E	28.00	\$375,803.75	98.21%
392	<i>Hedyotis parvula</i> (=Sci name)	<i>Hedyotis parvula</i>	E	27.82	\$375,831.57	98.22%
392	Na'ena'e	<i>Dubautia herbastobatae</i>	E	27.82	\$375,859.39	98.22%
394	<i>Tetramolopium filiforme</i> (=Sci name)	<i>Tetramolopium filiforme</i>	E	27.72	\$375,887.12	98.23%
395	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> ssp. <i>recurva</i>	E	27.60	\$375,914.72	98.24%
396	Warbler, nightingale reed	<i>Acrocephalus luscini</i>	E	27.50	\$375,942.22	98.25%
397	Pocketbook, fine-lined	<i>Lampsilis altilis</i>	T	27.31	\$375,969.53	98.25%
398	<i>Schiedea hookeri</i> (=Sci. name)	<i>Schiedea hookeri</i>	E	27.30	\$375,996.83	98.26%
399	`Akoko	<i>Euphorbia haeleleana</i>	E	27.20	\$376,024.03	98.27%
400	Pearly mussel, Cumberland bean	<i>Villosa trabalis</i>	E	27.12	\$376,051.15	98.27%
401	Logperch, Conasauga	<i>Percina jenkinsi</i>	E	26.95	\$376,078.10	98.28%
402	<i>Diellia falcata</i> (=Sci name)	<i>Diellia falcata</i>	E	26.80	\$376,104.90	98.29%
403	Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>	E	26.50	\$376,131.40	98.30%
404	`Ohe `ohe	<i>Tetraplasandra gymnocarpa</i>	E	26.40	\$376,157.80	98.30%
405	Campion, fringed	<i>Silene polypetala</i>	E	26.30	\$376,184.10	98.31%
406	Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	E	26.20	\$376,210.30	98.32%
407	<i>Alsinidendron obovatum</i> (=Sci name)	<i>Alsinidendron obovatum</i>	E	26.00	\$376,236.30	98.32%
408	<i>Spermolepis hawaiiensis</i> (=Sci name)	<i>Spermolepis hawaiiensis</i>	E	25.90	\$376,262.20	98.33%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
409	Milk-vetch, Jesup's	<i>Astragalus robbinsii</i> var. <i>jesupi</i>	E	25.80	\$376,288.00	98.34%
410	Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	E	25.31	\$376,313.30	98.34%
411	Ha'iwale	<i>Cyrtandra dentata</i>	E	25.30	\$376,338.60	98.35%
411	Schiedea nuttallii (=Sci. name)	<i>Schiedea nuttallii</i>	E	25.30	\$376,363.90	98.36%
413	Cactus, San Rafael	<i>Pediocactus despainii</i>	E	25.20	\$376,389.10	98.36%
413	Pauoa	<i>Ctenitis squamigera</i>	E	25.20	\$376,414.30	98.37%
415	Chub, Hutton tui	<i>Gila bicolor</i> ssp.	T	25.00	\$376,439.30	98.38%
415	Dace, Foskett speckled	<i>Rhinichthys osculus</i> ssp.	T	25.00	\$376,464.30	98.38%
417	Dace, Moapa	<i>Moapa coriacea</i>	E	24.80	\$376,489.10	98.39%
418	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	E	24.70	\$376,513.80	98.40%
419	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	E	24.60	\$376,538.40	98.40%
420	Avens, spreading	<i>Geum radiatum</i>	E	24.50	\$376,562.90	98.41%
421	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	T	24.40	\$376,587.30	98.41%
422	Lizard, Island night	<i>Xantusia riversiana</i>	T	24.40	\$376,611.71	98.42%
423	Darter, snail	<i>Percina tanasi</i>	T	24.35	\$376,636.06	98.43%
424	Sandbur, agrimony or Kamanomano	<i>Cenchrus agrimonoides</i>	E	24.20	\$376,660.26	98.43%
425	Salamander, Sonoran tiger	<i>Ambystoma tigrinum stebbinsi</i>	E	24.10	\$376,684.36	98.44%
425	Chub, Owens tui	<i>Gila bicolor snyderi</i>	E	24.10	\$376,708.46	98.45%
427	Gecko, Monito	<i>Sphaerodactylus micropithecus</i>	E	24.00	\$376,732.46	98.45%
427	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	E	24.00	\$376,756.46	98.46%
427	Nioi	<i>Eugenia koolauensis</i>	E	24.00	\$376,780.46	98.47%
430	Lampmussel, Alabama (=Pearly mussel, Alabama)	<i>Lampsilis virescens</i>	E	24.00	\$376,804.45	98.47%
431	Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	T	23.90	\$376,828.35	98.48%
432	Pitcher-plant, mountain sweet	<i>Sarracenia rubra</i> ssp. <i>jonesii</i>	E	23.60	\$376,851.95	98.48%
433	Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	E	23.50	\$376,875.45	98.49%
433	Spineflower, Ben Lomond	<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>	E	23.50	\$376,898.95	98.50%
433	Spineflower, Robust (incl. Scotts Valley)	<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> & <i>hartwegiana</i>)	E	23.50	\$376,922.45	98.50%
436	Baccharis, Encinitis	<i>Baccharis vanessae</i>	T	23.40	\$376,945.85	98.51%
437	Manzanita, Del Mar (=Costa Baja, =Eastwood's)	<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>	E	22.40	\$376,968.25	98.51%
438	Tetramolopium lepidotum ssp. lepidotum (=Sci)	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	E	22.39	\$376,990.65	98.52%
439	Uhiuhi	<i>Caesalpinia kawaiense</i>	E	21.90	\$377,012.55	98.53%
440	Moccasinsnail, Gulf	<i>Medionidus penicillatus</i>	E	21.82	\$377,034.36	98.53%
441	Harperella	<i>Ptilimnium nodosum</i>	E	21.79	\$377,056.15	98.54%
442	Phyllostegia hirsuta (=Sci. name)	<i>Phyllostegia hirsuta</i>	E	21.70	\$377,077.85	98.54%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
443	Haha	Cyanea grimesiana ssp. grimesiana	E	21.60	\$377,099.45	98.55%
444	Silene lanceolata (=Sci name)	Silene lanceolata	E	21.24	\$377,120.70	98.55%
445	Haha	Cyanea acuminata	E	21.10	\$377,141.80	98.56%
445	Pteris lidgatei (=Sci name)	Pteris lidgatei	E	21.10	\$377,162.90	98.56%
447	Amphipod, Illinois cave	Gammarus acherondytes	E	20.80	\$377,183.70	98.57%
448	Thistle, Sacramento Mountains	Cirsium vinaceum	T	20.60	\$377,204.30	98.58%
448	Viola oahuensis (=Sci. Name)	Viola oahuensis	E	20.60	\$377,224.90	98.58%
450	Dudleyea, Santa Monica Mountains	Dudleyea cymosa ssp. ovatifolia	T	20.50	\$377,245.40	98.59%
450	Milk-vetch, Braunton's	Astragalus brauntonii	E	20.50	\$377,265.90	98.59%
450	Pinkroot, gentian	Spigelia gentianoides	E	20.50	\$377,286.40	98.60%
450	Rhododendron, Chapman	Rhododendron chapmanii	E	20.50	\$377,306.90	98.60%
454	Bladderpod, white	Lesquerella pallida	E	20.30	\$377,327.20	98.61%
455	Pupfish, Owens	Cyprinodon radiosus	E	20.20	\$377,347.40	98.61%
456	Pearlymussel, purple cat's paw	Epioblasma obliquata obliquata	E	20.00	\$377,367.40	98.62%
457	Squirrel, Carolina northern flying	Glaucomys sabrinus coloratus	E	19.99	\$377,387.39	98.62%
458	Combshell, southern (=penitent mussel)	Epioblasma penita	E	19.88	\$377,407.27	98.63%
459	Shearwater, Newell's Townsend's (formerly Man)	Puffinus auricularis newelli	T	19.81	\$377,427.08	98.63%
460	Lupine, clover	Lupinus tidestromii	E	19.80	\$377,446.88	98.64%
460	Spineflower, Sonoma	Chorizanthe valida	E	19.80	\$377,466.68	98.64%
462	Fanshell	Cyprogenia stegaria	E	19.70	\$377,486.38	98.65%
463	Chub, spotfin (=turquoise shiner)	Cyprinella monacha	T	19.56	\$377,505.94	98.65%
464	Lily, Minnesota trout	Erythronium propullans	E	19.52	\$377,525.46	98.66%
465	Grasshopper, Zayante band-winged	Trimerotropis infantilis	E	19.50	\$377,544.96	98.66%
465	Clarkia, Pismo	Clarkia speciosa ssp. immaculata	E	19.50	\$377,564.46	98.67%
465	Dudleya, Conejo	Dudleya abramsii ssp. parva	T	19.50	\$377,583.96	98.67%
465	Dudleya, Marcescent	Dudleya cymosa ssp. marcescens	T	19.50	\$377,603.46	98.68%
465	Dudleya, Verity's	Dudleya verityi	E	19.50	\$377,622.96	98.69%
465	Gilia, Monterey	Gilia tenuiflora ssp. arenaria	E	19.50	\$377,642.46	98.69%
465	Manzanita, Morro	Arctostaphylos morroensis	T	19.50	\$377,661.96	98.70%
465	Wallflower, Ben Lomond	Erysimum teretifolium	E	19.50	\$377,681.46	98.70%
465	Cypress, Santa Cruz	Cupressus abramsiana	E	19.50	\$377,700.96	98.71%
474	Orcutt grass, Greene's	Tuctoria greenei	E	19.30	\$377,720.26	98.71%
475	Pigtoe, southern	Pleurobema georgianum	E	19.06	\$377,739.31	98.72%
476	Toad, Puerto Rican crested	Peltophryne lemur	T	19.00	\$377,758.31	98.72%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
476	Phlox, Texas trailing	Phlox nivalis ssp. texensis	E	19.00	\$377,777.31	98.73%
476	Silene hawaiiensis (=Sci name)	Silene hawaiiensis	T	19.00	\$377,796.31	98.73%
479	Alsinidendron trinerve (=Sci name)	Alsinidendron trinerve	E	18.90	\$377,815.21	98.74%
480	Bankclimber (mussel), purple	Elliptoideus sloatianus	T	18.82	\$377,834.03	98.74%
481	Beetle, Puritan tiger	Cicindela puritana	T	18.65	\$377,852.68	98.75%
482	Daisy, Maguire	Erigeron maguirei var. maguirei	E	18.60	\$377,871.28	98.75%
483	Gerardia, sandplain	Agalinis acuta	E	18.56	\$377,889.83	98.75%
484	Skullcap, large-flowered	Scutellaria montana	E	18.51	\$377,908.35	98.76%
485	Ha'i wale	Cyrtandra viridiflora	E	18.50	\$377,926.85	98.76%
486	Turtle, ringed map (=sawback)	Graptemys oculifera	T	18.45	\$377,945.30	98.77%
487	Mouse, Key Largo cotton	Peromyscus gossypinus allapaticola	E	18.30	\$377,963.60	98.77%
487	Cactus, Unita Basin hookless	Sclerocactus glaucus	T	18.30	\$377,981.90	98.78%
487	Orcutt grass, hairy (=pilose)	Orcuttia pilosa	E	18.30	\$378,000.20	98.78%
487	Rollandia crispa (=Sci name)	Rollandia crispa	E	18.30	\$378,018.50	98.79%
487	Spurge, Hoover's	Chamaesyce hooveri	T	18.30	\$378,036.80	98.79%
492	`O'o, Kauai (= `o'o `a'a) (honeyeater)	Moho braccatus	E	18.20	\$378,055.00	98.80%
492	Fleabane, Rhizome	Erigeron rhizomatus	T	18.20	\$378,073.20	98.80%
494	Rail, light-footed clapper	Rallus longirostris levipes	E	18.14	\$378,091.34	98.81%
495	Beetle, Hungerford's crawling water	Brychius hungerfordi	E	18.00	\$378,109.34	98.81%
495	Skipper, Laguna Mountains	Pyrgus ruralis lagunae	E	18.00	\$378,127.34	98.82%
495	Haha	Cyanea (=Rollandia) st-johnii	E	18.00	\$378,145.34	98.82%
495	Spineflower, Howell's	Chorizanthe howellii	E	18.00	\$378,163.34	98.83%
499	Cactus, Brady pincushion	Pediocactus bradyi	E	17.90	\$378,181.24	98.83%
500	Koki'o, Cooke's	Kokia cookei	E	17.80	\$378,199.04	98.84%
501	Spiraea, Virginia	Spiraea virginiana	T	17.53	\$378,216.57	98.84%
502	Bat, little Mariana fruit	Pteropus tokudae	E	17.50	\$378,234.07	98.84%
502	Mallard, Mariana	Anas oustaleti	E	17.50	\$378,251.57	98.85%
502	Lagu, Hyan	Serianthes nelsonii	E	17.50	\$378,269.07	98.85%
502	Mountain balm, Indian Knob	Eriodictyon altissimum	E	17.50	\$378,286.57	98.86%
506	Aster, Ruth's golden	Pityopsis ruthii	E	17.30	\$378,303.87	98.86%
507	Lysimachia maxima (=ternifolia) (=Sci. name)	Lysimachia maxima (=tenrifolia)	E	17.10	\$378,320.97	98.87%
508	Diellia, asplenium-leaved	Diellia erecta	E	17.03	\$378,338.00	98.87%
509	Salamander, Cheat Mountain	Plethodon nettingi	T	16.87	\$378,354.87	98.88%
510	Liliwai	Acaena exigua	E	16.85	\$378,371.72	98.88%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
511	Hau kuahiwi, Hualalai	Hibiscadelphus hualalaiensis	E	16.80	\$378,388.52	98.89%
512	Pink, swamp	Helonias bullata	T	16.75	\$378,405.27	98.89%
513	Mussel, oyster	Epioblasma capsaeformis	E	16.66	\$378,421.92	98.89%
514	Koki'o, Kaua'i	Kokia kauaiensis	E	16.60	\$378,438.52	98.90%
514	Lobelia gaudichaudii ssp. koolauensis , (=Sci. na	Lobelia gaudichaudii var. koolauensis	E	16.60	\$378,455.12	98.90%
516	Woodrat, Key Largo	Neotoma floridana smalli	E	16.50	\$378,471.62	98.91%
516	Acornshell, southern	Epioblasma othcaloogensis	E	16.50	\$378,488.12	98.91%
516	Silversword, Ka'u	Argyroxiphium kauense	E	16.50	\$378,504.62	98.92%
519	Ha'iwale	Cyrtandra subumbellata	E	16.40	\$378,521.02	98.92%
520	Pearlshell, Louisiana	Margaritifera hembeli	T	16.32	\$378,537.34	98.92%
521	Finch, Laysan (honeycreeper)	Telespyza cantans	E	16.30	\$378,553.64	98.93%
521	Haha	Cyanea remyi	E	16.30	\$378,569.94	98.93%
521	Hau kuahiwi	Hibiscadelphus woodii	E	16.30	\$378,586.24	98.94%
521	Koki'o (=hau-hele'ula or Hawaii tree cotton)	Kokia drynarioides	E	16.30	\$378,602.54	98.94%
525	Phyllostegia kaalaensis (=Sci. name)	Phyllostegia kaalaensis	E	16.10	\$378,618.64	98.95%
525	Phyllostegia parviflora (=Sci. name)	Phyllostegia parviflora	E	16.10	\$378,634.74	98.95%
527	Pennyroyal, Todsens	Hedeoma todsenii	E	16.00	\$378,650.74	98.95%
527	Wawa'iole	Lycopodium nutans	E	16.00	\$378,666.74	98.96%
529	Hala pepe	Pleomele hawaiiensis	E	15.80	\$378,682.54	98.96%
529	Bear-poppy, dwarf	Arctomecon humilis	E	15.80	\$378,698.34	98.97%
531	Madtom, yellowfin	Noturus flavipinnis	T	15.76	\$378,714.10	98.97%
532	Snail, tulotoma (=Alabama live-bearing)	Tulotoma magnifica	E	15.70	\$378,729.80	98.97%
532	Ground-plum, Guthrie's	Astragalus bibullatus	E	15.70	\$378,745.50	98.98%
534	Mussel, ring pink (=golf stick pearly)	Obovaria retusa	E	15.63	\$378,761.13	98.98%
535	Bladderpod, kodachrome	Lesquerella tumulosa	E	15.60	\$378,776.73	98.99%
536	`Akialoa, Kauai (honeycreeper)	Hemignathus procerus	E	15.50	\$378,792.23	98.99%
536	`O'u (honeycreeper)	Psittirostra psittacea	E	15.50	\$378,807.73	98.99%
536	Creeper, Molokai (=kakawahie)	Paroreomyza flammea	E	15.50	\$378,823.23	99.00%
536	Finch, Nihoa (honeycreeper)	Telespyza ultima	E	15.50	\$378,838.73	99.00%
536	Millerbird, Nihoa (old world warbler)	Acrocephalus familiaris kingi	E	15.50	\$378,854.23	99.01%
536	Thrush, large Kauai	Myadestes myadestinus	E	15.50	\$378,869.73	99.01%
536	Thrush, Molokai (=oloma'o)	Myadestes lanaiensis rutha	E	15.50	\$378,885.23	99.02%
536	`Oha	Delissea subcordata	E	15.50	\$378,900.73	99.02%
544	Phyllostegia knudsenii , (=Sci. name)	Phyllostegia knudsenii	E	15.40	\$378,916.13	99.02%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
545	Kauila	Colubrina oppositifolia	E	15.30	\$378,931.43	99.03%
545	Loulu	Pritchardia viscosa	E	15.30	\$378,946.73	99.03%
547	Opuhe	Urera kaalae	E	15.20	\$378,961.93	99.04%
548	Haha	Cyanea grimesiana spp. obatae	E	15.10	\$378,977.03	99.04%
548	Hesperomannia arbuscula (=Sci name)	Hesperomannia arbuscula	E	15.10	\$378,992.13	99.04%
548	Phyllostegia mollis (=Sci name)	Phyllostegia mollis	E	15.10	\$379,007.23	99.05%
551	Sunflower, Schweinitz's	Helianthus schweinitzii	E	15.04	\$379,022.27	99.05%
552	Alani	Melicope lydgatei	E	15.00	\$379,037.27	99.05%
553	Kamakahala	Labordia cyrtandrae	E	14.80	\$379,052.07	99.06%
553	Mariscus pennatiformis (=Sci name)	Mariscus pennatiformis	E	14.80	\$379,066.87	99.06%
553	Schiedea kaalae (=Sci name)	Schiedea kaalae	E	14.80	\$379,081.67	99.07%
556	Pu'uka'a	Cyperus trachysanthos	E	14.60	\$379,096.27	99.07%
556	Diplazium molokaiense (=Sci name)	Diplazium molokaiense	E	14.60	\$379,110.87	99.07%
558	`Akoko	Chamaesyce celastroides var. kaenana	E	14.50	\$379,125.37	99.08%
558	`Awiwi	Centaurium sebaeoides	E	14.50	\$379,139.87	99.08%
558	Aupaka	Isodendron laurifolium	E	14.50	\$379,154.37	99.09%
558	Ma'oli'oli	Schiedea kealiae	E	14.50	\$379,168.87	99.09%
558	Silversword, `Ahinahina Mauna Kea	Argyroxiphium sandwicense ssp. sandwicense	E	14.50	\$379,183.37	99.09%
563	Pearlymussel, birdwing	Conradilla caelata	E	14.36	\$379,197.72	99.10%
564	Bird's-beak, soft	Cordylanthus mollis ssp. mollis	E	14.30	\$379,212.02	99.10%
564	Ha'iwale	Cyrtandra polyantha	E	14.30	\$379,226.32	99.10%
564	Haha	Cyanea truncata	E	14.30	\$379,240.62	99.11%
567	Hau kuahiwi	Hibiscadelphus giffardianus	E	14.25	\$379,254.87	99.11%
568	Lobelia monostachya (=Sci. name)	Lobelia monostachya	E	14.20	\$379,269.07	99.12%
568	Silene perlmanii (=Sci name)	Silene perlmanii	E	14.20	\$379,283.27	99.12%
570	Shrew, Dismal Swamp southeastern	Sorex longirostris fisheri	T	14.10	\$379,297.37	99.12%
570	Darter, duskytail	Etheostoma (Catonotus) sp.	E	14.10	\$379,311.47	99.13%
570	Arrowhead, bunched	Sagittaria fasciculata	E	14.10	\$379,325.57	99.13%
570	Cactus, Knowlton	Pediocactus knowltonii	E	14.10	\$379,339.67	99.13%
570	Kamakahala	Labordia tinifolia var. wahiawaensis	E	14.10	\$379,353.77	99.14%
570	Locoweed, Fassett's	Oxytropis campestris var. chartacea	T	14.10	\$379,367.87	99.14%
570	Paintbrush, soft-leaved	Castilleja mollis	E	14.10	\$379,381.97	99.14%
570	Popolo, ku mai (=Popolo, thorny)	Solanum incompletum	E	14.10	\$379,396.07	99.15%
570	Vigna o-wahuensis (=Sci name)	Vigna o-wahuensis	E	14.10	\$379,410.17	99.15%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
579	Mouse, Choctawahatchee beach	<i>Peromyscus polionotus allophrys</i>	E	14.00	\$379,424.17	99.16%
579	Turtle, Plymouth redbelly (=red-bellied)	<i>Pseudemys rubriventris bangsi</i>	E	14.00	\$379,438.17	99.16%
579	Beetle, Coffin Cave mold	<i>Batrises texanus</i>	E	14.00	\$379,452.17	99.16%
579	Beetle, Kretschmarr Cave mold	<i>Texamauropis reddelli</i>	E	14.00	\$379,466.17	99.17%
579	Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	E	14.00	\$379,480.17	99.17%
579	Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	E	14.00	\$379,494.17	99.17%
579	Harvestman, Bone Cave	<i>Texella reyesi</i>	E	14.00	\$379,508.17	99.18%
579	Pseudoscorpion, Tooth Cave	<i>Microcreagris texana</i>	E	14.00	\$379,522.17	99.18%
579	Spider, Tooth Cave	<i>Leptoneta myopica</i>	E	14.00	\$379,536.17	99.19%
579	`Oha	<i>Delissea rivularis</i>	E	14.00	\$379,550.17	99.19%
579	Haha	<i>Cyanea</i> (=Rollandia) <i>humboldtiana</i>	E	14.00	\$379,564.17	99.19%
579	Haha	<i>Cyanea longiflora</i>	E	14.00	\$379,578.17	99.20%
579	Kolea	<i>Myrsine juddii</i>	E	14.00	\$379,592.17	99.20%
579	Fern, pendant kihi	<i>Adenophorus periens</i>	E	14.00	\$379,606.17	99.20%
593	Nehe	<i>Lipochaeta tenuifolia</i>	E	13.90	\$379,620.07	99.21%
594	<i>Alsinodendron viscosum</i> (=Sci. name)	<i>Alsinodendron viscosum</i>	E	13.80	\$379,633.87	99.21%
595	Frankenia, Johnston's	<i>Frankenia johnstonii</i>	E	13.70	\$379,647.57	99.21%
595	Loulu	<i>Pritchardia schattaueri</i>	E	13.70	\$379,661.27	99.22%
595	<i>Platanthera holochila</i> (=Sci. name)	<i>Platanthera holochila</i>	E	13.70	\$379,674.97	99.22%
598	<i>Achyranthes mutica</i> (=Sci. name)	<i>Achyranthes mutica</i>	E	13.65	\$379,688.62	99.23%
598	<i>Phyllostegia velutina</i> (=Sci. name)	<i>Phyllostegia velutina</i>	E	13.65	\$379,702.27	99.23%
598	<i>Phyllostegia warshaueri</i> (=Sci. name)	<i>Phyllostegia warshaueri</i>	E	13.65	\$379,715.92	99.23%
601	<i>Gouania vitifolia</i> (=Sci name)	<i>Gouania vitifolia</i>	E	13.60	\$379,729.52	99.24%
601	Haha	<i>Cyanea recta</i>	T	13.60	\$379,743.12	99.24%
601	Kolea	<i>Myrsine linearifolia</i>	T	13.60	\$379,756.72	99.24%
604	Ha`iwale	<i>Cyrtandra crenata</i>	E	13.55	\$379,770.27	99.25%
605	Moccasinsheel, Coosa	<i>Medionidus parvulus</i>	E	13.50	\$379,783.77	99.25%
605	`Akoko	<i>Chamaesyce deppeana</i>	E	13.50	\$379,797.27	99.25%
605	A`e	<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>	E	13.50	\$379,810.77	99.26%
605	Alani	<i>Melicope saint-johnii</i>	E	13.50	\$379,824.27	99.26%
605	Aupaka	<i>Isodendron longifolium</i>	T	13.50	\$379,837.77	99.26%
605	Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	E	13.50	\$379,851.27	99.27%
605	<i>Gouania meyenii</i> (=Sci name)	<i>Gouania meyenii</i>	E	13.50	\$379,864.77	99.27%
605	Haha	<i>Cyanea platyphylla</i>	E	13.50	\$379,878.27	99.27%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
605	Koki`oke`oke`o	Hibiscus waimeae ssp. hannerae	E	13.50	\$379,891.77	99.28%
605	Kuawawaenuhu	Alsinidendron lychnoides	E	13.50	\$379,905.27	99.28%
605	Laulihilihi (=Ma`oli`oli)	Schiedea stellarioides	E	13.50	\$379,918.77	99.29%
605	Mapele	Cyrtandra cyaneoides	E	13.50	\$379,932.27	99.29%
605	Nani wai`ale`ale	Viola kauaiensis var. wahiawaensis	E	13.50	\$379,945.77	99.29%
605	Phyllostegia wawrana , (=Sci. name)	Phyllostegia wawrana	E	13.50	\$379,959.27	99.30%
605	Schiedea helleri , (=Sci. name)	Schiedea helleri	E	13.50	\$379,972.77	99.30%
605	Schiedea membranacea , (=Sci. name)	Schiedea membranacea	E	13.50	\$379,986.27	99.30%
605	Trematolobelia singularis (=Sci. name)	Trematolobelia singularis	E	13.50	\$379,999.77	99.31%
622	Ma`aloa, Big Island	Neraudia ovata	E	13.40	\$380,013.17	99.31%
623	Pigtoe, Cumberland (=Cumberland pigtoe mussel)	Pleurobema gibberum	E	13.30	\$380,026.47	99.31%
623	Crayfish, Nashville	Orconectes shoupi	E	13.30	\$380,039.77	99.32%
623	Agave, Arizona	Agave arizonica	E	13.30	\$380,053.07	99.32%
626	Rabbitsfoot, rough	Quadrula cylindrica strigillata	E	13.26	\$380,066.33	99.32%
627	Kiponapona	Phyllostegia racemosa	E	13.20	\$380,079.53	99.33%
628	Hedyotis degeneri (=Sci name)	Hedyotis degeneri	E	13.15	\$380,092.68	99.33%
629	Haha	Cyanea pinnatifida	E	13.10	\$380,105.78	99.33%
629	Loulu	Pritchardia napaliensis	E	13.10	\$380,118.88	99.34%
631	Haha	Cyanea dunbarii	E	13.05	\$380,131.93	99.34%
631	Love grass, Fosberg's	Eragrostis fosbergii	E	13.05	\$380,144.98	99.34%
631	Stenogyne kanehoana (=Sci name)	Stenogyne kanehoana	E	13.05	\$380,158.03	99.35%
634	`Anunu	Sicyos alba	E	13.00	\$380,171.03	99.35%
634	`Oha wai	Clermontia drepanomorpha	E	13.00	\$380,184.03	99.35%
634	Alani	Melicope zahlbruckneri	E	13.00	\$380,197.03	99.36%
634	Goldenrod, white-haired	Solidago albopilosa	T	13.00	\$380,210.03	99.36%
634	Lau `ehu	Panicum niihauense	E	13.00	\$380,223.03	99.36%
634	Schiedea kauaiensis (=Sci. name)	Schiedea kauaiensis	E	13.00	\$380,236.03	99.37%
640	Combshell, Cumberlandian	Epioblasma brevidens	E	12.98	\$380,249.01	99.37%
641	Pearlymussel, Cumberland monkeyface	Quadrula intermedia	E	12.76	\$380,261.77	99.37%
642	Loulu	Pritchardia kaalae	E	12.60	\$380,274.37	99.38%
643	`Akoko	Chamaesyce herbstii	E	12.50	\$380,286.87	99.38%
643	`Akoko	Chamaesyce kuwaleana	E	12.50	\$380,299.37	99.38%
643	Abutilon sandwicense (=Sci name)	Abutilon sandwicense	E	12.50	\$380,311.87	99.39%
643	Ipomopsis, Holy Ghost	Ipomopsis sancti-spiritus	E	12.50	\$380,324.37	99.39%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
643	Nehe	Lipochaeta lobata var. leptophylla	E	12.50	\$380,336.87	99.39%
643	Neraudia sericea (=Sci name)	Neraudia sericea	E	12.50	\$380,349.37	99.40%
643	Pamakani	Viola chamissoniana ssp. chamissoniana	E	12.50	\$380,361.87	99.40%
643	Roseroot, Leedy's	Sedum integrifolium ssp. leedyi	T	12.50	\$380,374.37	99.40%
643	Schiedea sarmentosa (=Sci. name)	Schiedea sarmentosa	E	12.50	\$380,386.87	99.41%
643	Asplenium fragile var. insulare (=Sci name)	Asplenium fragile var. insulare	E	12.50	\$380,399.37	99.41%
643	Diellia unisora (=Sci name)	Diellia unisora	E	12.50	\$380,411.87	99.41%
654	Pigtoe, fine-rayed	Fusconaia cuneolus	E	12.46	\$380,424.32	99.42%
655	Darter, goldline	Percina aurolineata	T	12.45	\$380,436.77	99.42%
656	Cliff-rose, Arizona	Purshia subintegra	E	12.40	\$380,449.17	99.42%
657	Lichen, rock gnome	Gymnoderma lineare	E	12.20	\$380,461.37	99.43%
658	Clarkia, Springville	Clarkia springvillensis	T	12.10	\$380,473.47	99.43%
658	Chub, Yaqui	Gila purpurea	E	12.10	\$380,485.57	99.43%
660	Coqui, golden	Eleutherodactylus jasper	T	12.00	\$380,497.57	99.44%
660	Moccasinshell, Ochlockonee	Medionidus simpsonianus	E	12.00	\$380,509.57	99.44%
660	Evening-primrose, Eureka Valley	Oenothera avita ssp. eurekaensis	E	12.00	\$380,521.57	99.44%
660	Grass, Eureka Dune	Swallenia alexandrae	E	12.00	\$380,533.57	99.45%
660	Kauai hau kuahiwi	Hibiscadelphus distans	E	12.00	\$380,545.57	99.45%
665	Sedge, Navajo	Carex specuicola	T	11.90	\$380,557.47	99.45%
666	Pocketbook (mussel), shinyrayed	Lampsilis subangulata	E	11.87	\$380,569.35	99.46%
667	Blazingstar, Heller's	Liatris helleri	T	11.60	\$380,580.95	99.46%
668	Petrel, Hawaiian dark-rumped	Pterodroma phaeopygia sandwichensis	E	11.50	\$380,592.45	99.46%
668	Pupfish, Comanche Springs	Cyprinodon elegans	E	11.50	\$380,603.95	99.46%
668	Cinquefoil, Robbins'	Potentilla robbinsiana	E	11.50	\$380,615.45	99.47%
671	Cactus, Arizona hedgehog	Echinocereus triglochidiatus var. arizonicus	E	11.30	\$380,626.75	99.47%
672	Madtom, Smoky	Noturus baileyi	E	11.20	\$380,637.95	99.47%
673	Madtom, Scioto	Noturus trautmani	E	11.00	\$380,648.95	99.48%
673	Whitlow-wort, papery	Paronychia chartacea	T	11.00	\$380,659.95	99.48%
675	Turtle, flattened musk	Sternotherus depressus	T	10.89	\$380,670.83	99.48%
676	Trout, Paiute cutthroat	Oncorhynchus clarki seleniris	T	10.80	\$380,681.63	99.48%
677	Elktoe, Cumberland	Alasmodonta atropurpurea	E	10.67	\$380,692.30	99.49%
678	Pearlymussel, Appalachian monkeyface	Quadrula sparsa	E	10.60	\$380,702.90	99.49%
678	Pearlymussel, dromedary	Dromus dromas	E	10.60	\$380,713.50	99.49%
680	Pearlymussel, tubercled-blossom	Epioblasma torulosa torulosa	E	10.50	\$380,724.00	99.50%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
680	Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>	E	10.50	\$380,734.50	99.50%
682	Pigtoe, shiny	<i>Fusconaia cor</i>	E	10.36	\$380,744.86	99.50%
683	Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>	E	10.30	\$380,755.16	99.50%
684	Poolfish, Pahrump	<i>Empetrichthys latos</i>	E	10.26	\$380,765.42	99.51%
685	Torreya, Florida	<i>Torreya taxifolia</i>	E	10.20	\$380,775.62	99.51%
686	Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>	T	10.04	\$380,785.65	99.51%
687	Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	E	10.00	\$380,795.65	99.51%
687	Cactus, bunched cory	<i>Coryphantha ramillosa</i>	T	10.00	\$380,805.65	99.52%
687	Cactus, Lee pincushion	<i>Coryphantha sneedii</i> var. <i>leei</i>	T	10.00	\$380,815.65	99.52%
690	Kio'ele	<i>Hedyotis coriacea</i>	E	9.99	\$380,825.65	99.52%
691	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	E	9.83	\$380,835.48	99.52%
692	Bean, purple (=Fine-rayed purple pearly mussel)	<i>Villosa perpurpurea</i>	E	9.83	\$380,845.31	99.53%
693	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	E	9.65	\$380,854.96	99.53%
694	Seal, Caribbean monk	<i>Monachus tropicalis</i>	E	9.60	\$380,864.56	99.53%
694	Townsendia, Last Chance	<i>Townsendia aprica</i>	T	9.60	\$380,874.16	99.53%
696	Pearlymussel, cracking	<i>Hemistena lata</i>	E	9.50	\$380,883.66	99.54%
696	Crayfish, cave [no common name]	<i>Cambarus zophonastes</i>	E	9.50	\$380,893.16	99.54%
696	Warea, wide-leaf	<i>Warea amplexifolia</i>	E	9.50	\$380,902.66	99.54%
699	Haplostachys haplostachya (=Sci name)	<i>Haplostachys haplostachya</i>	E	9.44	\$380,912.10	99.54%
699	Stenogyne angustifolia (=Sci name)	<i>Stenogyne angustifolia</i>	E	9.44	\$380,921.55	99.55%
701	Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	E	9.40	\$380,930.95	99.55%
701	Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	E	9.40	\$380,940.35	99.55%
701	Phacelia, island	<i>Phacelia insularis</i> var. <i>insularis</i>	E	9.40	\$380,949.75	99.55%
704	Orcutt grass, Sacramento	<i>Orcuttia viscida</i>	E	9.30	\$380,959.05	99.56%
705	Cactus, Siler pincushion	<i>Pediocactus sileri</i>	T	9.20	\$380,968.25	99.56%
706	Dropwort, Canby's	<i>Oxypolis canbyi</i>	E	9.10	\$380,977.35	99.56%
707	Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	E	9.00	\$380,986.35	99.56%
707	Iguana, Mona ground	<i>Cyclura stejnegeri</i>	T	9.00	\$380,995.35	99.57%
707	Pearlymussel, pale lilliput	<i>Toxolasma cylindrellus</i>	E	9.00	\$381,004.35	99.57%
707	Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	T	9.00	\$381,013.35	99.57%
707	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>	E	9.00	\$381,022.35	99.57%
707	Centaury, spring-loving	<i>Centaureum namophilum</i>	T	9.00	\$381,031.35	99.58%
707	Geocarpon minimum (=Sci name)	<i>Geocarpon minimum</i>	T	9.00	\$381,040.35	99.58%
707	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	E	9.00	\$381,049.35	99.58%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
707	Milk-vetch, heliotrope	Astragalus montii	T	9.00	\$381,058.35	99.58%
707	Niterwort, Amargosa	Nitrophila mohavensis	E	9.00	\$381,067.35	99.59%
707	Snakeroot	Eryngium cuneifolium	E	9.00	\$381,076.35	99.59%
707	Cladonia, Florida perforate	Cladonia perforata	E	9.00	\$381,085.35	99.59%
719	Goldfields, Burke's	Lasthenia burkei	E	8.80	\$381,094.15	99.59%
720	Bluet, Roan Mountain	Hedyotis purpurea var. montana	E	8.70	\$381,102.85	99.59%
720	Goldenrod, Blue Ridge	Solidago spithamea	T	8.70	\$381,111.55	99.60%
720	Spurge, Garber's	Chamaesyce garberi	T	8.70	\$381,120.25	99.60%
720	Vetch, Hawaiian	Vicia menziesii	E	8.70	\$381,128.95	99.60%
724	Delissea rhytidosperma (=Sci name)	Delissea rhytidosperma	E	8.50	\$381,137.45	99.60%
724	Heather, mountain golden	Hudsonia montana	T	8.50	\$381,145.95	99.61%
724	Wawae'iole	Huperzia mannii	E	8.50	\$381,154.45	99.61%
727	Loulu	Pritchardia affinis	E	8.40	\$381,162.85	99.61%
728	Whipsnake, (=striped racer) Alameda	Masticophis lateralis euryxanthus	T	8.30	\$381,171.15	99.61%
728	Goldenrod, Short's	Solidago shortii	E	8.30	\$381,179.45	99.61%
730	Pearlymussel, yellow-blossom	Epioblasma florentina florentina	E	8.10	\$381,187.55	99.62%
730	Phacelia, North Park	Phacelia formosula	E	8.10	\$381,195.65	99.62%
732	Daisy, lakeside	Hymenoxys herbacea (=acaulis var. glabra^)	T	8.06	\$381,203.71	99.62%
733	Boa, Mona	Epicrates monensis monensis	T	8.00	\$381,211.71	99.62%
733	Boa, Virgin Islands tree	Epicrates monensis granti	E	8.00	\$381,219.71	99.63%
733	Guajon	Eleutherodactylus cooki	T	8.00	\$381,227.71	99.63%
733	Pigtoe, dark	Pleurobema furvum	E	8.00	\$381,235.71	99.63%
733	Blue-star, Kearney's	Amsonia kearneyana	E	8.00	\$381,243.71	99.63%
733	Cactus, Nichol's Turk's head	Echinocactus horizontalis var. nicholii	E	8.00	\$381,251.71	99.63%
733	Haha	Cyanea hamatiflora ssp. carlsonii	E	8.00	\$381,259.71	99.64%
733	Mallow, Peter's Mountain	Iliamna corei	E	8.00	\$381,267.71	99.64%
733	Po'e	Portulaca sclerocarpa	E	8.00	\$381,275.71	99.64%
733	Wire-lettuce, Malheur	Stephanomeria malheurensis	E	8.00	\$381,283.71	99.64%
733	Wireweed	Polygonella basiramia	E	8.00	\$381,291.71	99.64%
744	Rock-cress, shale barren	Arabis serotina	E	7.90	\$381,299.61	99.65%
745	Pearlymussel, white wartyback	Plethobasus cicatricosus	E	7.90	\$381,307.51	99.65%
746	Pupfish, Warm Springs	Cyprinodon nevadensis pectoralis	E	7.50	\$381,315.01	99.65%
746	Viola lanaiensis (=Sci name)	Viola lanaiensis	E	7.50	\$381,322.51	99.65%
748	Lousewort, Furbish	Pedicularis furbishiae	E	7.50	\$381,330.01	99.65%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
749	Sheep, bighorn (Peninsular Ranges pop. in CA)	Ovis canadensis cremnobates	E	7.37	\$381,337.38	99.66%
750	Kaulu	Pteralyxia kauaiensis	E	7.30	\$381,344.68	99.66%
750	Bladderpod, Dudley Bluffs	Lesquerella congesta	T	7.30	\$381,351.98	99.66%
750	Bush-mallow, San Clemente Island	Malacothamnus clementinus	E	7.30	\$381,359.28	99.66%
750	Grass, Colusa	Neostapfia colusana	T	7.30	\$381,366.58	99.66%
750	Orcutt grass, San Joaquin	Orcuttia inaequalis	T	7.30	\$381,373.88	99.67%
750	Owl's-clover, fleshy	Castilleja campestris ssp. succulenta	T	7.30	\$381,381.18	99.67%
756	Mustard, Penland alpine fen	Eutrema penlandii	T	7.20	\$381,388.38	99.67%
757	Mouse, Anastasia Island beach	Peromyscus polionotus phasma	E	7.00	\$381,395.38	99.67%
757	Lizard, St. Croix ground	Ameiva polops	E	7.00	\$381,402.38	99.67%
757	Snail, Chittanooga ovate amber	Succinea chittengoensis	T	7.00	\$381,409.38	99.67%
757	Blazingstar, Ash Meadows	Mentzelia leucophylla	T	7.00	\$381,416.38	99.68%
757	Cordia bellonis	Cordia bellonis	E	7.00	\$381,423.38	99.68%
757	Eugenia woodburyana (=Sci name)	Eugenia woodburyana	E	7.00	\$381,430.38	99.68%
757	Geranium, Hawaiian red-flowered	Geranium arboreum	E	7.00	\$381,437.38	99.68%
757	Gesneria pauciflora (=Sci name)	Gesneria pauciflora	T	7.00	\$381,444.38	99.68%
757	Gumplant, Ash Meadows	Grindelia fraxino-pratensis	T	7.00	\$381,451.38	99.69%
757	Ivesia, Ash Meadows	Ivesia kingii var. eremica	T	7.00	\$381,458.38	99.69%
757	Mahoe	Alectryon macrococcus	E	7.00	\$381,465.38	99.69%
757	Manzanita, Santa Rosa Island	Arctostaphylos confertiflora	E	7.00	\$381,472.38	99.69%
757	Milk-vetch, Ash meadows	Astragalus phoenix	T	7.00	\$381,479.38	99.69%
757	Rosa, palo de	Ottoschulzia rhodoxylon	E	7.00	\$381,486.38	99.69%
757	Sunray, Ash Meadows	Enceliopsis nudicaulis var. corrugata	T	7.00	\$381,493.38	99.70%
757	Vernonia proctorii (=Sci name)	Vernonia proctorii	E	7.00	\$381,500.38	99.70%
773	Ko'oko'olau	Bidens micrantha ssp. kalealaha	E	6.90	\$381,507.28	99.70%
774	Darter, bluemark (=jewel)	Etheostoma (Doration) sp.	E	6.60	\$381,513.88	99.70%
774	Pearlymussel, green-blossom	Epioblasma torulosa gubernaculum	E	6.60	\$381,520.48	99.70%
774	Pearlymussel, turgid-blossom	Epioblasma turgidula	E	6.60	\$381,527.08	99.71%
774	Gilia, Hoffmann's slender-flowered	Gilia tenuiflora ssp. hoffmannii	E	6.60	\$381,533.68	99.71%
778	Chub, Chihuahua	Gila nigrescens	T	6.50	\$381,540.18	99.71%
778	Pigtoe, rough	Pleurobema plenum	E	6.50	\$381,546.68	99.71%
778	Springsnail, Socorro	Pyrgulopsis neomexicana	E	6.50	\$381,553.18	99.71%
778	Beauty, Harper's	Harperocallis flava	E	6.50	\$381,559.68	99.71%
778	Lead-plant, Crenulate	Amorpha crenulata	E	6.50	\$381,566.18	99.72%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
778	Milkpea, Small's	Galactia smallii	E	6.50	\$381,572.68	99.72%
778	Pawpaw, four-petal	Asimina tetramera	E	6.50	\$381,579.18	99.72%
778	Polygala, tiny	Polygala smallii	E	6.50	\$381,585.68	99.72%
778	Rosemary, Apalachicola	Conradina glabra	E	6.50	\$381,592.18	99.72%
778	Spurge, deltoid	Chamaesyce deltoidea ssp. deltoidea	E	6.50	\$381,598.68	99.72%
788	Twinpod, Dudley Bluffs	Physaria obcordata	T	6.40	\$381,605.08	99.73%
789	Delissea undulata (=Sci name)	Delissea undulata	E	6.30	\$381,611.38	99.73%
789	Beetle, delta green ground	Elaphrus viridis	T	6.30	\$381,617.68	99.73%
789	Butterfly, callippe silverspot	Speyeria callippe callippe	E	6.30	\$381,623.98	99.73%
789	Butterfly, Lange's metalmark	Apodemia mormo langei	E	6.30	\$381,630.28	99.73%
789	Wild-buckwheat, clay-loving	Eriogonum pelinophilum	E	6.30	\$381,636.58	99.73%
794	Grass, Tennessee yellow-eyed	Xyris tennesseensis	E	6.10	\$381,642.68	99.74%
794	Primrose, Maguire	Primula maguirei	T	6.10	\$381,648.78	99.74%
796	Button, Mohr's Barbara	Marshallia mohrii	T	6.03	\$381,654.81	99.74%
797	Catfish, Yaqui	Ictalurus pricei	T	6.00	\$381,660.81	99.74%
797	Shiner, beautiful	Cyprinella formosa	T	6.00	\$381,666.81	99.74%
797	^Aiea	Nothoestrum breviflorum	E	6.00	\$381,672.81	99.74%
797	Ambrosia, south Texas	Ambrosia cheiranthifolia	E	6.00	\$381,678.81	99.75%
797	Bird's-beak, salt marsh	Cordylanthus maritimus ssp. maritimus	E	6.00	\$381,684.81	99.75%
797	Blazingstar, scrub	Liatris ohlingerae	E	6.00	\$381,690.81	99.75%
797	Chumbo, higo	Harrisia portoricensis	T	6.00	\$381,696.81	99.75%
797	Erubia	Solanum drymophilum	E	6.00	\$381,702.81	99.75%
797	Evening-primrose, San Benito	Camissonia benitensis	T	6.00	\$381,708.81	99.75%
797	Manioc, Walker's	Manihot walkerae	E	6.00	\$381,714.81	99.75%
797	Pitaya, Davis' green	Echinocereus viridiflorus var. davisii	E	6.00	\$381,720.81	99.76%
797	Plum, scrub	Prunus geniculata	E	6.00	\$381,726.81	99.76%
797	Spineflower, Monterey	Chorizanthe pungens var. pungens	T	6.00	\$381,732.81	99.76%
797	Tree, pygmy fringe	Chionanthus pygmaeus	E	6.00	\$381,738.81	99.76%
811	Capa rosa	Callicarpa ampla	E	5.80	\$381,744.61	99.76%
811	Chupacallos (=Chupagallo)	Pleodendron macranthum	E	5.80	\$381,750.41	99.76%
813	Sculpin, pygmy	Cottus pygmaeus	T	5.70	\$381,756.11	99.77%
813	Gooseberry, Miccosukee (Florida)	Ribes echinellum	T	5.70	\$381,761.81	99.77%
815	Munroidendron racemosum (=Sci name)	Munroidendron racemosum	E	5.60	\$381,767.41	99.77%
816	Heartleaf, dwarf-flowered	Hexastylis naniflora	T	5.59	\$381,773.00	99.77%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
817	Chub, slender	<i>Erimystax cahni</i>	T	5.56	\$381,778.55	99.77%
818	Chub, Borax Lake	<i>Gila boraxobius</i>	E	5.50	\$381,784.05	99.77%
818	Madtom, pygmy	<i>Noturus stanauli</i>	E	5.50	\$381,789.55	99.77%
818	Chaff-flower, round-leaved	<i>Achyranthes splendens</i> var. <i>rotundata</i>	E	5.50	\$381,795.05	99.78%
821	Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	E	5.30	\$381,800.35	99.78%
821	Evening-primrose, Antioch Dunes	<i>Oenothera deltoides</i> ssp. <i>howellii</i>	E	5.30	\$381,805.65	99.78%
821	Fiddleneck, Large-flowered	<i>Amsinckia grandiflora</i>	E	5.30	\$381,810.95	99.78%
821	Sunshine, Sonoma (=Stickseed, Baker's)	<i>Blennosperma bakeri</i>	E	5.30	\$381,816.25	99.78%
821	Trillium, persistent	<i>Trillium persistens</i>	E	5.30	\$381,821.55	99.78%
821	Wallflower, Contra Costa	<i>Erysimum capitatum</i> var. <i>angustatum</i>	E	5.30	\$381,826.85	99.78%
827	Skink, sand	<i>Neoseps reynoldsi</i>	T	5.20	\$381,832.05	99.79%
828	Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	T	5.10	\$381,837.15	99.79%
829	Aiakaekua, popolo	<i>Solanum sandwicense</i>	E	5.03	\$381,842.18	99.79%
830	Snake, Concho water	<i>Nerodia paucimaculata</i>	T	5.00	\$381,847.18	99.79%
830	Darter, slackwater	<i>Etheostoma boschungii</i>	T	5.00	\$381,852.18	99.79%
830	Aristida chaseae (=Sci name)	<i>Aristida chaseae</i>	E	5.00	\$381,857.18	99.79%
830	Bariaco	<i>Trichilia triacantha</i>	E	5.00	\$381,862.18	99.79%
830	Boxwood, Vahl's	<i>Buxus vahlii</i>	E	5.00	\$381,867.18	99.79%
830	Chamaecrista glandulosa var. mirabilis (=Sci	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>	E	5.00	\$381,872.18	99.80%
830	Goetzea, beautiful (matabuey)	<i>Goetzea elegans</i>	E	5.00	\$381,877.18	99.80%
830	Higuero de Sierra	<i>Crescentia portoricensis</i>	E	5.00	\$381,882.18	99.80%
830	Kuahiwi, laukahi	<i>Plantago hawaiiensis</i>	E	5.00	\$381,887.18	99.80%
830	Lyonia truncata var. proctorii (=Sci name)	<i>Lyonia truncata</i> var. <i>proctorii</i>	E	5.00	\$381,892.18	99.80%
830	Mitracarpus maxwelliae (=Sci name)	<i>Mitracarpus maxwelliae</i>	E	5.00	\$381,897.18	99.80%
830	Mitracarpus polycladus (=Sci name)	<i>Mitracarpus polycladus</i>	E	5.00	\$381,902.18	99.80%
830	Pelos del diablo	<i>Aristida portoricensis</i>	E	5.00	\$381,907.18	99.80%
830	Prairie-clover, leafy	<i>Dalea foliosa</i>	E	5.00	\$381,912.18	99.81%
830	Schoepfia arenaria (=Sci name)	<i>Schoepfia arenaria</i>	T	5.00	\$381,917.18	99.81%
845	Cycladenia, Jones	<i>Cycladenia humilis</i> var. <i>jonesii</i>	T	4.90	\$381,922.08	99.81%
846	Uvillo	<i>Eugenia haematocarpa</i>	E	4.80	\$381,926.88	99.81%
847	Whale, finback	<i>Balaenoptera physalus</i>	E	4.75	\$381,931.63	99.81%
847	Whale, Sei	<i>Balaenoptera borealis</i>	E	4.75	\$381,936.38	99.81%
847	Whale, sperm	<i>Physeter macrocephalus</i> (=catodon)	E	4.75	\$381,941.13	99.81%
850	Barberry, island	<i>Berberis pinnata</i> ssp. <i>insularis</i>	E	4.50	\$381,945.63	99.81%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
850	Lupine, scrub	Lupinus aridorum	E	4.50	\$381,950.13	99.82%
850	Skullcap, Florida	Scutellaria floridana	T	4.50	\$381,954.63	99.82%
853	Riversnail, Anthony's	Athearnia anthonyi	E	4.42	\$381,959.05	99.82%
854	Palo de jazmin	Styrax portoricensis	E	4.40	\$381,963.45	99.82%
855	Buckwheat, steamboat	Eriogonum ovalifolium var. williamsiae	E	4.30	\$381,967.75	99.82%
855	Goldfields, Contra Costa	Lasthenia conjugens	E	4.30	\$381,972.05	99.82%
855	Haha	Cyanea lobata	E	4.30	\$381,976.35	99.82%
855	Diellia pallida (=laciniata) (=Sci name)	Diellia pallida (=laciniata)	E	4.30	\$381,980.65	99.82%
859	Whale, blue	Balaenoptera musculus	E	4.25	\$381,984.90	99.83%
860	Shagreen, Magazine Mountain	Mesodon magazinensis	T	4.10	\$381,989.00	99.83%
860	Haha	Cyanea stictophylla	E	4.10	\$381,993.10	99.83%
860	Ischaemum, Hilo	Ischaemum byrone	E	4.10	\$381,997.20	99.83%
860	Kamakahala	Labordia lydgatei	E	4.10	\$382,001.30	99.83%
860	Poppy-mallow, Texas	Callirhoe scabruscula	E	4.10	\$382,005.40	99.83%
865	Naucorid, Ash Meadows	Ambrysus amargosus	T	4.00	\$382,009.40	99.83%
865	Isopod, Lee County cave	Lirceus usdagalun	E	4.00	\$382,013.40	99.83%
865	A' e	Zanthoxylum hawaiiense	E	4.00	\$382,017.40	99.83%
865	Alani	Melicope haupuensis	E	4.00	\$382,021.40	99.83%
865	Alani	Melicope quadrangularis	E	4.00	\$382,025.40	99.84%
865	Auerodendron pauciflorum (=Sci name)	Auerodendron pauciflorum	E	4.00	\$382,029.40	99.84%
865	Bluegrass, San Bernardino	Poa atropurpurea	E	4.00	\$382,033.40	99.84%
865	Calyptanthus thomasi (=Sci name)	Calyptanthus thomasi	E	4.00	\$382,037.40	99.84%
865	Cyanea undulata (=Sci name)	Cyanea undulata	E	4.00	\$382,041.40	99.84%
865	Haha	Cyanea asarifolia	E	4.00	\$382,045.40	99.84%
865	Lepanthes eltoroensis (=Sci name)	Lepanthes eltoroensis	E	4.00	\$382,049.40	99.84%
865	Leptocereus grantianus (=Sci name)	Leptocereus grantianus	E	4.00	\$382,053.40	99.84%
865	Makou	Peucedanum sandwicense	T	4.00	\$382,057.40	99.84%
865	Negra, cobana	Stahliia monosperma	T	4.00	\$382,061.40	99.85%
865	Palo de Nigua	Cornutia obovata	E	4.00	\$382,065.40	99.85%
865	Peperomia, Wheeler's	Peperomia wheeleri	E	4.00	\$382,069.40	99.85%
865	Phyllostegia waimeae (=Sci name)	Phyllostegia waimeae	E	4.00	\$382,073.40	99.85%
865	Poa siphonoglossa (=Sci name)	Poa siphonoglossa	E	4.00	\$382,077.40	99.85%
865	Stenogyne campanulata (=Sci name)	Stenogyne campanulata	E	4.00	\$382,081.40	99.85%
865	Ternstroemia subsessilis (=Sci name)	Ternstroemia subsessilis	E	4.00	\$382,085.40	99.85%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
865	Xylosma crenatum (=Sci name)	Xylosma crenatum	E	4.00	\$382,089.40	99.85%
886	Spider, spruce-fir moss	Microhexura montivaga	E	3.90	\$382,093.30	99.85%
887	Dace, Kendall Warm Springs	Rhinichthys osculus thermalis	E	3.80	\$382,097.10	99.85%
887	Darter, bayou	Etheostoma rubrum	T	3.80	\$382,100.90	99.86%
887	Palo colorado	Ternstroemia luquillensis	E	3.80	\$382,104.70	99.86%
890	Fatmucket, Arkansas	Lampsilis powelli	T	3.70	\$382,108.40	99.86%
891	Pigtoe, heavy (=Judge Tait's mussel)	Pleurobema taitianum	E	3.70	\$382,112.10	99.86%
892	Snail, flat-spined three-toothed	Triodopsis platysayoides	T	3.67	\$382,115.76	99.86%
893	Ha'iwale	Cyrtandra limahuliensis	T	3.65	\$382,119.41	99.86%
894	Heau	Exocarpos luteolus	E	3.60	\$382,123.01	99.86%
894	Viola helenae (=Sci name)	Viola helenae	E	3.60	\$382,126.61	99.86%
896	Haha	Cyanea shipmannii	E	3.55	\$382,130.16	99.86%
897	Springsnail, Alamosa	Tryonia alamosae	E	3.50	\$382,133.66	99.86%
897	`Aiea	Nothocestrum peltatum	E	3.50	\$382,137.16	99.86%
897	`Oha wai	Clermontia peleana	E	3.50	\$382,140.66	99.87%
897	`Oha wai	Clermontia pyrularia	E	3.50	\$382,144.16	99.87%
897	Alani	Melicope knudsenii	E	3.50	\$382,147.66	99.87%
897	Alani	Melicope pallida	E	3.50	\$382,151.16	99.87%
897	Bluegrass, Hawaiian	Poa sandvicensis	E	3.50	\$382,154.66	99.87%
897	Bluegrass, Mann's	Poa mannii	E	3.50	\$382,158.16	99.87%
897	Chamaesyce halemanui (=Sci name)	Chamaesyce halemanui	E	3.50	\$382,161.66	99.87%
897	Dubautia latifolia (=Sci name)	Dubautia latifolia	E	3.50	\$382,165.16	99.87%
897	Ha'iwale	Cyrtandra tintinnabula	E	3.50	\$382,168.66	99.87%
897	Haha	Cyanea copelandii ssp. copelandii	E	3.50	\$382,172.16	99.87%
897	Hesperomannia lydgatei (=Sci name)	Hesperomannia lydgatei	E	3.50	\$382,175.66	99.87%
897	Holei	Ochrosia kilaueaensis	E	3.50	\$382,179.16	99.88%
897	Iliau, dwarf	Wilkesia hobdyi	E	3.50	\$382,182.66	99.88%
897	Lysimachia filifolia (=Sci name)	Lysimachia filifolia	E	3.50	\$382,186.16	99.88%
897	Mint, Garrett's (=scrub, in part)	Dicerandra christmanii	E	3.50	\$382,189.66	99.88%
897	Mint, scrub	Dicerandra frutescens	E	3.50	\$382,193.16	99.88%
897	Mustard, Carter's	Warea carteri	E	3.50	\$382,196.66	99.88%
897	Nehe	Lipochaeta fauriei	E	3.50	\$382,200.16	99.88%
897	Nehe	Lipochaeta micrantha	E	3.50	\$382,203.66	99.88%
897	Nehe	Lipochaeta waimeaensis	E	3.50	\$382,207.16	99.88%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
897	Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>	E	3.50	\$382,210.66	99.88%
897	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	E	3.50	\$382,214.16	99.89%
897	<i>Remya kauaiensis</i> (=Sci name)	<i>Remya kauaiensis</i>	E	3.50	\$382,217.66	99.89%
897	<i>Remya montgomeryi</i> (=Sci name)	<i>Remya montgomeryi</i>	E	3.50	\$382,221.16	99.89%
897	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	E	3.50	\$382,224.66	99.89%
897	Ziziphus, florida	<i>Ziziphus celata</i>	E	3.50	\$382,228.16	99.89%
897	Ihi`ihi	<i>Marsilea villosa</i>	E	3.50	\$382,231.66	99.89%
897	<i>Tectaria estremerana</i> (=Sci name)	<i>Tectaria estremerana</i>	E	3.50	\$382,235.16	99.89%
927	Phacelia, clay	<i>Phacelia argillacea</i>	E	3.40	\$382,238.56	99.89%
928	Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	E	3.30	\$382,241.86	99.89%
928	Aupaka	<i>Isodendron hosakae</i>	E	3.30	\$382,245.16	99.89%
928	Bedstraw, El Dorado	<i>Galium californicum</i> ssp. <i>sierrae</i>	E	3.30	\$382,248.46	99.89%
928	Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	E	3.30	\$382,251.76	99.89%
928	<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> (=Sci name)	<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>	E	3.30	\$382,255.06	99.90%
928	Dogweed, ashy	<i>Thymophylla tephroleuca</i>	E	3.30	\$382,258.36	99.90%
928	Flannelbush, Pine Hill	<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>	E	3.30	\$382,261.66	99.90%
928	Manzanita, pallid	<i>Arctostaphylos pallida</i>	T	3.30	\$382,264.96	99.90%
928	Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	E	3.30	\$382,268.26	99.90%
928	Navarretia, many-flowered	<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>	E	3.30	\$382,271.56	99.90%
928	<i>Stenogyne bifida</i> (=Sci name)	<i>Stenogyne bifida</i>	E	3.30	\$382,274.86	99.90%
939	Loulu	<i>Pritchardia munroi</i>	E	3.25	\$382,278.11	99.90%
940	Curlew, Eskimo	<i>Numenius borealis</i>	E	3.20	\$382,281.31	99.90%
941	Rattleweed, hairy	<i>Baptisia arachnifera</i>	E	3.17	\$382,284.48	99.90%
942	<i>Lipochaeta venosa</i> (=Sci name)	<i>Lipochaeta venosa</i>	E	3.15	\$382,287.63	99.90%
942	<i>Tetramolopium arenarium</i> (=Sci name)	<i>Tetramolopium arenarium</i>	E	3.15	\$382,290.78	99.91%
944	<i>Gahnia lanaiensis</i> (=Sci name)	<i>Gahnia lanaiensis</i>	E	3.10	\$382,293.88	99.91%
944	Haha	<i>Cyanea procera</i>	E	3.10	\$382,296.98	99.91%
944	<i>Remya</i> , Maui	<i>Remya mauiensis</i>	E	3.10	\$382,300.08	99.91%
947	Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	T	3.05	\$382,303.13	99.91%
948	`Awiwi	<i>Hedyotis cookiana</i>	E	3.00	\$382,306.13	99.91%
948	`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>	E	3.00	\$382,309.13	99.91%
948	`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>	E	3.00	\$382,312.13	99.91%
948	<i>Abutilon eremitopetalum</i> (=Sci name)	<i>Abutilon eremitopetalum</i>	E	3.00	\$382,315.13	99.91%
948	Alani	<i>Melicope adscendens</i>	E	3.00	\$382,318.13	99.91%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
948	Alani	Melicope mucronulata	E	3.00	\$382,321.13	99.91%
948	Alani	Melicope ovalis	E	3.00	\$382,324.13	99.91%
948	Amaranthus brownii (=Sci. name)	Amaranthus brownii	E	3.00	\$382,327.13	99.91%
948	Bedstraw, island	Galium buxifolium	E	3.00	\$382,330.13	99.92%
948	Cactus, star	Astrophytum asterias	E	3.00	\$382,333.13	99.92%
948	Ha`iwale	Cyrtandra giffardii	E	3.00	\$382,336.13	99.92%
948	Ha`iwale	Cyrtandra munroi	E	3.00	\$382,339.13	99.92%
948	Hibiscus, Clay's	Hibiscus clayi	E	3.00	\$382,342.13	99.92%
948	Ko`olua`ula	Abutilon menziesii	E	3.00	\$382,345.13	99.92%
948	Leather flower, Alabama	Clematis socialis	E	3.00	\$382,348.13	99.92%
948	Mariscus fauriei (=Sci name)	Mariscus fauriei	E	3.00	\$382,351.13	99.92%
948	Myrcia paganii (=Sci name)	Myrcia paganii	E	3.00	\$382,354.13	99.92%
948	Palo de Ramon	Banara vanderbiltii	E	3.00	\$382,357.13	99.92%
948	Phyllostegia glabra var. lanaiensis (=Sci nam	Phyllostegia glabra var. lanaiensis	E	3.00	\$382,360.13	99.92%
948	Phyllostegia mannii (=Sci name)	Phyllostegia mannii	E	3.00	\$382,363.13	99.92%
948	Rock-cress, Hoffmann's	Arabis hoffmannii	E	3.00	\$382,366.13	99.92%
948	Rush-rose, island	Helianthemum greenei	T	3.00	\$382,369.13	99.93%
948	Sandlace	Polygonella myriophylla	E	3.00	\$382,372.13	99.93%
948	Tetramolopium remyi (=Sci name)	Tetramolopium remyi	E	3.00	\$382,375.13	99.93%
948	Wahane (=Hawane or loulu)	Pritchardia aylmer-robinsonii	E	3.00	\$382,378.13	99.93%
973	Piperia, Yadon's	Piperia yadonii	E	2.90	\$382,381.03	99.93%
974	Ilex sintenisii (=Sci name)	Ilex sintenisii	E	2.80	\$382,383.83	99.93%
974	Pilo	Hedyotis mannii	E	2.80	\$382,386.63	99.93%
976	Snail, Iowa Pleistocene	Discus macclintocki	E	2.75	\$382,389.38	99.93%
977	Naupaka, dwarf	Scaevola coriacea	E	2.70	\$382,392.08	99.93%
978	Skink, bluetail mole	Eumeces egregius lividus	T	2.60	\$382,394.68	99.93%
978	Cactus, Chisos Mtn. hedgehog	Echinocereus chisoensis var. chisoensis	T	2.60	\$382,397.28	99.93%
978	Pamakani	Tetramolopium capillare	E	2.60	\$382,399.88	99.93%
978	Silene alexandri (=Sci name)	Silene alexandri	E	2.60	\$382,402.48	99.93%
982	Buckwheat, cushenbury	Eriogonum ovalifolium var. vineum	E	2.55	\$382,405.03	99.93%
983	Duck, Laysan	Anas laysanensis	E	2.50	\$382,407.53	99.94%
983	`Akoko, Ewa Plains	Chamaesyce skottsbergii var. kalaeloana	E	2.50	\$382,410.03	99.94%
983	`Awikiwiki	Canavalia molokaiensis	E	2.50	\$382,412.53	99.94%
983	`Olulu	Brighamia insignis	E	2.50	\$382,415.03	99.94%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
983	Alani	Melicope balloui	E	2.50	\$382,417.53	99.94%
983	Alani	Melicope reflexa	E	2.50	\$382,420.03	99.94%
983	Birds-in-a-nest, white	Macbridea alba	T	2.50	\$382,422.53	99.94%
983	Bush-mallow, Santa Cruz Island	Malacothamnus fasciculatus var. nesioticus	E	2.50	\$382,425.03	99.94%
983	Coneflower, Tennessee purple	Echinacea tennesseensis	E	2.50	\$382,427.53	99.94%
983	Dubautia pauciflora (=Sci name)	Dubautia pauciflora	E	2.50	\$382,430.03	99.94%
983	Fringepod (=lacepod), Santa Cruz Island	Thysanocarpus conchuliferus	E	2.50	\$382,432.53	99.94%
983	Gouania hillebrandii (=Sci name)	Gouania hillebrandii	E	2.50	\$382,435.03	99.94%
983	Haha	Cyanea mannii	E	2.50	\$382,437.53	99.94%
983	Haha	Cyanea mceldowneyi	E	2.50	\$382,440.03	99.94%
983	Hedyotis, Na Pali beach	Hedyotis st.-johnii	E	2.50	\$382,442.53	99.94%
983	Ko'oko'olau	Bidens wiebkei	E	2.50	\$382,445.03	99.95%
983	Koki'oke'oke'o	Hibiscus arnottianus ssp. immaculatus	E	2.50	\$382,447.53	99.95%
983	Kula, wahine noho	Isodendron pyriformis	E	2.50	\$382,450.03	99.95%
983	Lysimachia lydgatei (=Sci name)	Lysimachia lydgatei	E	2.50	\$382,452.53	99.95%
983	Ma'oli'oli	Schiedea apokremnos	E	2.50	\$382,455.03	99.95%
983	Malacothrix, island	Malacothrix squalida	E	2.50	\$382,457.53	99.95%
983	Nehe	Lipochaeta kamolensis	E	2.50	\$382,460.03	99.95%
983	Nohoanu	Geranium multiflorum	E	2.50	\$382,462.53	99.95%
983	Pau'ala	Brighamia rockii	E	2.50	\$382,465.03	99.95%
983	Pritchardia remota (=Sci name)	Pritchardia remota	E	2.50	\$382,467.53	99.95%
983	Sandalwood, Lanai or `ilihi	Santalum freycinetianum var. lanaiense	E	2.50	\$382,470.03	99.95%
983	Schiedea haleakalensis (=Sci name)	Schiedea haleakalensis	E	2.50	\$382,472.53	99.95%
983	Schiedea lydgatei (=Sci name)	Schiedea lydgatei	E	2.50	\$382,475.03	99.95%
983	Schiedea spargulina var. leiopoda (=Sci name)	Schiedea spargulina var. leiopoda	E	2.50	\$382,477.53	99.95%
983	Schiedea spargulina var. spargulina (=Sci name)	Schiedea spargulina var. spargulina	T	2.50	\$382,480.03	99.95%
983	Schiedea verticillata (=Sci name)	Schiedea verticillata	E	2.50	\$382,482.53	99.96%
983	Silversword, Haleakala ('ahinahina)	Argyroxiphium sandwicense ssp. macrocephalum	E	2.50	\$382,485.03	99.96%
983	Spurge, telephus	Euphorbia telephioides	T	2.50	\$382,487.53	99.96%
983	Tetramolopium rockii (=Sci name)	Tetramolopium rockii	T	2.50	\$382,490.03	99.96%
983	Elaphoglossum serpens (=Sci name)	Elaphoglossum serpens	E	2.50	\$382,492.53	99.96%
983	Polystichum calderonense (=Sci name)	Polystichum calderonense	E	2.50	\$382,495.03	99.96%
983	Quillwort, mat-forming	Isoetes tegetiformans	E	2.50	\$382,497.53	99.96%
983	Thelypteris inabonensis (=Sci name)	Thelypteris inabonensis	E	2.50	\$382,500.03	99.96%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
983	Thelypteris verecunda (=Sci name)	Thelypteris verecunda	E	2.50	\$382,502.53	99.96%
983	Thelypteris yaucoensis (=Sci name)	Thelypteris yaucoensis	E	2.50	\$382,505.03	99.96%
1023	Grass, Solano	Tuctoria mucronata	E	2.30	\$382,507.33	99.96%
1023	Thistle, Suisun	Cirsium hydrophilum var. hydrophilum	E	2.30	\$382,509.63	99.96%
1025	Pigtoe, flat (=Marshall's mussel)	Pleurobema marshalli	E	2.22	\$382,511.85	99.96%
1025	Stirrupshell	Quadrula stapes	E	2.22	\$382,514.07	99.96%
1027	Shiner, Cahaba	Notropis cahabae	E	2.20	\$382,516.27	99.96%
1027	Fern, Alabama streak-sorus	Thelypteris pilosa var. alabamensis	T	2.20	\$382,518.47	99.96%
1029	Bladderpod, San Bernardino Mountains	Lesquerella kingii ssp. bernardina	E	2.05	\$382,520.52	99.97%
1029	Daisy, Parish's	Erigeron parishii	T	2.05	\$382,522.56	99.97%
1029	Milk-vetch, Cushenbury	Astragalus albens	E	2.05	\$382,524.61	99.97%
1029	Oxytheca, cushenbury	Oxytheca parishii var. goodmaniana	E	2.05	\$382,526.66	99.97%
1033	Rice rat (=silver rice rat)	Oryzomys palustris natator	E	2.00	\$382,528.66	99.97%
1033	Vole, Amargosa	Microtus californicus scirpensis	E	2.00	\$382,530.66	99.97%
1033	Sparrow, San Clemente sage	Amphispiza belli clementeae	T	2.00	\$382,532.66	99.97%
1033	Salamander, desert slender	Batrachoseps aridus	E	2.00	\$382,534.66	99.97%
1033	Beetle, Mount Hermon June	Polyphylla barbata	E	2.00	\$382,536.66	99.97%
1033	Butterfly, Smith's blue	Euphyotes enoptes smithi	E	2.00	\$382,538.66	99.97%
1033	Crayfish, cave [no common name]	Cambarus aculabrum	E	2.00	\$382,540.66	99.97%
1033	Ayenia, Texas	Ayenia limitaris	E	2.00	\$382,542.66	99.97%
1033	Broom, San Clemente Island	Lotus dendroideus ssp. traskiae	E	2.00	\$382,544.66	99.97%
1033	Clover, Monterey (=Del Monte)	Trifolium trichocalyx	E	2.00	\$382,546.66	99.97%
1033	Cranichis ricartii (=Sci name)	Cranichis ricartii	E	2.00	\$382,548.66	99.97%
1033	Crownbeard, big-leaved	Verbesina dissita	T	2.00	\$382,550.66	99.97%
1033	Dudleya, Santa Cruz Island	Dudleya nesiotica	T	2.00	\$382,552.66	99.97%
1033	Holly, Cook's	Ilex cookii	E	2.00	\$382,554.66	99.97%
1033	Larkspur, San Clemente Island	Delphinium variegatum ssp. kinkiense	E	2.00	\$382,556.66	99.97%
1033	Milk-vetch, coastal dunes	Astragalus tener var. titi	E	2.00	\$382,558.66	99.98%
1033	Mountain-mahogany, Catalina Island	Cercocarpus traskiae	E	2.00	\$382,560.66	99.98%
1033	Potentilla, Hickman's	Potentilla hickmanii	E	2.00	\$382,562.66	99.98%
1033	Seablite, California	Suaeda californica	E	2.00	\$382,564.66	99.98%
1033	Water-plantain, Kral's	Sagittaria secundifolia	T	2.00	\$382,566.66	99.98%
1033	Cypress, Gowen	Cupressus goveniana ssp. goveniana	T	2.00	\$382,568.66	99.98%
1054	Pussypaws, Mariposa	Calyptidium pulchellum	T	1.90	\$382,570.56	99.98%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1055	Moth, Kern primrose sphinx	Euproserpinus euterpe	T	1.80	\$382,572.36	99.98%
1055	Alopecurus, Sonoma	Alopecurus aequalis var. sonomensis	E	1.80	\$382,574.16	99.98%
1055	Butterwort, Godfrey's	Pinguicula ionantha	T	1.80	\$382,575.96	99.98%
1055	Clover, showy Indian	Trifolium amoenum	E	1.80	\$382,577.76	99.98%
1059	Taraxacum, California	Taraxacum californicum	E	1.70	\$382,579.46	99.98%
1060	Reed-mustard, Barneby	Schoenocrambe barnebyi	E	1.60	\$382,581.06	99.98%
1061	Skipper, Pawnee montane	Hesperia leonardus montana	T	1.50	\$382,582.56	99.98%
1061	Cactus, Key tree	Pilosocereus robinii	E	1.50	\$382,584.06	99.98%
1061	Gourd, Okeechobee	Cucurbita okeechobeensis ssp. okeechobeensis	E	1.50	\$382,585.56	99.98%
1061	Harebells, Avon Park	Crotalaria avonensis	E	1.50	\$382,587.06	99.98%
1061	Polygala, Lewton's	Polygala lewtonii	E	1.50	\$382,588.56	99.98%
1061	Snowbells, Texas	Styrax texana	E	1.50	\$382,590.06	99.98%
1061	Quillwort, black spored	Isoetes melanospora	E	1.50	\$382,591.56	99.98%
1068	Water-willow, Cooley's	Justicia cooleyi	E	1.32	\$382,592.88	99.98%
1069	Warbler, Bachman's	Vermivora bachmanii	E	1.30	\$382,594.18	99.98%
1069	Allocarya, Calistoga	Plagiobothrys strictus	E	1.30	\$382,595.48	99.98%
1069	Barberry, Truckee	Berberis sonnei	E	1.30	\$382,596.78	99.98%
1069	Bluegrass, Napa	Poa napensis	E	1.30	\$382,598.08	99.99%
1069	Brodiaea, Chinese Camp	Brodiaea pallida	T	1.30	\$382,599.38	99.99%
1069	Checker-mallow, Kenwood Marsh	Sidalcea oregana ssp. valida	E	1.30	\$382,600.68	99.99%
1069	Clarkia, Vine Hill	Clarkia imbricata	E	1.30	\$382,601.98	99.99%
1069	Lessingia, San Francisco	Lessingia germanorum (=L. g. var. germanorum)	E	1.30	\$382,603.28	99.99%
1069	Lily, Pitkin Marsh	Lilium pardalinum ssp. pitkinense	E	1.30	\$382,604.58	99.99%
1069	Manzanita, Presido (=Raven's)	Arctostaphylos hookeri var. ravenii	E	1.30	\$382,605.88	99.99%
1069	Meadowfoam, Butte County	Limnanthes floccosa ssp. californica	E	1.30	\$382,607.18	99.99%
1069	Meadowfoam, Sebastopol	Limnanthes vinculans	E	1.30	\$382,608.48	99.99%
1069	Milk-vetch, Clara Hunt's	Astragalus clarianus	E	1.30	\$382,609.78	99.99%
1069	Navarretia, few-flowered	Navarretia leucocephala ssp. pauciflora	E	1.30	\$382,611.08	99.99%
1069	Sedge, white	Carex albida	E	1.30	\$382,612.38	99.99%
1069	Stonecrop, Lake County	Parvisedum leiocarpum	E	1.30	\$382,613.68	99.99%
1069	Sunburst, Hartweg's golden	Pseudobahia bahiifolia	E	1.30	\$382,614.98	99.99%
1069	Sunburst, San Joaquin adobe	Pseudobahia peirsonii	T	1.30	\$382,616.28	99.99%
1069	Thistle, Loch Lomond coyote	Eryngium constancei	E	1.30	\$382,617.58	99.99%
1069	Vervain, Red Hills	Verbena californica	T	1.30	\$382,618.88	99.99%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1089	Whale, bowhead	Balaena mysticetus	E	1.25	\$382,620.13	99.99%
1090	Darter, watercress	Etheostoma nuchale	E	1.20	\$382,621.33	99.99%
1090	Silverside, Waccamaw	Menidia extensa	T	1.20	\$382,622.53	99.99%
1090	Buttercup, autumn	Ranunculus acriformis var. aestivalis	E	1.20	\$382,623.73	99.99%
1093	Bulrush, Northeastern (=barbed bristle)	Scirpus ancistrochaetus	E	1.17	\$382,624.89	99.99%
1094	Clubshell, black (=Curtus' mussel)	Pleurobema curtum	E	1.13	\$382,626.02	99.99%
1095	Cougar, eastern	Felis concolor couguar	E	1.10	\$382,627.12	99.99%
1095	Cactus, Cochise pincushion	Coryphantha robbinsorum	T	1.10	\$382,628.22	99.99%
1097	Gambusia, Clear Creek	Gambusia heterochir	E	1.00	\$382,629.22	99.99%
1097	Shiner, Palezone	Notropis sp.	E	1.00	\$382,630.22	99.99%
1097	Three-ridge (mussel), fat	Amblema neislerii	E	1.00	\$382,631.22	99.99%
1097	Marstonia (snail), royal (=obese)	Pyrgulopsis ogmoraphe	E	1.00	\$382,632.22	99.99%
1097	Snail, painted snake coiled forest	Anguispira picta	T	1.00	\$382,633.22	99.99%
1097	Bonamia, Florida	Bonamia grandiflora	T	1.00	\$382,634.22	99.99%
1097	Buckwheat, scrub	Eriogonum longifolium var. gnaphalifolium	T	1.00	\$382,635.22	100.00%
1097	Cactus, black lace	Echinocereus reichenbachii var. albertii	E	1.00	\$382,636.22	100.00%
1097	Cactus, Lloyd's hedgehog	Echinocereus lloydii	E	1.00	\$382,637.22	100.00%
1097	Cactus, Nellie cory	Escobaria minima	E	1.00	\$382,638.22	100.00%
1097	Cat's-eye, Terlingua Creek	Cryptantha crassipes	E	1.00	\$382,639.22	100.00%
1097	Liveforever, Santa Barbara Island	Dudleya traskiae	E	1.00	\$382,640.22	100.00%
1097	Mint, Lakela's	Dicerandra immaculata	E	1.00	\$382,641.22	100.00%
1097	Wild-buckwheat, gypsum	Eriogonum gypsophilum	T	1.00	\$382,642.22	100.00%
1111	Pocketbook, speckled	Lampsilis streckeri	E	0.80	\$382,643.02	100.00%
1111	Sandwort, Cumberland	Arenaria cumberlandensis	E	0.80	\$382,643.82	100.00%
1113	Rock-cress	Arabis perstellata	E	0.70	\$382,644.52	100.00%
1114	Reed-mustard, clay	Schoenocrambe argillacea	T	0.60	\$382,645.12	100.00%
1114	Ridge-cress (=pepper-cress), Barneby	Lepidium barnebyanum	E	0.60	\$382,645.72	100.00%
1114	Rosemary, Cumberland	Conradina verticillata	T	0.60	\$382,646.32	100.00%
1117	Darter, Maryland	Etheostoma sellare	E	0.50	\$382,646.82	100.00%
1117	Butterfly, Behren's silverspot	Speyeria zerene behrensii	E	0.50	\$382,647.32	100.00%
1117	Butterfly, lotis blue	Lycaeides argyrognomon lotis	E	0.50	\$382,647.82	100.00%
1117	Aster, Florida golden	Chrysopsis floridana	E	0.50	\$382,648.32	100.00%
1117	Beargrass, Britton's	Nolina brittoniana	E	0.50	\$382,648.82	100.00%
1117	Bellflower, Brooksville	Campanula robinsiae	E	0.50	\$382,649.32	100.00%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1117	Jacquemontia, beach	Jacquemontia reclinata	E	0.50	\$382,649.82	100.00%
1117	Mint, longspurred	Dicerandra cornutissima	E	0.50	\$382,650.32	100.00%
1117	Pawpaw, beautiful	Deeringothamnus pulchellus	E	0.50	\$382,650.82	100.00%
1117	Prickly-apple, fragrant	Cereus eriophorus var. fragrans	E	0.50	\$382,651.32	100.00%
1117	Wings, Pigeon	Clitoria fragrans	T	0.50	\$382,651.82	100.00%
1128	Snail, noonday	Mesodon clarki nantahala	T	0.40	\$382,652.22	100.00%
1128	Groundsel, San Francisco Peaks	Senecio franciscanus	T	0.40	\$382,652.62	100.00%
1130	Bladderpod, Spring Creek	Lesquerella perforata	E	0.30	\$382,652.92	100.00%
1130	Irisette, white	Sisyrinchium dichotomum	E	0.30	\$382,653.22	100.00%
1132	Woodpecker, ivory-billed	Campephilus principalis	E	0.20	\$382,653.42	100.00%
1132	Darter, relict	Etheostoma chienense	E	0.20	\$382,653.62	100.00%
1132	Bittercress, small-anthered	Cardamine micranthera	E	0.20	\$382,653.82	100.00%
1132	Cress, toad-flax	Schoenocrambe suffrutescens	E	0.20	\$382,654.02	100.00%
1136	Beardtongue, Penland	Penstemon penlandii	E	0.10	\$382,654.12	100.00%
1137	Birch, Virginia round-leaf	Betula uber	T	0.06	\$382,654.18	100.00%
1138	Seal, guadalupe fur	Arctocephalus townsendi	T	-	\$382,654.18	100.00%
1138	Vole, Florida salt marsh	Microtus pennsylvanicus dukecampbelli	E	-	\$382,654.18	100.00%
1138	Crow, white-necked	Corvus leucognaphalus	E	-	\$382,654.18	100.00%
1138	Anole, Culebra Island giant	Anolis roosevelti	E	-	\$382,654.18	100.00%
1138	Salamander, Shenandoah	Plethodon shenandoah	E	-	\$382,654.18	100.00%
1138	Cavefish, Alabama	Speoplatyrhinus poulsoni	E	-	\$382,654.18	100.00%
1138	Slabshell, Chipola	Elliptio chipolaensis	T	-	\$382,654.18	100.00%
1138	Snail, Virginia fringed mountain	Polygyriscus virginianus	E	-	\$382,654.18	100.00%
1138	Amphipod, Hay's Spring	Stygobromus hayi	E	-	\$382,654.18	100.00%
1138	Isopod, Madison Cave	Antrolana lira	T	-	\$382,654.18	100.00%
1138	Shrimp, Kentucky cave	Palaemonias ganteri	E	-	\$382,654.18	100.00%
1138	Shrimp, Squirrel Chimney Cave (=Florida cave)	Palaemonetes cummingi	T	-	\$382,654.18	100.00%
1138	Bidens, cuneate	Bidens cuneata	E	-	\$382,654.18	100.00%
1138	Bladderpod, lyrate	Lesquerella lyrata	T	-	\$382,654.18	100.00%
1138	Bluecurls, Hidden Lake	Trichostema austromontanum ssp. compactum	T	-	\$382,654.18	100.00%
1138	Leather flower, Morefield's	Clematis morefieldii	E	-	\$382,654.18	100.00%
1138	Manaca, palma de	Calyptronoma rivalis	T	-	\$382,654.18	100.00%
1138	Oak, Hinckley	Quercus hinckleyi	T	-	\$382,654.18	100.00%
1138	Paintbrush, ash-grey	Castilleja cinerea	T	-	\$382,654.18	100.00%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1998
REPORTED EXPENDITURES (\$000)**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
1138	Pondweed, Little Aguja Creek	Potamogeton clystocarpus	E	-	\$382,654.18	100.00%
1138	Prickly-ash, St. Thomas	Zanthoxylum thomasianum	E	-	\$382,654.18	100.00%
1138	Rosemary, Etonia	Conradina etonia	E	-	\$382,654.18	100.00%
1138	Rosemary, short-leaved	Conradina brevifolia	E	-	\$382,654.18	100.00%
1138	Sandwort, Bear Valley	Arenaria ursina	T	-	\$382,654.18	100.00%
1138	Walnut, West Indian or nogal	Juglans jamaicensis	E	-	\$382,654.18	100.00%
1138	Wild-buckwheat, southern mountain	Eriogonum kennedyi var. austromontanum	T	-	\$382,654.18	100.00%
1138	Adiantum vivesii (=Sci name)	Adiantum vivesii	E	-	\$382,654.18	100.00%
1138	Fern, Aleutian shield	Polystichum aleuticum	E	-	\$382,654.18	100.00%
1138	Fern, Elfin tree	Cyathea dryopteroides	E	-	\$382,654.18	100.00%