

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY2010 REPORTED EXPENDITURES,
NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - spring/summer Snake R.	T	\$51,062,511	\$51,062,511
2	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - middle Columbia R.	T	\$48,065,029	\$99,127,540
3	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Snake R. Basin	T	\$45,834,199	\$144,961,739
4	Trout, bull (<i>Salvelinus confluentus</i>) - U.S.A., conterminous, lower 48 states	T	\$43,809,838	\$188,771,577
5	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - winter Sacramento R.	E	\$40,814,218	\$229,585,795
6	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - fall Snake R.	T	\$33,938,220	\$263,524,015
7	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - spring upper Columbia R.	E	\$30,304,423	\$293,828,438
8	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Columbia R. Basin	T	\$29,151,942	\$322,980,380
9	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$25,194,067	\$348,174,447
10	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - lower Columbia R.	T	\$23,392,671	\$371,567,118
11	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$22,696,252	\$394,263,370
12	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - OR, CA pop.	T	\$19,572,047	\$413,835,417
13	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - upper Willamette R.	T	\$19,410,149	\$433,245,566
14	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - lower Columbia R.	T	\$18,002,939	\$451,248,505
15	Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - U.S.A. (Snake River, ID stock wherever found.)	E	\$17,235,935	\$468,484,440
16	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$16,679,395	\$485,163,835
17	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$16,568,504	\$501,732,339
18	Tortoise, desert (<i>Gopherus agassizii</i>) - U.S.A., except in Sonoran Desert	T	\$16,343,561	\$518,075,900
19	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - upper Willamette R.	T	\$16,330,291	\$534,406,191
20	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Puget Sound	T	\$14,595,229	\$549,001,420
21	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$14,086,571	\$563,087,991
22	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$13,596,253	\$576,684,244
23	Salmon, Atlantic (<i>Salmo salar</i>) - Expanded Gulf of Maine DPS	E	\$13,145,296	\$589,829,540
24	Salmon, chum (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>) - Columbia R.	T	\$12,826,943	\$602,656,483
25	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Lower Columbia River ESU	T	\$12,150,709	\$614,807,192
26	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - CA Central Valley spring-run	T	\$12,075,507	\$626,882,699
27	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$11,285,625	\$638,168,324
28	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$11,235,785	\$649,404,109
29	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$10,857,819	\$660,261,928
30	Flycatcher, southwestern willow (<i>Empidonax traillii eximius</i>)	E	\$10,579,072	\$670,841,000
31	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$10,353,294	\$681,194,294
32	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Central Valley CA	T	\$9,886,506	\$691,080,800
33	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$9,614,921	\$700,695,721
34	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where listed as an experimental population or delisted	T	\$8,781,280	\$709,477,001
35	Sucker, razorback (<i>Xyrauchen texanus</i>) - entire	E	\$8,089,950	\$717,566,951
36	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$7,921,457	\$725,488,408
37	Sturgeon, white (<i>Acipenser transmontanus</i>) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$7,768,332	\$733,256,740
38	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$7,463,329	\$740,720,069
39	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$7,437,464	\$748,157,533
40	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Puget Sound DPS	T	\$7,273,083	\$755,430,616
41	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$7,057,501	\$762,488,117
42	Wolf, gray (<i>Canis lupus</i>) - Lower 48 States, except MN, MT, ID, portions of eastern OR, eastern WA, north-central UT, and where EXPN. Mexico.	E	\$6,954,633	\$769,442,750
43	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$6,925,553	\$776,368,303
44	Bear, polar (<i>Ursus maritimus</i>)	T	\$6,804,746	\$783,173,049
45	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$6,742,846	\$789,915,895
46	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$6,598,089	\$796,513,984
47	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - southern CA coast	E	\$6,593,274	\$803,107,258
48	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$6,173,301	\$809,280,559
49	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Central California Coast ESU	E	\$5,873,786	\$815,154,345
50	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$5,827,743	\$820,982,088
51	Salmon, chum (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>) - summer-run Hood Canal	T	\$5,736,015	\$826,718,103
52	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$5,662,140	\$832,380,243

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
53	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$5,650,652	\$838,030,895
54	Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>nerka</i>) - U.S.A. (Ozette Lake, WA)	T	\$5,299,383	\$843,330,278
55	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - northern CA	T	\$5,136,439	\$848,466,717
56	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$5,130,707	\$853,597,424
57	Chub, humpback (<i>Gila cypha</i>) - entire	E	\$4,907,675	\$858,505,099
58	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - south central CA coast	T	\$4,819,733	\$863,324,832
59	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop.	T	\$4,697,911	\$868,022,743
60	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - CA coastal	T	\$4,675,133	\$872,697,876
61	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - central CA coast	T	\$4,636,177	\$877,334,053
62	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$4,569,131	\$881,903,184
63	Whale, sperm (<i>Physeter catodon</i> (= <i>macrocephalus</i>))	E	\$4,432,830	\$886,336,014
64	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$4,280,684	\$890,616,698
65	Chub, bonytail (<i>Gila elegans</i>) - entire	E	\$4,236,525	\$894,853,223
66	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$4,198,058	\$899,051,281
67	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$4,191,798	\$903,243,079
68	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$4,147,048	\$907,390,127
69	scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$3,997,085	\$911,387,212
70	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$3,814,423	\$915,201,635
71	Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA -Southern DPS	T	\$3,658,452	\$918,860,087
72	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of of Mobile/Tombigbee Rs.	T	\$3,588,732	\$922,448,819
73	Pikeminnow (=squawfish), Colorado (<i>Pychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$3,573,523	\$926,022,342
74	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$3,490,313	\$929,512,655
75	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$2,834,912	\$932,347,567
76	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$2,821,352	\$935,168,919
77	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$2,789,999	\$937,958,918
78	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$2,784,587	\$940,743,505
79	Frog, California red-legged (<i>Rana draytonii</i>) - Entire	T	\$2,732,668	\$943,476,173
80	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$2,602,947	\$946,079,120
81	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$2,577,801	\$948,656,921
82	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$2,569,693	\$951,226,614
83	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$2,560,317	\$953,786,931
84	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$2,499,067	\$956,285,998
85	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$2,495,323	\$958,781,321
86	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$2,460,953	\$961,242,274
87	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$2,460,760	\$963,079,034
88	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$2,320,107	\$966,023,141
89	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$2,251,896	\$968,275,037
90	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, and western WY	EXPN	\$2,240,579	\$970,515,616
91	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma County	E	\$2,207,619	\$972,723,235
92	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, SC	E	\$2,006,896	\$974,730,131
93	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$1,978,888	\$976,709,019
94	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$1,915,352	\$978,624,371
95	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,915,235	\$980,539,606
96	Bear, grizzly (<i>Ursus arctos horribilis</i>) - EXPN, non-essential portions of ID and MT	EXPN	\$1,899,104	\$982,438,710
97	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$1,855,592	\$984,294,302
98	Wolf, gray (<i>Canis lupus</i>) - WY, ID, MT	EXPN	\$1,829,149	\$986,123,451
99	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,740,019	\$987,863,470
100	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$1,729,106	\$989,592,576
101	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$1,720,585	\$991,313,161
102	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$1,720,072	\$993,033,233
103	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$1,676,931	\$994,710,164
104	Wolf, Mexican gray (<i>Canis lupus baileyi</i>) - portions of AZ, NM and TX	EXPN	\$1,628,931	\$996,339,095
105	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. only	E	\$1,601,115	\$997,940,210
106	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (= <i>microscaphus</i>))	E	\$1,576,429	\$999,516,639
107	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$1,560,262	\$1,001,076,901
108	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$1,555,876	\$1,002,632,777
109	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$1,528,053	\$1,004,160,830
110	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$1,506,235	\$1,005,667,065

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
111	Panther, Florida (<i>Puma</i> (= <i>Felis</i>) <i>concolor coryi</i>)	E	\$1,488,530	\$1,007,155,595
112	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>)	E	\$1,476,106	\$1,008,631,701
113	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,446,653	\$1,010,078,354
114	Crane, whooping (<i>Grus americana</i>) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$1,443,841	\$1,011,522,195
115	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$1,443,585	\$1,012,965,780
116	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$1,392,458	\$1,014,358,238
117	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$1,349,143	\$1,015,707,381
118	Ferret, black-footed (<i>Mustela nigripes</i>) - entire population, except where EXPN	E	\$1,331,395	\$1,017,038,776
119	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$1,296,316	\$1,018,335,092
120	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$1,277,944	\$1,019,613,036
121	Abalone, White (<i>Haliotis sorenseni</i>) - North America (West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico)	E	\$1,239,899	\$1,020,852,935
122	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$1,188,296	\$1,022,041,231
123	Goose, Hawaiian (<i>Branta</i> (= <i>Nesochen</i>) <i>sandvicensis</i>)	E	\$1,176,121	\$1,023,217,352
124	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$1,152,117	\$1,024,369,469
125	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$1,151,629	\$1,025,521,098
126	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$1,133,700	\$1,026,654,798
127	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$1,127,323	\$1,027,782,121
128	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Entire, except where EXPN	E	\$1,118,382	\$1,028,900,503
129	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$1,111,844	\$1,030,012,347
130	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,108,571	\$1,031,120,918
131	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$1,093,686	\$1,032,214,604
132	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$1,090,253	\$1,033,304,857
133	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$1,064,178	\$1,034,369,035
134	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$1,063,600	\$1,035,432,635
135	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$1,062,750	\$1,036,495,385
136	Warbler, Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$1,038,371	\$1,037,533,756
137	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$1,035,827	\$1,038,569,583
138	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$1,014,226	\$1,039,583,809
139	Otter, southern sea (<i>Enhydra lutris nereis</i>) - except where EXPN	T	\$1,013,882	\$1,040,597,691
140	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara County	E	\$1,002,956	\$1,041,600,647
141	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$998,903	\$1,042,599,550
142	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$982,944	\$1,043,582,494
143	Sucker, June (<i>Chasmistes liorus</i>)	E	\$934,700	\$1,044,517,194
144	Cactus, Siler pincushion (<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>)	T	\$928,400	\$1,045,445,594
145	Ferret, black-footed (<i>Mustela nigripes</i>) - portions of AZ, CO, MT, SD, UT, WY	EXPN	\$924,640	\$1,046,370,234
146	Cui-ui (<i>Chasmistes cujus</i>)	E	\$912,593	\$1,047,282,827
147	Wolf, red (<i>Canis rufus</i>) - portions of NC and TN	EXPN	\$895,500	\$1,048,178,327
148	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$882,742	\$1,049,061,069
149	Gnatcatcher, coastal California (<i>Poliophtila californica californica</i>)	T	\$877,449	\$1,049,938,518
150	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$875,444	\$1,050,813,962
151	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$873,803	\$1,051,687,765
152	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$841,199	\$1,052,528,964
153	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN population	EXPN	\$831,844	\$1,053,360,808
154	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$829,547	\$1,054,190,355
155	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$820,394	\$1,055,010,749
156	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$808,674	\$1,055,819,423
157	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$758,544	\$1,056,577,967
158	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$755,358	\$1,057,333,325
159	Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS	T	\$746,240	\$1,058,079,565
160	Spikedace (<i>Meda fulgida</i>)	T	\$733,174	\$1,058,812,739
161	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$729,904	\$1,059,542,643
162	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$710,781	\$1,060,253,424
163	Shiner, Pecos bluntnose (<i>Notropis sinus pecosensis</i>)	T	\$701,900	\$1,060,955,324
164	Condor, California (<i>Gymnogyps californianus</i>) - specific portions of AZ, NV, and UT	EXPN	\$698,300	\$1,061,653,624
165	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$685,801	\$1,062,339,425
166	Ocelot (<i>Leopardus</i> (= <i>Felis</i>) <i>pardalis</i>)	E	\$684,535	\$1,063,023,960
167	Peppergrass, Slickspot (<i>Lepidium papilliferum</i>)	T	\$674,205	\$1,063,698,165

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
168	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$673,972	\$1,064,372,137
169	Goby, tidewater (<i>Eucyclogobius newberryi</i>) - Entire	E	\$662,572	\$1,065,034,709
170	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$655,739	\$1,065,690,448
171	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$655,364	\$1,066,345,812
172	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$640,246	\$1,066,986,058
173	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$639,981	\$1,067,626,039
174	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$639,848	\$1,068,265,887
175	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$637,938	\$1,068,903,825
176	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$612,642	\$1,069,516,467
177	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$607,493	\$1,070,123,960
178	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$590,728	\$1,070,714,688
179	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$588,974	\$1,071,303,662
180	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$582,082	\$1,071,885,744
181	Chub, Gila (<i>Gila intermedia</i>)	E	\$573,655	\$1,072,459,399
182	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>)	E	\$565,185	\$1,073,024,584
183	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$556,599	\$1,073,581,183
184	Butterfly, Quino checkerspot (<i>Euphydryas editha quino (=E. e. wrightii)</i>)	E	\$555,403	\$1,074,136,586
185	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$554,882	\$1,074,691,468
186	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$545,725	\$1,075,237,193
187	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$544,557	\$1,075,781,750
188	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$534,983	\$1,076,316,733
189	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$526,858	\$1,076,843,591
190	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$525,715	\$1,077,369,306
191	<i>Geocarpon minimum</i> (=Sci name)	T	\$514,400	\$1,077,883,706
192	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$504,427	\$1,078,388,133
193	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$504,064	\$1,078,892,197
194	Chub, Virgin River (<i>Gila seminuda (=robusta)</i>)	E	\$503,783	\$1,079,395,980
195	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$492,250	\$1,079,888,230
196	Sparrow, San Clemente sage (<i>Amphispiza belli clementae</i>)	T	\$487,731	\$1,080,375,961
197	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$487,451	\$1,080,863,412
198	Pondberry (<i>Lindera melissifolia</i>)	E	\$486,365	\$1,081,349,777
199	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$480,917	\$1,081,830,694
200	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$475,338	\$1,082,306,032
201	Lupine, Kincaid's (<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>)	T	\$469,969	\$1,082,776,001
202	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$466,356	\$1,083,242,357
203	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$465,925	\$1,083,708,282
204	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$465,676	\$1,084,173,958
205	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$465,165	\$1,084,639,123
206	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) - entire	T	\$463,223	\$1,085,102,346
207	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$458,018	\$1,085,560,364
208	Clubshell (<i>Pleurobema clava</i>) - Entire Range; Except where EXPN	E	\$456,402	\$1,086,016,766
209	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$453,197	\$1,086,469,963
210	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) - west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$446,383	\$1,086,916,346
211	<i>Abutilon sandwicense</i> (=Sci name)	E	\$441,396	\$1,087,357,742
212	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$436,479	\$1,087,794,221
213	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$432,573	\$1,088,226,794
214	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Entire; except where EXPN	E	\$422,411	\$1,088,649,205
215	Shiner, Topeka (<i>Notropis topeka (=tristis)</i>)	E	\$418,937	\$1,089,068,142
216	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$417,698	\$1,089,485,840
217	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$403,924	\$1,089,889,764
218	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$403,642	\$1,090,293,406
219	Logperch, Roanoke (<i>Percina rex</i>)	E	\$401,343	\$1,090,694,749
220	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$388,020	\$1,091,082,769
221	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$386,569	\$1,091,469,338
222	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$382,867	\$1,091,852,205
223	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - southwest Alaska DPS	T	\$373,842	\$1,092,226,047
224	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$373,770	\$1,092,599,817
225	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$368,450	\$1,092,968,267

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
226	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A. only	E	\$366,105	\$1,093,334,372
227	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$358,740	\$1,093,693,112
228	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - north-central CO	T	\$353,863	\$1,094,046,975
229	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$350,090	\$1,094,397,065
230	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$344,939	\$1,094,742,004
231	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$338,085	\$1,095,080,089
232	salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$335,914	\$1,095,416,003
233	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$335,200	\$1,095,751,203
234	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$333,502	\$1,096,084,705
235	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$332,493	\$1,096,417,198
236	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$332,167	\$1,096,749,365
237	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$328,448	\$1,097,077,813
238	Lily, Western (<i>Lilium occidentale</i>)	E	\$326,715	\$1,097,404,528
239	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) townsendii ingens)	E	\$316,420	\$1,097,720,948
240	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$314,351	\$1,098,035,299
241	Wolf, gray (<i>Canis lupus</i>) - WY, EXPN population	EXPN	\$311,736	\$1,098,347,035
242	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$311,550	\$1,098,658,585
243	Pearlymussel, cracking (<i>Hemistena lata</i>) - Entire Range; Except where listed as Experimental Populations	E	\$306,797	\$1,098,965,382
244	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$305,600	\$1,099,270,982
245	Phlox, Texas trailing (<i>Phlox nivalis ssp. texensis</i>)	E	\$305,426	\$1,099,576,408
246	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) albatrus)	E	\$303,821	\$1,099,880,229
247	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$299,771	\$1,100,180,000
248	<i>Phyllostegia mollis</i> (=Sci name)	E	\$295,855	\$1,100,475,855
249	Trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$294,042	\$1,100,769,897
250	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$292,655	\$1,101,062,552
251	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$292,168	\$1,101,354,720
251	Opuhe (<i>Urera kaalae</i>)	E	\$292,168	\$1,101,646,888
252	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$289,678	\$1,101,936,566
252	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$289,678	\$1,102,226,244
253	<i>Alsinidendron trinerve</i> (=Sci name)	E	\$289,575	\$1,102,515,819
254	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$287,600	\$1,102,803,419
255	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$286,925	\$1,103,090,344
256	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - southern CA DPS	E	\$284,725	\$1,103,375,069
257	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$283,182	\$1,103,658,251
258	Bat, Virginia big-eared (<i>Corynorhinus</i> (=Plecotus) townsendii virginianus)	E	\$281,762	\$1,103,940,013
259	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$281,108	\$1,104,221,121
260	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$272,726	\$1,104,493,847
261	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$271,377	\$1,104,765,224
262	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$270,120	\$1,105,035,344
263	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN north of 40 degrees north latitude, MI, OH	T	\$265,731	\$1,105,301,075
264	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$261,762	\$1,105,562,837
265	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$258,859	\$1,105,821,696
266	Bonamia menziesii (=Sci name)	E	\$257,702	\$1,106,079,398
267	Tarplant, Gaviota (<i>Deinandra increscens ssp. villosa</i>)	E	\$256,134	\$1,106,335,532
268	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$255,966	\$1,106,591,498
269	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$254,886	\$1,106,846,384
270	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$253,010	\$1,107,099,394
271	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$252,247	\$1,107,351,641
272	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. D. cactus))	E	\$251,422	\$1,107,603,063
273	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$248,620	\$1,107,851,683
274	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$247,797	\$1,108,099,480
275	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$244,509	\$1,108,343,989
276	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$235,920	\$1,108,579,909
277	A'e (<i>Zanthoxylum hawaiiense</i>)	E	\$234,148	\$1,108,814,057
278	Honohono (<i>Haplostachys haplostachya</i>)	E	\$233,131	\$1,109,047,188
279	Orchid, western prairie fringed (<i>Platanthera praecleara</i>)	T	\$233,032	\$1,109,280,220
280	<i>Neraudia ovata</i> (=Sci name)	E	\$232,430	\$1,109,512,650

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
281	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$231,083	\$1,109,743,733
282	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain population	E	\$229,061	\$1,109,972,794
283	Bison, wood (<i>Bison bison athabasca</i>) - Canada	E	\$228,800	\$1,110,201,594
284	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$228,527	\$1,110,430,121
285	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophrys))	E	\$223,272	\$1,110,653,393
286	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$222,929	\$1,110,876,322
287	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$222,500	\$1,111,098,822
288	Jaguar (<i>Panthera onca</i>)	E	\$221,282	\$1,111,320,104
289	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - Entire; Except where EXPN	E	\$221,000	\$1,111,541,104
290	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$220,995	\$1,111,762,099
291	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$218,482	\$1,111,980,581
292	Darter, leopard (<i>Percina pantherina</i>)	T	\$215,281	\$1,112,195,862
293	Phyllostegia hispida (=Sci name)	E	\$213,271	\$1,112,409,133
294	Spiny mussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$213,262	\$1,112,622,395
295	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$213,188	\$1,112,835,583
296	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$213,077	\$1,113,048,660
297	<i>Silene lanceolata</i> (=Sci name)	E	\$211,348	\$1,113,260,008
298	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$211,113	\$1,113,471,121
299	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$210,616	\$1,113,681,737
300	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$210,155	\$1,113,891,892
301	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$209,763	\$1,114,101,655
302	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$209,093	\$1,114,310,748
303	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$208,146	\$1,114,518,894
304	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$207,377	\$1,114,726,271
305	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$207,071	\$1,114,933,342
306	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$206,922	\$1,115,140,264
307	Darter, bluemark (=jewel) (<i>Etheostoma</i> sp.)	E	\$206,633	\$1,115,346,897
308	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$205,847	\$1,115,552,744
309	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$205,738	\$1,115,758,482
310	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$204,167	\$1,115,962,649
311	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$202,425	\$1,116,165,074
312	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$200,386	\$1,116,365,460
313	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$199,055	\$1,116,564,515
314	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$198,682	\$1,116,763,197
315	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$198,612	\$1,116,961,809
316	<i>Silene hawaiiensis</i> (=Sci name)	T	\$198,584	\$1,117,160,393
317	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$197,944	\$1,117,358,337
318	<i>Lipochaeta venosa</i> (=Sci name)	E	\$197,582	\$1,117,555,919
319	Aupaka (<i>Isodendron hosakae</i>)	E	\$196,069	\$1,117,751,988
320	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$195,909	\$1,117,947,897
321	Kio'ele (<i>Hedyotis coriacea</i>)	E	\$195,782	\$1,118,143,679
322	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$191,009	\$1,118,334,688
323	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$190,241	\$1,118,524,929
324	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$190,063	\$1,118,714,992
325	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$189,210	\$1,118,904,202
326	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$188,058	\$1,119,092,260
327	Bankclimber, purple (mussel) (<i>Elliptioideus sloatianus</i>)	T	\$186,476	\$1,119,278,736
328	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$184,999	\$1,119,463,735
329	Ma'o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$184,152	\$1,119,647,887
330	Chub, spotfin (<i>Erimonax monachus</i>) - Entire	T	\$183,589	\$1,119,831,476
331	Mahoe (<i>Alectryon macrococcus</i>)	E	\$183,336	\$1,120,014,812
332	Gardenia (=Na'u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$180,728	\$1,120,195,540
333	Pua`ala (<i>Brighamia rockii</i>)	E	\$180,664	\$1,120,376,204
334	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$180,649	\$1,120,556,853
335	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$179,536	\$1,120,736,389
336	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$179,371	\$1,120,915,760
337	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$179,347	\$1,121,095,107
338	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$176,901	\$1,121,272,008
339	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$176,600	\$1,121,448,608

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
340	ʻAwikiwiki (<i>Canavalia molokaiensis</i>)	E	\$176,500	\$1,121,625,108
341	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$176,449	\$1,121,801,557
342	Otter, southern sea (<i>Enhydra lutris nereis</i>) - south of Pt. Conception, CA	EXPN	\$176,380	\$1,121,977,937
343	Kamanomano (<i>Cenchrus agrimonoides</i>)	E	\$174,855	\$1,122,152,792
344	Bedstraw, El Dorado (<i>Galium californicum ssp. sierrae</i>)	E	\$174,379	\$1,122,327,171
345	Koki'o ke'oke'o (<i>Hibiscus arnottianus ssp. immaculatus</i>)	E	\$173,664	\$1,122,500,835
346	Lo'ulu (<i>Pritchardia munroi</i>)	E	\$173,651	\$1,122,674,486
346	Haha (<i>Cyanea dunbarii</i>)	E	\$173,651	\$1,122,848,137
347	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$173,400	\$1,123,021,537
348	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$172,705	\$1,123,194,242
348	Broom, San Clemente Island (<i>Lotus dendroideus ssp. traskiae</i>)	E	\$172,705	\$1,123,366,947
348	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$172,705	\$1,123,539,652
349	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allopshys</i>)	E	\$172,383	\$1,123,712,035
350	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$171,736	\$1,123,883,771
351	Howellia, water (<i>Howellia aquatilis</i>)	T	\$171,175	\$1,124,054,946
352	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$170,940	\$1,124,225,886
353	Ko'oko'olau (<i>Bidens wiebkei</i>)	E	\$170,364	\$1,124,396,250
354	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$169,541	\$1,124,565,791
355	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$168,423	\$1,124,734,214
356	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$168,088	\$1,124,902,302
357	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$167,004	\$1,125,069,306
358	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$166,608	\$1,125,235,914
359	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$166,243	\$1,125,402,157
360	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$164,598	\$1,125,566,755
361	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$164,340	\$1,125,731,095
362	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$162,450	\$1,125,893,545
363	Akekee (<i>Loxops caeruleirostris</i>)	E	\$160,812	\$1,126,054,357
363	Akikiki (<i>Oreomystis bairdi</i>)	E	\$160,812	\$1,126,215,169
364	Pink, swamp (<i>Helonias bullata</i>)	T	\$159,258	\$1,126,374,427
365	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$157,841	\$1,126,532,268
366	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) – Entire; Except EXPN	E	\$156,500	\$1,126,688,768
367	Kulu'i (<i>Nototrichium humile</i>)	E	\$156,108	\$1,126,844,876
368	<i>Schiedea nuttallii</i> (=Sci name)	E	\$156,055	\$1,127,000,931
369	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE	E	\$155,346	\$1,127,156,277
370	Haha (<i>Cyanea grimesiana ssp. grimesiana</i>)	E	\$155,308	\$1,127,311,585
371	Pamakani (<i>Viola chamissoniana ssp. chamissoniana</i>)	E	\$154,695	\$1,127,466,280
372	<i>Gouania vitifolia</i> (=Sci name)	E	\$154,518	\$1,127,620,798
373	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$154,455	\$1,127,775,253
374	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$154,030	\$1,127,929,283
375	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - TN - specified portions of the French Broad and Holston Rivers	EXPN	\$153,832	\$1,128,083,115
376	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$153,821	\$1,128,236,936
377	<i>Hedyotis parvula</i> (=Sci name)	E	\$153,789	\$1,128,390,725
378	Button-celery, San Diego (<i>Eryngium aristulatum var. parishii</i>)	E	\$153,633	\$1,128,544,358
379	Woolly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$152,844	\$1,128,697,202
380	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$152,718	\$1,128,849,920
381	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$152,575	\$1,129,002,495
382	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - AL; Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$152,000	\$1,129,154,495
383	ʻAkoko (<i>Chamaesyce celastroides var. kaenana</i>)	E	\$151,004	\$1,129,305,499
384	Woolly-star, Santa Ana River (<i>Eriastrum densifolium ssp. sanctorum</i>)	E	\$150,890	\$1,129,456,389
385	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$150,751	\$1,129,607,140
386	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$150,630	\$1,129,757,770
387	Oha (<i>Delissea subcordata</i>)	E	\$150,058	\$1,129,907,828
388	Haha (<i>Cyanea superba</i>)	E	\$149,945	\$1,130,057,773
389	Amphipod, Peck's cave (<i>Stygobromus</i> (=Stygionectes) <i>pecki</i>)	E	\$149,814	\$1,130,207,587
390	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$149,645	\$1,130,357,232

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
391	Na`ena`e (<i>Dubautia herbstobatae</i>)	E	\$148,345	\$1,130,505,577
391	Haha (<i>Cyanea longiflora</i>)	E	\$148,345	\$1,130,653,922
392	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$148,171	\$1,130,802,093
393	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$147,858	\$1,130,949,951
394	Lo`ulu (<i>Pritchardia kaalae</i>)	E	\$147,639	\$1,131,097,590
395	<i>Sanicula mariversa</i> (=Sci name)	E	\$147,371	\$1,131,244,961
396	<i>Hedyotis degeneri</i> (=Sci name)	E	\$147,252	\$1,131,392,213
397	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$146,625	\$1,131,538,838
398	<i>Alsinidendron obovatum</i> (=Sci name)	E	\$146,565	\$1,131,685,403
398	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$146,565	\$1,131,831,968
399	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$146,340	\$1,131,978,308
400	Monardella, willow (<i>Monardella linoides</i> ssp. <i>viminea</i>)	E	\$145,190	\$1,132,123,498
401	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Entire; Except where EXPN	E	\$144,490	\$1,132,267,988
402	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$144,166	\$1,132,412,154
403	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$144,050	\$1,132,556,204
404	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$142,017	\$1,132,698,221
405	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$140,546	\$1,132,838,767
406	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$140,308	\$1,132,979,075
407	Elktoe, Cumberland (<i>Alasmodonta atropurpurea</i>)	E	\$139,577	\$1,133,118,652
408	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$139,200	\$1,133,257,852
409	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$138,638	\$1,133,396,490
410	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$138,554	\$1,133,535,044
411	Combshell, Cumberlandian (<i>Epioblasma brevicensis</i>) - Entire ; Except where EXPN	E	\$137,770	\$1,133,672,814
412	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$136,929	\$1,133,809,743
413	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$136,592	\$1,133,946,335
414	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$136,300	\$1,134,082,635
415	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjungens</i>)	T	\$134,746	\$1,134,217,381
416	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$134,163	\$1,134,351,544
417	Pigtoe, shiny (<i>Fusconaia cor</i>) - AL; Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$133,000	\$1,134,484,544
418	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$132,982	\$1,134,617,526
419	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$132,756	\$1,134,750,282
420	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$131,600	\$1,134,881,882
421	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$131,510	\$1,135,013,392
422	Sedge, golden (<i>Carex lutea</i>)	E	\$131,190	\$1,135,144,582
423	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$130,678	\$1,135,275,260
424	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$130,186	\$1,135,405,446
425	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$130,039	\$1,135,535,485
426	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$129,324	\$1,135,664,809
427	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniensis</i>)	E	\$128,702	\$1,135,793,511
428	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$127,879	\$1,135,921,390
429	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$127,648	\$1,136,049,038
430	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$127,146	\$1,136,176,184
431	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$126,731	\$1,136,302,915
432	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$125,561	\$1,136,428,476
433	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$124,549	\$1,136,553,025
434	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$123,618	\$1,136,676,643
435	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$123,349	\$1,136,799,992
436	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$121,760	\$1,136,921,752
437	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$120,879	\$1,137,042,631
438	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$119,818	\$1,137,162,449
439	Trillium, relict (<i>Trillium reliquum</i>)	E	\$119,660	\$1,137,282,109
440	Oxytheca, cushionbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$118,100	\$1,137,400,209
441	Ko`oloa`ula (<i>Abutilon menziesii</i>)	E	\$117,958	\$1,137,518,167
442	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$117,500	\$1,137,635,667
443	fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$116,930	\$1,137,752,597
444	Tarplant, Santa Cruz (<i>Holocarpa macradenia</i>)	T	\$115,369	\$1,137,867,966
445	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$115,226	\$1,137,983,192
446	Thelypod, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$114,648	\$1,138,097,840

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
447	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$114,589	\$1,138,212,429
448	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$114,570	\$1,138,326,999
449	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$113,000	\$1,138,439,999
450	Rush-rose, island (<i>Helianthemum greenii</i>)	T	\$112,735	\$1,138,552,734
451	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$112,120	\$1,138,664,854
452	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$111,579	\$1,138,776,433
453	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$111,322	\$1,138,887,755
454	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$109,898	\$1,138,997,653
455	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$108,600	\$1,139,106,253
456	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$107,539	\$1,139,213,792
457	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$107,264	\$1,139,321,056
458	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$107,000	\$1,139,428,056
459	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$106,858	\$1,139,534,914
460	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$106,700	\$1,139,641,614
461	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$106,243	\$1,139,747,857
462	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$105,683	\$1,139,853,540
463	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$105,350	\$1,139,958,890
464	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$104,500	\$1,140,063,390
465	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$104,050	\$1,140,167,440
466	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$103,412	\$1,140,270,852
467	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$102,000	\$1,140,372,852
468	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$101,100	\$1,140,473,952
469	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$101,000	\$1,140,574,952
470	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$99,510	\$1,140,674,462
471	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) - subspecies range clarified	T	\$99,275	\$1,140,773,737
472	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$99,066	\$1,140,872,803
473	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$98,802	\$1,140,971,605
474	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$98,280	\$1,141,069,885
475	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$97,855	\$1,141,167,740
476	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$96,075	\$1,141,263,815
477	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$96,061	\$1,141,359,876
478	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$94,104	\$1,141,453,980
478	Meadowfoam, Sebastopol (<i>Limnanthes vincularis</i>)	E	\$94,104	\$1,141,548,084
479	Pearlymussel, dromedary (<i>Dromus dromas</i>) - Entire ; Except where EXPN	E	\$93,565	\$1,141,641,649
480	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$93,100	\$1,141,734,749
481	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$92,902	\$1,141,827,651
482	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$92,397	\$1,141,920,048
483	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$92,289	\$1,142,012,337
484	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$92,229	\$1,142,104,566
485	popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$92,200	\$1,142,196,766
486	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$90,912	\$1,142,287,678
487	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$90,705	\$1,142,378,383
488	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$90,652	\$1,142,469,035
489	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$90,506	\$1,142,559,541
490	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$90,011	\$1,142,649,552
491	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$90,000	\$1,142,739,552
492	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$89,952	\$1,142,829,504
493	Tuctoria, Greene's (<i>Tuctoria greenii</i>)	E	\$89,951	\$1,142,919,455
494	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$89,565	\$1,143,009,020
495	Darter, duskytail (<i>Etheostoma percnurum</i>) - Entire	E	\$88,977	\$1,143,097,997
496	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$88,494	\$1,143,186,491
497	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$88,000	\$1,143,274,491
498	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$87,368	\$1,143,361,859
499	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$87,279	\$1,143,449,138
500	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$87,167	\$1,143,536,305
501	purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Entire; Except where EXPN	E	\$87,132	\$1,143,623,437
502	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$87,056	\$1,143,710,493
503	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$86,941	\$1,143,797,434

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
504	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$86,132	\$1,143,883,566
505	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$85,582	\$1,143,969,148
506	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$85,375	\$1,144,054,523
507	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$84,608	\$1,144,139,131
508	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$84,425	\$1,144,223,556
509	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$84,330	\$1,144,307,886
510	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$84,300	\$1,144,392,186
511	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$83,700	\$1,144,475,886
512	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$83,000	\$1,144,558,886
513	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$82,340	\$1,144,641,226
514	Wireweed (<i>Polygonella basiramia</i>)	E	\$80,884	\$1,144,722,110
515	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$80,342	\$1,144,802,452
516	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$80,215	\$1,144,882,667
517	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$80,025	\$1,144,962,692
518	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$79,875	\$1,145,042,567
519	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$79,600	\$1,145,122,167
519	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$79,600	\$1,145,201,767
520	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$78,960	\$1,145,280,727
521	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$78,615	\$1,145,359,342
522	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$78,465	\$1,145,437,807
523	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$77,658	\$1,145,515,465
524	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$77,290	\$1,145,592,755
525	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$77,100	\$1,145,669,855
526	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$76,274	\$1,145,746,129
527	Cactus, star (<i>Astrophytum asterias</i>)	E	\$76,240	\$1,145,822,369
528	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$76,153	\$1,145,898,522
529	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$75,900	\$1,145,974,422
530	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$75,156	\$1,146,049,578
531	Harperella (<i>Ptilimnium nodosum</i>)	E	\$75,030	\$1,146,124,608
532	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$74,896	\$1,146,199,504
533	<i>Aiea</i> (<i>Nothocestrum breviflorum</i>)	E	\$74,506	\$1,146,274,010
534	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$74,452	\$1,146,348,462
535	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) – Entire; Except where EXPN	E	\$74,220	\$1,146,422,682
536	Dace, desert (<i>Eremichthys acros</i>)	T	\$74,168	\$1,146,496,850
537	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$73,540	\$1,146,570,390
538	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$73,170	\$1,146,643,560
539	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$72,437	\$1,146,715,997
540	Haha (<i>Cyanea koolauensis</i>)	E	\$72,146	\$1,146,788,143
541	Layia, beach (<i>Layia carnosa</i>)	E	\$72,011	\$1,146,860,154
542	Haha (<i>Cyanea st.-johnii</i>)	E	\$71,310	\$1,146,931,464
543	Pu'uka'a (<i>Cyperus trachysanthos</i>)	E	\$71,292	\$1,147,002,756
544	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$71,180	\$1,147,073,936
545	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$70,520	\$1,147,144,456
546	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$70,000	\$1,147,214,456
547	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$69,946	\$1,147,284,402
547	Alani (<i>Melicope lydgatei</i>)	E	\$69,946	\$1,147,354,348
548	<i>Pteris lidgatei</i> (=Sci name)	E	\$69,859	\$1,147,424,207
549	<i>Sanicula purpurea</i> (=Sci name)	E	\$69,559	\$1,147,493,766
549	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$69,559	\$1,147,563,325
550	<i>Lobelia oahuensis</i> (=Sci name)	E	\$69,523	\$1,147,632,848
551	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$69,464	\$1,147,702,312
552	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$69,219	\$1,147,771,531
553	Nioi (<i>Eugenia koolauensis</i>)	E	\$69,133	\$1,147,840,664
554	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$69,000	\$1,147,909,664
555	Ha'iwale (<i>Cyrtandra dentata</i>)	E	\$68,646	\$1,147,978,310
556	Darter, amber (<i>Percina antesella</i>)	E	\$68,600	\$1,148,046,910
557	Ha'iwale (<i>Cyrtandra subumbellata</i>)	E	\$68,546	\$1,148,115,456
557	Haha (<i>Cyanea acuminata</i>)	E	\$68,546	\$1,148,184,002
557	Nanu (<i>Gardenia mannii</i>)	E	\$68,546	\$1,148,252,548

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
558	`Akoko (<i>Chamaesyce rockii</i>)	E	\$68,259	\$1,148,320,807
559	<i>Viola oahuensis</i> (=Sci name)	E	\$68,159	\$1,148,388,966
560	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$68,059	\$1,148,457,025
560	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$68,059	\$1,148,525,084
560	Kolea (<i>Myrsine juddii</i>)	E	\$68,059	\$1,148,593,143
561	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$67,995	\$1,148,661,138
562	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$67,760	\$1,148,728,898
562	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$67,760	\$1,148,796,658
563	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$67,678	\$1,148,864,336
564	cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$67,665	\$1,148,932,001
565	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$67,502	\$1,148,999,503
566	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$67,067	\$1,149,066,570
567	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$66,300	\$1,149,132,870
568	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$65,887	\$1,149,198,757
569	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) – Entire; Except where	EXPN	\$65,877	\$1,149,264,634
570	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$65,100	\$1,149,329,734
571	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$65,047	\$1,149,394,781
572	Koki`o (<i>Kokia drynarioides</i>)	E	\$64,679	\$1,149,459,460
573	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$64,360	\$1,149,523,820
574	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$64,095	\$1,149,587,915
575	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$63,900	\$1,149,651,815
576	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$63,760	\$1,149,715,575
577	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$63,630	\$1,149,779,205
578	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$63,030	\$1,149,842,235
579	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$62,577	\$1,149,904,812
580	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$61,558	\$1,149,966,370
581	bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$61,363	\$1,150,027,733
582	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$61,262	\$1,150,088,995
583	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$60,548	\$1,150,149,543
584	Kauila (<i>Colubrina oppositifolia</i>)	E	\$60,447	\$1,150,209,990
585	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$59,942	\$1,150,269,932
586	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$59,776	\$1,150,329,708
587	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$59,517	\$1,150,389,225
588	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$59,369	\$1,150,448,594
589	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$59,291	\$1,150,507,885
590	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$59,220	\$1,150,567,105
591	Dace, Foscett speckled (<i>Rhinichthys osculus</i> ssp.) - Foscett	T	\$59,100	\$1,150,626,205
592	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$58,849	\$1,150,685,054
593	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$58,774	\$1,150,743,828
594	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>)	E	\$58,392	\$1,150,802,220
595	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$58,326	\$1,150,860,546
596	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$57,100	\$1,150,917,646
597	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$56,944	\$1,150,974,590
598	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$56,416	\$1,151,031,006
599	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$56,250	\$1,151,087,256
600	Pennyroyal, Todsens' (<i>Hedeoma todsenii</i>)	E	\$56,100	\$1,151,143,356
601	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$56,016	\$1,151,199,372
602	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$55,930	\$1,151,255,302
603	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$55,519	\$1,151,310,821
604	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$55,500	\$1,151,366,321
605	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$55,464	\$1,151,421,785
606	Alani (<i>Melicope adscendens</i>)	E	\$55,337	\$1,151,477,122
607	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$55,246	\$1,151,532,368
608	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$54,947	\$1,151,587,315
609	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$54,882	\$1,151,642,197
610	Uhiuhi (<i>Caesalpinia kavaense</i>)	E	\$54,689	\$1,151,696,886
611	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$53,814	\$1,151,750,700
612	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$53,500	\$1,151,804,200
613	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$53,311	\$1,151,857,511

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
614	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$52,977	\$1,151,910,488
615	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$52,687	\$1,151,963,175
616	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$52,663	\$1,152,015,838
617	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$52,650	\$1,152,068,488
618	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$52,002	\$1,152,120,490
619	Milk-vetch, Sentry (<i>Astragalus cremonophylax</i> var. <i>cremonophylax</i>)	E	\$51,900	\$1,152,172,390
620	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$51,520	\$1,152,223,910
621	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$51,350	\$1,152,275,260
622	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$51,343	\$1,152,326,603
623	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$51,095	\$1,152,377,698
624	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$51,002	\$1,152,428,700
625	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$50,905	\$1,152,479,605
626	Alani (<i>Melicope knudsenii</i>)	E	\$50,800	\$1,152,530,405
627	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$50,738	\$1,152,581,143
628	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$50,534	\$1,152,631,677
629	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$50,316	\$1,152,681,993
630	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$49,835	\$1,152,731,828
631	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$49,769	\$1,152,781,597
632	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$49,523	\$1,152,831,120
633	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$49,379	\$1,152,880,499
634	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$49,094	\$1,152,929,593
635	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$49,076	\$1,152,978,669
636	Sandalwood, Lanai (=iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$49,000	\$1,153,027,669
637	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$48,819	\$1,153,076,488
638	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$48,700	\$1,153,125,188
639	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$48,425	\$1,153,173,613
640	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$48,384	\$1,153,221,997
641	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$48,369	\$1,153,270,366
642	Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$48,364	\$1,153,318,730
643	Po'ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$48,300	\$1,153,367,030
644	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$47,938	\$1,153,414,968
645	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$47,809	\$1,153,462,777
646	Seablite, California (<i>Suaeda californica</i>)	E	\$47,748	\$1,153,510,525
647	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$47,700	\$1,153,558,225
648	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$47,650	\$1,153,605,875
649	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$47,389	\$1,153,653,264
650	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$47,000	\$1,153,700,264
651	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$46,975	\$1,153,747,239
652	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$46,508	\$1,153,793,747
653	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$46,428	\$1,153,840,175
654	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$46,424	\$1,153,886,599
655	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$46,322	\$1,153,932,921
656	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$46,000	\$1,153,978,921
657	Akiapola'au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$45,605	\$1,154,024,526
658	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$45,500	\$1,154,070,026
659	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$45,378	\$1,154,115,404
660	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$44,650	\$1,154,160,054
661	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$44,400	\$1,154,204,454
662	Pocketbook, finelined (<i>Lampsilis altis</i>)	T	\$44,137	\$1,154,248,591
663	Sandlace (<i>Polygonella myriophylla</i>)	E	\$44,090	\$1,154,292,681
664	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$44,040	\$1,154,336,721
665	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>)	E	\$43,998	\$1,154,380,719
666	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$43,600	\$1,154,424,319
667	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$43,500	\$1,154,467,819
668	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$43,366	\$1,154,511,185
669	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$43,253	\$1,154,554,438
670	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$42,850	\$1,154,597,288
671	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$42,228	\$1,154,639,516
672	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$41,951	\$1,154,681,467

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
673	Puma (=mountain lion) (<i>Puma</i> (=Felis) <i>concolor</i> (all subsp. except <i>coryi</i>)) - FL	SAT	\$41,661	\$1,154,723,128
674	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$41,599	\$1,154,764,727
675	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$41,363	\$1,154,806,090
676	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$41,100	\$1,154,847,190
677	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$40,207	\$1,154,887,397
678	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$40,025	\$1,154,927,422
679	Turtle, flattened musk (<i>Sternotherus depressus</i>) - species range clarified	T	\$39,865	\$1,154,967,287
680	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$39,441	\$1,155,006,728
681	Puma (=cougar), eastern (<i>Puma</i> (=Felis) <i>concolor cougar</i>)	E	\$39,295	\$1,155,046,023
682	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$39,205	\$1,155,085,228
683	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$39,079	\$1,155,124,307
684	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$39,011	\$1,155,163,318
685	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekaensis</i>)	E	\$38,978	\$1,155,202,296
686	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	\$38,804	\$1,155,241,100
687	Nukupū`u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$38,700	\$1,155,279,800
688	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$38,600	\$1,155,318,400
689	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$38,375	\$1,155,356,775
690	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$38,113	\$1,155,394,888
691	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) – Entire; Except where EXPN	E	\$37,920	\$1,155,432,808
692	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$37,859	\$1,155,470,667
693	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$37,500	\$1,155,508,167
693	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$37,500	\$1,155,545,667
694	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$37,350	\$1,155,583,017
695	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$37,325	\$1,155,620,342
696	Madtom, smoky (<i>Noturus baileyi</i>) - Entire	E	\$36,900	\$1,155,657,242
697	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$36,550	\$1,155,693,792
698	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$36,100	\$1,155,729,892
699	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$35,872	\$1,155,765,764
700	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$35,650	\$1,155,801,414
701	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$35,431	\$1,155,836,845
702	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - Entire	E	\$35,371	\$1,155,872,216
703	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$34,946	\$1,155,907,162
704	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$34,530	\$1,155,941,692
705	<i>Diellia mannii</i> (=Sci name)	E	\$34,500	\$1,155,976,192
706	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$34,488	\$1,156,010,680
707	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$34,200	\$1,156,044,880
708	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) - Hutton	T	\$34,100	\$1,156,078,980
709	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$33,992	\$1,156,112,972
710	`Oha wai (<i>Clermontia peleana</i>)	E	\$33,832	\$1,156,146,804
711	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$33,671	\$1,156,180,475
712	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$33,600	\$1,156,214,075
713	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$33,534	\$1,156,247,609
714	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$33,400	\$1,156,281,009
715	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$33,390	\$1,156,314,399
716	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$33,351	\$1,156,347,750
717	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$33,200	\$1,156,380,950
718	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$33,110	\$1,156,414,060
719	Boa, Virgin Islands tree (<i>Epicrates monensis grantii</i>)	E	\$32,500	\$1,156,446,560
720	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$32,494	\$1,156,479,054
721	Darter, goldline (<i>Percina aurolineata</i>)	T	\$32,478	\$1,156,511,532
722	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$32,133	\$1,156,543,665
723	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$32,106	\$1,156,575,771
724	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$31,806	\$1,156,607,577
725	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$31,800	\$1,156,639,377
726	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$31,794	\$1,156,671,171
727	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$31,619	\$1,156,702,790
728	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneuma</i>)	E	\$31,551	\$1,156,734,341
729	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$31,451	\$1,156,765,792
730	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$31,200	\$1,156,796,992

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
731	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$31,000	\$1,156,827,992
732	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$30,800	\$1,156,858,792
733	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$30,686	\$1,156,889,478
734	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$30,600	\$1,156,920,078
735	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$30,353	\$1,156,950,431
736	Alani (<i>Melicope mucronulata</i>)	E	\$30,151	\$1,156,980,582
737	Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek	EXPN	\$30,000	\$1,157,010,582
738	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$29,916	\$1,157,040,498
739	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$29,819	\$1,157,070,317
740	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$29,590	\$1,157,099,907
741	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$29,464	\$1,157,129,371
742	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$29,300	\$1,157,158,671
743	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$29,290	\$1,157,187,961
744	Nohoanu (<i>Geranium kauaiense</i>)	E	\$29,198	\$1,157,217,159
745	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$29,084	\$1,157,246,243
746	Darter, relict (<i>Etheostoma chienense</i>)	E	\$29,000	\$1,157,275,243
747	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$28,868	\$1,157,304,111
748	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$28,639	\$1,157,332,750
749	wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$28,472	\$1,157,361,222
750	Rocksnaill, painted (<i>Leptoxis taeniata</i>)	T	\$28,220	\$1,157,389,442
751	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$28,213	\$1,157,417,655
752	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$27,800	\$1,157,445,455
753	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$27,721	\$1,157,473,176
754	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$27,683	\$1,157,500,859
755	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$27,555	\$1,157,528,414
756	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$27,161	\$1,157,555,575
757	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$27,133	\$1,157,582,708
758	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - Southwestern population	EXPN	\$27,000	\$1,157,609,708
759	^Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$26,974	\$1,157,636,682
760	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$26,950	\$1,157,663,632
761	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$26,934	\$1,157,690,566
762	Darter, snail (<i>Percina tanasi</i>)	T	\$26,708	\$1,157,717,274
763	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$26,616	\$1,157,743,890
764	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$26,423	\$1,157,770,313
765	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$26,387	\$1,157,796,700
766	Haha (<i>Cyanea shipmanii</i>)	E	\$26,325	\$1,157,823,025
767	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$26,297	\$1,157,849,322
768	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$26,250	\$1,157,875,572
769	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$26,003	\$1,157,901,575
770	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$26,000	\$1,157,927,575
770	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhapha</i>)	E	\$26,000	\$1,157,953,575
771	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$25,849	\$1,157,979,424
772	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$25,820	\$1,158,005,244
773	Phyllostegia parviflora (=Sci name)	E	\$25,746	\$1,158,030,990
774	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$25,700	\$1,158,056,690
775	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$25,470	\$1,158,082,160
776	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$25,251	\$1,158,107,411
777	Achyranthes mutica (=Sci name)	E	\$25,224	\$1,158,132,635
778	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$25,198	\$1,158,157,833
779	Pigtoe, shiny (<i>Fusconaia cor</i>) - Entire ; Except where EXPN	E	\$25,020	\$1,158,182,853
779	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$25,020	\$1,158,207,873
780	Ohai (<i>Sesbania tomentosa</i>)	E	\$24,723	\$1,158,232,596
781	Alani (<i>Melicope zahlbruckneri</i>)	E	\$24,689	\$1,158,257,285
782	^Oha wai (<i>Clermontia pyrularia</i>)	E	\$24,687	\$1,158,281,972
783	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$24,625	\$1,158,306,597
784	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$24,250	\$1,158,330,847
785	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$24,194	\$1,158,355,041
785	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$24,194	\$1,158,379,235

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
786	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$24,126	\$1,158,403,361
787	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$23,872	\$1,158,427,233
788	Haha (<i>Cyanea stictophylla</i>)	E	\$23,755	\$1,158,450,988
789	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotes</i>)	E	\$23,754	\$1,158,474,742
789	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>)	E	\$23,754	\$1,158,498,496
790	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$23,657	\$1,158,522,153
791	Plum, scrub (<i>Prunus geniculata</i>)	E	\$23,560	\$1,158,545,713
792	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$23,213	\$1,158,568,926
793	Heau (<i>Exocarpos luteolus</i>)	E	\$23,000	\$1,158,591,926
794	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$22,908	\$1,158,614,834
795	cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$22,600	\$1,158,637,434
796	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$22,537	\$1,158,659,971
797	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$21,716	\$1,158,681,687
798	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	\$21,634	\$1,158,703,321
799	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$21,583	\$1,158,724,904
800	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - DE, Sussex Co.	EXPN	\$21,561	\$1,158,746,465
801	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$21,424	\$1,158,767,889
802	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$21,292	\$1,158,789,181
803	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$21,260	\$1,158,810,441
804	Anunu (<i>Sicyos alba</i>)	E	\$21,254	\$1,158,831,695
805	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$21,110	\$1,158,852,805
806	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$21,100	\$1,158,873,905
807	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$20,960	\$1,158,894,865
808	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$20,954	\$1,158,915,819
809	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$20,800	\$1,158,936,619
810	Combshell, upland (<i>Epioblasma metastriata</i>)	E	\$20,672	\$1,158,957,291
811	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$20,621	\$1,158,977,912
812	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$20,620	\$1,158,998,532
813	Ceanothus, coyote (<i>Ceanothus ferrissae</i>)	E	\$20,567	\$1,159,019,099
814	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$20,524	\$1,159,039,623
815	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$20,500	\$1,159,060,123
816	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$20,484	\$1,159,080,607
817	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$20,100	\$1,159,100,707
817	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$20,100	\$1,159,120,807
818	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$20,062	\$1,159,140,869
819	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$20,000	\$1,159,160,869
820	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$19,851	\$1,159,180,720
821	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$19,651	\$1,159,200,371
822	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$19,598	\$1,159,219,969
823	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$19,558	\$1,159,239,527
824	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$19,556	\$1,159,259,083
825	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$19,422	\$1,159,278,505
826	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$19,342	\$1,159,297,847
827	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$19,100	\$1,159,316,947
828	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$19,000	\$1,159,335,947
829	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$18,867	\$1,159,354,814
830	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$18,847	\$1,159,373,661
831	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$18,824	\$1,159,392,485
832	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$18,765	\$1,159,411,250
833	A'e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$18,650	\$1,159,429,900
834	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$18,631	\$1,159,448,531
835	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$18,504	\$1,159,467,035
836	Rocksnailed, plicate (<i>Leptoxis plicata</i>)	E	\$18,378	\$1,159,485,413
837	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$18,231	\$1,159,503,644
838	Buckwheat, Ione (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	\$18,226	\$1,159,521,870
839	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$18,219	\$1,159,540,089
840	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$18,197	\$1,159,558,286
841	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$18,157	\$1,159,576,443
842	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$18,095	\$1,159,594,538

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
843	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$17,900	\$1,159,612,438
844	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$17,800	\$1,159,630,238
845	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$17,789	\$1,159,648,027
846	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$17,735	\$1,159,665,762
847	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$17,663	\$1,159,683,425
848	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$17,600	\$1,159,701,025
848	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$17,600	\$1,159,718,625
849	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$17,500	\$1,159,736,125
850	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$17,400	\$1,159,753,525
851	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$17,361	\$1,159,770,886
852	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$17,150	\$1,159,788,036
853	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$17,140	\$1,159,805,176
854	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$17,021	\$1,159,822,197
855	Pigtoe, rough (<i>Pleurobema plenum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$17,000	\$1,159,839,197
856	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$16,985	\$1,159,856,182
857	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$16,954	\$1,159,873,136
857	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$16,954	\$1,159,890,090
858	Cycladenia, Jones (<i>Cycladenia jonesii</i> (=humilis))	T	\$16,800	\$1,159,906,890
859	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$16,789	\$1,159,923,679
860	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$16,228	\$1,159,939,907
861	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$16,084	\$1,159,955,991
862	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$16,001	\$1,159,971,992
863	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$16,000	\$1,159,987,992
864	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$15,956	\$1,160,003,948
865	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$15,880	\$1,160,019,828
866	Lau `ehu (<i>Panicum niihauense</i>)	E	\$15,847	\$1,160,035,675
867	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	\$15,800	\$1,160,051,475
868	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$15,600	\$1,160,067,075
869	<i>Platanthera holochila</i> (=Sci name)	E	\$15,579	\$1,160,082,654
870	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$15,497	\$1,160,098,151
871	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$15,350	\$1,160,113,501
872	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$15,309	\$1,160,128,810
873	Polygala, tiny (<i>Polygala smallii</i>)	E	\$15,100	\$1,160,143,910
874	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$14,949	\$1,160,158,859
875	Pearlymussel, birdwing (Conradilla caelata) - TN - portions of the French Broad and Holston Rivers	EXPN	\$14,849	\$1,160,173,708
876	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$14,567	\$1,160,188,275
877	Kuawawaenohu (<i>Alsindendron lychnoides</i>)	E	\$14,500	\$1,160,202,775
878	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$14,340	\$1,160,217,115
879	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$14,324	\$1,160,231,439
880	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$14,314	\$1,160,245,753
881	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$14,309	\$1,160,260,062
882	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$14,274	\$1,160,274,336
883	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$14,083	\$1,160,288,419
884	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$14,049	\$1,160,302,468
885	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$13,839	\$1,160,316,307
886	Campion, fringed (<i>Silene polypetala</i>)	E	\$13,800	\$1,160,330,107
887	Chub, slender (<i>Erimystax cahni</i>)	T	\$13,700	\$1,160,343,807
888	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$13,661	\$1,160,357,468
889	Mustard, Carter's (<i>Warea carteri</i>)	E	\$13,656	\$1,160,371,124
890	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$13,600	\$1,160,384,724
890	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$13,600	\$1,160,398,324
891	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$13,563	\$1,160,411,887
892	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$13,260	\$1,160,425,147
893	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$13,250	\$1,160,438,397
894	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$13,227	\$1,160,451,624
895	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$13,177	\$1,160,464,801
896	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$13,056	\$1,160,477,857

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
897	Avens, spreading (<i>Geum radiatum</i>)	E	\$13,002	\$1,160,490,859
898	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$13,000	\$1,160,503,859
898	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$13,000	\$1,160,516,859
899	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$12,841	\$1,160,529,700
900	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$12,678	\$1,160,542,378
901	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$12,633	\$1,160,555,011
902	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$12,602	\$1,160,567,613
903	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$12,600	\$1,160,580,213
904	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$12,473	\$1,160,592,686
905	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$12,383	\$1,160,605,069
906	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$12,260	\$1,160,617,329
907	<i>Phyllostegia mannii</i> (=Sci name)	E	\$12,137	\$1,160,629,466
908	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$12,059	\$1,160,641,525
909	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$12,000	\$1,160,653,525
910	Pa'iniu (<i>Astelia waialealae</i>)	E	\$11,985	\$1,160,665,510
911	Alani (<i>Melicope degeneri</i>)	E	\$11,912	\$1,160,677,422
912	Rocksnaill, round (<i>Leptoxis ampla</i>)	T	\$11,878	\$1,160,689,300
913	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$11,664	\$1,160,700,964
914	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$11,631	\$1,160,712,595
915	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$11,609	\$1,160,724,204
916	Pikeminnow (=squawfish), Colorado (<i>Pychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$11,523	\$1,160,735,727
917	Boxwood, Vahl's (<i>Buxus vahlit</i>)	E	\$11,500	\$1,160,747,227
918	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$11,487	\$1,160,758,714
919	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$11,478	\$1,160,770,192
920	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$11,362	\$1,160,781,554
921	Onion, Munz's (<i>Allium munzii</i>)	E	\$11,332	\$1,160,792,886
922	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$11,331	\$1,160,804,217
923	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$11,256	\$1,160,815,473
924	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$11,220	\$1,160,826,693
925	Na'ena'e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$11,137	\$1,160,837,830
926	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$11,120	\$1,160,848,950
927	Kamakahala (<i>Labordia lydgatei</i>)	E	\$11,102	\$1,160,860,052
928	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$11,100	\$1,160,871,152
929	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$11,030	\$1,160,882,182
930	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$11,027	\$1,160,893,209
931	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$11,000	\$1,160,904,209
931	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$11,000	\$1,160,915,209
931	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$11,000	\$1,160,926,209
932	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>)	E	\$10,901	\$1,160,937,110
933	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$10,757	\$1,160,947,867
934	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$10,684	\$1,160,958,551
935	Beetle, Helotes mold (<i>Batrissodes venyivi</i>)	E	\$10,600	\$1,160,969,151
936	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$10,500	\$1,160,979,651
937	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$10,486	\$1,160,990,137
938	Naenae (<i>Dubautia kalalauensis</i>)	E	\$10,476	\$1,161,000,613
939	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$10,462	\$1,161,011,075
940	Aupaka (<i>Isodendron longifolium</i>)	T	\$10,454	\$1,161,021,529
941	Nohoanu (<i>Geranium multiflorum</i>)	E	\$10,400	\$1,161,031,929
942	Haha (<i>Cyanea platyphylla</i>)	E	\$10,323	\$1,161,042,252
943	Iehua makano (<i>Lysimachia daphnoides</i>)	E	\$10,321	\$1,161,052,573
944	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$10,200	\$1,161,062,773
945	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$10,100	\$1,161,072,873
946	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$10,000	\$1,161,082,873
947	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$9,924	\$1,161,092,797
948	Na'ena'e (<i>Dubautia waialealae</i>)	E	\$9,812	\$1,161,102,609
948	Kamakahala (<i>Labordia pumila</i>)	E	\$9,812	\$1,161,112,421
948	Keysseria (=Lagenifera) erici (=Sci name)	E	\$9,812	\$1,161,122,233
949	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$9,770	\$1,161,132,003

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
950	Cameloma, slender (<i>Cameloma decampi</i>)	E	\$9,720	\$1,161,141,723
951	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$9,633	\$1,161,151,356
952	roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$9,562	\$1,161,160,918
953	<i>Neraudia angulata</i> (=Sci name)	E	\$9,543	\$1,161,170,461
954	Lo'ulu (<i>Pritchardia affinis</i>)	E	\$9,517	\$1,161,179,978
955	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$9,500	\$1,161,189,478
955	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$9,500	\$1,161,198,978
956	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$9,453	\$1,161,208,431
957	<i>Lobelia niihauensis</i> (=Sci name)	E	\$9,443	\$1,161,217,874
958	Snail, Pecos assimineae (<i>Assiminea pecos</i>)	E	\$9,400	\$1,161,227,274
959	Alani (<i>Melicope puberula</i>)	E	\$9,312	\$1,161,236,586
960	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$9,250	\$1,161,245,836
961	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$9,232	\$1,161,255,068
962	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$9,221	\$1,161,264,289
963	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$9,200	\$1,161,273,489
964	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$9,156	\$1,161,282,645
965	Milk-vetch, triple-ribbed (<i>Astragalus tricarlinatus</i>)	E	\$9,152	\$1,161,291,797
966	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$9,151	\$1,161,300,948
967	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>)	E	\$9,112	\$1,161,310,060
968	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$9,100	\$1,161,319,160
969	<i>Schiedea hookeri</i> (=Sci name)	E	\$8,956	\$1,161,328,116
969	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$8,956	\$1,161,337,072
970	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$8,952	\$1,161,346,024
971	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$8,951	\$1,161,354,975
972	Alani (<i>Melicope pallida</i>)	E	\$8,921	\$1,161,363,896
973	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$8,865	\$1,161,372,761
974	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$8,856	\$1,161,381,617
975	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$8,812	\$1,161,390,429
976	Kopiko (<i>Psychotria grandiflora</i>)	E	\$8,763	\$1,161,399,192
976	Kolea (<i>Myrsine mezii</i>)	E	\$8,763	\$1,161,407,955
977	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$8,661	\$1,161,416,616
978	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$8,600	\$1,161,425,216
979	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$8,587	\$1,161,433,803
980	Haha (<i>Cyanea lobata</i>)	E	\$8,502	\$1,161,442,305
981	Haha (<i>Cyanea glabra</i>)	E	\$8,487	\$1,161,450,792
982	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$8,481	\$1,161,459,273
983	`Aiakakua, popolo (<i>Solanum sandwicense</i>)	E	\$8,457	\$1,161,467,730
984	Kolea (<i>Myrsine linearifolia</i>)	T	\$8,451	\$1,161,476,181
985	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$8,450	\$1,161,484,631
986	<i>Schiedea kaalae</i> (=Sci name)	E	\$8,420	\$1,161,493,051
987	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$8,411	\$1,161,501,462
988	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$8,400	\$1,161,509,862
989	Ha'iwale (<i>Cyrtandra tintinnabula</i>)	E	\$8,398	\$1,161,518,260
990	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$8,370	\$1,161,526,630
991	Lo'ulu (<i>Pritchardia schattaueri</i>)	E	\$8,361	\$1,161,534,991
992	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$8,300	\$1,161,543,291
993	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$8,250	\$1,161,551,541
994	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$8,183	\$1,161,559,724
995	`Oha wai (<i>Clermontia samuelii</i>)	E	\$8,100	\$1,161,567,824
995	Wawae'iole (<i>Huperzia mannii</i>)	E	\$8,100	\$1,161,575,924
996	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$8,017	\$1,161,583,941
997	<i>Diplazium molokaiense</i> (=Sci name)	E	\$7,906	\$1,161,591,847
998	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$7,900	\$1,161,599,747
999	Kamakahala (<i>Labordia helleri</i>)	E	\$7,812	\$1,161,607,559
1000	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$7,806	\$1,161,615,365
1001	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$7,800	\$1,161,623,165
1002	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$7,767	\$1,161,630,932
1003	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$7,645	\$1,161,638,577
1004	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$7,600	\$1,161,646,177

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1005	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$7,550	\$1,161,653,727
1006	<i>Delissea rhytidospema</i> (=Sci name)	E	\$7,538	\$1,161,661,265
1007	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$7,505	\$1,161,668,770
1008	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$7,500	\$1,161,676,270
1008	<i>Aristida chaseae</i> (=Sci name)	E	\$7,500	\$1,161,683,770
1009	Alani (<i>Melicope paniculata</i>)	E	\$7,487	\$1,161,691,257
1010	<i>Tetraplasandra flynnii</i> (=Sci name)	E	\$7,463	\$1,161,698,720
1011	<i>Delissea undulata</i> (=Sci name)	E	\$7,395	\$1,161,706,115
1012	Makou (<i>Peucedanum sandwicense</i>)	T	\$7,370	\$1,161,713,485
1013	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$7,339	\$1,161,720,824
1014	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$7,293	\$1,161,728,117
1015	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$7,262	\$1,161,735,379
1016	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$7,220	\$1,161,742,599
1017	Alani (<i>Melicope ovalis</i>)	E	\$7,200	\$1,161,749,799
1018	Pussypaws, Mariposa (<i>Calyptidium pulchellum</i>)	T	\$7,159	\$1,161,756,958
1019	<i>Silene alexandri</i> (=Sci name)	E	\$7,151	\$1,161,764,109
1019	<i>Viola helenae</i> (=Sci name)	E	\$7,151	\$1,161,771,260
1019	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$7,151	\$1,161,778,411
1019	<i>Stenogyne bifida</i> (=Sci name)	E	\$7,151	\$1,161,785,562
1019	Kolea (<i>Myrsine knudsenii</i>)	E	\$7,151	\$1,161,792,713
1020	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$7,110	\$1,161,799,823
1021	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$7,101	\$1,161,806,924
1022	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$7,100	\$1,161,814,024
1022	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$7,100	\$1,161,821,124
1022	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$7,100	\$1,161,828,224
1023	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$7,033	\$1,161,835,257
1024	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$7,008	\$1,161,842,265
1025	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$7,000	\$1,161,849,265
1025	Madtom, pygmy (<i>Noturus stanauli</i>) - Entire	E	\$7,000	\$1,161,856,265
1025	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$7,000	\$1,161,863,265
1025	<i>Eugenia woodburyana</i> (=Sci name)	E	\$7,000	\$1,161,870,265
1025	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$7,000	\$1,161,877,265
1026	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$6,901	\$1,161,884,166
1027	<i>Stenogyne kealiae</i> (=Sci name)	E	\$6,864	\$1,161,891,030
1028	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$6,839	\$1,161,897,869
1029	Alani (<i>Melicope balloui</i>)	E	\$6,800	\$1,161,904,669
1030	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$6,797	\$1,161,911,466
1030	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$6,797	\$1,161,918,263
1031	Awiwi (<i>Centaurium sebaeoides</i>)	E	\$6,789	\$1,161,925,052
1032	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$6,751	\$1,161,931,803
1033	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$6,720	\$1,161,938,523
1034	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$6,664	\$1,161,945,187
1035	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$6,656	\$1,161,951,843
1036	<i>Munroidendron racemosum</i> (=Sci name)	E	\$6,651	\$1,161,958,494
1036	Haha (<i>Cyanea procera</i>)	E	\$6,651	\$1,161,965,145
1036	<i>Lysimachia maxima</i> (=Sci name)	E	\$6,651	\$1,161,971,796
1037	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$6,551	\$1,161,978,347
1038	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$6,501	\$1,161,984,848
1038	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$6,501	\$1,161,991,349
1038	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$6,501	\$1,161,997,850
1038	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$6,501	\$1,162,004,351
1039	<i>Lobelia monostachya</i> (=Sci name)	E	\$6,343	\$1,162,010,694
1040	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$6,332	\$1,162,017,026
1041	Pilo kea lau li`i (<i>Platydesma rostrata</i>)	E	\$6,312	\$1,162,023,338
1042	Haha (<i>Cyanea mceldowneyi</i>)	E	\$6,287	\$1,162,029,625
1043	Haha (<i>Cyanea pinnatifida</i>)	E	\$6,243	\$1,162,035,868
1044	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$6,111	\$1,162,041,979
1045	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$6,000	\$1,162,047,979
1045	Cobana negra (<i>Stahlia monosperma</i>)	T	\$6,000	\$1,162,053,979

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1045	<i>Polystichum calderonense</i> (=Sci name)	E	\$6,000	\$1,162,059,979
1046	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$5,910	\$1,162,065,889
1047	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) – Entire; Except where EXPN	E	\$5,853	\$1,162,071,742
1048	<i>Schiedea membranacea</i> (=Sci name)	E	\$5,851	\$1,162,077,593
1048	Kopiko (<i>Psychotria hobbii</i>)	E	\$5,851	\$1,162,083,444
1049	<i>Keysseria</i> (=Lagenifera) <i>helenae</i> (=Sci name)	E	\$5,812	\$1,162,089,256
1050	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$5,800	\$1,162,095,056
1051	<i>Lysimachia scopulensis</i> (=Sci name)	E	\$5,787	\$1,162,100,843
1052	Ha'iwaie (<i>Cyrtandra polyantha</i>)	E	\$5,757	\$1,162,106,600
1052	Haha (<i>Cyanea truncata</i>)	E	\$5,757	\$1,162,112,357
1053	<i>Remya montgomeryi</i> (=Sci name)	E	\$5,751	\$1,162,118,108
1054	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$5,698	\$1,162,123,806
1055	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$5,682	\$1,162,129,488
1056	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$5,578	\$1,162,135,066
1057	<i>Schoepfia arenaria</i> (=Sci name)	T	\$5,500	\$1,162,140,566
1057	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$5,500	\$1,162,146,066
1058	Bear, American black (<i>Ursus americanus</i>) - County range of LA b.bear	SAT	\$5,473	\$1,162,151,539
1059	<i>Phyllostegia velutina</i> (=Sci name)	E	\$5,461	\$1,162,157,000
1060	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$5,460	\$1,162,162,460
1061	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$5,450	\$1,162,167,910
1062	<i>Schiedea</i> , Diamond Head (<i>Schiedea adamantis</i>)	E	\$5,384	\$1,162,173,294
1063	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$5,364	\$1,162,178,658
1064	<i>Gouania meyenii</i> (=Sci name)	E	\$5,357	\$1,162,184,015
1065	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$5,351	\$1,162,189,366
1065	Alani (<i>Melicope haupuensis</i>)	E	\$5,351	\$1,162,194,717
1065	^Aiea (<i>Nothocestrum peltatum</i>)	E	\$5,351	\$1,162,200,068
1065	Haha (<i>Cyanea undulata</i>)	E	\$5,351	\$1,162,205,419
1065	Lo'ulu (<i>Pritchardia viscosa</i>)	E	\$5,351	\$1,162,210,770
1066	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$5,317	\$1,162,216,087
1067	<i>Phyllostegia renovans</i> (=Sci name)	E	\$5,312	\$1,162,221,399
1068	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$5,300	\$1,162,226,699
1068	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$5,300	\$1,162,231,999
1068	Ko'oko'olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$5,300	\$1,162,237,299
1068	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$5,300	\$1,162,242,599
1068	Haha (<i>Cyanea kuhihewa</i>)	E	\$5,300	\$1,162,247,899
1068	<i>Schiedea attenuata</i> (=Sci name)	E	\$5,300	\$1,162,253,199
1068	Haha (<i>Cyanea eleleensis</i>)	E	\$5,300	\$1,162,258,499
1069	<i>Schiedea helleri</i> (=Sci name)	E	\$5,264	\$1,162,263,763
1070	<i>Xylosma crenatum</i> (=Sci name)	E	\$5,251	\$1,162,269,014
1071	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$5,220	\$1,162,274,234
1072	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$5,164	\$1,162,279,398
1073	Kohe malama malama o kanaloa (<i>Kanaloa kahoowawensis</i>)	E	\$5,151	\$1,162,284,549
1074	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$5,115	\$1,162,289,664
1075	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$5,110	\$1,162,294,774
1076	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$5,100	\$1,162,299,874
1076	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$5,100	\$1,162,304,974
1077	Na'ena'e (<i>Dubautia pauciflora</i>)	E	\$5,064	\$1,162,310,038
1077	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$5,064	\$1,162,315,102
1078	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$5,056	\$1,162,320,158
1078	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$5,056	\$1,162,325,214
1079	Pigtoe, shiny (<i>Fusconaia cor</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$5,000	\$1,162,330,214
1079	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$5,000	\$1,162,335,214
1079	Bariaco (<i>Trichilia triacantha</i>)	E	\$5,000	\$1,162,340,214
1079	<i>Gesneria pauciflora</i> (=Sci name)	T	\$5,000	\$1,162,345,214
1080	<i>Viola lanaiensis</i> (=Sci name)	E	\$4,951	\$1,162,350,165
1081	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$4,950	\$1,162,355,115
1082	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$4,880	\$1,162,359,995
1083	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$4,864	\$1,162,364,859

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1083	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$4,864	\$1,162,369,723
1084	Aupaka (<i>Isodendron laurifolium</i>)	E	\$4,857	\$1,162,374,580
1085	Haha (<i>Cyanea macrostegia ssp. gibsonii</i>)	E	\$4,851	\$1,162,379,431
1086	Kamakahala (<i>Labordia triflora</i>)	E	\$4,800	\$1,162,384,231
1086	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$4,800	\$1,162,389,031
1087	`Oha wai (<i>Clermontia oblongifolia ssp. mauiensis</i>)	E	\$4,764	\$1,162,393,795
1088	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Entire ; Except EXPN	E	\$4,708	\$1,162,398,503
1089	Ha`iwale (<i>Cyrtandra oenobarba</i>)	E	\$4,700	\$1,162,403,203
1089	Na`ena`e (<i>Dubautia imbricata imbricata</i>)	E	\$4,700	\$1,162,407,903
1090	<i>Tetramolopium remyi</i> (=Sci name)	E	\$4,564	\$1,162,412,467
1091	Clarkia, Pismo (<i>Clarkia speciosa ssp. immaculata</i>)	E	\$4,505	\$1,162,416,972
1092	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$4,500	\$1,162,421,472
1093	<i>Tetraplasandra bisattenuata</i> (=Sci name)	E	\$4,487	\$1,162,425,959
1094	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$4,450	\$1,162,430,409
1095	<i>Tetramolopium lepidotum ssp. lepidotum</i> (=Sci name)	E	\$4,393	\$1,162,434,802
1096	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$4,349	\$1,162,439,151
1096	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$4,349	\$1,162,443,500
1096	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$4,349	\$1,162,447,849
1097	`Akoko (<i>Chamaesyce remyi</i> var. <i>remyi</i>)	E	\$4,312	\$1,162,452,161
1098	Wawae`iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	\$4,306	\$1,162,456,467
1099	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$4,250	\$1,162,460,717
1099	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$4,250	\$1,162,464,967
1100	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$4,202	\$1,162,469,169
1101	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$4,151	\$1,162,473,320
1102	`Akoko (<i>Euphorbia haeleeleana</i>)	E	\$4,039	\$1,162,477,359
1103	Fly, Hawaiian picture-wing (<i>Drosophila sharpi</i>)	E	\$4,018	\$1,162,481,377
1104	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$4,000	\$1,162,485,377
1104	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$4,000	\$1,162,489,377
1104	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$4,000	\$1,162,493,377
1104	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$4,000	\$1,162,497,377
1104	Prickly-ash, St. Thomas (<i>Zanthoxylum thomsonianum</i>)	E	\$4,000	\$1,162,501,377
1104	<i>Leptocereus grantianus</i> (=Sci name)	E	\$4,000	\$1,162,505,377
1104	<i>Lysimachia venosa</i> (=Sci name)	E	\$4,000	\$1,162,509,377
1104	Haha (<i>Cyanea dolichopoda</i>)	E	\$4,000	\$1,162,513,377
1104	Haiwale (<i>Cyrtandra paliku</i>)	E	\$4,000	\$1,162,517,377
1104	Naenae (<i>Dubautia kenwoodii</i>)	E	\$4,000	\$1,162,521,377
1104	<i>Lysimachia iniki</i> (=Sci name)	E	\$4,000	\$1,162,525,377
1104	<i>Lysimachia pendens</i> (=Sci name)	E	\$4,000	\$1,162,529,377
1104	<i>Doryopteris angelica</i> (=Sci name)	E	\$4,000	\$1,162,533,377
1105	Combshell, southern (<i>Epioblasma penita</i>)	E	\$3,998	\$1,162,537,375
1106	Olulu (<i>Brighamia insignis</i>)	E	\$3,987	\$1,162,541,362
1107	<i>Lysimachia filifolia</i> (=Sci name)	E	\$3,980	\$1,162,545,342
1108	<i>Remya kauaiensis</i> (=Sci name)	E	\$3,964	\$1,162,549,306
1109	Oha (<i>Delissea rivularis</i>)	E	\$3,900	\$1,162,553,206
1109	Awiiwi (<i>Hedyotis cookiana</i>)	E	\$3,900	\$1,162,557,106
1110	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$3,781	\$1,162,560,887
1111	Beetle, Coffin Cave mold (<i>Batrissodes texanus</i>)	E	\$3,760	\$1,162,564,647
1112	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$3,720	\$1,162,568,367
1113	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$3,709	\$1,162,572,076
1114	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$3,687	\$1,162,575,763
1115	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$3,673	\$1,162,579,436
1116	Dudleya, Conejo (<i>Dudleya abramsii ssp. parva</i>)	T	\$3,625	\$1,162,583,061
1116	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$3,625	\$1,162,586,686
1117	Alani (<i>Melicope quadrangularis</i>)	E	\$3,600	\$1,162,590,286
1117	<i>Diellia pallida</i> (=Sci name)	E	\$3,600	\$1,162,593,886
1118	Haha (<i>Cyanea asarifolia</i>)	E	\$3,587	\$1,162,597,473
1119	<i>Silene perlmanii</i> (=Sci name)	E	\$3,580	\$1,162,601,053
1120	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$3,500	\$1,162,604,553
1120	<i>Neraudia sericea</i> (=Sci name)	E	\$3,500	\$1,162,608,053

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1120	Trillium, persistent (<i>Trillium persistens</i>)	E	\$3,500	\$1,162,611,553
1120	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$3,500	\$1,162,615,053
1120	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$3,500	\$1,162,618,553
1120	<i>Erubia</i> (<i>Solanum drymophilum</i>)	E	\$3,500	\$1,162,622,053
1120	<i>Myrcia paganii</i> (=Sci name)	E	\$3,500	\$1,162,625,553
1120	<i>Alsinidendron viscosum</i> (=Sci name)	E	\$3,500	\$1,162,629,053
1120	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$3,500	\$1,162,632,553
1120	<i>Stenogyne campanulata</i> (=Sci name)	E	\$3,500	\$1,162,636,053
1121	Remya, Maui (<i>Remya mauensis</i>)	E	\$3,487	\$1,162,639,540
1122	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$3,400	\$1,162,642,940
1122	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$3,400	\$1,162,646,340
1122	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$3,400	\$1,162,649,740
1123	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$3,360	\$1,162,653,100
1124	Haha (<i>Cyanea humboldtiana</i>)	E	\$3,293	\$1,162,656,393
1125	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$3,290	\$1,162,659,683
1126	Pilo (<i>Hedyotis mannii</i>)	E	\$3,200	\$1,162,662,883
1126	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$3,200	\$1,162,666,083
1127	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$3,188	\$1,162,669,271
1128	<i>Amaranthus brownii</i> (=Sci name)	E	\$3,100	\$1,162,672,371
1128	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$3,100	\$1,162,675,471
1128	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$3,100	\$1,162,678,571
1128	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$3,100	\$1,162,681,671
1129	Haha (<i>Cyanea remyi</i>)	E	\$3,087	\$1,162,684,758
1130	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$3,020	\$1,162,687,778
1131	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$3,006	\$1,162,690,784
1132	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$3,000	\$1,162,693,784
1132	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriiformis))	E	\$3,000	\$1,162,696,784
1132	Capa rosa (<i>Callicarpa ampla</i>)	E	\$3,000	\$1,162,699,784
1132	<i>Calyptanthus thomasiana</i> (=Sci name)	E	\$3,000	\$1,162,702,784
1132	Palo de nigua (<i>Cornutia obovata</i>)	E	\$3,000	\$1,162,705,784
1132	Holly, Cook's (<i>Ilex cookii</i>)	E	\$3,000	\$1,162,708,784
1132	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$3,000	\$1,162,711,784
1132	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$3,000	\$1,162,714,784
1132	Kopa (<i>Hedyotis schlechtendahlia</i> var. <i>remyi</i>)	E	\$3,000	\$1,162,717,784
1132	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$3,000	\$1,162,720,784
1132	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$3,000	\$1,162,723,784
1132	<i>Vernonia proctorii</i> (=Sci name)	E	\$3,000	\$1,162,726,784
1133	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$2,993	\$1,162,729,777
1133	<i>Trematolobelia singularis</i> (=Sci name)	E	\$2,993	\$1,162,732,770
1134	Koki`o (<i>Kokia kauaiensis</i>)	E	\$2,987	\$1,162,735,757
1135	<i>Mariscus fauriei</i> (=Sci name)	E	\$2,900	\$1,162,738,657
1136	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$2,894	\$1,162,741,551
1137	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$2,850	\$1,162,744,401
1138	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$2,800	\$1,162,747,201
1138	Haha (<i>Cyanea recta</i>)	T	\$2,800	\$1,162,750,001
1139	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$2,791	\$1,162,752,792
1140	Alani (<i>Melicope saint-johnii</i>)	E	\$2,706	\$1,162,755,498
1140	Pauoa (<i>Ctenitis squamigera</i>)	E	\$2,706	\$1,162,758,204
1141	Papala (<i>Charpentiera densiflora</i>)	E	\$2,700	\$1,162,760,904
1141	`Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$2,700	\$1,162,763,604
1141	`Akoko (<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>)	E	\$2,700	\$1,162,766,304
1141	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$2,700	\$1,162,769,004
1141	Iliau, dwarf (<i>Wilkesia hobbii</i>)	E	\$2,700	\$1,162,771,704
1141	<i>Poa siphonoglossa</i> (=Sci name)	E	\$2,700	\$1,162,774,404
1141	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$2,700	\$1,162,777,104
1141	Lo`ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>)	E	\$2,700	\$1,162,779,804
1141	Na`ena`e (<i>Dubautia plantaginea magnifolia</i>)	E	\$2,700	\$1,162,782,504
1142	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$2,674	\$1,162,785,178
1143	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$2,660	\$1,162,787,838

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1143	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$2,660	\$1,162,790,498
1144	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) – Entire; Except where EXPN	E	\$2,633	\$1,162,793,131
1145	ʻOheʻ ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$2,606	\$1,162,795,737
1145	<i>Diellia falcata</i> (=Sci name)	E	\$2,606	\$1,162,798,343
1145	<i>Diellia unisora</i> (=Sci name)	E	\$2,606	\$1,162,800,949
1146	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$2,600	\$1,162,803,549
1146	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$2,600	\$1,162,806,149
1146	Nehe (<i>Lipochaeta fauriei</i>)	E	\$2,600	\$1,162,808,749
1146	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$2,600	\$1,162,811,349
1146	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$2,600	\$1,162,813,949
1146	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$2,600	\$1,162,816,549
1146	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$2,600	\$1,162,819,149
1147	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$2,500	\$1,162,821,649
1147	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$2,500	\$1,162,824,149
1147	<i>Thelypteris verecunda</i> (=Sci name)	E	\$2,500	\$1,162,826,649
1148	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$2,450	\$1,162,829,099
1149	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$2,400	\$1,162,831,499
1149	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$2,400	\$1,162,833,899
1150	<i>Gouania hillebrandii</i> (=Sci name)	E	\$2,387	\$1,162,836,286
1150	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$2,387	\$1,162,838,673
1151	<i>Nesogenes rotensis</i> (=Sci name)	E	\$2,300	\$1,162,840,973
1151	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$2,300	\$1,162,843,273
1152	Lampmussel, Alabama (<i>Lampsilis virescens</i>) – Entire; Except where EXPN	E	\$2,220	\$1,162,845,493
1152	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$2,220	\$1,162,847,713
1152	Stirrupshell (<i>Quadrula stapes</i>)	E	\$2,220	\$1,162,849,933
1153	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$2,203	\$1,162,852,136
1154	Liliwai (<i>Acaena exigua</i>)	E	\$2,200	\$1,162,854,336
1154	Naʻenaʻe (<i>Dubautia latifolia</i>)	E	\$2,200	\$1,162,856,536
1154	ʻAkoko (<i>Chamaesyce eleanoriae</i>)	E	\$2,200	\$1,162,858,736
1155	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$2,176	\$1,162,860,912
1156	<i>Tetramolopium rockii</i> (=Sci name)	T	\$2,108	\$1,162,863,020
1157	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$2,100	\$1,162,865,120
1157	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$2,100	\$1,162,867,220
1157	Nehe (<i>Lipochaeta micrantha</i>)	E	\$2,100	\$1,162,869,320
1158	Rocksnail, interrupted (=Georgia) (<i>Leptoxis foremani</i>)	E	\$2,001	\$1,162,871,321
1159	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$2,000	\$1,162,873,321
1159	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$2,000	\$1,162,875,321
1159	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$2,000	\$1,162,877,321
1159	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$2,000	\$1,162,879,321
1159	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$2,000	\$1,162,881,321
1159	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$2,000	\$1,162,883,321
1159	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$2,000	\$1,162,885,321
1159	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$2,000	\$1,162,887,321
1159	<i>Ilex sintenisii</i> (=Sci name)	E	\$2,000	\$1,162,889,321
1160	Hornsnail, rough (<i>Pleurocera foremani</i>)	E	\$1,901	\$1,162,891,222
1161	Haʻiwale (<i>Cyrtandra crenata</i>)	E	\$1,900	\$1,162,893,122
1161	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$1,900	\$1,162,895,022
1162	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$1,850	\$1,162,896,872
1163	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$1,833	\$1,162,898,705
1164	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$1,800	\$1,162,900,505
1164	Alani (<i>Melicope munroi</i>)	E	\$1,800	\$1,162,902,305
1164	Alani (<i>Melicope reflexa</i>)	E	\$1,800	\$1,162,904,105
1164	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$1,800	\$1,162,905,905
1164	<i>Schiedea lydgatei</i> (=Sci name)	E	\$1,800	\$1,162,907,705
1164	Haha (<i>Cyanea mannii</i>)	E	\$1,800	\$1,162,909,505
1165	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$1,798	\$1,162,911,303
1166	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	\$1,703	\$1,162,913,006

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1167	Lo`ulu (<i>Pritchardia remota</i>)	E	\$1,700	\$1,162,914,706
1167	<i>Schiedea verticillata</i> (=Sci name)	E	\$1,700	\$1,162,916,406
1167	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$1,700	\$1,162,918,106
1167	Pamakani (<i>Tetramolopium capillare</i>)	E	\$1,700	\$1,162,919,806
1167	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$1,700	\$1,162,921,506
1168	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$1,698	\$1,162,923,204
1169	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$1,676	\$1,162,924,880
1170	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$1,650	\$1,162,926,530
1171	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$1,600	\$1,162,928,130
1172	<i>Cordia bellonis</i> (=Sci name)	E	\$1,500	\$1,162,929,630
1172	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$1,500	\$1,162,931,130
1172	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,500	\$1,162,932,630
1172	<i>Tectaria estremerana</i> (=Sci name)	E	\$1,500	\$1,162,934,130
1173	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$1,400	\$1,162,935,530
1173	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$1,400	\$1,162,936,930
1174	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$1,393	\$1,162,938,323
1175	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$1,381	\$1,162,939,704
1176	Sedge, white (<i>Carex albida</i>)	E	\$1,218	\$1,162,940,922
1177	Cactus, Nichol's Turk's head (<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>)	E	\$1,150	\$1,162,942,072
1178	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$1,103	\$1,162,943,175
1178	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$1,103	\$1,162,944,278
1178	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$1,103	\$1,162,945,381
1178	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$1,103	\$1,162,946,484
1179	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$1,099	\$1,162,947,583
1180	Fanshell (<i>Cyprogenia stegaria</i>) – TN - portions of the French Broad and Holston Rivers	EXPN	\$1,049	\$1,162,948,632
1181	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$1,000	\$1,162,949,632
1181	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$1,000	\$1,162,950,632
1181	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingsi</i>)	T	\$1,000	\$1,162,951,632
1181	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$1,000	\$1,162,952,632
1181	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$1,000	\$1,162,953,632
1181	Haha (<i>Cyanea kolekoleensis</i>)	E	\$1,000	\$1,162,954,632
1182	Ha'iwale (<i>Cyrtandra munroi</i>)	E	\$987	\$1,162,955,619
1183	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$874	\$1,162,956,493
1183	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$874	\$1,162,957,367
1184	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$803	\$1,162,958,170
1185	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$800	\$1,162,958,970
1185	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$800	\$1,162,959,770
1185	<i>Cranichis ricartii</i> (=Sci name)	E	\$800	\$1,162,960,570
1185	<i>Adiantum vivesii</i> (=Sci name)	E	\$800	\$1,162,961,370
1185	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$800	\$1,162,962,170
1186	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$703	\$1,162,962,873
1186	Pomace fly, [unnamed] (<i>Drosophila musaphila</i>)	E	\$703	\$1,162,963,576
1186	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$703	\$1,162,964,279
1186	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$703	\$1,162,964,982
1186	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$703	\$1,162,965,685
1187	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$603	\$1,162,966,288
1187	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$603	\$1,162,966,891
1188	Pearlymussel, birdwing (<i>Conradilla caelata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$575	\$1,162,967,466
1188	Pearlymussel, dromedary (<i>Dromus dromas</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$575	\$1,162,968,041
1188	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$575	\$1,162,968,616
1188	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$575	\$1,162,969,191
1189	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$529	\$1,162,969,720
1190	Seal, Saimaa (<i>Phoca hispida saimensis</i>)	E	\$500	\$1,162,970,220
1190	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$500	\$1,162,970,720
1191	Chub, spotfin (<i>Erimonax monachus</i>) - TN - portions of French Broad and Holston Rs.	EXPN	\$449	\$1,162,971,169

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1192	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$420	\$1,162,971,589
1193	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$400	\$1,162,971,989
1193	Clubshell (<i>Pleurobema clava</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$400	\$1,162,972,389
1194	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$349	\$1,162,972,738
1194	Pearlymussel, dromedary (<i>Dromus dromas</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$349	\$1,162,973,087
1194	Pearlymussel, cracking (<i>Hemistena lata</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$349	\$1,162,973,436
1195	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$300	\$1,162,973,736
1195	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$300	\$1,162,974,036
1195	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$300	\$1,162,974,336
1196	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$298	\$1,162,974,634
1197	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$240	\$1,162,974,874
1198	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$220	\$1,162,975,094
1198	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$220	\$1,162,975,314
1198	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$220	\$1,162,975,534
1198	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$220	\$1,162,975,754
1198	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$220	\$1,162,975,974
1198	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$220	\$1,162,976,194
1199	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$200	\$1,162,976,394
1199	O'u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$200	\$1,162,976,594
1199	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$200	\$1,162,976,794
1199	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$200	\$1,162,976,994
1199	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$200	\$1,162,977,194
1200	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$100	\$1,162,977,294
1200	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$100	\$1,162,977,394