

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2016 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Steelhead (Oncorhynchus (=Salmo) mykiss) - Middle Columbia River DPS	T	\$64,365,536	\$64,365,536
2	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$61,231,560	\$125,597,096
3	Steelhead (Oncorhynchus (=Salmo) mykiss) - Snake River Basin DPS	T	\$60,270,758	\$185,867,854
4	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$44,865,295	\$230,733,149
5	Sturgeon, pallid (Scaphirhynchus albus) - Wherever found	E	\$43,237,405	\$273,970,554
6	Trout, bull (Salvelinus confluentus) - U.S.A., conterminous, lower 48 states	T	\$40,233,890	\$314,204,444
7	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$39,689,609	\$353,894,053
8	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$33,557,518	\$387,451,571
9	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Puget Sound ESU	T	\$29,187,297	\$416,638,868
10	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Columbia River DPS	T	\$28,642,935	\$445,281,803
11	Salmon, sockeye (Oncorhynchus (=Salmo) nerka) - Snake River ESU	E	\$28,114,109	\$473,395,912
12	Woodpecker, red-cockaded (Picoides borealis) - Wherever found	E	\$25,032,102	\$498,428,014
13	Sea lion, Steller (Eumetopias jubatus) - Western DPS	E	\$22,127,195	\$520,555,209
14	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Lower Columbia River ESU	T	\$19,639,995	\$540,195,204
15	Tortoise, desert (Gopherus agassizii) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$18,554,604	\$558,749,808
16	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Southern Oregon - Northern California Coast ESU	T	\$18,498,254	\$577,248,062
17	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$18,271,433	\$595,519,495
18	Steelhead (Oncorhynchus (=Salmo) mykiss) - Lower Columbia River DPS	T	\$18,186,684	\$613,706,179
19	Sturgeon, white (Acipenser transmontanus) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$16,013,924	\$629,720,103
20	Owl, northern spotted (Strix occidentalis caurina) - Wherever found	T	\$15,624,955	\$645,345,058

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
21	Salmon, chum (Oncorhynchus keta) - Columbia River ESU	T	\$14,811,627	\$660,156,685
22	Bat, Indiana (Myotis sodalis) - Wherever found	E	\$14,035,548	\$674,192,233
23	Sucker, razorback (Xyrauchen texanus) - Wherever found	E	\$13,945,914	\$688,138,147
24	Bat, Northern long-eared (Myotis septentrionalis) - Wherever found	T	\$12,743,822	\$700,881,969
25	Smelt, delta (Hypomesus transpacificus) - Wherever found	T	\$12,019,452	\$712,901,421
26	Steelhead (Oncorhynchus (=Salmo) mykiss) - Puget Sound DPS	T	\$11,901,567	\$724,802,988
27	Bear, grizzly (Ursus arctos horribilis) - Bitterroot Ecosystem Recovery Zone Population	EXPN	\$11,724,619	\$736,527,607
28	Plover, piping (Charadrius melodus) - [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.	T	\$11,306,784	\$747,834,391
29	Chub, bonytail (Gila elegans) - Wherever found	E	\$10,909,990	\$758,744,381
30	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Willamette River DPS	T	\$10,828,635	\$769,573,016
31	Whale, North Atlantic Right (Eubalaena glacialis) - Wherever found	E	\$10,308,042	\$779,881,058
32	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Sacramento River winter-run ESU	E	\$10,256,141	\$790,137,199
33	Salmon, Atlantic (Salmo salar) - Gulf of Maine DPS	E	\$10,013,881	\$800,151,080
34	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Oregon Coast ESU	T	\$9,784,535	\$809,935,615
35	Chub, humpback (Gila cypha) - Wherever found	E	\$9,311,369	\$819,246,984
36	Flycatcher, southwestern willow (Empidonax traillii extimus) - Wherever found	E	\$8,946,102	\$828,193,086
37	Minnow, Rio Grande Silvery (Hybognathus amarus) - Wherever found, except where listed as an experimental population	E	\$8,544,342	\$836,737,428
38	Pikeminnow (=squawfish), Colorado (Ptychocheilus lucius) - Wherever found, except where listed as an experimental population	E	\$8,519,374	\$845,256,802
39	Elephant, African (Loxodonta africana) - Wherever found	T	\$8,029,080	\$853,285,882
40	Tern, least (Sterna antillarum) - interior pop.	E	\$7,892,269	\$861,178,151
41	Ocelot (Leopardus (=Felis) pardalis) - wherever found	E	\$7,183,922	\$868,362,073
42	Whale, humpback (Megaptera novaeangliae) - Wherever found	E	\$7,070,114	\$875,432,187
43	Salmon, chum (Oncorhynchus keta) - Hood Canal summer-run ESU	T	\$6,771,036	\$882,203,223
44	Cuckoo, yellow-billed (Coccyzus americanus) - Western U.S. DPS	T	\$6,343,860	\$888,547,083
45	Steelhead (Oncorhynchus (=Salmo) mykiss) - Central California Coast DPS	T	\$6,222,951	\$894,770,034

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
46	Salmon, sockeye (Oncorhynchus (=Salmo) nerka) - Ozette Lake ESU	T	\$5,518,535	\$900,288,569
47	Manatee, West Indian (Trichechus manatus) - Wherever found	E	\$5,430,465	\$905,719,034
48	Steelhead (Oncorhynchus (=Salmo) mykiss) - California Central Valley DPS	T	\$5,428,021	\$911,147,055
49	Sea turtle, loggerhead (Caretta caretta) - Northwest Atlantic Ocean DPS	T	\$5,221,940	\$916,368,995
50	Frog, California red-legged (Rana draytonii) - Wherever found	T	\$5,166,801	\$921,535,796
51	Bear, grizzly (Ursus arctos horribilis) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population or delisted	T	\$5,109,765	\$926,645,561
52	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Central California Coast ESU	E	\$5,037,464	\$931,683,025
53	Sea turtle, leatherback (Dermochelys coriacea) - Wherever found	E	\$4,887,129	\$936,570,154
54	Plover, western snowy (Charadrius alexandrinus nivosus) - Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	T	\$4,878,512	\$941,448,666
55	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - California Coastal ESU	T	\$4,852,009	\$946,300,675
56	Murrelet, marbled (Brachyramphus marmoratus) - U.S.A. (CA, OR, WA)	T	\$4,721,414	\$951,022,089
57	Gorilla (Gorilla gorilla) - Wherever found	E	\$4,588,000	\$955,610,089
58	Steelhead (Oncorhynchus (=Salmo) mykiss) - Northern California DPS	T	\$4,527,260	\$960,137,349
59	Combshell, Cumberlandian (Epioblasma brevidens) - Wherever found; Except where listed as Experimental Populations	E	\$4,445,161	\$964,582,510
60	Sea turtle, Kemp's ridley (Lepidochelys kempii) - Wherever found	E	\$4,269,587	\$968,852,097
61	Steelhead (Oncorhynchus (=Salmo) mykiss) - Southern California DPS	E	\$4,085,228	\$972,937,325
62	Wolf, gray (Canis lupus) - WY, EXPN population	EXPN	\$4,083,384	\$977,020,709
63	Owl, Mexican spotted (Strix occidentalis lucida) - Wherever found	T	\$3,940,575	\$980,961,284
64	Trout, Lahontan cutthroat (Oncorhynchus clarkii henshawi) - Wherever found	T	\$3,693,716	\$984,655,000
65	Seal, Hawaiian monk (Monachus schauinslandi) - Wherever found	E	\$3,683,303	\$988,338,303
66	Tortoise, gopher (Gopherus polyphemus) - West of Mobile and Tombigbee Rivers	T	\$3,677,412	\$992,015,715
67	Steelhead (Oncorhynchus (=Salmo) mykiss) - South-Central California Coast DPS	T	\$3,587,667	\$995,603,382

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
68	Panther, Florida (Puma (=Felis concolor coryi) - Wherever found	E	\$3,581,925	\$999,185,307
69	Sea turtle, hawksbill (Eretmochelys imbricata) - Wherever found	E	\$3,551,590	\$1,002,736,897
70	Bat, Hawaiian hoary (Lasiurus cinereus semotus) - Wherever found	E	\$3,424,744	\$1,006,161,641
71	Wolf, gray (Canis lupus) - MN	T	\$3,358,824	\$1,009,520,465
72	Sage-grouse, Gunnison (Centrocercus minimus) - Wherever found	T	\$3,266,168	\$1,012,786,633
73	Whale, killer (Orcinus orca) - Southern Resident DPS	E	\$3,234,532	\$1,016,021,165
74	Trout, bull (Salvelinus confluentus) - Clackamas River subbasin experimental population	EXPN	\$3,233,099	\$1,019,254,264
75	Sturgeon (Gulf subspecies), Atlantic (Acipenser oxyrinchus (=oxyrinchus) desotoi) - Wherever found	T	\$3,193,864	\$1,022,448,128
76	Bear, polar (Ursus maritimus) - Wherever found	T	\$3,139,348	\$1,025,587,476
77	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Central Valley spring-run ESU	T	\$3,101,029	\$1,028,688,505
78	Stork, wood (Mycteria americana) - AL, FL, GA, MS, NC, SC	T	\$3,071,456	\$1,031,759,961
79	Chub, Borax Lake (Gila boraxobius) - Wherever found	E	\$3,059,410	\$1,034,819,371
80	Whale, finback (Balaenoptera physalus) - Wherever found	E	\$2,990,369	\$1,037,809,740
81	Fox, San Joaquin kit (Vulpes macrotis mutica) - wherever found	E	\$2,990,031	\$1,040,799,771
82	Whale, blue (Balaenoptera musculus) - Wherever found	E	\$2,958,689	\$1,043,758,460
83	Wolf, Mexican (Canis lupus baileyi) - U.S.A. (portions of AZ and NM)see 17.84(k)	EXPN	\$2,905,023	\$1,046,663,483
84	Tern, California least (Sterna antillarum browni) - Wherever found	E	\$2,856,294	\$1,049,519,777
85	Sturgeon, green (Acipenser medirostris) - Southern DPS	T	\$2,755,720	\$1,052,275,497
86	Salamander, California tiger (Ambystoma californiense) - U.S.A. (CA - Santa Barbara County)	E	\$2,742,174	\$1,055,017,671
87	Wolf, gray (Canis lupus) - U.S.A.: All of AL, AR, CA, CO, CT, DE, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, ND, NE, NH, NJ, NV, NY, OH, OK, PA, RI, SC, SD, TN, TX, VA, VT, WI, and WV; and portions of AZ, NM, OR, UT, and WA, Mexico.	E	\$2,721,544	\$1,057,739,215
88	Sucker, Lost River (Deltistes luxatus) - Wherever found	E	\$2,694,599	\$1,060,433,814
89	Sucker, shortnose (Chasmistes brevirostris) - Wherever found	E	\$2,687,499	\$1,063,121,313
90	Rail, Yuma clapper (Rallus longirostris yumanensis) - Wherever found	E	\$2,529,587	\$1,065,650,900
91	Ferret, black-footed (Mustela nigripes) - U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	EXPN	\$2,479,747	\$1,068,130,647

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
92	Ferret, black-footed (<i>Mustela nigripes</i>) - Wherever found, except where listed as an experimental population	E	\$2,446,190	\$1,070,576,837
93	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop.	T	\$2,408,930	\$1,072,985,767
94	Manatee, West African (<i>Trichechus senegalensis</i>) - Wherever found	T	\$2,375,240	\$1,075,361,007
95	Rabbit, Columbia Basin Pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$2,372,632	\$1,077,733,639
96	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>) - Wherever found	T	\$2,305,975	\$1,080,039,614
97	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>) - wherever found	E	\$2,292,276	\$1,082,331,890
98	Vireo, least Bell's (<i>Vireo bellii pusillus</i>) - Wherever found	E	\$2,289,658	\$1,084,621,548
99	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>) - Wherever found	E	\$2,282,777	\$1,086,904,325
100	Sea turtle, green (<i>Chelonia mydas</i>) - North Atlantic DPS	T	\$2,249,167	\$1,089,153,492
101	Frog, Oregon spotted (<i>Rana pretiosa</i>) - Wherever found	T	\$2,207,445	\$1,091,360,937
102	Tiger (<i>Panthera tigris</i>) - Wherever found	E	\$2,089,700	\$1,093,450,637
103	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus)) - Wherever found	E	\$2,080,368	\$1,095,531,005
104	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$2,066,279	\$1,097,597,284
105	Snake, eastern indigo (<i>Drymarchon corais couperi</i>) - Wherever found	T	\$2,023,270	\$1,099,620,554
106	Elephant, Asian (<i>Elephas maximus</i>) - Wherever found	E	\$2,007,600	\$1,101,628,154
107	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>) - Wherever found	E	\$1,998,364	\$1,103,626,518
108	Darter, duskytail (<i>Etheostoma percnurum</i>) - Wherever found	E	\$1,987,710	\$1,105,614,228
109	Bat, gray (<i>Myotis grisescens</i>) - Wherever found	E	\$1,961,039	\$1,107,575,267
110	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$1,935,132	\$1,109,510,399
111	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>) - Wherever found	T	\$1,894,898	\$1,111,405,297
112	Sea turtle, loggerhead (<i>Caretta caretta</i>) - North Pacific Ocean DPS	E	\$1,830,084	\$1,113,235,381
113	Snake, giant garter (<i>Thamnophis gigas</i>) - Wherever found	T	\$1,807,870	\$1,115,043,251
114	Whale, beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$1,772,204	\$1,116,815,455
115	Parrot, Puerto Rican (<i>Amazona vittata</i>) - Wherever found	E	\$1,738,365	\$1,118,553,820
116	Eulachon (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$1,720,738	\$1,120,274,558
117	Whale, Sei (<i>Balaenoptera borealis</i>) - Wherever found	E	\$1,695,648	\$1,121,970,206
118	Sea turtle, green (<i>Chelonia mydas</i>) - Central West Pacific DPS	E	\$1,667,408	\$1,123,637,614

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
119	Shiner, Pecos bluntnose (Notropis simus pecosensis) - Wherever found	T	\$1,648,550	\$1,125,286,164
120	Abalone, White (Haliotis sorenseni) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$1,636,960	\$1,126,923,124
121	Scrub-jay, Florida (Aphelocoma coerulescens) - Wherever found	T	\$1,541,169	\$1,128,464,293
122	Shiner, Topeka (Notropis topeka (=tristis)) - Wherever found, except where listed as an experimental population	E	\$1,519,345	\$1,129,983,638
123	Plover, piping (Charadrius melodus) - [Great Lakes watershed DPS] - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	E	\$1,512,833	\$1,131,496,471
124	Horned lark, streaked (Eremophila alpestris strigata) - Wherever found	T	\$1,476,867	\$1,132,973,338
125	Sturgeon, shortnose (Acipenser brevirostrum) - Wherever found	E	\$1,400,005	\$1,134,373,343
126	Checkerspot, Taylor's (=whulge) (Euphydryas editha taylori) - Wherever found	E	\$1,398,297	\$1,135,771,640
127	Butterfly, Karner blue (Lycaeides melissa samuelis) - Wherever found	E	\$1,346,957	\$1,137,118,597
128	Eider, Steller's (Polysticta stelleri) - AK breeding pop.	T	\$1,313,186	\$1,138,431,783
129	Topminnow, Gila (incl. Yaqui) (Poeciliopsis occidentalis) - Wherever found	E	\$1,305,800	\$1,139,737,583
130	Sea turtle, green (Chelonia mydas) - East Pacific DPS	T	\$1,278,531	\$1,141,016,114
131	Chub, Gila (Gila intermedia) - Wherever found	E	\$1,237,727	\$1,142,253,841
132	Coral, staghorn (Acropora cervicornis) - Wherever found	T	\$1,234,097	\$1,143,487,938
133	Beetle, American burying (Nicrophorus americanus) - Wherever found, except where listed as an experimental population	E	\$1,225,274	\$1,144,713,212
134	Steelhead (Oncorhynchus (=Salmo) mykiss) - Middle Columbia River DPS	EXPN	\$1,213,970	\$1,145,927,182
135	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - Gulf of Maine DPS	T	\$1,192,663	\$1,147,119,845
136	Turtle, bog (Glemmys muhlenbergii) - Wherever found, except GA, NC, SC, TN, VA	T	\$1,183,444	\$1,148,303,289
137	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - Chesapeake Bay DPS	E	\$1,151,249	\$1,149,454,538
138	Kite, Everglade snail (Rostrhamus sociabilis plumbeus) - Wherever found	E	\$1,136,523	\$1,150,591,061
139	Prairie-chicken, lesser (Tympanuchus pallidicinctus) - Wherever found	T	\$1,134,526	\$1,151,725,587
140	Abalone, Black (Haliotis cracherodii) - Wherever found	E	\$1,127,055	\$1,152,852,642
141	Tadpole shrimp, vernal pool (Lepidurus packardii) - Wherever found	E	\$1,116,870	\$1,153,969,512

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
142	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>) - Wherever found	E	\$1,113,181	\$1,155,082,693
143	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>) - Wherever found	T	\$1,106,222	\$1,156,188,915
144	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>) - Wherever found	E	\$1,105,627	\$1,157,294,542
145	Rhinoceros, black (<i>Diceros bicornis</i>) - Africa	E	\$1,087,500	\$1,158,382,042
146	Frog, Sierra Nevada Yellow-legged (<i>Rana sierrae</i>) - Wherever found	E	\$1,076,657	\$1,159,458,699
147	Whale, false killer (<i>Pseudorca crassidens</i>) - Main Hawaiian Islands Insular DPS	E	\$1,073,275	\$1,160,531,974
148	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - South Atlantic DPS	E	\$1,067,114	\$1,161,599,088
149	Knot, red (<i>Calidris canutus rufa</i>) - Wherever found	T	\$1,051,480	\$1,162,650,568
150	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>) - Wherever found	E	\$1,050,715	\$1,163,701,283
151	Sea turtle, green (<i>Chelonia mydas</i>) - South Atlantic DPS	T	\$1,040,944	\$1,164,742,227
152	Petrel, Hawaiian (<i>Pterodroma sandwichensis</i>) - Wherever found	E	\$1,037,195	\$1,165,779,422
153	Sea turtle, green (<i>Chelonia mydas</i>) - Central North Pacific DPS	T	\$1,036,007	\$1,166,815,429
154	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>) - Wherever found	E	\$1,027,064	\$1,167,842,493
155	Gibbons (<i>Hylobates</i> spp. (including <i>Nomascus</i>)) - Wherever found	E	\$1,018,400	\$1,168,860,893
156	Wedgemussel, dwarf (<i>Alasmodonta heterodon</i>) - Wherever found	E	\$1,016,736	\$1,169,877,629
157	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>) - Wherever found	E	\$990,338	\$1,170,867,967
158	Rail, California clapper (<i>Rallus longirostris obsoletus</i>) - Wherever found	E	\$983,279	\$1,171,851,246
159	Wolf, red (<i>Canis rufus</i>) - U.S.A. (portions of NC and TN)	EXPN	\$973,097	\$1,172,824,343
160	Whale, bowhead (<i>Balaena mysticetus</i>) - Wherever found	E	\$972,511	\$1,173,796,854
161	Spikedace (<i>Meda fulgida</i>) - Wherever found	E	\$967,603	\$1,174,764,457
162	Bear, Louisiana black (<i>Ursus americanus luteolus</i>) - Wherever found	T	\$962,617	\$1,175,727,074
163	Minnow, loach (<i>Tiaroga cobitis</i>) - Wherever found	E	\$956,341	\$1,176,683,415
164	Sawfish, smalltooth (<i>Pristis pectinata</i>) - US DPS - Smalltooth sawfish originating from U.S. waters.	E	\$946,959	\$1,177,630,374
165	Sucker, June (<i>Chasmistes liorus</i>) - Wherever found	E	\$934,900	\$1,178,565,274
166	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>) - Wherever found	E	\$932,403	\$1,179,497,677
167	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$922,402	\$1,180,420,079

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
168	Goose, Hawaiian (Branta (=Nesochen) sandvicensis) - Wherever found	E	\$909,535	\$1,181,329,614
169	Pocket gopher, Tenino (Thomomys mazama tumuli) - Wherever found	T	\$908,775	\$1,182,238,389
170	Beetle, valley elderberry longhorn (Desmocerus californicus dimorphus) - Wherever found	T	\$907,854	\$1,183,146,243
171	Stilt, Hawaiian (Himantopus mexicanus knudseni) - Wherever found	E	\$898,229	\$1,184,044,472
172	Frog, Chiricahua leopard (Rana chiricahuensis) - Wherever found	T	\$898,059	\$1,184,942,531
173	Skink, sand (Neoseps reynoldsi) - Wherever found	T	\$894,285	\$1,185,836,816
174	Crane, whooping (Grus americana) - Wherever found, except where listed as an experimental population	E	\$882,113	\$1,186,718,929
175	Higgins eye (pearlymussel) (Lampsilis higginsii) - Wherever found	E	\$881,978	\$1,187,600,907
176	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - New York Bight DPS	E	\$858,655	\$1,188,459,562
177	Otter, southern sea (Enhydra lutris nereis) - Wherever found	T	\$836,029	\$1,189,295,591
178	Alligator, American (Alligator mississippiensis) - Wherever found	SAT	\$835,957	\$1,190,131,548
179	Jaguar (Panthera onca) - Wherever found	E	\$829,353	\$1,190,960,901
180	Mouse, Pacific pocket (Perognathus longimembris pacificus) - Wherever found	E	\$806,257	\$1,191,767,158
181	Butterfly, bay checkerspot (Euphydryas editha bayensis) - Wherever found	T	\$790,057	\$1,192,557,215
182	Sea turtle, green (Chelonia mydas) - Central South Pacific DPS	E	\$782,880	\$1,193,340,095
183	Rockfish, yelloweye (Sebastes ruberrimus) - Puget Sound - Georgia Basin DPS	T	\$727,095	\$1,194,067,190
184	Mussel, snuffbox (Epioblasma triquetra) - Wherever found	E	\$723,285	\$1,194,790,475
185	Rockfish, canary (Sebastes pinniger) - Puget Sound - Georgia Basin DPS	T	\$721,521	\$1,195,511,996
186	Sea turtle, olive ridley (Lepidochelys olivacea) - Wherever found, except when listed as endangered under 50 CFR 224.101	T	\$721,272	\$1,196,233,268
187	Warbler, Kirtland's (Setophaga kirtlandii (= Dendroica kirtlandii)) - Wherever found	E	\$684,806	\$1,196,918,074
188	Bocaccio (Sebastes paucispinis) - Puget Sound - Georgia Basin DPS	E	\$681,045	\$1,197,599,119
189	Deer, Columbian white-tailed (Odocoileus virginianus leucurus) - Columbia River DPS	E	\$665,268	\$1,198,264,387
190	Coot, Hawaiian (Fulica americana alai) - Wherever found	E	\$657,706	\$1,198,922,093

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
191	Bat, Virginia big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i>) - Wherever found	E	\$654,657	\$1,199,576,750
192	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. only, except where listed as an experimental population	E	\$637,125	\$1,200,213,875
193	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>) - Wherever found	E	\$630,579	\$1,200,844,454
194	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>) - Wherever found	T	\$622,397	\$1,201,466,851
195	Elktoe, Appalachian (<i>Alasmodonta raveneliana</i>) - Wherever found	E	\$617,962	\$1,202,084,813
196	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>) - Wherever found	T	\$615,465	\$1,202,700,278
197	Coral, Mountainous Star (<i>Orbicella faveolata</i>) - Wherever found	T	\$602,894	\$1,203,303,172
198	Eider, spectacled (<i>Somateria fischeri</i>) - Wherever found	T	\$595,886	\$1,203,899,058
199	Gartersnake, northern Mexican (<i>Thamnophis eques megalops</i>) - Wherever found	T	\$589,474	\$1,204,488,532
200	Rhinoceros, Sumatran (<i>Dicerorhinus sumatrensis</i>) - Wherever found	E	\$588,000	\$1,205,076,532
201	Pogonia, small whorled (<i>Isotria medeoloides</i>) - Wherever found	T	\$578,963	\$1,205,655,495
202	Coral, elkhorn (<i>Acropora palmata</i>) - Wherever found	T	\$577,494	\$1,206,232,989
203	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>) - Wherever found	E	\$575,239	\$1,206,808,228
204	Darter, Cherokee (<i>Etheostoma scotti</i>) - Wherever found	T	\$565,120	\$1,207,373,348
205	Fritillary, Gentner's (<i>Fritillaria gentneri</i>) - Wherever found	E	\$564,567	\$1,207,937,915
206	Chaffseed, American (<i>Schwalbea americana</i>) - Wherever found	E	\$561,368	\$1,208,499,283
207	Paintbrush, golden (<i>Castilleja levisecta</i>) - Wherever found	T	\$561,097	\$1,209,060,380
208	Darter, Etowah (<i>Etheostoma etowahae</i>) - Wherever found	E	\$554,620	\$1,209,615,000
209	Lupine, Kincaid's (<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>) - Wherever found	T	\$553,207	\$1,210,168,207
210	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>) - Wherever found	E	\$553,014	\$1,210,721,221
211	Woundfin (<i>Plagopterus argentissimus</i>) - Wherever found, except where listed as an experimental population	E	\$551,800	\$1,211,273,021
212	Bean, rayed (<i>Villosa fabalis</i>) - Wherever found	E	\$534,947	\$1,211,807,968
213	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - U.S.A. (AZ), Mexico	EXPN	\$530,979	\$1,212,338,947
214	Bat, lesser long-nosed (<i>Leptonycteris curasoae verbabuenae</i>) - Wherever found	E	\$523,261	\$1,212,862,208
215	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>) - Wherever found	E	\$520,400	\$1,213,382,608

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
216	Pupfish, desert (Cyprinodon macularius) - Wherever found	E	\$517,456	\$1,213,900,064
217	Chub, Virgin River (Gila seminuda (=robusta)) - Wherever found	E	\$516,900	\$1,214,416,964
218	Skipperling, Poweshiek (Oarisma poweshiek) - Wherever found	E	\$516,464	\$1,214,933,428
219	Whale, North Pacific Right (Eubalaena japonica) - Wherever found	E	\$510,039	\$1,215,443,467
220	Goby, tidewater (Eucyclogobius newberryi) - Wherever found	E	\$509,665	\$1,215,953,132
221	Coral, Lobed Star (Orbicella annularis) - Wherever found	T	\$507,164	\$1,216,460,296
222	Ladies'-tresses, Ute (Spiranthes diluvialis) - Wherever found	T	\$504,649	\$1,216,964,945
223	Coral, Pillar (Dendrogyra cylindricus) - Wherever found	T	\$503,520	\$1,217,468,465
224	Coral, Rough Cactus (Mycetophyllia ferox) - Wherever found	T	\$503,364	\$1,217,971,829
225	Vireo, Black-capped (Vireo atricapilla) - Wherever found	E	\$483,186	\$1,218,455,015
226	Crane, whooping (Grus americana) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$477,059	\$1,218,932,074
227	Tern, roseate (Sterna dougallii dougallii) - northeast U.S. nesting pop.	E	\$470,225	\$1,219,402,299
228	Panda, giant (Ailuropoda melanoleuca) - Wherever found	E	\$469,200	\$1,219,871,499
229	Bat, Florida bonneted (Eumops floridanus) - Wherever found	E	\$465,300	\$1,220,336,799
230	Coral, Boulder star (Orbicella franksi) - Wherever found	T	\$461,318	\$1,220,798,117
231	Rail, light-footed clapper (Rallus longirostris levipes) - Wherever found	E	\$459,816	\$1,221,257,933
232	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - Carolina DPS	E	\$459,137	\$1,221,717,070
233	Butterfly, Oregon silverspot (Speyeria zerene hippolyta) - Wherever found	T	\$458,095	\$1,222,175,165
234	Salamander, California tiger (Ambystoma californiense) - U.S.A. (Central CA DPS)	T	\$457,779	\$1,222,632,944
235	Heelsplitter, Carolina (Lasmigona decorata) - Wherever found	E	\$454,057	\$1,223,087,001
236	Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cactus)) - Wherever found	E	\$447,930	\$1,223,534,931
237	Crocodile, American (Crocodylus acutus) - U.S.A. (FL)	T	\$447,877	\$1,223,982,808
238	Caribou, Woodland (Rangifer tarandus caribou) - Selkirk Mountain population	E	\$446,061	\$1,224,428,869
239	Mouse, Perdido Key beach (Peromyscus polionotus trissyllepsis) - Wherever found	E	\$445,399	\$1,224,874,268
240	Salamander, Reticulated flatwoods (Ambystoma bishopi) - Wherever found	E	\$444,373	\$1,225,318,641

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
241	Butterfly, Quino checkerspot (Euphydryas editha quino (=E. e. wrighti)) - Wherever found	E	\$438,641	\$1,225,757,282
242	Falcon, northern aplomado (Falco femoralis septentrionalis) - U.S.A (AZ, NM)	EXPN	\$432,253	\$1,226,189,535
243	Mucket, pink (pearlymussel) (Lampsilis abrupta) - Wherever found	E	\$432,186	\$1,226,621,721
244	Sumac, Michaux's (Rhus michauxii) - Wherever found	E	\$424,635	\$1,227,046,356
245	Trout, Greenback Cutthroat (Oncorhynchus clarki stomias) - Wherever found	T	\$423,077	\$1,227,469,433
246	Whale, gray (Eschrichtius robustus) - Western North Pacific DPS	E	\$421,797	\$1,227,891,230
247	Peppergrass, Slickspot (Lepidium papilliferum) -	T	\$417,702	\$1,228,308,932
248	Skink, bluetail mole (Eumeces egregius lividus) - Wherever found	T	\$411,300	\$1,228,720,232
249	Catchfly, Spalding's (Silene spaldingii) - Wherever found	T	\$410,926	\$1,229,131,158
250	Frog, dusky gopher (Rana sevosa) - Wherever found	E	\$410,519	\$1,229,541,677
251	Trout, Gila (Oncorhynchus gilae) - Wherever found	T	\$410,501	\$1,229,952,178
252	Otter, Northern Sea (Enhydra lutris kenyoni) - Southwest Alaska DPS	T	\$402,909	\$1,230,355,087
253	Rail, Guam (Rallus owstoni) - Wherever found, except where listed as an experimental population	E	\$396,574	\$1,230,751,661
254	Pronghorn, Sonoran (Antilocapra americana sonoriensis) - Wherever found, except where listed as an experimental population	E	\$394,068	\$1,231,145,729
255	Snails, Oahu tree (Achatinella spp.) - Wherever found	E	\$390,715	\$1,231,536,444
256	Water-umbel, Huachuca (Lilaeopsis schaffneriana var. recurva) - Wherever found	E	\$390,200	\$1,231,926,644
257	Mouse, Preble's meadow jumping (Zapus hudsonius preblei) - wherever found	T	\$390,108	\$1,232,316,752
258	Akiki (Oreomystis bairdi) - Wherever found	E	\$385,946	\$1,232,702,698
259	Chimpanzee (Pan troglodytes) - Wherever found	E	\$378,000	\$1,233,080,698
260	Bush-mallow, San Clemente Island (Malacothamnus clementinus) - Wherever found	E	\$376,610	\$1,233,457,308
261	Fairy shrimp, longhorn (Branchinecta longiantenna) - Wherever found	E	\$376,067	\$1,233,833,375
262	Amaranth, seabeach (Amaranthus pumilus) - Wherever found	T	\$374,370	\$1,234,207,745
263	Akekee (Loxops caeruleirostris) - Wherever found	E	\$373,849	\$1,234,581,594
264	Dragonfly, Hine's emerald (Somatochlora hineana) - Wherever found	E	\$373,758	\$1,234,955,352
265	Clover, running buffalo (Trifolium stoloniferum) - Wherever found	E	\$373,442	\$1,235,328,794
266	Skipper, Dakota (Hesperia dacotae) - Wherever found	T	\$373,074	\$1,235,701,868

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
267	Mouse, Alabama beach (Peromyscus polionotus ammobates) - Wherever found	E	\$371,090	\$1,236,072,958
268	Kingfisher, Guam (Todiramphus cinnamominus) - Wherever found	E	\$357,189	\$1,236,430,147
269	Toad, Houston (Bufo houstonensis) - Wherever found	E	\$355,000	\$1,236,785,147
270	No Common Name (Acropora globiceps) - Wherever found	T	\$349,425	\$1,237,134,572
271	Howellia, water (Howellia aquatilis) - Wherever found	T	\$348,486	\$1,237,483,058
272	Salamander, Sonora tiger (Ambystoma tigrinum stebbinsi) - Wherever found	E	\$347,032	\$1,237,830,090
273	Mouse, New Mexico meadow jumping (Zapus hudsonius luteus) - Wherever found	E	\$345,292	\$1,238,175,382
274	No Common Name (Acropora jacquelinae) - Wherever found	T	\$345,100	\$1,238,520,482
274	No Common Name (Euphyllia paradivisa) - Wherever found	T	\$345,100	\$1,238,865,582
274	No Common Name (Acropora speciosa) - Wherever found	T	\$345,100	\$1,239,210,682
274	No Common Name (Isopora crateriformis) - Wherever found	T	\$345,100	\$1,239,555,782
275	No Common Name (Acropora rudis) - Wherever found	T	\$345,000	\$1,239,900,782
276	Pocket gopher, Roy Prairie (Thomomys mazama glacialis) - Wherever found	T	\$340,833	\$1,240,241,615
277	Frog, mountain yellow-legged (Rana muscosa) - Northern California DPS	E	\$339,152	\$1,240,580,767
278	No Common Name (Seriatorpora aculeata) - Wherever found	T	\$339,125	\$1,240,919,892
279	Bobwhite, masked (quail) (Colinus virginianus ridgwayi) - Wherever found	E	\$337,212	\$1,241,257,104
280	Buckwheat, scrub (Eriogonum longifolium var. gnaphalifolium) - Wherever found	T	\$336,271	\$1,241,593,375
281	No Common Name (Pavona diffluens) - Wherever found	T	\$335,424	\$1,241,928,799
282	No Common Name (Acropora lokani) - Wherever found	T	\$335,000	\$1,242,263,799
282	No Common Name (Acropora pharaonis) - Wherever found	T	\$335,000	\$1,242,598,799
282	No Common Name (Porites napopora) - Wherever found	T	\$335,000	\$1,242,933,799
283	Sucker, Warner (Catostomus warnerensis) - Wherever found	T	\$327,204	\$1,243,261,003
284	Bonamia, Florida (Bonamia grandiflora) - Wherever found	T	\$323,908	\$1,243,584,911
285	Pocketbook, fat (Potamilus capax) - Wherever found	E	\$320,884	\$1,243,905,795
286	Kangaroo rat, giant (Dipodomys ingens) - Wherever found	E	\$320,683	\$1,244,226,478
287	Prairie dog, Utah (Cynomys parvidens) - Wherever found	T	\$319,085	\$1,244,545,563
288	Jewelflower, Metcalf Canyon (Streptanthus albidus ssp. albidus) - Wherever found	E	\$315,370	\$1,244,860,933

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
289	Bat, Ozark big-eared (Corynorhinus (=Plecotus) townsendii ingens) - Wherever found	E	\$314,682	\$1,245,175,615
290	Snail, Snake River physa (Physa natricina) - Wherever found	E	\$313,592	\$1,245,489,207
291	Pigeon wings (Clitoria fragrans) - Wherever found	T	\$311,008	\$1,245,800,215
292	Sea turtle, loggerhead (Caretta caretta) - Northeast Atlantic Ocean DPS	E	\$310,010	\$1,246,110,225
293	Squirrel, Northern Idaho Ground (Urocyonellus brunneus) - Wherever found	T	\$308,283	\$1,246,418,508
294	Toad, Wyoming (Bufo hemiophrys baxteri) - Wherever found	E	\$305,808	\$1,246,724,316
295	Townsendia, Last Chance (Townsendia aprica) - Wherever found	T	\$305,252	\$1,247,029,568
296	Mussel, sheepnose (Plethobasus cyphus) - Wherever found	E	\$305,081	\$1,247,334,649
297	Spectaclecase (mussel) (Cumberlandia monodonta) - Wherever found	E	\$302,089	\$1,247,636,738
298	Orangutan (Pongo pygmaeus) - Wherever found	E	\$291,200	\$1,247,927,938
299	Tortoise, desert (Gopherus agassizii) - AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	SAT	\$291,113	\$1,248,219,051
300	Milk-vetch, Peitson's (Astragalus magdalenae var. peitsonii) - Wherever found	T	\$287,872	\$1,248,506,923
301	Spiny mussel, Tar River (Elipio steinmansana) - Wherever found	E	\$286,942	\$1,248,793,865
302	Pink, swamp (Helonias bullata) - Wherever found	T	\$283,214	\$1,249,077,079
303	Desert-parsley, Bradshaw's (Lomatium bradshawii) - Wherever found	E	\$279,503	\$1,249,356,582
304	Vole, Amargosa (Microtus californicus scirpensis) - Wherever found	E	\$279,419	\$1,249,636,001
305	Sheep, Sierra Nevada bighorn (Ovis canadensis sierrae) - Sierra Nevada	E	\$277,678	\$1,249,913,679
306	Rhinoceros, great Indian (Rhinoceros unicornis) - Nepal, India	E	\$277,200	\$1,250,190,879
307	Elepaio, Oahu (Chasiempis ibidis) - Wherever found	E	\$275,254	\$1,250,466,133
308	Mapleleaf, winged (Quadrula fragosa) - Wherever found, except where listed as an experimental population	E	\$274,016	\$1,250,740,149
309	Sea turtle, loggerhead (Caretta caretta) - South Atlantic Ocean DPS	T	\$273,258	\$1,251,013,407
310	Fiddleneck, large-flowered (Amsinckia grandiflora) - Wherever found	E	\$273,050	\$1,251,286,457
311	Goldfields, Contra Costa (Lasthenia conjugens) - Wherever found	E	\$263,197	\$1,251,549,654

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
312	Swiftlet, Mariana gray (Aerodramus vanikorensis bartschii) - Wherever found	E	\$262,043	\$1,251,811,697
313	Butterfly, Mitchell's satyr (Neonympha mitchellii mitchellii) - Wherever found	E	\$261,140	\$1,252,072,837
314	Beargrass, Britton's (Nolina brittoniana) - Wherever found	E	\$259,700	\$1,252,332,537
315	Wolf, maned (Chrysocyon brachyurus) - Wherever found	E	\$259,000	\$1,252,591,537
316	Shiner, Arkansas River (Notropis girardi) - Arkansas River Basin (AR, KS, NM, OK, TX)	T	\$258,778	\$1,252,850,315
317	Crane, whooping (Grus americana) - U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	EXPN	\$258,404	\$1,253,108,719
318	Pimpleback, orangefoot (pearlymussel) (Plethobasus cooperianus) - Wherever found	E	\$257,820	\$1,253,366,539
319	Snake, San Francisco garter (Thamnophis sirtalis tetrataenia) - Wherever found	E	\$255,681	\$1,253,622,220
320	Cavefish, Ozark (Amblyopsis rosae) - Wherever found	T	\$255,566	\$1,253,877,786
321	No Common Name (Hesperomannia arborescens) - Wherever found	E	\$254,541	\$1,254,132,327
322	Yerba santa, Lompoc (Eriodictyon capitatum) - Wherever found	E	\$253,894	\$1,254,386,221
323	Ceanothus, coyote (Ceanothus ferrisiae) - Wherever found	E	\$252,920	\$1,254,639,141
324	Rhinoceros, northern white (Ceratotherium simum cottoni) - Zaire, Uganda, Sudan, Central African Republic	E	\$251,000	\$1,254,890,141
325	Pocket gopher, Yelm (Thomomys mazama yelmensis) - Wherever found	T	\$250,505	\$1,255,140,646
326	Four-o'clock, MacFarlane's (Mirabilis macfarlanei) - Wherever found	T	\$250,126	\$1,255,390,772
327	Toad, Yosemite (Anaxyrus canorus) - Wherever found	T	\$249,034	\$1,255,639,806
328	Butterfly, Saint Francis' satyr (Neonympha mitchellii francisci) - Wherever found	E	\$248,939	\$1,255,888,745
329	Shiner, Cape Fear (Notropis mekistocholas) - Wherever found	E	\$247,380	\$1,256,136,125
330	Wolf, red (Canis rufus) - Wherever found, except where listed as an experimental population	E	\$246,268	\$1,256,382,393
331	Woolly-threads, San Joaquin (Monolopia (=Lembertia congdonii) - Wherever found	E	\$245,580	\$1,256,627,973
332	Nanu (Gardenia mannii) - Wherever found	E	\$245,279	\$1,256,873,252
333	Gallinule, Hawaiian common (Gallinula galeata sandwicensis) - Wherever found	E	\$244,074	\$1,257,117,326
334	No Common Name (Abutilon sandwicense) - Wherever found	E	\$243,051	\$1,257,360,377
335	Ha'i'wale (Cyrtandra dentata) - Wherever found	E	\$241,982	\$1,257,602,359

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
336	Woodland-star, San Clemente Island (Lithophragma maximum) - Wherever found	E	\$240,208	\$1,257,842,567
337	Pangolin, Temnick's ground (Manis temminckii) - Wherever found	E	\$238,500	\$1,258,081,067
338	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) (Serianthes nelsonii) - Wherever found	E	\$234,647	\$1,258,315,714
339	Loosestrife, rough-leaved (Lysimachia asperulaefolia) - Wherever found	E	\$232,167	\$1,258,547,881
340	Sparrow, Florida grasshopper (Ammodramus savannarum floridanus) - Wherever found	E	\$231,330	\$1,258,779,211
341	Crane, whooping (Grus americana) - U.S.A (Southwestern Louisiana)	EXPN	\$228,260	\$1,259,007,471
342	Bat, Mariana fruit (=Mariana flying fox) (Pteropus mariannus mariannus) - Wherever found	T	\$225,901	\$1,259,233,372
343	Rhinoceros, Javan (Rhinoceros sondaicus) - Sikkim, Thailand, Malaysia, Indonesia, Indochina, Burma, Bangladesh	E	\$225,000	\$1,259,458,372
344	Logperch, Roanoke (Percina rex) - Wherever found	E	\$224,203	\$1,259,682,575
345	No Common Name (Tuberolabium guamense) - Wherever found	T	\$222,090	\$1,259,904,665
346	Darter, Okaloosa (Etheostoma okaloosae) - Wherever found	T	\$222,072	\$1,260,126,737
347	Daisy, Willamette (Erigeron decumbens) - Wherever found	E	\$220,188	\$1,260,346,925
348	Seal, Guadalupe fur (Arctocephalus townsendi) - Wherever found	T	\$218,225	\$1,260,565,150
349	Ho'awa (Pittosporum napaliense) - Wherever found	E	\$217,857	\$1,260,783,007
350	Hawk, Hawaiian (=Io) (Buteo solitarius) - Wherever found	E	\$216,759	\$1,260,999,766
351	Tui chub, Mohave (Gila bicolor ssp. mohavensis) - Wherever found	E	\$216,558	\$1,261,216,324
352	Meadowfoam, large-flowered woolly (Limnanthes pumila grandiflora) - Wherever found	E	\$215,907	\$1,261,432,231
353	Kangaroo rat, Fresno (Dipodomys nitratoides exilis) - Wherever found	E	\$214,381	\$1,261,646,612
354	Butterfly, Uncompahgre fritillary (Boloria acrocnema) - Wherever found	E	\$213,215	\$1,261,859,827
355	Gartersnake, narrow-headed (Thamnophis rufipunctatus) - Wherever found	T	\$213,200	\$1,262,073,027
356	Cheetah (Acinonyx jubatus) - Wherever found	E	\$212,100	\$1,262,285,127
357	Moorhen, Mariana common (Gallinula chloropus guami) - Wherever found	E	\$209,257	\$1,262,494,384
358	Snail, Bliss Rapids (Taylorconcha serpenticola) - Wherever found	T	\$208,983	\$1,262,703,367
359	Dace, Moapa (Moapa coriacea) - Wherever found	E	\$204,404	\$1,262,907,771

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
360	Heartleaf, dwarf-flowered (Hexastylis naniflora) - Wherever found	T	\$202,876	\$1,263,110,647
361	Pikeminnow (=squawfish), Colorado (Ptychocheilus lucius) - Salt and Verde R. drainages, AZ	EXPN	\$202,689	\$1,263,313,336
362	Falcon, Eurasian peregrine (Falco peregrinus peregrinus) - Wherever found	E	\$202,655	\$1,263,515,991
363	Totoaba (seatrout or weakfish) (Cynoscion macdonaldi) - Wherever found	E	\$200,000	\$1,263,715,991
364	Lion (Panthera leo ssp. leo) - Wherever found	E	\$199,900	\$1,263,915,891
365	Darter, Niangua (Etheostoma nianguae) - Wherever found	T	\$197,826	\$1,264,113,717
366	Kuahiwi laukahi (Plantago princeps) - Wherever found	E	\$195,991	\$1,264,309,708
367	Spiraea, Virginia (Spiraea virginiana) - Wherever found	T	\$195,197	\$1,264,504,905
368	Piperia, Yadon's (Piperia yadonii) - Wherever found	E	\$194,021	\$1,264,698,926
369	Thistle, Pitcher's (Cirsium pitcheri) - Wherever found	T	\$193,204	\$1,264,892,130
370	Towhee, Inyo California (Pipilo crissalis eremophilus) - Wherever found	T	\$192,406	\$1,265,084,536
371	Rabbitsfoot (Quadrula cylindrica cylindrica) - Wherever found	T	\$189,057	\$1,265,273,593
372	Cactus, Colorado hookless (Sclerocactus glaucus) - Wherever found	T	\$188,088	\$1,265,461,681
373	Salamander, Austin blind (Eurycea waterlooensis) - Wherever found	E	\$188,000	\$1,265,649,681
374	Salamander, Jollyville Plateau (Eurycea tonkawae) - Wherever found	T	\$185,000	\$1,265,834,681
375	Ohai (Sesbania tomentosa) - Wherever found	E	\$176,279	\$1,266,010,960
376	Spiny mussel, James (Pleurobema collina) - Wherever found	E	\$173,483	\$1,266,184,443
377	Stickleback, unarmored threespine (Gasterosteus aculeatus williamsoni) - Wherever found	E	\$171,971	\$1,266,356,414
378	Catfish, Yaqui (Ictalurus pricei) - Wherever found	T	\$170,900	\$1,266,527,314
379	Orchid, western prairie fringed (Platanthera praeclara) - Wherever found	T	\$170,320	\$1,266,697,634
380	Dace, desert (Eremichthys acros) - Wherever found	T	\$169,262	\$1,266,866,896
381	Springsnail, Bruneau Hot (Pyrgulopsis bruneauensis) - Wherever found	E	\$167,600	\$1,267,034,496
382	Duck, Laysan (Anas laysanensis) - Wherever found	E	\$166,648	\$1,267,201,144
383	Pondberry (Lindera melissifolia) - Wherever found	E	\$166,458	\$1,267,367,602
384	Popcornflower, rough (Plagiobothrys hirtus) - Wherever found	E	\$166,000	\$1,267,533,602
385	Fairy shrimp, San Diego (Branchinecta sandiegonensis) - Wherever found	E	\$163,618	\$1,267,697,220

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
386	Skipper, Carson wandering (Pseudocopaedes eunus obscurus) - Wherever found	E	\$162,718	\$1,267,859,938
387	Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides) - Wherever found	E	\$161,924	\$1,268,021,862
388	Spineflower, Orcutt's (Chorizanthe orcuttiana) - Wherever found	E	\$160,302	\$1,268,182,164
389	Thrush, small Kauai (=puaiohi) (Myadestes palmeri) - Wherever found	E	\$159,325	\$1,268,341,489
390	Fox, San Miguel Island (Urocyon littoralis littoralis) - wherever found	E	\$157,712	\$1,268,499,201
391	Riffleshell, northern (Epioblasma torulosa rangiana) - Wherever found	E	\$157,146	\$1,268,656,347
392	Mahoe (Alectryon macrococcus) - Wherever found	E	\$156,917	\$1,268,813,264
393	Ma'o hau hele, (=native yellow hibiscus) (Hibiscus brackenridgei) - Wherever found	E	\$156,472	\$1,268,969,736
394	Sea turtle, green (Chelonia mydas) - East Indian-West Pacific DPS	T	\$155,000	\$1,269,124,736
395	Clubshell (Pleurobema clava) - Wherever found; Except where listed as Experimental Populations	E	\$154,519	\$1,269,279,255
396	Dace, Foscett speckled (Rhinichthys osculus ssp.) - Wherever found	T	\$153,490	\$1,269,432,745
397	Madtom, Neosho (Noturus placidus) - Wherever found	T	\$147,942	\$1,269,580,687
398	Quillwort, Louisiana (Isoetes louisianensis) - Wherever found	E	\$147,932	\$1,269,728,619
399	Rabbit, riparian brush (Sylvilagus bachmani riparius) - Wherever found	E	\$146,666	\$1,269,875,285
400	Kangaroo rat, San Bernardino Merriam's (Dipodomys merriami parvus) - Wherever found	E	\$143,970	\$1,270,019,255
401	Fanshell (Cyprogenia stegaria) - Wherever found	E	\$142,717	\$1,270,161,972
402	Harvestman, Bone Cave (Texella reyes) - Wherever found	E	\$142,500	\$1,270,304,472
403	Sunflower, Schweinitz's (Helianthus schweinitzii) - Wherever found	E	\$141,720	\$1,270,446,192
404	Cui-ui (Chasmistes cujus) - Wherever found	E	\$141,644	\$1,270,587,836
405	Lomatium, Cook's (Lomatium cookii) - Wherever found	E	\$140,980	\$1,270,728,816
406	Amole, purple (Chlorogalum purpureum) - Wherever found	T	\$140,914	\$1,270,869,730
407	Pearl mussel, cracking (Hemistena lata) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$140,460	\$1,271,010,190
408	Mehamehame (Flueggea neowawraea) - Wherever found	E	\$140,045	\$1,271,150,235
409	No Common Name (Phyllostegia hirsuta) - Wherever found	E	\$139,777	\$1,271,290,012
410	Dace, blackside (Phoxinus cumberlandensis) - Wherever found	T	\$137,281	\$1,271,427,293

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
411	Pearlshell, Louisiana (Margaritifera hembeli) - Wherever found	T	\$137,260	\$1,271,564,553
412	Haha (Cyanea koolauensis) - Wherever found	E	\$135,895	\$1,271,700,448
413	Parrotbill, Maui (Kiwikiu) (Pseudonestor xanthophrys) - Wherever found	E	\$134,589	\$1,271,835,037
414	Penstemon, blowout (Penstemon haydenii) - Wherever found	E	\$133,835	\$1,271,968,872
415	Ivesia, Webber's (Ivesia webberi) - Wherever found	T	\$133,278	\$1,272,102,150
416	Kamakahala (Lobordia cyrtandrae) - Wherever found	E	\$133,083	\$1,272,235,233
417	Butterfly, El Segundo blue (Euphilotes battoides allyni) - Wherever found	E	\$132,989	\$1,272,368,222
418	Whipsnake (=striped racer), Alameda (Masticophis lateralis euryxanthus) - Wherever found	T	\$132,240	\$1,272,500,462
419	Haha (Cyanea superba) - Wherever found	E	\$131,924	\$1,272,632,386
420	No Common Name (Neraudia angulata) - Wherever found	E	\$131,878	\$1,272,764,264
421	No Common Name (Neraudia ovata) - Wherever found	E	\$131,788	\$1,272,896,052
422	Bankclimber, purple (mussel) (Eliptoideus sloatianus) - Wherever found	T	\$131,570	\$1,273,027,622
423	Kulu'i (Nototrichium humile) - Wherever found	E	\$131,299	\$1,273,158,921
424	Ahinahina (Argyroxiphium sandwicense ssp. macrocephalum) - Wherever found	T	\$131,167	\$1,273,290,088
425	Threeridge, fat (mussel) (Amblema neislerii) - Wherever found	E	\$131,056	\$1,273,421,144
426	No Common Name (Schiedea kaalae) - Wherever found	E	\$130,959	\$1,273,552,103
427	No Common Name (Phyllostegia mollis) - Wherever found	E	\$129,320	\$1,273,681,423
428	No Common Name (Kadua degeneri) - Wherever found	E	\$128,798	\$1,273,810,221
429	Pupfish, Warm Springs (Cyprinodon nevadensis pectoralis) - Wherever found	E	\$128,526	\$1,273,938,747
430	No Common Name (Schiedea obovata) - Wherever found	E	\$128,451	\$1,274,067,198
431	No Common Name (Stenogyne kanehoana) - Wherever found	E	\$128,205	\$1,274,195,403
432	Haha (Cyanea grimesiana ssp. obatae) - Wherever found	E	\$128,147	\$1,274,323,550
433	No Common Name (Schiedea nuttallii) - Wherever found	E	\$128,013	\$1,274,451,563
434	No Common Name (Phyllostegia kaalaensis) - Wherever found	E	\$127,853	\$1,274,579,416
435	Akoko (Euphorbia herbstii) - Wherever found	E	\$127,360	\$1,274,706,776
436	Oha (Delissea subcordata) - Wherever found	E	\$126,706	\$1,274,833,482
437	Palila (honeycreeper) (Loxioides bailleui) - Wherever found	E	\$126,442	\$1,274,959,924
438	Nioi (Eugenia koolauensis) - Wherever found	E	\$126,323	\$1,275,086,247
439	No Common Name (Kadua parvula) - Wherever found	E	\$125,851	\$1,275,212,098

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
440	Kamanomano (Cenchrus agrimonoides) - Wherever found	E	\$125,667	\$1,275,337,765
441	No Common Name (Tetramolopium filiforme) - Wherever found	E	\$125,176	\$1,275,462,941
442	Na'ena'e (Dubautia herbstobatae) - Wherever found	E	\$124,525	\$1,275,587,466
442	Lo'ulu (Pritchardia kaalae) - Wherever found	E	\$124,525	\$1,275,711,991
443	Rhinoceros, Southern white (Ceratotherium simum ssp. simum) - Wherever found	SAT	\$124,500	\$1,275,836,491
444	No Common Name (Schiedea trinervis) - Wherever found	E	\$124,380	\$1,275,960,871
445	Haha (Cyanea longiflora) - Wherever found	E	\$124,221	\$1,276,085,092
446	No Common Name (Sanicula maritima) - Wherever found	E	\$124,076	\$1,276,209,168
447	Lau'ehu (Panicum niuhauense) - Wherever found	E	\$123,588	\$1,276,332,756
448	`Akoko (Euphorbia celastroides var. kaenana) - Wherever found	E	\$123,434	\$1,276,456,190
449	Lampmussel, Alabama (Lampsilis virescens) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$123,340	\$1,276,579,530
450	Leopard (Panthera pardus) - except where threatened	E	\$122,600	\$1,276,702,130
451	No Common Name (Spermolepis hawaiiensis) - Wherever found	E	\$122,499	\$1,276,824,629
452	Picture-wing fly, Hawaiian (Drosophila montgomeryi) - Wherever found	E	\$121,759	\$1,276,946,388
452	Fly, Hawaiian picture-wing (Drosophila substenoptera) - Wherever found	E	\$121,759	\$1,277,068,147
453	Po'e (Portulaca sclerocarpa) - Wherever found	E	\$121,607	\$1,277,189,754
454	Shrimp, California freshwater (Syncaris pacifica) - Wherever found	E	\$120,984	\$1,277,310,738
455	Moth, Blackburn's sphinx (Manduca blackburni) - Wherever found	E	\$120,513	\$1,277,431,251
456	Sturgeon, Shovelnose (Scaphirhynchus platyrhynchus) - Wherever found	SAT	\$119,217	\$1,277,550,468
457	Ma'oli'oli (Schiedea hawaiiensis) - Wherever found	E	\$118,908	\$1,277,669,376
458	Pocket gopher, Olympia (Thomomys mazama pugetensis) - Wherever found	T	\$117,630	\$1,277,787,006
459	Sea turtle, loggerhead (Caretta caretta) - North Indian Ocean DPS	E	\$117,037	\$1,277,904,043
460	Albatross, short-tailed (Phoebastria (=Diomedea) albatrus) - Wherever found	E	\$116,783	\$1,278,020,826
461	No Common Name (Silene lanceolata) - Wherever found	E	\$116,296	\$1,278,137,122
462	A'e (Zanthoxylum hawaiiense) - Wherever found	E	\$116,012	\$1,278,253,134
463	Popolo ku mai (Solanum incompactum) - Wherever found	E	\$115,998	\$1,278,369,132
464	Tiger beetle, Salt Creek (Cicindela nevadica lincolniensis) - Wherever found	E	\$114,073	\$1,278,483,205

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
465	Aster, decurrent false (Boltonia decurrens) - Wherever found	T	\$113,492	\$1,278,596,697
466	No Common Name (Stenogyne angustifolia angustifolia) - Wherever found	E	\$113,324	\$1,278,710,021
467	Rabbit, Lower Keys marsh (Sylvilagus palustris hefneri) - Wherever found	E	\$113,224	\$1,278,823,245
468	Woolly-star, Santa Ana River (Eriastrum densifolium ssp. sanctorum) - Wherever found	E	\$112,626	\$1,278,935,871
469	Coneflower, smooth (Echinacea laevigata) - Wherever found	E	\$112,527	\$1,279,048,398
470	No Common Name (Asplenium peruvianum var. insulare) - Wherever found	E	\$112,103	\$1,279,160,501
471	No Common Name (Schiedea haleakalensis) - Wherever found	E	\$111,691	\$1,279,272,192
472	No Common Name (Silene hawaiiensis) - Wherever found	T	\$111,670	\$1,279,383,862
473	Honohono (Haplostachys haplostachya) - Wherever found	E	\$111,212	\$1,279,495,074
474	Chub, spotfin (Erimonax monachus) - Wherever found, except where listed as an experimental population	T	\$110,969	\$1,279,606,043
475	Kio'ele (Kadua coriacea) - Wherever found	E	\$109,346	\$1,279,715,389
475	No Common Name (Vigna o-wahuensis) - Wherever found	E	\$109,346	\$1,279,824,735
476	Falcon, northern aplomado (Falco femoralis septentrionalis) - Wherever found, except where listed as an experimental population	E	\$108,459	\$1,279,933,194
477	Turtle, bog (Glemmys muhlenbergii) - U.S.A. (GA, NC, SC, TN, VA)	SAT	\$107,565	\$1,280,040,759
478	Manzanita, Franciscan (Arctostaphylos franciscana) - Wherever found	E	\$107,500	\$1,280,148,259
479	Chub, Pahrnanagat roundtail (Gila robusta jordani) - Wherever found	E	\$107,289	\$1,280,255,548
480	Aupaka (Isodendron hosakae) - Wherever found	E	\$107,110	\$1,280,362,658
481	Larkspur, San Clemente Island (Delphinium variegatum ssp. kinkiense) - Wherever found	E	\$106,934	\$1,280,469,592
482	Haha (Cyanea asplenifolia) - Wherever found	E	\$106,802	\$1,280,576,394
483	No Common Name (Tetramolopium arenarium) - Wherever found	E	\$106,685	\$1,280,683,079
484	Fairy shrimp, Riverside (Streptocephalus woottoni) - Wherever found	E	\$106,600	\$1,280,789,679
485	Milk-vetch, Sentry (Astragalus cremnophyllax var. cremnophyllax) - Wherever found	E	\$106,272	\$1,280,895,951
486	Buckwheat, steamboat (Eriogonum ovalifolium var. williamsiae) - Wherever found	E	\$106,041	\$1,281,001,992
487	No Common Name (Lipochaeta venosa) - Wherever found	E	\$105,795	\$1,281,107,787

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
488	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>) - Wherever found	T	\$105,422	\$1,281,213,209
489	Deer, musk (<i>Moschus</i> spp. (all species)) - Afghanistan, Bhutan, Burma, China [Tibet, Yunnan], India, Nepal, Pakistan, Sikkim	E	\$105,135	\$1,281,318,344
490	Bear, brown (<i>Ursus arctos pruinus</i>) - Wherever found	E	\$104,800	\$1,281,423,144
491	Harperella (<i>Ptilimnium nodosum</i>) - Wherever found	E	\$104,412	\$1,281,527,556
492	Lotus, San Clemente Island (<i>Acmispon dendroideus</i> var. <i>traskiae</i> (=Lotus d. ssp. <i>traskiae</i>)) - Wherever found	T	\$104,326	\$1,281,631,882
493	Darter, leopard (<i>Percina pantherina</i>) - Wherever found	T	\$103,823	\$1,281,735,705
494	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>) - Wherever found	E	\$103,103	\$1,281,838,808
495	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>) - Wherever found	E	\$102,338	\$1,281,941,146
496	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>) - Wherever found	E	\$101,396	\$1,282,042,542
497	Limpet, Banbury Springs (<i>Lanx</i> sp.) - Wherever found	E	\$101,364	\$1,282,143,906
498	Trout, Apache (<i>Oncorhynchus apache</i>) - Wherever found	T	\$101,113	\$1,282,245,019
499	Tiger beetle, Puritan (<i>Cicindela puritana</i>) - Wherever found	T	\$100,829	\$1,282,345,848
500	Mussel, scaleshell (<i>Leptodea leptodon</i>) - Wherever found	E	\$100,752	\$1,282,446,600
501	Haiwale (<i>Cyrtandra ferripilosa</i>) - Wherever found	E	\$100,728	\$1,282,547,328
501	No Common Name (<i>Phyllostegia haliakalae</i>) - Wherever found	E	\$100,728	\$1,282,648,056
502	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensi</i>) - Wherever found	E	\$100,572	\$1,282,748,628
503	Pupfish, Owens (<i>Cyprinodon radiosus</i>) - Wherever found	E	\$100,476	\$1,282,849,104
504	'Oha wai (<i>Clermontia samuelii</i>) - Wherever found	E	\$100,306	\$1,282,949,410
505	Seagrass, Johnson's (<i>Halophila johnsonii</i>) - Wherever found	T	\$99,100	\$1,283,048,510
506	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>) - Wherever found	E	\$98,350	\$1,283,146,860
507	Bladderpod, Short's (<i>Physaria globosa</i>) - Wherever found	E	\$98,310	\$1,283,245,170
508	Baccharis, Encinitas (<i>Baccharis vanessae</i>) - Wherever found	T	\$98,204	\$1,283,343,374
509	Shiner, Topeka (<i>Notropis topeka</i> (=tristis)) - U.S.A. (MO-specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth Counties; see 17.84(d)(1)(i))	EXPN	\$98,100	\$1,283,441,474
510	Polygala, Lewton's (<i>Polygala lewtonii</i>) - Wherever found	E	\$97,842	\$1,283,539,316
511	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>) - Wherever found	E	\$97,000	\$1,283,636,316
512	Fadang (<i>Cycas micronesica</i>) - Wherever found	T	\$96,332	\$1,283,732,648

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
513	Mountain beaver, Point Arena (Aplodontia rufa nigra) - Wherever found	E	\$96,077	\$1,283,828,725
514	Goldfields, Burke's (Lasthenia burkei) - Wherever found	E	\$95,697	\$1,283,924,422
515	Frog, mountain yellow-legged (Rana muscosa) - Southern California DPS	E	\$95,650	\$1,284,020,072
516	Lizard, Coachella Valley fringe-toed (Uma inornata) - Wherever found	T	\$95,443	\$1,284,115,515
517	Ring pink (mussel) (Obovaria retusa) - Wherever found	E	\$94,820	\$1,284,210,335
518	Harvestman, Bee Creek Cave (Texella reddelli) - Wherever found	E	\$94,500	\$1,284,304,835
518	Pseudoscorpion, Tooth Cave (Tartarocreagris texana) - Wherever found	E	\$94,500	\$1,284,399,335
518	Spider, Tooth Cave (Neoleptoneta myopica) - Wherever found	E	\$94,500	\$1,284,493,835
519	Boa, Puerto Rican (Epicrates inornatus) - Wherever found	E	\$94,130	\$1,284,587,965
520	Ambrosia, San Diego (Ambrosia pumila) - Wherever found	E	\$93,624	\$1,284,681,589
521	Creepers, Hawaii (Oreomystis mana) - Wherever found	E	\$92,540	\$1,284,774,129
522	Bird's-beak, salt marsh (Cordylanthus maritimus ssp. maritimus) - Wherever found	E	\$92,498	\$1,284,866,627
523	Blackbird, yellow-shouldered (Agelaius xanthomus) - Wherever found	E	\$92,100	\$1,284,958,727
524	Squirrel, Mount Graham red (Tamiasciurus hudsonicus grahamensis) - Wherever found	E	\$91,300	\$1,285,050,027
525	Butterfly, Lange's metalmark (Apodemia mormo langei) - Wherever found	E	\$91,104	\$1,285,141,131
526	Akepa, Hawaii (Loxops coccineus) - Wherever found	E	\$90,973	\$1,285,232,104
527	Goldenrod, Houghton's (Solidago houghtonii) - Wherever found	T	\$89,949	\$1,285,322,053
528	Joint-vetch, Sensitive (Aeschynomene virginica) - Wherever found	T	\$89,484	\$1,285,411,537
529	Skipper, Laguna Mountains (Pyrgus ruralis lagunae) - Wherever found	E	\$88,979	\$1,285,500,516
530	Potentilla, Hickman's (Potentilla hickmanii) - Wherever found	E	\$88,894	\$1,285,589,410
531	Butterfly, Palos Verdes blue (Glaucopsyche lygdamus palosverdesensis) - Wherever found	E	\$88,031	\$1,285,677,441
532	Checker-mallow, Nelson's (Sidalcea nelsoniana) - Wherever found	T	\$87,264	\$1,285,764,705
533	Slabshell, Chipola (Elliptio chipolaensis) - Wherever found	T	\$86,206	\$1,285,850,911
534	Glade cress, Kentucky (Leavenworthia exigua laciniata) - Wherever found	T	\$85,706	\$1,285,936,617
535	Jewelflower, California (Caulanthus californicus) - Wherever found	E	\$85,360	\$1,286,021,977

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
536	Pigtoe, oval (<i>Pleurobema pyriforme</i>) - Wherever found	E	\$85,196	\$1,286,107,173
537	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$84,705	\$1,286,191,878
538	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>) - Wherever found	T	\$84,547	\$1,286,276,425
539	Darter, bluemark (<i>Etheostoma akatulo</i>) - Wherever found	E	\$84,490	\$1,286,360,915
540	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>) - Wherever found	E	\$84,373	\$1,286,445,288
541	Monkshood, northern wild (<i>Aconitum noveboracense</i>) - Wherever found	T	\$84,171	\$1,286,529,459
542	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>) - Wherever found	E	\$83,971	\$1,286,613,430
543	Warea, wide-leaf (<i>Warea amplexifolia</i>) - Wherever found	E	\$82,900	\$1,286,696,330
544	No Common Name (<i>Phyllostegia bracteata</i>) - Wherever found	E	\$81,822	\$1,286,778,152
545	Pigtoe, rough (<i>Pleurobema plenum</i>) - Wherever found	E	\$81,720	\$1,286,859,872
546	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>) - Wherever found	T	\$81,633	\$1,286,941,505
547	Dropwort, Canby's (<i>Oxypolis canbyi</i>) - Wherever found	E	\$81,313	\$1,287,022,818
548	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>) - Wherever found	E	\$81,103	\$1,287,103,921
549	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>) - wherever found	T	\$80,800	\$1,287,184,721
550	Darter, relict (<i>Etheostoma chienense</i>) - Wherever found	E	\$80,187	\$1,287,264,908
551	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophtys</i>) - Wherever found	E	\$79,838	\$1,287,344,746
552	Darter, boulder (<i>Etheostoma wapiti</i>) - Wherever found	E	\$79,660	\$1,287,424,406
553	Lavia, beach (<i>Layia carnosia</i>) - Wherever found	E	\$79,133	\$1,287,503,539
554	Ziziphus, Florida (<i>Ziziphus celata</i>) - Wherever found	E	\$79,000	\$1,287,582,539
555	Ko'oloa'ula (<i>Abutilon menziesii</i>) - Wherever found	E	\$78,670	\$1,287,661,209
556	Ischaemum, Hilo (<i>Ischaemum byrone</i>) - Wherever found	E	\$78,166	\$1,287,739,375
557	Crocodile, African slender-snouted (<i>Crocodylus cataphractus</i>) - Wherever found	E	\$78,000	\$1,287,817,375
558	Chub, Owens Tui (<i>Gila bicolor ssp. snyderi</i>) - Wherever found	E	\$77,728	\$1,287,895,103
559	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>) - Wherever found	E	\$76,880	\$1,287,971,983
560	Mallow, Kern (<i>Eremalche kernensis</i>) - Wherever found	E	\$76,710	\$1,288,048,693
561	Ko'oko'olau (<i>Bidens micrantha ssp. kalealaha</i>) - Wherever found	E	\$76,167	\$1,288,124,860
562	Beetle, Casey's June (<i>Dinacoma caseyi</i>) - Wherever found	E	\$75,859	\$1,288,200,719

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
563	Meshweaver, Madla's Cave (Cicurina madla) - Wherever found	E	\$75,533	\$1,288,276,252
564	Shrew, Buena Vista Lake ornate (Sorex ornatus relictus) - Wherever found	E	\$75,504	\$1,288,351,756
565	Milk-vetch, Lane Mountain (Astragalus jaegerianus) - Wherever found	E	\$75,429	\$1,288,427,185
566	Beetle, [no common name] (Rhadinexilix) - Wherever found	E	\$75,333	\$1,288,502,518
567	Button-celery, San Diego (Eryngium aristulatum var. parishii) - Wherever found	E	\$75,283	\$1,288,577,801
568	Akiapolaau (Hemignathus wilsoni) - Wherever found	E	\$75,115	\$1,288,652,916
569	Pitcher-plant, mountain sweet (Sarracenia rubra ssp. jonesii) - Wherever found	E	\$74,998	\$1,288,727,914
570	Pocketbook, shinyrayed (Lampsilis subangulata) - Wherever found	E	\$74,290	\$1,288,802,204
571	Bison, wood (Bison bison athabascæ) - Wherever found	T	\$73,000	\$1,288,875,204
572	Tiger beetle, Northeastern beach (Cicindela dorsalis dorsalis) - Wherever found	T	\$72,944	\$1,288,948,148
573	Bat, Mexican long-nosed (Leptonycteris nivalis) - Wherever found	E	\$72,850	\$1,289,020,998
574	Orchid, eastern prairie fringed (Platanthera leucophaea) - Wherever found	T	\$72,474	\$1,289,093,472
575	Butterfly, Smith's blue (Euphilotes enoptes smithi) - Wherever found	E	\$71,411	\$1,289,164,883
576	Helibender, Ozark (Cryptobranchus alleganiensis bishopi) - Wherever found	E	\$71,200	\$1,289,236,083
577	Butterfly, Mariana eight-spot (Hypolimnas octocula marianensis) - Wherever found	E	\$71,160	\$1,289,307,243
578	Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis) - Wherever found	E	\$70,364	\$1,289,377,607
579	Beetle, [no common name] (Rhadinexilix) - Wherever found	E	\$70,333	\$1,289,447,940
580	No Common Name (Osmoxylon mariannense) - Wherever found	E	\$70,328	\$1,289,518,268
581	Milk-vetch, Ash meadows (Astragalus phoenix) - Wherever found	T	\$70,044	\$1,289,588,312
582	Warbler, elfin-woods (Setophaga angelae) - Wherever found	T	\$70,000	\$1,289,658,312
583	Fly, Delhi Sands flower-loving (Rhaphiomidas terminatus abdominalis) - Wherever found	E	\$69,748	\$1,289,728,060
584	Mussel, oyster (Epioblasma capsaeformis) - Wherever found; Except where listed as Experimental Populations	E	\$69,460	\$1,289,797,520
585	Beetle, American burying (Microphorus americanus) - Ex Pop, SW Missouri	EXPN	\$69,200	\$1,289,866,720

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
586	Cactus, Mesa Verde (Sclerocactus mesae-verdae) - Wherever found	T	\$68,800	\$1,289,935,520
587	Butterfly plant, Colorado (Gaura neomexicana var. coloradensis) - Wherever found	T	\$68,679	\$1,290,004,199
588	No Common Name (Nesogenes rotensis) - Wherever found	E	\$67,813	\$1,290,072,012
589	Butterfly, callippe silverspot (Speyeria callippe callippe) - Wherever found	E	\$67,745	\$1,290,139,757
590	Potato-bean, Price's (Apios priceana) - Wherever found	T	\$67,037	\$1,290,206,794
591	Rattlesnake, New Mexican ridge-nosed (Crotalus willardi obscurus) - Wherever found	T	\$66,900	\$1,290,273,694
592	Aiea (Nothocentrum breviflorum) - Wherever found	E	\$66,884	\$1,290,340,578
593	Beauty, Harper's (Harperocallis flava) - Wherever found	E	\$66,495	\$1,290,407,073
594	Bean, purple (Villosa perpurpurea) - Wherever found	E	\$66,480	\$1,290,473,553
595	Cactus, Wright fishhook (Sclerocactus wrightiae) - Wherever found	E	\$66,400	\$1,290,539,953
596	Wallflower, Menzies' (Erysimum menziesii) - Wherever found	E	\$66,052	\$1,290,606,005
597	Ayenia, Texas (Ayenia limitaris) - Wherever found	E	\$65,800	\$1,290,671,805
598	Spinedace, White River (Lepidomeda albivallis) - Wherever found	E	\$65,738	\$1,290,737,543
599	Cactus, Arizona hedgehog (Echinocereus triglochidiatus var. arizonicus) - Wherever found	E	\$65,197	\$1,290,802,740
600	Milk-vetch, Fish Slough (Astragalus lentiginosus var. piscinensis) - Wherever found	T	\$64,440	\$1,290,867,180
601	Cactus, Bakersfield (Opuntia treleasei) - Wherever found	E	\$63,874	\$1,290,931,054
602	Darter, slackwater (Etheostoma boschungii) - Wherever found	T	\$63,819	\$1,290,994,873
603	Kamakahala (Labordia triflora) - Wherever found	E	\$63,529	\$1,291,058,402
604	No Common Name (Neraudia sericea) - Wherever found	E	\$63,478	\$1,291,121,880
605	Milkweed, Mead's (Asclepias meadii) - Wherever found	T	\$63,310	\$1,291,185,190
606	Skullcap, large-flowered (Scutellaria montana) - Wherever found	T	\$63,062	\$1,291,248,252
607	Popolo (Cyanea solanacea) - Wherever found	E	\$62,464	\$1,291,310,716
607	Ha'iwale (Cyrtandra filipes) - Wherever found	E	\$62,464	\$1,291,373,180
607	No Common Name (Cyanea profuga) - Wherever found	E	\$62,464	\$1,291,435,644
608	No Common Name (Stenogyne bifida) - Wherever found	E	\$61,941	\$1,291,497,585
609	Nohoanu (Geranium hanaense) - Wherever found	E	\$61,802	\$1,291,559,387
610	Fairy shrimp, Conservancy (Branchinecta conservatio) - Wherever found	E	\$61,386	\$1,291,620,773

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
611	Honeycreeper, (Akohekohe) crested (Palmeria dolei) - Wherever found	E	\$61,120	\$1,291,681,893
612	Hawk, Puerto Rican broad-winged (Buteo platypterus brunescens) - Wherever found	E	\$61,103	\$1,291,742,996
613	Lo'ulu (Pritchardia munroi) - Wherever found	E	\$61,013	\$1,291,804,009
614	Moccasinshell, Gulf (Medionidus penicillatus) - Wherever found	E	\$60,966	\$1,291,864,975
615	Mucket, Neosho (Lampsilis rafinesqueana) - Wherever found	E	\$60,613	\$1,291,925,588
616	Darter, snail (Percina tanasi) - Wherever found	T	\$60,610	\$1,291,986,198
617	Snail, Guam tree (Partula radiolata) - Wherever found	E	\$60,483	\$1,292,046,681
618	Shiner, blue (Cyprinella caerulea) - Wherever found	T	\$60,130	\$1,292,106,811
619	Mesa-mint, San Diego (Pogogyne abramsii) - Wherever found	E	\$59,733	\$1,292,166,544
620	Pennyroyal, Todsen's (Hedeoma todsenii) - Wherever found	E	\$59,000	\$1,292,225,544
621	Milk-vetch, Applegate's (Astragalus applegatei) - Wherever found	E	\$58,900	\$1,292,284,444
622	Salamander, Santa Cruz long-toed (Ambystoma macrodactylum croceum) - Wherever found	E	\$58,809	\$1,292,343,253
623	Mouse, St. Andrew beach (Peromyscus polionotus peninsularis) - Wherever found	E	\$58,800	\$1,292,402,053
624	Snake, black pine (Pituophis melanoleucus lodingi) - Wherever found	T	\$57,925	\$1,292,459,978
625	Brodiaea, Chinese Camp (Brodiaea pallida) - Wherever found	T	\$57,810	\$1,292,517,788
626	Leopard, clouded (Neofelis nebulosa) - Wherever found	E	\$57,800	\$1,292,575,588
627	Alani (Melicope ovalis) - Wherever found	E	\$57,714	\$1,292,633,302
628	Cactus, Winkler (Pediocactus winkleri) - Wherever found	T	\$57,600	\$1,292,690,902
629	Bean, Cumberland (pearlymussel) (Villosa trabalis) - Wherever found; Except where listed as Experimental Populations	E	\$57,560	\$1,292,748,462
630	Pearlymussel, slabside (Pleuronaia dolabelloides) - Wherever found	E	\$57,410	\$1,292,805,872
631	Ko'oko'olau (Bidens wiebkai) - Wherever found	E	\$57,204	\$1,292,863,076
632	Akepa, Maui (Loxops ochraceus) - Wherever found	E	\$57,133	\$1,292,920,209
633	Lily, Western (Lilium occidentale) - Wherever found	E	\$57,000	\$1,292,977,209
634	Alani (Melicope reflexa) - Wherever found	E	\$56,950	\$1,293,034,159
634	Haha (Cyanea mannii) - Wherever found	E	\$56,950	\$1,293,091,109
635	Ladies'-tresses, Navasota (Spiranthes parksii) - Wherever found	E	\$56,900	\$1,293,148,009
636	Wild-rice, Texas (Zizania texana) - Wherever found	E	\$56,600	\$1,293,204,609

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
637	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Wherever found, except where listed as an experimental population	E	\$56,060	\$1,293,260,669
638	Turtle, Plymouth Redbelly (<i>Pseudemys rubriventris bangsi</i>) - Wherever found	E	\$55,920	\$1,293,316,589
639	Bladderpod, Missouri (<i>Physaria filiformis</i>) - Wherever found	T	\$55,373	\$1,293,371,962
640	Haha (<i>Cyanea maritae</i>) - Wherever found	E	\$55,037	\$1,293,426,999
641	Kula wahine noho (<i>Isodendron pyrifolium</i>) - Wherever found	E	\$54,969	\$1,293,481,968
642	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri)) - Wherever found	E	\$54,960	\$1,293,536,928
643	No Common Name (<i>Wikstroemia villosa</i>) - Wherever found	E	\$54,872	\$1,293,591,800
644	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>) - Wherever found	T	\$54,615	\$1,293,646,415
645	Butterweed, Layne's (<i>Senecio layneae</i>) - Wherever found	T	\$54,020	\$1,293,700,435
646	Nohoanu (<i>Geranium multiflorum</i>) - Wherever found	E	\$53,808	\$1,293,754,243
647	'Akoko, Ewa Plains (<i>Euphorbia skottsbergii</i> var. <i>skottsbergii</i>) - Wherever found	E	\$53,793	\$1,293,808,036
648	Pearlymussel, littlewing (<i>Pegias fabula</i>) - Wherever found	E	\$53,660	\$1,293,861,696
649	Nui, haha (<i>Cyanea horrida</i>) - Wherever found	E	\$52,885	\$1,293,914,581
650	Arrowhead, bunched (<i>Sagittaria fasciculata</i>) - Wherever found	E	\$52,359	\$1,293,966,940
651	Horse, Przewalski's (<i>Equus przewalskii</i>) - Wherever found	E	\$52,000	\$1,294,018,940
652	Wawae'iole (<i>Huperzia mannii</i>) - Wherever found	E	\$51,857	\$1,294,070,797
653	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>) - Wherever found	E	\$51,825	\$1,294,122,622
654	Boa, Jamaican (<i>Epicrates subflavus</i>) - Wherever found	E	\$51,667	\$1,294,174,289
655	Haha (<i>Cyanea kunthiana</i>) - Wherever found	E	\$51,290	\$1,294,225,579
656	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$51,257	\$1,294,276,836
657	Ko'oko'olau (<i>Bidens campylothea pentamera</i>) - Wherever found	E	\$51,246	\$1,294,328,082
658	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>) - Wherever found	E	\$51,210	\$1,294,379,292
659	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>) - Wherever found	E	\$51,167	\$1,294,430,459
660	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>) - Wherever found	E	\$50,611	\$1,294,481,070
661	Grass, Eureka Dune (<i>Swallenia alexandrae</i>) -	E	\$50,564	\$1,294,531,634
662	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekaensis</i>) -	E	\$50,464	\$1,294,582,098

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
663	Yellowhead, desert (Yermo xanthocephalus) - Wherever found	T	\$50,279	\$1,294,632,377
664	Trillium, relict (Trillium reliquum) - Wherever found	E	\$50,169	\$1,294,682,546
665	Ko'oko'olau (Bidens campylotheca waihoiensis) - Wherever found	E	\$50,152	\$1,294,732,698
666	Deer, Eld's brow-antlered (Cervus eldi) - Wherever found	E	\$50,100	\$1,294,782,798
666	Cactus, Acuna (Echinomastus erectocentrus var. acunensis) - Wherever found	E	\$50,100	\$1,294,832,898
667	Crocodile, Nile (Crocodylus niloticus) - Wherever found	T	\$50,000	\$1,294,882,898
667	Crocodile, saltwater (Crocodylus porosus) - Australia	T	\$50,000	\$1,294,932,898
667	Sturgeon, Beluga (Huso huso) - Wherever found	T	\$50,000	\$1,294,982,898
668	Madtom, yellowfin (Noturus flavipinnis) - Wherever found, except where listed as an experimental population	T	\$49,980	\$1,295,032,878
669	Moccasinshell, Ochlockonee (Medionidus simpsonianus) - Wherever found	E	\$49,776	\$1,295,082,654
670	No Common Name (Dendrobium guamense) - Wherever found	T	\$49,639	\$1,295,132,293
671	Damselfly, Pacific Hawaiian (Megalagrion pacificum) - Wherever found	E	\$49,123	\$1,295,181,416
672	Milkvetch, Deseret (Astragalus desereticus) - Wherever found	T	\$48,514	\$1,295,229,930
673	Snail, Pecos assiminea (Assiminea pecos) - Wherever found	E	\$48,275	\$1,295,278,205
674	Kidneyshell, fluted (Ptychobranchus subtentum) - Wherever found	E	\$48,260	\$1,295,326,465
675	Pigtoe, fuzzy (Pleurobema strodeanum) - Wherever found	T	\$48,203	\$1,295,374,668
676	Thistle, Chorro Creek bog (Cirsium fontinale var. obispoense) - Wherever found	E	\$48,088	\$1,295,422,756
677	Rock cress, Shale barren (Arabis serotina) - Wherever found	E	\$48,047	\$1,295,470,803
678	Butterwort, Godfrey's (Pinguicula ionantha) - Wherever found	T	\$47,569	\$1,295,518,372
679	Fern, American hart's-tongue (Asplenium scolopendrium var. americanum) - Wherever found	T	\$47,079	\$1,295,565,451
680	Cactus, Pima pineapple (Coryphantha scheeri var. robustispina) - Wherever found	E	\$47,014	\$1,295,612,465
681	Wallflower, Contra Costa (Erysimum capitatum var. angustatum) - Wherever found	E	\$46,627	\$1,295,659,092
682	Spinedace, Big Spring (Lepidomeda mollispinis pratensis) - Wherever found	T	\$46,317	\$1,295,705,409
683	Bean, Choctaw (Villosa choctawensis) - Wherever found	E	\$46,045	\$1,295,751,454
684	Amphipod, Noel's (Gammarus desperatus) - Wherever found	E	\$45,915	\$1,295,797,369

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
685	Cactus, Knowlton's (Pediocactus knowltonii) - Wherever found	E	\$45,855	\$1,295,843,224
686	Butterfly, mission blue (Icaricia icarioides missionensis) - Wherever found	E	\$45,127	\$1,295,888,351
687	Wolf, Mexican (Canis lupus baileyi) - Wherever found, except where listed as an experimental population	E	\$45,000	\$1,295,933,351
687	Cat, Andean (Felis jacobita) - Wherever found	E	\$45,000	\$1,295,978,351
688	Wartyback, white (pearlymussel) (Plethobasus cicatricosus) - Wherever found	E	\$44,860	\$1,296,023,211
689	Avens, spreading (Geum radiatum) - Wherever found	E	\$44,315	\$1,296,067,526
690	Aplokatang-palaoan (Psychotria malaspinae) - Wherever found	E	\$44,100	\$1,296,111,626
691	Sturgeon, Alabama (Scaphirhynchus suttkusi) - Wherever found	E	\$43,957	\$1,296,155,583
692	Spineflower, Monterey (Chorizanthe pungens var. pungens) - Wherever found	T	\$43,931	\$1,296,199,514
693	Cactus, black lace (Echinocereus reichenbachii var. albertii) - Wherever found	E	\$43,917	\$1,296,243,431
694	Rail, Guam (Rallus owstoni) - Rota	EXPN	\$43,913	\$1,296,287,344
695	Fern, Florida bristle (Trichomanes punctatum ssp. floridanum) - Wherever found	E	\$43,600	\$1,296,330,944
696	Halumtano, Cebello (Bulbophyllum guamense) - Wherever found	T	\$43,378	\$1,296,374,322
697	Snail, Morro shoulderband (=Banded dune) (Helminthoglypta walkariana) - Wherever found	E	\$43,347	\$1,296,417,669
697	Gerardia, sandplain (Agalinis acuta) - Wherever found	E	\$43,347	\$1,296,461,016
698	Pigtoe, narrow (Fusconaia escambia) - Wherever found	T	\$43,259	\$1,296,504,275
699	Jaguarundi, Gulf Coast (Herpailurus (=Felis) yagouaroundi cacomitli) - Wherever found	E	\$43,122	\$1,296,547,397
700	Blazingstar, Heller's (Liatris helleri) - Wherever found	T	\$43,095	\$1,296,590,492
701	Gumplant, Ash Meadows (Grindelia fraxinipratensis) - Wherever found	T	\$43,032	\$1,296,633,524
702	Sandshell, Southern (Hamiota australis) - Wherever found	T	\$42,939	\$1,296,676,463
703	Purple Cat's paw (=Purple Cat's paw pearlymussel) (Epioblasma obliquata obliquata) - Wherever found; Except where listed as Experimental Populations	E	\$42,833	\$1,296,719,296
704	Snail, fragile tree (Samoana fragilis) - Wherever found	E	\$42,467	\$1,296,761,763
705	Millerbird, Nihoa (old world warbler) (Acrocephalus familiaris kingi) - Wherever found	E	\$42,271	\$1,296,804,034
706	Snail, Humped tree (Partula gibba) - Wherever found	E	\$42,142	\$1,296,846,176
707	Heather, mountain golden (Hudsonia montana) - Wherever found	T	\$41,993	\$1,296,888,169

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
708	Cactus, Tobusch fishhook (Sclerocactus brevihamatus ssp. tobuschii) - Wherever found	E	\$41,600	\$1,296,929,769
709	Irisette, white (Sisyrinchium dichotomum) - Wherever found	E	\$41,540	\$1,296,971,309
710	Salamander, Cheat Mountain (Plethodon nettingi) - Wherever found	T	\$41,366	\$1,297,012,675
711	Spurge, telephus (Euphorbia telephoides) - Wherever found	T	\$41,310	\$1,297,053,985
712	Milk-vetch, Holmgren (Astragalus holmgreniorum) - Wherever found	E	\$41,300	\$1,297,095,285
713	Meadowfoam, Butte County (Limnanthes floccosa ssp. californica) - Wherever found	E	\$40,920	\$1,297,136,205
714	Fanshell (Cyprogenia stegaria) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$40,416	\$1,297,176,621
715	Prairie-clover, leafy (Dalea foliosa) - Wherever found	E	\$40,292	\$1,297,216,913
716	Kidneyshell, southern (Ptychobranthus jonesi) - Wherever found	E	\$40,105	\$1,297,257,018
717	Shrimp, Alabama cave (Palaemonias alabamae) - Wherever found	E	\$40,100	\$1,297,297,118
718	Bonytongue, Asian (Scleropages formosus) - Wherever found	E	\$40,000	\$1,297,337,118
719	Cycladenia, Jones (Cycladenia humilis var. jonesii) - Wherever found	T	\$39,640	\$1,297,376,758
720	Bluegrass, San Bernardino (Poa atropurpurea) - Wherever found	E	\$39,483	\$1,297,416,241
721	Reed-mustard, shrubby (Schoenocrambe suffrutescens) - Wherever found	E	\$39,424	\$1,297,455,665
722	Moccasinshell, Alabama (Medionidus acutissimus) - Wherever found	T	\$39,398	\$1,297,495,063
723	Isopod, Madison Cave (Antrolana lira) - Wherever found	T	\$38,903	\$1,297,533,966
724	Milk-vetch, Mancos (Astragalus humilimus) - Wherever found	E	\$38,900	\$1,297,572,866
725	Pitcher-plant, green (Sarracenia oreophila) - Wherever found	E	\$38,603	\$1,297,611,469
726	Orcutt grass, San Joaquin (Orcuttia inaequalis) - Wherever found	T	\$38,591	\$1,297,650,060
727	Lichen, rock gnome (Gymnoderma lineare) - Wherever found	E	\$38,421	\$1,297,688,481
728	Bittercress, small-anthered (Cardamine micranthera) - Wherever found	E	\$38,395	\$1,297,726,876
729	Salamander, California tiger (Ambystoma californiense) - U.S.A. (CA - Sonoma County)	E	\$38,150	\$1,297,765,026
730	Cactus, Fickeisen plains (Pediocactus peeblesianus fickeiseniae) - Wherever found	E	\$38,022	\$1,297,803,048

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
731	Ipomopsis, Holy Ghost (Ipomopsis sancti-spiritus) - Wherever found	E	\$37,800	\$1,297,840,848
732	Pupfish, Comanche Springs (Cyprinodon elegans) - Wherever found	E	\$37,709	\$1,297,878,557
733	No Common Name (Tabernaemontana rotensis) - Wherever found	T	\$37,667	\$1,297,916,224
734	Blazingstar, Ash Meadows (Mentzelia leucophylla) - Wherever found	T	\$37,663	\$1,297,953,887
735	Ground-plum, Guthrie's (=Pyne's) (Astragalus bibullatus) - Wherever found	E	\$37,600	\$1,297,991,487
736	Deer, key (Odocoileus virginianus clavium) - Wherever found	E	\$37,400	\$1,298,028,887
737	Finch, Nihoa (honeycreeper) (Telespyza ultima) - Wherever found	E	\$37,160	\$1,298,066,047
738	Oryx, scimitar-horned (Oryx dammah) - Wherever found	E	\$37,000	\$1,298,103,047
738	No Common Name (Lepanthes eltoroensis) - Wherever found	E	\$37,000	\$1,298,140,047
739	Shiner, smalleye (Notropis buccula) - Wherever found	E	\$36,900	\$1,298,176,947
739	Gooseberry, Miccosukee (Ribes echinellum) - Wherever found	T	\$36,900	\$1,298,213,847
740	Stickseed, showy (Hackelia venusta) - Wherever found	E	\$36,715	\$1,298,250,562
741	Evening-primrose, Antioch Dunes (Oenothera deltoides ssp. howellii) - Wherever found	E	\$36,686	\$1,298,287,248
742	Elktoe, Cumberland (Alasmidonta atropurpurea) - Wherever found	E	\$36,660	\$1,298,323,908
743	Cat's-eye, Terlingua Creek (Cryptantha crassipes) - Wherever found	E	\$36,648	\$1,298,360,556
744	Minnow, Devils River (Dionda diaboli) - Wherever found	T	\$36,530	\$1,298,397,086
745	Dace, Laurel (Chrosomus saylori) - Wherever found	E	\$36,500	\$1,298,433,586
746	Bluet, Roan Mountain (Hedyotis purpurea var. montana) - Wherever found	E	\$36,287	\$1,298,469,873
747	Chaff-flower, round-leaved (Achyranthes splendens var. rotundata) - Wherever found	E	\$36,228	\$1,298,506,101
748	Rosemary, Apalachicola (Conradina glabra) - Wherever found	E	\$36,000	\$1,298,542,101
749	Ufa-halomtano (Heritiera longipetiolata) - Wherever found	E	\$35,987	\$1,298,578,088
750	Uhi uhi (Mezoneuron kavaiense) - Wherever found	E	\$35,966	\$1,298,614,054
751	Niterwort, Amargosa (Nitrophila mohavensis) - Wherever found	E	\$35,935	\$1,298,649,989
752	Palo de rosa (Ottoschulzia rhodoxylon) - Wherever found	E	\$35,700	\$1,298,685,689
753	Sunshine, Sonoma (Blennosperma bakeri) - Wherever found	E	\$35,639	\$1,298,721,328
754	No Common Name (Eugenia bryanii) - Wherever found	E	\$35,348	\$1,298,756,676

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
755	Shiner, sharpnose (Notropis oxyrinchus) - Wherever found	E	\$35,300	\$1,298,791,976
755	Iris, dwarf lake (Iris lacustris) - Wherever found	T	\$35,300	\$1,298,827,276
756	Bear, American black (Ursus americanus) - County range of LA b.bear	SAT	\$35,171	\$1,298,862,447
757	Mountainbalm, Indian Knob (Eriodictyon altissimum) - Wherever found	E	\$35,102	\$1,298,897,549
758	Crayfish, Big Sandy (Cambarus callainus) - Wherever found	T	\$34,253	\$1,298,931,802
759	Butterfly, Miami Blue (Cyclargus (=Hemiargus) thomasi bethunebakeri) - Wherever found	E	\$34,200	\$1,298,966,002
760	Ambrosia, south Texas (Ambrosia cheiranthifolia) - Wherever found	E	\$34,077	\$1,299,000,079
761	Sedge, golden (Carex lutea) - Wherever found	E	\$33,849	\$1,299,033,928
762	Phacelia, DeBeque (Phacelia submutica) - Wherever found	T	\$33,613	\$1,299,067,541
763	`aku (Cyanea tritomantha) - Wherever found	E	\$33,606	\$1,299,101,147
764	Manzanita, lone (Arctostaphylos myrtifolia) - Wherever found	T	\$33,521	\$1,299,134,668
765	Butterfly, Bartram's hairstreak (Strymon acis bartramii) - Wherever found	E	\$33,500	\$1,299,168,168
766	Ebonyshell, round (Fusconaia rotulata) - Wherever found	E	\$33,019	\$1,299,201,187
767	Condor, Andean (Vultur gryphus) - Wherever found	E	\$33,000	\$1,299,234,187
768	Darter, Cumberland (Etheostoma susanae) - Wherever found	E	\$32,720	\$1,299,266,907
769	Sunflower, Pecos (=puzzle, =paradox) (Helianthus paradoxus) - Wherever found	T	\$32,700	\$1,299,299,607
770	Meadowrue, Cooley's (Thalictrum cooleyi) - Wherever found	E	\$32,687	\$1,299,332,294
771	Sedge, Navajo (Carex specuicola) - Wherever found	T	\$32,460	\$1,299,364,754
772	Ko'oko'olau (Bidens micrantha ctenophylla) - Wherever found	E	\$32,359	\$1,299,397,113
773	Goldenrod, white-haired (Solidago albopilosa) - Wherever found	T	\$32,200	\$1,299,429,313
773	Cobana negra (Stahlia monosperma) - Wherever found	T	\$32,200	\$1,299,461,513
774	Darter, amber (Percina antesella) - Wherever found	E	\$32,110	\$1,299,493,623
775	Pigtoe, finereyed (Fusconaia cuneolus) - Wherever found; Except where listed as Experimental Populations	E	\$32,000	\$1,299,525,623
776	Poolfish, Pahrump (Empetrichthys latos) - Wherever found	E	\$31,947	\$1,299,557,570
777	Haha (Cyanea shipmanii) - Wherever found	E	\$31,751	\$1,299,589,321
778	Pearlmyssel, cracking (Hemistena lata) - Wherever found; Except where listed as Experimental Populations	E	\$31,560	\$1,299,620,881

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
779	Frog, Panamanian golden (Atelopus varius zeteki) - Wherever found	E	\$31,500	\$1,299,652,381
780	Goldenrod, Blue Ridge (Solidago spithamea) - Wherever found	T	\$31,499	\$1,299,683,880
781	Skullcap, Florida (Scutellaria floridana) - Wherever found	T	\$31,355	\$1,299,715,235
782	Owl's-clover, fleshy (Castilleja campestris ssp. succulenta) - Wherever found	T	\$31,334	\$1,299,746,569
783	Gambusia, Pecos (Gambusia nobilis) - Wherever found	E	\$31,010	\$1,299,777,579
784	Milk-vetch, Jesup's (Astragalus robbinsii var. jesupi) - Wherever found	E	\$30,923	\$1,299,808,502
785	Salamander, Shenandoah (Plethodon shenandoah) - Wherever found	E	\$30,800	\$1,299,839,302
786	Lo'ulu (Pritchardia lanigera) - Wherever found	E	\$30,786	\$1,299,870,088
787	Spinedace, Little Colorado (Lepidomeda vittata) - Wherever found	T	\$30,602	\$1,299,900,690
788	Meadowfoam, Sebastopol (Limnanthes vincularis) - Wherever found	E	\$30,039	\$1,299,930,729
789	Darter, fountain (Etheostoma fonticola) - Wherever found	E	\$30,000	\$1,299,960,729
790	Lupine, scrub (Lupinus aridorum) - Wherever found	E	\$29,700	\$1,299,990,429
791	Plum, scrub (Prunus geniculata) - Wherever found	E	\$29,600	\$1,300,020,029
792	Rice rat (Oryzomys palustris natator) - lower FL Keys	E	\$29,510	\$1,300,049,539
793	Clubshell (Pleurobema clava) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$29,480	\$1,300,079,019
794	Clubshell, southern (Pleurobema decisum) - Wherever found	E	\$29,374	\$1,300,108,393
795	Birds-in-a-nest, white (Macbridea alba) - Wherever found	T	\$29,334	\$1,300,137,727
796	Gilia, Monterey (Gilia tenuiflora ssp. arenaria) - Wherever found	E	\$29,162	\$1,300,166,889
797	Iguana, Cuban ground (Cyclura nubila nubila) - (Cyclura nubila nubila)	T	\$29,148	\$1,300,196,037
798	Torreya, Florida (Torreya taxifolia) - Wherever found	E	\$28,411	\$1,300,224,448
799	Navarretia, spreading (Navarretia fossalis) - Wherever found	T	\$28,382	\$1,300,252,830
800	Bird's beak, palmate-bracted (Cordylanthus palmatus) - Wherever found	E	\$28,050	\$1,300,280,880
801	Kopa (Kadua cordata remyi) - Wherever found	E	\$28,018	\$1,300,308,898
802	Campion, fringed (Silene polypetala) - Wherever found	E	\$27,746	\$1,300,336,644
803	Cactus, Ujinta Basin hookless (Sclerocactus wetlandicus) - Wherever found	T	\$27,718	\$1,300,364,362
804	Hala pepe (Pleomele hawaiiensis) - Wherever found	E	\$27,704	\$1,300,392,066

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
805	Milk-vetch, Coachella Valley (Astragalus lentiginosus var. coachellae) - Wherever found	E	\$27,584	\$1,300,419,650
806	Snail, Iowa Pleistocene (Discus macclintocki) - Wherever found	E	\$27,500	\$1,300,447,150
806	Cactus, Kuenzler hedgehog (Echinocereus fendleri var. kuenzleri) - Wherever found	E	\$27,500	\$1,300,474,650
807	Boa, Virgin Islands tree (Epicrates monensis granti) - Wherever found	E	\$26,800	\$1,300,501,450
808	Nehe (Melanthera tenuifolia) - Wherever found	E	\$26,740	\$1,300,528,190
809	Spiny mussel, Altamaha (Elliptio spinosa) - Wherever found	E	\$26,606	\$1,300,554,796
810	Pigtoe, shiny (Fusconaia cor) - Wherever found; Except where listed as Experimental Populations	E	\$26,600	\$1,300,581,396
811	Milkweed, Welsh's (Asclepias welshii) - Wherever found	T	\$26,500	\$1,300,607,896
812	Orcutt grass, California (Orcuttia californica) - Wherever found	E	\$26,452	\$1,300,634,348
813	Dudleya, Santa Clara Valley (Dudleya setchellii) - Wherever found	E	\$26,370	\$1,300,660,718
814	Mallow, Gierisch (Sphaeralcea gierischii) - Wherever found	E	\$26,300	\$1,300,687,018
815	Skyrocket, Pagosa (Ipomopsis polyantha) - Wherever found	E	\$26,292	\$1,300,713,310
816	Butterfly, Florida leafwing (Anaea troglodyta floridalis) - Wherever found	E	\$26,000	\$1,300,739,310
817	Kiponapona (Phyllostegia racemosa) - Wherever found	E	\$25,986	\$1,300,765,296
818	Orcutt grass, hairy (Orcuttia pilosa) - Wherever found	E	\$25,760	\$1,300,791,056
819	Dace, Independence Valley speckled (Rhinichthys osculus lethoporus) - Wherever found	E	\$25,625	\$1,300,816,681
820	Coqui, golden (Eleutherodactylus jasperi) - Wherever found	T	\$25,500	\$1,300,842,181
821	Pigtoe, tapered (Fusconaia burkei) - Wherever found	T	\$25,425	\$1,300,867,606
822	Mustard, Penland alpine fen (Eutrema penlandii) - Wherever found	T	\$25,355	\$1,300,892,961
823	Vetch, Hawaiian (Vicia menziesii) - Wherever found	E	\$25,210	\$1,300,918,171
824	Thistle, La Graciosa (Cirsium loncholepis) - Wherever found	E	\$25,010	\$1,300,943,181
825	Rocksnail, round (Leptoxis ampla) - Wherever found	T	\$25,000	\$1,300,968,181
826	Springfish, Railroad Valley (Crenichthys nevadae) - Wherever found	T	\$24,774	\$1,300,992,955
827	Butterfly, Mariana wandering (Vagrans egistina) - Wherever found	E	\$24,732	\$1,301,017,687
828	No Common Name (Tetramolopium rockii) - Wherever found	T	\$24,655	\$1,301,042,342
829	Clubshell, black (Pleurobema curtum) - Wherever found	E	\$24,500	\$1,301,066,842

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
830	`Aiakēakua, popolo (Solanum sandwicense) - Wherever found	E	\$24,333	\$1,301,091,175
831	Aster, Ruth's golden (Pityopsis ruthii) - Wherever found	E	\$24,320	\$1,301,115,495
832	Crayfish, Guyandotte River (Cambarus veteranus) - Wherever found	E	\$24,253	\$1,301,139,748
833	Warbler, nightingale reed (old world warbler) (Acrocephalus lusciniā) - Wherever found	E	\$24,165	\$1,301,163,913
834	Fern, Aleutian shield (Polystichum aleuticum) - Wherever found	E	\$24,000	\$1,301,187,913
835	Mesa-mint, Otay (Pogogyne nudiuscula) - Wherever found	E	\$23,847	\$1,301,211,760
836	Alopecurus, Sonoma (Alopecurus aequalis var. sonomensis) - Wherever found	E	\$23,839	\$1,301,235,599
837	Naucorid, Ash Meadows (Ambrysus amargosus) - Wherever found	T	\$23,717	\$1,301,259,316
838	Dace, Clover Valley speckled (Rhinichthys osculus oligoporus) - Wherever found	E	\$23,712	\$1,301,283,028
839	Sea turtle, olive ridley (Lepidochelys olivacea) - Breeding colony populations on Pacific coast of Mexico	E	\$23,555	\$1,301,306,583
840	Sunray, Ash Meadows (Enceliopsis nudicaulis var. corrugata) - Wherever found	T	\$23,539	\$1,301,330,122
841	Flannelbush, Mexican (Fremontodendron mexicanum) - Wherever found	E	\$23,410	\$1,301,353,532
842	Kangaroo rat, Morro Bay (Dipodomys heermanni morroensis) - Wherever found	E	\$23,256	\$1,301,376,788
843	A'e (Zanthoxylum dipetalum var. tomentosum) - Wherever found	E	\$23,217	\$1,301,400,005
844	Sea turtle, green (Chelonia mydas) - North Indian DPS	T	\$23,000	\$1,301,423,005
844	Gourd, Okeechobee (Cucurbita okeechobeensis ssp. okeechobeensis) - Wherever found	E	\$23,000	\$1,301,446,005
844	Beardtongue, Penland (Penstemon penlandii) - Wherever found	E	\$23,000	\$1,301,469,005
845	Pearl mussel, dromedary (Dromus dromas) - Wherever found; Except where listed as Experimental Populations	E	\$22,960	\$1,301,491,965
846	Snail, Lanai tree (Partulina semicarinata) - Wherever found	E	\$22,937	\$1,301,514,902
846	Snail, Lanai tree (Partulina variabilis) - Wherever found	E	\$22,937	\$1,301,537,839
847	Butterfly, Schaus swallowtail (Heracles aristodemus ponceanus) - Wherever found	E	\$22,830	\$1,301,560,669
848	Haha (Cyanea crispa) - Wherever found	E	\$22,817	\$1,301,583,486
849	Vole, Hualapai Mexican (Microtus mexicanus hualpaiensis) - Wherever found	E	\$22,700	\$1,301,606,186
850	Moth, Kern primrose sphinx (Euproserpinus euterpe) - Wherever found	T	\$22,690	\$1,301,628,876
851	Haha (Cyanea stictophylla) - Wherever found	E	\$22,532	\$1,301,651,408

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
852	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>) - Wherever found	E	\$22,400	\$1,301,673,808
853	Checker-mallow, Keck's (<i>Sidalcea keckii</i>) - Wherever found	E	\$22,322	\$1,301,696,130
854	Crayfish, Shasta (<i>Pacifastacus fortis</i>) - Wherever found	E	\$22,200	\$1,301,718,330
855	Sandlace (<i>Polygonella myriophylla</i>) - Wherever found	E	\$22,000	\$1,301,740,330
856	Wawae'iole (<i>Huperzia nutans</i>) - Wherever found	E	\$21,880	\$1,301,762,210
857	Alani (<i>Melicope zahlbruckneri</i>) - Wherever found	E	\$21,866	\$1,301,784,076
858	Salamander, Jemez Mountains (<i>Plethodon neomexicanus</i>) - Wherever found	E	\$21,800	\$1,301,805,876
858	Sucker, Modoc (<i>Catostomus microps</i>) - Wherever found	E	\$21,800	\$1,301,827,676
859	Sandwort, Marsh (<i>Arenaria paludicola</i>) - Wherever found	E	\$21,725	\$1,301,849,401
860	Mint, longspurred (<i>Dicerandra cornutissima</i>) - Wherever found	E	\$21,700	\$1,301,871,101
861	Lousewort, Furbish (<i>Pedicularis furbishiae</i>) - Wherever found	E	\$21,574	\$1,301,892,675
862	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>) - Wherever found	E	\$21,561	\$1,301,914,236
863	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>) - Local Endemic	E	\$21,520	\$1,301,935,756
864	Pigtoe, southern (<i>Pleurobema georgianum</i>) - Wherever found	E	\$21,440	\$1,301,957,196
865	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>) - Wherever found	E	\$21,177	\$1,301,978,373
866	Silverside, Waccamaw (<i>Menidia extensa</i>) - Wherever found	T	\$21,112	\$1,301,999,485
867	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>) - Wherever found	E	\$21,100	\$1,302,020,585
868	Springfish, White River (<i>Crenichthys baileyi baileyi</i>) - Wherever found	E	\$21,068	\$1,302,041,653
869	Trillium, persistent (<i>Trillium persiciens</i>) - Wherever found	E	\$21,000	\$1,302,062,653
870	Milk-vetch, Brauntton's (<i>Astragalus braunttonii</i>) - Wherever found	E	\$20,960	\$1,302,083,613
871	Manioc, Walker's (<i>Manihot walkerae</i>) - Wherever found	E	\$20,800	\$1,302,104,413
871	Lead-plant, Crenulate (<i>Amorpha crenulata</i>) - Wherever found	E	\$20,800	\$1,302,125,213
872	Logperch, Conasauga (<i>Percina jenkinsi</i>) - Wherever found	E	\$20,740	\$1,302,145,953
873	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>) - Wherever found	E	\$20,710	\$1,302,166,663
874	Bladderpod, White Bluffs (<i>Physaria douglasii</i> ssp. <i>tuplshensis</i>) - Wherever found	T	\$20,675	\$1,302,187,338
875	'Oha wai (<i>Clermontia peleana</i>) - Wherever found	E	\$20,673	\$1,302,208,011
876	Pocketbook, finelined (<i>Lampsilis altilis</i>) - Wherever found	T	\$20,656	\$1,302,228,667

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
877	Pa'iniu (<i>Astelia waialealae</i>) - Wherever found	E	\$20,598	\$1,302,249,265
878	Salamander, Barton Springs (<i>Eurycea sosorum</i>) - Wherever found	E	\$20,500	\$1,302,269,765
878	Orcutt grass, slender (<i>Orcuttia tenuis</i>) - Wherever found	T	\$20,500	\$1,302,290,265
879	Koki'o (<i>Kokia drynarioides</i>) - Wherever found	E	\$20,404	\$1,302,310,669
880	Aster, Florida golden (<i>Chrysopsis floridana</i>) - Wherever found	E	\$20,400	\$1,302,331,069
881	Naupaka, dwarf (<i>Scaevola coriacea</i>) - Wherever found	E	\$20,398	\$1,302,351,467
882	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>) - Wherever found	E	\$20,340	\$1,302,371,807
883	Iguana, Fiji banded (<i>Brachylophus fasciatus</i>) - Wherever found	E	\$20,000	\$1,302,391,807
884	'Oha wai (<i>Clermontia lindseyana</i>) - Wherever found	E	\$19,779	\$1,302,411,586
885	No Common Name (<i>Phyllostegia parviflora</i>) - Wherever found	E	\$19,755	\$1,302,431,341
886	No Common Name (<i>Phyllostegia floribunda</i>) - Wherever found	E	\$19,717	\$1,302,451,058
887	Petrel, Bermuda (<i>Pterodroma cahow</i>) - Wherever found	E	\$19,575	\$1,302,470,633
888	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>) - Wherever found	E	\$19,500	\$1,302,490,133
889	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) - Wherever found	T	\$19,480	\$1,302,509,613
890	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>) - Wherever found	E	\$19,277	\$1,302,528,890
891	Cactus, San Rafael (<i>Pediocactus despainii</i>) - Wherever found	E	\$19,236	\$1,302,548,126
892	Rattleweed, hairy (<i>Baptisia arachnifera</i>) - Wherever found	E	\$19,200	\$1,302,567,326
893	Trout, Paiute cutthroat (<i>Oncorhynchus clarkii seleniis</i>) - Wherever found	T	\$19,137	\$1,302,586,463
894	Liliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>) - Wherever found	E	\$19,120	\$1,302,605,583
895	Fly, Hawaiian picture-wing (<i>Drosophila sharpi</i>) - Wherever found	E	\$19,067	\$1,302,624,650
896	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Wherever found; Except where listed as Experimental Populations	E	\$19,000	\$1,302,643,650
896	Isopod, Lee County cave (<i>Lirceus usdagalun</i>) - Wherever found	E	\$19,000	\$1,302,662,650
897	Tree snail, Newcomb's (<i>Newcombia cumingi</i>) - Wherever found	E	\$18,824	\$1,302,681,474
898	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>) - Wherever found	E	\$18,800	\$1,302,700,274
899	Ihi'hi (<i>Marsilea villosa</i>) - Wherever found	E	\$18,786	\$1,302,719,060
900	Turtle, ringed map (<i>Graptemys oculifera</i>) - Wherever found	T	\$18,765	\$1,302,737,825

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
901	Fly, Hawaiian picture-wing (Drosophila musaphilia) - Wherever found	E	\$18,733	\$1,302,756,558
902	Vole, Florida salt marsh (Microtus pennsylvanicus dukecampbelli) - Wherever found	E	\$18,700	\$1,302,775,258
903	Fern, pendant kiki (Adenophorus periens) - Wherever found	E	\$18,698	\$1,302,793,956
904	No Common Name (Asplenium dielmannii) - Wherever found	E	\$18,595	\$1,302,812,551
905	Alani (Melicope lydgatei) - Wherever found	E	\$18,574	\$1,302,831,125
906	Megapode, Micronesian (Megapodius laperouse) - Wherever found	E	\$18,527	\$1,302,849,652
907	Fox, Santa Catalina Island (Urocyon littoralis catalinae) - Wherever found	T	\$18,505	\$1,302,868,157
908	Kauila (Colubrina oppositifolia) - Wherever found	E	\$18,419	\$1,302,886,576
909	Wild-buckwheat, gypsum (Eriogonum gypsophilum) - Wherever found	T	\$18,200	\$1,302,904,776
910	No Common Name (Platanthera holochila) - Wherever found	E	\$18,094	\$1,302,922,870
911	Haha (Cyanea humboldtiana) - Wherever found	E	\$18,090	\$1,302,940,960
912	Centaury, spring-loving (Centaurium namophilum) - Wherever found	T	\$17,987	\$1,302,958,947
913	Amphipod, Hay's Spring (Stygobromus hayi) - Wherever found	E	\$17,976	\$1,302,976,923
914	`Awikiwiki (Canavalia molokaiensis) - Wherever found	E	\$17,964	\$1,302,994,887
915	Wild buckwheat, clay-loving (Eriogonum pelinophilum) - Wherever found	E	\$17,905	\$1,303,012,792
916	Toad, Puerto Rican crested (Peltophryne lemur) - Wherever found	T	\$17,900	\$1,303,030,692
916	Wireweed (Polygonella basiramia) - Wherever found	E	\$17,900	\$1,303,048,592
917	No Common Name (Xylosma crenatum) - Wherever found	E	\$17,806	\$1,303,066,398
918	Rock-cress, Braun's (Arabis perstellata) - Wherever found	E	\$17,720	\$1,303,084,118
919	Rosemary, Cumberland (Conradina verticillata) - Wherever found	T	\$17,680	\$1,303,101,798
920	Ceanothus, Pine Hill (Ceanothus roderickii) - Wherever found	E	\$17,649	\$1,303,119,447
921	Sunburst, San Joaquin adobe (Pseudobahia peirsonii) - Wherever found	T	\$17,628	\$1,303,137,075
922	Lampmussel, Alabama (Lampsilis virescens) - Wherever found; Except where listed as Experimental Populations	E	\$17,600	\$1,303,154,675
922	Amphipod, Peck's cave (Stygobromus (=Stygonectes) pecki) - Wherever found	E	\$17,600	\$1,303,172,275
922	Dawn-flower, Texas prairie (Hymenoxys texana) - Wherever found	E	\$17,600	\$1,303,189,875

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
923	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>) - Wherever found	E	\$17,568	\$1,303,207,443
924	Pocketbook, speckled (<i>Lampsilis streckeri</i>) - Wherever found	E	\$17,500	\$1,303,224,943
925	Darter, yellowcheek (<i>Etheostoma moorei</i>) - Wherever found	E	\$17,400	\$1,303,242,343
926	`Ohe`ohe (<i>Polyscias gymnocarpa</i>) - Wherever found	E	\$17,303	\$1,303,259,646
927	Wild coffee, Oahu (=kopiko) (<i>Psychotria hexandra</i> ssp. <i>oahuensis</i>) - Wherever found	E	\$17,280	\$1,303,276,926
928	No Common Name (<i>Polyscias racemosa</i>) - Wherever found	E	\$17,223	\$1,303,294,149
929	No Common Name (<i>Tetramolopium remyi</i>) - Wherever found	E	\$17,209	\$1,303,311,358
930	Goetzea, beautiful (<i>Goetzea elegans</i>) - Wherever found	E	\$17,100	\$1,303,328,458
931	Haiwale (<i>Cyrtandra paliku</i>) - Wherever found	E	\$17,067	\$1,303,345,525
932	Haha (<i>Cyanea kolekoleensis</i>) - Wherever found	E	\$17,023	\$1,303,362,548
933	Snakeroot (<i>Eryngium cuneifolium</i>) - Wherever found	E	\$17,000	\$1,303,379,548
934	Koki`o (<i>Kokia kauaiensis</i>) - Wherever found	E	\$16,913	\$1,303,396,461
935	Fatmucket, Arkansas (<i>Lampsilis powellii</i>) - Wherever found	T	\$16,901	\$1,303,413,362
936	Heau (<i>Exocarpos luteolus</i>) - Wherever found	E	\$16,819	\$1,303,430,181
937	Sculpin, Grotto (<i>Cottus specus</i>) - Wherever found	E	\$16,818	\$1,303,446,999
938	No Common Name (<i>Schiedea membranacea</i>) - Wherever found	E	\$16,792	\$1,303,463,791
939	Crayfish, Nashville (<i>Orconectes shoupi</i>) - Wherever found	E	\$16,700	\$1,303,480,491
940	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>) - Wherever found	T	\$16,600	\$1,303,497,091
941	Salamander, San Marcos (<i>Eurycea nana</i>) - Wherever found	T	\$16,500	\$1,303,513,591
942	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>) - Wherever found	E	\$16,300	\$1,303,529,891
943	Damselfly, blackline Hawaiian (<i>Megalagrion nigrohamatum nigrolineatum</i>) - Wherever found	E	\$16,296	\$1,303,546,187
944	Kuahwi lauakahi (<i>Plantago hawaiiensis</i>) - Wherever found	E	\$16,252	\$1,303,562,439
945	No Common Name (<i>Pteris lidgatei</i>) - Wherever found	E	\$16,200	\$1,303,578,639
946	Haha (<i>Cyanea rivularis</i>) - Wherever found	E	\$16,155	\$1,303,594,794
947	Iliau, dwarf (<i>Wilkesia hobbdi</i>) - Wherever found	E	\$16,110	\$1,303,610,904
948	Sucker, Zuni bluehead (<i>Catostomus discobolus yarrowi</i>) - Wherever found	E	\$15,983	\$1,303,626,887
949	No Common Name (<i>Maesa walkeri</i>) - Wherever found	T	\$15,932	\$1,303,642,819
950	No Common Name (<i>Amaranthus brownii</i>) - Wherever found	E	\$15,705	\$1,303,658,524

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
951	Rabbitsfoot, rough (Quadrula cylindrica strigillata) - Wherever found	E	\$15,700	\$1,303,674,224
951	Cladonia, Florida perforate (Cladonia perforata) - Wherever found	E	\$15,700	\$1,303,689,924
952	Mint, Lakela's (Dicerandra immaculata) - Wherever found	E	\$15,500	\$1,303,705,424
952	No Common Name (Schoepfia arenaria) - Wherever found	T	\$15,500	\$1,303,720,924
953	`Oha wai (Clermontia pyricularia) - Wherever found	E	\$15,463	\$1,303,736,387
954	Haha (Cyanea kuhihewa) - Wherever found	E	\$15,428	\$1,303,751,815
954	Haha (Cyanea eleeleensis) - Wherever found	E	\$15,428	\$1,303,767,243
954	Haha (Cyanea dolichopoda) - Wherever found	E	\$15,428	\$1,303,782,671
955	No Common Name (Platydesma remyi) - Wherever found	E	\$15,408	\$1,303,798,079
955	No Common Name (Cyrtandra wagneri) - Wherever found	E	\$15,408	\$1,303,813,487
956	Kaulu (Pteralyxia macrocarpa) - Wherever found	E	\$15,369	\$1,303,828,856
957	Haha (Cyanea st.-johnii) - Wherever found	E	\$15,322	\$1,303,844,178
958	Sandwort, Cumberland (Arenaria cumberlandensis) - Wherever found	E	\$15,220	\$1,303,859,398
959	Leopard, snow (Uncia (=Panthera) uncia) - Wherever found	E	\$15,200	\$1,303,874,598
959	Snake, Atlantic salt marsh (Nerodia clarkii taeniata) - Wherever found	T	\$15,200	\$1,303,889,798
960	A'e (Zanthoxylum oahuense) - Wherever found	E	\$15,135	\$1,303,904,933
961	Pinkroot, gentian (Spigelia gentianoides) - Wherever found	E	\$15,058	\$1,303,919,991
962	`Anunu (Sicyos albus) - Wherever found	E	\$15,019	\$1,303,935,010
963	Madtom, chucky (Noturus crypticus) - Wherever found	E	\$15,000	\$1,303,950,010
963	Beetle, Coffin Cave mold (Batrisodes texanus) - Wherever found	E	\$15,000	\$1,303,965,010
963	No Common Name (Eugenia woodburyana) - Wherever found	E	\$15,000	\$1,303,980,010
963	Quillwort, black spored (Isoetes melanospora) - Wherever found	E	\$15,000	\$1,303,995,010
964	Turtle, yellow-blotched map (Graptemys flavimaculata) - Wherever found	T	\$14,893	\$1,304,009,903
965	No Common Name (Pittosporum hawaiiense) - Wherever found	E	\$14,820	\$1,304,024,723
966	Bedstraw, El Dorado (Galium californicum ssp. sierrae) - Wherever found	E	\$14,810	\$1,304,039,533
967	Beaked-rush, Knieskern's (Rhynchospora knieskernii) - Wherever found	T	\$14,806	\$1,304,054,339
968	Pua `ala (Brighamia rockii) - Wherever found	E	\$14,769	\$1,304,069,108
969	`Aiea (Nothocestrum peltatum) - Wherever found	E	\$14,764	\$1,304,083,872

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
969	No Common Name (Remya montgomeryi) - Wherever found	E	\$14,764	\$1,304,098,636
970	No Common Name (Lobelia oahuensis) - Wherever found	E	\$14,744	\$1,304,113,380
971	Cactus, Pariette (Sclerocactus brevispinus) - Wherever found	T	\$14,726	\$1,304,128,106
972	Haha (Cyanea hamatiflora ssp. carlsonii) - Wherever found	E	\$14,672	\$1,304,142,778
973	Grass, Tennessee yellow-eyed (Xyris tennesseensis) - Wherever found	E	\$14,653	\$1,304,157,431
974	Tuctoria, Greene's (Tuctoria greenei) - Wherever found	E	\$14,567	\$1,304,171,998
975	Alani (Melicope adscendens) - Wherever found	E	\$14,543	\$1,304,186,541
976	No Common Name (Geocarpon minimum) - Wherever found	T	\$14,503	\$1,304,201,044
977	Iguana, Mona ground (Cyclura stejnegeri) - Wherever found	T	\$14,500	\$1,304,215,544
977	Monkeyface, Appalachian (pearlymussel) (Quadrula sparsa) - Wherever found	E	\$14,500	\$1,304,230,044
978	Ha'iwale (Cyrtandra giffardii) - Wherever found	E	\$14,450	\$1,304,244,494
979	Silversword, Mauna Loa (=Ka'u) (Argyroxiphium kauense) - Wherever found	E	\$14,420	\$1,304,258,914
980	Fleabane, Zuni (Erigeron rhizomatus) - Wherever found	T	\$14,404	\$1,304,273,318
981	Haha (Cyanea lanceolata) - Wherever found	E	\$14,355	\$1,304,287,673
982	Tarplant, Santa Cruz (Holocarpha macradenia) - Wherever found	T	\$14,303	\$1,304,301,976
983	Cactus, Cochise pincushion (Coryphantha robbinsiorum) - Wherever found	T	\$14,300	\$1,304,316,276
984	Watercress, Gambel's (Rorippa gambellii) - Wherever found	E	\$14,277	\$1,304,330,553
985	No Common Name (Phyllostegia velutina) - Wherever found	E	\$14,192	\$1,304,344,745
986	No Common Name (Acropora retusa) - Wherever found	T	\$14,122	\$1,304,358,867
987	Erubia (Solanum drymophilum) - Wherever found	E	\$14,100	\$1,304,372,967
988	Grass, Colusa (Neostapfia colusana) - Wherever found	T	\$14,089	\$1,304,387,056
989	Lizard, St. Croix ground (Ameiva polops) - Wherever found	E	\$14,000	\$1,304,401,056
990	No Common Name (Schiedea kauaiensis) - Wherever found	E	\$13,922	\$1,304,414,978
991	No Common Name (Polyscias bisattenuata) - Wherever found	E	\$13,904	\$1,304,428,882
992	Snail, painted snake coiled forest (Anguispira picta) - Wherever found	T	\$13,900	\$1,304,442,782
993	Awiiwi (Schenkia sebaeoides) - Wherever found	E	\$13,879	\$1,304,456,661
994	No Common Name (Gouania vitifolia) - Wherever found	E	\$13,877	\$1,304,470,538

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
995	Lo`ulu (Pritchardia schattaueri) - Wherever found	E	\$13,820	\$1,304,484,358
996	Daisy, Lakeside (Hymenoxys herbacea) - Wherever found	T	\$13,809	\$1,304,498,167
997	Kopiko (Psychotria grandiflora) - Wherever found	E	\$13,772	\$1,304,511,939
998	No Common Name (Nervilia jacksoniae) - Wherever found	T	\$13,764	\$1,304,525,703
999	Nighthjar, Puerto Rican (Caprimulgus noctitherus) - Wherever found	E	\$13,700	\$1,304,539,403
999	Wire-lettuce, Malheur (Stephanomeria malheurensis) - Wherever found	E	\$13,700	\$1,304,553,103
1000	Alani (Melicope knudsenii) - Wherever found	E	\$13,686	\$1,304,566,789
1001	Ha iwale (Cyrtandra viridiflora) - Wherever found	E	\$13,683	\$1,304,580,472
1002	Butterfly, Mount Charleston blue (Icaricia (Plebejus) shasta charlestonensis) - Wherever found	E	\$13,678	\$1,304,594,150
1003	Spurge, Hoover's (Chamaesyce hooveri) - Wherever found	T	\$13,662	\$1,304,607,812
1004	Shrimp, Kentucky cave (Palaemonias ganteri) - Wherever found	E	\$13,650	\$1,304,621,462
1005	No Common Name (Silene perlmantii) - Wherever found	E	\$13,646	\$1,304,635,108
1006	No Common Name (Phyllostegia pilosa) - Wherever found	E	\$13,609	\$1,304,648,717
1007	Orcutt grass, Sacramento (Orcuttia viscida) - Wherever found	E	\$13,530	\$1,304,662,247
1008	No Common Name (Silene alexandri) - Wherever found	E	\$13,529	\$1,304,675,776
1008	Haha (Cyanea procera) - Wherever found	E	\$13,529	\$1,304,689,305
1008	No Common Name (Lysimachia maxima) - Wherever found	E	\$13,529	\$1,304,702,834
1008	No Common Name (Phyllostegia mannii) - Wherever found	E	\$13,529	\$1,304,716,363
1008	No Common Name (Phyllostegia hispida) - Wherever found	E	\$13,529	\$1,304,729,892
1009	Frankenia, Johnston's (Frankenia johnstonii) - Wherever found	E	\$13,500	\$1,304,743,392
1010	Koki'o, Cooke's (Kokia cookei) - Wherever found	E	\$13,478	\$1,304,756,870
1010	Alani (Melicope mucronulata) - Wherever found	E	\$13,478	\$1,304,770,348
1011	Alani (Melicope degeneri) - Wherever found	E	\$13,348	\$1,304,783,696
1011	Kamakahala (Labordia lydgatei) - Wherever found	E	\$13,348	\$1,304,797,044
1012	Rose-mallow, Neches River (Hibiscus dasycalyx) - Wherever found	T	\$13,343	\$1,304,810,387
1013	No Common Name (Phyllostegia warschaueri) - Wherever found	E	\$13,311	\$1,304,823,698
1014	Mint, scrub (Dicerandra frutescens) - Wherever found	E	\$13,300	\$1,304,836,998
1015	Buckwheat, Umtanum Desert (Eriogonum codium) - Wherever found	T	\$13,275	\$1,304,850,273

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1016	Acornshell, southern (Epioblasma othcaloogensis) - Wherever found	E	\$13,201	\$1,304,863,474
1017	Hau kuahiwi (Hibiscadelphus giffardianus) - Wherever found	E	\$13,151	\$1,304,876,625
1018	Hypericum, highlands scrub (Hypericum cumulicola) - Wherever found	E	\$13,100	\$1,304,889,725
1018	Chumbo, Higo (Harrisia portoricensis) - Wherever found	T	\$13,100	\$1,304,902,825
1018	No Common Name (Vernonia proctorii) - Wherever found	E	\$13,100	\$1,304,915,925
1019	Darter, goldline (Percina aurolineata) - Wherever found	T	\$13,070	\$1,304,928,995
1020	`Ahihahina (Argyroxiphium sandwicense ssp. sandwicense) - Wherever found	E	\$13,033	\$1,304,942,028
1021	Damselfly, oceanic Hawaiian (Megalastrion oceanicum) - Wherever found	E	\$13,014	\$1,304,955,042
1022	Nohoanu (Geranium kauaiense) - Wherever found	E	\$13,005	\$1,304,968,047
1023	Pearlymussel, birdwing (Lemiox rimosus) - Wherever found; Except where listed as Experimental Populations	E	\$13,000	\$1,304,981,047
1023	Manaca, palma de (Calyptronoma rivalis) - Wherever found	T	\$13,000	\$1,304,994,047
1023	No Common Name (Myrcia paganii) - Wherever found	E	\$13,000	\$1,305,007,047
1024	No Common Name (Pittosporum halophilum) - Wherever found	E	\$12,920	\$1,305,019,967
1025	Pawpaw, four-petal (Asimina tetramera) - Wherever found	E	\$12,900	\$1,305,032,867
1026	Gardenia (=Na`u), Hawaiian (Gardenia brighamii) - Wherever found	E	\$12,894	\$1,305,045,761
1027	Phacelia, North Park (Phacelia formosula) - Wherever found	E	\$12,707	\$1,305,058,468
1028	Na`ena`e (Dubautia plantaginea ssp. humilis) - Wherever found	E	\$12,691	\$1,305,071,159
1029	Sculpin, pygmy (Cottus paulus (=pygmaeus)) - Wherever found	T	\$12,667	\$1,305,083,826
1030	`Awikiwiki (Canavalia napaliensis) - Wherever found	E	\$12,666	\$1,305,096,492
1031	`aku`aku (Cyanea platyphylla) - Wherever found	E	\$12,639	\$1,305,109,131
1032	Mapleleaf, winged (Quadrula fragosa) - U.S.A. (AL-specified portions of the Tennessee River; see 17.85(a)(1))	EXPN	\$12,500	\$1,305,121,631
1032	Sunflower, whorled (Helianthus verticillatus) - Wherever found	E	\$12,500	\$1,305,134,131
1033	Haha (Cyanea obtusa) - Wherever found	E	\$12,464	\$1,305,146,595
1033	No Common Name (Stenogyne kauaulaensis) - Wherever found	E	\$12,464	\$1,305,159,059
1034	Milkvetch, Osterhout (Astragalus osterhoutii) - Wherever found	E	\$12,441	\$1,305,171,500
1035	Bedstraw, island (Galium buxifolium) - Wherever found	E	\$12,404	\$1,305,183,904

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1036	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>) - Wherever found	E	\$12,400	\$1,305,196,304
1036	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>) - Wherever found	E	\$12,400	\$1,305,208,704
1036	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>) - Wherever found	E	\$12,400	\$1,305,221,104
1037	Kidneyshell, triangular (<i>Ptychobranchus greenii</i>) - Wherever found	E	\$12,359	\$1,305,233,463
1038	No Common Name (<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>) - Wherever found	E	\$12,251	\$1,305,245,714
1039	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>) - Wherever found	E	\$12,200	\$1,305,257,914
1040	Haha (<i>Cyanea lobata</i>) - Wherever found	E	\$12,195	\$1,305,270,109
1041	No Common Name (<i>Diplazium molokaiense</i>) - Wherever found	E	\$12,172	\$1,305,282,281
1042	Springsnail, Koster's (<i>Juturnia kosteri</i>) - Wherever found	E	\$12,150	\$1,305,294,431
1043	Pelos del diablo (<i>Aristida porticensis</i>) - Wherever found	E	\$12,100	\$1,305,306,531
1043	Palo de ramon (<i>Banara vanderbiltii</i>) - Wherever found	E	\$12,100	\$1,305,318,631
1044	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>) - Wherever found	E	\$12,000	\$1,305,330,631
1044	Beetle, Helotes mold (<i>Batrises venvivi</i>) - Wherever found	E	\$12,000	\$1,305,342,631
1044	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>) - Wherever found	E	\$12,000	\$1,305,354,631
1044	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>) - Wherever found	E	\$12,000	\$1,305,366,631
1045	Haha (<i>Cyanea truncata</i>) - Wherever found	E	\$11,981	\$1,305,378,612
1046	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>) - Wherever found	E	\$11,976	\$1,305,390,588
1047	No Common Name (<i>Delissea undulata</i>) - Wherever found	E	\$11,958	\$1,305,402,546
1048	Lo`ulu (<i>Pritchardia maideniana</i>) - Wherever found	E	\$11,948	\$1,305,414,494
1049	No Common Name (<i>Bonamia menziesii</i>) - Wherever found	E	\$11,947	\$1,305,426,441
1050	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>) - Wherever found	E	\$11,931	\$1,305,438,372
1051	`Ala `ala wai nui (<i>Peperomia subpetiolata</i>) - Wherever found	E	\$11,926	\$1,305,450,298
1052	Pamakani (<i>Tetramolopium capillare</i>) - Wherever found	E	\$11,890	\$1,305,462,188
1052	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>) - Wherever found	E	\$11,890	\$1,305,474,078
1052	No Common Name (<i>Lysimachia lydgatei</i>) - Wherever found	E	\$11,890	\$1,305,485,968
1052	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>) - Wherever found	E	\$11,890	\$1,305,497,858

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1053	Rush-rose, island (Helianthemum greenei) - Wherever found	T	\$11,880	\$1,305,509,738
1053	Schiedea, Diamond Head (Schiedea adamantis) - Wherever found	E	\$11,880	\$1,305,521,618
1053	Opuhe (Ureia kaalae) - Wherever found	E	\$11,880	\$1,305,533,498
1054	Bush-mallow, Santa Cruz Island (Malacothamnus fasciculatus var. nesioticus) - Wherever found	E	\$11,876	\$1,305,545,374
1054	Phacelia, island (Phacelia insularis ssp. insularis) - Wherever found	E	\$11,876	\$1,305,557,250
1055	Hau kuahiwi (Hibiscadelphus hualalaiensis) - Wherever found	E	\$11,875	\$1,305,569,125
1056	Goldenrod, Short's (Solidago shortii) - Wherever found	E	\$11,860	\$1,305,580,985
1057	Olulu (Brighamia insignis) - Wherever found	E	\$11,843	\$1,305,592,828
1058	Rockcress, Georgia (Arabis georgiana) - Wherever found	T	\$11,808	\$1,305,604,636
1059	No Common Name (Schiedea diffusa ssp. macraei) - Wherever found	E	\$11,764	\$1,305,616,400
1060	Alani (Melicope haupeensis) - Wherever found	E	\$11,744	\$1,305,628,144
1060	No Common Name (Viola helenae) - Wherever found	E	\$11,744	\$1,305,639,888
1060	Nani wai'ale'ale (Viola kauaiensis var. wahiawaensis) - Wherever found	E	\$11,744	\$1,305,651,632
1060	Kolea (Myrsine mezii) - Wherever found	E	\$11,744	\$1,305,663,376
1060	Haha (Cyanea undulata) - Wherever found	E	\$11,744	\$1,305,675,120
1060	Na'ena'e (Dubautia pauciflora) - Wherever found	E	\$11,744	\$1,305,686,864
1060	No Common Name (Phyllostegia waimeae) - Wherever found	E	\$11,744	\$1,305,698,608
1060	Lo'ulu (Pritchardia viscosa) - Wherever found	E	\$11,744	\$1,305,710,352
1060	Kolea (Myrsine knudsenii) - Wherever found	E	\$11,744	\$1,305,722,096
1061	Combshell, southern (Epioblasma penita) - Wherever found	E	\$11,734	\$1,305,733,830
1062	No Common Name (Lysimachia pendens) - Wherever found	E	\$11,700	\$1,305,745,530
1063	No Common Name (Delissea rhytidosperra) - Wherever found	E	\$11,693	\$1,305,757,223
1063	No Common Name (Stenogyne campanulata) - Wherever found	E	\$11,693	\$1,305,768,916
1063	No Common Name (Stenogyne kealiae) - Wherever found	E	\$11,693	\$1,305,780,609
1064	Beetle, Mount Hermon June (Polyphylla barbata) - Wherever found	E	\$11,681	\$1,305,792,290
1064	Pentachaeta, Lyon's (Pentachaeta lyonii) - Wherever found	E	\$11,681	\$1,305,803,971
1064	Tarplant, Gaviota (Deinandra increscens ssp. villosa) - Wherever found	E	\$11,681	\$1,305,815,652

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1064	Monkeyflower, Vandenbergh (Diplacus vandenberghensis) - Wherever found	E	\$11,681	\$1,305,827,333
1065	Poppy, Sacramento prickly (Argemone pleiacantha ssp. pinnatisecta) - Wherever found	E	\$11,660	\$1,305,838,993
1066	Pussypaw, Mariposa (Calyptridium pulchellum) - Wherever found	T	\$11,620	\$1,305,850,613
1066	Morning-glory, Stebbins' (Calystegia stebbinsii) - Wherever found	E	\$11,620	\$1,305,862,233
1067	No Common Name (Cyanea purpurellifolia) - Wherever found	E	\$11,587	\$1,305,873,820
1068	Haha (Cyanea asarifolia) - Wherever found	E	\$11,553	\$1,305,885,373
1069	Ha'iwaile (Cyrtandra kaulantha) - Wherever found	E	\$11,536	\$1,305,896,909
1069	No Common Name (Cyrtandra gracilis) - Wherever found	E	\$11,536	\$1,305,908,445
1069	Alani (Melicope hiiakae) - Wherever found	E	\$11,536	\$1,305,919,981
1069	Haha (Cyanea remyi) - Wherever found	E	\$11,536	\$1,305,931,517
1070	No Common Name (Lobelia monostachya) - Wherever found	E	\$11,503	\$1,305,943,020
1071	Ha'iwaile (Cyrtandra oenobarba) - Wherever found	E	\$11,502	\$1,305,954,522
1072	Sea turtle, green (Chelonia mydas) - Mediterranean DPS	E	\$11,500	\$1,305,966,022
1072	Sea turtle, loggerhead (Caretta caretta) - Mediterranean Sea DPS	E	\$11,500	\$1,305,977,522
1072	No Common Name (Cranichis ricartii) - Wherever found	E	\$11,500	\$1,305,989,022
1073	'Akoko (Euphorbia haelealeana) - Wherever found	E	\$11,472	\$1,306,000,494
1074	Pu'uka'a (Cyperus trachysanthos) - Wherever found	E	\$11,468	\$1,306,011,962
1075	Mapele (Cyrtandra cyaneoides) - Wherever found	E	\$11,377	\$1,306,023,339
1076	No Common Name (Schiedea laui) - Wherever found	E	\$11,366	\$1,306,034,705
1077	Madtom, pygmy (Noturus stanauli) - Wherever found	E	\$11,360	\$1,306,046,065
1078	Cactus, Key tree (Pilosocereus robinii) - Wherever found	E	\$11,318	\$1,306,057,383
1079	Bush-clover, prairie (Lespedeza leptostachya) - Wherever found	T	\$11,260	\$1,306,068,643
1080	Kolea (Myrsine linearifolia) - Wherever found	T	\$11,227	\$1,306,079,870
1081	Lupine, clover (Lupinus tidestromii) - Wherever found	E	\$11,194	\$1,306,091,064
1082	No Common Name (Abutilon eremitopetalum) - Wherever found	E	\$11,181	\$1,306,102,245
1082	Haha (Cyanea magnicalyx) - Wherever found	E	\$11,181	\$1,306,113,426
1083	No Common Name (Achyranthes mutica) - Wherever found	E	\$11,120	\$1,306,124,546
1084	No Common Name (Aristida chaseae) - Wherever found	E	\$11,100	\$1,306,135,646
1084	No Common Name (Lyonia truncata var. proctorii) - Wherever found	E	\$11,100	\$1,306,146,746

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1085	Sunburst, Hartweg's golden (Pseudobahia bahiifolia) - Wherever found	E	\$11,090	\$1,306,157,836
1086	Haha (Cyanea calycina) - Wherever found	E	\$11,077	\$1,306,168,913
1087	Chub, Chihuahua (Gila nigrescens) - Wherever found	T	\$11,076	\$1,306,179,989
1088	Manzanita, pallid (Arctostaphylos pallida) - Wherever found	T	\$11,000	\$1,306,190,989
1088	Larkspur, Baker's (Delphinium bakeri) - Wherever found	E	\$11,000	\$1,306,201,989
1088	Blazingstar, scrub (Liatris ohlingerae) - Wherever found	E	\$11,000	\$1,306,212,989
1088	No Common Name (Cordia bellonis) - Wherever found	E	\$11,000	\$1,306,223,989
1088	Palo de nigua (Cornutia obovata) - Wherever found	E	\$11,000	\$1,306,234,989
1088	Uvillo (Eugenia haematocarpa) - Wherever found	E	\$11,000	\$1,306,245,989
1088	No Common Name (Ilex sintenisii) - Wherever found	E	\$11,000	\$1,306,256,989
1089	Lehua makaoe (Lysimachia daphnoides) - Wherever found	E	\$10,977	\$1,306,267,966
1089	Alani (Melicope puberula) - Wherever found	E	\$10,977	\$1,306,278,943
1090	No Common Name (Polyscias flynnii) - Wherever found	E	\$10,913	\$1,306,289,856
1091	Springsnail, Alamosa (Tryonia alamosae) - Wherever found	E	\$10,905	\$1,306,300,761
1092	Haha (Cyanea dunbariae) - Wherever found	E	\$10,904	\$1,306,311,665
1093	Finch, Laysan (honeycreeper) (Telespyza cantans) - Wherever found	E	\$10,898	\$1,306,322,563
1094	`Awikiwiki (Canavalia pubescens) - Wherever found	E	\$10,876	\$1,306,333,439
1094	No Common Name (Schiedea jacobii) - Wherever found	E	\$10,876	\$1,306,344,315
1095	Milkpea, Small's (Galactia smallii) - Wherever found	E	\$10,800	\$1,306,355,115
1096	Fox, Santa Cruz Island (Urocyon littoralis santacruzae) - wherever found	E	\$10,773	\$1,306,365,888
1097	Bat, Pacific sheath-tailed (Emballonura semicaudata rotensis) - Wherever found	E	\$10,760	\$1,306,376,648
1098	No Common Name (Lobelia niihauensis) - Wherever found	E	\$10,749	\$1,306,387,397
1099	Chub, slender (Erimystax cahni) - Wherever found	T	\$10,740	\$1,306,398,137
1100	Jacquemontia, beach (Jacquemontia reclinata) - Wherever found	E	\$10,700	\$1,306,408,837
1101	No Common Name (Sanicula purpurea) - Wherever found	E	\$10,686	\$1,306,419,523
1102	Kamakahala (Lobordia tinifolia var. wahiawaensis) - Wherever found	E	\$10,666	\$1,306,430,189
1103	Thormmint, San Diego (Acanthomintha ilicifolia) - Wherever found	T	\$10,620	\$1,306,440,809
1104	No Common Name (Polyscias lydgatei) - Wherever found	E	\$10,535	\$1,306,451,344
1105	Aupaka (Isodendron laurifolium) - Wherever found	E	\$10,528	\$1,306,461,872
1105	Dudleya, Verity's (Dudleya verityi) - Wherever found	T	\$10,528	\$1,306,472,400

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1106	Cactus, star (Astrophytum asterias) - Wherever found	E	\$10,500	\$1,306,482,900
1106	Boxwood, Vahl's (Buxus vahlii) - Wherever found	E	\$10,500	\$1,306,493,400
1106	Quillwort, mat-forming (Isoetes tegetiformans) - Wherever found	E	\$10,500	\$1,306,503,900
1107	Tarplant, Otay (Deinandra (=Hemizonia) conjugens) - Wherever found	T	\$10,438	\$1,306,514,338
1108	Dogweed, ashy (Thymophylla tephroleuca) - Wherever found	E	\$10,400	\$1,306,524,738
1109	Turtle, flattened musk (Sternotherus depressus) - Black Warrior R. system upstream from Bankhead Dam	T	\$10,313	\$1,306,535,051
1110	Haha (Cyanea munroi) - Wherever found	E	\$10,299	\$1,306,545,350
1111	Ha'iwale (Cyrtandra polyantha) - Wherever found	E	\$10,292	\$1,306,555,642
1111	Haha (Cyanea pinnatifida) - Wherever found	E	\$10,292	\$1,306,565,934
1112	Sneezeweed, Virginia (Helenium virginicum) - Wherever found	T	\$10,229	\$1,306,576,163
1113	No Common Name (Gouania meyenii) - Wherever found	E	\$10,207	\$1,306,586,370
1113	Bladderpod, kodachrome (Lesquerella tumulosa) - Wherever found	E	\$10,207	\$1,306,596,577
1114	Mussel, oyster (Epioblasma capsaeformis) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$10,200	\$1,306,606,777
1115	Naenae (Dubautia kalalauensis) - Wherever found	E	\$10,156	\$1,306,616,933
1115	No Common Name (Lysimachia iniki) - Wherever found	E	\$10,156	\$1,306,627,089
1116	Clarkia, Vine Hill (Clarkia imbricata) - Wherever found	E	\$10,139	\$1,306,637,228
1117	Combshell, upland (Epioblasma metastrata) - Wherever found	E	\$10,121	\$1,306,647,349
1118	No Common Name (Phyllostegia knudsenii) - Wherever found	E	\$10,105	\$1,306,657,454
1118	Kauai hau kuahiwi (Hibiscadelphus distans) - Wherever found	E	\$10,105	\$1,306,667,559
1118	Alani (Melicope quadrangularis) - Wherever found	E	\$10,105	\$1,306,677,664
1118	No Common Name (Phyllostegia wawrana) - Wherever found	E	\$10,105	\$1,306,687,769
1118	Hau kuahiwi (Hibiscadelphus woodii) - Wherever found	E	\$10,105	\$1,306,697,874
1118	No Common Name (Lysimachia venosa) - Wherever found	E	\$10,105	\$1,306,707,979
1118	No Common Name (Schiedea attenuata) - Wherever found	E	\$10,105	\$1,306,718,084
1118	Naenae (Dubautia kenwoodii) - Wherever found	E	\$10,105	\$1,306,728,189
1119	Pigtoe, Cumberland (Pleurobema gibberum) - Wherever found	E	\$10,100	\$1,306,738,289
1119	No Common Name (Varronia rupicola) - Wherever found	T	\$10,100	\$1,306,748,389

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1119	Cactus, Peebles Navajo (Pediocactus peeblesianus var. peeblesianus) - Wherever found	E	\$10,100	\$1,306,758,489
1119	Higuero de sierra (Crescentia portoricensis) - Wherever found	E	\$10,100	\$1,306,768,589
1120	Paintbrush, soft-leaved (Castilleja mollis) - Wherever found	E	\$10,072	\$1,306,778,661
1121	No Common Name (Lysimachia scopulensis) - Wherever found	E	\$10,061	\$1,306,788,722
1122	Diellia, Asplenium-leaved (Asplenium dielerectum) - Wherever found	E	\$10,046	\$1,306,798,768
1123	Beardtongue, Parachute (Penstemon debilis) - Wherever found	T	\$10,007	\$1,306,808,775
1124	Gecko, Monito (Sphaerodactylus micropithecus) - Wherever found	E	\$10,000	\$1,306,818,775
1124	Salamander, Georgetown (Eurycea naufragia) - Wherever found	T	\$10,000	\$1,306,828,775
1124	Salamander, Salado (Eurycea chisholmensis) - Wherever found	T	\$10,000	\$1,306,838,775
1124	No Common Name (Daphnopsis hellerana) - Wherever found	E	\$10,000	\$1,306,848,775
1124	Vervain, Red Hills (Verbena californica) - Wherever found	T	\$10,000	\$1,306,858,775
1125	No Common Name (Platydesma cornuta cornuta) - Wherever found	E	\$9,955	\$1,306,868,730
1126	No Common Name (Cyrtandra waiolani) - Wherever found	E	\$9,948	\$1,306,878,678
1126	No Common Name (Stenogyne cranwelliae) - Wherever found	E	\$9,948	\$1,306,888,626
1127	Haha (Cyanea marksii) - Wherever found	E	\$9,938	\$1,306,898,564
1128	Phlox, Yreka (Phlox hirsuta) - Wherever found	E	\$9,900	\$1,306,908,464
1129	Ha iwale (Cyrtandra tintinnabula) - Wherever found	E	\$9,894	\$1,306,918,358
1130	No Common Name (Viola oahuensis) - Wherever found	E	\$9,757	\$1,306,928,115
1130	Kolea (Myrsine juddii) - Wherever found	E	\$9,757	\$1,306,937,872
1130	Haha (Cyanea acuminata) - Wherever found	E	\$9,757	\$1,306,947,629
1131	Shrimp, anchialine pool (Vetericaris chaceorum) - Wherever found	E	\$9,683	\$1,306,957,312
1131	Cypress, Santa Cruz (Cupressus abramsiana) - Wherever found	T	\$9,683	\$1,306,966,995
1132	Love grass, Fosberg's (Eragrostis fosbergii) - Wherever found	E	\$9,653	\$1,306,976,648
1133	Bird's-beak, soft (Cordylanthus mollis ssp. mollis) - Wherever found	E	\$9,600	\$1,306,986,248
1133	Bariaco (Trichilia triacantha) - Wherever found	E	\$9,600	\$1,306,995,848
1134	No Common Name (Asplenium dielpallidum) - Wherever found	E	\$9,540	\$1,307,005,388

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1135	Phlox, Texas trailing (Phlox nivalis ssp. texensis) - Wherever found	E	\$9,500	\$1,307,014,888
1136	Haha (Cyanea copelandii ssp. copelandii) - Wherever found	E	\$9,414	\$1,307,024,302
1137	Alani (Melicope paniculata) - Wherever found	E	\$9,371	\$1,307,033,673
1138	Halomtano, Berenghenas (Solanum guamense) - Wherever found	E	\$9,338	\$1,307,043,011
1139	No Common Name (Tinospora homosepala) - Wherever found	E	\$9,308	\$1,307,052,319
1140	Isopod, Socorro (Thermosphaeroma thermophilus) - Wherever found	E	\$9,298	\$1,307,061,617
1141	Snail, Chittenango ovate amber (Succinea chittenangoensis) - Wherever found	T	\$9,279	\$1,307,070,896
1142	No Common Name (Cyrtandra nanawaleensis) - Wherever found	E	\$9,250	\$1,307,080,146
1143	No Common Name (Remya kauaiensis) - Wherever found	E	\$9,221	\$1,307,089,367
1144	Flax, Carter's small-flowered (Linum carteri carteri) - Wherever found	E	\$9,200	\$1,307,098,567
1145	Bluegrass, Hawaiian (Poa sandvicensis) - Wherever found	E	\$9,199	\$1,307,107,766
1145	No Common Name (Poa siphonoglossa) - Wherever found	E	\$9,199	\$1,307,116,965
1145	Haha (Cyanea recta) - Wherever found	T	\$9,199	\$1,307,126,164
1146	White-eye, Rota bridled (Zosterops rotensis) - Wherever found	E	\$9,178	\$1,307,135,342
1147	Kuawawaenohu (Schiedea lychnoides) - Wherever found	E	\$9,176	\$1,307,144,518
1148	No Common Name (Phyllanthus saffordii) - Wherever found	E	\$9,169	\$1,307,153,687
1149	`Akoko (Euphorbia eleagnariae) - Wherever found	E	\$9,161	\$1,307,162,848
1150	Beetle, delta green ground (Elaphrus viridis) - Wherever found	T	\$9,160	\$1,307,172,008
1151	Curassow, blue-billed (Crax alberti) - Wherever found	E	\$9,100	\$1,307,181,108
1152	Palo de jazmin (Styrax portoricensis) - Wherever found	E	\$9,000	\$1,307,190,108
1153	Coqui, Llanero (Eleutherodactylus juanariveroi) - Wherever found	E	\$8,990	\$1,307,199,098
1154	`Akoko (Euphorbia rockii) - Wherever found	E	\$8,970	\$1,307,208,068
1155	Damselfly, crimson Hawaiian (Megalastrion leptodemas) - Wherever found	E	\$8,798	\$1,307,216,866
1156	Creeper, Oahu (Paroreomyza maculata) - Wherever found	E	\$8,760	\$1,307,225,626
1157	Fringe-tree, pygmy (Chionanthus pygmaeus) - Wherever found	E	\$8,700	\$1,307,234,326
1157	Milk-vetch, Shiwits (Astragalus ampullarioides) - Wherever found	E	\$8,700	\$1,307,243,026

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1158	Spineflower, slender-horned (Dodecahema leptoceras) - Wherever found	E	\$8,680	\$1,307,251,706
1159	Twinpod, Dudley Bluffs (Physaria obcordata) - Wherever found	T	\$8,648	\$1,307,260,354
1160	Bladderpod, Dudley Bluffs (Lesquerella congesta) - Wherever found	T	\$8,600	\$1,307,268,954
1161	`Akoko (Euphorbia remyi var. remyi) - Wherever found	E	\$8,584	\$1,307,277,538
1161	Kōkī'o ke'oke'o (Hibiscus waimeae ssp. hanneriae) - Wherever found	E	\$8,584	\$1,307,286,122
1162	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (Adelocosa anops) - Wherever found	E	\$8,558	\$1,307,294,680
1162	Amphipod, Kauai cave (Spelaeorchestia koloana) - Wherever found	E	\$8,558	\$1,307,303,238
1163	No Common Name (Schiedea viscosa) - Wherever found	E	\$8,485	\$1,307,311,723
1164	Na'ena'e (Dubautia waialealae) - Wherever found	E	\$8,460	\$1,307,320,183
1165	Gilja, Hoffmann's slender-flowered (Gilia tenuiflora ssp. hoffmannii) - Wherever found	E	\$8,451	\$1,307,328,634
1166	No Common Name (Lobelia koolauensis) - Wherever found	E	\$8,443	\$1,307,337,077
1167	Kaulu (Pteralyxia kauaiensis) - Wherever found	E	\$8,357	\$1,307,345,434
1168	Mustard, Carter's (Warea carteri) - Wherever found	E	\$8,300	\$1,307,353,734
1169	Alani (Melicope balloui) - Wherever found	E	\$8,298	\$1,307,362,032
1170	Madtom, smoky (Noturus baileyi) - Wherever found	E	\$8,280	\$1,307,370,312
1171	Pamakani (Viola chamissoniana ssp. chamissoniana) - Wherever found	E	\$8,277	\$1,307,378,589
1172	Cactus, Lee pincushion (Coryphantha sneedii var. leei) - Wherever found	T	\$8,270	\$1,307,386,859
1173	Thistle, Sacramento Mountains (Cirsium vinaceum) - Wherever found	T	\$8,250	\$1,307,395,109
1174	Pearllymussel, dromedary (Dromus dromas) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$8,200	\$1,307,403,309
1175	Haha (Cyanea duvalliorum) - Wherever found	E	\$8,146	\$1,307,411,455
1176	Chub, spotfin (Erimonax monachus) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(m)(1)(i))	EXPN	\$8,100	\$1,307,419,555
1176	Bean, Cumberland (pearllymussel) (Villosa trabalis) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$8,100	\$1,307,427,655
1176	Combshell, Cumberlandian (Epioblasma brevidens) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$8,100	\$1,307,435,755
1176	No Common Name (Catesbaea melanocarpa) - Wherever found	E	\$8,100	\$1,307,443,855

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1177	`Oha wai (Clermontia drepanomorpha) - Wherever found	E	\$8,085	\$1,307,451,940
1178	No Common Name (Schiedea hookeri) - Wherever found	E	\$8,077	\$1,307,460,017
1179	Rush-pea, slender (Hoffmannseggia tenella) - Wherever found	E	\$8,076	\$1,307,468,093
1180	Holei (Ochrosia kilauaeensis) - Wherever found	E	\$8,051	\$1,307,476,144
1181	No Common Name (Viola lanaiensis) - Wherever found	E	\$8,015	\$1,307,484,159
1182	No Common Name (Platydesma cornuta decurrens) - Wherever found	E	\$8,011	\$1,307,492,170
1183	Trout, Little Kern golden (Oncorhynchus aguabonita whitei) - Wherever found	T	\$8,009	\$1,307,500,179
1184	Capa rosa (Callicarpa ampla) - Wherever found	E	\$8,000	\$1,307,508,179
1184	No Common Name (Chamaecrista glandulosa var. mirabilis) - Wherever found	E	\$8,000	\$1,307,516,179
1184	No Common Name (Mitracarpus polycladus) - Wherever found	E	\$8,000	\$1,307,524,179
1184	Chupacallos (Pleodendron macranthum) - Wherever found	E	\$8,000	\$1,307,532,179
1184	Palo colorado (Ternstroemia luquillensis) - Wherever found	E	\$8,000	\$1,307,540,179
1184	No Common Name (Gesneria pauciflora) - Wherever found	T	\$8,000	\$1,307,548,179
1184	Fern, Elfin tree (Cyathea dryopteroides) - Wherever found	E	\$8,000	\$1,307,556,179
1184	No Common Name (Thelypteris inabonensis) - Wherever found	E	\$8,000	\$1,307,564,179
1185	Manzanita, Santa Rosa Island (Arctostaphylos confertiflora) - Wherever found	E	\$7,986	\$1,307,572,165
1186	No Common Name (Gouania hillebrandii) - Wherever found	E	\$7,964	\$1,307,580,129
1186	Alani (Melicope munroi) - Wherever found	E	\$7,964	\$1,307,588,093
1186	Ha`iwale (Cyrtandra munroi) - Wherever found	E	\$7,964	\$1,307,596,057
1186	No Common Name (Schiedea lydgatei) - Wherever found	E	\$7,964	\$1,307,604,021
1187	No Common Name (Hesperomannia arbuscula) - Wherever found	E	\$7,950	\$1,307,611,971
1188	Makou (Peucedanum sandwicense) - Wherever found	T	\$7,901	\$1,307,619,872
1189	Turtle, Alabama red-bellied (Pseudemys alabamensis) - Wherever found	E	\$7,870	\$1,307,627,742
1190	Woodrat, riparian (=San Joaquin Valley) (Neotoma fuscipes riparia) - Wherever found	E	\$7,866	\$1,307,635,608
1191	Snail, Newcomb's (Erinna newcombi) - Wherever found	T	\$7,848	\$1,307,643,456
1192	Chub, Yaqui (Gila purpurea) - Wherever found	E	\$7,800	\$1,307,651,256
1193	Dudleya, Santa Monica Mountains (Dudleya cymosa ssp. ovatifolia) - Wherever found	T	\$7,787	\$1,307,659,043
1194	Daisy, Parish's (Erigeron parishii) - Wherever found	T	\$7,759	\$1,307,666,802

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1195	Pilo (Kadua laxiflora) - Wherever found	E	\$7,738	\$1,307,674,540
1196	Darter, diamond (Crystallaria cincotta) - Wherever found	E	\$7,735	\$1,307,682,275
1197	Kōkī'o ke'ō (Hibiscus arnottianus ssp. immaculatus) - Wherever found	E	\$7,677	\$1,307,689,952
1198	Anaunau (Lepidium arbuscula) - Wherever found	E	\$7,636	\$1,307,697,588
1198	Alani (Melicope saint-johnii) - Wherever found	E	\$7,636	\$1,307,705,224
1199	Hala pepe (Pleomele forbesii) - Wherever found	E	\$7,635	\$1,307,712,859
1200	Springsnail, Roswell (Pyrgulopsis roswellensis) - Wherever found	E	\$7,600	\$1,307,720,459
1200	Cavesnail, Tumbling Creek (Antrobia culveri) - Wherever found	E	\$7,600	\$1,307,728,059
1200	Rosemary, short-leaved (Conradina brevifolia) - Wherever found	E	\$7,600	\$1,307,735,659
1201	Nehe (Lipochaeta lobata var. leptophylla) - Wherever found	E	\$7,550	\$1,307,743,209
1202	Boa, Mona (Epicrates monensis monensis) - Wherever found	T	\$7,500	\$1,307,750,709
1202	Guajon (Eleutherodactylus cooki) - Wherever found	T	\$7,500	\$1,307,758,209
1202	Blindcat, Mexican (catfish) (Prietella phreatophila) - Wherever found	E	\$7,500	\$1,307,765,709
1202	Prickly-ash, St. Thomas (Zanthoxylum thomsonianum) - Wherever found	E	\$7,500	\$1,307,773,209
1202	No Common Name (Auerodendron pauciflorum) - Wherever found	E	\$7,500	\$1,307,780,709
1202	No Common Name (Tectaria estremarana) - Wherever found	E	\$7,500	\$1,307,788,209
1203	Papala (Charpentiera densiflora) - Wherever found	E	\$7,343	\$1,307,795,552
1203	Alani (Melicope christophersenii) - Wherever found	E	\$7,343	\$1,307,802,895
1203	No Common Name (Doryopteris angelica) - Wherever found	E	\$7,343	\$1,307,810,238
1204	Haha (Cyanea glabra) - Wherever found	E	\$7,305	\$1,307,817,543
1205	No Common Name (Asplenium unisorum) - Wherever found	E	\$7,290	\$1,307,824,833
1206	Damselfly, Rota blue (Ischnura lutea) - Wherever found	E	\$7,278	\$1,307,832,111
1207	Hornbill, helmeted (Buceros (=Rhinoplax) vigil) - Wherever found	E	\$7,250	\$1,307,839,361
1208	Brickell-bush, Florida (Brickellia mosieri) - Wherever found	E	\$7,200	\$1,307,846,561
1208	Water-willow, Cooley's (Justicia cooleyi) - Wherever found	E	\$7,200	\$1,307,853,761
1209	Kamahala (Labordia pumila) - Wherever found	E	\$7,193	\$1,307,860,954
1209	Na'ena'e (Dubautia plantaginea magnifolia) - Wherever found	E	\$7,193	\$1,307,868,147

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1210	Sandalwood, Lanai (= iliahi) (Santalum haleakalae var. lanaiense) - Wherever found	E	\$7,177	\$1,307,875,324
1211	Milk-vetch, triple-ribbed (Astragalus tricarlinatus) - Wherever found	E	\$7,160	\$1,307,882,484
1212	Springsnail, Phantom (Pyrgulopsis texana) - Wherever found	E	\$7,100	\$1,307,889,584
1212	Leather flower, Alabama (Clematis socialis) - Wherever found	E	\$7,100	\$1,307,896,684
1212	Ladies-tresses, Canelo Hills (Spiranthes delitescens) - Wherever found	E	\$7,100	\$1,307,903,784
1213	Skipper, Pawnee montane (Hesperia leonardus montana) - Wherever found	T	\$7,071	\$1,307,910,855
1214	Remya, Maui (Remya mauiensis) - Wherever found	E	\$7,050	\$1,307,917,905
1215	No Common Name (Schiedea verticillata) - Wherever found	E	\$7,036	\$1,307,924,941
1215	No Common Name (Phyllostegia glabra var. lanaiensis) - Wherever found	E	\$7,036	\$1,307,931,977
1216	Cat, tiger (Leopardus (=Felis) tigrinus) - Wherever found	E	\$7,000	\$1,307,938,977
1216	Beetle, Kretschmarr Cave mold (Texamauryps reddelli) - Wherever found	E	\$7,000	\$1,307,945,977
1216	Meshweaver, Robber Baron Cave (Cicurina baronia) - Wherever found	E	\$7,000	\$1,307,952,977
1216	Holly, Cook's (Ilex cookii) - Wherever found	E	\$7,000	\$1,307,959,977
1216	No Common Name (Ternstroemia subsessilis) - Wherever found	E	\$7,000	\$1,307,966,977
1216	No Common Name (Elaphoglossum serpens) - Wherever found	E	\$7,000	\$1,307,973,977
1216	No Common Name (Thelypteris verecunda) - Wherever found	E	\$7,000	\$1,307,980,977
1217	Haha (Cyanea gibsonii) - Wherever found	E	\$6,978	\$1,307,987,955
1218	Pilo kea lau li'i (Platydesma rostrata) - Wherever found	E	\$6,973	\$1,307,994,928
1218	Lo'ulu (Pritchardia napaliensis) - Wherever found	E	\$6,973	\$1,308,001,901
1218	Kopiko (Psychotria hobbii) - Wherever found	E	\$6,973	\$1,308,008,874
1219	Ko'oko'olau (Bidens conjuncta) - Wherever found	E	\$6,950	\$1,308,015,824
1219	No Common Name (Schiedea sarmentosa) - Wherever found	E	\$6,950	\$1,308,022,774
1219	No Common Name (Schiedea salicaria) - Wherever found	E	\$6,950	\$1,308,029,724
1219	Ha'iwale (Cyrtandra oxybapha) - Wherever found	E	\$6,950	\$1,308,036,674
1219	Kolea (Myrsine vaccinioides) - Wherever found	E	\$6,950	\$1,308,043,624
1219	Nohoanu (Geranium hillebrandii) - Wherever found	E	\$6,950	\$1,308,050,574
1219	Hala pepe (Pleomele fernaldii) - Wherever found	E	\$6,950	\$1,308,057,524

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1220	No Common Name (Festuca molokaiensis) - Wherever found	E	\$6,910	\$1,308,064,434
1221	Whitlow-wort, papery (Paronychia chartacea) - Wherever found	T	\$6,900	\$1,308,071,334
1222	Amphianthus, little (Amphianthus pusillus) - Wherever found	T	\$6,850	\$1,308,078,184
1222	Barbara's Buttons, Mohr's (Marshallia mohrii) - Wherever found	T	\$6,850	\$1,308,085,034
1223	Akoko (Euphorbia kuwaleana) - Wherever found	E	\$6,849	\$1,308,091,883
1224	Fox, Santa Rosa Island (Urocyon littoralis santarosae) - wherever found	E	\$6,839	\$1,308,098,722
1224	Butterfly, lotis blue (Lycaeides argyrognomon lotis) - Wherever found	E	\$6,839	\$1,308,105,561
1225	No Common Name (Cyperus pennatifolius) - Wherever found	E	\$6,827	\$1,308,112,388
1226	Panicgrass, Carter's (Panicum fauriei var. carteri) - Wherever found	E	\$6,815	\$1,308,119,203
1227	Blossom, tubercled (pearlymussel) (Epioblasma torulosa torulosa) - Wherever found; Except where listed as Experimental Populations	E	\$6,764	\$1,308,125,967
1228	Reedgrass, Hillebrand's (Calamagrostis hillebrandii) - Wherever found	E	\$6,737	\$1,308,132,704
1228	Paoua (Ctenitis squamigera) - Wherever found	E	\$6,737	\$1,308,139,441
1229	Crownscale, San Jacinto Valley (Atriplex coronata var. notator) - Wherever found	E	\$6,728	\$1,308,146,169
1230	Cactus, Brady pincushion (Pediocactus bradyi) - Wherever found	E	\$6,650	\$1,308,152,819
1230	Nehe (Melanthera kamolensis) - Wherever found	E	\$6,650	\$1,308,159,469
1231	No Common Name (Gonocalyx concolor) - Wherever found	E	\$6,600	\$1,308,166,069
1232	Haha (Cyanea mceldowneyi) - Wherever found	E	\$6,575	\$1,308,172,644
1233	Liliwai (Acaena exigua) - Wherever found	E	\$6,516	\$1,308,179,160
1234	Milk-vetch, heliotrope (Astragalus montii) - Wherever found	T	\$6,503	\$1,308,185,663
1235	Anole, Culebra Island giant (Anolis roosevelti) - Wherever found	E	\$6,500	\$1,308,192,163
1235	Shiner, palezone (Notropis albizonatus) - Wherever found	E	\$6,500	\$1,308,198,663
1235	No Common Name (Agave eggersiana) - Wherever found	E	\$6,500	\$1,308,205,163
1235	No Common Name (Mitracarpus maxwelliae) - Wherever found	E	\$6,500	\$1,308,211,663
1235	Peperomia, Wheeler's (Peperomia wheeleri) - Wherever found	E	\$6,500	\$1,308,218,163
1235	No Common Name (Adiantum vivesii) - Wherever found	E	\$6,500	\$1,308,224,663

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1235	No Common Name (Polystichum calderonense) - Wherever found	E	\$6,500	\$1,308,231,163
1235	No Common Name (Thelypteris yaucoensis) - Wherever found	E	\$6,500	\$1,308,237,663
1236	Bladderpod, Spring Creek (Lesquerella perforata) - Wherever found	E	\$6,490	\$1,308,244,153
1237	Aupaka (Isodendron longifolium) - Wherever found	T	\$6,472	\$1,308,250,625
1237	Alani (Melicope pallida) - Wherever found	E	\$6,472	\$1,308,257,097
1237	No Common Name (Lysimachia filifolia) - Wherever found	E	\$6,472	\$1,308,263,569
1238	Oxytheca, Cushenbury (Oxytheca parishii var. goodmaniana) - Wherever found	E	\$6,443	\$1,308,270,012
1239	`Oha wai (Clermontia oblongifolia ssp. mauiensis) - Wherever found	E	\$6,417	\$1,308,276,429
1240	Polygonum, Scotts Valley (Polygonum hickmanii) - Wherever found	E	\$6,411	\$1,308,282,840
1241	No Common Name (Keyseria (=Lagenifera) erici) - Wherever found	E	\$6,406	\$1,308,289,246
1241	No Common Name (Keyseria (=Lagenifera) helenae) - Wherever found	E	\$6,406	\$1,308,295,652
1242	Springssnail, San Bernardino (Pyrgulopsis bernardina) - Wherever found	T	\$6,400	\$1,308,302,052
1243	Ma`oli`oli (Schiedea kealiae) - Wherever found	E	\$6,359	\$1,308,308,411
1244	Walnut (=Nogal), West Indian (Juglans jamaicensis) - Wherever found	E	\$6,348	\$1,308,314,759
1245	Haha (Cyanea mauiensis) - Wherever found	E	\$6,322	\$1,308,321,081
1246	Ha`iwale (Cyrtandra subumbellata) - Wherever found	E	\$6,315	\$1,308,327,396
1246	Ha`iwale (Cyrtandra crenata) - Wherever found	E	\$6,315	\$1,308,333,711
1246	No Common Name (Trematolobelia singularis) - Wherever found	E	\$6,315	\$1,308,340,026
1247	Snail, Langford's tree (Partula langfordi) - Wherever found	E	\$6,314	\$1,308,346,340
1248	Moccasinshell, Coosa (Medionidus parvulus) - Wherever found	E	\$6,300	\$1,308,352,640
1249	No Common Name (Bidens hillebrandiana ssp. hillebrandiana) - Wherever found	E	\$6,250	\$1,308,358,890
1250	Milk-vetch, Cushenbury (Astragalus albens) - Wherever found	E	\$6,243	\$1,308,365,133
1251	Aumakua, Palapalai (Dryopteris crinalis var. podosorus) - Wherever found	E	\$6,223	\$1,308,371,356
1252	Snake, copperbelly water (Nerodia erythrogaster neglecta) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$6,192	\$1,308,377,548
1253	Phacelia, clay (Phacelia argillacea) - Wherever found	E	\$6,180	\$1,308,383,728
1254	Koholapehu (Dubautia latifolia) - Wherever found	E	\$6,179	\$1,308,389,907

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1254	No Common Name (Hesperomannia lygatei) - Wherever found	E	\$6,179	\$1,308,396,086
1254	Hibiscus, Clay's (Hibiscus clayi) - Wherever found	E	\$6,179	\$1,308,402,265
1254	Bluegrass, Mann's (Poa mannii) - Wherever found	E	\$6,179	\$1,308,408,444
1254	Ma'oli'oli (Schiedea apokremnos) - Wherever found	E	\$6,179	\$1,308,414,623
1254	No Common Name (Schiedea helleri) - Wherever found	E	\$6,179	\$1,308,420,802
1254	No Common Name (Schiedea spergulina var. leiopoda) - Wherever found	E	\$6,179	\$1,308,426,981
1254	Laulihilili (Schiedea stellarioides) - Wherever found	E	\$6,179	\$1,308,433,160
1254	Na'ena'e (Dubautia imbricata imbricata) - Wherever found	E	\$6,179	\$1,308,439,339
1254	Kamakahala (Labordia helleri) - Wherever found	E	\$6,179	\$1,308,445,518
1254	Lo'ulu, (=Na'ena'e) (Pritchardia hardyi) - Wherever found	E	\$6,179	\$1,308,451,697
1254	No Common Name (Phyllostegia renovans) - Wherever found	E	\$6,179	\$1,308,457,876
1254	No Common Name (Doryopteris takeuchii) - Wherever found	E	\$6,179	\$1,308,464,055
1255	No Common Name (Cyperus fauriei) - Wherever found	E	\$6,163	\$1,308,470,218
1256	Skink, Slevin's (Eomoia slevini) - Wherever found	E	\$6,145	\$1,308,476,363
1257	Catspaw, white (pearlymussel) (Epioblasma obliquata perobliqua) - Wherever found	E	\$6,110	\$1,308,482,473
1258	Shiner, beautiful (Cyprinella formosa) - Wherever found	T	\$6,100	\$1,308,488,573
1259	Fly, Hawaiian picture-wing (Drosophila obatai) - Wherever found	E	\$6,026	\$1,308,494,599
1260	Lo'ulu (Pritchardia remota) - Wherever found	E	\$6,022	\$1,308,500,621
1260	Alani (Melicope makahae) - Wherever found	E	\$6,022	\$1,308,506,643
1260	Ha'iwale (Cyrtandra sessilis) - Wherever found	E	\$6,022	\$1,308,512,665
1260	Hulumoa (Korthalsella degeneri) - Wherever found	E	\$6,022	\$1,308,518,687
1260	Ko'oko'olau (Bidens amplexens) - Wherever found	E	\$6,022	\$1,308,524,709
1261	Crow, white-necked (Corvus leucognaphalus) - Wherever found	E	\$6,000	\$1,308,530,709
1261	Gambusia, Big Bend (Gambusia gaigei) - Wherever found	E	\$6,000	\$1,308,536,709
1261	Darter, watercress (Etheostoma nuchale) - Wherever found	E	\$6,000	\$1,308,542,709
1261	No Common Name (Calyptranthes thomasi) - Wherever found	E	\$6,000	\$1,308,548,709
1261	No Common Name (Leptocereus grantianus) - Wherever found	E	\$6,000	\$1,308,554,709
1261	Thoroughwort, Cape Sable (Chromolaena frustrata) - Wherever found	E	\$6,000	\$1,308,560,709
1262	Springsnail, Chupadera (Pyrgulopsis chupaderae) - Wherever found	E	\$5,980	\$1,308,566,689

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1263	Snail, Stock Island tree (Orthalicus reses (not incl. nesodryas)) - Wherever found	T	\$5,910	\$1,308,572,599
1264	Bluecurls, Hidden Lake (Trichostema austromontanum ssp. compactum) - Wherever found	T	\$5,800	\$1,308,578,399
1265	Nehe (Lipochaeta micrantha) - Wherever found	E	\$5,745	\$1,308,584,144
1266	'Akoko (Euphorbia deppeana) - Wherever found	E	\$5,528	\$1,308,589,672
1266	No Common Name (Asplenium dielfalcatum) - Wherever found	E	\$5,528	\$1,308,595,200
1267	Seablite, California (Suaeda californica) -	E	\$5,494	\$1,308,600,694
1268	No Common Name (Kadua st.-johnii) - Wherever found	E	\$5,436	\$1,308,606,130
1269	'Akoko (Euphorbia halemanui) - Wherever found	E	\$5,392	\$1,308,611,522
1269	'Awiwi (Kadua cookiana) - Wherever found	E	\$5,392	\$1,308,616,914
1269	Ha'iwale (Cyrtandra limahuliensis) - Wherever found	T	\$5,392	\$1,308,622,306
1270	Nehe (Lipochaeta waimeaensis) - Wherever found	E	\$5,374	\$1,308,627,680
1271	Bean, sea (Mucuna sloanei persericea) - Wherever found	E	\$5,362	\$1,308,633,042
1272	Clubshell, ovate (Pleurobema perovatum) - Wherever found	E	\$5,354	\$1,308,638,396
1273	Lessingia, San Francisco (Lessingia germanorum (=L.g. var. germanorum)) - Wherever found	E	\$5,300	\$1,308,643,696
1274	Pigtoe, rough (Pleurobema plenum) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$5,260	\$1,308,648,956
1275	'Akoko (Euphorbia remyi var. kauaiensis) - Wherever found	E	\$5,235	\$1,308,654,191
1276	Bellflower, Brooksville (Campanula robinsiae) - Wherever found	E	\$5,200	\$1,308,659,391
1276	Spurge, deltoid (Chamaesyce deltoidea ssp. deltoidea) - Wherever found	E	\$5,200	\$1,308,664,591
1277	No Common Name (Schiedea spergulina var. spergulina) - Wherever found	T	\$5,101	\$1,308,669,692
1278	Sunfish, spring pygmy (Elassoma alabamae) - Wherever found	T	\$5,100	\$1,308,674,792
1279	Fly, Hawaiian picture-wing (Drosophila aglaia) - Wherever found	E	\$5,012	\$1,308,679,804
1280	Damselfly, flying earwig Hawaiian (Megalagrion nesiotes) - Wherever found	E	\$5,009	\$1,308,684,813
1281	Paudedo (Hedyotis megalantha) - Wherever found	E	\$5,005	\$1,308,689,818
1282	Madtom, yellowfin (Noturus flavipinnis) - U.S.A. (TN, VA- specified portions of the Holston River and watershed; see 17.84(e)(1)(i))	EXPN	\$5,000	\$1,308,694,818
1282	Snail, noonday (Mesodon clarki nantahala) - Wherever found	T	\$5,000	\$1,308,699,818

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1282	Harvestman, Cokendolpher Cave (Texella cokendolpheri) - Wherever found	E	\$5,000	\$1,308,704,818
1282	Mint, Garrett's (Dicerandra christmanii) - Wherever found	E	\$5,000	\$1,308,709,818
1282	Rosemary, Etonia (Conradina etonia) - Wherever found	E	\$5,000	\$1,308,714,818
1283	Snail, flat-spined three-toothed (Triodopsis platysayoides) - Wherever found	T	\$4,992	\$1,308,719,810
1284	Blossom, turgid (pearlymussel) (Epioblasma turgidula) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,960	\$1,308,724,770
1285	Wahane (Pritchardia aylmer-robinsonii) - Wherever found	E	\$4,944	\$1,308,729,714
1286	Ridge-cress, Barneby (Lepidium barnebyanum) - Wherever found	E	\$4,871	\$1,308,734,585
1287	Nehe (Lipochaeta fauriei) - Wherever found	E	\$4,864	\$1,308,739,449
1288	Pigtoe, finereyed (Fusconaia cuneolus) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,860	\$1,308,744,309
1288	Pigtoe, shiny (Fusconaia cor) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,860	\$1,308,749,169
1289	Flannelbush, Pine Hill (Fremontodendron californicum ssp. decumbens) - Wherever found	E	\$4,850	\$1,308,754,019
1290	Pearlymussel, birdwing (Lemiox rimosus) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$4,780	\$1,308,758,799
1291	Riversnail, Anthony's (Athearnia anthonyi) - Wherever found; Except where listed as Experimental Populations	E	\$4,700	\$1,308,763,499
1291	Blue-star, Kearney's (Amsonia kearneyana) - Wherever found	E	\$4,700	\$1,308,768,199
1291	Lily, Minnesota dwarf trout (Erythronium propullans) - Wherever found	E	\$4,700	\$1,308,772,899
1291	Monkey-flower, Michigan (Mimulus michiganensis) - Wherever found	E	\$4,700	\$1,308,777,599
1292	Nukupuu, Kauai (Hemignathus hanapepe) - Wherever found	E	\$4,630	\$1,308,782,229
1293	Cliffrose, Arizona (Purshia (=Cowania) subintegra) - Wherever found	E	\$4,600	\$1,308,786,829
1294	Clarkia, Pismo (Clarkia speciosa ssp. immaculata) - Wherever found	E	\$4,594	\$1,308,791,423
1295	Sea turtle, loggerhead (Caretta caretta) - South Pacific Ocean DPS	E	\$4,537	\$1,308,795,960
1296	Puma (=cougar), eastern (Puma (=Felis) concolor cougar) - Wherever found	E	\$4,413	\$1,308,800,373
1297	Larkspur, yellow (Delphinium luteum) - Wherever found	E	\$4,400	\$1,308,804,773
1297	Cactus, Florida semaphore (Consolea corallicola) - Wherever found	E	\$4,400	\$1,308,809,173

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1298	Nukupuu, Maui (Hemignathus affinis) - Wherever found	E	\$4,390	\$1,308,813,563
1299	Darter, rush (Etheostoma phytophilum) - Wherever found	E	\$4,284	\$1,308,817,847
1300	Thrush, Molokai (Myadestes lanaiensis rutha) - Wherever found	E	\$4,248	\$1,308,822,095
1301	Fly, Hawaiian picture-wing (Drosophila digressa) - Wherever found	E	\$4,197	\$1,308,826,292
1301	Fly, Hawaiian picture-wing (Drosophila differens) - Wherever found	E	\$4,197	\$1,308,830,489
1302	Gazelle, dama (Gazella dama) - Wherever found	E	\$4,100	\$1,308,834,589
1302	Buttercup, autumn (Ranunculus aestivalis (=acriformis)) - Wherever found	E	\$4,100	\$1,308,838,689
1302	Sand-verbena, large-fruited (Abronia macrocarpa) - Wherever found	E	\$4,100	\$1,308,842,789
1302	Pitcher-plant, Alabama canebrake (Sarracenia rubra ssp. alabamensis) - Wherever found	E	\$4,100	\$1,308,846,889
1303	Milk-vetch, coastal dunes (Astragalus tener var. titi) - Wherever found	E	\$4,084	\$1,308,850,973
1304	Paintbrush, Tiburon (Castilleja affinis ssp. neglecta) - Wherever found	E	\$4,060	\$1,308,855,033
1305	Darter, vermilion (Etheostoma chermocki) - Wherever found	E	\$4,000	\$1,308,859,033
1305	Rocksnail, interrupted (=Georgia) (Leptoxis foremani) - Wherever found	E	\$4,000	\$1,308,863,033
1305	Thistle, Suisun (Cirsium hydrophilum var. hydrophilum) - Wherever found	E	\$4,000	\$1,308,867,033
1306	Fly, Hawaiian picture-wing (Drosophila heteroneura) - Wherever found	E	\$3,998	\$1,308,871,031
1306	Fly, Hawaiian picture-wing (Drosophila mulii) - Wherever found	T	\$3,998	\$1,308,875,029
1306	Picture-wing fly, Hawaiian (Drosophila neoclavisetae) - Wherever found	E	\$3,998	\$1,308,879,027
1306	Fly, Hawaiian picture-wing (Drosophila tarphyrichia) - Wherever found	E	\$3,998	\$1,308,883,025
1306	Fly, Hawaiian picture-wing (Drosophila hemipeza) - Wherever found	E	\$3,998	\$1,308,887,023
1306	Fly, Hawaiian picture-wing (Drosophila ochrobasis) - Wherever found	E	\$3,998	\$1,308,891,021
1307	Clover, Monterey (Trifolium trichocalyx) - Wherever found	E	\$3,994	\$1,308,895,015
1308	Shark, Scalloped Hammerhead (Sphyrna lewini) - Eastern Pacific DPS	E	\$3,944	\$1,308,898,959
1309	Reed-mustard, clay (Schoenocrambe argillacea) - Wherever found	T	\$3,942	\$1,308,902,901
1310	Dudleya, Conejo (Dudleya abramsii ssp. parva) - Wherever found	T	\$3,894	\$1,308,906,795

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1310	Dudleya, marcescent (Dudleya cymosa ssp. marcescens) - Wherever found	T	\$3,894	\$1,308,910,689
1310	Cypress, Gowen (Cupressus goveniana ssp. goveniana) - Wherever found	T	\$3,894	\$1,308,914,583
1311	Malacothrix, Santa Cruz Island (Malacothrix indecora) - Wherever found	E	\$3,891	\$1,308,918,474
1312	Pawpaw, Rugel's (Deeringothamnus rugelii) - Wherever found	E	\$3,800	\$1,308,922,274
1313	Babirusa (Babyrousa babyrussa) - Wherever found	E	\$3,650	\$1,308,925,924
1313	Dwarf-flax, Marin (Hesperolinon congestum) - Wherever found	T	\$3,650	\$1,308,929,574
1314	Buckwheat, lone (incl. Irish Hill) (Eriogonum apricum (incl. var. prostratum)) - Wherever found	E	\$3,600	\$1,308,933,174
1315	Spineflower, Sonoma (Chorizanthe valida) - Wherever found	E	\$3,550	\$1,308,936,724
1316	Spurge, Garber's (Chamaesyce garberi) - Wherever found	T	\$3,515	\$1,308,940,239
1317	Harebells, Avon Park (Crotalaria avonensis) - Wherever found	E	\$3,500	\$1,308,943,739
1318	Milk-vetch, Ventura Marsh (Astragalus pycnostachyus var. lanosissimus) - Wherever found	E	\$3,461	\$1,308,947,200
1319	Dugong (Dugong dugon) - Wherever found	E	\$3,450	\$1,308,950,650
1320	Pò'ouli (honeycreeper) (Melamprosops phaeosoma) - Wherever found	E	\$3,444	\$1,308,954,094
1321	Bladderpod, Zapata (Lesquerella thamnophila) - Wherever found	E	\$3,400	\$1,308,957,494
1322	Shiner, Cahaba (Notropis cahabae) - Wherever found	E	\$3,363	\$1,308,960,857
1323	Seal, Saimaa (Phoca hispida saimensis) - Wherever found	E	\$3,332	\$1,308,964,189
1324	Clarkia, Presidio (Clarkia franciscana) - Wherever found	E	\$3,320	\$1,308,967,509
1325	Clover, showy Indian (Trifolium amoenum) - Wherever found	E	\$3,300	\$1,308,970,809
1326	Blossom, green (pearlymussel) (Epioblasma torulosa gubernaculum) - Wherever found	E	\$3,240	\$1,308,974,049
1326	Monkeyface, Appalachian (pearlymussel) (Quadrula sparsa) - USA (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$3,240	\$1,308,977,289
1327	Oryx, Arabian (Oryx leucoryx) - Wherever found	E	\$3,200	\$1,308,980,489
1327	Lemurs (Lemuridae (incl. genera Lemur, Phaner, Haplemur, Lepilemur, Microcebus, Allocebus, Cheirogaleus, Varecia)) - Wherever found	E	\$3,200	\$1,308,983,689
1328	Manzanita, Presidio (Arctostaphylos hookeri var. ravenii) - Wherever found	E	\$3,100	\$1,308,986,789
1329	Mucket, oranegenacre (Lampsilis perovialis) - Wherever found	T	\$3,046	\$1,308,989,835

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1330	Marstonia, royal (snail) (Pyrgulopsis ogmorhappe) - Wherever found	E	\$3,000	\$1,308,992,835
1330	Amphipod, Illinois cave (Gammarus acherondytes) - Wherever found	E	\$3,000	\$1,308,995,835
1330	Amphipod, Pecos (Gammarus pecos) - Wherever found	E	\$3,000	\$1,308,998,835
1331	Cactus, Nichol's Turk's head (Echinocactus horizontalis var. nicholii) - Wherever found	E	\$2,900	\$1,309,001,735
1331	Polygala, tiny (Polygala smallii) - Wherever found	E	\$2,900	\$1,309,004,635
1332	Spider, spruce-fir moss (Microhexura montivaga) - Wherever found	E	\$2,800	\$1,309,007,435
1333	Amphipod, diminutive (Gammarus hyalleloides) - Wherever found	E	\$2,600	\$1,309,010,035
1333	Locoweed, Fassett's (Oxytropis campestris var. chartacea) - Wherever found	T	\$2,600	\$1,309,012,635
1333	Bladderpod, white (Lesquerella pallida) - Wherever found	E	\$2,600	\$1,309,015,235
1333	Gladecress, Texas golden (Leavenworthia texana) - Wherever found	E	\$2,600	\$1,309,017,835
1334	Minnow, Rio Grande Silvery (Hybognathus amarus) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$2,500	\$1,309,020,335
1334	Pearl mussel, birdwing (Lemiox rimosus) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$2,500	\$1,309,022,835
1334	Tiger beetle, Ohlone (Cicindela ohlone) - Wherever found	E	\$2,500	\$1,309,025,335
1334	Clarkia, Springville (Clarkia springvillensis) - Wherever found	T	\$2,500	\$1,309,027,835
1334	Leather flower, Morefield's (Clematis morefieldii) - Wherever found	E	\$2,500	\$1,309,030,335
1335	Chub, Sonora (Gila ditaenia) - Wherever found	T	\$2,400	\$1,309,032,735
1336	Woodpecker, ivory-billed (Campephilus principalis) - Wherever found	E	\$2,347	\$1,309,035,082
1337	Roseroot, Leedy's (Rhodiola integrifolia ssp. leedyi) - Wherever found	T	\$2,335	\$1,309,037,417
1338	Ceanothus, Vail Lake (Ceanothus ophiochilus) - Wherever found	T	\$2,204	\$1,309,039,621
1339	Gladecress, Fleshy-fruit (Leavenworthia crassa) - Wherever found	E	\$2,200	\$1,309,041,821
1340	Snail, tulotoma (Tulotoma magnifica) - Wherever found	T	\$2,175	\$1,309,043,996
1341	Paintbrush, ash-grey (Castilleja cinerea) - Wherever found	T	\$2,087	\$1,309,046,083
1342	Parrot, thick-billed (Rhynchopsitta pachyrhyncha) - Wherever found	E	\$2,000	\$1,309,048,083
1343	Buckwheat, cushenbury (Eriogonum ovalifolium var. vineum) - Wherever found	E	\$1,943	\$1,309,050,026

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1344	Ivesia, Ash Meadows (Ivesia kingii var. eremica) - Wherever found	T	\$1,914	\$1,309,051,940
1345	Woundfin (Plagopterus argentissimus) - Gila R. drainage, AZ, NM	EXPN	\$1,900	\$1,309,053,840
1345	Lupine, Nipomo Mesa (Lupinus nipomensis) - Wherever found	E	\$1,900	\$1,309,055,740
1346	Madtom, Scioto (Noturus trautmani) - Wherever found	E	\$1,881	\$1,309,057,621
1347	Cactus, Lloyd's Mariposa (Echinomastus mariposensis) - Wherever found	T	\$1,877	\$1,309,059,498
1348	Salamander, Red Hills (Phaeognathus hubrichti) - Wherever found	T	\$1,839	\$1,309,061,337
1349	Gambusia, San Marcos (Gambusia georgei) - Wherever found	E	\$1,800	\$1,309,063,137
1349	Snail, Virginia fringed mountain (Polygyris virginiensis) - Wherever found	E	\$1,800	\$1,309,064,937
1350	Taraxacum, California (Taraxacum californicum) - Wherever found	E	\$1,767	\$1,309,066,704
1351	Jewelflower, Tiburon (Streptanthus niger) - Wherever found	E	\$1,750	\$1,309,068,454
1352	Cactus, Chisos Mountain hedgehog (Echinocereus chisoensis var. chisoensis) - Wherever found	T	\$1,736	\$1,309,070,190
1353	Cat, leopard (Prionailurus (=Felis) bengalensis bengalensis) - Wherever found	E	\$1,730	\$1,309,071,920
1354	Purple cat's paw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,720	\$1,309,073,640
1355	Prickly-apple, fragrant (Cereus eriophorus var. fragrans) - Wherever found	E	\$1,700	\$1,309,075,340
1355	Pawpaw, beautiful (Deeringothamnus pulchellus) - Wherever found	E	\$1,700	\$1,309,077,040
1356	Fern, Alabama streak-sorus (Thelypteris pilosa var. alabamensis) - Wherever found	T	\$1,600	\$1,309,078,640
1357	O'u (honeycreeper) (Psittirostra psittacea) - Wherever found	E	\$1,507	\$1,309,080,147
1358	Madtom, pygmy (Noturus stanauili) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i))	EXPN	\$1,500	\$1,309,081,647
1358	Springsnail, Socorro (Pyrgulopsis neomexicana) - Wherever found	E	\$1,500	\$1,309,083,147
1358	Cory cactus, bunched (Coryphantha ramillosa) - Wherever found	T	\$1,500	\$1,309,084,647
1358	Water-plantain, Kral's (Sagittaria secundifolia) - Wherever found	T	\$1,500	\$1,309,086,147
1359	Thornmint, San Mateo (Acanthomintha obovata ssp. duttonii) - Wherever found	E	\$1,413	\$1,309,087,560

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1360	Warbler (=wood), Bachman's (Vermivora bachmanii) - Wherever found	E	\$1,397	\$1,309,088,957
1361	Poppy-mallow, Texas (Callirhoe scabruscula) - Wherever found	E	\$1,300	\$1,309,090,257
1362	Curlew, Eskimo (Numenius borealis) - Wherever found	E	\$1,294	\$1,309,091,551
1363	Grass, Solano (Tuctoria mucronata) - Wherever found	E	\$1,200	\$1,309,092,751
1363	Manzanita, Morro (Arctostaphylos morroensis) - Wherever found	T	\$1,200	\$1,309,093,951
1364	Dace, Kendall Warm Springs (Rhinichthys osculus thermalis) - Wherever found	E	\$1,131	\$1,309,095,082
1365	Wild-buckwheat, southern mountain (Eriogonum kennedyi var. austromontanum) - Wherever found	T	\$1,103	\$1,309,096,185
1366	Cactus, Sneed pincushion (Coryphantha sneedii var. sneedii) - Wherever found	E	\$1,100	\$1,309,097,285
1367	Pigtoe, heavy (Pleurobema taitianum) - Wherever found	E	\$1,016	\$1,309,098,301
1368	Akialoa, Kauai (honeycreeper) (Akialoa stejnegeri) - Wherever found	E	\$1,004	\$1,309,099,305
1369	Gambusia, Clear Creek (Gambusia heterochir) - Wherever found	E	\$1,000	\$1,309,100,305
1369	Beetle, Hungerford's crawling water (Brychius hungerfordi) - Wherever found	E	\$1,000	\$1,309,101,305
1370	'O'o, Kauai (honeyeater) (Moho braccatus) - Wherever found	E	\$990	\$1,309,102,295
1371	Darter, bayou (Etheostoma rubrum) - Wherever found	T	\$963	\$1,309,103,258
1372	Ragwort, San Francisco Peaks (Packera franciscana) - Wherever found	T	\$915	\$1,309,104,173
1373	Sandwort, Bear Valley (Arenaria ursina) - Wherever found	T	\$803	\$1,309,104,976
1374	Thrush, large Kauai (=kamao) (Myadestes myadestinus) - Wherever found	E	\$801	\$1,309,105,777
1374	Creepers, Molokai (Paroreomyza flammea) - Wherever found	E	\$801	\$1,309,106,578
1375	Snowbells, Texas (Styrax texanus) - Wherever found	E	\$800	\$1,309,107,378
1376	White-eye, bridled (Zosterops conspicillatus conspicillatus) - Wherever found	E	\$761	\$1,309,108,139
1377	Prickly-apple, aboriginal (Harrisia (=Cereus) aboriginum (=gracilis)) - Wherever found	E	\$700	\$1,309,108,839
1378	Tamarin, cotton-top (Saguinus oedipus) - Wherever found	E	\$600	\$1,309,109,439
1378	Snail, armored (Pyrgulopsis (=Marstonia) pachyta) - Wherever found	E	\$600	\$1,309,110,039
1378	Lioplax, cylindrical (snail) (Lioplax cyclostomaformis) - Wherever found	E	\$600	\$1,309,110,639
1378	Campeloma, slender (Campeloma decampi) - Wherever found	E	\$600	\$1,309,111,239

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1378	Crayfish, cave (<i>Cambarus aculabrum</i>) - Wherever found	E	\$600	\$1,309,111,839
1378	Bladderpod, lyrate (<i>Lesquerella lyrata</i>) - Wherever found	T	\$600	\$1,309,112,439
1378	Oak, Hinckley (<i>Quercus hinckleyi</i>) - Wherever found	T	\$600	\$1,309,113,039
1379	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>) - Wherever found	E	\$583	\$1,309,113,622
1379	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>) - Wherever found	E	\$583	\$1,309,114,205
1380	Salamander, desert slender (<i>Batrachoseps aridus</i>) - Wherever found	E	\$580	\$1,309,114,785
1381	Pigtoe, flat (<i>Pleurobema marshalli</i>) - Wherever found	E	\$550	\$1,309,115,335
1381	Stirrupshell (<i>Quadrula stapes</i>) - Wherever found	E	\$550	\$1,309,115,885
1381	Grasshopper, Zavante band-winged (<i>Trimerotropis infantilis</i>) - Wherever found	E	\$550	\$1,309,116,435
1381	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>) - Wherever found	T	\$550	\$1,309,116,985
1382	Cactus, Nellie cory (<i>Coryphantha minima</i>) - Wherever found	E	\$500	\$1,309,117,485
1382	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>) - Wherever found	E	\$500	\$1,309,117,985
1382	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>) - Wherever found	E	\$500	\$1,309,118,485
1383	Checker-mallow, pedate (<i>Sidalcea pedata</i>) - Wherever found	E	\$483	\$1,309,118,968
1384	Solenodon, Cuban (<i>Solenodon cubanus</i>) - Wherever found	E	\$348	\$1,309,119,316
1384	Hutia, Cabrera's (<i>Capromys angelcabrerai</i>) - Wherever found	E	\$348	\$1,309,119,664
1384	Hutia, dwarf (<i>Capromys nana</i>) - Wherever found	E	\$348	\$1,309,120,012
1384	Hutia, large-eared (<i>Capromys auritus</i>) - Wherever found	E	\$348	\$1,309,120,360
1384	Crocodile, Cuban (<i>Crocodylus rhombifer</i>) - Wherever found	E	\$348	\$1,309,120,708
1384	Barberry, Nevin's (<i>Berberis nevinii</i>) - Wherever found	E	\$348	\$1,309,121,056
1385	Kite, Cuba hook-billed (<i>Chondrohierax uncinatus wilsonii</i>) - Wherever found	E	\$347	\$1,309,121,403
1385	Parrot, Bahaman or Cuban (<i>Amazona leucocephala</i>) - Wherever found	E	\$347	\$1,309,121,750
1386	Shark, Scalloped Hammerhead (<i>Sphyrna lewini</i>) - Indo-West Pacific DPS	T	\$335	\$1,309,122,085
1387	Serow (<i>Naemorhedus</i> (=Capricornis) <i>sumatraensis</i>) - Wherever found	E	\$320	\$1,309,122,405
1388	Shark, Scalloped Hammerhead (<i>Sphyrna lewini</i>) - Central and Southwest Atlantic DPS	T	\$316	\$1,309,122,721
1389	Lechwe, red (<i>Kobus leche</i>) - Wherever found	T	\$300	\$1,309,123,021
1389	Mandrill (<i>Mandrillus</i> (=Papio) <i>sphinx</i>) - Wherever found	E	\$300	\$1,309,123,321

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1389	Zebra, Grevy's (<i>Equus grevyi</i>) - Wherever found	T	\$300	\$1,309,123,621
1389	Spineflower, Howell's (<i>Chorizanthe howellii</i>) - Wherever found	E	\$300	\$1,309,123,921
1389	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>) - Wherever found	E	\$300	\$1,309,124,221
1389	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>harwegiana</i>) - Wherever found	E	\$300	\$1,309,124,521
1389	Spineflower, Scotts Valley (<i>Chorizanthe robusta</i> var. <i>hartwegii</i>) - Wherever found	E	\$300	\$1,309,124,821
1389	Spineflower, Robust (<i>Chorizanthe robusta</i> var. <i>robusta</i>) - Wherever found	E	\$300	\$1,309,125,121
1390	Pigtoe, dark (<i>Pleurobema furvum</i>) - Wherever found	E	\$284	\$1,309,125,405
1391	Pearllymussel, Curtis (<i>Epioblasma florentina curtisii</i>) - Wherever found	E	\$278	\$1,309,125,683
1392	Bat, little Mariana fruit (<i>Pteropus tokudae</i>) - Wherever found	E	\$254	\$1,309,125,937
1393	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>) - Wherever found	E	\$250	\$1,309,126,187
1394	Macaw, military (<i>Ara militaris</i>) - Wherever found	E	\$240	\$1,309,126,427
1395	Monardella, willow (<i>Monardella viminea</i>) - Wherever found	E	\$232	\$1,309,126,659
1396	Gazelle, slender-horned (<i>Gazella leptoceros</i>) - Wherever found	E	\$200	\$1,309,126,859
1396	Margay (<i>Leopardus</i> (=Felis) <i>wiedii</i>) - Wherever found	E	\$200	\$1,309,127,059
1396	Bontebok (<i>Damaliscus pygargus</i> (=dorcus) <i>dorcus</i>) - Wherever found	E	\$200	\$1,309,127,259
1396	Baboon, gelada (<i>Theropithecus gelada</i>) - Wherever found	T	\$200	\$1,309,127,459
1396	Monkey, Diana (<i>Cercopithecus diana</i>) - Wherever found	E	\$200	\$1,309,127,659
1396	Zebra, Hartmann's mountain (<i>Equus zebra hartmannae</i>) - Wherever found	T	\$200	\$1,309,127,859
1396	Addax (<i>Addax nasomaculatus</i>) - Wherever found	E	\$200	\$1,309,128,059
1396	Koala (<i>Phascolarctos cinereus</i>) - Australia	T	\$200	\$1,309,128,259
1396	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>) - Wherever found	E	\$200	\$1,309,128,459
1396	Blossom, yellow (pearllymussel) (<i>Epioblasma florentina florentina</i>) - Wherever found; Except where listed as Experimental Populations	E	\$200	\$1,309,128,659
1396	Monkeyface, Cumberland (pearllymussel) (<i>Quadrula intermedia</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$200	\$1,309,128,859
1397	Rocksnail, plicate (<i>Leptoxis plicata</i>) - Wherever found	E	\$149	\$1,309,129,008
1398	Onion, Munz's (<i>Allium munzii</i>) - Wherever found	E	\$116	\$1,309,129,124

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1399	Jaguarundi, Sinaloa (Herpailurus (=Felis) yagouaroundi tolteca) - Wherever found	E	\$100	\$1,309,129,224
1399	Darter, duskytail (Etheostoma percnurum) - Tellico River, TN	EXPN	\$100	\$1,309,129,324
1399	Sawfish, Dwarf (Pristis clavata) - Wherever found	E	\$100	\$1,309,129,424
1399	Blossom, tubercled (pearlymussel) (Epioblasma torulosa torulosa) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$1,309,129,524
1399	Blossom, yellow (pearlymussel) (Epioblasma florentina florentina) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$1,309,129,624
1399	Pearlshell, Alabama (Margaritifera marrianae) - Wherever found	E	\$100	\$1,309,129,724
1399	Tryonia, Phantom (Tryonia cheatumi) - Wherever found	E	\$100	\$1,309,129,824
1399	Hornsnail, rough (Pleurocera foremani) - Wherever found	E	\$100	\$1,309,129,924
1399	Crayfish, cave (Cambarus zophonastes) - Wherever found	E	\$100	\$1,309,130,024
1399	Milk-vetch, Clara Hunt's (Astragalus clarianus) - Wherever found	E	\$100	\$1,309,130,124
1399	Rock-cress, McDonald's (Arabis macdonaldiana) - Wherever found	E	\$100	\$1,309,130,224
1399	Wallflower, Ben Lomond (Erysimum teretifolium) - Wherever found	E	\$100	\$1,309,130,324
1399	Primrose, Maguire (Primula maguirei) - Wherever found	T	\$100	\$1,309,130,424
1399	Penny-cress, Kneeland Prairie (Thlaspi californicum) - Wherever found	E	\$100	\$1,309,130,524
1399	Fringepod, Santa Cruz Island (Thysanocarpus conchuliferus) - Wherever found	E	\$100	\$1,309,130,624
1400	Crane, hooded (Grus monacha) - Wherever found	E	\$80	\$1,309,130,704
1401	Crane, Japanese (Grus japonensis) - Wherever found	E	\$20	\$1,309,130,724
Total				\$1,309,130,724