

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2002 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION**

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
1	Sea-lion, Steller ( <i>Eumetopias jubatus</i> )	E,T	55,998,075	55,998,075	7.79
2	Salmon, chinook spring/summer Snake R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	36,105,300	92,103,375	12.81
3	Steelhead middle Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	31,460,147	123,563,522	17.18
4	Steelhead Snake R. Basin ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	28,563,900	152,127,422	21.15
5	Trout, bull ( <i>Salvelinus confluentus</i> )	T	27,268,204	179,395,626	24.94
6	Salmon, coho OR, CA pop. ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> )	T	24,721,640	204,117,266	28.38
7	Salmon, chinook fall Snake R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	22,191,804	226,309,070	31.47
8	Steelhead upper Columbia R. Basin ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	E	17,894,865	244,203,935	33.95
9	Salmon, sockeye U.S.A. (Snake River, ID stock wherever found. ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> )	E	17,264,277	261,468,212	36.35
10	Salmon, chinook upper Willamette R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	14,937,800	276,406,012	38.43
11	Salmon, chinook spring upper Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	13,445,459	289,851,471	40.3
12	Salmon, chum Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> )	T	12,973,377	302,824,848	42.1
13	Salmon, chinook Puget Sound ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	12,504,395	315,329,243	43.84
14	Steelhead lower Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	11,943,500	327,272,743	45.5
15	Salmon, chinook winter Sacramento R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	E	11,061,497	338,334,240	47.04
16	Salmon, chinook lower Columbia R. ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	9,693,600	348,027,840	48.39
17	Steelhead northern CA ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	9,546,600	357,574,440	49.72
18	Steelhead upper Willamette R. ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	9,242,840	366,817,280	51
19	Tortoise, desert ( <i>Gopherus agassizii</i> )	T	8,589,773	375,407,053	52.2
20	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	8,571,448	383,978,501	53.39
21	Whale, right ( <i>Balaena glacialis</i> (incl. <i>australis</i> ))	E	8,392,531	392,371,032	54.56
22	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	8,357,200	400,728,232	55.72
23	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	8,019,777	408,748,009	56.83
24	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	7,913,485	416,661,494	57.93
25	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	7,834,771	424,496,265	59.02
26	Sucker, razorback ( <i>Xyrauchen texanus</i> )	E	7,662,103	432,158,368	60.09
27	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	7,069,597	439,227,965	61.07
28	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> )	E	6,885,603	446,113,568	62.03
29	Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS ( <i>Salmo salar</i> )	E	6,746,600	452,860,168	62.97
30	Eagle, bald ( <i>Haliaeetus leucocephalus</i> )	T	6,671,736	459,531,904	63.89
31	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	6,663,320	466,195,224	64.82
32	Steelhead Central Valley CA ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	6,310,037	472,505,261	65.7

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
33	Salmon, chinook CA coastal ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	6,069,583	478,574,844	66.54
34	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	6,064,319	484,639,163	67.38
35	Salmon, chinook CA Central Valley spring-run ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> )	T	6,056,720	490,695,883	68.23
36	Salmon, sockeye U.S.A. (Ozette Lake, WA ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> )	T	5,880,082	496,575,965	69.04
37	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	5,772,100	502,348,065	69.85
38	Panther, Florida ( <i>Puma</i> (=Felis) <i>concolor coryi</i> )	E	5,768,144	508,116,209	70.65
39	Salmon, coho central CA coast ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> )	T	5,577,402	513,693,611	71.42
40	Sturgeon, white ( <i>Acipenser transmontanus</i> )	E	5,518,600	519,212,211	72.19
41	Crane, whooping ( <i>Grus americana</i> )	E	5,474,364	524,686,575	72.95
42	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	5,284,289	529,970,864	73.69
43	Steelhead central CA coast ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	5,036,800	535,007,664	74.39
44	Salmon, chum summer-run Hood Canal ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> )	T	5,022,445	540,030,109	75.09
45	Steelhead south central CA coast ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	T	4,917,800	544,947,909	75.77
46	Steelhead southern CA coast ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> )	E	4,901,000	549,848,909	76.45
47	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	4,625,777	554,474,686	77.09
48	Chub, humpback ( <i>Gila cypha</i> )	E	4,583,265	559,057,951	77.73
49	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	4,570,623	563,628,574	78.37
50	Plover, piping ( <i>Charadrius melodus</i> )	E,T	4,446,694	568,075,268	78.99
51	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	4,257,462	572,332,730	79.58
52	Murrelet, marbled ( <i>Brachyramphus marmoratus marmoratus</i> )	T	4,121,045	576,453,775	80.15
53	Wolf, gray ( <i>Canis lupus</i> )	E,T	3,983,989	580,437,764	80.7
54	Sea turtle, green ( <i>Chelonia mydas</i> )	E,T	3,779,323	584,217,087	81.23
55	Chub, bonytail ( <i>Gila elegans</i> )	E	3,438,965	587,656,052	81.71
56	Bear, grizzly ( <i>Ursus arctos horribilis</i> )	T	3,355,753	591,011,805	82.17
57	Tern, least ( <i>Sterna antillarum</i> )	E	3,195,945	594,207,750	82.62
58	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> )	E,T	2,883,589	597,091,339	83.02
59	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	2,859,450	599,950,789	83.42
60	Cui-ui ( <i>Chasmistes cujus</i> )	E	2,802,590	602,753,379	83.81
61	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	2,714,435	605,467,814	84.18
62	Bat, Indiana ( <i>Myotis sodalis</i> )	E	2,654,695	608,122,509	84.55
63	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempi</i> )	E	2,355,189	610,477,698	84.88
64	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> )	T	2,337,776	612,815,474	85.21
65	Lynx, Canada ( <i>Lynx canadensis</i> )	T	2,296,677	615,112,151	85.53
66	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	2,197,280	617,309,431	85.83
67	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	2,130,802	619,440,233	86.13
68	Condor, California ( <i>Gymnogyps californianus</i> )	E	2,029,348	621,469,581	86.41
69	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	1,859,198	623,328,779	86.67
70	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )	E	1,850,000	625,178,779	86.92
71	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	1,845,000	627,023,779	87.18
72	Bedstraw, El Dorado ( <i>Galium californicum ssp. sierrae</i> )	E	1,842,000	628,865,779	87.44
73	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	1,809,102	630,674,881	87.69
74	Ferret, black-footed ( <i>Mustela nigripes</i> )	E	1,758,227	632,433,108	87.93

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
75	Bat, gray ( <i>Myotis grisescens</i> )	E	1,637,266	634,070,374	88.16
76	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	1,607,550	635,677,924	88.38
77	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	1,537,000	637,214,924	88.6
78	Jay, Florida scrub ( <i>Aphelocoma coerulescens</i> )	T	1,476,917	638,691,841	88.8
79	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	1,472,013	640,163,854	89.01
80	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	1,350,305	641,514,159	89.2
81	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	1,318,000	642,832,159	89.38
82	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	1,127,705	643,959,864	89.54
83	Otter, southern sea ( <i>Enhydra lutris nereis</i> )	T	1,066,000	645,025,864	89.68
84	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	1,056,100	646,081,964	89.83
85	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> )	T	1,051,480	647,133,444	89.98
86	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> )	E	1,024,300	648,157,744	90.12
87	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	1,022,409	649,180,153	90.26
88	Wolf, red ( <i>Canis rufus</i> )	E	976,500	650,156,653	90.4
89	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	939,200	651,095,853	90.53
90	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	889,506	651,985,359	90.65
91	Tortoise, gopher ( <i>Gopherus polyphemus</i> )	T	885,200	652,870,559	90.78
92	Tern, California least ( <i>Sterna antillarum browni</i> )	E	865,027	653,735,586	90.9
93	Frog, California red-legged ( <i>Rana aurora draytoni</i> )	T	860,160	654,595,746	91.01
94	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	857,900	655,453,646	91.13
95	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	772,278	656,225,924	91.24
96	Chub, Virgin River ( <i>Gila seminuda (=robusta)</i> )	E	742,430	656,968,354	91.34
97	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	735,900	657,704,254	91.45
98	Stork, wood ( <i>Mycteria americana</i> )	E	713,251	658,417,505	91.55
99	Butterfly, Karner blue ( <i>Lycaeides melissa samuelis</i> )	E	701,739	659,119,244	91.64
100	Eider, Steller's ( <i>Polysticta stelleri</i> )	T	697,450	659,816,694	91.74
101	Eider, spectacled ( <i>Somateria fischeri</i> )	T	686,700	660,503,394	91.84
102	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> )	T	643,845	661,147,239	91.93
103	Albatross, short-tailed ( <i>Phoebastria (=Diomedea) albatrus</i> )	E	640,900	661,788,139	92.01
104	Goose, Hawaiian ( <i>Branta (=Nesochen) sandvicensis</i> )	E	603,417	662,391,556	92.1
105	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	599,150	662,990,706	92.18
106	Warbler (=wood), Kirtland's ( <i>Dendroica kirtlandii</i> )	E	587,269	663,577,975	92.26
107	Pygmy-owl, cactus ferruginous ( <i>Glaucidium brasilianum cactorum</i> )	E	581,463	664,159,438	92.34
108	Shiner, Topeka ( <i>Notropis topeka (=tristis)</i> )	E	577,158	664,736,596	92.42
109	Frog, mountain yellow-legged ( <i>Rana muscosa</i> )	E	562,600	665,299,196	92.5
110	Sheep, bighorn ( <i>Ovis canadensis</i> )	E	562,217	665,861,413	92.58
111	Sucker, June ( <i>Chasmistes liorus</i> )	E	550,700	666,412,113	92.66
112	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	512,600	666,924,713	92.73
113	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana var. recurva</i> )	E	499,600	667,424,313	92.8
114	Chub, spotfin ( <i>Cyprinella monacha</i> )	T	491,200	667,915,513	92.87
115	Spikedace ( <i>Meda fulgida</i> )	T	484,001	668,399,514	92.93
116	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	482,978	668,882,492	93
117	Pelican, brown ( <i>Pelecanus occidentalis</i> )	E	481,260	669,363,752	93.07
118	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	477,900	669,841,652	93.13
119	Salamander, flatwoods ( <i>Ambystoma cingulatum</i> )	T	474,761	670,316,413	93.2
120	Rail, Guam ( <i>Rallus owstoni</i> )	E	461,000	670,777,413	93.26
121	Pearlymussel, littlewing ( <i>Pegias fabula</i> )	E	458,800	671,236,213	93.33

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
122	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))	E	456,234	671,692,447	93.39
123	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	452,400	672,144,847	93.45
124	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> )	E	444,776	672,589,623	93.52
125	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	444,439	673,034,062	93.58
126	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	435,915	673,469,977	93.64
127	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	434,200	673,904,177	93.7
128	Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )	E	432,692	674,336,869	93.76
129	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	427,555	674,764,424	93.82
130	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> )	E	418,580	675,183,004	93.88
131	Sucker, Santa Ana ( <i>Catostomus santaanae</i> )	T	413,782	675,596,786	93.93
132	Splittail, Sacramento ( <i>Pogonichthys macrolepidotus</i> )	T	413,200	676,009,986	93.99
133	Trout, greenback cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	410,244	676,420,230	94.05
134	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	393,400	676,813,630	94.1
135	Gnatcatcher, coastal California ( <i>Poliophtila californica californica</i> )	T	393,365	677,206,995	94.16
136	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	386,694	677,593,689	94.21
137	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	379,559	677,973,248	94.27
138	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	369,444	678,342,692	94.32
139	Prairie dog, Utah ( <i>Cynomys parvidens</i> )	T	357,015	678,699,707	94.37
140	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	350,787	679,050,494	94.42
141	Mussel, oyster ( <i>Epioblasma capsaeformis</i> )	E	346,600	679,397,094	94.46
142	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	346,563	679,743,657	94.51
143	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	345,948	680,089,605	94.56
144	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	345,196	680,434,801	94.61
145	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	337,100	680,771,901	94.65
146	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	333,100	681,105,001	94.7
147	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	325,766	681,430,767	94.75
148	Pondberry ( <i>Lindera melissifolia</i> )	E	322,600	681,753,367	94.79
149	Goby, tidewater ( <i>Eucyclogobius newberryi</i> )	E	318,847	682,072,214	94.84
150	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	316,056	682,388,270	94.88
151	Pearlymussel, birdwing ( <i>Conradilla caelata</i> )	E	312,225	682,700,495	94.92
152	Snail, Utah valvata ( <i>Valvata utahensis</i> )	E	310,700	683,011,195	94.97
153	Chaffseed, American ( <i>Schwalbea americana</i> )	E	302,400	683,313,595	95.01
154	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> )	E	299,800	683,613,395	95.05
155	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	293,600	683,906,995	95.09
156	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	291,600	684,198,595	95.13
157	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	280,725	684,479,320	95.17
158	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	273,950	684,753,270	95.21
159	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	272,735	685,026,005	95.25
159	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	272,735	685,298,740	95.28
159	Taraxacum, California ( <i>Taraxacum californicum</i> )	E	272,735	685,571,475	95.32
159	Checker-mallow, pedate ( <i>Sidalcea pedata</i> )	E	272,735	685,844,210	95.36
159	Mustard, slender-petaled ( <i>Thelypodium stenopetalum</i> )	E	272,735	686,116,945	95.4
164	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	265,935	686,382,880	95.43
164	Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi</i> var. <i>austromontanum</i> )	T	265,935	686,648,815	95.47

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
166	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	263,400	686,912,215	95.51
167	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuena</i> )	E	263,109	687,175,324	95.54
168	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> )	E	260,800	687,436,124	95.58
169	Tern, roseate ( <i>Sterna dougallii dougallii</i> )	E,T	259,100	687,695,224	95.62
170	Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> )	E	255,377	687,950,601	95.65
171	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	255,255	688,205,856	95.69
172	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	254,588	688,460,444	95.72
173	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )	E	253,500	688,713,944	95.76
174	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	252,000	688,965,944	95.79
175	Toad, Houston ( <i>Bufo houstonensis</i> )	E	251,050	689,216,994	95.83
176	Mapleleaf, winged (mussel) ( <i>Quadrula fragosa</i> )	E	244,000	689,460,994	95.86
177	Megapode, Micronesian ( <i>Megapodius laperouse</i> )	E	241,100	689,702,094	95.9
178	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	239,025	689,941,119	95.93
179	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	238,235	690,179,354	95.96
180	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	233,227	690,412,581	95.99
181	Caribou, woodland ( <i>Rangifer tarandus caribou</i> )	E	229,222	690,641,803	96.03
182	Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	227,200	690,869,003	96.06
183	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	224,200	691,093,203	96.09
184	Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )	E	224,000	691,317,203	96.12
185	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	223,907	691,541,110	96.15
186	Woundfin ( <i>Plagopterus argentissimus</i> )	E	221,800	691,762,910	96.18
187	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )	E	217,025	691,979,935	96.21
188	Shiner, blue ( <i>Cyprinella caerulea</i> )	T	215,026	692,194,961	96.24
189	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> )	E	212,500	692,407,461	96.27
190	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	207,300	692,614,761	96.3
191	Rabbit, pygmy ( <i>Brachylagus idahoensis</i> )	EmE	196,900	692,811,661	96.33
192	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	193,982	693,005,643	96.36
193	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> )	T	189,600	693,195,243	96.38
194	Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )	E	188,334	693,383,577	96.41
195	Snails, Oahu tree ( <i>Achatinella</i> spp.)	E	187,863	693,571,440	96.43
196	Pocketbook, finelined ( <i>Lampsilis altalis</i> )	T	185,623	693,757,063	96.46
197	Pocketbook, fat ( <i>Potamilus capax</i> )	E	184,300	693,941,363	96.49
198	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	184,000	694,125,363	96.51
199	Darter, goldline ( <i>Percina aurolineata</i> )	T	182,536	694,307,899	96.54
200	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	180,623	694,488,522	96.56
201	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	179,230	694,667,752	96.59
202	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	177,300	694,845,052	96.61
203	Buckwheat, cushenbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )	E	175,230	695,020,282	96.64
203	Oxytheca, cushenbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> )	E	175,230	695,195,512	96.66
205	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )	E	174,230	695,369,742	96.68
206	Shiner, Cahaba ( <i>Notropis cahabae</i> )	E	173,511	695,543,253	96.71
207	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	172,589	695,715,842	96.73
208	Po'ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	170,000	695,885,842	96.76
208	Toad, Wyoming ( <i>Bufo baxteri</i> (=hemiophrys))	E	170,000	696,055,842	96.78
210	Clubshell ( <i>Pleurobema clava</i> )	E	164,766	696,220,608	96.8
211	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	158,623	696,379,231	96.82



Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
212	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> )	E	158,512	696,537,743	96.85
213	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	158,000	696,695,743	96.87
214	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> )	E	157,509	696,853,252	96.89
215	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	156,623	697,009,875	96.91
216	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	154,489	697,164,364	96.93
217	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	154,455	697,318,819	96.96
218	Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> )	E	154,281	697,473,100	96.98
219	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	153,200	697,626,300	97
220	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	152,989	697,779,289	97.02
221	Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )	E	152,700	697,931,989	97.04
222	Sunflower, Eggert's ( <i>Helianthus eggertii</i> )	T	150,950	698,082,939	97.06
223	Abalone, White ( <i>Haliotis sorenseni</i> )	E	150,000	698,232,939	97.08
224	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )	E	149,989	698,382,928	97.1
225	Kidneyshell, triangular ( <i>Ptychobranhus greeni</i> )	E	148,989	698,531,917	97.12
226	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. <i>wrightii</i> ))	E	148,851	698,680,768	97.14
227	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	147,989	698,828,757	97.17
228	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	145,989	698,974,746	97.19
229	Woolly-star, Santa Ana River ( <i>Eriastrum densifolium</i> ssp. <i>sanctorum</i> )	E	145,000	699,119,746	97.21
230	Logperch, Roanoke ( <i>Percina rex</i> )	E	144,065	699,263,811	97.23
231	Skipper, Carson wandering ( <i>Pseudocopa eodes eunus obscurus</i> )	E,EmE	140,800	699,404,611	97.25
232	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	138,500	699,543,111	97.26
233	Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )	T	137,540	699,680,651	97.28
234	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	137,496	699,818,147	97.3
235	Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )	T	135,866	699,954,013	97.32
236	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	131,100	700,085,113	97.34
237	Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )	E	131,082	700,216,195	97.36
238	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	131,000	700,347,195	97.38
239	Frog, Mississippi gopher ( <i>Rana capito sevosa</i> )	E	130,600	700,477,795	97.39
239	Tarplant, Otay ( <i>Deinandra</i> (=Hemizonia) <i>conjugens</i> )	T	130,600	700,608,395	97.41
241	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	129,200	700,737,595	97.43
242	Bat, Ozark big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i> )	E	129,100	700,866,695	97.45
243	Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allophrys</i> )	E	129,050	700,995,745	97.47
244	Layia, beach ( <i>Layia carnosa</i> )	E	129,000	701,124,745	97.48
245	Shiner, Arkansas River ( <i>Notropis girardi</i> )	T	128,707	701,253,452	97.5
246	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> )	T	127,000	701,380,452	97.52
247	Butterfly, Palos Verdes blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> )	E	126,100	701,506,552	97.54
248	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	122,574	701,629,126	97.55
249	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )	E,EmE	121,200	701,750,326	97.57
250	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	120,700	701,871,026	97.59
251	Boa, Puerto Rican ( <i>Epicrates inornatus</i> )	E	118,803	701,989,829	97.6
252	Darter, leopard ( <i>Percina pantherina</i> )	T	116,350	702,106,179	97.62
253	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )	E	116,200	702,222,379	97.64
254	Chub, Oregon ( <i>Oregonichthys crameri</i> )	E	116,100	702,338,479	97.65
255	Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )	E	114,850	702,453,329	97.67

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
256	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	114,500	702,567,829	97.68
257	Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )	T	113,600	702,681,429	97.7
258	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	113,100	702,794,529	97.72
259	Trout, Gila ( <i>Oncorhynchus gilae</i> )	E	110,450	702,904,979	97.73
260	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	106,173	703,011,152	97.75
261	Bladderpod, Missouri ( <i>Lesquerella filiformis</i> )	E	105,500	703,116,652	97.76
262	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> )	E	103,925	703,220,577	97.78
263	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	103,300	703,323,877	97.79
264	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )	T	103,100	703,426,977	97.8
265	Fanshell ( <i>Cyprogenia stegaria</i> )	E	101,066	703,528,043	97.82
266	Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )	T	99,400	703,627,443	97.83
267	Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )	E	98,700	703,726,143	97.85
268	Dace, Moapa ( <i>Moapa coriacea</i> )	E	98,390	703,824,533	97.86
269	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	98,360	703,922,893	97.87
270	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )	E	97,500	704,020,393	97.89
271	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )	E	96,100	704,116,493	97.9
272	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	95,500	704,211,993	97.91
273	Duck, Laysan ( <i>Anas laysanensis</i> )	E	94,980	704,306,973	97.93
274	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	93,850	704,400,823	97.94
275	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	93,400	704,494,223	97.95
276	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> )	E	90,700	704,584,923	97.97
277	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> )	E	90,604	704,675,527	97.98
278	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	90,568	704,766,095	97.99
279	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	89,905	704,856,000	98
280	Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )	T	87,800	704,943,800	98.02
281	Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )	E	86,700	705,030,500	98.03
282	Crocodile, American ( <i>Crocodylus acutus</i> )	E	85,000	705,115,500	98.04
283	Harperella ( <i>Ptilimnium nodosum</i> )	E	84,646	705,200,146	98.05
284	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	84,000	705,284,146	98.06
285	Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )	E	83,800	705,367,946	98.07
286	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	82,885	705,450,831	98.09
287	Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )	T	81,600	705,532,431	98.1
288	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	81,500	705,613,931	98.11
289	Turtle, flattened musk ( <i>Sternotherus depressus</i> )	T	80,600	705,694,531	98.12
290	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	79,400	705,773,931	98.13
291	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )	T	78,950	705,852,881	98.14
292	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	78,850	705,931,731	98.15
293	Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )	E	77,720	706,009,451	98.16
294	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	76,900	706,086,351	98.17
295	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	74,845	706,161,196	98.18
296	Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )	E	73,600	706,234,796	98.19
297	A'e ( <i>Zanthoxylum hawaiiense</i> )	E	72,642	706,307,438	98.2
298	Butterfly, Uncompahgre fritillary ( <i>Boloria acrocroma</i> )	E	72,285	706,379,723	98.21
299	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> )	E	72,100	706,451,823	98.23
300	Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )	E	71,140	706,522,963	98.23
300	Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )	E	71,140	706,594,103	98.24

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
302	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	71,100	706,665,203	98.25
303	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	70,140	706,735,343	98.26
304	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	70,000	706,805,343	98.27
305	Penstemon, blowout ( <i>Penstemon haydenii</i> )	E	69,938	706,875,281	98.28
306	Madtom, Neosho ( <i>Noturus placidus</i> )	T	69,800	706,945,081	98.29
307	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscini</i> )	E	69,100	707,014,181	98.3
308	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	68,950	707,083,131	98.31
309	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	68,400	707,151,531	98.32
310	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	68,298	707,219,829	98.33
311	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	67,700	707,287,529	98.34
312	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	67,300	707,354,829	98.35
313	Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )	E	67,000	707,421,829	98.36
314	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	66,500	707,488,329	98.37
315	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )	T	65,200	707,553,529	98.38
315	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	65,200	707,618,729	98.39
317	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	64,400	707,683,129	98.4
318	Chub, Pahrnagat roundtail ( <i>Gila robusta jordanii</i> )	E	64,190	707,747,319	98.41
319	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	64,100	707,811,419	98.41
320	Akiapola'au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	63,334	707,874,753	98.42
321	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	62,900	707,937,653	98.43
322	Popolo ku mai ( <i>Solanum incompletum</i> )	E	62,762	708,000,415	98.44
323	Kangaroo rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> ))	E	62,100	708,062,515	98.45
324	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	61,500	708,124,015	98.46
325	Wild-rice, Texas ( <i>Zizania texana</i> )	E	60,800	708,184,815	98.47
326	Howellia, water ( <i>Howellia aquatilis</i> )	T	60,053	708,244,868	98.47
327	Sheep, bighorn ( <i>Ovis canadensis californiana</i> )	E	60,000	708,304,868	98.48
328	Salamander, California tiger ( <i>Ambystoma californiense</i> )	E,EmE	59,700	708,364,568	98.49
329	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	58,898	708,423,466	98.5
330	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	58,800	708,482,266	98.51
331	Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )	E	58,600	708,540,866	98.52
331	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	58,600	708,599,466	98.52
333	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	58,390	708,657,856	98.53
334	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	58,023	708,715,879	98.54
335	Jaguar ( <i>Panthera onca</i> )	E	58,002	708,773,881	98.55
336	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	57,000	708,830,881	98.56
337	Skipper, Laguna Mountains ( <i>Pyrgus ruralis lagunae</i> )	E	56,000	708,886,881	98.56
338	Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )	E	55,700	708,942,581	98.57
339	Lily, Western ( <i>Lilium occidentale</i> )	E	54,900	708,997,481	98.58
340	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	54,300	709,051,781	98.59
341	Ambrosia, San Diego ( <i>Ambrosia pumila</i> )	E	54,131	709,105,912	98.59
342	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	E	53,881	709,159,793	98.6
343	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana</i> var. <i>calva</i> )	E	53,500	709,213,293	98.61
344	Springsnail, Idaho ( <i>Fontelicella idahoensis</i> )	E	52,700	709,265,993	98.62
345	Ko'oloa'ula ( <i>Abutilon menziesii</i> )	E	52,630	709,318,623	98.62
346	Darter, amber ( <i>Percina antesella</i> )	E	52,500	709,371,123	98.63



Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
347	Neraudia angulata (=Sci name)	E	52,040	709,423,163	98.64
348	Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )	E	52,000	709,475,163	98.65
349	Ocelot ( <i>Leopardus</i> (=Felis) <i>pardalis</i> )	E	50,900	709,526,063	98.65
349	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	50,900	709,576,963	98.66
351	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	50,850	709,627,813	98.67
352	Snake, Concho water ( <i>Nerodia paucimaculata</i> )	T	50,750	709,678,563	98.67
353	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	50,700	709,729,263	98.68
354	Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )	E	50,400	709,779,663	98.69
355	Sucker, Warner ( <i>Catostomus warnerensis</i> )	T	50,100	709,829,763	98.69
356	Sumac, Michaux's ( <i>Rhus michauxii</i> )	E	49,900	709,879,663	98.7
357	Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> )	E	49,410	709,929,073	98.71
358	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	49,350	709,978,423	98.72
359	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	48,830	710,027,253	98.72
360	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> ))	T	48,800	710,076,053	98.73
361	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	48,000	710,124,053	98.74
361	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	48,000	710,172,053	98.74
361	Chub, Owens tui ( <i>Gila bicolor snyderi</i> )	E	48,000	710,220,053	98.75
364	Mehamehame ( <i>Flueggea neowawraea</i> )	E	47,764	710,267,817	98.76
365	Snake, Lake Erie water ( <i>Nerodia sipedon insularum</i> )	T	47,500	710,315,317	98.76
366	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	47,400	710,362,717	98.77
367	Bat, Virginia big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i> )	E	47,300	710,410,017	98.78
368	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	47,000	710,457,017	98.78
369	Kangaroo rat, Fresno ( <i>Dipodomys nitratoideis exilis</i> )	E	46,900	710,503,917	98.79
370	Kauila ( <i>Colubrina oppositifolia</i> )	E	46,700	710,550,617	98.79
371	Phlox, Texas trailing ( <i>Phlox nivalis</i> ssp. <i>texensis</i> )	E	46,600	710,597,217	98.8
372	Snail, Snake River physa ( <i>Physa natricina</i> )	E	46,100	710,643,317	98.81
373	Aiea ( <i>Nothoecstrum breviflorum</i> )	E	45,700	710,689,017	98.81
374	Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )	T	45,350	710,734,367	98.82
374	Madtom, yellowfin ( <i>Noturus flavipinnis</i> )	T	45,350	710,779,717	98.83
376	Moth, Kern primrose sphinx ( <i>Euproserpinus euterpe</i> )	T	45,300	710,825,017	98.83
377	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	45,200	710,870,217	98.84
378	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	45,000	710,915,217	98.85
379	Darter, duskytail ( <i>Etheostoma percnum</i> )	E	44,850	710,960,067	98.85
380	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	44,800	711,004,867	98.86
381	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	44,719	711,049,586	98.86
382	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	44,500	711,094,086	98.87
382	Koki'o ( <i>Kokia drynarioides</i> )	E	44,500	711,138,586	98.88
382	Penny-cress, Kneeland Prairie ( <i>Thlaspi californicum</i> )	E	44,500	711,183,086	98.88
382	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	44,500	711,227,586	98.89
386	Spermolepis hawaiiensis (=Sci name)	E	44,384	711,271,970	98.9
387	Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> ))	E	44,325	711,316,295	98.9
388	Sucker, Modoc ( <i>Catostomus microps</i> )	E	44,300	711,360,595	98.91
389	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	44,234	711,404,829	98.91
390	Silene lanceolata (=Sci name)	E	43,784	711,448,613	98.92
391	Daisy, Maguire ( <i>Erigeron maguirei</i> )	T	43,783	711,492,396	98.93
392	Mahoe ( <i>Alectryon macrococcus</i> )	E	43,764	711,536,160	98.93

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
393	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	43,300	711,579,460	98.94
394	Cactus, Uinta Basin hookless ( <i>Sclerocactus glaucus</i> )	T	43,200	711,622,660	98.94
395	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	43,150	711,665,810	98.95
396	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	42,534	711,708,344	98.96
397	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	42,500	711,750,844	98.96
398	Madtom, smoky ( <i>Noturus baileyi</i> )	E	42,150	711,792,994	98.97
399	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	41,600	711,834,594	98.97
400	Darter, bluemask (=jewel) ( <i>Etheostoma /</i> )	E	41,500	711,876,094	98.98
400	Butterfly, Schaus swallowtail ( <i>Heraclides aristodemus ponceanus</i> )	E	41,500	711,917,594	98.98
400	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	41,500	711,959,094	98.99
403	Ma'o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	41,180	712,000,274	99
404	Limpet, Banbury Springs ( <i>Lanx sp.</i> )	E	41,100	712,041,374	99
405	Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )	E	41,000	712,082,374	99.01
405	Cactus, Chisos Mountain hedgehog ( <i>Echinocereus chisoensis var. chisoensis</i> )	T	41,000	712,123,374	99.01
407	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	40,700	712,164,074	99.02
407	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )	E	40,700	712,204,774	99.02
409	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	40,000	712,244,774	99.03
410	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	39,850	712,284,624	99.04
411	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	39,534	712,324,158	99.04
412	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta (incl. vars. robusta and hartwegii)</i> )	E	39,300	712,363,458	99.05
413	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	39,200	712,402,658	99.05
413	Spineflower, Ben Lomond ( <i>Chorizanthe pungens var. hartwegiana</i> )	E	39,200	712,441,858	99.06
415	Bonamia menziesii (=Sci name)	E	38,620	712,480,478	99.06
416	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	38,484	712,518,962	99.07
417	Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )	E	38,200	712,557,162	99.07
418	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	38,165	712,595,327	99.08
419	`Anaunau ( <i>Lepidium arbuscula</i> )	E	38,140	712,633,467	99.08
420	Plum, scrub ( <i>Prunus geniculata</i> )	E	38,100	712,671,567	99.09
421	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	37,900	712,709,467	99.1
422	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	37,600	712,747,067	99.1
423	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )	E	37,500	712,784,567	99.11
424	Fatmucket, Arkansas ( <i>Lampsilis powelli</i> )	T	37,200	712,821,767	99.11
424	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	37,200	712,858,967	99.12
426	Darter, snail ( <i>Percina tanasi</i> )	T	36,800	712,895,767	99.12
426	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	36,800	712,932,567	99.13
428	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	36,600	712,969,167	99.13
429	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> )	T	36,000	713,005,167	99.14
429	Uhiuhi ( <i>Caesalpinia kawaiense</i> )	E	36,000	713,041,167	99.14
431	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	35,356	713,076,523	99.15
432	Kangaroo rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> )	E	35,150	713,111,673	99.15
433	Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )	E	35,100	713,146,773	99.16
433	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	35,100	713,181,873	99.16
433	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	35,100	713,216,973	99.17
436	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	35,000	713,251,973	99.17
436	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	35,000	713,286,973	99.18

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
438	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	34,723	713,321,696	99.18
439	Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )	E	34,600	713,356,296	99.19
440	Three-ridge, fat (mussel) ( <i>Amblema neisleri</i> )	E	34,500	713,390,796	99.19
440	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	34,500	713,425,296	99.19
442	Cactus, San Rafael ( <i>Pediocactus despainii</i> )	E	34,100	713,459,396	99.2
443	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	34,000	713,493,396	99.2
444	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	33,900	713,527,296	99.21
445	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> )	T	33,000	713,560,296	99.21
446	`Akoko ( <i>Chamaesyce celastroides</i> var. <i>kaenana</i> )	E	32,984	713,593,280	99.22
447	Rock-cress, McDonald's ( <i>Arabis mcdonaldiana</i> )	E	32,583	713,625,863	99.22
448	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	32,500	713,658,363	99.23
449	Butterfly plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> )	T	32,460	713,690,823	99.23
450	Kulu`i ( <i>Nototrichium humile</i> )	E	32,340	713,723,163	99.24
451	Monardella, willowy ( <i>Monardella linoides</i> ssp. <i>viminea</i> )	E	32,124	713,755,287	99.24
452	Palo de jazmin ( <i>Styrax portoricensis</i> )	E	32,034	713,787,321	99.24
453	Pamakani ( <i>Viola chamissoniana</i> ssp. <i>chamissoniana</i> )	E	31,940	713,819,261	99.25
454	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	31,700	713,850,961	99.25
455	Iguana, Mona ground ( <i>Cyclura stejnegeri</i> )	T	31,500	713,882,461	99.26
455	Milk-vetch, Shivwitz ( <i>Astragalus ampullarioides</i> )	E	31,500	713,913,961	99.26
457	Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )	E	31,200	713,945,161	99.27
458	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	31,100	713,976,261	99.27
459	Spinymussel, Tar River ( <i>Elliptio steinstansana</i> )	E	31,000	714,007,261	99.28
460	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	30,800	714,038,061	99.28
460	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	30,800	714,068,861	99.28
460	Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )	E	30,800	714,099,661	99.29
463	Diellia falcata (=Sci name)	E	30,500	714,130,161	99.29
464	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	30,396	714,160,557	99.3
465	Schiedea hookeri (=Sci name)	E	30,324	714,190,881	99.3
466	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	30,000	714,220,881	99.31
466	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	30,000	714,250,881	99.31
466	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )	E	30,000	714,280,881	99.31
469	`Akoko ( <i>Euphorbia haeleeleana</i> )	E	29,984	714,310,865	99.32
470	Cactus, Bakersfield ( <i>Opuntia treleasei</i> )	E	29,900	714,340,765	99.32
471	Schiedea nuttallii (=Sci name)	E	29,584	714,370,349	99.33
472	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )	T	29,500	714,399,849	99.33
473	Kamanomano ( <i>Cenchrus agrimonioides</i> )	E	29,484	714,429,333	99.33
473	Oha ( <i>Delissea subcordata</i> )	E	29,484	714,458,817	99.34
475	Haha ( <i>Cyanea superba</i> )	E	29,384	714,488,201	99.34
476	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	29,100	714,517,301	99.35
477	Jaguarundi, Gulf Coast ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitti</i> )	E	28,900	714,546,201	99.35
478	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> )	E	28,700	714,574,901	99.35
479	Ha`iwale ( <i>Cyrtandra dentata</i> )	E	28,684	714,603,585	99.36
480	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	28,594	714,632,179	99.36
481	Hedyotis degeneri (=Sci name)	E	28,584	714,660,763	99.37

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
482	Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )	E	28,500	714,689,263	99.37
483	Alsinidendron obovatum (=Sci name)	E	28,484	714,717,747	99.37
483	Nehe ( <i>Lipochaeta tenuifolia</i> )	E	28,484	714,746,231	99.38
485	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	28,325	714,774,556	99.38
486	Tetramolopium filiforme (=Sci name)	E	28,184	714,802,740	99.39
487	Lobelia niihauensis (=Sci name)	E	28,140	714,830,880	99.39
487	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	28,140	714,859,020	99.39
489	Pink, swamp ( <i>Helonias bullata</i> )	T	28,102	714,887,122	99.4
490	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	28,100	714,915,222	99.4
491	Na`ena`e ( <i>Dubautia herbstobatae</i> )	E	28,084	714,943,306	99.41
491	Lo`ulu ( <i>Pritchardia kaalae</i> )	E	28,084	714,971,390	99.41
491	Sanicula mariversa (=Sci name)	E	28,084	714,999,474	99.41
491	Pauoa ( <i>Ctenitis squamigera</i> )	E	28,084	715,027,558	99.42
495	Bean, purple ( <i>Villosa perpurpurea</i> )	E	27,825	715,055,383	99.42
496	Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )	E	27,600	715,082,983	99.43
497	Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )	E	27,500	715,110,483	99.43
498	`Akoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i> )	E	27,400	715,137,883	99.43
499	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	27,300	715,165,183	99.44
499	Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	27,300	715,192,483	99.44
499	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	27,300	715,219,783	99.44
499	Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> )	E	27,300	715,247,083	99.45
499	Broom, San Clemente Island ( <i>Lotus dendroideus</i> ssp. <i>traskiae</i> )	E	27,300	715,274,383	99.45
499	Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )	E	27,300	715,301,683	99.46
505	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	27,200	715,328,883	99.46
506	Hedyotis parvula (=Sci name)	E	26,940	715,355,823	99.46
507	Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> )	E	26,766	715,382,589	99.47
508	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	26,700	715,409,289	99.47
509	Phlox, Yreka ( <i>Phlox hirsuta</i> )	E	26,600	715,435,889	99.47
509	Wireweed ( <i>Polygonella basiramia</i> )	E	26,600	715,462,489	99.48
511	Bear-poppy, dwarf ( <i>Arctomecon humilis</i> )	E	26,000	715,488,489	99.48
512	Cactus, star ( <i>Astrophytum asterias</i> )	E	25,900	715,514,389	99.49
513	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	25,600	715,539,989	99.49
514	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	25,500	715,565,489	99.49
515	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	25,400	715,590,889	99.5
516	Monarch, Tinian (old world flycatcher) ( <i>Monarcha takatsukasae</i> )	T	25,300	715,616,189	99.5
517	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	25,000	715,641,189	99.5
517	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	25,000	715,666,189	99.51
519	Stickseed, showy ( <i>Hackelia venusta</i> )	E	24,680	715,690,869	99.51
520	Piperia, Yadon's ( <i>Piperia yadonii</i> )	E	24,612	715,715,481	99.51
521	Dace, desert ( <i>Eremichthys acros</i> )	T	24,200	715,739,681	99.52
522	Butterfly, callippe silverspot ( <i>Speyeria callippe callippe</i> )	E	24,000	715,763,681	99.52
523	Bankclimber, purple (mussel) ( <i>Elliptioideus sloatianus</i> )	T	23,800	715,787,481	99.52
523	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	23,800	715,811,281	99.53
525	Milk-vetch, Sentry ( <i>Astragalus cremnophyllax</i> var. <i>cremnophyllax</i> )	E	23,600	715,834,881	99.53
525	Sandlace ( <i>Polygonella myriophylla</i> )	E	23,600	715,858,481	99.53
527	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	23,500	715,881,981	99.54

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
528	Tarplant, Gaviota ( <i>Hemizonia increscens</i> ssp. <i>villosa</i> )	E	23,400	715,905,381	99.54
529	`Ohe`ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	23,384	715,928,765	99.54
530	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> )	E	23,000	715,951,765	99.55
531	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> )	E	22,900	715,974,665	99.55
532	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	E	22,800	715,997,465	99.55
533	Minnow, Devils River ( <i>Dionda diaboli</i> )	T	22,160	716,019,625	99.56
534	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	21,900	716,041,525	99.56
535	Spiny mussel, James ( <i>Pleurobema collina</i> )	E	21,834	716,063,359	99.56
536	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	21,500	716,084,859	99.56
537	Amphipod, Peck's cave ( <i>Stygobromus</i> (= <i>Stygonectes</i> ) <i>pecki</i> )	E	21,400	716,106,259	99.57
538	Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensi</i> )	E	21,300	716,127,559	99.57
539	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	20,800	716,148,359	99.57
540	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	20,500	716,168,859	99.58
541	Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> )	E	20,250	716,189,109	99.58
542	Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )	E	19,700	716,208,809	99.58
543	Creeper, Hawaii ( <i>Oreomystis mana</i> )	E	19,600	716,228,409	99.58
544	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	19,200	716,247,609	99.59
544	Lichen, rock gnome ( <i>Gymnoderma lineare</i> )	E	19,200	716,266,809	99.59
546	Geocarpon minimum (=Sci name)	T	19,100	716,285,909	99.59
546	Beauty, Harper's ( <i>Harperocallis flava</i> )	E	19,100	716,305,009	99.59
548	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	18,900	716,323,909	99.6
549	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	18,625	716,342,534	99.6
550	Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )	E	18,500	716,361,034	99.6
551	Chub, Sonora ( <i>Gila ditaenia</i> )	T	18,110	716,379,144	99.61
552	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	18,000	716,397,144	99.61
552	Neraudia ovata (=Sci name)	E	18,000	716,415,144	99.61
552	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	18,000	716,433,144	99.61
555	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	17,800	716,450,944	99.62
555	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	17,800	716,468,744	99.62
557	Honohono ( <i>Haplostachys haplostachya</i> )	E	17,700	716,486,444	99.62
558	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	17,500	716,503,944	99.62
558	Asplenium fragile var. insulare (=Sci name)	E	17,500	716,521,444	99.63
560	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )	E	17,000	716,538,444	99.63
561	Potato-bean, Price's ( <i>Apios priceana</i> )	T	16,925	716,555,369	99.63
561	Coneflower, Tennessee purple ( <i>Echinacea tennesseensis</i> )	E	16,925	716,572,294	99.63
563	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	16,900	716,589,194	99.63
564	Po'e ( <i>Portulaca sclerocarpa</i> )	E	16,750	716,605,944	99.64
565	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> )	E	16,600	716,622,544	99.64
566	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	16,266	716,638,810	99.64
567	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	16,231	716,655,041	99.64
568	Yellowhead, desert ( <i>Yermo xanthocephalus</i> )	T	16,025	716,671,066	99.65
569	Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )	E	16,000	716,687,066	99.65
569	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	16,000	716,703,066	99.65
569	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	16,000	716,719,066	99.65
569	Kio`ele ( <i>Hedyotis coriacea</i> )	E	16,000	716,735,066	99.65
569	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	16,000	716,751,066	99.66



Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
569	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	16,000	716,767,066	99.66
575	Tetramolopium arenarium (=Sci name)	E	15,900	716,782,966	99.66
576	Stenogyne angustifolia var. angustifolia (=Sci name)	E	15,800	716,798,766	99.66
576	Silene hawaiiensis (=Sci name)	T	15,800	716,814,566	99.67
578	Madtom, pygmy ( <i>Noturus stanauli</i> )	E	15,500	716,830,066	99.67
579	Manzanita, Del Mar ( <i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i> )	E	15,331	716,845,397	99.67
580	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	15,100	716,860,497	99.67
581	Gambusia, Clear Creek ( <i>Gambusia heterochir</i> )	E	15,000	716,875,497	99.67
581	Shrimp, Alabama cave ( <i>Palaemonias alabamiae</i> )	E	15,000	716,890,497	99.68
581	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	15,000	716,905,497	99.68
581	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	15,000	716,920,497	99.68
581	Lessingia, San Francisco ( <i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> ))	E	15,000	716,935,497	99.68
586	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	14,900	716,950,397	99.68
587	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> )	E	14,731	716,965,128	99.69
588	Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )	E	14,700	716,979,828	99.69
589	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	14,500	716,994,328	99.69
590	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	14,435	717,008,763	99.69
591	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	14,200	717,022,963	99.69
592	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	14,100	717,037,063	99.7
592	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	14,100	717,051,163	99.7
592	Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )	E	14,100	717,065,263	99.7
595	Chub, Yaqui ( <i>Gila purpurea</i> )	E	14,060	717,079,323	99.7
596	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	14,000	717,093,323	99.7
596	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	14,000	717,107,323	99.71
596	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	14,000	717,121,323	99.71
599	Hesperomannia arborescens (=Sci name)	E	13,884	717,135,207	99.71
600	Phyllostegia hirsuta (=Sci name)	E	13,684	717,148,891	99.71
601	Oha wai ( <i>Clermontia samuelii</i> )	E	13,430	717,162,321	99.71
602	Whale, finback ( <i>Balaenoptera physalus</i> )	E	13,404	717,175,725	99.72
603	Buckwheat, lone (incl. Irish Hill) ( <i>Eriogonum apricum</i> (incl. var. <i>prostratum</i> ))	E	13,400	717,189,125	99.72
604	Haha ( <i>Cyanea acuminata</i> )	E	13,384	717,202,509	99.72
604	Haha ( <i>Cyanea koolauensis</i> )	E	13,384	717,215,893	99.72
606	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	13,330	717,229,223	99.72
606	Wawae'iole ( <i>Huperzia mannii</i> )	E	13,330	717,242,553	99.73
608	Pteris lidgatei (=Sci name)	E	13,084	717,255,637	99.73
609	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> )	E	13,000	717,268,637	99.73
610	Pearlymussel, dromedary ( <i>Dromus dromas</i> )	E	12,800	717,281,437	99.73
611	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	12,755	717,294,192	99.73
612	Jaguarundi, Sinaloa ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i> )	E	12,500	717,306,692	99.73
612	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	12,500	717,319,192	99.74
612	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	12,500	717,331,692	99.74
612	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	12,500	717,344,192	99.74
612	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	12,500	717,356,692	99.74
617	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	12,000	717,368,692	99.74
618	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	11,800	717,380,492	99.74

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
619	Pupfish, Owens ( <i>Cyprinodon radiosus</i> )	E	11,700	717,392,192	99.75
619	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	11,700	717,403,892	99.75
621	Nioi ( <i>Eugenia koolauensis</i> )	E	11,600	717,415,492	99.75
622	`O`u (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	11,500	717,426,992	99.75
622	Creeper, Oahu ( <i>Paroreomyza maculata</i> )	E	11,500	717,438,492	99.75
622	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )	T	11,500	717,449,992	99.75
622	Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )	E	11,500	717,461,492	99.76
626	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> )	E	11,400	717,472,892	99.76
626	Wawae`iole ( <i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i> )	E	11,400	717,484,292	99.76
628	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	11,280	717,495,572	99.76
629	Darter, bayou ( <i>Etheostoma rubrum</i> )	T	11,267	717,506,839	99.76
630	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	11,200	717,518,039	99.76
630	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	11,200	717,529,239	99.77
630	Nanu ( <i>Gardenia manni</i> )	E	11,200	717,540,439	99.77
633	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	11,100	717,551,539	99.77
634	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	11,000	717,562,539	99.77
635	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	10,915	717,573,454	99.77
636	Larkspur, Baker's ( <i>Delphinium bakeri</i> )	E	10,800	717,584,254	99.77
637	Poolfish, Pahump ( <i>Empetrichthys latos</i> )	E	10,700	717,594,954	99.77
637	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	10,700	717,605,654	99.78
639	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	10,600	717,616,254	99.78
639	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	10,600	717,626,854	99.78
641	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus ssp. maritimus</i> )	E	10,500	717,637,354	99.78
641	Trillium, relict ( <i>Trillium reliquum</i> )	E	10,500	717,647,854	99.78
643	Sanicula purpurea (=Sci name)	E	10,400	717,658,254	99.78
643	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	10,400	717,668,654	99.78
645	Alani ( <i>Melicope adscendens</i> )	E	10,280	717,678,934	99.79
646	Beetle, Helotes mold ( <i>Batrisodes venyivi</i> )	E	10,140	717,689,074	99.79
646	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	10,140	717,699,214	99.79
646	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	10,140	717,709,354	99.79
649	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	10,100	717,719,454	99.79
649	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis ssp. okeechobeensis</i> )	E	10,100	717,729,554	99.79
649	Lupine, scrub ( <i>Lupinus aridorum</i> )	E	10,100	717,739,654	99.79
649	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	10,100	717,749,754	99.8
653	Alani ( <i>Melicope knudsenii</i> )	E	10,080	717,759,834	99.8
653	Sandalwood, Lanai (=`iliah) ( <i>Santalum freycinetianum var. lanaiense</i> )	E	10,080	717,769,914	99.8
655	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhapse</i> )	E	10,000	717,779,914	99.8
655	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	10,000	717,789,914	99.8
655	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus var. piscinensis</i> )	T	10,000	717,799,914	99.8
658	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	9,900	717,809,814	99.8
659	Larkspur, yellow ( <i>Delphinium luteum</i> )	E	9,800	717,819,614	99.81
659	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	9,800	717,829,414	99.81
661	Avens, spreading ( <i>Geum radiatum</i> )	E	9,700	717,839,114	99.81
662	Cactus, Siler pincushion ( <i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i> )	T	9,600	717,848,714	99.81
663	Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri var. kuenzleri</i> )	E	9,550	717,858,264	99.81

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
664	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )	E	9,500	717,867,764	99.81
664	Lo`ulu ( <i>Pritchardia schattaueri</i> )	E	9,500	717,877,264	99.81
666	Harvestman, Bone Cave ( <i>Texella reyesii</i> )	E	9,400	717,886,664	99.81
667	`Oha wai ( <i>Clermontia lindseyana</i> )	E	9,150	717,895,814	99.82
667	Haha ( <i>Cyanea shipmannii</i> )	E	9,150	717,904,964	99.82
669	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )	E	9,100	717,914,064	99.82
669	Alani ( <i>Melicope ovalis</i> )	E	9,100	717,923,164	99.82
669	Onion, Munz's ( <i>Allium munzii</i> )	E	9,100	717,932,264	99.82
669	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	9,100	717,941,364	99.82
673	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	9,000	717,950,364	99.82
673	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	9,000	717,959,364	99.83
675	Alsinidendron trinerve (=Sci name)	E	8,884	717,968,248	99.83
676	Nohoanu ( <i>Geranium multiflorum</i> )	E	8,800	717,977,048	99.83
677	Cliff-rose, Arizona ( <i>Purshia</i> (=Cowania) <i>subintegra</i> )	E	8,700	717,985,748	99.83
678	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	8,500	717,994,248	99.83
678	Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))	T	8,500	718,002,748	99.83
678	Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )	T	8,500	718,011,248	99.83
678	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	8,500	718,019,748	99.83
682	Whale, blue ( <i>Balaenoptera musculus</i> )	E	8,454	718,028,202	99.83
683	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	8,425	718,036,627	99.84
684	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	8,400	718,045,027	99.84
685	Lobelia gaudichaudii ssp. koolauensis (=Sci name)	E	8,384	718,053,411	99.84
685	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	8,384	718,061,795	99.84
685	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	8,384	718,070,179	99.84
688	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	8,260	718,078,439	99.84
689	Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )	T	8,238	718,086,677	99.84
690	Schiedea haleakalensis (=Sci name)	E	8,100	718,094,777	99.84
691	Phyllostegia mollis (=Sci name)	E	8,084	718,102,861	99.84
692	Boa, Mona ( <i>Epicrates monensis monensis</i> )	T	8,000	718,110,861	99.85
692	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	8,000	718,118,861	99.85
692	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. <i>ravenii</i> )	E	8,000	718,126,861	99.85
692	Roseroot, Leedy's ( <i>Sedum integrifolium</i> ssp. <i>leedyi</i> )	T	8,000	718,134,861	99.85
696	Pearlymussel, cracking ( <i>Hemistena lata</i> )	E	7,966	718,142,827	99.85
697	Pigtoe, finereyed ( <i>Fusconaia cuneolus</i> )	E	7,700	718,150,527	99.85
698	Woolly-star, Hoover's ( <i>Eriastrum hooveri</i> )	T	7,560	718,158,087	99.85
699	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	7,454	718,165,541	99.85
700	Lampmussel, Alabama ( <i>Lampsilis virescens</i> )	E	7,400	718,172,941	99.85
700	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	7,400	718,180,341	99.86
700	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	7,400	718,187,741	99.86
700	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	7,400	718,195,141	99.86
700	Wild-buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )	E	7,400	718,202,541	99.86
705	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )	E	7,300	718,209,841	99.86
706	Pigtoe, shiny ( <i>Fusconaia cor</i> )	E	7,225	718,217,066	99.86
707	Manzanita, lone ( <i>Arctostaphylos myrtifolia</i> )	T	7,200	718,224,266	99.86
708	Rice rat ( <i>Oryzomys palustris natator</i> )	E	7,100	718,231,366	99.86
708	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	7,100	718,238,466	99.86
708	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	7,100	718,245,566	99.86

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
708	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )	T	7,100	718,252,666	99.87
712	Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )	E	7,000	718,259,666	99.87
713	Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )	E	6,900	718,266,566	99.87
713	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	6,900	718,273,466	99.87
715	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	6,800	718,280,266	99.87
715	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> )	T	6,800	718,287,066	99.87
715	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	6,800	718,293,866	99.87
718	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	6,350	718,300,216	99.87
719	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	6,300	718,306,516	99.87
719	Ma'oli'oli ( <i>Schiedea kealiae</i> )	E	6,300	718,312,816	99.87
719	Oha wai ( <i>Clermontia pyrrularia</i> )	E	6,300	718,319,116	99.88
719	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	6,300	718,325,416	99.88
723	Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )	E	6,200	718,331,616	99.88
723	Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )	T	6,200	718,337,816	99.88
723	Aupaka ( <i>Isodendron longifolium</i> )	T	6,200	718,344,016	99.88
723	Lobelia oahuensis (=Sci name)	E	6,200	718,350,216	99.88
723	Alani ( <i>Melicope lydgatei</i> )	E	6,200	718,356,416	99.88
723	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	6,200	718,362,616	99.88
723	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )	E	6,200	718,368,816	99.88
730	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	6,100	718,374,916	99.88
730	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	6,100	718,381,016	99.88
732	Guajon ( <i>Eleutherodactylus cooki</i> )	T	6,000	718,387,016	99.88
732	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	6,000	718,393,016	99.89
732	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	6,000	718,399,016	99.89
732	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	6,000	718,405,016	99.89
732	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	6,000	718,411,016	99.89
732	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	6,000	718,417,016	99.89
732	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	6,000	718,423,016	99.89
732	Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> )	T	6,000	718,429,016	99.89
732	Cobana negra ( <i>Stahlia monosperma</i> )	T	6,000	718,435,016	99.89
732	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	6,000	718,441,016	99.89
732	Crownscale, San Jacinto Valley ( <i>Atriplex coronata</i> var. <i>notatior</i> )	E	6,000	718,447,016	99.89
732	Sedge, golden ( <i>Carex lutea</i> )	E	6,000	718,453,016	99.89
744	Cyanea (=Rollandia) crispa (=Sci name)	E	5,900	718,458,916	99.89
745	Puma (=cougar), eastern ( <i>Puma</i> (=Felis) <i>concolor cougar</i> )	E	5,876	718,464,792	99.9
746	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	5,800	718,470,592	99.9
747	Lizard, Island night ( <i>Xantusia riversiana</i> )	T	5,760	718,476,352	99.9
748	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	5,700	718,482,052	99.9
749	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	5,500	718,487,552	99.9
749	Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )	T	5,500	718,493,052	99.9
749	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	5,500	718,498,552	99.9
749	Makou ( <i>Peucedanum sandwicense</i> )	T	5,500	718,504,052	99.9
753	Haha ( <i>Cyanea humboldtiana</i> )	E	5,400	718,509,452	99.9
753	Haha ( <i>Cyanea st-johnii</i> )	E	5,400	718,514,852	99.9
753	Viola oahuensis (=Sci name)	E	5,400	718,520,252	99.9
753	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	5,400	718,525,652	99.9
753	Ha'iwale ( <i>Cyrtandra viridiflora</i> )	E	5,400	718,531,052	99.9

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
753	Kolea ( <i>Myrsine juddii</i> )	E	5,400	718,536,452	99.91
753	`Akoko ( <i>Chamaesyce rockii</i> )	E	5,400	718,541,852	99.91
760	Cycladenia, Jones ( <i>Cycladenia jonesii</i> (=humilis))	T	5,300	718,547,152	99.91
761	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	5,200	718,552,352	99.91
762	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	5,100	718,557,452	99.91
762	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	5,100	718,562,552	99.91
762	Pua `ala ( <i>Brighamia rockii</i> )	E	5,100	718,567,652	99.91
762	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	5,100	718,572,752	99.91
762	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	5,100	718,577,852	99.91
762	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	5,100	718,582,952	99.91
762	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	5,100	718,588,052	99.91
762	Opuhe ( <i>Urera kaalae</i> )	E	5,100	718,593,152	99.91
762	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	5,100	718,598,252	99.91
762	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	5,100	718,603,352	99.91
762	Meadowfoam, Butte County ( <i>Limnanthes floccosa ssp. californica</i> )	E	5,100	718,608,452	99.92
773	Salamander, desert slender ( <i>Batrachoseps aridus</i> )	E	5,000	718,613,452	99.92
773	Liveforever, Laguna Beach ( <i>Dudleya stolonifera</i> )	T	5,000	718,618,452	99.92
773	Clarkia, Presidio ( <i>Clarkia franciscana</i> )	E	5,000	718,623,452	99.92
773	Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )	T	5,000	718,628,452	99.92
773	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	5,000	718,633,452	99.92
773	Ohai ( <i>Sesbania tomentosa</i> )	E	5,000	718,638,452	99.92
773	Walnut, West Indian or nogal ( <i>Juglans jamaicensis</i> )	E	5,000	718,643,452	99.92
780	Monkey-flower, Michigan ( <i>Mimulus glabratus var. michiganensis</i> )	E	4,750	718,648,202	99.92
781	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	4,600	718,652,802	99.92
781	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	4,600	718,657,402	99.92
783	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	4,500	718,661,902	99.92
783	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	4,500	718,666,402	99.92
783	Catesbaea melanocarpa (=Sci name)	E	4,500	718,670,902	99.92
783	Awaiwi ( <i>Centaurium sebaeoides</i> )	E	4,500	718,675,402	99.92
787	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	4,425	718,679,827	99.93
787	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	4,425	718,684,252	99.93
789	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	4,400	718,688,652	99.93
789	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )	E	4,400	718,693,052	99.93
789	Milk-vetch, Osterhout ( <i>Astragalus osterhoutii</i> )	E	4,400	718,697,452	99.93
792	Phacelia, North Park ( <i>Phacelia formosula</i> )	E	4,300	718,701,752	99.93
793	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	4,200	718,705,952	99.93
793	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )	E	4,200	718,710,152	99.93
793	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	4,200	718,714,352	99.93
796	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> )	E	4,166	718,718,518	99.93
797	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	4,100	718,722,618	99.93
797	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	4,100	718,726,718	99.93
797	Chaff-flower, round-leaved ( <i>Achyranthes splendens var. rotundata</i> )	E	4,100	718,730,818	99.93
797	Spurge, telephus ( <i>Euphorbia telephioides</i> )	T	4,100	718,734,918	99.93
797	Haha ( <i>Cyanea hamatiflora carlsonii</i> )	E	4,100	718,739,018	99.93
797	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	4,100	718,743,118	99.93
803	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	4,050	718,747,168	99.93
804	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	4,000	718,751,168	99.94



Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
804	Dace, Foscett speckled ( <i>Rhinichthys osculus</i> ssp.)	T	4,000	718,755,168	99.94
804	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	4,000	718,759,168	99.94
804	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	4,000	718,763,168	99.94
804	Phacelia, island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> )	E	4,000	718,767,168	99.94
804	Cactus, Nichol's Turk's head ( <i>Echinocactus horizonthalonius</i> var. <i>nicholii</i> )	E	4,000	718,771,168	99.94
804	Calyptanthus thomasiana (=Sci name)	E	4,000	718,775,168	99.94
804	Uvillo ( <i>Eugenia haematocarpa</i> )	E	4,000	718,779,168	99.94
804	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	4,000	718,783,168	99.94
804	Higo, chumbo ( <i>Harrisia portoricensis</i> )	T	4,000	718,787,168	99.94
804	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomasianum</i> )	E	4,000	718,791,168	99.94
815	Spider, Tooth Cave ( <i>Neoleptoneta myopica</i> )	E	3,900	718,795,068	99.94
815	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	3,900	718,798,968	99.94
815	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	3,900	718,802,868	99.94
818	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	3,800	718,806,668	99.94
818	Alani ( <i>Melicope zahlbruckneri</i> )	E	3,800	718,810,468	99.94
818	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> )	E	3,800	718,814,268	99.94
821	Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )	E	3,500	718,817,768	99.94
822	Lizard, St. Croix ground ( <i>Ameiva polops</i> )	E	3,400	718,821,168	99.94
822	Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )	E	3,400	718,824,568	99.95
822	Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )	E	3,400	718,827,968	99.95
822	Cactus, Knowlton ( <i>Pediocactus knowltonii</i> )	E	3,400	718,831,368	99.95
826	Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )	E	3,325	718,834,693	99.95
827	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	3,300	718,837,993	99.95
827	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )	E	3,300	718,841,293	99.95
829	Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )	E	3,250	718,844,543	99.95
830	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	3,200	718,847,743	99.95
830	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	3,200	718,850,943	99.95
830	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	3,200	718,854,143	99.95
830	Tetramolopium rockii (=Sci name)	T	3,200	718,857,343	99.95
830	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	3,200	718,860,543	99.95
835	Haha ( <i>Cyanea stictophylla</i> )	E	3,150	718,863,693	99.95
835	Phyllostegia velutina (=Sci name)	E	3,150	718,866,843	99.95
837	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	3,140	718,869,983	99.95
838	Combshell, southern ( <i>Epioblasma penita</i> )	E	3,100	718,873,083	99.95
838	Stirrupshell ( <i>Quadrula stapes</i> )	E	3,100	718,876,183	99.95
838	Poppy, Sacramento prickly ( <i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i> )	E	3,100	718,879,283	99.95
838	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	3,100	718,882,383	99.95
838	Meadowrue, Cooley's ( <i>Thalictrum cooley</i> )	E	3,100	718,885,483	99.95
843	Coqui, golden ( <i>Eleutherodactylus jasper</i> )	T	3,000	718,888,483	99.95
843	Clubshell, black ( <i>Pleurobema curtum</i> )	E	3,000	718,891,483	99.95
843	Snail, Chittenango ovate amber ( <i>Succinea chittenangoensis</i> )	T	3,000	718,894,483	99.96
843	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	3,000	718,897,483	99.96
843	Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )	T	3,000	718,900,483	99.96
843	Wire-lettuce, Malheur ( <i>Stephanomeria malheurensis</i> )	E	3,000	718,903,483	99.96
843	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	3,000	718,906,483	99.96
843	Pelos del diablo ( <i>Aristida portoricensis</i> )	E	3,000	718,909,483	99.96

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
843	Palo de ramon ( <i>Banara vanderbiltii</i> )	E	3,000	718,912,483	99.96
843	Chamaecrista glandulosa var. mirabilis (=Sci name)	E	3,000	718,915,483	99.96
843	Cordia bellonis (=Sci name)	E	3,000	718,918,483	99.96
843	Palo de nigua ( <i>Cornutia obovata</i> )	E	3,000	718,921,483	99.96
843	Erubia ( <i>Solanum drymophilum</i> )	E	3,000	718,924,483	99.96
843	Bariaco ( <i>Trichilia triacantha</i> )	E	3,000	718,927,483	99.96
843	Aristida chaseae (=Sci name)	E	3,000	718,930,483	99.96
858	Crownbeard, big-leaved ( <i>Verbesina dissita</i> )	T	2,900	718,933,383	99.96
859	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	2,800	718,936,183	99.96
859	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	2,800	718,938,983	99.96
861	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )	T	2,600	718,941,583	99.96
861	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	2,600	718,944,183	99.96
863	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	2,500	718,946,683	99.96
863	Thistle, Chorro Creek bog ( <i>Cirsium fontinale</i> var. <i>obispoense</i> )	E	2,500	718,949,183	99.96
863	Gouania vitifolia (=Sci name)	E	2,500	718,951,683	99.96
863	Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )	T	2,500	718,954,183	99.96
863	Capa rosa ( <i>Callicarpa ampla</i> )	E	2,500	718,956,683	99.96
863	Mitracarpus maxwelliae (=Sci name)	E	2,500	718,959,183	99.96
863	Mitracarpus polycladus (=Sci name)	E	2,500	718,961,683	99.96
863	Chupacallos ( <i>Pleodendron macranthum</i> )	E	2,500	718,964,183	99.96
863	Schoepfia arenaria (=Sci name)	T	2,500	718,966,683	99.97
863	Leptocereus grantianus (=Sci name)	E	2,500	718,969,183	99.97
863	Vernonia proctorii (=Sci name)	E	2,500	718,971,683	99.97
863	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	2,500	718,974,183	99.97
863	Polystichum calderonense (=Sci name)	E	2,500	718,976,683	99.97
876	Evening-primrose, Eureka Valley ( <i>Oenothera avita</i> ssp. <i>eurekensis</i> )	E	2,315	718,978,998	99.97
877	Warbler (=wood), Bachman's ( <i>Vermivora bachmani</i> )	E	2,300	718,981,298	99.97
877	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	2,300	718,983,598	99.97
879	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	2,205	718,985,803	99.97
880	Phacelia, clay ( <i>Phacelia argillacea</i> )	E	2,200	718,988,003	99.97
880	Buttercup, autumn ( <i>Ranunculus aestivalis</i> (=acriformis))	E	2,200	718,990,203	99.97
880	Campion, fringed ( <i>Silene polypetala</i> )	E	2,200	718,992,403	99.97
880	Haha ( <i>Cyanea platyphylla</i> )	E	2,200	718,994,603	99.97
884	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	2,100	718,996,703	99.97
884	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	2,100	718,998,803	99.97
884	Awikiwiki ( <i>Canavalia molokaiensis</i> )	E	2,100	719,000,903	99.97
884	Pondweed, Little Aguja (=Creek) ( <i>Potamogeton clystocarpus</i> )	E	2,100	719,003,003	99.97
884	Pinkroot, gentian ( <i>Spigelia gentianoides</i> )	E	2,100	719,005,103	99.97
884	Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra alabamensis</i> )	E	2,100	719,007,203	99.97
884	Mustard, Carter's ( <i>Warea carteri</i> )	E	2,100	719,009,303	99.97
891	Cahow ( <i>Pterodroma cahow</i> )	E	2,000	719,011,303	99.97
891	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	2,000	719,013,303	99.97
891	Darter, vermilion ( <i>Etheostoma chermocki</i> )	E	2,000	719,015,303	99.97
891	Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )	E	2,000	719,017,303	99.97
891	Beetle, delta green ground ( <i>Elaphrus viridis</i> )	T	2,000	719,019,303	99.97
891	Beetle, Coffin Cave mold ( <i>Batrisodes texanus</i> )	E	2,000	719,021,303	99.97
891	Aupaka ( <i>Isodendron laurifolium</i> )	E	2,000	719,023,303	99.97

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
891	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	2,000	719,025,303	99.97
891	Evening-primrose, Antioch Dunes ( <i>Oenothera deltooides</i> ssp. <i>howellii</i> )	E	2,000	719,027,303	99.97
891	Boxwood, Vahl's ( <i>Buxus vahlia</i> )	E	2,000	719,029,303	99.97
891	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	2,000	719,031,303	99.97
891	Daphnopsis hellerana (=Sci name)	E	2,000	719,033,303	99.97
891	Palo de rosa ( <i>Ottoschulzia rhodoxylon</i> )	E	2,000	719,035,303	99.97
891	Palo colorado ( <i>Ternstroemia luquillensis</i> )	E	2,000	719,037,303	99.97
891	Ternstroemia subsessilis (=Sci name)	E	2,000	719,039,303	99.98
891	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	2,000	719,041,303	99.98
891	Ilex sintenisii (=Sci name)	E	2,000	719,043,303	99.98
891	Eugenia woodburyana (=Sci name)	E	2,000	719,045,303	99.98
891	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	2,000	719,047,303	99.98
891	Fern, Elfin tree ( <i>Cyathea dryopteroides</i> )	E	2,000	719,049,303	99.98
891	Elaphoglossum serpens (=Sci name)	E	2,000	719,051,303	99.98
891	Tectaria estremerana (=Sci name)	E	2,000	719,053,303	99.98
891	Thelypteris inabonensis (=Sci name)	E	2,000	719,055,303	99.98
891	Thelypteris yaucoensis (=Sci name)	E	2,000	719,057,303	99.98
915	Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )	E	1,960	719,059,263	99.98
916	Nehe ( <i>Lipochaeta lobata</i> var. <i>leptophylla</i> )	E	1,940	719,061,203	99.98
917	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	1,900	719,063,103	99.98
917	Cactus, Brady pincushion ( <i>Pediocactus bradyi</i> )	E	1,900	719,065,003	99.98
917	Milk-vetch, heliotrope ( <i>Astragalus montii</i> )	T	1,900	719,066,903	99.98
920	Primrose, Maguire ( <i>Primula maguirei</i> )	T	1,800	719,068,703	99.98
921	Mallard, Mariana ( <i>Anas oustaleti</i> )	E	1,700	719,070,403	99.98
921	Broadbill, Guam ( <i>Myiagra freycineti</i> )	E	1,700	719,072,103	99.98
921	Nehe ( <i>Lipochaeta fauriei</i> )	E	1,700	719,073,803	99.98
921	Rock-cress, shale barren ( <i>Arabis serotina</i> )	E	1,700	719,075,503	99.98
925	Rush-rose, island ( <i>Helianthemum greenii</i> )	T	1,600	719,077,103	99.98
925	Phyllostegia parviflora (=Sci name)	E	1,600	719,078,703	99.98
925	Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )	T	1,600	719,080,303	99.98
925	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )	T	1,600	719,081,903	99.98
925	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	1,600	719,083,503	99.98
930	Chub, slender ( <i>Erimystax cahni</i> )	T	1,500	719,085,003	99.98
930	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	1,500	719,086,503	99.98
930	Chub, Hutton tui ( <i>Gila bicolor</i> ssp.)	T	1,500	719,088,003	99.98
930	Hesperomannia arbuscula (=Sci name)	E	1,500	719,089,503	99.98
930	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	1,500	719,091,003	99.98
930	Holly, Cook's ( <i>Ilex cookii</i> )	E	1,500	719,092,503	99.98
930	Lepanthes eltoroensis (=Sci name)	E	1,500	719,094,003	99.98
930	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )	E	1,500	719,095,503	99.98
930	Myrcia paganii (=Sci name)	E	1,500	719,097,003	99.98
930	Gesneria pauciflora (=Sci name)	T	1,500	719,098,503	99.98
930	Auerodendron pauciflorum (=Sci name)	E	1,500	719,100,003	99.98
930	Cranichis ricartii (=Sci name)	E	1,500	719,101,503	99.98
930	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	1,500	719,103,003	99.98
930	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	1,500	719,104,503	99.98

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
930	<i>Adiantum viviparum</i> (=Sci name)	E	1,500	719,106,003	99.98
930	<i>Thelypteris virginica</i> (=Sci name)	E	1,500	719,107,503	99.98
946	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	1,450	719,108,953	99.98
947	Sedge, Navajo ( <i>Carex specuicola</i> )	T	1,400	719,110,353	99.99
947	Cactus, Arizona hedgehog ( <i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i> )	E	1,400	719,111,753	99.99
947	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus peeblesianus</i> )	E	1,400	719,113,153	99.99
950	Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )	T	1,300	719,114,453	99.99
950	Trillium, persistent ( <i>Trillium persistens</i> )	E	1,300	719,115,753	99.99
950	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )	E	1,300	719,117,053	99.99
950	Lo'ulu ( <i>Pritchardia affinis</i> )	E	1,300	719,118,353	99.99
954	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	1,200	719,119,553	99.99
954	Whale, sperm ( <i>Physeter catodon</i> (=macrocephalus))	E	1,200	719,120,753	99.99
954	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	1,200	719,121,953	99.99
954	Kolea ( <i>Myrsine linearifolia</i> )	T	1,200	719,123,153	99.99
954	Schiedea membranacea (=Sci name)	E	1,200	719,124,353	99.99
954	Chamaesyce halemanui (=Sci name)	E	1,200	719,125,553	99.99
954	Gouania meyenii (=Sci name)	E	1,200	719,126,753	99.99
954	Koki'o ( <i>Kokia kauaiensis</i> )	E	1,200	719,127,953	99.99
954	Alani ( <i>Melicope pallida</i> )	E	1,200	719,129,153	99.99
954	Remya kauaiensis (=Sci name)	E	1,200	719,130,353	99.99
954	Iliau, dwarf ( <i>Wilkesia hobbii</i> )	E	1,200	719,131,553	99.99
954	Heau ( <i>Exocarpos luteolus</i> )	E	1,200	719,132,753	99.99
954	Nehe ( <i>Lipochaeta waimeaensis</i> )	E	1,200	719,133,953	99.99
954	Alsinidendron viscosum (=Sci name)	E	1,200	719,135,153	99.99
954	Kuawawaenohu ( <i>Alsinidendron lychnoides</i> )	E	1,200	719,136,353	99.99
969	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	1,150	719,137,503	99.99
970	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	1,100	719,138,603	99.99
970	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	1,100	719,139,703	99.99
970	Koki'o ke'oke'o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> )	E	1,100	719,140,803	99.99
970	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	1,100	719,141,903	99.99
974	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	1,000	719,142,903	99.99
974	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	1,000	719,143,903	99.99
974	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	1,000	719,144,903	99.99
974	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> )	E	1,000	719,145,903	99.99
974	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> )	E	1,000	719,146,903	99.99
974	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> )	E	1,000	719,147,903	99.99
974	Rock-cress, Hoffmann's ( <i>Arabis hoffmannii</i> )	E	1,000	719,148,903	99.99
974	Dudleya, marcescent ( <i>Dudleya cymosa</i> ssp. <i>marcescens</i> )	T	1,000	719,149,903	99.99
974	Bedstraw, island ( <i>Galium buxifolium</i> )	E	1,000	719,150,903	99.99
974	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> )	E	1,000	719,151,903	99.99
974	Agave, Arizona ( <i>Agave arizonica</i> )	E	1,000	719,152,903	99.99
974	Clarkia, Springville ( <i>Clarkia springvillensis</i> )	T	1,000	719,153,903	99.99
974	Dudleya, Verity's ( <i>Dudleya verityi</i> )	T	1,000	719,154,903	99.99
974	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	1,000	719,155,903	99.99
974	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )	E	1,000	719,156,903	99.99
974	Milk-vetch, triple-ribbed ( <i>Astragalus tricarinatus</i> )	E	1,000	719,157,903	99.99

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
974	Woolly-threads, San Joaquin ( <i>Monolopia (=Lembertia) congdonii</i> )	E	1,000	719,158,903	99.99
974	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	1,000	719,159,903	99.99
974	Dudleya, Santa Monica Mountains ( <i>Dudleya cymosa ssp. ovatifolia</i> )	T	1,000	719,160,903	99.99
993	Pussypaws, Mariposa ( <i>Calyptridium pulchellum</i> )	T	900	719,161,803	99.99
993	`Akoko ( <i>Chamaesyce deppeana</i> )	E	900	719,162,703	99.99
993	Haha ( <i>Cyanea grimesiana ssp. grimesiana</i> )	E	900	719,163,603	99.99
993	Ha`iwale ( <i>Cyrtandra polyantha</i> )	E	900	719,164,503	99.99
993	Gouania hillebrandii (=Sci name)	E	900	719,165,403	99.99
993	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )	E	900	719,166,303	99.99
993	Schiedea kaalae (=Sci name)	E	900	719,167,203	99.99
993	`Aiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	900	719,168,103	99.99
993	Tetramolopium lepidotum ssp. lepidotum (=Sci name)	E	900	719,169,003	99.99
993	Vigna o-wahuensis (=Sci name)	E	900	719,169,903	99.99
993	Ha`iwale ( <i>Cyrtandra crenata</i> )	E	900	719,170,803	99.99
993	Polygala, tiny ( <i>Polygala smallii</i> )	E	900	719,171,703	99.99
993	Haha ( <i>Cyanea truncata</i> )	E	900	719,172,603	99.99
993	Silene perlmanii (=Sci name)	E	900	719,173,503	99.99
993	Ihi`ihi ( <i>Marsilea villosa</i> )	E	900	719,174,403	99.99
1008	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	800	719,175,203	99.99
1008	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	800	719,176,003	99.99
1008	Popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	800	719,176,803	99.99
1008	Koki`o, Cooke's ( <i>Kokia cookei</i> )	E	800	719,177,603	99.99
1008	Alani ( <i>Melicope mucronulata</i> )	E	800	719,178,403	99.99
1008	Mariscus pennatiflorus (=Sci name)	E	800	719,179,203	99.99
1014	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	700	719,179,903	99.99
1014	Cinquefoil, Robbins' ( <i>Potentilla robbinsiana</i> )	E	700	719,180,603	99.99
1014	Clover, Monterey ( <i>Trifolium trichocalyx</i> )	E	700	719,181,303	99.99
1014	Haha ( <i>Cyanea longiflora</i> )	E	700	719,182,003	100
1014	Phyllostegia kaalaensis (=Sci name)	E	700	719,182,703	100
1014	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	700	719,183,403	100
1020	Milk-vetch, coastal dunes ( <i>Astragalus tener var. titi</i> )	E	600	719,184,003	100
1020	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	600	719,184,603	100
1020	Neraudia sericea (=Sci name)	E	600	719,185,203	100
1020	Baccharis, Encinitas ( <i>Baccharis vanessae</i> )	T	600	719,185,803	100
1024	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	500	719,186,303	100
1024	Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )	E	500	719,186,803	100
1024	Barberry, island ( <i>Berberis pinnata ssp. insularis</i> )	E	500	719,187,303	100
1024	Delissea undulata (=Sci name)	E	500	719,187,803	100
1024	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> )	T	500	719,188,303	100
1024	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus var. nesioticus</i> )	E	500	719,188,803	100
1024	Abutilon sandwicense (=Sci name)	E	500	719,189,303	100
1024	Centaury, spring-loving ( <i>Centaurium namophilum</i> )	T	500	719,189,803	100
1024	Cactus, Lee pincushion ( <i>Coryphantha sneedii var. leei</i> )	T	500	719,190,303	100
1024	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	500	719,190,803	100
1024	Cactus, black lace ( <i>Echinocereus reichenbachii var. albertii</i> )	E	500	719,191,303	100
1024	Wild-buckwheat, gypsum ( <i>Eriogonum gypsophilum</i> )	T	500	719,191,803	100



Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
1024	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )	T	500	719,192,303	100
1024	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> )	E	500	719,192,803	100
1024	Sneezeweed, Virginia ( <i>Helenium virginicum</i> )	T	500	719,193,303	100
1024	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	500	719,193,803	100
1024	Seablite, California ( <i>Suaeda californica</i> )	E	500	719,194,303	100
1024	Malacothrix, island ( <i>Malacothrix squalida</i> )	E	500	719,194,803	100
1024	`Akoko ( <i>Chamaesyce herbstii</i> )	E	500	719,195,303	100
1043	Alani ( <i>Melicope saint-johnii</i> )	E	400	719,195,703	100
1043	`Oha wai ( <i>Clermontia peleana</i> )	E	400	719,196,103	100
1043	Lobelia monostachya (=Sci name)	E	400	719,196,503	100
1043	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	400	719,196,903	100
1043	Trematolobelia singularis (=Sci name)	E	400	719,197,303	100
1048	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	300	719,197,603	100
1048	Achyranthes mutica (=Sci name)	E	300	719,197,903	100
1048	`Oha wai ( <i>Clermontia drepanomorpha</i> )	E	300	719,198,203	100
1048	Kamakahala ( <i>Labordia triflora</i> )	E	300	719,198,503	100
1048	Liliwai ( <i>Acaena exigua</i> )	E	300	719,198,803	100
1048	Awiiwi ( <i>Hedyotis cookiana</i> )	E	300	719,199,103	100
1048	Lipochaeta venosa (=Sci name)	E	300	719,199,403	100
1048	Lo`ulu ( <i>Pritchardia munroi</i> )	E	300	719,199,703	100
1048	Remya, Maui ( <i>Remya mauiensis</i> )	E	300	719,200,003	100
1048	Silene alexandri (=Sci name)	E	300	719,200,303	100
1048	Tetramolopium remyi (=Sci name)	E	300	719,200,603	100
1048	Ha`iwale ( <i>Cyrtandra giffardii</i> )	E	300	719,200,903	100
1048	Aupaka ( <i>Isodendron hosakae</i> )	E	300	719,201,203	100
1048	Haha ( <i>Cyanea lobata</i> )	E	300	719,201,503	100
1048	Holei ( <i>Ochrosia kilaueaensis</i> )	E	300	719,201,803	100
1048	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> )	E	300	719,202,103	100
1048	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	300	719,202,403	100
1048	Haha ( <i>Cyanea dunbarii</i> )	E	300	719,202,703	100
1048	Haha ( <i>Cyanea procera</i> )	E	300	719,203,003	100
1048	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	300	719,203,303	100
1048	Kopa ( <i>Hedyotis schlechtendahlana</i> var. <i>remyi</i> )	E	300	719,203,603	100
1048	Lysimachia maxima (=Sci name)	E	300	719,203,903	100
1048	Mariscus fauriei (=Sci name)	E	300	719,204,203	100
1048	Phyllostegia warshaueri (=Sci name)	E	300	719,204,503	100
1048	`Anunu ( <i>Sicyos alba</i> )	E	300	719,204,803	100
1048	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	300	719,205,103	100
1048	Phyllostegia mannii (=Sci name)	E	300	719,205,403	100
1048	Kohe malama malama o kanaloa ( <i>Kanaloa kahoolawensis</i> )	E	300	719,205,703	100
1048	Fern, pendant kihi ( <i>Adenophorus periens</i> )	E	300	719,206,003	100
1048	Diplazium molokaiense (=Sci name)	E	300	719,206,303	100
1078	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	200	719,206,503	100
1078	Darter, relict ( <i>Etheostoma chienense</i> )	E	200	719,206,703	100
1078	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	200	719,206,903	100
1078	Nehe ( <i>Lipochaeta micrantha</i> )	E	200	719,207,103	100
1082	Snowbells, Texas ( <i>Styrax texanus</i> )	E	160	719,207,263	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
1083	Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )	E	140	719,207,403	100
1083	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	140	719,207,543	100
1083	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	140	719,207,683	100
1086	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	100	719,207,783	100
1086	Butterfly, El Segundo blue ( <i>Euphilotes battoides allyni</i> )	E	100	719,207,883	100
1086	Amaranthus brownii (=Sci name)	E	100	719,207,983	100
1086	Oha ( <i>Delissea rivularis</i> )	E	100	719,208,083	100
1086	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	100	719,208,183	100
1086	Lau`ehu ( <i>Panicum niihauense</i> )	E	100	719,208,283	100
1086	Phyllostegia knudsenii (=Sci name)	E	100	719,208,383	100
1086	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	100	719,208,483	100
1086	Lo`ulu ( <i>Pritchardia remota</i> )	E	100	719,208,583	100
1086	Schiedea sarmentosa (=Sci name)	E	100	719,208,683	100
1086	Schiedea verticillata (=Sci name)	E	100	719,208,783	100
1086	Abutilon eremitopetalum (=Sci name)	E	100	719,208,883	100
1086	`Ahinahina ( <i>Argyroxiphium sandwicense ssp. macrocephalum</i> )	T	100	719,208,983	100
1086	Ko`oko`olau ( <i>Bidens wiebkei</i> )	E	100	719,209,083	100
1086	Olulu ( <i>Brighamia insignis</i> )	E	100	719,209,183	100
1086	Bellflower, Brooksville ( <i>Campanula robinsiae</i> )	E	100	719,209,283	100
1086	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	100	719,209,383	100
1086	Haha ( <i>Cyanea mceldowneyi</i> )	E	100	719,209,483	100
1086	Delissea rhytidosperra (=Sci name)	E	100	719,209,583	100
1086	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	100	719,209,683	100
1086	Na`ena`e ( <i>Dubautia latifolia</i> )	E	100	719,209,783	100
1086	Gahnia lanaiensis (=Sci name)	E	100	719,209,883	100
1086	Pilo ( <i>Hedyotis manni</i> )	E	100	719,209,983	100
1086	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	100	719,210,083	100
1086	Hesperomannia lydgatei (=Sci name)	E	100	719,210,183	100
1086	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	100	719,210,283	100
1086	Koki`o ke`oke`o ( <i>Hibiscus waimeae ssp. hanneriae</i> )	E	100	719,210,383	100
1086	Kula wahine noho ( <i>Isodendron pyriformum</i> )	E	100	719,210,483	100
1086	Water-willow, Cooley's ( <i>Justicia cooley</i> )	E	100	719,210,583	100
1086	Alani ( <i>Melicope ballou</i> )	E	100	719,210,683	100
1086	Alani ( <i>Melicope haupuensis</i> )	E	100	719,210,783	100
1086	Alani ( <i>Melicope munroi</i> )	E	100	719,210,883	100
1086	Alani ( <i>Melicope quadrangularis</i> )	E	100	719,210,983	100
1086	Alani ( <i>Melicope reflexa</i> )	E	100	719,211,083	100
1086	Munroidendron racemosum (=Sci name)	E	100	719,211,183	100
1086	`Aiea ( <i>Nothocestrum peltatum</i> )	E	100	719,211,283	100
1086	Phyllostegia glabra var. lanaiensis (=Sci name)	E	100	719,211,383	100
1086	Bluegrass, Hawaiian ( <i>Poa sandwicensis</i> )	E	100	719,211,483	100
1086	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	100	719,211,583	100
1086	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	100	719,211,683	100
1086	Stenogyne kanehoana (=Sci name)	E	100	719,211,783	100
1086	Pamakani ( <i>Tetramolopium capillare</i> )	E	100	719,211,883	100
1086	Viola helenae (=Sci name)	E	100	719,211,983	100
1086	Nani wai`ale`ale ( <i>Viola kauaiensis var. wahiawaensis</i> )	E	100	719,212,083	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
1086	<i>Viola lanaiensis</i> (=Sci name)	E	100	719,212,183	100
1086	Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )	E	100	719,212,283	100
1086	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	100	719,212,383	100
1086	Pigeon wings ( <i>Clitoria fragrans</i> )	T	100	719,212,483	100
1086	Haha ( <i>Cyanea pinnatifida</i> )	E	100	719,212,583	100
1086	Ha`iwale ( <i>Cyrtandra munro</i> )	E	100	719,212,683	100
1086	Pawpaw, beautiful ( <i>Deeringothamnus pulchellus</i> )	E	100	719,212,783	100
1086	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )	E	100	719,212,883	100
1086	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	100	719,212,983	100
1086	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	100	719,213,083	100
1086	Kamakahala ( <i>Labordia lydgatei</i> )	E	100	719,213,183	100
1086	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	100	719,213,283	100
1086	Nehe ( <i>Lipochaeta kamolensis</i> )	E	100	719,213,383	100
1086	Lysimachia filifolia (=Sci name)	E	100	719,213,483	100
1086	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	100	719,213,583	100
1086	Platanthera holochila (=Sci name)	E	100	719,213,683	100
1086	Bluegrass, Mann's ( <i>Poa manni</i> )	E	100	719,213,783	100
1086	<i>Poa siphonoglossa</i> (=Sci name)	E	100	719,213,883	100
1086	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	100	719,213,983	100
1086	Xylosma crenatum (=Sci name)	E	100	719,214,083	100
1086	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	100	719,214,183	100
1086	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	100	719,214,283	100
1086	Milkpea, Small's ( <i>Galactia smallii</i> )	E	100	719,214,383	100
1086	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	100	719,214,483	100
1086	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	100	719,214,583	100
1086	Ma`oli`oli ( <i>Schiedea apokremnos</i> )	E	100	719,214,683	100
1086	<i>Schiedea helleri</i> (=Sci name)	E	100	719,214,783	100
1086	<i>Schiedea lydgatei</i> (=Sci name)	E	100	719,214,883	100
1086	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	100	719,214,983	100
1086	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	100	719,215,083	100
1086	Lauhilihi ( <i>Schiedea stellarioides</i> )	E	100	719,215,183	100
1086	<i>Remya montgomeryi</i> (=Sci name)	E	100	719,215,283	100
1086	`Akoko ( <i>Chamaesyce kuwaleana</i> )	E	100	719,215,383	100
1086	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	100	719,215,483	100
1086	Haha ( <i>Cyanea asarifolia</i> )	E	100	719,215,583	100
1086	Haha ( <i>Cyanea glabra</i> )	E	100	719,215,683	100
1086	Haha ( <i>Cyanea manni</i> )	E	100	719,215,783	100
1086	Haha ( <i>Cyanea recta</i> )	T	100	719,215,883	100
1086	Haha ( <i>Cyanea undulata</i> )	E	100	719,215,983	100
1086	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	100	719,216,083	100
1086	Ha`iwale ( <i>Cyrtandra limahuliensis</i> )	T	100	719,216,183	100
1086	Na`ena`e ( <i>Dubautia pauciflora</i> )	E	100	719,216,283	100
1086	Na`ena`e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> )	E	100	719,216,383	100
1086	<i>Lysimachia lydgatei</i> (=Sci name)	E	100	719,216,483	100
1086	<i>Phyllostegia waimeae</i> (=Sci name)	E	100	719,216,583	100
1086	<i>Phyllostegia wawrana</i> (=Sci name)	E	100	719,216,683	100
1086	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	100	719,216,783	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
1086	Lo'ulu ( <i>Pritchardia viscosa</i> )	E	100	719,216,883	100
1086	Schiedea kauaiensis (=Sci name)	E	100	719,216,983	100
1086	Stenogyne bifida (=Sci name)	E	100	719,217,083	100
1086	Stenogyne campanulata (=Sci name)	E	100	719,217,183	100
1086	Haha ( <i>Cyanea remyi</i> )	E	100	719,217,283	100
1086	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	100	719,217,383	100
1086	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )	E	100	719,217,483	100
1086	Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> )	E	100	719,217,583	100
1086	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> )	E	100	719,217,683	100
1086	Diellia unisora (=Sci name)	E	100	719,217,783	100
1086	Diellia pallida (=Sci name)	E	100	719,217,883	100
1188	Seal, Caribbean monk ( <i>Monachus tropicalis</i> )	E	0	719,217,883	100
1188	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	0	719,217,883	100
1188	Seal, Guadalupe fur ( <i>Arctocephalus townsendi</i> )	T	0	719,217,883	100
1188	Puma (=mountain lion) ( <i>Puma</i> (=Felis) <i>concolor</i> (all subsp. except <i>coryi</i> ))	SAT	0	719,217,883	100
1188	Bear, American black ( <i>Ursus americanus</i> )	SAT	0	719,217,883	100
1188	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	0	719,217,883	100
1188	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	0	719,217,883	100
1188	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	0	719,217,883	100
1188	ʻOʻo, Kauai (honeyeater) ( <i>Moho braccatus</i> )	E	0	719,217,883	100
1188	Nukupū u (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	0	719,217,883	100
1188	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	0	719,217,883	100
1188	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> )	E	0	719,217,883	100
1188	Creeper, Molokai ( <i>Paroreomyza flammea</i> )	E	0	719,217,883	100
1188	White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )	E	0	719,217,883	100
1188	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	0	719,217,883	100
1188	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	0	719,217,883	100
1188	Cooter (=turtle), northern redbelly (=Plymouth) ( <i>Pseudemys rubriventris bangsi</i> )	E	0	719,217,883	100
1188	Boa, Virgin Islands tree ( <i>Epicrates monensis granti</i> )	E	0	719,217,883	100
1188	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )	E	0	719,217,883	100
1188	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	0	719,217,883	100
1188	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	0	719,217,883	100
1188	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	0	719,217,883	100
1188	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	0	719,217,883	100
1188	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	0	719,217,883	100
1188	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	0	719,217,883	100
1188	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	0	719,217,883	100
1188	Snail, noonday ( <i>Mesodon clarki nantahala</i> )	T	0	719,217,883	100
1188	Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )	E	0	719,217,883	100
1188	Snail, armored ( <i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i> )	E	0	719,217,883	100
1188	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	0	719,217,883	100
1188	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	0	719,217,883	100
1188	Pebblesnail, flat ( <i>Lepyrium showalteri</i> )	E	0	719,217,883	100
1188	Rocksnailed, painted ( <i>Leptoxis taeniata</i> )	T	0	719,217,883	100
1188	Rocksnailed, plicate ( <i>Leptoxis plicata</i> )	E	0	719,217,883	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
1188	Rocksnaill, round ( <i>Leptoxis ampla</i> )	T	0	719,217,883	100
1188	Campeloma, slender ( <i>Campeloma decampi</i> )	E	0	719,217,883	100
1188	Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtleae</i> )	E	0	719,217,883	100
1188	Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )	E	0	719,217,883	100
1188	Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> )	T	0	719,217,883	100
1188	Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> )	E	0	719,217,883	100
1188	Shrimp, Squirrel Chimney Cave ( <i>Palaemonetes cummingi</i> )	T	0	719,217,883	100
1188	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	0	719,217,883	100
1188	Milk-vetch, Clara Hunt's ( <i>Astragalus clarianus</i> )	E	0	719,217,883	100
1188	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	0	719,217,883	100
1188	Sedge, white ( <i>Carex albida</i> )	E	0	719,217,883	100
1188	Mountain-mahogany, Catalina Island ( <i>Cercocarpus traskiae</i> )	E	0	719,217,883	100
1188	Clarkia, Vine Hill ( <i>Clarkia imbricata</i> )	E	0	719,217,883	100
1188	Lily, Pitkin Marsh ( <i>Lilium pardalinum</i> ssp. <i>pitkinense</i> )	E	0	719,217,883	100
1188	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	0	719,217,883	100
1188	Navarretia, few-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i> ))	E	0	719,217,883	100
1188	Navarretia, many-flowered ( <i>Navarretia leucocephala</i> ssp. <i>plieantha</i> )	E	0	719,217,883	100
1188	Stonecrop, Lake County ( <i>Parvisedum leiocarpum</i> )	E	0	719,217,883	100
1188	Allocarya, Calistoga ( <i>Plagiobothrys strictus</i> )	E	0	719,217,883	100
1188	Bluegrass, Napa ( <i>Poa napensis</i> )	E	0	719,217,883	100
1188	Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana</i> ssp. <i>valida</i> )	E	0	719,217,883	100
1188	Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )	E	0	719,217,883	100
1188	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	0	719,217,883	100
1188	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	0	719,217,883	100
1188	Barberry, Truckee ( <i>Berberis</i> (=Mahonia) <i>sonnei</i> )	E	0	719,217,883	100
1188	Mariposa lily, Tiburon ( <i>Calochortus tiburonensis</i> )	T	0	719,217,883	100
1188	Ceanothus, coyote ( <i>Ceanothus ferrisiae</i> )	E	0	719,217,883	100
1188	Thistle, fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> )	E	0	719,217,883	100
1188	Clarkia, Pismo ( <i>Clarkia speciosa</i> ssp. <i>immaculata</i> )	E	0	719,217,883	100
1188	Cactus, Nellie cory ( <i>Coryphantha minima</i> )	E	0	719,217,883	100
1188	Pitaya, Davis' green ( <i>Echinocereus viridiflorus</i> var. <i>davisii</i> )	E	0	719,217,883	100
1188	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> )	E	0	719,217,883	100
1188	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	0	719,217,883	100
1188	Bladderpod, lyrate ( <i>Lesquerella lyrata</i> )	T	0	719,217,883	100
1188	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	0	719,217,883	100
1188	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	0	719,217,883	100
1188	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )	E	0	719,217,883	100
1188	Jewelflower, Tiburon ( <i>Streptanthus niger</i> )	E	0	719,217,883	100
1188	Bluecurls, Hidden Lake ( <i>Trichostema austromontanum</i> ssp. <i>compactum</i> )	T	0	719,217,883	100
1188	Clover, showy Indian ( <i>Trifolium amoenum</i> )	E	0	719,217,883	100
1188	Pennyroyal, Todsens' ( <i>Hedeoma todsenii</i> )	E	0	719,217,883	100
1188	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> )	E	0	719,217,883	100
1188	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> )	E	0	719,217,883	100
1188	Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> )	E	0	719,217,883	100
1188	Cactus, Cochise pincushion ( <i>Coryphantha robbinsorum</i> )	T	0	719,217,883	100



Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent
1188	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	0	719,217,883	100
1188	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	0	719,217,883	100
1188	Thistle, Loch Lomond coyote ( <i>Eryngium constancei</i> )	E	0	719,217,883	100
1188	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )	E	0	719,217,883	100
1188	Pentachaeta, white-rayed ( <i>Pentachaeta bellidiflora</i> )	E	0	719,217,883	100
1188	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	0	719,217,883	100
1188	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	0	719,217,883	100
1188	Goldenrod, Blue Ridge ( <i>Solidago spithamea</i> )	T	0	719,217,883	100
1188	Vervain, Red Hills ( <i>Verbena californica</i> )	T	0	719,217,883	100
1188	Bird's-beak, Pennell's ( <i>Cordylanthus tenuis</i> ssp. <i>capillaris</i> )	E	0	719,217,883	100
1188	Sunflower, San Mateo woolly ( <i>Eriophyllum latilobum</i> )	E	0	719,217,883	100
1188	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	0	719,217,883	100
1188	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	0	719,217,883	100
1188	Ipomopsis, Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> )	E	0	719,217,883	100
1188	Lyonia truncata var. proctorii (=Sci name)	E	0	719,217,883	100
1188	Ceanothus, Vail Lake ( <i>Ceanothus ophiophilus</i> )	T	0	719,217,883	100
1188	Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )	T	0	719,217,883	100
1188	Fern, Aleutian shield ( <i>Polystichum aleuticum</i> )	E	0	719,217,883	100
1188	Fern, Alabama streak-sorus ( <i>Thelypteris pilosa</i> var. <i>alabamensis</i> )	T	0	719,217,883	100
<b>TOTAL</b>				<b>719,217,883</b>	