

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1	Salmon, chinook	<i>Oncorhynchus tshawytscha</i>	E, T	87,644.16	87,644.16	16.72%
2	Steelhead	<i>Oncorhynchus mykiss</i>	E, T	61,319.32	148,963.48	28.42%
3	Salmon, coho	<i>Oncorhynchus kisutch</i>	T	50,324.37	199,287.85	38.02%
4	Salmon, sockeye	<i>Oncorhynchus nerka</i>	E, T	21,388.15	220,676.00	42.10%
5	Salmon, chum	<i>Oncorhynchus keta</i>	T	20,157.35	240,833.35	45.95%
6	Sea-lion, Steller	<i>Eumetopias jubatus</i>	E, T	13,112.70	253,946.05	48.45%
7	Woodpecker, red-cockaded	<i>Picoides borealis</i>	E	11,800.49	265,746.54	50.70%
8	Trout, bull	<i>Salvelinus confluentus</i>	T	11,419.35	277,165.89	52.88%
9	Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	E	10,161.50	287,327.39	54.81%
10	Manatee, West Indian	<i>Trichechus manatus</i>	E	9,743.37	297,070.77	56.67%
11	Crane, whooping	<i>Grus americana</i>	E	8,608.23	305,678.99	58.32%
12	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	E	8,064.64	313,743.63	59.85%
13	Eagle, bald	<i>Haliaeetus leucocephalus</i>	T	6,504.86	320,248.49	61.10%
14	Owl, northern spotted	<i>Strix occidentalis caurina</i>	T	6,380.74	326,629.24	62.31%
15	Panther, Florida	<i>Puma concolor coryi</i>	E	6,319.03	332,948.26	63.52%
16	Tortoise, desert	<i>Gopherus agassizii</i>	T	5,521.09	338,469.36	64.57%
17	Murrelet, marbled	<i>Brachyramphus marmoratus marmoratus</i>	T	5,461.52	343,930.88	65.61%
18	Sucker, razorback	<i>Xyrauchen texanus</i>	E	5,363.29	349,294.17	66.64%
19	Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	E	5,113.92	354,408.09	67.61%
20	Sea turtle, loggerhead	<i>Caretta caretta</i>	T	4,980.61	359,388.70	68.56%
21	Whale, right	<i>Balaena glacialis</i>	E	4,871.83	364,260.53	69.49%
22	Sea turtle, green	<i>Chelonia mydas</i>	E, T	4,814.09	369,074.62	70.41%
23	Bear, grizzly	<i>Ursus arctos horribilis</i>	T	4,501.97	373,576.58	71.27%
24	Wolf, gray	<i>Canis lupus</i>	E, T	4,353.65	377,930.23	72.10%
25	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	E	3,884.93	381,815.16	72.84%
26	Smelt, delta	<i>Hypomesus transpacificus</i>	T	3,820.99	385,636.15	73.57%
27	Pikeminnow, Colorado	<i>Ptychocheilus lucius</i>	E	3,706.27	389,342.42	74.28%
28	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	E	3,688.11	393,030.53	74.98%
29	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	E	3,662.82	396,693.34	75.68%
30	Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	E, T	3,288.50	399,981.84	76.31%
31	Stork, wood	<i>Mycteria americana</i>	E	3,129.30	403,111.14	76.90%
32	Lynx, Canada	<i>Lynx canadensis</i>	T	3,067.89	406,179.03	77.49%
33	Plover, piping	<i>Charadrius melodus</i>	E, T	2,963.96	409,142.99	78.05%
34	Ferret, black-footed	<i>Mustela nigripes</i>	E	2,877.51	412,020.50	78.60%
35	Sturgeon, white	<i>Acipenser transmontanus</i>	E	2,830.77	414,851.27	79.14%
36	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	T	2,759.32	417,610.60	79.67%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
37	Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	E	2,507.43	420,118.02	80.15%
38	Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	T	2,369.83	422,487.85	80.60%
39	Bat, Indiana	<i>Myotis sodalis</i>	E	2,118.85	424,606.70	81.00%
40	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	T	1,978.17	426,584.87	81.38%
41	Palila	<i>Loxioides bailleui</i>	E	1,894.66	428,479.53	81.74%
42	Vireo, black-capped	<i>Vireo atricapillus</i>	E	1,735.61	430,215.14	82.07%
43	Chub, humpback	<i>Gila cypha</i>	E	1,708.21	431,923.35	82.40%
44	Wolf, red	<i>Canis rufus</i>	E	1,705.90	433,629.25	82.73%
45	Tern, least	<i>Sterna antillarum</i>	E	1,659.71	435,288.96	83.04%
46	Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	T	1,556.97	436,845.93	83.34%
47	Warbler, golden-cheeked	<i>Dendroica chrysoparia</i>	E	1,498.45	438,344.38	83.63%
48	Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	E	1,266.62	439,611.00	83.87%
49	Chub, bonytail	<i>Gila elegans</i>	E	1,253.11	440,864.11	84.11%
50	Frog, California red-legged	<i>Rana aurora draytonii</i>	T	1,223.01	442,087.12	84.34%
51	Parrot, Puerto Rican	<i>Amazona vittata</i>	E	1,153.08	443,240.20	84.56%
52	Tern, California least	<i>Sterna antillarum browni</i>	E	1,147.64	444,387.84	84.78%
53	Toad, arroyo	<i>Bufo microscaphus californicus</i>	E	1,122.42	445,510.26	84.99%
54	Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	T	1,051.03	446,561.30	85.19%
55	Vireo, least Bell's	<i>Vireo bellii pusillus</i>	E	1,019.02	447,580.31	85.39%
56	Bat, gray	<i>Myotis grisescens</i>	E	972.88	448,553.19	85.57%
57	Albatross, short-tailed	<i>Phoebastria albatrus</i>	E	972.86	449,526.05	85.76%
58	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	E	970.18	450,496.22	85.94%
59	Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	E	958.20	451,454.42	86.13%
60	Eider, Steller's	<i>Polysticta stelleri</i>	T	950.28	452,404.70	86.31%
61	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	E	887.36	453,292.05	86.48%
62	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	T	817.28	454,109.33	86.63%
63	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	E	797.06	454,906.39	86.78%
64	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	T	787.50	455,693.89	86.94%
65	Darter, Okaloosa	<i>Etheostoma okaloosae</i>	E	786.29	456,480.18	87.09%
66	Cui-ui	<i>Chasmistes cujus</i>	E	742.00	457,222.18	87.23%
67	Spikedace	<i>Meda fulgida</i>	T	737.97	457,960.15	87.37%
68	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	E	698.78	458,658.93	87.50%
69	Minnow, loach	<i>Tiaroga cobitis</i>	T	690.11	459,349.04	87.63%
70	Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	E	664.74	460,013.78	87.76%
71	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	E	659.66	460,673.44	87.89%
72	Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	E	650.97	461,324.41	88.01%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
73	Sucker, Lost River	<i>Deltistes luxatus</i>	E	649.18	461,973.58	88.13%
74	Sucker, shortnose	<i>Chasmistes brevirostris</i>	E	647.18	462,620.76	88.26%
75	Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	T	645.44	463,266.19	88.38%
76	Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	E	642.68	463,908.87	88.50%
77	Otter, southern sea	<i>Enhydra lutris nereis</i>	T	624.19	464,533.06	88.62%
78	Pygmy-owl, cactus ferruginous	<i>Glaucidium brasilianum cactorum</i>	E	618.16	465,151.22	88.74%
79	Eider, spectacled	<i>Somateria fischeri</i>	T	603.00	465,754.22	88.85%
80	Topminnow, Gila	<i>Poeciliopsis occidentalis</i>	E	592.73	466,346.95	88.97%
81	Condor, California	<i>Gymnogyps californianus</i>	E	591.29	466,938.24	89.08%
82	Whale, humpback	<i>Megaptera novaeangliae</i>	E	567.06	467,505.29	89.19%
83	Sheep, bighorn	<i>Ovis canadensis</i>	E	560.40	468,065.69	89.30%
84	Deer, Key	<i>Odocoileus virginianus clavium</i>	E	520.00	468,585.69	89.39%
85	Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	E	503.31	469,089.00	89.49%
86	Tortoise, gopher	<i>Gopherus polyphemus</i>	T	502.01	469,591.01	89.59%
87	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	T	502.01	470,093.02	89.68%
88	Crow, Mariana	<i>Corvus kubaryi</i>	E	477.30	470,570.32	89.77%
89	Rail, Guam	<i>Rallus owstoni</i>	E	472.50	471,042.82	89.86%
90	Snake, giant garter	<i>Thamnophis gigas</i>	T	466.20	471,509.02	89.95%
91	Lomatium, Bradshaw's	<i>Lomatium bradshawii</i>	E	461.60	471,970.62	90.04%
92	Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	E	459.00	472,429.62	90.13%
93	Higgins eye	<i>Lampsilis higginsii</i>	E	452.07	472,881.69	90.21%
94	Seagrass, Johnson's	<i>Halophila johnsonii</i>	T	448.86	473,330.55	90.30%
95	Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	E	443.79	473,774.34	90.38%
96	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	T	425.55	474,199.89	90.47%
97	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	T	418.55	474,618.44	90.55%
98	Chub, Virgin River	<i>Gila robusta seminuda</i>	E	418.50	475,036.94	90.63%
99	Lupine, Kincaid's	<i>Lupinus sulphureus kincaidii</i>	T	412.19	475,449.13	90.70%
100	Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	T	402.10	475,851.23	90.78%
101	Woundfin	<i>Plagopterus argentissimus</i>	E	394.35	476,245.58	90.86%
102	Pelican, brown	<i>Pelecanus occidentalis</i>	E	392.80	476,638.38	90.93%
103	Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	E	383.00	477,021.38	91.00%
104	Sturgeon, Gulf	<i>Acipenser oxyrinchus desotoi</i>	T	380.17	477,401.54	91.08%
105	Snake, Concho water	<i>Nerodia paucimaculata</i>	T	372.60	477,774.14	91.15%
106	Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	E	363.50	478,137.64	91.22%
107	Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i>	E	345.41	478,483.05	91.28%
108	Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	E	338.50	478,821.55	91.35%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
109	Kangaroo rat, giant	<i>Dipodomys ingens</i>	E	336.08	479,157.63	91.41%
110	Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	E	324.59	479,482.22	91.47%
111	Caribou, woodland	<i>Rangifer tarandus caribou</i>	E	316.62	479,798.84	91.53%
112	Goby, tidewater	<i>Eucyclogobius newberryi</i>	E	309.17	480,108.00	91.59%
113	Splittail, Sacramento	<i>Pogonichthys macrolepidotus</i>	T	307.02	480,415.02	91.65%
114	Rail, California clapper	<i>Rallus longirostris obsoletus</i>	E	300.93	480,715.95	91.71%
115	Goose, Hawaiian	<i>Branta sandvicensis</i>	E	294.53	481,010.48	91.76%
116	Kangaroo rat, Tipton	<i>Dipodomys nitratoide nitratoide</i>	E	291.38	481,301.86	91.82%
117	Lily, Western	<i>Lilium occidentale</i>	E	287.40	481,589.26	91.88%
118	Darter, amber	<i>Percina antesella</i>	E	281.00	481,870.26	91.93%
119	Logperch, Conasauga	<i>Percina jenkinsi</i>	E	276.29	482,146.55	91.98%
120	Bat, Virginia big-eared	<i>Corynorhinus townsendii virginianus</i>	E	273.62	482,420.17	92.03%
121	Salamander, Barton Springs	<i>Eurycea sosorum</i>	E	269.04	482,689.21	92.09%
122	Salamander, flatwoods	<i>Ambystoma cingulatum</i>	T	267.77	482,956.97	92.14%
123	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	E	267.50	483,224.47	92.19%
124	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	T	261.25	483,485.72	92.24%
125	Duck, Hawaiian	<i>Anas wyvilliana</i>	E	257.51	483,743.23	92.29%
126	Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	T	254.46	483,997.69	92.33%
127	Amaranth, seabeach	<i>Amaranthus pumilus</i>	T	253.92	484,251.62	92.38%
128	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	T	253.73	484,505.35	92.43%
129	Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	E	252.58	484,757.92	92.48%
130	Pondberry	<i>Lindera melissifolia</i>	E	249.80	485,007.72	92.53%
131	Elepaio, Oahu	<i>Chasiempis sandwichensis ibidus</i>	E	245.80	485,253.52	92.57%
132	Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana calva</i>	E	244.00	485,497.52	92.62%
133	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	E	242.05	485,739.57	92.67%
134	Kangaroo rat, Fresno	<i>Dipodomys nitratoide exilis</i>	E	237.20	485,976.77	92.71%
135	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	E	236.60	486,213.37	92.76%
136	Sheep, bighorn	<i>Ovis canadensis californiana</i>	E	230.00	486,443.37	92.80%
137	Chub, Oregon	<i>Oregonichthys crameri</i>	E	228.10	486,671.47	92.84%
138	Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	E	225.30	486,896.77	92.89%
139	Snails, Oahu tree	<i>Achatinella spp.</i>	E	224.60	487,121.37	92.93%
140	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	E	222.50	487,343.87	92.97%
141	Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	E	220.50	487,564.37	93.02%
142	Snail, Utah valvata	<i>Valvata utahensis</i>	E	220.21	487,784.58	93.06%
143	Turtle, bog	<i>Clemmys muhlenbergii</i>	T	209.05	487,993.63	93.10%
144	Toad, Houston	<i>Bufo houstonensis</i>	E	209.00	488,202.63	93.14%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
145	Crayfish, Shasta	<i>Pacifastacus fortis</i>	E	207.67	488,410.30	93.18%
146	Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	E	203.70	488,614.00	93.22%
147	Chub, Owens tui	<i>Gila bicolor snyderi</i>	E	203.10	488,817.10	93.25%
148	Sunflower, Pecos	<i>Helianthus paradoxus</i>	T	201.92	489,019.02	93.29%
149	Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	E	201.82	489,220.83	93.33%
150	Sucker, Warner	<i>Catostomus warnerensis</i>	T	194.30	489,415.13	93.37%
151	Wild-rice, Texas	<i>Zizania texana</i>	E	193.15	489,608.28	93.41%
152	Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	E	192.73	489,801.01	93.44%
153	Prairie dog, Utah	<i>Cynomys parvidens</i>	T	192.21	489,993.22	93.48%
154	Fritillary, Gentner's	<i>Fritillaria gentneri</i>	E	189.00	490,182.22	93.51%
155	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	E	186.97	490,369.19	93.55%
156	Coot, Hawaiian	<i>Fulica americana alai</i>	E	185.77	490,554.96	93.59%
157	Shiner, Arkansas River	<i>Notropis girardi</i>	T	184.86	490,739.82	93.62%
158	Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	E	176.56	490,916.38	93.65%
159	Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	E	175.36	491,091.74	93.69%
160	Goose, Aleutian Canada	<i>Branta canadensis leucopareia</i>	T	173.43	491,265.17	93.72%
161	Tern, roseate	<i>Sterna dougallii dougallii</i>	E, T	173.37	491,438.54	93.75%
162	Quillwort, Louisiana	<i>Isoetes louisianensis</i>	E	169.23	491,607.77	93.79%
163	Clubshell	<i>Pleurobema clava</i>	E	168.20	491,775.97	93.82%
164	Shiner, Topeka	<i>Notropis topeka</i>	E	167.25	491,943.21	93.85%
165	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	T	165.60	492,108.81	93.88%
166	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	T	164.99	492,273.80	93.91%
167	Mucket, pink	<i>Lampsilis abrupta</i>	E	164.59	492,438.39	93.95%
168	Milk-vetch, Applegate's	<i>Astragalus applegatei</i>	E	162.20	492,600.60	93.98%
169	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	E	160.88	492,761.48	94.01%
170	Woodrat, riparian	<i>Neotoma fuscipes riparia</i>	E	155.53	492,917.00	94.04%
171	Phlox, Yreka	<i>Phlox hirsuta</i>	E	154.50	493,071.50	94.07%
172	Daisy, Parish's	<i>Erigeron parishii</i>	T	154.00	493,225.50	94.10%
173	Logperch, Roanoke	<i>Percina rex</i>	E	153.25	493,378.75	94.12%
174	Sumac, Michaux's	<i>Rhus michauxii</i>	E	152.20	493,530.95	94.15%
175	Milk-vetch, Cushenbury	<i>Astragalus albens</i>	E	151.00	493,681.95	94.18%
176	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	T	149.60	493,831.55	94.21%
177	Beetle, American burying	<i>Nicrophorus americanus</i>	E	148.67	493,980.22	94.24%
178	No common name	<i>Neraudia angulata</i>	E	146.80	494,127.02	94.27%
179	Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	E	142.00	494,269.02	94.29%
180	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	T	141.70	494,410.72	94.32%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
181	Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	E	141.64	494,552.36	94.35%
182	Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii bernardina</i>	E	141.00	494,693.36	94.38%
183	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	E	139.28	494,832.64	94.40%
184	Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	E	137.15	494,969.79	94.43%
185	Buckwheat, cushenbury	<i>Eriogonum ovalifolium vineum</i>	E	137.00	495,106.79	94.45%
186	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	E	136.96	495,243.75	94.48%
187	Howellia, water	<i>Howellia aquatilis</i>	T	135.03	495,378.78	94.51%
188	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	E	134.43	495,513.21	94.53%
189	Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	E	134.23	495,647.45	94.56%
190	Bat, Mariana fruit	<i>Pteropus mariannus mariannus</i>	E	131.23	495,778.67	94.58%
191	Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	T	128.71	495,907.38	94.61%
192	Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>	E	128.50	496,035.88	94.63%
193	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	E	128.00	496,163.88	94.66%
194	Madtom, Neosho	<i>Noturus placidus</i>	T	127.23	496,291.11	94.68%
195	Chaffseed, American	<i>Schwalbea americana</i>	E	125.55	496,416.66	94.70%
196	Po`ouli	<i>Melamprosops phaeosoma</i>	E	125.00	496,541.66	94.73%
197	Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	E	124.10	496,665.76	94.75%
198	Salamander, California tiger	<i>Ambystoma californiense</i>	E	123.23	496,788.98	94.78%
199	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	E	122.58	496,911.57	94.80%
200	Parrotbill, Maui	<i>Pseudonestor xanthophrys</i>	E	121.00	497,032.57	94.82%
201	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	T	120.80	497,153.37	94.84%
202	Piperia, Yadon's	<i>Piperia yadonii</i>	E	120.30	497,273.67	94.87%
203	Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	E	114.00	497,387.67	94.89%
204	Spineflower, Monterey	<i>Chorizanthe pungens pungens</i>	T	114.00	497,501.67	94.91%
205	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	E	113.41	497,615.08	94.93%
206	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	E	113.35	497,728.43	94.95%
207	Crow, Hawaiian	<i>Corvus hawaiiensis</i>	E	111.00	497,839.43	94.98%
208	Nukupu`u	<i>Hemignathus lucidus</i>	E	111.00	497,950.43	95.00%
209	Mapleleaf, winged	<i>Quadrula fragosa</i>	E	110.48	498,060.91	95.02%
210	Paintbrush, golden	<i>Castilleja levisecta</i>	T	110.20	498,171.11	95.04%
211	Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	T	108.88	498,279.99	95.06%
212	Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	T	108.83	498,388.82	95.08%
213	Paintbrush, ash-grey	<i>Castilleja cinerea</i>	T	108.29	498,497.11	95.10%
214	Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	E	107.50	498,604.61	95.12%
215	Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>	E	107.00	498,711.61	95.14%
216	Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	E	107.00	498,818.61	95.16%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
217	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	E	105.70	498,924.31	95.18%
218	Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	E	105.45	499,029.76	95.20%
219	Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	E	105.40	499,135.16	95.22%
220	Snail, Morro shoulderband	<i>Helminthoglypta walkeriana</i>	E	104.00	499,239.16	95.24%
221	Wallflower, Menzies'	<i>Erysimum menziesii</i>	E	103.00	499,342.16	95.26%
222	Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	E	102.70	499,444.86	95.28%
223	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	E	101.50	499,546.36	95.30%
224	Spineflower, Robust	<i>Chorizanthe robusta</i>	E	100.50	499,646.86	95.32%
225	Cactus, Pima pineapple	<i>Coryphantha scheeri robustispina</i>	E	100.27	499,747.13	95.34%
226	Bat, Ozark big-eared	<i>Corynorhinus townsendii ingens</i>	E	100.10	499,847.23	95.36%
227	Trout, Apache	<i>Oncorhynchus apache</i>	T	99.20	499,946.43	95.38%
228	Amole, purple	<i>Chlorogalum purpureum</i>	T	99.00	500,045.43	95.40%
229	Monkshood, northern wild	<i>Aconitum noveboracense</i>	T	98.16	500,143.59	95.42%
230	Pupfish, desert	<i>Cyprinodon macularius</i>	E	97.98	500,241.58	95.43%
231	Sucker, Modoc	<i>Catostomus microps</i>	E	97.70	500,339.28	95.45%
232	Evening-primrose, Eureka Valley	<i>Oenothera avita eurekaensis</i>	E	97.50	500,436.78	95.47%
233	Paintbrush, soft-leaved	<i>Castilleja mollis</i>	E	97.00	500,533.78	95.49%
234	Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	E	96.95	500,630.73	95.51%
235	Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	E	96.30	500,727.03	95.53%
236	Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	E	96.20	500,823.23	95.54%
237	Jewelflower, California	<i>Caulanthus californicus</i>	E	95.19	500,918.43	95.56%
238	Sandwort, Marsh	<i>Arenaria paludicola</i>	E	94.50	501,012.93	95.58%
239	Mehamehame	<i>Flueggea neowawraea</i>	E	93.95	501,106.88	95.60%
240	No common name	<i>Bonamia menziesii</i>	E	92.83	501,199.70	95.62%
241	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	E	91.85	501,291.55	95.63%
242	Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora hoffmannii</i>	E	91.30	501,382.85	95.65%
243	Rush-rose, island	<i>Helianthemum greenei</i>	T	90.50	501,473.35	95.67%
244	Pupfish, Owens	<i>Cyprinodon radiosus</i>	E	89.90	501,563.25	95.69%
245	Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	E	89.20	501,652.45	95.70%
246	Bedstraw, island	<i>Galium buxifolium</i>	E	88.50	501,740.95	95.72%
247	Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	E	88.50	501,829.45	95.74%
248	Kuahiwi laukahi	<i>Plantago princeps</i>	E	88.38	501,917.83	95.75%
249	Barberry, island	<i>Berberis pinnata insularis</i>	E	88.00	502,005.83	95.77%
250	Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus nesioticus</i>	E	88.00	502,093.83	95.79%
251	Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	T	88.00	502,181.83	95.80%
252	Fringepod, Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	E	88.00	502,269.83	95.82%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
253	Malacothrix, island	<i>Malacothrix squalida</i>	E	88.00	502,357.83	95.84%
254	Phacelia, island	<i>Phacelia insularis insularis</i>	E	88.00	502,445.83	95.85%
255	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	E	87.42	502,533.24	95.87%
256	Trout, Gila	<i>Oncorhynchus gilae</i>	E	86.50	502,619.74	95.89%
257	Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>	E	86.50	502,706.24	95.90%
258	Wedgemussel, dwarf	<i>Alasmodonta heterodon</i>	E	86.25	502,792.49	95.92%
259	Kulu'i	<i>Nototrichium humile</i>	E	86.20	502,878.69	95.94%
260	Trout, coastal cutthroat	<i>Oncorhynchus clarki clarki</i>	E	86.10	502,964.79	95.95%
261	Checker-mallow, Keck's	<i>Sidalcea keckii</i>	E	85.50	503,050.29	95.97%
262	Mahoe	<i>Alectryon macrococcus</i>	E	84.25	503,134.54	95.99%
263	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	T	83.70	503,218.24	96.00%
264	Flannelbush, Pine Hill	<i>Fremontodendron californicum decumbens</i>	E	83.50	503,301.74	96.02%
265	Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	E	83.50	503,385.24	96.03%
266	Daisy, Willamette	<i>Erigeron decumbens decumbens</i>	E	83.10	503,468.34	96.05%
267	Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	T	82.75	503,551.08	96.07%
268	No common name	<i>Lobelia oahuensis</i>	E	82.53	503,633.61	96.08%
269	Bedstraw, El Dorado	<i>Galium californicum sierrae</i>	E	82.50	503,716.11	96.10%
270	Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	E	82.50	503,798.61	96.11%
271	Tarplant, Gaviota	<i>Hemizonia increescens villosa</i>	E	82.40	503,881.01	96.13%
272	Chub, Borax Lake	<i>Gila boraxobius</i>	E	82.30	503,963.31	96.14%
273	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	E	81.70	504,045.01	96.16%
274	Pogonia, small whorled	<i>Isotria medeoloides</i>	T	81.66	504,126.67	96.17%
275	`anaunau	<i>Lepidium arbuscula</i>	E	81.53	504,208.20	96.19%
276	No common name	<i>Lobelia niihauensis</i>	E	81.53	504,289.72	96.21%
277	Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	E	81.50	504,371.22	96.22%
278	Boa, Puerto Rican	<i>Epicrates inornatus</i>	E	81.00	504,452.22	96.24%
279	Sandwort, Bear Valley	<i>Arenaria ursina</i>	T	81.00	504,533.22	96.25%
280	Sandbur, agrimony or Kamanomano	<i>Cenchrus agrimonoides</i>	E	80.72	504,613.94	96.27%
281	Bladderpod, Missouri	<i>Lesquerella filiformis</i>	E	80.60	504,694.54	96.28%
282	Thrush, small Kauai	<i>Myadestes palmeri</i>	E	80.40	504,774.94	96.30%
283	Darter, leopard	<i>Percina pantherina</i>	T	80.30	504,855.24	96.31%
284	Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	T	80.30	504,935.54	96.33%
285	Springsnail, Idaho	<i>Fonticella idahoensis</i>	E	80.07	505,015.61	96.34%
286	Bird's-beak, salt marsh	<i>Cordylanthus maritimus maritimus</i>	E	80.00	505,095.61	96.36%
287	Tarplant, Santa Cruz	<i>Holocarpha macradenia</i>	T	80.00	505,175.61	96.38%
288	No common name	<i>Diellia falcata</i>	E	79.93	505,255.54	96.39%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
289	Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	E	79.50	505,335.04	96.41%
290	No common name	<i>Schiedea hookeri</i>	E	79.40	505,414.44	96.42%
291	Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi austromontanum</i>	T	79.00	505,493.44	96.44%
292	No common name	<i>Spermolepis hawaiiensis</i>	E	78.43	505,571.86	96.45%
293	No common name	<i>Schiedea nuttallii</i>	E	77.63	505,649.49	96.47%
294	Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	T	77.10	505,726.59	96.48%
295	Haha	<i>Cyanea superba</i>	E	76.05	505,802.64	96.49%
296	Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	E	76.00	505,878.64	96.51%
297	Thistle, La Graciosa	<i>Cirsium loncholepis</i>	E	76.00	505,954.64	96.52%
298	Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	T	75.60	506,030.24	96.54%
299	Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	T	75.57	506,105.81	96.55%
300	Lupine, Nipomo Mesa	<i>Lupinus nipomensis</i>	E	75.00	506,180.81	96.57%
301	Pocketbook, fat	<i>Potamilus capax</i>	E	74.98	506,255.79	96.58%
302	Snail, Snake River physa	<i>Physa natricina</i>	E	74.67	506,330.46	96.60%
303	Ha'iwale	<i>Cyrtandra dentata</i>	E	74.55	506,405.01	96.61%
304	No common name	<i>Silene lanceolata</i>	E	74.43	506,479.43	96.62%
305	No common name	<i>Alsinidendron obovatum</i>	E	74.25	506,553.68	96.64%
306	No common name	<i>Hedyotis parvula</i>	E	73.30	506,626.98	96.65%
307	No common name	<i>Sanicula marivera</i>	E	73.30	506,700.28	96.67%
308	No common name	<i>Tetramolopium filiforme</i>	E	73.30	506,773.58	96.68%
309	Pauoa	<i>Ctenitis squamigera</i>	E	73.30	506,846.88	96.69%
310	Popcornflower, rough	<i>Plagiobothrys hirtus</i>	E	73.19	506,920.07	96.71%
311	Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>	E	73.00	506,993.07	96.72%
312	Limpet, Banbury Springs	<i>Lanx sp.</i>	E	72.41	507,065.48	96.74%
313	Creeper, Oahu	<i>Paroreomyza maculata</i>	E	71.50	507,136.98	96.75%
314	Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>	T	71.50	507,208.48	96.76%
315	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	E	71.14	507,279.62	96.78%
316	Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	E	70.44	507,350.05	96.79%
317	Megapode, Micronesian	<i>Megapodius laperouse</i>	E	70.32	507,420.37	96.80%
318	Watercress, Gambel's	<i>Rorippa gambellii</i>	E	69.00	507,489.37	96.82%
319	Broom, San Clemente Island	<i>Lotus dendroideus traskiae</i>	E	68.50	507,557.87	96.83%
320	Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>	E	68.50	507,626.37	96.84%
321	Clover, running buffalo	<i>Trifolium stoloniferum</i>	E	68.17	507,694.55	96.86%
322	Vole, Amargosa	<i>Microtus californicus scirpensis</i>	E	68.00	507,762.55	96.87%
323	Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	E	68.00	507,830.55	96.88%
324	Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>	E	67.64	507,898.19	96.89%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
325	Grass, Eureka Dune	<i>Swallenia alexandrae</i>	E	67.50	507,965.69	96.91%
326	Manzanita, Morro	<i>Arctostaphylos morroensis</i>	T	67.50	508,033.19	96.92%
327	Spinedace, White River	<i>Lepidomeda albivallis</i>	E	67.20	508,100.39	96.93%
328	Shrimp, Alabama cave	<i>Palaemonias alabamiae</i>	E	67.00	508,167.39	96.95%
329	Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa ovatifolia</i>	T	67.00	508,234.39	96.96%
330	Milk-vetch, coastal dunes	<i>Astragalus tener titi</i>	E	67.00	508,301.39	96.97%
331	Potentilla, Hickman's	<i>Potentilla hickmanii</i>	E	67.00	508,368.39	96.98%
332	Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>	E	66.50	508,434.89	97.00%
333	Sucker, Santa Ana	<i>Catostomus santaanae</i>	T	66.04	508,500.93	97.01%
334	Akepa, Maui	<i>Loxops coccineus ochraceus</i>	E	66.00	508,566.93	97.02%
335	Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>	E	66.00	508,632.93	97.03%
336	Clarkia, Pismo	<i>Clarkia speciosa immaculata</i>	E	66.00	508,698.93	97.05%
337	Evening-primrose, San Benito	<i>Camissonia benitensis</i>	T	66.00	508,764.93	97.06%
338	Milk-vetch, Fish Slough	<i>Astragalus lentiginosus piscinensis</i>	T	66.00	508,830.93	97.07%
339	Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>	E	66.00	508,896.93	97.09%
340	Seablite, California	<i>Suaeda californica</i>	E	66.00	508,962.93	97.10%
341	Thistle, Chorro Creek bog	<i>Cirsium fontinale obispoense</i>	E	66.00	509,028.93	97.11%
342	Cypress, Santa Cruz	<i>Cupressus abramsiana</i>	E	66.00	509,094.93	97.12%
343	Dudleya, Conejo	<i>Dudleya abramsii parva</i>	T	65.25	509,160.18	97.14%
344	Beetle, Mount Hermon June	<i>Polyphylla barbata</i>	E	65.00	509,225.18	97.15%
345	Clover, Monterey	<i>Trifolium trichocalyx</i>	E	65.00	509,290.18	97.16%
346	Dudleya, marcescent	<i>Dudleya cymosa marcescens</i>	T	65.00	509,355.18	97.17%
347	Dudleya, Verity's	<i>Dudleya verityi</i>	T	65.00	509,420.18	97.18%
348	Gilia, Monterey	<i>Gilia tenuiflora arenaria</i>	E	65.00	509,485.18	97.20%
349	Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	E	65.00	509,550.18	97.21%
350	Spineflower, Ben Lomond	<i>Chorizanthe pungens hartwegiana</i>	E	65.00	509,615.18	97.22%
351	Wallflower, Ben Lomond	<i>Erysimum teretifolium</i>	E	65.00	509,680.18	97.23%
352	Cypress, Gowen	<i>Cupressus goveniana goveniana</i>	T	65.00	509,745.18	97.25%
353	Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i>	E	64.93	509,810.10	97.26%
354	Honeycreeper, crested	<i>Palmeria dolei</i>	E	63.30	509,873.40	97.27%
355	Taraxacum, California	<i>Taraxacum californicum</i>	E	63.29	509,936.69	97.28%
356	Button-celery, San Diego	<i>Eryngium aristulatum parishii</i>	E	63.18	509,999.87	97.30%
357	Navarretia, spreading	<i>Navarretia fossalis</i>	T	63.11	510,062.98	97.31%
358	Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>	E	63.00	510,125.98	97.32%
359	Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>	E	63.00	510,188.98	97.33%
360	Gerardia, sandplain	<i>Agalinis acuta</i>	E	62.76	510,251.74	97.34%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
361	Ziziphus, Florida	<i>Ziziphus celata</i>	E	62.54	510,314.27	97.36%
362	Aster, decurrent false	<i>Boltonia decurrens</i>	T	60.53	510,374.81	97.37%
363	Bear-poppy, dwarf	<i>Arctomecon humilis</i>	E	60.20	510,435.01	97.38%
364	Dace, Moapa	<i>Moapa coriacea</i>	E	58.20	510,493.21	97.39%
365	Spider, spruce-fir moss	<i>Microhexura montivaga</i>	E	57.30	510,550.51	97.40%
366	Bluegrass, San Bernardino	<i>Poa atropurpurea</i>	E	57.29	510,607.80	97.41%
367	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	T	57.20	510,665.00	97.42%
368	Cactus, Chisos Mtn. hedgehog	<i>Echinocereus chisoensis chisoensis</i>	T	57.00	510,722.00	97.43%
369	Silversword, Mauna Loa	<i>Argyroxiphium kauense</i>	E	56.93	510,778.92	97.44%
370	Spiraea, Virginia	<i>Spiraea virginiana</i>	T	56.82	510,835.74	97.45%
371	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	E	56.65	510,892.39	97.47%
372	Gambusia, Pecos	<i>Gambusia nobilis</i>	E	55.39	510,947.78	97.48%
373	Coneflower, smooth	<i>Echinacea laevigata</i>	E	55.04	511,002.82	97.49%
374	Buckwheat, lone	<i>Eriogonum apricum</i>	E	54.90	511,057.72	97.50%
375	Chub, Pahrangat roundtail	<i>Gila robusta jordani</i>	E	54.70	511,112.42	97.51%
376	Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	E	54.50	511,166.92	97.52%
377	Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	T	54.50	511,221.42	97.53%
378	Lupine, clover	<i>Lupinus tidestromii</i>	E	54.50	511,275.92	97.54%
379	Centaury, spring-loving	<i>Centaurium namophilum</i>	T	54.00	511,329.92	97.55%
380	Sunflower, Eggert's	<i>Helianthus eggertii</i>	T	53.80	511,383.72	97.56%
381	Pimpleback, orangefoot	<i>Plethobasus cooperianus</i>	E	53.72	511,437.44	97.57%
382	Akepa, Hawaii	<i>Loxops coccineus coccineus</i>	E	53.20	511,490.64	97.58%
383	Creeper, Hawaii	<i>Oreomystis mana</i>	E	53.20	511,543.84	97.59%
384	Dace, desert	<i>Eremichthys acros</i>	T	53.20	511,597.04	97.60%
385	Poolfish, Pahrump	<i>Empetrichthys latos</i>	E	53.20	511,650.24	97.61%
386	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	T	52.78	511,703.02	97.62%
387	Sucker, June	<i>Chasmistes liorus</i>	E	52.70	511,755.72	97.63%
388	Clubshell, southern	<i>Pleurobema decisum</i>	E	52.55	511,808.27	97.64%
389	Checker-mallow, pedate	<i>Sidalcea pedata</i>	E	52.00	511,860.27	97.65%
390	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	E	51.37	511,911.64	97.66%
391	Gumplant, Ash Meadows	<i>Grindelia fraxino-pratensis</i>	T	51.00	511,962.64	97.67%
392	Sunray, Ash Meadows	<i>Enceliopsis nudicaulis corrugata</i>	T	51.00	512,013.64	97.68%
393	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	E	50.70	512,064.34	97.69%
394	Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	E	50.50	512,114.84	97.70%
395	Akiapola`au	<i>Hemignathus munroi</i>	E	49.20	512,164.04	97.71%
396	Salamander, Sonoran tiger	<i>Ambystoma tigrinum stebbinsi</i>	E	49.10	512,213.14	97.72%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
397	Milkweed, Welsh's	<i>Asclepias welshii</i>	T	48.09	512,261.23	97.73%
398	Turtle, flattened musk	<i>Sternotherus depressus</i>	T	48.00	512,309.23	97.74%
399	Manzanita, lone	<i>Arctostaphylos myrtifolia</i>	T	47.70	512,356.93	97.75%
400	Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	E	47.46	512,404.40	97.75%
401	Duck, Laysan	<i>Anas laysanensis</i>	E	47.00	512,451.40	97.76%
402	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana recurva</i>	E	46.39	512,497.78	97.77%
403	Pitcher-plant, green	<i>Sarracenia oreophila</i>	E	46.10	512,543.88	97.78%
404	Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	T	45.83	512,589.71	97.79%
405	Koki`o	<i>Kokia drynarioides</i>	E	45.75	512,635.46	97.80%
406	Rock-cress, shale barren	<i>Arabis serotina</i>	E	45.55	512,681.02	97.81%
407	Jaguar	<i>Panthera onca</i>	E	45.42	512,726.44	97.82%
408	Pocketbook, speckled	<i>Lampsilis streckeri</i>	E	45.30	512,771.74	97.82%
409	Chub, Hutton tui	<i>Gila bicolor ssp.</i>	T	45.10	512,816.84	97.83%
410	Darter, Niangua	<i>Etheostoma nianguae</i>	T	45.00	512,861.84	97.84%
411	Torreya, Florida	<i>Torreya taxifolia</i>	E	45.00	512,906.84	97.85%
412	Catspaw, white	<i>Epioblasma obliquata perobliqua</i>	E	44.00	512,950.84	97.86%
413	Bird's-beak, soft	<i>Cordylanthus mollis mollis</i>	E	44.00	512,994.84	97.87%
414	Uhiuhi	<i>Caesalpinia kawaiense</i>	E	43.98	513,038.82	97.88%
415	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	E	43.70	513,082.52	97.88%
416	Cactus, Sneed pincushion	<i>Coryphantha sneedii sneedii</i>	E	43.62	513,126.14	97.89%
417	Darter, boulder	<i>Etheostoma wapiti</i>	E	43.50	513,169.64	97.90%
418	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	E	43.20	513,212.84	97.91%
419	Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	E	43.20	513,256.04	97.92%
420	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	E	43.20	513,299.24	97.92%
421	Niterwort, Amargosa	<i>Nitrophila mohavensis</i>	E	43.00	513,342.24	97.93%
422	Ocelot	<i>Leopardus pardalis</i>	E	42.70	513,384.94	97.94%
423	Buckwheat, steamboat	<i>Eriogonum ovalifolium williamsiae</i>	E	42.00	513,426.94	97.95%
424	Mucket, orangenacre	<i>Lampsilis perovalis</i>	T	41.92	513,468.86	97.96%
425	Hawk, Hawaiian	<i>Buteo solitarius</i>	E	41.71	513,510.56	97.97%
426	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	E	41.68	513,552.24	97.97%
427	`aiea	<i>Nothocestrum breviflorum</i>	E	41.35	513,593.59	97.98%
428	Madtom, smoky	<i>Noturus baileyi</i>	E	41.20	513,634.79	97.99%
429	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	E	41.15	513,675.94	98.00%
430	Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	T	41.00	513,716.94	98.00%
431	Blazingstar, Ash Meadows	<i>Mentzelia leucophylla</i>	T	41.00	513,757.94	98.01%
432	Ivesia, Ash Meadows	<i>Ivesia kingii eremica</i>	T	41.00	513,798.94	98.02%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
433	Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>	T	41.00	513,839.94	98.03%
434	Shiner, Cahaba	<i>Notropis cahabae</i>	E	40.86	513,880.80	98.04%
435	Thistle, Suisun	<i>Cirsium hydrophilum hydrophilum</i>	E	40.50	513,921.30	98.04%
436	Clubshell, ovate	<i>Pleurobema perovatum</i>	E	39.75	513,961.06	98.05%
437	Shrimp, California freshwater	<i>Syncaris pacifica</i>	E	39.70	514,000.76	98.06%
438	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	E	39.29	514,040.05	98.07%
439	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	T	38.68	514,078.73	98.07%
440	Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	E	38.00	514,116.73	98.08%
441	Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	E	38.00	514,154.73	98.09%
442	Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>	E	37.83	514,192.56	98.10%
443	Larkspur, San Clemente Island	<i>Delphinium variegatum kinkiense</i>	E	37.83	514,230.40	98.10%
444	Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>	E	37.83	514,268.23	98.11%
445	Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>	E	37.83	514,306.06	98.12%
446	Milkweed, Mead's	<i>Asclepias meadii</i>	T	37.50	514,343.56	98.12%
447	Manzanita, Del Mar	<i>Arctostaphylos glandulosa crassifolia</i>	E	37.23	514,380.79	98.13%
448	Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	E	36.71	514,417.49	98.14%
449	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	T	36.50	514,453.99	98.15%
450	Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	E	36.00	514,489.99	98.15%
451	Crocodile, American	<i>Crocodylus acutus</i>	E	35.64	514,525.63	98.16%
452	Hala pepe	<i>Pleomele hawaiiensis</i>	E	35.63	514,561.25	98.17%
453	Darter, fountain	<i>Etheostoma fonticola</i>	E	35.40	514,596.65	98.17%
454	Frankenia, Johnston's	<i>Frankenia johnstonii</i>	E	35.00	514,631.65	98.18%
455	Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	E	35.00	514,666.65	98.19%
456	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	E	34.55	514,701.20	98.19%
457	Cavefish, Ozark	<i>Amblyopsis rosae</i>	T	34.40	514,735.60	98.20%
458	Spinymussel, James	<i>Pleurobema collina</i>	E	33.79	514,769.39	98.21%
459	Dropwort, Canby's	<i>Oxypolis canbyi</i>	E	33.71	514,803.10	98.21%
460	Nanu	<i>Gardenia mannii</i>	E	33.68	514,836.78	98.22%
461	Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	E	33.50	514,870.28	98.22%
462	No common name	<i>Hesperomannia arborescens</i>	E	33.43	514,903.70	98.23%
463	No common name	<i>Silene hawaiiensis</i>	T	33.30	514,937.00	98.24%
464	Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	E	33.00	514,970.00	98.24%
465	Phlox, Texas trailing	<i>Phlox nivalis texensis</i>	E	32.90	515,002.90	98.25%
466	Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>	T	32.38	515,035.28	98.26%
467	Cactus, Unita Basin hookless	<i>Sclerocactus glaucus</i>	T	32.20	515,067.48	98.26%
468	Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>	E	32.10	515,099.58	98.27%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
469	Monarch, Tinian	<i>Monarcha takatsukasae</i>	T	32.00	515,131.58	98.27%
470	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	E	31.89	515,163.46	98.28%
471	Grass, California Orcutt	<i>Orcuttia californica</i>	E	31.65	515,195.11	98.29%
472	Elktoe, Appalachian	<i>Alasmodonta raveneliana</i>	E	31.60	515,226.72	98.29%
473	Haha	<i>Cyanea koolauensis</i>	E	31.55	515,258.27	98.30%
474	No common name	<i>Phyllostegia hirsuta</i>	E	31.55	515,289.82	98.30%
475	`ohe`ohe	<i>Tetraplasandra gymnocarpa</i>	E	31.55	515,321.37	98.31%
476	Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	T	31.54	515,352.91	98.32%
477	Lizard, Island night	<i>Xantusia riversiana</i>	T	31.00	515,383.91	98.32%
478	Iguana, Mona ground	<i>Cyclura stejnegeri</i>	T	30.80	515,414.71	98.33%
479	Pearlymussel, littlewing	<i>Pegias fabula</i>	E	30.46	515,445.17	98.33%
480	Tarplant, Otay	<i>Hemizonia conjugens</i>	T	30.35	515,475.52	98.34%
481	Chub, spotfin	<i>Cyprinella monacha</i>	T	30.26	515,505.77	98.35%
482	Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	E	30.00	515,535.77	98.35%
483	Poppy, Sacramento prickly	<i>Argemone pleiacantha pinnatisecta</i>	E	30.00	515,565.77	98.36%
484	Alani	<i>Melicope reflexa</i>	E	29.88	515,595.65	98.36%
485	Harperella	<i>Ptilimnium nodosum</i>	E	29.85	515,625.50	98.37%
486	Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	E	29.61	515,655.10	98.37%
487	Madtom, yellowfin	<i>Noturus flavipinnis</i>	T	29.20	515,684.30	98.38%
488	Darter, snail	<i>Percina tanasi</i>	T	28.91	515,713.21	98.39%
489	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	E	28.50	515,741.71	98.39%
490	Salamander, desert slender	<i>Batrachoseps aridus</i>	E	28.20	515,769.91	98.40%
491	Orcutt grass, slender	<i>Orcuttia tenuis</i>	T	28.20	515,798.11	98.40%
492	Pennyroyal, Todsen's	<i>Hedeoma todsenii</i>	E	28.00	515,826.11	98.41%
493	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	E	28.00	515,854.11	98.41%
494	Dace, blackside	<i>Phoxinus cumberlandensis</i>	T	27.95	515,882.06	98.42%
495	Wawae`iole	<i>Huperzia mannii</i>	E	27.45	515,909.51	98.42%
496	Bladderpod, white	<i>Lesquerella pallida</i>	E	27.20	515,936.71	98.43%
497	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	T	27.14	515,963.86	98.43%
498	Kauila	<i>Colubrina oppositifolia</i>	E	27.13	515,990.98	98.44%
499	Ohai	<i>Sesbania tomentosa</i>	E	27.00	516,017.98	98.44%
500	Barberry, Nevin's	<i>Berberis nevinii</i>	E	26.79	516,044.77	98.45%
501	Darter, duskytail	<i>Etheostoma percnurum</i>	E	26.50	516,071.27	98.45%
502	Spineflower, slender-horned	<i>Dodecahema leptoceras</i>	E	26.46	516,097.73	98.46%
503	Goldfields, Burke's	<i>Lasthenia burkei</i>	E	26.10	516,123.83	98.46%
504	Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>	E	26.10	516,149.93	98.47%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
505	Sunshine, Sonoma	<i>Blennosperma bakeri</i>	E	26.10	516,176.03	98.47%
506	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	E	26.07	516,202.10	98.48%
507	Rosemary, Cumberland	<i>Conradina verticillata</i>	T	26.00	516,228.10	98.48%
508	Warbler, nightingale reed	<i>Acrocephalus luscini</i>	E	25.93	516,254.02	98.49%
509	Pocketbook, finelined	<i>Lampsilis altilis</i>	T	25.83	516,279.85	98.49%
510	Butterweed, Layne's	<i>Senecio layneae</i>	T	25.70	516,305.55	98.50%
511	Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	T	25.54	516,331.09	98.50%
512	Monkeyface, Cumberland	<i>Quadrula intermedia</i>	E	25.48	516,356.57	98.51%
513	Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>	E	25.20	516,381.77	98.51%
514	Dace, Fosskett speckled	<i>Rhinichthys osculus ssp.</i>	T	25.10	516,406.87	98.52%
515	Haha	<i>Cyanea acuminata</i>	E	25.05	516,431.92	98.52%
516	No common name	<i>Viola oahuensis</i>	E	25.05	516,456.97	98.53%
517	No common name	<i>Sanicula purpurea</i>	E	25.05	516,482.02	98.53%
518	Onion, Munz's	<i>Allium munzii</i>	E	25.05	516,507.07	98.54%
519	No common name	<i>Pteris lidgatei</i>	E	25.05	516,532.12	98.54%
520	Pearlymussel, birdwing	<i>Conradilla caelata</i>	E	25.00	516,557.12	98.55%
521	Crownbeard, big-leaved	<i>Verbesina dissita</i>	T	24.85	516,581.97	98.55%
522	Mussel, oyster	<i>Epioblasma capsaeformis</i>	E	24.85	516,606.81	98.56%
523	Fanshell	<i>Cyprogenia stegaria</i>	E	24.70	516,631.51	98.56%
524	Bankclimber, purple	<i>Elliptioideus sloatianus</i>	T	24.61	516,656.12	98.57%
525	Silversword, Mauna Kea	<i>Argyroxiphium sandwicense sandwicense</i>	E	24.58	516,680.69	98.57%
526	Whipsnake, Alameda	<i>Masticophis lateralis euryxanthus</i>	T	24.50	516,705.19	98.57%
527	Alopecurus, Sonoma	<i>Alopecurus aequalis sonomensis</i>	E	24.50	516,729.69	98.58%
528	Riffleshell, tan	<i>Epioblasma florentina walkeri</i>	E	24.29	516,753.99	98.58%
529	Skullcap, large-flowered	<i>Scutellaria montana</i>	E	24.20	516,778.19	98.59%
530	Milk-vetch, triple-ribbed	<i>Astragalus tricarlinatus</i>	E	24.10	516,802.29	98.59%
531	Pigtoe, heavy	<i>Pleurobema taitianum</i>	E	24.07	516,826.36	98.60%
532	Pigtoe, southern	<i>Pleurobema georgianum</i>	E	24.00	516,850.36	98.60%
533	Milk-vetch, Peirson's	<i>Astragalus magdalenae peirsonii</i>	T	24.00	516,874.36	98.61%
534	Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	E	23.88	516,898.24	98.61%
535	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	T	23.87	516,922.11	98.62%
536	Woolly-star, Santa Ana River	<i>Eriastrum densifolium sanctorum</i>	E	23.79	516,945.90	98.62%
537	No common name	<i>Vigna o-wahuensis</i>	E	23.63	516,969.52	98.63%
538	`oha wai	<i>Clermontia lindseyana</i>	E	23.63	516,993.15	98.63%
539	Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	E	23.50	517,016.65	98.63%
540	Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	E	23.50	517,040.15	98.64%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
541	Monardella, willow	<i>Monardella linoides viminea</i>	E	23.38	517,063.52	98.64%
542	Bean, Cumberland	<i>Villosa trabalis</i>	E	23.24	517,086.76	98.65%
543	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	E	23.00	517,109.76	98.65%
544	Shiner, blue	<i>Cyprinella caerulea</i>	T	22.99	517,132.75	98.66%
545	Baccharis, Encinitas	<i>Baccharis vanessae</i>	T	22.60	517,155.35	98.66%
546	Penstemon, blowout	<i>Penstemon haydenii</i>	E	22.50	517,177.85	98.66%
547	Haha	<i>Cyanea hamatiflora carlsonii</i>	E	22.20	517,200.05	98.67%
548	Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus coachellae</i>	E	22.10	517,222.15	98.67%
549	Cactus, Siler pincushion	<i>Pediocactus sileri</i>	T	22.03	517,244.18	98.68%
550	Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	E	22.00	517,266.18	98.68%
551	Bluecurls, Hidden Lake	<i>Trichostema austromontanum compactum</i>	T	22.00	517,288.18	98.69%
552	Ceanothus, Vail Lake	<i>Ceanothus ophiocylus</i>	T	22.00	517,310.18	98.69%
553	Crownscale, San Jacinto Valley	<i>Atriplex coronata notatior</i>	E	22.00	517,332.18	98.69%
554	Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>	E	22.00	517,354.18	98.70%
555	Liveforever, Laguna Beach	<i>Dudleya stolonifera</i>	T	22.00	517,376.18	98.70%
556	Mesa-mint, Otay	<i>Pogogyne nudiuscula</i>	E	22.00	517,398.18	98.71%
557	Mountain-mahogany, Catalina Island	<i>Cercocarpus traskiae</i>	E	22.00	517,420.18	98.71%
558	Oxytheca, cushenbury	<i>Oxytheca parishii goodmaniana</i>	E	22.00	517,442.18	98.72%
559	Haha	<i>Cyanea shipmannii</i>	E	21.93	517,464.11	98.72%
560	`oha wai	<i>Clermontia pyralaria</i>	E	21.88	517,485.98	98.72%
561	Prairie-clover, leafy	<i>Dalea foliosa</i>	E	21.80	517,507.78	98.73%
562	Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	T	21.69	517,529.47	98.73%
563	Vetch, Hawaiian	<i>Vicia menziesii</i>	E	21.58	517,551.05	98.74%
564	Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	E	21.50	517,572.55	98.74%
565	Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	E	21.50	517,594.05	98.74%
566	Clarkia, Springville	<i>Clarkia springvillensis</i>	T	21.50	517,615.55	98.75%
567	Mallow, Kern	<i>Eremalche kernensis</i>	E	21.50	517,637.05	98.75%
568	Wireweed	<i>Polygonella basiramia</i>	E	21.48	517,658.53	98.76%
569	Pearlymussel, dromedary	<i>Dromus dromas</i>	E	21.48	517,680.01	98.76%
570	Cactus, Winkler	<i>Pediocactus winkleri</i>	T	21.20	517,701.21	98.76%
571	Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	E	21.20	517,722.41	98.77%
572	Wooly-threads, San Joaquin	<i>Lembertia congdonii</i>	E	21.19	517,743.60	98.77%
573	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	E	21.14	517,764.74	98.78%
574	Kiponapona	<i>Phyllostegia racemosa</i>	E	21.13	517,785.87	98.78%
575	Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	E	21.00	517,806.87	98.78%
576	Woolly-star, Hoover's	<i>Eriastrum hooveri</i>	T	21.00	517,827.87	98.79%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
577	Plum, scrub	<i>Prunus geniculata</i>	E	20.68	517,848.55	98.79%
578	Popolo ku mai	<i>Solanum incompletum</i>	E	20.56	517,869.11	98.80%
579	No common name	<i>Geocarpon minimum</i>	T	20.40	517,889.51	98.80%
580	Nioi	<i>Eugenia koolauensis</i>	E	20.38	517,909.89	98.80%
581	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	E	20.30	517,930.19	98.81%
582	No common name	<i>Alsinidendron trinerve</i>	E	20.23	517,950.41	98.81%
583	Darter, bluemask	<i>Etheostoma sp.</i>	E	20.00	517,970.41	98.82%
584	Three-ridge, fat	<i>Amblema neislerii</i>	E	20.00	517,990.41	98.82%
585	Snail, armored	<i>Pyrgulopsis pachyta</i>	E	20.00	518,010.41	98.82%
586	Crayfish, Nashville	<i>Orconectes shoupi</i>	E	20.00	518,030.41	98.83%
587	Spurge, deltoid	<i>Chamaesyce deltoidea deltoidea</i>	E	20.00	518,050.41	98.83%
588	Haha	<i>Cyanea crispa</i>	E	19.58	518,069.99	98.84%
589	Ha`iwale	<i>Cyrtandra viridiflora</i>	E	19.58	518,089.56	98.84%
590	Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	E	19.50	518,109.06	98.84%
591	Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>	E	19.50	518,128.56	98.85%
592	`akoko	<i>Euphorbia haeleeleana</i>	E	19.43	518,147.99	98.85%
593	Haha	<i>Cyanea grimesiana grimesiana</i>	E	19.35	518,167.34	98.85%
594	Ha`iwale	<i>Cyrtandra subumbellata</i>	E	19.35	518,186.69	98.86%
595	No common name	<i>Lobelia gaudichaudii koolauensis</i>	E	19.35	518,206.04	98.86%
596	No common name	<i>Phyllostegia kaalaensis</i>	E	19.35	518,225.39	98.86%
597	Aster, Florida golden	<i>Chrysopsis floridana</i>	E	19.19	518,244.58	98.87%
598	Turtle, ringed map	<i>Graptemys oculifera</i>	T	19.08	518,263.66	98.87%
599	Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri kuenzleri</i>	E	19.06	518,282.71	98.88%
600	Haha	<i>Cyanea st-johnii</i>	E	18.95	518,301.66	98.88%
601	Pearlymussel, white wartyback	<i>Plethobasus cicatricosus</i>	E	18.92	518,320.58	98.88%
602	Gambusia, Big Bend	<i>Gambusia gaigei</i>	E	18.90	518,339.48	98.89%
603	Aupaka	<i>Isodendron laurifolium</i>	E	18.55	518,358.03	98.89%
604	Butterfly, lotis blue	<i>Lycaeides argyrognomon lotis</i>	E	18.50	518,376.53	98.89%
605	Evening-primrose, Antioch Dunes	<i>Oenothera deltoides howellii</i>	E	18.50	518,395.03	98.90%
606	No common name	<i>Neraudia sericea</i>	E	18.50	518,413.53	98.90%
607	Spineflower, Sonoma	<i>Chorizanthe valida</i>	E	18.50	518,432.03	98.90%
608	Spinymussel, Tar River	<i>Elliptio steinstansana</i>	E	18.30	518,450.33	98.91%
609	Ko`oloa`ula	<i>Abutilon menziesii</i>	E	18.23	518,468.56	98.91%
610	Daisy, Maguire	<i>Erigeron maguirei</i>	T	18.20	518,486.76	98.91%
611	No common name	<i>Abutilon sandwicense</i>	E	18.10	518,504.86	98.92%
612	No common name	<i>Phyllostegia mollis</i>	E	18.10	518,522.96	98.92%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
613	Opuhe	<i>Urera kaalae</i>	E	18.10	518,541.06	98.92%
614	Chub, Sonora	<i>Gila ditaenia</i>	T	18.00	518,559.06	98.93%
615	Campion, fringed	<i>Silene polypetala</i>	E	18.00	518,577.06	98.93%
616	Prickly-apple, fragrant	<i>Cereus eriophorus fragrans</i>	E	18.00	518,595.06	98.94%
617	Gardenia, Hawaiian	<i>Gardenia brighamii</i>	E	17.88	518,612.93	98.94%
618	Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	E	17.80	518,630.73	98.94%
619	Diellia, asplenium-leaved	<i>Diellia erecta</i>	E	17.80	518,648.53	98.95%
620	Ma`oli`oli	<i>Schiedea apokremnos</i>	E	17.70	518,666.23	98.95%
621	Pink, swamp	<i>Helonias bullata</i>	T	17.65	518,683.88	98.95%
622	Ring pink	<i>Obovaria retusa</i>	E	17.62	518,701.51	98.96%
623	Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	E	17.58	518,719.09	98.96%
624	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	E	17.53	518,736.61	98.96%
625	Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>	E	17.50	518,754.11	98.97%
626	Layia, beach	<i>Layia carnosa</i>	E	17.50	518,771.61	98.97%
627	No common name	<i>Phyllostegia parviflora</i>	E	17.50	518,789.11	98.97%
628	No common name	<i>Temstroemia subsessilis</i>	E	17.50	518,806.61	98.98%
629	Snail, tulotoma	<i>Tulotoma magnifica</i>	E	17.39	518,824.00	98.98%
630	Alani	<i>Melicope pallida</i>	E	17.30	518,841.30	98.98%
631	Aupaka	<i>Isodendron longifolium</i>	T	17.30	518,858.60	98.99%
632	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	E	17.30	518,875.90	98.99%
633	Heau	<i>Exocarpos luteolus</i>	E	17.30	518,893.20	98.99%
634	Iliau, dwarf	<i>Wilkesia hobbdi</i>	E	17.30	518,910.50	99.00%
635	Koki`o, (=Kaua`i koki`o)	<i>Kokia kauaiensis</i>	E	17.30	518,927.80	99.00%
636	Kolea	<i>Myrsine linearifolia</i>	T	17.30	518,945.10	99.00%
637	Kuawawaenohu	<i>Alsinidendron lychnoides</i>	E	17.30	518,962.40	99.01%
638	Nehe	<i>Lipochaeta fauriei</i>	E	17.30	518,979.70	99.01%
639	Nehe	<i>Lipochaeta waimeaensis</i>	E	17.30	518,997.00	99.01%
640	No common name	<i>Schiedea membranacea</i>	E	17.30	519,014.30	99.02%
641	No common name	<i>Remya kauaiensis</i>	E	17.30	519,031.60	99.02%
642	No common name	<i>Alsinidendron viscosum</i>	E	17.30	519,048.90	99.02%
643	Ischaemum, Hilo	<i>Ischaemum byrone</i>	E	17.23	519,066.13	99.03%
644	A`e	<i>Zanthoxylum hawaiiense</i>	E	17.13	519,083.25	99.03%
645	Chub, Chihuahua	<i>Gila nigrescens</i>	T	17.00	519,100.25	99.03%
646	Chub, slender	<i>Erimystax cahni</i>	T	16.80	519,117.05	99.03%
647	Alani	<i>Melicope adscendens</i>	E	16.63	519,133.68	99.04%
648	Alani	<i>Melicope mucronulata</i>	E	16.63	519,150.30	99.04%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
649	Orcutt grass, Greene's	<i>Tuctoria greenei</i>	E	16.50	519,166.80	99.04%
650	Thornmint, San Mateo	<i>Acanthomintha obovata duttonii</i>	E	16.50	519,183.30	99.05%
651	Wallflower, Contra Costa	<i>Erysimum capitatum angustatum</i>	E	16.50	519,199.80	99.05%
652	No common name	<i>Diplazium molokaiense</i>	E	16.25	519,216.05	99.05%
653	Koki`o, (=Cooke's koki`o)	<i>Kokia cookei</i>	E	16.18	519,232.23	99.06%
654	Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	T	16.01	519,248.24	99.06%
655	`akoko	<i>Chamaesyce halemanui</i>	E	16.00	519,264.24	99.06%
656	Alani	<i>Melicope knudsenii</i>	E	16.00	519,280.24	99.07%
657	Aster, Ruth's golden	<i>Pityopsis ruthii</i>	E	16.00	519,296.24	99.07%
658	`awikiwiki	<i>Canavalia molokaiensis</i>	E	16.00	519,312.24	99.07%
659	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	T	16.00	519,328.24	99.08%
660	No common name	<i>Gouania meyenii</i>	E	16.00	519,344.24	99.08%
661	Sandalwood, Lanai or `iliahi	<i>Santalum freycinetianum lanaiense</i>	E	16.00	519,360.24	99.08%
662	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	E	15.89	519,376.13	99.08%
663	Alani	<i>Melicope lydgatei</i>	E	15.75	519,391.88	99.09%
664	Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	E	15.75	519,407.63	99.09%
665	Lo`ulu	<i>Pritchardia schattaueri</i>	E	15.75	519,423.38	99.09%
666	No common name	<i>Neraudia ovata</i>	E	15.75	519,439.13	99.10%
667	No common name	<i>Gouania vitifolia</i>	E	15.75	519,454.88	99.10%
668	Amphianthus, little	<i>Amphianthus pusillus</i>	T	15.72	519,470.59	99.10%
669	Oha	<i>Delissea subcordata</i>	E	15.70	519,486.29	99.11%
670	Orcutt grass, hairy	<i>Orcuttia pilosa</i>	E	15.70	519,501.99	99.11%
671	Orcutt grass, Sacramento	<i>Orcuttia viscida</i>	E	15.70	519,517.69	99.11%
672	Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	T	15.70	519,533.39	99.11%
673	Townsendia, Last Chance	<i>Townsendia aprica</i>	T	15.70	519,549.09	99.12%
674	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	E	15.68	519,564.77	99.12%
675	Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	E	15.50	519,580.27	99.12%
676	Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	T	15.50	519,595.77	99.13%
677	Beetle, delta green ground	<i>Elaphrus viridis</i>	T	15.50	519,611.27	99.13%
678	Clover, showy Indian	<i>Trifolium amoenum</i>	E	15.50	519,626.77	99.13%
679	Larkspur, Baker's	<i>Delphinium bakeri</i>	E	15.50	519,642.27	99.13%
680	Paintbrush, Tiburon	<i>Castilleja affinis neglecta</i>	E	15.50	519,657.77	99.14%
681	Bean, purple	<i>Villosa perpurpurea</i>	E	15.48	519,673.24	99.14%
682	Lizard, St. Croix ground	<i>Ameiva polops</i>	E	15.30	519,688.54	99.14%
683	Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	E	15.30	519,703.84	99.15%
684	Awiwi	<i>Centaurium sebaeoides</i>	E	15.23	519,719.07	99.15%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
685	Lo`ulu	<i>Pritchardia affinis</i>	E	15.13	519,734.19	99.15%
686	Po`e	<i>Portulaca sclerocarpa</i>	E	15.13	519,749.32	99.16%
687	Wawae`iole, (=ha`iwale)	<i>Phlegmariurus nutans</i>	E	15.13	519,764.44	99.16%
688	Pigtoe, shiny	<i>Fusconaia cor</i>	E	15.10	519,779.54	99.16%
689	No common name	<i>Poa siphonoglossa</i>	E	15.00	519,794.54	99.16%
690	Pinkroot, gentian	<i>Spigelia gentianoides</i>	E	15.00	519,809.54	99.17%
691	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	E	15.00	519,824.54	99.17%
692	Rosemary, Apalachicola	<i>Conradina glabra</i>	E	15.00	519,839.54	99.17%
693	Panicgrass, Carter's	<i>Panicum fauriei carteri</i>	E	14.98	519,854.52	99.18%
694	Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	E	14.90	519,869.42	99.18%
695	Potato-bean, Price's	<i>Apios priceana</i>	T	14.80	519,884.22	99.18%
696	Haha	<i>Cyanea grimesiana obatae</i>	E	14.75	519,898.97	99.18%
697	No common name	<i>Mariscus pennatifomis</i>	E	14.75	519,913.72	99.19%
698	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	T	14.64	519,928.36	99.19%
699	No common name	<i>Phyllostegia mannii</i>	E	14.60	519,942.96	99.19%
700	Pearlymussel, cracking	<i>Hemistena lata</i>	E	14.58	519,957.54	99.20%
701	Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	E	14.50	519,972.04	99.20%
702	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	E	14.50	519,986.54	99.20%
703	Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	E	14.50	520,001.04	99.20%
704	Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	E	14.50	520,015.54	99.21%
705	Allocarya, Calistoga	<i>Plagiobothrys strictus</i>	E	14.50	520,030.04	99.21%
706	Haha	<i>Cyanea truncata</i>	E	14.50	520,044.54	99.21%
707	Ha`iwale	<i>Cyrtandra polyantha</i>	E	14.50	520,059.04	99.21%
708	Larkspur, yellow	<i>Delphinium luteum</i>	E	14.50	520,073.54	99.22%
709	No common name	<i>Silene perlmanii</i>	E	14.50	520,088.04	99.22%
710	Popolo `aiakeakua	<i>Solanum sandwicense</i>	E	14.50	520,102.54	99.22%
711	Crayfish, cave	<i>Cambarus zophonastes</i>	E	14.30	520,116.84	99.23%
712	`akoko	<i>Chamaesyce celastroides kaenana</i>	E	14.13	520,130.96	99.23%
713	Alani	<i>Melicope zahlbruckneri</i>	E	14.13	520,145.09	99.23%
714	Chaff-flower, round-leaved	<i>Achyranthes splendens rotundata</i>	E	14.13	520,159.21	99.23%
715	Ma`oli`oli	<i>Schiedea kealiae</i>	E	14.13	520,173.34	99.24%
716	No common name	<i>Schiedea kaalae</i>	E	14.13	520,187.46	99.24%
717	No common name	<i>Hesperomannia arbuscula</i>	E	14.13	520,201.59	99.24%
718	Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	T	14.02	520,215.61	99.24%
719	Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	E	14.00	520,229.61	99.25%
720	Crayfish, cave	<i>Cambarus aculabrum</i>	E	14.00	520,243.61	99.25%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
721	Goldenrod, Short's	<i>Solidago shortii</i>	E	14.00	520,257.61	99.25%
722	Goldenrod, white-haired	<i>Solidago albopilosa</i>	T	14.00	520,271.61	99.26%
723	Oha	<i>Delissea undulata</i>	E	14.00	520,285.61	99.26%
724	Pau`ala, (=alulu)	<i>Brighamia rockii</i>	E	14.00	520,299.61	99.26%
725	Haha	<i>Cyanea stictophylla</i>	E	13.93	520,313.53	99.26%
726	Kio`ele	<i>Hedyotis coriacea</i>	E	13.93	520,327.46	99.27%
727	Cactus, Knowlton	<i>Pediocactus knowltonii</i>	E	13.92	520,341.38	99.27%
728	`akoko	<i>Chamaesyce deppeana</i>	E	13.88	520,355.25	99.27%
729	`akoko, Ewa Plains	<i>Chamaesyce skottsbergii kalaeloana</i>	E	13.88	520,369.13	99.27%
730	Ha`iwale	<i>Cyrtandra crenata</i>	E	13.88	520,383.00	99.28%
731	Kamakahala	<i>Labordia cyrtandrae</i>	E	13.88	520,396.88	99.28%
732	No common name	<i>Lobelia monostachya</i>	E	13.88	520,410.75	99.28%
733	No common name	<i>Tetramolopium lepidotum lepidotum</i>	E	13.88	520,424.63	99.28%
734	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	E	13.88	520,438.50	99.29%
735	Ihi`ihi	<i>Marsilea villosa</i>	E	13.88	520,452.38	99.29%
736	Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	T	13.86	520,466.24	99.29%
737	Haha	<i>Cyanea copelandii copelandii</i>	E	13.75	520,479.99	99.29%
738	Haha	<i>Cyanea platyphylla</i>	E	13.75	520,493.74	99.30%
739	Ha`iwale	<i>Cyrtandra tintinnabula</i>	E	13.75	520,507.49	99.30%
740	Holei	<i>Ochrosia kilaueaensis</i>	E	13.75	520,521.24	99.30%
741	No common name	<i>Achyranthes mutica</i>	E	13.75	520,534.99	99.31%
742	No common name	<i>Phyllostegia warshaueri</i>	E	13.75	520,548.74	99.31%
743	No common name	<i>Phyllostegia velutina</i>	E	13.75	520,562.49	99.31%
744	`oha wai	<i>Clermontia peleana</i>	E	13.75	520,576.24	99.31%
745	Cactus, Bakersfield	<i>Opuntia treleasei</i>	E	13.69	520,589.93	99.32%
746	Haha	<i>Cyanea longiflora</i>	E	13.58	520,603.51	99.32%
747	Madtom, pygmy	<i>Noturus stanauli</i>	E	13.50	520,617.01	99.32%
748	Kidneyshell, triangular	<i>Ptychobranhus greeni</i>	E	13.50	520,630.51	99.32%
749	Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	E	13.50	520,644.01	99.33%
750	Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	E	13.50	520,657.51	99.33%
751	A`e	<i>Zanthoxylum dipetalum tomentosum</i>	E	13.50	520,671.01	99.33%
752	Barberry, Truckee	<i>Berberis sonnei</i>	E	13.50	520,684.51	99.33%
753	Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	E	13.50	520,698.01	99.34%
754	Bird's-beak, Pennell's	<i>Cordylanthus tenuis capillaris</i>	E	13.50	520,711.51	99.34%
755	Bluegrass, Napa	<i>Poa napensis</i>	E	13.50	520,725.01	99.34%
756	Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>	T	13.50	520,738.51	99.34%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
757	Ceanothus, coyote	<i>Ceanothus ferrisiae</i>	E	13.50	520,752.01	99.35%
758	Checker-mallow, Kenwood Marsh	<i>Sidalcea oregana valida</i>	E	13.50	520,765.51	99.35%
759	Clarkia, Presidio	<i>Clarkia franciscana</i>	E	13.50	520,779.01	99.35%
760	Clarkia, Vine Hill	<i>Clarkia imbricata</i>	E	13.50	520,792.51	99.35%
761	Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>	E	13.50	520,806.01	99.36%
762	Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	T	13.50	520,819.51	99.36%
763	Grass, Colusa	<i>Neostapfia colusana</i>	T	13.50	520,833.01	99.36%
764	Grass, Solano	<i>Tuctoria mucronata</i>	E	13.50	520,846.51	99.36%
765	Jewelflower, Metcalf Canyon	<i>Streptanthus albidus albidus</i>	E	13.50	520,860.01	99.37%
766	Jewelflower, Tiburon	<i>Streptanthus niger</i>	E	13.50	520,873.51	99.37%
767	Lessingia, San Francisco	<i>Lessingia germanorum</i>	E	13.50	520,887.01	99.37%
768	Lily, Pitkin Marsh	<i>Lilium pardalinum pitkinense</i>	E	13.50	520,900.51	99.37%
769	Manzanita, pallid	<i>Arctostaphylos pallida</i>	T	13.50	520,914.01	99.38%
770	Manzanita, Presidio	<i>Arctostaphylos hookeri ravenii</i>	E	13.50	520,927.51	99.38%
771	Mariposa lily, Tiburon	<i>Calochortus tiburonensis</i>	T	13.50	520,941.01	99.38%
772	Meadowfoam, Butte County	<i>Limnanthes floccosa californica</i>	E	13.50	520,954.51	99.39%
773	Milk-vetch, Clara Hunt's	<i>Astragalus clarianus</i>	E	13.50	520,968.01	99.39%
774	Navarretia, few-flowered	<i>Navarretia leucocephala pauciflora</i>	E	13.50	520,981.51	99.39%
775	Navarretia, many-flowered	<i>Navarretia leucocephala plieantha</i>	E	13.50	520,995.01	99.39%
776	Owl's-clover, fleshy	<i>Castilleja campestris succulenta</i>	T	13.50	521,008.51	99.40%
777	Pussypaws, Mariposa	<i>Calyptidium pulchellum</i>	T	13.50	521,022.01	99.40%
778	Sedge, white	<i>Carex albida</i>	E	13.50	521,035.51	99.40%
779	Spineflower, Howell's	<i>Chorizanthe howellii</i>	E	13.50	521,049.01	99.40%
780	Spurge, Hoover's	<i>Chamaesyce hooveri</i>	T	13.50	521,062.51	99.41%
781	Stonecrop, Lake County	<i>Parvisedum leiocarpum</i>	E	13.50	521,076.01	99.41%
782	Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>	T	13.50	521,089.51	99.41%
783	Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>	E	13.50	521,103.01	99.41%
784	Thistle, fountain	<i>Cirsium fontinale fontinale</i>	E	13.50	521,116.51	99.42%
785	Thistle, Loch Lomond coyote	<i>Eryngium constancei</i>	E	13.50	521,130.01	99.42%
786	Vervain, Red Hills	<i>Verbena californica</i>	T	13.50	521,143.51	99.42%
787	Darter, relict	<i>Etheostoma chienense</i>	E	13.49	521,157.00	99.42%
788	Honohono	<i>Haplostachys haplostachya</i>	E	13.30	521,170.30	99.43%
789	No common name	<i>Stenogyne angustifolia angustifolia</i>	E	13.30	521,183.60	99.43%
790	Rush-pea, slender	<i>Hoffmannseggia tenella</i>	E	13.30	521,196.90	99.43%
791	`akoko	<i>Chamaesyce rockii</i>	E	13.25	521,210.15	99.43%
792	Alani	<i>Melicope saint-johnii</i>	E	13.25	521,223.40	99.44%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
793	Haha	<i>Cyanea humboldtiana</i>	E	13.25	521,236.65	99.44%
794	Kolea	<i>Myrsine juddii</i>	E	13.25	521,249.90	99.44%
795	No common name	<i>Trematolobelia singularis</i>	E	13.25	521,263.15	99.44%
796	Pu`uka`a	<i>Cyperus trachysanthos</i>	E	13.25	521,276.40	99.45%
797	Toad, Wyoming	<i>Bufo hemiophrys baxteri</i>	E	13.18	521,289.57	99.45%
798	No common name	<i>Phyllostegia knudsenii</i>	E	13.18	521,302.75	99.45%
799	`anunu	<i>Sicyos alba</i>	E	13.13	521,315.87	99.45%
800	Aupaka	<i>Isodendrion hosakae</i>	E	13.13	521,329.00	99.46%
801	Awiwi	<i>Hedyotis cookiana</i>	E	13.13	521,342.12	99.46%
802	Ha`iwale	<i>Cyrtandra giffardii</i>	E	13.13	521,355.25	99.46%
803	Nehe	<i>Lipochaeta venosa</i>	E	13.13	521,368.37	99.46%
804	No common name	<i>Tetramolopium arenarium</i>	E	13.13	521,381.50	99.47%
805	No common name	<i>Mariscus fauriei</i>	E	13.13	521,394.62	99.47%
806	`oha wai	<i>Clermontia drepanomorpha</i>	E	13.13	521,407.75	99.47%
807	Fern, pendant kihi	<i>Adenophorus periens</i>	E	13.13	521,420.87	99.47%
808	Makou	<i>Peucedanum sandwicense</i>	T	13.10	521,433.97	99.48%
809	Naupaka, dwarf	<i>Scaevola coriacea</i>	E	13.10	521,447.07	99.48%
810	No common name	<i>Gouania hillebrandii</i>	E	13.10	521,460.17	99.48%
811	Finch, Laysan	<i>Telespyza cantans</i>	E	13.00	521,473.17	99.48%
812	Amphipod, Hay's Spring	<i>Stygobromus hayi</i>	E	13.00	521,486.17	99.49%
813	Beauty, Harper's	<i>Harperocallis flava</i>	E	13.00	521,499.17	99.49%
814	Birds-in-a-nest, white	<i>Macbridea alba</i>	T	13.00	521,512.17	99.49%
815	Spider, Kauai cave wolf or pe'e pe'e maka 'ole	<i>Adelocosa anops</i>	E	12.86	521,525.03	99.49%
816	Leather flower, Alabama	<i>Clematis socialis</i>	E	12.80	521,537.83	99.50%
817	Oha	<i>Delissea rhytidosperma</i>	E	12.75	521,550.58	99.50%
818	Alani	<i>Melicope quadrangularis</i>	E	12.63	521,563.21	99.50%
819	Alani	<i>Melicope haupuensis</i>	E	12.63	521,575.83	99.50%
820	Haha	<i>Cyanea undulata</i>	E	12.63	521,588.46	99.51%
821	Haha	<i>Cyanea procera</i>	E	12.63	521,601.08	99.51%
822	Haha	<i>Cyanea dunbarii</i>	E	12.63	521,613.71	99.51%
823	Haha	<i>Cyanea asarifolia</i>	E	12.63	521,626.33	99.51%
824	Haha	<i>Cyanea copelandii haleakalaensis</i>	E	12.63	521,638.96	99.52%
825	Haha	<i>Cyanea macrostegia gibsonii</i>	E	12.63	521,651.58	99.52%
826	Haha	<i>Cyanea pinnatifida</i>	E	12.63	521,664.21	99.52%
827	Ha`iwale	<i>Cyrtandra munroi</i>	E	12.63	521,676.83	99.52%
828	Hau kuahiwi	<i>Hibiscadelphus woodii</i>	E	12.63	521,689.46	99.53%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
829	Hibiscus, Clay's	<i>Hibiscus clayi</i>	E	12.63	521,702.08	99.53%
830	Kamakahala	<i>Labordia triflora</i>	E	12.63	521,714.71	99.53%
831	Kamakahala	<i>Labordia tinifolia wahiawaensis</i>	E	12.63	521,727.33	99.53%
832	Kamakahala	<i>Labordia lydgatei</i>	E	12.63	521,739.96	99.54%
833	Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>	E	12.63	521,752.58	99.54%
834	Kopa	<i>Hedyotis schlechtendahlia remyi</i>	E	12.63	521,765.21	99.54%
835	Lau `ehu	<i>Panicum niihauense</i>	E	12.63	521,777.83	99.54%
836	Lo`ulu	<i>Pritchardia munroi</i>	E	12.63	521,790.46	99.54%
837	Lo`ulu	<i>Pritchardia viscosa</i>	E	12.63	521,803.08	99.55%
838	Lo`ulu, (=wahane)	<i>Pritchardia aylmer-robinsonii</i>	E	12.63	521,815.71	99.55%
839	Love grass, Fosberg's	<i>Eragrostis fosbergii</i>	E	12.63	521,828.33	99.55%
840	Maua	<i>Xylosma crenatum</i>	E	12.63	521,840.96	99.55%
841	No common name	<i>Amaranthus brownii</i>	E	12.63	521,853.58	99.56%
842	No common name	<i>Abutilon eremitopetalum</i>	E	12.63	521,866.21	99.56%
843	No common name	<i>Stenogyne kanehoana</i>	E	12.63	521,878.83	99.56%
844	No common name	<i>Phyllostegia glabra lanaiensis</i>	E	12.63	521,891.46	99.56%
845	No common name	<i>Stenogyne campanulata</i>	E	12.63	521,904.08	99.57%
846	No common name	<i>Stenogyne bifida</i>	E	12.63	521,916.71	99.57%
847	No common name	<i>Schiedea kauaiensis</i>	E	12.63	521,929.33	99.57%
848	No common name	<i>Phyllostegia waimeae</i>	E	12.63	521,941.96	99.57%
849	No common name	<i>Lysimachia maxima</i>	E	12.63	521,954.58	99.58%
850	No common name	<i>Tetramolopium remyi</i>	E	12.63	521,967.21	99.58%
851	No common name	<i>Gahnia lanaiensis</i>	E	12.63	521,979.83	99.58%
852	Oha	<i>Delissea rivularis</i>	E	12.63	521,992.46	99.58%
853	`oha wai	<i>Clermontia oblongifolia mauiensis</i>	E	12.63	522,005.08	99.59%
854	`oha wai	<i>Clermontia oblongifolia brevipes</i>	E	12.63	522,017.71	99.59%
855	Remya, Maui	<i>Remya mauiensis</i>	E	12.63	522,030.33	99.59%
856	Darter, slackwater	<i>Etheostoma boschungii</i>	T	12.59	522,042.93	99.59%
857	Pigtoe, rough	<i>Pleurobema plenum</i>	E	12.58	522,055.51	99.60%
858	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	E	12.55	522,068.06	99.60%
859	Minnow, Devils River	<i>Dionda diaboli</i>	T	12.50	522,080.56	99.60%
860	Combshell, southern	<i>Epioblasma penita</i>	E	12.50	522,093.06	99.60%
861	Avens, spreading	<i>Geum radiatum</i>	E	12.50	522,105.56	99.60%
862	No common name	<i>Hedyotis degeneri</i>	E	12.50	522,118.06	99.61%
863	Penny-cress, Kneeland Prairie	<i>Thlaspi californicum</i>	E	12.50	522,130.56	99.61%
864	Silversword, Haleakala	<i>Argyroxiphium sandwicense macrocephalum</i>	T	12.50	522,143.06	99.61%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
865	Darter, goldline	<i>Percina aurolineata</i>	T	12.49	522,155.55	99.61%
866	`akoko	<i>Chamaesyce herbstii</i>	E	12.33	522,167.88	99.62%
867	Blossom, tubercled	<i>Epioblasma torulosa torulosa</i>	E	12.28	522,180.16	99.62%
868	Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	E	12.28	522,192.43	99.62%
869	Acornshell, southern	<i>Epioblasma othcaloogensis</i>	E	12.19	522,204.63	99.62%
870	No common name	<i>Asplenium fragile insulare</i>	E	12.18	522,216.80	99.63%
871	Kula wahine noho	<i>Isodendron pyrifolium</i>	E	12.13	522,228.93	99.63%
872	Bat, little Mariana fruit	<i>Pteropus tokudae</i>	E	12.00	522,240.93	99.63%
873	Akialoa, Kauai	<i>Hemignathus procerus</i>	E	12.00	522,252.93	99.63%
874	Broadbill, Guam	<i>Myiagra freycineti</i>	E	12.00	522,264.93	99.64%
875	Creeper, Molokai	<i>Paroreomyza flammea</i>	E	12.00	522,276.93	99.64%
876	Finch, Nihoa	<i>Telespyza ultima</i>	E	12.00	522,288.93	99.64%
877	Mallard, Mariana	<i>Anas oustaleti</i>	E	12.00	522,300.93	99.64%
878	Millerbird, Nihoa	<i>Acrocephalus familiaris kingi</i>	E	12.00	522,312.93	99.64%
879	`o`o, Kauai	<i>Moho braccatus</i>	E	12.00	522,324.93	99.65%
880	`o`u	<i>Psittirostra psittacea</i>	E	12.00	522,336.93	99.65%
881	Thrush, large Kauai	<i>Myadestes myadestinus</i>	E	12.00	522,348.93	99.65%
882	Thrush, Molokai	<i>Myadestes lanaiensis rutha</i>	E	12.00	522,360.93	99.65%
883	White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>	E	12.00	522,372.93	99.66%
884	Snail, Newcomb's	<i>Erinna newcombi</i>	T	12.00	522,384.93	99.66%
885	Snail, Stock Island tree	<i>Orthalicus reses</i>	T	12.00	522,396.93	99.66%
886	Amphipod, Kauai cave	<i>Spelaeorchestia koloana</i>	E	12.00	522,408.93	99.66%
887	Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	E	12.00	522,420.93	99.67%
888	`aiea	<i>Nothocestrum peltatum</i>	E	12.00	522,432.93	99.67%
889	`akoko	<i>Chamaesyce kuwaleana</i>	E	12.00	522,444.93	99.67%
890	Alani	<i>Melicope ovalis</i>	E	12.00	522,456.93	99.67%
891	Alani	<i>Melicope munroi</i>	E	12.00	522,468.93	99.67%
892	Alani	<i>Melicope balloui</i>	E	12.00	522,480.93	99.68%
893	Bluegrass, Hawaiian	<i>Poa sandwicensis</i>	E	12.00	522,492.93	99.68%
894	Bluegrass, Mann's	<i>Poa mannii</i>	E	12.00	522,504.93	99.68%
895	Haha	<i>Cyanea mceldowneyi</i>	E	12.00	522,516.93	99.68%
896	Haha	<i>Cyanea recta</i>	T	12.00	522,528.93	99.69%
897	Haha	<i>Cyanea mannii</i>	E	12.00	522,540.93	99.69%
898	Haha	<i>Cyanea glabra</i>	E	12.00	522,552.93	99.69%
899	Haha	<i>Cyanea hamatiflora hamatiflora</i>	E	12.00	522,564.93	99.69%
900	Haha	<i>Cyanea remyi</i>	E	12.00	522,576.93	99.69%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
901	Haha	<i>Cyanea lobata</i>	E	12.00	522,588.93	99.70%
902	Ha`iwale	<i>Cyrtandra limahuliensis</i>	T	12.00	522,600.93	99.70%
903	Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	E	12.00	522,612.93	99.70%
904	Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>	E	12.00	522,624.93	99.70%
905	Kamakahala	<i>Labordia tinifolia lanaiensis</i>	E	12.00	522,636.93	99.71%
906	Kaulu	<i>Pteralyxia kauaiensis</i>	E	12.00	522,648.93	99.71%
907	Koki`o ke`oke`o	<i>Hibiscus waimeae hanneriae</i>	E	12.00	522,660.93	99.71%
908	Koki`o ke`oke`o	<i>Hibiscus arnottianus immaculatus</i>	E	12.00	522,672.93	99.71%
909	Ko`oko`olau	<i>Bidens micrantha kalealaha</i>	E	12.00	522,684.93	99.72%
910	Ko`oko`olau	<i>Bidens wiebkei</i>	E	12.00	522,696.93	99.72%
911	Lagu, Hyan	<i>Serianthes nelsonii</i>	E	12.00	522,708.93	99.72%
912	Laulihilihi, (=Ma`oli`oli)	<i>Schiedea stellarioides</i>	E	12.00	522,720.93	99.72%
913	Liliwai	<i>Acaena exigua</i>	E	12.00	522,732.93	99.72%
914	Lo`ulu	<i>Pritchardia remota</i>	E	12.00	522,744.93	99.73%
915	Lo`ulu	<i>Pritchardia kaalae</i>	E	12.00	522,756.93	99.73%
916	Lo`ulu	<i>Pritchardia napaliensis</i>	E	12.00	522,768.93	99.73%
917	Mapele	<i>Cyrtandra cyaneoides</i>	E	12.00	522,780.93	99.73%
918	Na`ena`e	<i>Dubautia latifolia</i>	E	12.00	522,792.93	99.74%
919	Na`ena`e	<i>Dubautia plantaginea humilis</i>	E	12.00	522,804.93	99.74%
920	Na`ena`e	<i>Dubautia pauciflorula</i>	E	12.00	522,816.93	99.74%
921	Na`ena`e	<i>Dubautia herbstobatae</i>	E	12.00	522,828.93	99.74%
922	Nani wai`ale`ale	<i>Viola kauaiensis wahiawaensis</i>	E	12.00	522,840.93	99.75%
923	Nehe	<i>Lipochaeta lobata leptophylla</i>	E	12.00	522,852.93	99.75%
924	Nehe	<i>Lipochaeta kamolensis</i>	E	12.00	522,864.93	99.75%
925	Nehe	<i>Lipochaeta tenuifolia</i>	E	12.00	522,876.93	99.75%
926	Nehe	<i>Lipochaeta micrantha</i>	E	12.00	522,888.93	99.75%
927	No common name	<i>Schiedea verticillata</i>	E	12.00	522,900.93	99.76%
928	No common name	<i>Schiedea sarmentosa</i>	E	12.00	522,912.93	99.76%
929	No common name	<i>Silene alexandri</i>	E	12.00	522,924.93	99.76%
930	No common name	<i>Hesperomannia lydgatei</i>	E	12.00	522,936.93	99.76%
931	No common name	<i>Phyllostegia wawrana</i>	E	12.00	522,948.93	99.77%
932	No common name	<i>Lysimachia lydgatei</i>	E	12.00	522,960.93	99.77%
933	No common name	<i>Remya montgomeryi</i>	E	12.00	522,972.93	99.77%
934	No common name	<i>Schiedea spergulina spergulina</i>	T	12.00	522,984.93	99.77%
935	No common name	<i>Schiedea spergulina leiopoda</i>	E	12.00	522,996.93	99.77%
936	No common name	<i>Schiedea lydgatei</i>	E	12.00	523,008.93	99.78%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
937	No common name	<i>Schiedea helleri</i>	E	12.00	523,020.93	99.78%
938	No common name	<i>Schiedea haleakalensis</i>	E	12.00	523,032.93	99.78%
939	No common name	<i>Platanthera holochila</i>	E	12.00	523,044.93	99.78%
940	No common name	<i>Lysimachia filifolia</i>	E	12.00	523,056.93	99.79%
941	No common name	<i>Viola lanaiensis</i>	E	12.00	523,068.93	99.79%
942	No common name	<i>Viola helenae</i>	E	12.00	523,080.93	99.79%
943	No common name	<i>Tetramolopium rockii</i>	T	12.00	523,092.93	99.79%
944	No common name	<i>Munroidendron racemosum</i>	E	12.00	523,104.93	99.80%
945	Nohoanu	<i>Geranium multiflorum</i>	E	12.00	523,116.93	99.80%
946	`oha wai	<i>Clermontia samuelii</i>	E	12.00	523,128.93	99.80%
947	Olulu	<i>Brighamia insignis</i>	E	12.00	523,140.93	99.80%
948	Pamakani	<i>Tetramolopium capillare</i>	E	12.00	523,152.93	99.80%
949	Pamakani	<i>Viola chamissoniana chamissoniana</i>	E	12.00	523,164.93	99.81%
950	Pilo	<i>Hedyotis mannii</i>	E	12.00	523,176.93	99.81%
951	No common name	<i>Diellia pallida</i>	E	12.00	523,188.93	99.81%
952	No common name	<i>Diellia unisora</i>	E	12.00	523,200.93	99.81%
953	Monkeyface, Appalachian	<i>Quadrula sparsa</i>	E	11.80	523,212.73	99.82%
954	Cliff-rose, Arizona	<i>Purshia subintegra</i>	E	11.71	523,224.44	99.82%
955	Tiger beetle, Puritan	<i>Cicindela puritana</i>	T	11.61	523,236.05	99.82%
956	Mallow, Peter's Mountain	<i>Iliamna corei</i>	E	11.56	523,247.61	99.82%
957	Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	E	11.40	523,259.01	99.82%
958	Harvestman, Bone Cave	<i>Texella reyesi</i>	E	11.40	523,270.41	99.83%
959	Salamander, San Marcos	<i>Eurycea nana</i>	T	11.35	523,281.76	99.83%
960	Pitcher-plant, mountain sweet	<i>Sarracenia rubra jonesii</i>	E	11.32	523,293.08	99.83%
961	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	E	11.14	523,304.22	99.83%
962	Elktoe, Cumberland	<i>Alasmodonta atropurpurea</i>	E	11.06	523,315.27	99.84%
963	Shrew, Dismal Swamp southeastern	<i>Sorex longirostris fisheri</i>	T	11.03	523,326.30	99.84%
964	Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	T	11.00	523,337.30	99.84%
965	Blossom, turgid	<i>Epioblasma turgidula</i>	E	11.00	523,348.30	99.84%
966	Blossom, yellow	<i>Epioblasma florentina florentina</i>	E	11.00	523,359.30	99.84%
967	Combshell, upland	<i>Epioblasma metastrata</i>	E	11.00	523,370.30	99.85%
968	Ground-plum, Pyne's	<i>Astragalus bibullatus</i>	E	11.00	523,381.30	99.85%
969	Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>	E	11.00	523,392.30	99.85%
970	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	E	10.76	523,403.07	99.85%
971	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	T	10.63	523,413.69	99.85%
972	Puma, eastern	<i>Puma concolor cougar</i>	E	10.30	523,423.99	99.86%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
973	Pigtoe, dark	<i>Pleurobema furvum</i>	E	10.28	523,434.27	99.86%
974	Darter, bayou	<i>Etheostoma rubrum</i>	T	10.20	523,444.47	99.86%
975	Milk-vetch, Jesup's	<i>Astragalus robbinsii jesupi</i>	E	9.60	523,454.07	99.86%
976	Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	T	9.40	523,463.47	99.86%
977	Milk-vetch, Sentry	<i>Astragalus cremnophylax cremnophylax</i>	E	9.39	523,472.86	99.87%
978	Lichen, rock gnome	<i>Gymnoderma lineare</i>	E	9.05	523,481.91	99.87%
979	Coqui, golden	<i>Eleutherodactylus jasperi</i>	T	9.00	523,490.91	99.87%
980	Fatmucket, Arkansas	<i>Lampsilis powelli</i>	T	9.00	523,499.91	99.87%
981	Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	E	9.00	523,508.91	99.87%
982	Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	E	8.50	523,517.41	99.87%
983	Blossom, green	<i>Epioblasma torulosa gubernaculum</i>	E	8.50	523,525.91	99.88%
984	Rock-cress, Braun's	<i>Arabis perstellata</i>	E	8.30	523,534.21	99.88%
985	Cactus, San Rafael	<i>Pediocactus despainii</i>	E	8.20	523,542.41	99.88%
986	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus arizonicus</i>	E	8.11	523,550.53	99.88%
987	Daisy, lakeside	<i>Hymenoxys herbacea</i>	T	8.07	523,558.60	99.88%
988	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	E	8.00	523,566.60	99.88%
989	Fern, American hart's-tongue	<i>Asplenium scolopendrium americanum</i>	T	8.00	523,574.60	99.89%
990	Woodpecker, ivory-billed	<i>Campephilus principalis</i>	E	7.00	523,581.60	99.89%
991	Chub, Yaqui	<i>Gila purpurea</i>	E	7.00	523,588.60	99.89%
992	Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	T	7.00	523,595.60	99.89%
993	Palo de rosa	<i>Ottoschulzia rhodoxylon</i>	E	7.00	523,602.60	99.89%
994	Trillium, relict	<i>Trillium reliquum</i>	E	7.00	523,609.60	99.89%
995	Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	T	7.00	523,616.60	99.89%
996	Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	E	6.53	523,623.13	99.89%
997	Iris, dwarf lake	<i>Iris lacustris</i>	T	6.50	523,629.63	99.90%
998	Jaguarundi, Gulf Coast	<i>Herpailurus yagouaroundi cacomitli</i>	E	6.30	523,635.93	99.90%
999	Darter, Etowah	<i>Etheostoma etowahae</i>	E	6.19	523,642.12	99.90%
1000	Cycladenia, Jones	<i>Cycladenia humilis jonesii</i>	T	6.09	523,648.21	99.90%
1001	Heelsplitter, Alabama	<i>Potamilus inflatus</i>	T	6.03	523,654.24	99.90%
1002	Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	E	6.00	523,660.24	99.90%
1003	Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	E	6.00	523,666.24	99.90%
1004	Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	E	6.00	523,672.24	99.90%
1005	Turtle, Plymouth redbelly	<i>Pseudemys rubriventris bangsi</i>	E	6.00	523,678.24	99.90%
1006	Sculpin, pygmy	<i>Cottus pygmaeus</i>	T	6.00	523,684.24	99.91%
1007	Silverside, Waccamaw	<i>Menidia extensa</i>	T	6.00	523,690.24	99.91%
1008	Pigtoe, flat	<i>Pleurobema marshalli</i>	E	6.00	523,696.24	99.91%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1009	Riversnail, Anthony's	<i>Athearnia anthonyi</i>	E	6.00	523,702.24	99.91%
1010	Boxwood, Vahl's	<i>Buxus vahlii</i>	E	6.00	523,708.24	99.91%
1011	Erubia	<i>Solanum drymophilum</i>	E	6.00	523,714.24	99.91%
1012	Goetzea, beautiful	<i>Goetzea elegans</i>	E	6.00	523,720.24	99.91%
1013	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	E	6.00	523,726.24	99.91%
1014	No common name	<i>Eugenia woodburyana</i>	E	6.00	523,732.24	99.92%
1015	No common name	<i>Aristida chaseae</i>	E	6.00	523,738.24	99.92%
1016	No common name	<i>Daphnopsis hellerana</i>	E	6.00	523,744.24	99.92%
1017	Pondweed, Little Aguja Creek	<i>Potamogeton clystocarpus</i>	E	6.00	523,750.24	99.92%
1018	Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	E	5.90	523,756.14	99.92%
1019	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	T	5.89	523,762.03	99.92%
1020	Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	T	5.60	523,767.63	99.92%
1021	Whale, blue	<i>Balaenoptera musculus</i>	E	5.59	523,773.22	99.92%
1022	Guajon	<i>Eleutherodactylus cooki</i>	T	5.50	523,778.72	99.92%
1023	Isopod, Madison Cave	<i>Antrolana lira</i>	T	5.50	523,784.22	99.93%
1024	Palo de jazmin	<i>Styrax portoricensis</i>	E	5.50	523,789.72	99.93%
1025	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	E	5.40	523,795.12	99.93%
1026	Lampmussel, Alabama	<i>Lampsilis virescens</i>	E	5.20	523,800.32	99.93%
1027	Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	E	5.00	523,805.32	99.93%
1028	Stirrupshell	<i>Quadrula stapes</i>	E	5.00	523,810.32	99.93%
1029	Snail, painted snake coiled forest	<i>Anguispira picta</i>	T	5.00	523,815.32	99.93%
1030	Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	T	5.00	523,820.32	99.93%
1031	Cobana negra	<i>Stahlia monosperma</i>	T	5.00	523,825.32	99.93%
1032	Heather, mountain golden	<i>Hudsonia montana</i>	T	5.00	523,830.32	99.93%
1033	Higo, chumbo	<i>Harrisia portoricensis</i>	T	5.00	523,835.32	99.93%
1034	Manaca, palma de	<i>Calyptronoma rivalis</i>	T	5.00	523,840.32	99.94%
1035	No common name	<i>Leptocereus grantianus</i>	E	5.00	523,845.32	99.94%
1036	No common name	<i>Schoepfia arenaria</i>	T	5.00	523,850.32	99.94%
1037	Palo de nigua	<i>Cornutia obovata</i>	E	5.00	523,855.32	99.94%
1038	Darter, Cherokee	<i>Etheostoma scotti</i>	T	4.99	523,860.31	99.94%
1039	Whale, finback	<i>Balaenoptera physalus</i>	E	4.86	523,865.17	99.94%
1040	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	E	4.83	523,870.00	99.94%
1041	Catspaw	<i>Epioblasma obliquata obliquata</i>	E	4.78	523,874.78	99.94%
1042	Shiner, palezone	<i>Notropis albizonatus</i>	E	4.75	523,879.53	99.94%
1043	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	E	4.69	523,884.22	99.94%
1044	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	E	4.39	523,888.61	99.95%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1045	Sedge, Navajo	<i>Carex specuicola</i>	T	4.34	523,892.95	99.95%
1046	Skink, sand	<i>Neoseps reynoldsi</i>	T	4.10	523,897.04	99.95%
1047	Clubshell, black	<i>Pleurobema curtum</i>	E	4.00	523,901.04	99.95%
1048	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	E	4.00	523,905.04	99.95%
1049	No common name	<i>Vernonia proctorii</i>	E	4.00	523,909.04	99.95%
1050	No common name	<i>Lyonia truncata proctorii</i>	E	4.00	523,913.04	99.95%
1051	No common name	<i>Mitracarpus polycladus</i>	E	4.00	523,917.04	99.95%
1052	No common name	<i>Mitracarpus maxwelliae</i>	E	4.00	523,921.04	99.95%
1053	No common name	<i>Lepanthes eltoroensis</i>	E	4.00	523,925.04	99.95%
1054	No common name	<i>Cordia bellonis</i>	E	4.00	523,929.04	99.95%
1055	Palo de ramon	<i>Banara vanderbiltii</i>	E	4.00	523,933.04	99.95%
1056	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	E	4.00	523,937.04	99.95%
1057	Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	E	4.00	523,941.04	99.96%
1058	Jaguarundi, Sinaloan	<i>Herpailurus yagouaroundi tolteca</i>	E	3.90	523,944.94	99.96%
1059	Pigtoe, oval	<i>Pleurobema pyriforme</i>	E	3.89	523,948.83	99.96%
1060	Whale, Sei	<i>Balaenoptera borealis</i>	E	3.72	523,952.55	99.96%
1061	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	E	3.60	523,956.16	99.96%
1062	Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	E	3.55	523,959.71	99.96%
1063	Blazingstar, Heller's	<i>Liatris helleri</i>	T	3.50	523,963.21	99.96%
1064	Bluet, Roan Mountain	<i>Hedyotis purpurea montana</i>	E	3.50	523,966.71	99.96%
1065	Goldenrod, Blue Ridge	<i>Solidago spithamaea</i>	T	3.50	523,970.21	99.96%
1066	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	T	3.50	523,973.71	99.96%
1067	No common name	<i>Calyptanthus thomasi</i>	E	3.50	523,977.21	99.96%
1068	Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	T	3.40	523,980.61	99.96%
1069	Quillwort, black spored	<i>Isoetes melanospora</i>	E	3.35	523,983.96	99.96%
1070	Ayenia, Texas	<i>Ayenia limitaris</i>	E	3.30	523,987.26	99.96%
1071	Cactus, star	<i>Astrophytum asterias</i>	E	3.30	523,990.56	99.96%
1072	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	T	3.20	523,993.76	99.97%
1073	Rattleweed, hairy	<i>Baptisia arachnifera</i>	E	3.20	523,996.96	99.97%
1074	Manioc, Walker's	<i>Manihot walkerae</i>	E	3.10	524,000.06	99.97%
1075	Bobwhite, masked	<i>Colinus virginianus ridgwayi</i>	E	3.00	524,003.06	99.97%
1076	Darter, Maryland	<i>Etheostoma sellare</i>	E	3.00	524,006.06	99.97%
1077	Marstonia, royal	<i>Pyrgulopsis ogmorhappe</i>	E	3.00	524,009.06	99.97%
1078	Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	T	3.00	524,012.06	99.97%
1079	Bariaco	<i>Trichilia triacantha</i>	E	3.00	524,015.06	99.97%
1080	Locoweed, Fassett's	<i>Oxytropis campestris chartacea</i>	T	3.00	524,018.06	99.97%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1081	No common name	<i>Catesbaea melanocarpa</i>	E	3.00	524,021.06	99.97%
1082	No common name	<i>Chamaecrista glandulosa mirabilis</i>	E	3.00	524,024.06	99.97%
1083	Prickly-ash, St. Thomas	<i>Zanthoxylum thomasianum</i>	E	3.00	524,027.06	99.97%
1084	Walnut, West Indian or nogal	<i>Juglans jamaicensis</i>	E	3.00	524,030.06	99.97%
1085	No common name	<i>Tectaria estremerana</i>	E	3.00	524,033.06	99.97%
1086	No common name	<i>Polystichum calderonense</i>	E	3.00	524,036.06	99.97%
1087	Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	T	2.92	524,038.98	99.97%
1088	Cinquefoil, Robbins'	<i>Potentilla robbinsiana</i>	E	2.90	524,041.88	99.97%
1089	Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius nicholii</i>	E	2.89	524,044.77	99.97%
1090	Whale, sperm	<i>Physeter catodon</i>	E	2.69	524,047.46	99.98%
1091	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	T	2.64	524,050.09	99.98%
1092	Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>	T	2.55	524,052.65	99.98%
1093	Whale, bowhead	<i>Balaena mysticetus</i>	E	2.50	524,055.15	99.98%
1094	Boa, Mona	<i>Epicrates monensis monensis</i>	T	2.50	524,057.65	99.98%
1095	Bittercress, small-anthered	<i>Cardamine micranthera</i>	E	2.50	524,060.15	99.98%
1096	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	T	2.50	524,062.65	99.98%
1097	Higuero de sierra	<i>Crescentia portoricensis</i>	E	2.50	524,065.15	99.98%
1098	No common name	<i>Ilex sintenisii</i>	E	2.50	524,067.65	99.98%
1099	No common name	<i>Auerodendron pauciflorum</i>	E	2.50	524,070.15	99.98%
1100	Uvillo	<i>Eugenia haematocarpa</i>	E	2.50	524,072.65	99.98%
1101	Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>	E	2.40	524,075.05	99.98%
1102	Spider, Tooth Cave	<i>Neoleptoneta myopica</i>	E	2.40	524,077.45	99.98%
1103	Skink, bluetail mole	<i>Eumeces egregius lividus</i>	T	2.32	524,079.76	99.98%
1104	Cactus, black lace	<i>Echinocereus reichenbachii albertii</i>	E	2.30	524,082.06	99.98%
1105	Agave, Arizona	<i>Agave arizonica</i>	E	2.21	524,084.28	99.98%
1106	Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	T	2.20	524,086.48	99.98%
1107	Rice rat	<i>Oryzomys palustris natator</i>	E	2.00	524,088.48	99.98%
1108	Curlew, Eskimo	<i>Numenius borealis</i>	E	2.00	524,090.48	99.98%
1109	Gecko, Monito	<i>Sphaerodactylus micropithecus</i>	E	2.00	524,092.48	99.98%
1110	Slabshell, Chipola	<i>Elliptio chipolaensis</i>	T	2.00	524,094.48	99.98%
1111	Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	T	2.00	524,096.48	99.98%
1112	Capa rosa	<i>Callicarpa ampla</i>	E	2.00	524,098.48	99.99%
1113	Chupacallos	<i>Pleodendron macranthum</i>	E	2.00	524,100.48	99.99%
1114	Gooseberry, Miccosukee	<i>Ribes echinellum</i>	T	2.00	524,102.48	99.99%
1115	Holly, Cook's	<i>Ilex cookii</i>	E	2.00	524,104.48	99.99%
1116	No common name	<i>Cranichis ricartii</i>	E	2.00	524,106.48	99.99%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1117	No common name	<i>Gesneria pauciflora</i>	T	2.00	524,108.48	99.99%
1118	No common name	<i>Myrcia paganii</i>	E	2.00	524,110.48	99.99%
1119	Palo colorado	<i>Ternstroemia luquillensis</i>	E	2.00	524,112.48	99.99%
1120	Peperomia, Wheeler's	<i>Peperomia wheeleri</i>	E	2.00	524,114.48	99.99%
1121	Fern, Elfin tree	<i>Cyathea dryopteroides</i>	E	2.00	524,116.48	99.99%
1122	No common name	<i>Thelypteris yaucoensis</i>	E	2.00	524,118.48	99.99%
1123	No common name	<i>Thelypteris verecunda</i>	E	2.00	524,120.48	99.99%
1124	No common name	<i>Thelypteris inabonensis</i>	E	2.00	524,122.48	99.99%
1125	No common name	<i>Elaphoglossum serpens</i>	E	2.00	524,124.48	99.99%
1126	No common name	<i>Adiantum vivesii</i>	E	2.00	524,126.48	99.99%
1127	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	E	2.00	524,128.48	99.99%
1128	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	T	1.91	524,130.38	99.99%
1129	Trillium, persistent	<i>Trillium persistens</i>	E	1.80	524,132.18	99.99%
1130	Whitlow-wort, papery	<i>Paronychia chartacea</i>	T	1.70	524,133.88	99.99%
1131	Anole, Culebra Island giant	<i>Anolis roosevelti</i>	E	1.50	524,135.38	99.99%
1132	Milk-vetch, heliotrope	<i>Astragalus montii</i>	T	1.50	524,136.88	99.99%
1133	Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	E	1.40	524,138.28	99.99%
1134	Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	E	1.40	524,139.68	99.99%
1135	Birch, Virginia round-leaf	<i>Betula uber</i>	T	1.40	524,141.08	99.99%
1136	Dogweed, ashy	<i>Thymophylla tephroleuca</i>	E	1.40	524,142.48	99.99%
1137	Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	T	1.39	524,143.87	99.99%
1138	Warbler, Bachman's	<i>Vermivora bachmanii</i>	E	1.33	524,145.20	99.99%
1139	Lilliput, pale	<i>Toxolasma cylindrellus</i>	E	1.30	524,146.50	99.99%
1140	Mustard, Carter's	<i>Warea carteri</i>	E	1.29	524,147.79	99.99%
1141	Beargrass, Britton's	<i>Nolina brittoniana</i>	E	1.21	524,149.00	99.99%
1142	Catfish, Yaqui	<i>Ictalurus pricei</i>	T	1.20	524,150.20	99.99%
1143	Cress, toad-flax	<i>Schoenocrambe suffrutescens</i>	E	1.20	524,151.40	100.00%
1144	Pawpaw, four-petal	<i>Asimina tetramera</i>	E	1.04	524,152.44	100.00%
1145	Polygala, tiny	<i>Polygala smallii</i>	E	1.04	524,153.48	100.00%
1146	Cladonia, Florida perforate	<i>Cladonia perforata</i>	E	1.04	524,154.51	100.00%
1147	Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	E	1.00	524,155.51	100.00%
1148	Darter, watercress	<i>Etheostoma nuchale</i>	E	1.00	524,156.51	100.00%
1149	Springsnail, Alamosa	<i>Tryonia alamosae</i>	E	1.00	524,157.51	100.00%
1150	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	E	1.00	524,158.51	100.00%
1151	Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	T	1.00	524,159.51	100.00%
1152	Cory cactus, bunched	<i>Coryphantha ramillosa</i>	T	1.00	524,160.51	100.00%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1153	Milk-vetch, Mancos	<i>Astragalus humillimus</i>	E	1.00	524,161.51	100.00%
1154	Skullcap, Florida	<i>Scutellaria floridana</i>	T	1.00	524,162.51	100.00%
1155	Spurge, Garber's	<i>Chamaesyce garberi</i>	T	1.00	524,163.51	100.00%
1156	Fern, Aleutian shield	<i>Polystichum aleuticum</i>	E	1.00	524,164.51	100.00%
1157	Snail, noonday	<i>Mesodon clarki nantahala</i>	T	0.95	524,165.46	100.00%
1158	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	E	0.90	524,166.36	100.00%
1159	Salamander, Shenandoah	<i>Plethodon shenandoah</i>	E	0.80	524,167.16	100.00%
1160	Pigeon wings	<i>Clitoria fragrans</i>	T	0.77	524,167.94	100.00%
1161	Shiner, beautiful	<i>Cyprinella formosa</i>	T	0.70	524,168.64	100.00%
1162	Elimia, lacy	<i>Elimia crenatella</i>	T	0.68	524,169.31	100.00%
1163	Lioplax, cylindrical	<i>Lioplax cyclostomaformis</i>	E	0.68	524,169.99	100.00%
1164	Blazingstar, scrub	<i>Liatris ohlingerae</i>	E	0.61	524,170.60	100.00%
1165	Isopod, Lee County cave	<i>Lirceus usdagalun</i>	E	0.50	524,171.10	100.00%
1166	Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	E	0.40	524,171.50	100.00%
1167	Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	E	0.40	524,171.90	100.00%
1168	Amphipod, Peck's cave	<i>Stygobromus pecki</i>	E	0.40	524,172.30	100.00%
1169	Buckwheat, scrub	<i>Eriogonum longifolium gnaphalifolium</i>	T	0.39	524,172.69	100.00%
1170	Rocksnail, plicate	<i>Leptoxis plicata</i>	E	0.30	524,172.99	100.00%
1171	Rocksnail, round	<i>Leptoxis ampla</i>	T	0.30	524,173.28	100.00%
1172	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	E	0.29	524,173.57	100.00%
1173	Rosemary, short-leaved	<i>Conradina brevifolia</i>	E	0.29	524,173.86	100.00%
1174	Sandlace	<i>Polygonella myriophylla</i>	E	0.29	524,174.15	100.00%
1175	Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	E	0.25	524,174.40	100.00%
1176	Bonamia, Florida	<i>Bonamia grandiflora</i>	T	0.21	524,174.61	100.00%
1177	Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	T	0.20	524,174.81	100.00%
1178	Buttercup, autumn	<i>Ranunculus acriformis aestivalis</i>	E	0.20	524,175.01	100.00%
1179	Milk-vetch, Deseret	<i>Astragalus desereticus</i>	T	0.20	524,175.21	100.00%
1180	Phacelia, clay	<i>Phacelia argillacea</i>	E	0.20	524,175.41	100.00%
1181	Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	E	0.20	524,175.61	100.00%
1182	Primrose, Maguire	<i>Primula maguirei</i>	T	0.20	524,175.81	100.00%
1183	Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>	E	0.20	524,176.01	100.00%
1184	Rocksnail, painted	<i>Leptoxis taeniata</i>	T	0.19	524,176.21	100.00%
1185	Polygala, Lewton's	<i>Polygala lewtonii</i>	E	0.13	524,176.34	100.00%
1186	Gourd, Okeechobee	<i>Cucurbita okeechobeensis okeechobeensis</i>	E	0.04	524,176.38	100.00%
1187	Harebells, Avon Park	<i>Crotalaria avonensis</i>	E	0.04	524,176.41	100.00%
1188	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	E	0.04	524,176.45	100.00%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1189	Lupine, scrub	<i>Lupinus aridorum</i>	E	0.04	524,176.49	100.00%
1190	Mint, Garrett's	<i>Dicerandra christmanii</i>	E	0.04	524,176.52	100.00%
1191	Mint, Lakela's	<i>Dicerandra immaculata</i>	E	0.04	524,176.56	100.00%
1192	Mint, scrub	<i>Dicerandra frutescens</i>	E	0.04	524,176.59	100.00%
1193	Warea, wide-leaf	<i>Warea amplexifolia</i>	E	0.04	524,176.63	100.00%
1194	Seal, Caribbean monk	<i>Monachus tropicalis</i>	E	0.00	524,176.63	100.00%
1195	Cahow	<i>Pterodroma cahow</i>	E	0.00	524,176.63	100.00%
1196	Crow, white-necked	<i>Corvus leucognaphalus</i>	E	0.00	524,176.63	100.00%
1197	Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	T	0.00	524,176.63	100.00%
1198	Gambusia, Clear Creek	<i>Gambusia heterochir</i>	E	0.00	524,176.63	100.00%
1199	Gambusia, San Marcos	<i>Gambusia georgei</i>	E	0.00	524,176.63	100.00%
1200	Madtom, Scioto	<i>Noturus trautmani</i>	E	0.00	524,176.63	100.00%
1201	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	E	0.00	524,176.63	100.00%
1202	Campeloma, slender	<i>Campeloma decampi</i>	E	0.00	524,176.63	100.00%
1203	Pebblesnail, flat	<i>Lepyrium showalteri</i>	E	0.00	524,176.63	100.00%
1204	Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	E	0.00	524,176.63	100.00%
1205	Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	E	0.00	524,176.63	100.00%
1206	Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	E	0.00	524,176.63	100.00%
1207	Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingi</i>	T	0.00	524,176.63	100.00%
1208	Beardtongue, Penland	<i>Penstemon penlandii</i>	E	0.00	524,176.63	100.00%
1209	Bellflower, Brooksville	<i>Campanula robinsiae</i>	E	0.00	524,176.63	100.00%
1210	Bladderpod, lyrate	<i>Lesquerella lyrata</i>	T	0.00	524,176.63	100.00%
1211	Cactus, Key tree	<i>Pilosocereus robinii</i>	E	0.00	524,176.63	100.00%
1212	Cactus, Lee pincushion	<i>Coryphantha sneedii leei</i>	T	0.00	524,176.63	100.00%
1213	Cactus, Nellie cory	<i>Coryphantha minima</i>	E	0.00	524,176.63	100.00%
1214	Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	E	0.00	524,176.63	100.00%
1215	Irisette, white	<i>Sisyrinchium dichotomum</i>	E	0.00	524,176.63	100.00%
1216	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	E	0.00	524,176.63	100.00%
1217	Leather flower, Morefield's	<i>Clematis morefieldii</i>	E	0.00	524,176.63	100.00%
1218	Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	E	0.00	524,176.63	100.00%
1219	Milkpea, Small's	<i>Galactia smallii</i>	E	0.00	524,176.63	100.00%
1220	Mint, longspurred	<i>Dicerandra cornutissima</i>	E	0.00	524,176.63	100.00%
1221	Monkey-flower, Michigan	<i>Mimulus glabratus michiganensis</i>	E	0.00	524,176.63	100.00%
1222	Mustard, Penland alpine fen	<i>Eutrema penlandii</i>	T	0.00	524,176.63	100.00%
1223	Oak, Hinckley	<i>Quercus hinckleyi</i>	T	0.00	524,176.63	100.00%
1224	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	E	0.00	524,176.63	100.00%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1225	Pelos del diablo	<i>Aristida portoricensis</i>	E	0.00	524,176.63	100.00%
1226	Phacelia, North Park	<i>Phacelia formosula</i>	E	0.00	524,176.63	100.00%
1227	Pitaya, Davis' green	<i>Echinocereus viridiflorus davisii</i>	E	0.00	524,176.63	100.00%
1228	Rosemary, Etonia	<i>Conradina etonia</i>	E	0.00	524,176.63	100.00%
1229	Roseroot, Leedy's	<i>Sedum integrifolium leedyi</i>	T	0.00	524,176.63	100.00%
1230	Snakeroot	<i>Eryngium cuneifolium</i>	E	0.00	524,176.63	100.00%
1231	Sneezeweed, Virginia	<i>Helenium virginicum</i>	T	0.00	524,176.63	100.00%
1232	Snowbells, Texas	<i>Styrax texanus</i>	E	0.00	524,176.63	100.00%
1233	Spurge, telephus	<i>Euphorbia telephioides</i>	T	0.00	524,176.63	100.00%
1234	Water-willow, Cooley's	<i>Justicia cooleyi</i>	E	0.00	524,176.63	100.00%
1235	Fern, Alabama streak-sorus	<i>Thelypteris pilosa alabamensis</i>	T	0.00	524,176.63	100.00%
				524,176.63		