

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2007 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Sea-lion, Steller (<i>Eumetopias jubatus</i>) western pop.	E	\$53,232,788	\$53,232,788
2	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$47,011,127	\$100,243,915
3	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring/summer Snake R.	T	\$37,973,629	\$138,217,544
4	Trout, bull (<i>Salvelinus confluentus</i>) U.S.A., conterminous, lower 48 states	T	\$33,671,958	\$171,889,502
5	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) middle Columbia R.	T	\$33,556,143	\$205,445,645
6	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) fall Snake R.	T	\$31,117,391	\$236,563,036
7	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) Snake R. Basin	T	\$28,826,707	\$265,389,743
8	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring upper Columbia R.	E	\$27,632,088	\$293,021,831
9	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) Puget Sound	T	\$25,658,281	\$318,680,112
10	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) OR, CA pop.	T	\$23,824,690	\$342,504,802
11	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) upper Columbia R. Basin	T	\$23,523,494	\$366,028,296
12	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Snake River, ID stock wherever found.)	E	\$20,127,264	\$386,155,560
13	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) lower Columbia R.	T	\$19,311,813	\$405,467,373
14	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$17,915,391	\$423,382,764
15	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$17,686,493	\$441,069,257
16	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$14,707,167	\$455,776,424
17	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) lower Columbia R.	T	\$13,601,318	\$469,377,742
18	Plover, piping (<i>Charadrius melodus</i>) except Great Lakes watershed	T	\$12,976,569	\$482,354,311
19	Tern, least (<i>Sterna antillarum</i>) interior pop.	E	\$12,066,118	\$494,420,429
20	Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert	T	\$11,042,343	\$505,462,772
21	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) Lower Columbia River	T	\$10,382,740	\$515,845,512
22	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$10,218,765	\$526,064,277
23	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) upper Willamette R.	T	\$9,834,427	\$535,898,704
24	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) Columbia R.	T	\$9,701,549	\$545,600,253
25	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$9,680,928	\$555,281,181
26	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$9,511,004	\$564,792,185
27	Eagle, bald (<i>Haliaeetus leucocephalus</i>) lower 48 States	DM	\$9,456,318	\$574,248,503
28	Sucker, razorback (<i>Xyrauchen texanus</i>) entire	E	\$9,316,962	\$583,565,465

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
29	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) upper Willamette R.	T	\$8,008,473	\$591,573,938
30	Salmon, Atlantic (<i>Salmo salar</i>) Gulf of Maine Atlantic Salmon DPS	E	\$7,897,056	\$599,470,994
31	Sturgeon, white (<i>Acipenser transmontanus</i>) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$7,420,663	\$606,891,657
32	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) CA Central Valley spring-run	T	\$6,907,063	\$613,798,720
33	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$6,900,968	\$620,699,688
34	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$6,712,927	\$627,412,615
35	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$6,678,869	\$634,091,484
36	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) winter Sacramento R.	E	\$6,636,475	\$640,727,959
37	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$6,477,966	\$647,205,925
38	Chub, humpback (<i>Gila cypha</i>) entire	E	\$6,359,209	\$653,565,134
39	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$6,291,119	\$659,856,253
40	Sea-lion, Steller (<i>Eumetopias jubatus</i>) eastern pop.	T	\$5,783,494	\$665,639,747
41	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) keta) summer-run Hood Canal	T	\$5,615,013	\$671,254,760
42	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) except Salt and Verde R. drainages, AZ	E	\$5,290,433	\$676,545,193
43	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) nerka) U.S.A. (Ozette Lake, WA)	T	\$4,900,653	\$681,445,846
44	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$4,874,485	\$686,320,331
45	Chub, bonytail (<i>Gila elegans</i>) entire	E	\$4,798,640	\$691,118,971
46	Panther, Florida (<i>Puma</i> (=Felis) concolor coryi)	E	\$4,788,873	\$695,907,844
47	Bear, grizzly (<i>Ursus arctos horribilis</i>) lower 48 States, except where listed as an experimental population or delisted	T	\$4,774,856	\$700,682,700
48	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Central Valley CA	T	\$4,505,785	\$705,188,485
49	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$4,412,069	\$709,600,554
50	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$4,398,469	\$713,999,023
51	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$4,216,968	\$718,215,991
52	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) central CA coast	T	\$3,883,818	\$722,099,809
53	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) CA coastal	T	\$3,736,537	\$725,836,346
54	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) central CA coast	E	\$3,681,807	\$729,518,153
55	Sea turtle, Kemp's ridley (<i>Lepidochelys kempi</i>)	E	\$3,627,643	\$733,145,796
56	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) Puget Sound DPS	T	\$3,458,967	\$736,604,763
57	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$3,421,605	\$740,026,368
58	Lynx, Canada (<i>Lynx canadensis</i>) lower 48 States DPS	T	\$3,314,566	\$743,340,934
59	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) CA, OR, WA	T	\$3,292,628	\$746,633,562

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
60	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$3,181,746	\$749,815,308
61	Tortoise, gopher (<i>Gopherus polyphemus</i>) W of of Mobile/Tombigbee Rs.	T	\$3,078,046	\$752,893,354
62	Sea turtle, green (<i>Chelonia mydas</i>) except where endangered	T	\$3,074,708	\$755,968,062
63	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$3,072,161	\$759,040,223
64	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) south central CA coast	T	\$2,981,766	\$762,021,989
65	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) southern CA coast	E	\$2,939,259	\$764,961,248
66	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) northern CA	T	\$2,831,958	\$767,793,206
67	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) Pacific coastal pop.	T	\$2,772,612	\$770,565,818
68	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$2,757,984	\$773,323,802
69	Frog, California red-legged (<i>Rana aurora draytonii</i>) subspecies range clarified	T	\$2,616,002	\$775,939,804
70	Ferret, black-footed (<i>Mustela nigripes</i>) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$2,506,873	\$778,446,677
71	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$2,405,580	\$780,852,257
72	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	\$2,175,643	\$783,027,900
73	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$2,165,840	\$785,193,740
74	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$2,074,635	\$787,268,375
75	Wolf, gray (<i>Canis lupus</i>) Mexican gray wolf, EXPN population	EXPN	\$1,879,111	\$789,147,486
76	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,830,646	\$790,978,132
77	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$1,762,982	\$792,741,114
78	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) Salt and Verde R. drainages, AZ	EXPN	\$1,753,600	\$794,494,714
79	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. only	E	\$1,749,790	\$796,244,504
80	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$1,695,509	\$797,940,013
81	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) U.S.A. only	E	\$1,676,900	\$799,616,913
82	Stork, wood (<i>Mycteria americana</i>) AL, FL, GA, SC	E	\$1,622,372	\$801,239,285
83	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$1,508,810	\$802,748,095
84	Wolf, gray (<i>Canis lupus</i>) WY, ID, MT	EXPN	\$1,475,499	\$804,223,594
85	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$1,383,420	\$805,607,014
86	Crane, whooping (<i>Grus americana</i>) U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$1,331,424	\$806,938,438
87	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) Southwestern population	EXPN	\$1,320,300	\$808,258,738
88	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$1,301,400	\$809,560,138
89	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$1,291,175	\$810,851,313
90	Wolf, gray (<i>Canis lupus</i>) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$1,273,517	\$812,124,830
91	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$1,273,207	\$813,398,037

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
92	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,260,352	\$814,658,389
93	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$1,259,162	\$815,917,551
94	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$1,242,708	\$817,160,259
95	Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops.	E	\$1,124,138	\$818,284,397
96	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>)	E	\$1,114,573	\$819,398,970
97	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,108,891	\$820,507,861
98	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$1,092,495	\$821,600,356
99	Crane, whooping (<i>Grus americana</i>) except where EXPN	E	\$1,072,032	\$822,672,388
100	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) northern	T	\$1,067,838	\$823,740,226
101	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$1,054,320	\$824,794,546
102	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) FL pop.	E	\$1,040,675	\$825,835,221
103	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$1,023,900	\$826,859,121
104	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$1,014,155	\$827,873,276
105	Cui-ui (<i>Chasmistes cujus</i>)	E	\$1,009,345	\$828,882,621
106	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$1,008,232	\$829,890,853
107	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$990,593	\$830,881,446
108	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$975,622	\$831,857,068
109	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (Central CA DPS)	T	\$969,913	\$832,826,981
110	Wolf, gray (<i>Canis lupus</i>) MN	DM	\$944,656	\$833,771,637
111	Eider, Steller's (<i>Polysticta stelleri</i>) AK breeding pop.	T	\$941,043	\$834,712,680
112	Wolf, red (<i>Canis rufus</i>) U.S.A. (portions of NC and TN)	EXPN	\$936,523	\$835,649,203
113	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$933,530	\$836,582,733
114	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$929,921	\$837,512,654
115	Ferret, black-footed (<i>Mustela nigripes</i>) entire population, except where EXPN	E	\$876,763	\$838,389,417
116	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$868,698	\$839,258,115
117	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$864,000	\$840,122,115
118	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$862,122	\$840,984,237
119	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$860,646	\$841,844,883
120	Bear, grizzly (<i>Ursus arctos horribilis</i>) experimental, non-essential, portions of ID and MT	EXPN	\$853,700	\$842,698,583
121	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$830,572	\$843,529,155
122	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$824,758	\$844,353,913
123	Snails, Oahu tree (<i>Achatinella</i> spp.)	E*	\$815,001	\$845,168,914
124	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$789,168	\$845,958,082
125	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$781,568	\$846,739,650
126	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$761,937	\$847,501,587
127	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$749,735	\$848,251,322
128	Sucker, June (<i>Chasmistes liorus</i>)	E	\$723,015	\$848,974,337

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
129	Wedgemussel, dwarf (<i>Alasmodonta heterodon</i>)	E	\$715,940	\$849,690,277
130	Woundfin (<i>Plagopterus argentissimus</i>) except Gila R. drainage, AZ, NM	E	\$695,234	\$850,385,511
131	Pelican, brown (<i>Pelecanus occidentalis</i>) except U.S. Atlantic coast, FL, AL	E	\$673,113	\$851,058,624
132	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$672,877	\$851,731,501
133	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$668,922	\$852,400,423
134	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$661,166	\$853,061,589
135	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$658,189	\$853,719,778
136	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$657,465	\$854,377,243
137	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) U.S.A. only	E	\$654,800	\$855,032,043
138	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$648,960	\$855,681,003
139	Spikedace (<i>Meda fulgida</i>)	T	\$644,500	\$856,325,503
140	Otter, southern sea (<i>Enhydra lutris nereis</i>) south of Pt. Conception, CA	EXPN	\$640,393	\$856,965,896
141	Plover, piping (<i>Charadrius melodus</i>) Great Lakes watershed	E	\$639,717	\$857,605,613
142	Wolf, gray (<i>Canis lupus</i>) Western Great Lakes DPS	DM	\$637,495	\$858,243,108
143	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$633,511	\$858,876,619
144	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) Colorado	T	\$629,701	\$859,506,320
145	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$628,500	\$860,134,820
146	Goby, tidewater (<i>Eucyclogobius newberryi</i>) Entire	E	\$625,509	\$860,760,329
147	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$611,105	\$861,371,434
148	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) Sierra Nevada	E	\$582,116	\$861,953,550
149	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$577,102	\$862,530,652
150	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$574,150	\$863,104,802
151	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) except where endangered	T	\$569,508	\$863,674,310
152	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$565,995	\$864,240,305
153	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$561,270	\$864,801,575
154	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$548,450	\$865,350,025
155	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$546,825	\$865,896,850
156	Gnatcatcher, coastal California (<i>Poliophtila californica californica</i>)	T	\$535,822	\$866,432,672
157	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$534,181	\$866,966,853
158	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$516,176	\$867,483,029
159	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$510,777	\$867,993,806
160	Wolf, red (<i>Canis rufus</i>) except where EXPN	E	\$508,354	\$868,502,160
161	Crane, whooping (<i>Grus americana</i>) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$493,277	\$868,995,437
162	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) <i>albatrus</i>)	E	\$489,801	\$869,485,238
163	Rail, Guam (<i>Rallus owstoni</i>) except Rota	E	\$478,663	\$869,963,901

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
164	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$471,992	\$870,435,893
165	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$468,523	\$870,904,416
166	Logperch, Roanoke (<i>Percina rex</i>)	E	\$459,153	\$871,363,569
167	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii))	T	\$458,641	\$871,822,210
168	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. peirsonii)	T	\$438,992	\$872,261,202
169	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$436,815	\$872,698,017
170	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$436,200	\$873,134,217
171	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$428,100	\$873,562,317
172	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$420,335	\$873,982,652
173	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. recurva)	E	\$411,000	\$874,393,652
174	Pondberry (<i>Lindera melissifolia</i>)	E	\$404,602	\$874,798,254
175	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$404,300	\$875,202,554
176	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$402,351	\$875,604,905
177	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. wrighti))	E	\$401,222	\$876,006,127
178	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$397,364	\$876,403,491
179	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$396,504	\$876,799,995
180	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$386,215	\$877,186,210
181	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$384,705	\$877,570,915
182	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$383,715	\$877,954,630
183	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$379,750	\$878,334,380
184	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$379,308	\$878,713,688
185	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$371,615	\$879,085,303
186	Frog, mountain yellow-legged (<i>Rana muscosa</i>) southern California DPS	E	\$366,575	\$879,451,878
187	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$359,440	\$879,811,318
188	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$354,860	\$880,166,178
189	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) southwest Alaska DPS	T	\$352,317	\$880,518,495
190	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$351,169	\$880,869,664
191	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$348,260	\$881,217,924
192	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$347,639	\$881,565,563
193	Vigna o-wahuensis (=Sci name)	E	\$346,502	\$881,912,065
194	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$342,539	\$882,254,604
195	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$341,230	\$882,595,834
196	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$340,445	\$882,936,279
197	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$338,608	\$883,274,887
198	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$337,562	\$883,612,449
199	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>)	E	\$337,132	\$883,949,581
200	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Santa Barbara County)	E	\$335,706	\$884,285,287
201	Clubshell (<i>Pleurobema clava</i>) Entire Range; Except where listed as Experimental Populations	E	\$329,090	\$884,614,377
202	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$325,048	\$884,939,425
203	Otter, southern sea (<i>Enhydra lutris nereis</i>) except where EXPN	T	\$317,657	\$885,257,082

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
204	Sturgeon, North American green (<i>Acipenser medirostris</i>) U.S.A. (CA) Southern Distinct Population Segment	T	\$317,257	\$885,574,339
205	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$317,200	\$885,891,539
206	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$312,140	\$886,203,679
207	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$311,570	\$886,515,249
208	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$311,372	\$886,826,621
209	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) Columbia Basin DPS	E	\$307,462	\$887,134,083
210	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$306,168	\$887,440,251
211	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$305,382	\$887,745,633
212	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$305,018	\$888,050,651
213	Tortoise, desert (<i>Gopherus agassizii</i>) outside/taken from Sonoran Desert	SAT	\$303,768	\$888,354,419
214	Abalone, White (<i>Haliotis sorenseni</i>) North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$300,500	\$888,654,919
215	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$299,245	\$888,954,164
216	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$297,420	\$889,251,584
217	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$296,256	\$889,547,840
218	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$295,779	\$889,843,619
219	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$295,080	\$890,138,699
220	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) U.S.A. (DE, Sussex Co.)	EXPN	\$289,500	\$890,428,199
221	Tern, roseate (<i>Sterna dougallii dougallii</i>) northeast U.S. nesting pop.	E	\$288,705	\$890,716,904
222	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$287,501	\$891,004,405
223	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$284,656	\$891,289,061
224	Bear, grizzly (<i>Ursus arctos horribilis</i>) Yellowstone DPS	DM	\$281,570	\$891,570,631
225	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) FL pop.	T	\$276,401	\$891,847,032
226	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$273,249	\$892,120,281
227	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$269,336	\$892,389,617
228	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$269,295	\$892,658,912
229	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$266,654	\$892,925,566
230	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$265,613	\$893,191,179
231	Trout, greenback cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$264,472	\$893,455,651
232	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$263,045	\$893,718,696
233	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$256,854	\$893,975,550
234	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$256,711	\$894,232,261
235	Ohai (<i>Sesbania tomentosa</i>)	E	\$254,859	\$894,487,120
236	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$254,332	\$894,741,452
237	Cactus, star (<i>Astrophytum asterias</i>)	E	\$254,200	\$894,995,652
238	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$251,637	\$895,247,289
239	A'e (<i>Zanthoxylum hawaiiense</i>)	E	\$249,302	\$895,496,591
240	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$246,100	\$895,742,691

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
241	Minnow, Devils River (<i>Dionda diabolii</i>)	T	\$245,000	\$895,987,691
242	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$244,902	\$896,232,593
243	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$244,545	\$896,477,138
244	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$243,633	\$896,720,771
245	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$232,004	\$896,952,775
246	Sheep, bighorn (<i>Ovis canadensis</i>) Peninsular CA pop.	E	\$231,189	\$897,183,964
247	Mahoe (<i>Alectryon macrococcus</i>)	E	\$228,645	\$897,412,609
248	Silene lanceolata (=Sci name)	E	\$227,502	\$897,640,111
249	Spermolepis hawaiiensis (=Sci name)	E	\$227,102	\$897,867,213
250	Silene hawaiiensis (=Sci name)	T	\$226,952	\$898,094,165
251	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$226,845	\$898,321,010
252	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$226,202	\$898,547,212
253	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) MI, OH, IN N of 400 N. Lat.	T	\$225,900	\$898,773,112
254	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$225,000	\$898,998,112
255	Asplenium fragile var. insulare (=Sci name)	E	\$222,021	\$899,220,133
256	Ocelot (<i>Leopardus (=Felis) pardalis</i>)	E	\$221,287	\$899,441,420
257	Stenogyne angustifolia var. angustifolia (=Sci name)	E	\$219,702	\$899,661,122
258	Neraudia ovata (=Sci name)	E	\$219,352	\$899,880,474
259	Honohono (<i>Haplostachys haplostachya</i>)	E	\$218,902	\$900,099,376
260	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$218,602	\$900,317,978
261	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$218,349	\$900,536,327
262	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$218,102	\$900,754,429
263	Tetramolopium arenarium (=Sci name)	E	\$217,702	\$900,972,131
264	Lipochaeta venosa (=Sci name)	E	\$217,602	\$901,189,733
264	Aupaka (<i>Isodendron hosakae</i>)	E	\$217,602	\$901,407,335
265	Whale, killer (<i>Orcinus orca</i>) Southern Resident DPS	E	\$216,375	\$901,623,710
266	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$214,650	\$901,838,360
267	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$213,599	\$902,051,959
268	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$212,810	\$902,264,769
269	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$212,137	\$902,476,906
270	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$207,215	\$902,684,121
271	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$207,075	\$902,891,196
272	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$206,969	\$903,098,165
273	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	\$206,750	\$903,304,915
274	Caribou, woodland (<i>Rangifer tarandus caribou</i>) Selkirk Mountain population	E	\$205,777	\$903,510,692
275	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$204,700	\$903,715,392
276	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$202,891	\$903,918,283
277	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$201,747	\$904,120,030
278	Oha (<i>Delissea subcordata</i>)	E	\$201,345	\$904,321,375
279	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$200,345	\$904,521,720
280	Schiedea kaalae (=Sci name)	E	\$199,645	\$904,721,365

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
281	Phyllostegia kaalaensis (=Sci name)	E	\$199,145	\$904,920,510
282	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$198,715	\$905,119,225
283	Neraudia angulata (=Sci name)	E	\$198,545	\$905,317,770
284	Schiedea nuttallii (=Sci name)	E	\$198,345	\$905,516,115
285	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$190,345	\$905,706,460
286	Ha'i wale (<i>Cyrtandra dentata</i>)	E	\$189,645	\$905,896,105
287	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$187,728	\$906,083,833
288	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$187,350	\$906,271,183
289	Chub, spotfin (<i>Erimonax monachus</i>) Entire	T	\$186,761	\$906,457,944
290	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) southern	SAT	\$184,185	\$906,642,129
291	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$182,565	\$906,824,694
292	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$182,532	\$907,007,226
293	Mapleleaf, winged (<i>Quadrula fragosa</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$178,300	\$907,185,526
294	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$177,616	\$907,363,142
295	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$176,424	\$907,539,566
296	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$176,299	\$907,715,865
297	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$175,807	\$907,891,672
298	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$175,600	\$908,067,272
299	Pearl mussel, littlewing (<i>Pegias fabula</i>)	E	\$173,377	\$908,240,649
300	Ma'o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$171,266	\$908,411,915
301	Darter, leopard (<i>Percina pantherina</i>)	T	\$171,054	\$908,582,969
302	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$170,900	\$908,753,869
303	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$167,600	\$908,921,469
304	Mapleleaf, winged (<i>Quadrula fragosa</i>) Entire; except where listed as experimental populations	E	\$167,328	\$909,088,797
305	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$167,255	\$909,256,052
306	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$166,963	\$909,423,015
307	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) U.S.A. only	E	\$166,795	\$909,589,810
308	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$164,862	\$909,754,672
309	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$164,301	\$909,918,973
310	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$163,520	\$910,082,493
311	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$162,923	\$910,245,416
312	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$161,366	\$910,406,782
313	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$160,275	\$910,567,057
314	Hesperomannia arbuscula (=Sci name)	E	\$159,907	\$910,726,964
315	Kulu'i (<i>Nototrichium humile</i>)	E	\$159,466	\$910,886,430
316	Bankclimber, purple (mussel) (<i>Elliptioideus sloatianus</i>)	T	\$159,015	\$911,045,445
317	Tetramolopium filiforme (=Sci name)	E	\$157,907	\$911,203,352
317	Lo'ulu (<i>Pritchardia kaalae</i>)	E	\$157,907	\$911,361,259
318	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$157,834	\$911,519,093

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
319	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$157,173	\$911,676,266
320	Na'ena'e (<i>Dubautia herbstobatae</i>)	E	\$157,007	\$911,833,273
321	Hedyotis parvula (=Sci name)	E	\$156,807	\$911,990,080
322	Sanicula mariversa (=Sci name)	E	\$156,707	\$912,146,787
323	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$156,460	\$912,303,247
324	Gouania vitifolia (=Sci name)	E	\$156,107	\$912,459,354
325	Hedyotis degeneri (=Sci name)	E	\$156,007	\$912,615,361
326	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$155,878	\$912,771,239
327	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$154,029	\$912,925,268
328	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$153,712	\$913,078,980
329	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) Columbia River DPS	E	\$152,442	\$913,231,422
330	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$152,407	\$913,383,829
331	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$150,536	\$913,534,365
332	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$148,510	\$913,682,875
333	Haha (<i>Cyanea superba</i>)	E	\$148,007	\$913,830,882
334	Haha (<i>Cyanea longiflora</i>)	E	\$147,907	\$913,978,789
335	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$146,813	\$914,125,602
336	Alsinidendron obovatum (=Sci name)	E	\$146,807	\$914,272,409
336	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$146,807	\$914,419,216
337	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$146,231	\$914,565,447
338	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) Entire Range; Except where listed as Experimental Populations	E	\$145,718	\$914,711,165
339	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$142,290	\$914,853,455
340	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$141,903	\$914,995,358
341	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$140,515	\$915,135,873
342	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$135,700	\$915,271,573
343	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) townsendii ingens)	E	\$133,970	\$915,405,543
344	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$132,275	\$915,537,818
345	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$130,792	\$915,668,610
346	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$129,339	\$915,797,949
347	Nanu (<i>Gardenia mannii</i>)	E	\$129,314	\$915,927,263
348	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$128,256	\$916,055,519
349	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$127,914	\$916,183,433
350	Haha (<i>Cyanea koolauensis</i>)	E	\$127,714	\$916,311,147
351	Bear, American black (<i>Ursus americanus</i>) County range of LA b.bear	SAT	\$127,065	\$916,438,212
352	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$126,822	\$916,565,034
353	Howellia, water (<i>Howellia aquatilis</i>)	T	\$126,214	\$916,691,248
354	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. kuenzleri)	E	\$125,900	\$916,817,148
355	Crocodile, American (<i>Crocodylus acutus</i>) FL pop.	T	\$125,158	\$916,942,306
356	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$122,926	\$917,065,232
357	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$122,856	\$917,188,088
358	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$122,791	\$917,310,879

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
359	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) entire	T	\$122,701	\$917,433,580
360	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$122,457	\$917,556,037
361	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) Entire Range; Except where listed as Experimental Populations	E	\$121,196	\$917,677,233
362	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$120,534	\$917,797,767
363	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>)	E	\$119,186	\$917,916,953
364	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$118,529	\$918,035,482
365	Bonamia menziesii (=Sci name)	E	\$117,900	\$918,153,382
366	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$115,865	\$918,269,247
367	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$114,039	\$918,383,286
368	Lau`ehu (<i>Panicum niihauense</i>)	E	\$114,000	\$918,497,286
369	Lily, Western (<i>Lilium occidentale</i>)	E	\$113,778	\$918,611,064
370	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$112,900	\$918,723,964
371	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$112,543	\$918,836,507
372	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$111,720	\$918,948,227
373	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$111,312	\$919,059,539
374	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$111,073	\$919,170,612
375	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$111,046	\$919,281,658
376	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$110,603	\$919,392,261
377	Mariscus pennatifolius (=Sci name)	E	\$110,500	\$919,502,761
378	Shiner, Arkansas River (<i>Notropis girardi</i>) Arkansas R. Basin	T	\$110,282	\$919,613,043
379	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$109,860	\$919,722,903
380	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$109,680	\$919,832,583
380	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$109,680	\$919,942,263
381	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$108,856	\$920,051,119
382	Catspaw (=purple cat's paw pearl mussel) (<i>Epioblasma obliquata obliquata</i>) Entire Range; Except where listed as Experimental Populations	E	\$108,282	\$920,159,401
383	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$107,603	\$920,267,004
384	Woundfin (<i>Plagopterus argentissimus</i>) Gila R. drainage, AZ, NM	EXPN	\$106,414	\$920,373,418
385	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$106,357	\$920,479,775
386	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$104,950	\$920,584,725
387	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$104,739	\$920,689,464
388	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$104,612	\$920,794,076
389	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$104,600	\$920,898,676
390	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$104,038	\$921,002,714
391	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$103,880	\$921,106,594
392	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$103,384	\$921,209,978
393	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$103,274	\$921,313,252
394	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$101,800	\$921,415,052
395	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$101,500	\$921,516,552
396	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$101,141	\$921,617,693
397	Catesbaea melanocarpa (=Sci name)	E	\$100,500	\$921,718,193

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
398	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$100,339	\$921,818,532
399	Hesperomannia arborescens (=Sci name)	E	\$100,276	\$921,918,808
400	Mussel, oyster (<i>Epioblasma capsaeformis</i>) Entire Range; Except where listed as Experimental Populations	E	\$99,143	\$922,017,951
401	Layia, beach (<i>Layia carnosa</i>)	E	\$98,435	\$922,116,386
402	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$98,150	\$922,214,536
403	Meadowfoam, Butte County (<i>Limnanthes floccosa ssp. californica</i>)	E	\$97,730	\$922,312,266
404	Jaguar (<i>Panthera onca</i>)	E	\$97,157	\$922,409,423
405	Bedstraw, El Dorado (<i>Galium californicum ssp. sierrae</i>)	E	\$96,983	\$922,506,406
406	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$95,330	\$922,601,736
407	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus ssp. albidus</i>)	E	\$95,182	\$922,696,918
408	Makou (<i>Peucedanum sandwicense</i>)	T	\$95,000	\$922,791,918
409	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$94,665	\$922,886,583
410	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$93,983	\$922,980,566
410	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$93,983	\$923,074,549
411	Cactus, Uinta Basin hookless (<i>Sclerocactus glaucus</i>)	T	\$93,725	\$923,168,274
412	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$93,400	\$923,261,674
413	Sanicula purpurea (=Sci name)	E	\$92,876	\$923,354,550
414	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$92,750	\$923,447,300
415	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$92,600	\$923,539,900
416	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$92,170	\$923,632,070
417	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$91,871	\$923,723,941
418	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$91,500	\$923,815,441
419	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$91,352	\$923,906,793
420	Tarplant, Gaviota (<i>Deinandra increscens ssp. villosa</i>)	E	\$90,865	\$923,997,658
421	Cactus, Sneed pincushion (<i>Coryphantha sneedii var. sneedii</i>)	E	\$90,400	\$924,088,058
422	Flannelbush, Pine Hill (<i>Fremontodendron californicum ssp. decumbens</i>)	E	\$89,983	\$924,178,041
423	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$89,615	\$924,267,656
424	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$89,161	\$924,356,817
425	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$88,000	\$924,444,817
426	Pearlymussel, cracking (<i>Hemistena lata</i>) Entire Range; Except where listed as Experimental Populations	E	\$86,956	\$924,531,773
427	Haha (<i>Cyanea acuminata</i>)	E	\$86,176	\$924,617,949
428	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$86,115	\$924,704,064
429	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$85,983	\$924,790,047
430	Phyllostegia hirsuta (=Sci name)	E	\$85,876	\$924,875,923
431	Haha (<i>Cyanea st.-johnii</i>)	E	\$85,476	\$924,961,399
431	Lobelia oahuensis (=Sci name)	E	\$85,476	\$925,046,875
431	Pteris lidgatei (=Sci name)	E	\$85,476	\$925,132,351
432	Ha'i wale (<i>Cyrtandra viridiflora</i>)	E	\$85,389	\$925,217,740
433	Viola oahuensis (=Sci name)	E	\$85,376	\$925,303,116
433	`Akoko (<i>Chamaesyce rockii</i>)	E	\$85,376	\$925,388,492
434	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$85,100	\$925,473,592
435	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$84,939	\$925,558,531

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
436	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Sonoma County)	E	\$82,893	\$925,641,424
437	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$81,500	\$925,722,924
438	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$81,200	\$925,804,124
439	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$79,830	\$925,883,954
440	Pigtoe, shiny (<i>Fusconaia cor</i>) Entire Range; Except where listed as Experimental Populations	E	\$79,665	\$925,963,619
441	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$79,420	\$926,043,039
442	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$79,000	\$926,122,039
443	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$78,500	\$926,200,539
444	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$78,100	\$926,278,639
445	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$77,667	\$926,356,306
446	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$76,827	\$926,433,133
447	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$76,500	\$926,509,633
448	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$76,299	\$926,585,932
449	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$75,524	\$926,661,456
450	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$75,426	\$926,736,882
451	Darter, duskytail (<i>Etheostoma percnurum</i>) Entire	E	\$75,285	\$926,812,167
452	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$74,400	\$926,886,567
453	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$74,252	\$926,960,819
454	Nukupu'u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$74,112	\$927,034,931
455	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$73,962	\$927,108,893
456	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$72,400	\$927,181,293
457	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$72,100	\$927,253,393
458	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$72,000	\$927,325,393
459	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$71,594	\$927,396,987
460	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$71,390	\$927,468,377
461	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$71,058	\$927,539,435
462	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$71,000	\$927,610,435
463	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$69,909	\$927,680,344
464	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$69,500	\$927,749,844
465	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$69,100	\$927,818,944
465	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$69,100	\$927,888,044
466	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$68,971	\$927,957,015
467	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$68,673	\$928,025,688
468	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$68,180	\$928,093,868
469	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiphrys))	E	\$68,141	\$928,162,009
470	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$68,140	\$928,230,149
471	Darter, amber (<i>Percina antesella</i>)	E	\$68,050	\$928,298,199
472	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$68,000	\$928,366,199
473	Bat, Virginia big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii virginianus</i>)	E	\$67,457	\$928,433,656
474	Pearl mussel, birdwing (<i>Conradilla caelata</i>) Entire Range; Except where listed as Experimental Populations	E	\$66,956	\$928,500,612

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
475	Kauila (<i>Colubrina oppositifolia</i>)	E	\$66,800	\$928,567,412
476	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$66,670	\$928,634,082
477	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$66,662	\$928,700,744
478	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$66,657	\$928,767,401
479	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$66,000	\$928,833,401
479	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$66,000	\$928,899,401
480	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$65,850	\$928,965,251
481	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$65,486	\$929,030,737
482	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$65,300	\$929,096,037
483	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$65,087	\$929,161,124
484	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$64,850	\$929,225,974
485	Haha (<i>Cyanea shipmanii</i>)	E	\$64,800	\$929,290,774
486	Watersnake, Lake Erie (<i>Nerodia sipedon insularum</i>) subspecies range clarified	T	\$64,588	\$929,355,362
487	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>)	E	\$64,295	\$929,419,657
488	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$64,258	\$929,483,915
489	Kangaroo rat, Fresno (<i>Dipodomys nitratoideis exilis</i>)	E	\$64,111	\$929,548,026
490	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$64,100	\$929,612,126
491	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$63,960	\$929,676,086
492	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$63,500	\$929,739,586
493	Pearlymussel, dromedary (<i>Dromus dromas</i>) Entire Range; Except where listed as Experimental Populations	E	\$63,408	\$929,802,994
494	Chub, Pahrnagat roundtail (<i>Gila robusta jordanii</i>)	E	\$63,150	\$929,866,144
494	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$63,150	\$929,929,294
495	Pink, swamp (<i>Helonias bullata</i>)	T	\$62,886	\$929,992,180
496	Chub, Gila (<i>Gila intermedia</i>)	E	\$62,600	\$930,054,780
497	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$62,200	\$930,116,980
498	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$61,994	\$930,178,974
499	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$61,750	\$930,240,724
500	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$61,100	\$930,301,824
501	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$61,000	\$930,362,824
502	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$60,677	\$930,423,501
503	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$60,500	\$930,484,001
504	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$59,852	\$930,543,853
505	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) Entire, except Sussex Co., DE	E	\$59,676	\$930,603,529
506	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$59,400	\$930,662,929
507	Monardella, willow (<i>Monardella linoides</i> ssp. <i>viminea</i>)	E	\$59,340	\$930,722,269
508	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$59,300	\$930,781,569
509	Dace, desert (<i>Eremichthys acros</i>)	T	\$59,033	\$930,840,602
510	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$59,000	\$930,899,602
511	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$58,300	\$930,957,902
512	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$58,000	\$931,015,902
513	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>)	E	\$57,871	\$931,073,773

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	Entire Range; Except where listed as Experimental Populations			
514	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$57,676	\$931,131,449
515	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$57,338	\$931,188,787
516	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$56,000	\$931,244,787
517	Wireweed (<i>Polygonella basiramia</i>)	E	\$55,900	\$931,300,687
518	Koki`o (<i>Kokia drynarioides</i>)	E	\$55,700	\$931,356,387
519	`Oha wai (<i>Clermontia lindseyana</i>)	E	\$55,569	\$931,411,956
520	`Oha wai (<i>Clermontia pyrolaria</i>)	E	\$55,500	\$931,467,456
520	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$55,500	\$931,522,956
520	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$55,500	\$931,578,456
521	Abutilon sandwicense (=Sci name)	E	\$55,338	\$931,633,794
522	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$55,200	\$931,688,994
523	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$54,800	\$931,743,794
524	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$54,600	\$931,798,394
525	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$54,344	\$931,852,738
526	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$54,195	\$931,906,933
527	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$53,727	\$931,960,660
528	Dace, Foscett speckled (<i>Rhinichthys osculus ssp.</i>)	T	\$53,500	\$932,014,160
529	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$53,470	\$932,067,630
530	Springsnail, Idaho (<i>Pyrgulopsis idahoensis</i>)	DO	\$53,212	\$932,120,842
531	Lobelia niihauensis (=Sci name)	E	\$52,938	\$932,173,780
532	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$52,356	\$932,226,136
533	Limpet, Banbury Springs (<i>Lanx sp.</i>)	E	\$52,178	\$932,278,314
534	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$52,067	\$932,330,381
535	Schiedea hookeri (=Sci name)	E	\$51,907	\$932,382,288
535	Pauoa (<i>Ctenitis squamigera</i>)	E	\$51,907	\$932,434,195
536	Diellia falcata (=Sci name)	E	\$51,838	\$932,486,033
537	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$51,700	\$932,537,733
538	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$51,694	\$932,589,427
539	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$51,682	\$932,641,109
540	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$51,450	\$932,692,559
541	Phyllostegia velutina (=Sci name)	E	\$51,400	\$932,743,959
542	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$51,186	\$932,795,145
543	Campion, fringed (<i>Silene polypetala</i>)	E	\$51,000	\$932,846,145
543	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$51,000	\$932,897,145
544	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$50,938	\$932,948,083
545	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$50,904	\$932,998,987
546	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$50,500	\$933,049,487
547	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$50,093	\$933,099,580
548	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$49,465	\$933,149,045
549	Elktoe, Cumberland (<i>Alasmodonta atropurpurea</i>)	E	\$49,335	\$933,198,380
550	Harperella (<i>Ptilimnium nodosum</i>)	E	\$49,223	\$933,247,603
551	Po`ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$48,812	\$933,296,415

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
552	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$48,800	\$933,345,215
553	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>)	E	\$48,780	\$933,393,995
554	Nioi (<i>Eugenia koolauensis</i>)	E	\$48,438	\$933,442,433
555	Buckwheat, steamboat (<i>Eriogonum ovalifolium var. williamsiae</i>)	E	\$46,900	\$933,489,333
556	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$46,780	\$933,536,113
557	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$46,600	\$933,582,713
558	Trillium, relict (<i>Trillium reliquum</i>)	E	\$46,350	\$933,629,063
559	Madtom, yellowfin (<i>Noturus flavipinnis</i>) except where EXPN	T	\$46,291	\$933,675,354
560	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$46,241	\$933,721,595
561	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$45,860	\$933,767,455
562	Aupaka (<i>Isodendron longifolium</i>)	T	\$45,838	\$933,813,293
563	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$45,753	\$933,859,046
564	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa ssp. grandiflora</i>)	E	\$45,318	\$933,904,364
565	Rice rat (<i>Oryzomys palustris natator</i>) lower FL Keys	E	\$45,287	\$933,949,651
566	Kolea (<i>Myrsine juddii</i>)	E	\$45,038	\$933,994,689
567	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$44,800	\$934,039,489
568	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$44,721	\$934,084,210
569	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$44,500	\$934,128,710
570	Phyllostegia parviflora (=Sci name)	E	\$44,438	\$934,173,148
570	Alsinidendron trinerve (=Sci name)	E	\$44,438	\$934,217,586
571	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$44,338	\$934,261,924
572	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$44,190	\$934,306,114
573	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$44,038	\$934,350,152
574	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$44,000	\$934,394,152
574	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$44,000	\$934,438,152
575	Stenogyne kanehoana (=Sci name)	E	\$43,938	\$934,482,090
576	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$43,850	\$934,525,940
577	Cyanea (=Rollandia) crispa (=Sci name)	E	\$43,838	\$934,569,778
578	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$43,527	\$934,613,305
579	Haha (<i>Cyanea humboldtiana</i>)	E	\$43,438	\$934,656,743
580	Broom, San Clemente Island (<i>Lotus dendroideus ssp. traskiae</i>)	E	\$43,367	\$934,700,110
581	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$43,300	\$934,743,410
582	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$43,256	\$934,786,666
583	Alani (<i>Melicope lydgatei</i>)	E	\$43,238	\$934,829,904
584	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$43,164	\$934,873,068
585	Opuhe (<i>Urera kaalae</i>)	E	\$43,138	\$934,916,206
586	Lobelia gaudichaudii ssp. koolauensis (=Sci name)	E	\$43,038	\$934,959,244
587	Wawae`iole (<i>Lycopodium (=Phlegmariurus) nutans</i>)	E	\$42,938	\$935,002,182
588	Gilia, Monterey (<i>Gilia tenuiflora ssp. arenaria</i>)	E	\$42,922	\$935,045,104
589	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$42,817	\$935,087,921
590	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$42,693	\$935,130,614
591	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$42,500	\$935,173,114

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
591	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$42,500	\$935,215,614
592	Seablite, California (<i>Suaeda californica</i>)	E	\$42,373	\$935,257,987
593	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$42,350	\$935,300,337
594	Darter, snail (<i>Percina tanasi</i>)	T	\$42,270	\$935,342,607
595	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$42,160	\$935,384,767
596	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$42,139	\$935,426,906
597	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$42,000	\$935,468,906
598	Aiea (<i>Nothocestrum peltatum</i>)	E	\$41,700	\$935,510,606
599	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$41,666	\$935,552,272
600	Uhiuhi (<i>Caesalpinia kawaiense</i>)	E	\$41,500	\$935,593,772
601	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$41,295	\$935,635,067
602	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$41,245	\$935,676,312
603	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$41,118	\$935,717,430
604	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$40,115	\$935,757,545
605	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$40,075	\$935,797,620
606	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) Entire Range; Except where listed as Experimental Populations	E	\$40,046	\$935,837,666
607	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$39,798	\$935,877,464
608	Sucker, Santa Ana (<i>Catostomus santaanae</i>) 3 CA river basins	T	\$39,676	\$935,917,140
609	Onion, Munz's (<i>Allium munzii</i>)	E	\$39,619	\$935,956,759
610	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$39,555	\$935,996,314
611	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$39,500	\$936,035,814
611	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$39,500	\$936,075,314
612	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$39,354	\$936,114,668
612	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$39,354	\$936,154,022
613	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$39,300	\$936,193,322
614	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$39,200	\$936,232,522
615	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$39,039	\$936,271,561
616	Darter, bluemark (=jewel) (<i>Etheostoma</i> sp.)	E	\$38,800	\$936,310,361
617	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$38,771	\$936,349,132
618	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$38,660	\$936,387,792
619	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$38,359	\$936,426,151
620	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$38,000	\$936,464,151
621	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$37,954	\$936,502,105
622	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$37,799	\$936,539,904
623	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$37,500	\$936,577,404
624	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$37,450	\$936,614,854
625	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$37,302	\$936,652,156
626	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$37,057	\$936,689,213
627	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$37,036	\$936,726,249
628	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$37,020	\$936,763,269
629	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhaphae</i>)	E	\$37,000	\$936,800,269
629	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$37,000	\$936,837,269

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
630	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$36,900	\$936,874,169
631	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$36,474	\$936,910,643
632	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>)	E	\$36,232	\$936,946,875
633	Madtom, smoky (<i>Noturus baileyi</i>) Entire	E	\$36,150	\$936,983,025
634	ʻOha wai (<i>Clermontia drepanomorpha</i>)	E	\$36,100	\$937,019,125
635	fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$36,000	\$937,055,125
635	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	\$36,000	\$937,091,125
636	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$35,780	\$937,126,905
637	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$35,523	\$937,162,428
637	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$35,523	\$937,197,951
637	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$35,523	\$937,233,474
638	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$35,300	\$937,268,774
639	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$35,223	\$937,303,997
640	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$34,900	\$937,338,897
641	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$34,708	\$937,373,605
642	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$34,393	\$937,407,998
643	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$34,100	\$937,442,098
644	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$34,032	\$937,476,130
645	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$34,000	\$937,510,130
646	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$33,800	\$937,543,930
647	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$33,576	\$937,577,506
648	ʻOʻu (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$33,512	\$937,611,018
649	Pennyroyal, Todsen's (<i>Hedeoma todsenii</i>)	E	\$33,200	\$937,644,218
650	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$33,000	\$937,677,218
651	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensi</i>)	E	\$32,400	\$937,709,618
652	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$32,335	\$937,741,953
653	Koʻokoʻolau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$31,865	\$937,773,818
654	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$31,500	\$937,805,318
655	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$31,435	\$937,836,753
656	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$31,033	\$937,867,786
657	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$30,800	\$937,898,586
658	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$30,500	\$937,929,086
659	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$30,486	\$937,959,572
660	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$30,483	\$937,990,055
661	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$30,300	\$938,020,355
662	Wooly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$30,266	\$938,050,621
663	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$29,912	\$938,080,533
664	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$29,680	\$938,110,213
665	Chub, slender (<i>Erimystax cahnii</i>)	T	\$29,421	\$938,139,634
666	Kidneyshell, triangular (<i>Ptychobranthus greenii</i>)	E	\$29,300	\$938,168,934
667	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$29,100	\$938,198,034
668	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$29,000	\$938,227,034
668	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$29,000	\$938,256,034

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
669	Snail, Newcomb's (<i>Erinna newcombii</i>)	T	\$28,800	\$938,284,834
670	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$28,600	\$938,313,434
671	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$28,500	\$938,341,934
672	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$28,385	\$938,370,319
673	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$28,025	\$938,398,344
674	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$28,000	\$938,426,344
675	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$27,705	\$938,454,049
676	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$27,650	\$938,481,699
677	Geocarpon minimum (=Sci name)	T	\$27,556	\$938,509,255
678	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$27,483	\$938,536,738
679	ʻOʻo, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$27,482	\$938,564,220
680	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$27,400	\$938,591,620
680	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$27,400	\$938,619,020
681	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$27,100	\$938,646,120
682	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$27,000	\$938,673,120
683	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$26,915	\$938,700,035
684	Stirrupshell (<i>Quadrula stapes</i>)	E	\$26,900	\$938,726,935
685	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$26,550	\$938,753,485
686	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$26,500	\$938,779,985
686	Plum, scrub (<i>Prunus geniculata</i>)	E	\$26,500	\$938,806,485
686	Alani (<i>Melicope adscendens</i>)	E	\$26,500	\$938,832,985
687	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$26,362	\$938,859,347
688	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$26,200	\$938,885,547
689	Alani (<i>Melicope knudsenii</i>)	E	\$26,100	\$938,911,647
690	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$26,039	\$938,937,686
691	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$26,000	\$938,963,686
691	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$26,000	\$938,989,686
691	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$26,000	\$939,015,686
691	Sandalwood, Lanai (=ʻiliihi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$26,000	\$939,041,686
692	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$25,886	\$939,067,572
693	Darter, goldline (<i>Percina aurolineata</i>)	T	\$25,700	\$939,093,272
694	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$25,600	\$939,118,872
695	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$25,450	\$939,144,322
696	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) Mexican nesting pop.	E	\$25,307	\$939,169,629
697	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$25,302	\$939,194,931
698	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$25,300	\$939,220,231
699	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$25,251	\$939,245,482
700	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$24,954	\$939,270,436
701	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$24,900	\$939,295,336
702	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$24,819	\$939,320,155
703	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$24,679	\$939,344,834

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
704	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$24,582	\$939,369,416
705	Sandlace (<i>Polygonella myriophylla</i>)	E	\$24,400	\$939,393,816
706	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$24,212	\$939,418,028
706	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$24,212	\$939,442,240
707	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$24,077	\$939,466,317
708	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$24,000	\$939,490,317
708	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) Hutton	T	\$24,000	\$939,514,317
708	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$24,000	\$939,538,317
709	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$23,931	\$939,562,248
710	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$23,678	\$939,585,926
711	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$23,630	\$939,609,556
712	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$23,600	\$939,633,156
713	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$23,503	\$939,656,659
714	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$23,500	\$939,680,159
715	Darter, relict (<i>Etheostoma chienense</i>)	E	\$23,200	\$939,703,359
716	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneuma</i>)	E	\$23,134	\$939,726,493
717	Tern, roseate (<i>Sterna dougallii dougallii</i>) Western Hemisphere except NE U.S.	T	\$22,951	\$939,749,444
718	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$22,500	\$939,771,944
718	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$22,500	\$939,794,444
719	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$22,300	\$939,816,744
720	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$22,285	\$939,839,029
721	Chub, spotfin (<i>Erimonax monachus</i>) Shoal Creek	EXPN	\$22,200	\$939,861,229
722	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$22,100	\$939,883,329
723	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$22,092	\$939,905,421
724	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$22,091	\$939,927,512
725	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$22,000	\$939,949,512
725	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$22,000	\$939,971,512
726	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$21,850	\$939,993,362
726	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$21,850	\$940,015,212
727	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$21,500	\$940,036,712
728	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$21,250	\$940,057,962
729	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$21,000	\$940,078,962
730	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$20,882	\$940,099,844
731	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$20,571	\$940,120,415
732	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$20,500	\$940,140,915
732	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$20,500	\$940,161,415
733	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$20,462	\$940,181,877
734	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriformis))	E	\$20,330	\$940,202,207
735	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$20,225	\$940,222,432
736	Ceanothus, coyote (<i>Ceanothus ferrisae</i>)	E	\$20,182	\$940,242,614

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
736	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$20,182	\$940,262,796
737	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$20,115	\$940,282,911
738	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$20,100	\$940,303,011
738	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$20,100	\$940,323,111
739	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$20,066	\$940,343,177
740	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$20,000	\$940,363,177
741	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$19,700	\$940,382,877
742	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$19,696	\$940,402,573
743	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$19,659	\$940,422,232
744	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$19,640	\$940,441,872
745	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$19,500	\$940,461,372
746	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$19,474	\$940,480,846
747	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$19,400	\$940,500,246
747	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$19,400	\$940,519,646
748	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$19,337	\$940,538,983
749	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$19,250	\$940,558,233
750	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$18,950	\$940,577,183
751	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$18,910	\$940,596,093
752	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$18,850	\$940,614,943
753	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$18,794	\$940,633,737
754	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$18,780	\$940,652,517
755	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$18,751	\$940,671,268
756	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$18,728	\$940,689,996
757	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$18,600	\$940,708,596
757	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$18,600	\$940,727,196
758	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$18,500	\$940,745,696
759	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$18,263	\$940,763,959
760	Wild-buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$18,218	\$940,782,177
761	Ko'olua`ula (<i>Abutilon menziesii</i>)	E	\$18,103	\$940,800,280
762	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$18,049	\$940,818,329
763	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$18,004	\$940,836,333
764	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$18,000	\$940,854,333
764	Ha'iwale (<i>Cyrtandra giffardii</i>)	E	\$18,000	\$940,872,333
765	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$17,850	\$940,890,183
766	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$17,600	\$940,907,783
767	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$17,325	\$940,925,108
768	Lampmussel, Alabama (<i>Lampsilis virescens</i>) Entire Range; Except where listed as Experimental Populations	E	\$17,300	\$940,942,408
769	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$17,140	\$940,959,548
770	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$17,100	\$940,976,648
770	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$17,100	\$940,993,748
771	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$17,000	\$941,010,748
772	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$16,950	\$941,027,698

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
773	Wawae`iole (<i>Huperzia manni</i>)	E	\$16,885	\$941,044,583
774	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$16,877	\$941,061,460
775	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$16,700	\$941,078,160
776	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$16,663	\$941,094,823
777	Poppy, Sacramento prickly (<i>Argemone pleiacantha ssp. pinnatisecta</i>)	E	\$16,500	\$941,111,323
777	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$16,500	\$941,127,823
778	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus var. piscinensis</i>)	T	\$16,393	\$941,144,216
779	Twinnod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$16,301	\$941,160,517
780	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$16,212	\$941,176,729
781	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) Entire Range; Except where listed as Experimental Populations	E	\$16,020	\$941,192,749
782	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$16,000	\$941,208,749
782	Cactus, black lace (<i>Echinocereus reichenbachii var. albertii</i>)	E	\$16,000	\$941,224,749
782	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$16,000	\$941,240,749
783	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$15,900	\$941,256,649
784	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$15,780	\$941,272,429
785	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$15,700	\$941,288,129
785	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$15,700	\$941,303,829
785	Rocksnailed, plicate (<i>Leptoxis plicata</i>)	E	\$15,700	\$941,319,529
786	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$15,417	\$941,334,946
787	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$15,300	\$941,350,246
788	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$15,274	\$941,365,520
789	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$15,255	\$941,380,775
790	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$15,200	\$941,395,975
790	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$15,200	\$941,411,175
791	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$15,060	\$941,426,235
792	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) Entire Range; Except where listed as Experimental Populations	E	\$15,000	\$941,441,235
792	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$15,000	\$941,456,235
792	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$15,000	\$941,471,235
792	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$15,000	\$941,486,235
793	Aupaka (<i>Isodendron laurifolium</i>)	E	\$14,900	\$941,501,135
794	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$14,600	\$941,515,735
795	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$14,550	\$941,530,285
796	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$14,500	\$941,544,785
796	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$14,500	\$941,559,285
797	Thistle, Chorro Creek bog (<i>Cirsium fontinale var. obispoense</i>)	E	\$14,359	\$941,573,644
798	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$14,340	\$941,587,984
798	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$14,340	\$941,602,324
799	Phacelia, island (<i>Phacelia insularis ssp. insularis</i>)	E	\$14,337	\$941,616,661
800	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$14,300	\$941,630,961
800	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$14,300	\$941,645,261
801	Cycladenia, Jones (<i>Cycladenia jonesii</i> (=humilis))	T	\$14,229	\$941,659,490
802	Bluecurls, Hidden Lake (<i>Trichostema austromontanum ssp. compactum</i>)	T	\$14,076	\$941,673,566

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
802	Ceanothus, Vail Lake (<i>Ceanothus ophiophilus</i>)	T	\$14,076	\$941,687,642
803	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$14,000	\$941,701,642
803	<i>Cordia bellonis</i> (=Sci name)	E	\$14,000	\$941,715,642
804	Cactus, Knowlton (<i>Pediocactus knowltonii</i>)	E	\$13,988	\$941,729,630
805	`Akoko (<i>Euphorbia haeleeleana</i>)	E	\$13,900	\$941,743,530
805	Haha (<i>Cyanea mceldowneyi</i>)	E	\$13,900	\$941,757,430
806	`Ahinahina (<i>Argyroxiphium sandwicense ssp. macrocephalum</i>)	T	\$13,865	\$941,771,295
807	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$13,770	\$941,785,065
808	<i>Diplazium molokaiense</i> (=Sci name)	E	\$13,369	\$941,798,434
809	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$13,367	\$941,811,801
809	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$13,367	\$941,825,168
809	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$13,367	\$941,838,535
809	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$13,367	\$941,851,902
809	Pomace fly, [unnamed] (<i>Drosophila musaphila</i>)	E	\$13,367	\$941,865,269
809	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$13,367	\$941,878,636
809	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$13,367	\$941,892,003
809	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$13,367	\$941,905,370
809	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$13,367	\$941,918,737
809	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$13,367	\$941,932,104
809	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$13,367	\$941,945,471
809	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$13,367	\$941,958,838
810	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Holston River, VA, TN	EXPN	\$13,000	\$941,971,838
810	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$13,000	\$941,984,838
810	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$13,000	\$941,997,838
811	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$12,866	\$942,010,704
812	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$12,784	\$942,023,488
813	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$12,700	\$942,036,188
813	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$12,700	\$942,048,888
813	Haha (<i>Cyanea hamatiflora ssp. carlsonii</i>)	E	\$12,700	\$942,061,588
814	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$12,600	\$942,074,188
815	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$12,500	\$942,086,688
815	Navarretia, few-flowered (<i>Navarretia leucocephala ssp. pauciflora</i> (=N. pauciflora))	E	\$12,500	\$942,099,188
815	Fern, Alabama streak-sorus (<i>Thelypteris pilosa var. alabamensis</i>)	T	\$12,500	\$942,111,688
816	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$12,300	\$942,123,988
817	Rocksnail, painted (<i>Leptoxis taeniata</i>)	T	\$12,200	\$942,136,188
818	<i>Calyptranthes thomasiana</i> (=Sci name)	E	\$12,048	\$942,148,236
819	`Ahinahina (<i>Argyroxiphium sandwicense ssp. sandwicense</i>)	E	\$12,000	\$942,160,236
819	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	\$12,000	\$942,172,236
820	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$11,903	\$942,184,139
821	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$11,500	\$942,195,639
821	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$11,500	\$942,207,139
822	Puma (=cougar), eastern (<i>Puma</i> (=Felis) concolor cougar)	E	\$11,189	\$942,218,328
823	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$11,185	\$942,229,513

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
824	Nohoanu (<i>Geranium multiflorum</i>)	E	\$11,155	\$942,240,668
825	Coqui, golden (<i>Eleutherodactylus jasper</i>)	T	\$11,000	\$942,251,668
825	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$11,000	\$942,262,668
826	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$10,883	\$942,273,551
827	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$10,685	\$942,284,236
828	Avens, spreading (<i>Geum radiatum</i>)	E	\$10,660	\$942,294,896
829	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$10,610	\$942,305,506
830	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$10,600	\$942,316,106
830	Pua`ala (<i>Brighamia rockii</i>)	E	\$10,600	\$942,326,706
830	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$10,600	\$942,337,306
830	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$10,600	\$942,347,906
831	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$10,556	\$942,358,462
832	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$10,503	\$942,368,965
833	Alani (<i>Melicope pallida</i>)	E	\$10,500	\$942,379,465
833	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$10,500	\$942,389,965
833	Cobana negra (<i>Stahlia monosperma</i>)	T	\$10,500	\$942,400,465
833	Bariaco (<i>Trichilia triacantha</i>)	E	\$10,500	\$942,410,965
833	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$10,500	\$942,421,465
834	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$10,300	\$942,431,765
834	Haha (<i>Cyanea asarifolia</i>)	E	\$10,300	\$942,442,065
835	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$10,246	\$942,452,311
836	Mussel, oyster (<i>Epioblasma capsaeformis</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$10,075	\$942,462,386
837	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$10,060	\$942,472,446
838	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$10,000	\$942,482,446
839	Mussel, oyster (<i>Epioblasma capsaeformis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$9,900	\$942,492,346
840	Amphipod, Peck's cave (<i>Stygobromus</i> (= <i>Stygonectes</i>) <i>pecki</i>)	E	\$9,814	\$942,502,160
841	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$9,620	\$942,511,780
842	Combshell, southern (<i>Epioblasma penita</i>)	E	\$9,600	\$942,521,380
842	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$9,600	\$942,530,980
843	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$9,500	\$942,540,480
843	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$9,500	\$942,549,980
843	Alani (<i>Melicope zahlbruckneri</i>)	E	\$9,500	\$942,559,480
843	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$9,500	\$942,568,980
844	Beetle, Helotes mold (<i>Batrissodes venyivi</i>)	E	\$9,440	\$942,578,420
845	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$9,400	\$942,587,820
845	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$9,400	\$942,597,220
846	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$9,200	\$942,606,420
846	`Anunu (<i>Sicyos alba</i>)	E	\$9,200	\$942,615,620
847	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$9,160	\$942,624,780
848	Haha (<i>Cyanea glabra</i>)	E	\$9,085	\$942,633,865
848	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$9,085	\$942,642,950

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
849	Turtle, flattened musk (<i>Sternotherus depressus</i>) species range clarified	T	\$9,000	\$942,651,950
849	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$9,000	\$942,660,950
849	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$9,000	\$942,669,950
849	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$9,000	\$942,678,950
849	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$9,000	\$942,687,950
849	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. nesodryas))	T	\$9,000	\$942,696,950
849	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$9,000	\$942,705,950
849	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$9,000	\$942,714,950
849	Rocksnail, round (<i>Leptoxis ampla</i>)	T	\$9,000	\$942,723,950
849	Campeloma, slender (<i>Campeloma decamp</i>)	E	\$9,000	\$942,732,950
849	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$9,000	\$942,741,950
849	Sedge, golden (<i>Carex lutea</i>)	E	\$9,000	\$942,750,950
850	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$8,928	\$942,759,878
851	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$8,862	\$942,768,740
852	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$8,727	\$942,777,467
853	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$8,513	\$942,785,980
854	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$8,469	\$942,794,449
855	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$8,468	\$942,802,917
856	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$8,400	\$942,811,317
857	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$8,200	\$942,819,517
858	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$8,100	\$942,827,617
859	Pilo (<i>Hedyotis manni</i>)	E	\$8,000	\$942,835,617
859	Haha (<i>Cyanea lobata</i>)	E	\$8,000	\$942,843,617
859	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$8,000	\$942,851,617
859	Eugenia woodburyana (=Sci name)	E	\$8,000	\$942,859,617
860	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$7,856	\$942,867,473
861	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$7,800	\$942,875,273
862	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$7,714	\$942,882,987
863	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$7,700	\$942,890,687
864	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$7,600	\$942,898,287
865	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$7,520	\$942,905,807
866	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$7,500	\$942,913,307
866	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$7,500	\$942,920,807
866	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$7,500	\$942,928,307
867	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$7,444	\$942,935,751
868	`Oha wai (<i>Clermontia samuelii</i>)	E	\$7,360	\$942,943,111
869	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$7,300	\$942,950,411
869	Mustard, Carter's (<i>Warea carteri</i>)	E	\$7,300	\$942,957,711
870	Lampmussel, Alabama (<i>Lampsilis virescens</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$7,250	\$942,964,961
871	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$7,201	\$942,972,162

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
872	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$7,159	\$942,979,321
873	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$7,100	\$942,986,421
874	Awiiwi (<i>Centaurium sebaeoides</i>)	E	\$7,059	\$942,993,480
875	Evening-primrose, Eureka Valley (<i>Oenothera avita ssp. eurekaensis</i>)	E	\$7,034	\$943,000,514
875	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$7,034	\$943,007,548
876	Rock-cress, McDonald's (<i>Arabis mcdonaldiana</i>)	E	\$7,000	\$943,014,548
876	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i>)	E	\$7,000	\$943,021,548
877	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$6,955	\$943,028,503
877	Alani (<i>Melicope ovalis</i>)	E	\$6,955	\$943,035,458
878	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$6,870	\$943,042,328
879	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$6,852	\$943,049,180
880	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) Entire Range; Except where listed as Experimental Populations	E	\$6,789	\$943,055,969
881	Schoepfia arenaria (=Sci name)	T	\$6,600	\$943,062,569
882	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$6,590	\$943,069,159
883	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$6,460	\$943,075,619
884	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$6,350	\$943,081,969
885	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$6,300	\$943,088,269
886	Schiedea haleakalensis (=Sci name)	E	\$6,265	\$943,094,534
887	Milk-vetch, triple-ribbed (<i>Astragalus tricarlinatus</i>)	E	\$6,000	\$943,100,534
888	Platanthera holochila (=Sci name)	E	\$5,969	\$943,106,503
889	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$5,900	\$943,112,403
889	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$5,900	\$943,118,303
890	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$5,850	\$943,124,153
891	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$5,717	\$943,129,870
892	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$5,671	\$943,135,541
893	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$5,629	\$943,141,170
894	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalonius</i> var. <i>nicholii</i>)	E	\$5,600	\$943,146,770
894	Phyllostegia mollis (=Sci name)	E	\$5,600	\$943,152,370
894	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$5,600	\$943,157,970
895	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$5,500	\$943,163,470
895	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$5,500	\$943,168,970
895	Lepanthes eltoroensis (=Sci name)	E	\$5,500	\$943,174,470
895	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$5,500	\$943,179,970
895	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$5,500	\$943,185,470
895	Thelypteris inabonensis (=Sci name)	E	\$5,500	\$943,190,970
896	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$5,308	\$943,196,278
897	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$5,200	\$943,201,478
898	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$5,157	\$943,206,635
898	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$5,157	\$943,211,792
898	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$5,157	\$943,216,949
899	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$5,100	\$943,222,049
899	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$5,100	\$943,227,149
900	Clarkia, Pismo (<i>Clarkia speciosa ssp. immaculata</i>)	E	\$5,034	\$943,232,183

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
901	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$5,000	\$943,237,183
901	Pearlmyssel, dromedary (<i>Dromus dromas</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$5,000	\$943,242,183
901	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$5,000	\$943,247,183
901	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$5,000	\$943,252,183
901	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$5,000	\$943,257,183
901	Aristida chaseae (=Sci name)	E	\$5,000	\$943,262,183
901	Tectaria estremerana (=Sci name)	E	\$5,000	\$943,267,183
902	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$4,903	\$943,272,086
903	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$4,843	\$943,276,929
904	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$4,800	\$943,281,729
904	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$4,800	\$943,286,529
904	Phyllostegia mannii (=Sci name)	E	\$4,800	\$943,291,329
905	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$4,785	\$943,296,114
906	Alani (<i>Melicope balloui</i>)	E	\$4,769	\$943,300,883
907	Pearlmyssel, birdwing (<i>Conradilla caelata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$4,700	\$943,305,583
907	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$943,310,283
907	Pigtoe, shiny (<i>Fusconaia cor</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$943,314,983
907	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,700	\$943,319,683
907	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$4,700	\$943,324,383
908	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$4,660	\$943,329,043
908	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$4,660	\$943,333,703
909	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$4,500	\$943,338,203
909	Delissea rhytidosperra (=Sci name)	E	\$4,500	\$943,342,703
909	Lyonia truncata var. proctorii (=Sci name)	E	\$4,500	\$943,347,203
909	Elaphoglossum serpens (=Sci name)	E	\$4,500	\$943,351,703
909	Polystichum calderonense (=Sci name)	E	\$4,500	\$943,356,203
909	Thelypteris verecunda (=Sci name)	E	\$4,500	\$943,360,703
909	Thelypteris yaucoensis (=Sci name)	E	\$4,500	\$943,365,203
910	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus peeblesianus</i>)	E	\$4,350	\$943,369,553
911	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$4,300	\$943,373,853
912	Beetle, Coffin Cave mold (<i>Batrissodes texanus</i>)	E	\$4,240	\$943,378,093
913	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$4,200	\$943,382,293
914	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$4,147	\$943,386,440
915	Darter, duskytail (<i>Etheostoma percnurum</i>) Tellico River, TN	EXPN	\$4,100	\$943,390,540
915	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$4,100	\$943,394,640
916	Rail, Guam (<i>Rallus owstoni</i>) Rota	EXPN	\$4,000	\$943,398,640

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
916	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$4,000	\$943,402,640
916	Thornmint, San Mateo (<i>Acanthomintha obovata ssp. duttonii</i>)	E	\$4,000	\$943,406,640
916	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$4,000	\$943,410,640
916	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$4,000	\$943,414,640
916	Mitracarpus maxwelliae (=Sci name)	E	\$4,000	\$943,418,640
916	Mitracarpus polycladus (=Sci name)	E	\$4,000	\$943,422,640
916	Vernonia proctorii (=Sci name)	E	\$4,000	\$943,426,640
917	Dudleya, Conejo (<i>Dudleya abramsii ssp. parva</i>)	T	\$3,967	\$943,430,607
917	Dudleya, marcescent (<i>Dudleya cymosa ssp. marcescens</i>)	T	\$3,967	\$943,434,574
917	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa ssp. ovatifolia</i>)	T	\$3,967	\$943,438,541
918	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$3,950	\$943,442,491
919	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$3,900	\$943,446,391
920	Chaff-flower, round-leaved (<i>Achyranthes splendens var. rotundata</i>)	E	\$3,759	\$943,450,150
921	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$3,671	\$943,453,821
922	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$3,659	\$943,457,480
923	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$3,600	\$943,461,080
924	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$3,534	\$943,464,614
924	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$3,534	\$943,468,148
925	Polygala, tiny (<i>Polygala smallii</i>)	E	\$3,504	\$943,471,652
926	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,500	\$943,475,152
926	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$3,500	\$943,478,652
926	Lo`ulu (<i>Pritchardia remota</i>)	E	\$3,500	\$943,482,152
926	Liliwai (<i>Acaena exigua</i>)	E	\$3,500	\$943,485,652
926	Alani (<i>Melicope mucronulata</i>)	E	\$3,500	\$943,489,152
926	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$3,500	\$943,492,652
927	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$3,448	\$943,496,100
928	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$3,365	\$943,499,465
929	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$3,300	\$943,502,765
930	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$3,280	\$943,506,045
931	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$3,200	\$943,509,245
931	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$3,200	\$943,512,445
931	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$3,200	\$943,515,645
931	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$3,200	\$943,518,845
932	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$3,171	\$943,522,016
933	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$3,100	\$943,525,116
933	Lysimachia maxima (=Sci name)	E	\$3,100	\$943,528,216
934	`Oha wai (<i>Clermontia peleana</i>)	E	\$3,069	\$943,531,285
935	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$3,023	\$943,534,308
935	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$3,023	\$943,537,331
936	Olulu (<i>Brighamia insignis</i>)	E	\$3,000	\$943,540,331
936	Tetramolopium rockii (=Sci name)	T	\$3,000	\$943,543,331
936	Trillium, persistent (<i>Trillium persistens</i>)	E	\$3,000	\$943,546,331

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
936	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$3,000	\$943,549,331
936	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$3,000	\$943,552,331
937	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$2,993	\$943,555,324
938	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$2,960	\$943,558,284
939	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$2,904	\$943,561,188
940	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$2,900	\$943,564,088
940	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$2,900	\$943,566,988
941	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$2,850	\$943,569,838
941	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$2,850	\$943,572,688
942	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$2,800	\$943,575,488
943	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$2,759	\$943,578,247
944	Xylosma crenatum (=Sci name)	E	\$2,700	\$943,580,947
944	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	\$2,700	\$943,583,647
945	Darter, boulder (<i>Etheostoma wapiti</i>) Shoal Creek	EXPN	\$2,600	\$943,586,247
945	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) Entire Range; Except where listed as Experimental Populations	E	\$2,600	\$943,588,847
945	Palo de nigua (<i>Cornutia obovata</i>)	E	\$2,600	\$943,591,447
945	Daphnopsis hellerana (=Sci name)	E	\$2,600	\$943,594,047
946	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$2,500	\$943,596,547
946	Silene alexandri (=Sci name)	E	\$2,500	\$943,599,047
946	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$2,500	\$943,601,547
946	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$2,500	\$943,604,047
946	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$2,500	\$943,606,547
946	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$2,500	\$943,609,047
947	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$2,400	\$943,611,447
947	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$2,400	\$943,613,847
947	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$2,400	\$943,616,247
948	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$2,350	\$943,618,597
949	Stenogyne campanulata (=Sci name)	E	\$2,300	\$943,620,897
950	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$2,250	\$943,623,147
951	Heau (<i>Exocarpos luteolus</i>)	E	\$2,200	\$943,625,347
952	Nesogenes rotensis (=Sci name)	E	\$2,182	\$943,627,529
952	Osmoxylon mariannense (=Sci name)	E	\$2,182	\$943,629,711
953	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$2,056	\$943,631,767
954	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$2,000	\$943,633,767
954	Buckwheat, lone (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	\$2,000	\$943,635,767
954	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$2,000	\$943,637,767
954	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$2,000	\$943,639,767
954	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$2,000	\$943,641,767
954	Haha (<i>Cyanea dunbarii</i>)	E	\$2,000	\$943,643,767
954	Haha (<i>Cyanea undulata</i>)	E	\$2,000	\$943,645,767
954	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$2,000	\$943,647,767
954	Phyllostegia waimeae (=Sci name)	E	\$2,000	\$943,649,767

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
955	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$1,900	\$943,651,667
955	Schiedea kauaiensis (=Sci name)	E	\$1,900	\$943,653,567
956	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$1,825	\$943,655,392
957	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$1,800	\$943,657,192
957	Delissea undulata (=Sci name)	E	\$1,800	\$943,658,992
957	`Aiea (<i>Nothocestrum breviflorum</i>)	E	\$1,800	\$943,660,792
957	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$1,800	\$943,662,592
958	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$1,791	\$943,664,383
959	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$1,700	\$943,666,083
959	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$1,700	\$943,667,783
959	Phyllostegia wawrana (=Sci name)	E	\$1,700	\$943,669,483
960	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$1,600	\$943,671,083
960	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$1,600	\$943,672,683
960	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$1,600	\$943,674,283
960	Erubia (<i>Solanum drymophilum</i>)	E	\$1,600	\$943,675,883
960	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,600	\$943,677,483
960	Remya montgomeryi (=Sci name)	E	\$1,600	\$943,679,083
960	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	\$1,600	\$943,680,683
961	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$1,540	\$943,682,223
962	Whale, gray (<i>Eschrichtius robustus</i>) W Pacific Ocean	E	\$1,500	\$943,683,723
962	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$1,500	\$943,685,223
962	Chub, spotfin (<i>Erimonax monachus</i>) Tellico River, TN	EXPN	\$1,500	\$943,686,723
962	Schiedea membranacea (=Sci name)	E	\$1,500	\$943,688,223
962	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$1,500	\$943,689,723
962	Chamaesyce halemanui (=Sci name)	E	\$1,500	\$943,691,223
962	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$1,500	\$943,692,723
962	Remya kauaiensis (=Sci name)	E	\$1,500	\$943,694,223
962	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$1,500	\$943,695,723
962	Poa siphonoglossa (=Sci name)	E	\$1,500	\$943,697,223
962	Myrcia paganii (=Sci name)	E	\$1,500	\$943,698,723
962	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$1,500	\$943,700,223
962	Alsinidendron viscosum (=Sci name)	E	\$1,500	\$943,701,723
962	Auerodendron pauciflorum (=Sci name)	E	\$1,500	\$943,703,223
962	Cranichis ricartii (=Sci name)	E	\$1,500	\$943,704,723
963	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$1,400	\$943,706,123
963	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$1,400	\$943,707,523
963	Schiedea verticillata (=Sci name)	E	\$1,400	\$943,708,923
963	Koki`o (<i>Kokia kauaiensis</i>)	E	\$1,400	\$943,710,323
963	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$1,400	\$943,711,723
964	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$1,300	\$943,713,023
964	Viola helenae (=Sci name)	E	\$1,300	\$943,714,323
964	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$1,300	\$943,715,623

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
964	<i>Diellia pallida</i> (=Sci name)	E	\$1,300	\$943,716,923
965	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$1,200	\$943,718,123
965	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$1,200	\$943,719,323
966	Thrush, Molokai (<i>Myadestes lanaiensis</i> <i>rutha</i>)	E	\$1,182	\$943,720,505
966	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$1,182	\$943,721,687
967	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$1,178	\$943,722,865
967	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$1,178	\$943,724,043
968	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$1,150	\$943,725,193
969	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$1,100	\$943,726,293
969	Trematolobelia singularis (=Sci name)	E	\$1,100	\$943,727,393
970	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$1,045	\$943,728,438
971	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$1,000	\$943,729,438
971	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$1,000	\$943,730,438
971	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$1,000	\$943,731,438
971	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$1,000	\$943,732,438
971	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$1,000	\$943,733,438
971	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$1,000	\$943,734,438
972	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$950	\$943,735,388
972	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$950	\$943,736,338
973	Clubshell (<i>Pleurobema clava</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$900	\$943,737,238
973	Ha'i wale (<i>Cyrtandra polyantha</i>)	E	\$900	\$943,738,138
973	<i>Silene perlmanii</i> (=Sci name)	E	\$900	\$943,739,038
974	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$804	\$943,739,842
975	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$800	\$943,740,642
975	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$800	\$943,741,442
975	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$800	\$943,742,242
975	Haha (<i>Cyanea procera</i>)	E	\$800	\$943,743,042
976	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Tellico River, TN	EXPN	\$700	\$943,743,742
976	<i>Achyranthes mutica</i> (=Sci name)	E	\$700	\$943,744,442
976	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$700	\$943,745,142
976	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$700	\$943,745,842
976	Awiwi (<i>Hedyotis cookiana</i>)	E	\$700	\$943,746,542
976	Koki'o, Cooke's (<i>Kokia cookei</i>)	E	\$700	\$943,747,242
976	Haha (<i>Cyanea pinnatifida</i>)	E	\$700	\$943,747,942
976	Haha (<i>Cyanea stictophylla</i>)	E	\$700	\$943,748,642
976	Kamakahala (<i>Labordia lydgatei</i>)	E	\$700	\$943,749,342
976	<i>Lobelia monostachya</i> (=Sci name)	E	\$700	\$943,750,042
976	Na'ena'e (<i>Dubautia pauciflora</i>)	E	\$700	\$943,750,742
976	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$700	\$943,751,442
977	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$650	\$943,752,092
978	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$600	\$943,752,692

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
978	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$600	\$943,753,292
978	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$600	\$943,753,892
978	Amaranthus brownii (=Sci name)	E	\$600	\$943,754,492
978	Oha (<i>Delissea rivularis</i>)	E	\$600	\$943,755,092
978	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$600	\$943,755,692
978	Kamakahala (<i>Labordia triflora</i>)	E	\$600	\$943,756,292
978	Abutilon eremitopetalum (=Sci name)	E	\$600	\$943,756,892
978	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$600	\$943,757,492
978	Hesperomannia lydgatei (=Sci name)	E	\$600	\$943,758,092
978	Alani (<i>Melicope haupuensis</i>)	E	\$600	\$943,758,692
978	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$600	\$943,759,292
978	Pamakani (<i>Tetramolopium capillare</i>)	E	\$600	\$943,759,892
978	Tetramolopium remyi (=Sci name)	E	\$600	\$943,760,492
978	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$600	\$943,761,092
978	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$600	\$943,761,692
978	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$600	\$943,762,292
978	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$600	\$943,762,892
978	Haha (<i>Cyanea truncata</i>)	E	\$600	\$943,763,492
978	Mariscus fauriei (=Sci name)	E	\$600	\$943,764,092
978	Stenogyne bifida (=Sci name)	E	\$600	\$943,764,692
978	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$600	\$943,765,292
978	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$600	\$943,765,892
978	Diellia unisora (=Sci name)	E	\$600	\$943,766,492
979	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$569	\$943,767,061
980	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$500	\$943,767,561
980	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$500	\$943,768,061
980	Alani (<i>Melicope saint-johnii</i>)	E	\$500	\$943,768,561
980	Kolea (<i>Myrsine linearifolia</i>)	T	\$500	\$943,769,061
980	Phyllostegia knudsenii (=Sci name)	E	\$500	\$943,769,561
980	Gahnia lanaiensis (=Sci name)	E	\$500	\$943,770,061
980	Gouania hillebrandii (=Sci name)	E	\$500	\$943,770,561
980	Gouania meyenii (=Sci name)	E	\$500	\$943,771,061
980	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$500	\$943,771,561
980	Alani (<i>Melicope reflexa</i>)	E	\$500	\$943,772,061
980	Munroidendron racemosum (=Sci name)	E	\$500	\$943,772,561
980	Neraudia sericea (=Sci name)	E	\$500	\$943,773,061
980	Remya, Maui (<i>Remya mauiensis</i>)	E	\$500	\$943,773,561
980	Tetramolopium lepidotum ssp. <i>lepidotum</i> (=Sci name)	E	\$500	\$943,774,061
980	Viola lanaiensis (=Sci name)	E	\$500	\$943,774,561
980	Iliau, dwarf (<i>Wilkesia hobbii</i>)	E	\$500	\$943,775,061
980	Capa rosa (<i>Callicarpa ampla</i>)	E	\$500	\$943,775,561
980	Haha (<i>Cyanea platyphylla</i>)	E	\$500	\$943,776,061
980	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$500	\$943,776,561

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
980	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$500	\$943,777,061
980	Holly, Cook's (<i>Ilex cookii</i>)	E	\$500	\$943,777,561
980	Lysimachia filifolia (=Sci name)	E	\$500	\$943,778,061
980	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$500	\$943,778,561
980	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$500	\$943,779,061
980	Ternstroemia subsessilis (=Sci name)	E	\$500	\$943,779,561
980	Gesneria pauciflora (=Sci name)	T	\$500	\$943,780,061
980	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$500	\$943,780,561
980	Schiedea helleri (=Sci name)	E	\$500	\$943,781,061
980	Haha (<i>Cyanea mannii</i>)	E	\$500	\$943,781,561
980	Haha (<i>Cyanea recta</i>)	T	\$500	\$943,782,061
980	Leptocereus grantianus (=Sci name)	E	\$500	\$943,782,561
980	Lysimachia lydgatei (=Sci name)	E	\$500	\$943,783,061
980	Phyllostegia warshaueri (=Sci name)	E	\$500	\$943,783,561
980	Ilex sintenisii (=Sci name)	E	\$500	\$943,784,061
980	Adiantum vivesii (=Sci name)	E	\$500	\$943,784,561
981	Combsshell, Cumberlandian (<i>Epioblasma brevidens</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$400	\$943,784,961
981	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$400	\$943,785,361
981	Schiedea sarmentosa (=Sci name)	E	\$400	\$943,785,761
981	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$400	\$943,786,161
981	Nehe (<i>Lipochaeta fauriei</i>)	E	\$400	\$943,786,561
981	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$400	\$943,786,961
981	Alani (<i>Melicope munroi</i>)	E	\$400	\$943,787,361
981	Alani (<i>Melicope quadrangularis</i>)	E	\$400	\$943,787,761
981	Phyllostegia glabra var. <i>lanaiensis</i> (=Sci name)	E	\$400	\$943,788,161
981	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$400	\$943,788,561
981	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$400	\$943,788,961
981	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$400	\$943,789,361
981	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$400	\$943,789,761
981	Nehe (<i>Lipochaeta micrantha</i>)	E	\$400	\$943,790,161
981	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$400	\$943,790,561
981	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$400	\$943,790,961
981	Schiedea lydgatei (=Sci name)	E	\$400	\$943,791,361
981	Schiedea spergulina var. <i>leiopoda</i> (=Sci name)	E	\$400	\$943,791,761
981	Schiedea spergulina var. <i>spergulina</i> (=Sci name)	T	\$400	\$943,792,161
981	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$400	\$943,792,561
981	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	\$400	\$943,792,961
981	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$400	\$943,793,361
981	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$400	\$943,793,761
981	Haha (<i>Cyanea remyi</i>)	E	\$400	\$943,794,161
982	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$943,794,461

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
982	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$943,794,761
982	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$300	\$943,795,061
983	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana ssp. valida</i>)	E	\$280	\$943,795,341
984	Jaguarundi, Sinaloa (<i>Herpailurus (=Felis) yagouaroundi tolteca</i>)	E	\$100	\$943,795,441
984	Chub, spotfin (<i>Erimonax monachus</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	EXPN	\$100	\$943,795,541
984	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$100	\$943,795,641
984	Madtom, pygmy (<i>Noturus stanauli</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i))	EXPN	\$100	\$943,795,741
984	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$100	\$943,795,841
984	Roseroot, Leedy's (<i>Sedum integrifolium ssp. leedyi</i>)	T	\$100	\$943,795,941
985	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$45	\$943,795,986
986	Seal, Mediterranean monk (<i>Monachus monachus</i>)	E	\$0	\$943,795,986
986	Seal, Saima (<i>Phoca hispida saimensis</i>)	E	\$0	\$943,795,986
986	Chub, slender (<i>Erimystax cahni</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(s)(1)(i))	EXPN	\$0	\$943,795,986
986	Madtom, yellowfin (<i>Noturus flavipinnis</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(e)(1)(iii))	EXPN	\$0	\$943,795,986
986	Darter, duskytail (<i>Etheostoma percnurum</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(q)(1)(ii))	EXPN	\$0	\$943,795,986
986	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) USA (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pearlymussel, birdwing (<i>Conradilla caelata</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pearlymussel, dromedary (<i>Dromus dromas</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pigtoe, rough (<i>Pleurobema plenum</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pigtoe, shiny (<i>Fusconaia cor</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	17.85(b)(1))			
986	Ring pink (mussel) (<i>Obovaria retusa</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Pearlymussel, cracking (<i>Hemistena lata</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Fanshell (<i>Cyprogenia stegaria</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$0	\$943,795,986
986	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$0	\$943,795,986