

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY2013 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$55,265,792	\$55,265,792
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - middle Columbia R.	T	\$55,059,133	\$110,324,925
3	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Snake R. Basin	T	\$54,644,813	\$164,969,738
4	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River spring/summer-run ESU	T	\$47,614,774	\$212,584,512
5	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Snake River fall-run ESU	T	\$40,195,924	\$252,780,436
6	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Columbia R. Basin	T	\$37,666,232	\$290,446,668
7	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$34,793,973	\$325,240,641
8	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Columbia spring-run ESU	E	\$34,696,578	\$359,937,219
9	Gnatcatcher, coastal California (<i>Poliophtila californica californica</i>)	T	\$34,100,889	\$394,038,108
10	Trout, bull (<i>Salvelinus confluentus</i>) - conterminous, lower 48 states	T	\$32,135,507	\$426,173,615
11	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Upper Willamette River ESU	T	\$28,643,687	\$454,817,302
12	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Lower Columbia River ESU	T	\$26,897,521	\$481,714,823
13	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$25,859,765	\$507,574,588
14	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Snake River, ID stock	E	\$24,822,119	\$532,396,707
15	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$22,695,784	\$555,092,491
16	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - upper Willamette R.	T	\$19,941,552	\$575,034,043
17	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$17,662,374	\$592,696,417
18	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$15,062,686	\$607,759,103
19	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - Columbia R.	T	\$15,037,823	\$622,796,926
20	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$14,182,106	\$636,979,032
21	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - western pop.	E	\$13,975,083	\$650,954,115
22	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - lower Columbia R.	T	\$13,263,938	\$664,218,053
23	Sturgeon, white (<i>Acipenser transmontanus</i>) - ID, MT, Canada (B.C.), Kootenai R. system	E	\$12,807,706	\$677,025,759
24	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Puget Sound ESU	T	\$12,668,676	\$689,694,435

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
25	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Lower Columbia R. ESU	T	\$12,115,528	\$701,809,963
26	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Southern OR/Northern CA Coast ESU	T	\$11,576,987	\$713,386,950
27	Salmon, Atlantic (<i>Salmo salar</i>) - Expanded Gulf of Maine DPS	E	\$11,076,628	\$724,463,578
28	Sucker, razorback (<i>Xyrauchen texanus</i>)	E	\$10,085,353	\$734,548,931
29	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$9,814,522	\$744,363,453
30	Sea-lion, Steller (<i>Eumetopias jubatus</i>) - eastern pop.	T	\$9,722,168	\$754,085,621
31	Bear, grizzly (<i>Ursus arctos horribilis</i>) - lower 48 States, except where EXPN or delisted	T	\$9,699,801	\$763,785,422
32	Whale, North Atlantic Right (<i>Eubalaena glacialis</i>)	E	\$9,692,431	\$773,477,853
33	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$8,548,844	\$782,026,697
34	Tortoise, desert (<i>Gopherus agassizii</i>) - U.S.A., except in Sonoran Desert	T	\$8,057,098	\$790,083,795
35	Salmon, chinook (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>tshawytscha</i>) - Sacramento River winter-run ESU	E	\$8,006,781	\$798,090,576
36	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - Central CA Coast ESU	E	\$7,632,005	\$805,722,581
37	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Central Valley CA	T	\$7,043,476	\$812,766,057
38	Tern, least (<i>Sterna antillarum</i>) - interior pop.	E	\$6,911,871	\$819,677,928
39	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - except where EXPN	E	\$6,877,124	\$826,555,052
40	Salmon, coho (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>kisutch</i>) - OR Coast ESU	T	\$6,845,871	\$833,400,923
41	Chub, bonytail (<i>Gila elegans</i>)	E	\$6,331,326	\$839,732,249
42	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - except Salt and Verde R. drainages, AZ	E	\$6,165,653	\$845,897,902
43	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northwest Atlantic DPS	T	\$6,107,775	\$852,005,677
44	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - Puget Sound DPS	T	\$5,956,085	\$857,961,762
45	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - northern CA	T	\$5,936,543	\$863,898,305
46	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$5,854,360	\$869,752,665
47	Steelhead (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>mykiss</i>) - central CA coast	T	\$5,742,356	\$875,495,021
48	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$5,613,306	\$881,108,327
49	Bear, polar (<i>Ursus maritimus</i>)	T	\$5,550,500	\$886,658,827
50	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$5,405,857	\$892,064,684
51	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - U.S.A. only	E	\$5,260,085	\$897,324,769

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
52	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$5,031,493	\$902,356,262
53	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - CA, OR, WA	T	\$4,957,305	\$907,313,567
54	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - southern CA coast	E	\$4,943,255	\$912,256,822
55	Lynx, Canada (<i>Lynx canadensis</i>) - contiguous U.S. DPS	T	\$4,910,655	\$917,167,477
56	Sea turtle, green (<i>Chelonia mydas</i>) - except where endangered	T	\$4,849,227	\$922,016,704
57	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) - summer-run Hood Canal	T	\$4,804,423	\$926,821,127
58	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Central Valley spring-run ESU	T	\$4,733,791	\$931,554,918
59	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - CA coast	T	\$4,656,032	\$936,210,950
60	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$4,641,195	\$940,852,145
61	Trout, Lahontan cutthroat (<i>Oncorhynchus clarkii henshawi</i>)	T	\$4,591,077	\$945,443,222
62	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Ozette Lake, WA	T	\$4,396,999	\$949,840,221
63	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - south central CA coast	T	\$4,383,308	\$954,223,529
64	Chub, humpback (<i>Gila cypha</i>)	E	\$4,112,047	\$958,335,576
65	Wolf, gray (<i>Canis lupus</i>) - AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT, WV; portions of AZ, NM, TX not included in EXPN; portions of IA, IN, IL, ND, OH, OR, SD, UT, WA; Mexico.	E	\$4,083,011	\$962,418,587
66	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$4,075,111	\$966,493,698
67	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Santa Barbara County	E	\$4,001,021	\$970,494,719
68	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$3,819,500	\$974,314,219
69	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - Gulf of Maine	T	\$3,626,332	\$977,940,551
70	Wolf, red (<i>Canis rufus</i>) - portions of NC and TN	EXPN	\$3,590,255	\$981,530,806
71	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coast pop.	T	\$3,403,155	\$984,933,961
72	Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert	SAT	\$3,266,559	\$988,200,520
73	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$3,261,950	\$991,462,470
74	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$2,962,385	\$994,424,855
75	Frog, California red-legged (<i>Rana draytonii</i>)	T	\$2,910,625	\$997,335,480
76	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$2,872,828	\$1,000,208,308
77	Sea turtle, loggerhead (<i>Caretta caretta</i>) – No. Pacific Ocean DPS	E	\$2,779,395	\$1,002,987,703
78	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$2,777,433	\$1,005,765,136

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
79	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$2,774,015	\$1,008,539,151
80	Wolf, gray (<i>Canis lupus</i>) - Mexican gray wolf, EXPN population	EXPN	\$2,768,877	\$1,011,308,028
81	Sturgeon, North American green (<i>Acipenser medirostris</i>) - CA Southern DPS	T	\$2,702,935	\$1,014,010,963
82	Condor, California (<i>Gymnogyps californianus</i>) - except EXPN	E	\$2,688,771	\$1,016,699,734
83	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - except where endangered	T	\$2,685,071	\$1,019,384,805
84	Panther, Florida (<i>Puma</i> (= <i>Felis</i>) <i>concolor coryi</i>)	E	\$2,649,394	\$1,022,034,199
85	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern	T	\$2,486,841	\$1,024,521,040
86	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$2,284,943	\$1,026,805,983
87	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - CO, WY	T	\$2,182,861	\$1,028,988,844
88	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$2,073,330	\$1,031,062,174
89	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$1,988,415	\$1,033,050,589
90	Ferret, black-footed (<i>Mustela nigripes</i>) - except where EXPN	E	\$1,961,482	\$1,035,012,071
91	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$1,913,091	\$1,036,925,162
92	Whale, sperm (<i>Physeter catodon</i> (= <i>macrocephalus</i>))	E	\$1,899,816	\$1,038,824,978
93	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, MS, NC, SC	E	\$1,853,555	\$1,040,678,533
94	Crane, whooping (<i>Grus americana</i>) - except where EXPN	E	\$1,837,430	\$1,042,515,963
95	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,800,948	\$1,044,316,911
96	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$1,797,336	\$1,046,114,247
97	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$1,771,000	\$1,047,885,247
98	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$1,715,300	\$1,049,600,547
99	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,655,339	\$1,051,255,886
100	Abalone, Black (<i>Haliotis cracherodii</i>)	E	\$1,638,873	\$1,052,894,759
101	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$1,631,134	\$1,054,525,893
102	Whale, Beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$1,624,839	\$1,056,150,732
103	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$1,590,853	\$1,057,741,585
104	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$1,577,442	\$1,059,319,027
105	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$1,575,959	\$1,060,894,986
106	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$1,558,880	\$1,062,453,866
107	Goose, Hawaiian (<i>Branta</i> (= <i>Nesochen</i>) <i>sandvicensis</i>)	E	\$1,531,527	\$1,063,985,393
108	Crow, Hawaiian (= 'alala) (<i>Corvus hawaiiensis</i>)	E	\$1,505,937	\$1,065,491,330
109	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,460,554	\$1,066,951,884
110	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,440,767	\$1,068,392,651

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
111	Coral, elkhorn (<i>Acropora palmata</i>)	T	\$1,357,470	\$1,069,750,121
112	Warbler, Kirtland's (<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>))	E	\$1,328,238	\$1,071,078,359
113	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$1,310,000	\$1,072,388,359
114	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$1,281,000	\$1,073,669,359
115	Shiner, Topeka (<i>Notropis topeka</i> (= <i>tristis</i>))	E	\$1,274,011	\$1,074,943,370
116	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$1,261,375	\$1,076,204,745
117	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$1,239,401	\$1,077,444,146
118	Sucker, June (<i>Chasmistes liorus</i>)	E	\$1,236,502	\$1,078,680,648
119	Coral, staghorn (<i>Acropora cervicornis</i>)	T	\$1,208,075	\$1,079,888,723
120	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop.	E	\$1,197,731	\$1,081,086,454
121	Crane, whooping (<i>Grus americana</i>) - AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV	EXPN	\$1,187,518	\$1,082,273,972
122	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>)	T	\$1,172,755	\$1,083,446,727
123	Cui-ui (<i>Chasmistes cujus</i>)	E	\$1,151,068	\$1,084,597,795
124	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$1,123,926	\$1,085,721,721
125	Crocodile, American (<i>Crocodylus acutus</i>) - FL pop.	T	\$1,108,826	\$1,086,830,547
126	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$1,108,123	\$1,087,938,670
127	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL	T	\$1,092,769	\$1,089,031,439
128	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$1,076,798	\$1,090,108,237
129	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>)	E	\$1,064,735	\$1,091,172,972
130	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$1,057,325	\$1,092,230,297
131	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - AZ, NM	EXPN	\$1,044,186	\$1,093,274,483
132	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$1,037,981	\$1,094,312,464
133	Sawfish, smalltooth (<i>Pristis pectinata</i>) - TX, FL	E	\$1,026,715	\$1,095,339,179
134	Salamander, California tiger (<i>Ambystoma californiense</i>) - Central CA DPS	T	\$1,015,328	\$1,096,354,507
135	Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM	E	\$1,001,131	\$1,097,355,638
136	Chub, Oregon (<i>Oregonichthys crameri</i>)	T	\$997,744	\$1,098,353,382
137	Otter, southern sea (<i>Enhydra lutris nereis</i>)	T	\$987,528	\$1,099,340,910
138	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$973,136	\$1,100,314,046
139	Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of Mobile/ Tombigbee Rs.	T	\$932,177	\$1,101,246,223
140	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$929,550	\$1,102,175,773

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
141	Abalone, White (<i>Haliotis sorenseni</i>) - West Coast from Point Conception, CA, to Punta Abreojos, Baja California, Mexico	E	\$919,698	\$1,103,095,471
142	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$887,230	\$1,103,982,701
143	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$881,465	\$1,104,864,166
144	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>) - CA	E	\$869,005	\$1,105,733,171
145	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$865,731	\$1,106,598,902
146	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$844,210	\$1,107,443,112
147	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes watershed	E	\$843,780	\$1,108,286,892
148	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$818,293	\$1,109,105,185
149	Whale, gray (<i>Eschrichtius robustus</i>) - W Pacific Ocean	E	\$806,503	\$1,109,911,688
150	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>) - CA	E	\$806,034	\$1,110,717,722
151	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$803,606	\$1,111,521,328
152	Prairie dog, Utah (<i>Cynomys parvidens</i>) - UT	T	\$796,202	\$1,112,317,530
153	Trout, Greenback Cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$795,393	\$1,113,112,923
154	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$791,160	\$1,113,904,083
155	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$787,651	\$1,114,691,734
156	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) - U.S.A. only	E	\$786,617	\$1,115,478,351
157	Goby, tidewater (<i>Eucyclogobius newberryi</i>)	E	\$779,428	\$1,116,257,779
158	Frog, mountain yellow-legged (<i>Rana muscosa</i>) – So. CA DPS	E	\$774,113	\$1,117,031,892
159	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop.	E	\$770,374	\$1,117,802,266
160	Spikedace (<i>Meda fulgida</i>)	T	\$761,275	\$1,118,563,541
161	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$759,549	\$1,119,323,090
162	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$758,817	\$1,120,081,907
163	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$730,017	\$1,120,811,924
164	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$729,563	\$1,121,541,487
165	Chub, Virgin River (<i>Gila seminuda</i> (= <i>robusta</i>))	E	\$726,307	\$1,122,267,794
166	Whale, North Pacific Right (<i>Eubalaena japonica</i>)	E	\$715,298	\$1,122,983,092
167	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$686,278	\$1,123,669,370
168	Eulachon, Pacific (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$679,754	\$1,124,349,124
169	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$677,405	\$1,125,026,529
170	Crane, whooping (<i>Grus americana</i>) - CO, ID, FL, NM, UT, western WY	EXPN	\$674,084	\$1,125,700,613
171	Mussel, snuffbox (<i>Epioblasma triquetra</i>)	E	\$661,707	\$1,126,362,320
172	Mapleleaf, winged (<i>Quadrula fragosa</i>) - except where EXPN	E	\$657,768	\$1,127,020,088

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
173	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$651,772	\$1,127,671,860
174	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$651,233	\$1,128,323,093
175	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$646,293	\$1,128,969,386
176	Chub, Gila (<i>Gila intermedia</i>)	E	\$638,321	\$1,129,607,707
177	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - southern	SAT	\$632,160	\$1,130,239,867
178	Rockfish, Yelloweye (<i>Sebastes ruberrimus</i>) - Puget Sound–Georgia Basin DPS	T	\$628,747	\$1,130,868,614
179	Rockfish, Canary (<i>Sebastes pinniger</i>) - Puget Sound–Georgia Basin DPS	T	\$626,147	\$1,131,494,761
180	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>)	E	\$620,707	\$1,132,115,468
181	Bocaccio (<i>Sebastes paucispinis</i>) - Puget Sound–Georgia Basin DPS	E	\$608,655	\$1,132,724,123
182	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$590,286	\$1,133,314,409
183	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$589,795	\$1,133,904,204
184	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$578,651	\$1,134,482,855
185	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$576,988	\$1,135,059,843
186	Ocelot (<i>Leopardus</i> (= <i>Felis</i>) <i>pardalis</i>) - AZ, TX to Central and South America	E	\$570,209	\$1,135,630,052
187	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$566,744	\$1,136,196,796
188	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$564,400	\$1,136,761,196
189	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$559,194	\$1,137,320,390
190	Ferret, black-footed (<i>Mustela nigripes</i>) - portions of AZ, CO, MT, SD, UT, WY	EXPN	\$558,751	\$1,137,879,141
191	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$555,759	\$1,138,434,900
192	Toad, Wyoming (<i>Anaxyrus baxteri</i>)	E	\$544,155	\$1,138,979,055
193	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$544,122	\$1,139,523,177
194	Rail, Guam (<i>Rallus owstoni</i>) - except Rota	E	\$543,887	\$1,140,067,064
195	Bat, Virginia big-eared (<i>Corynorhinus</i> (= <i>Plecotus</i>) <i>townsendii virginianus</i>)	E	\$540,586	\$1,140,607,650
196	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$528,628	\$1,141,136,278
197	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) - SW Alaska DPS	T	\$528,149	\$1,141,664,427
198	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - except where EXPN	E	\$526,000	\$1,142,190,427
199	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$522,814	\$1,142,713,241
200	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$521,268	\$1,143,234,509
201	Pearlymussel, cracking (<i>Hemistena lata</i>) - except where EXPN	E	\$518,057	\$1,143,752,566
202	Bear, grizzly (<i>Ursus arctos horribilis</i>) - portions of ID and MT	EXPN	\$505,936	\$1,144,258,502

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
203	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$504,638	\$1,144,763,140
204	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$501,671	\$1,145,264,811
205	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$501,500	\$1,145,766,311
206	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$500,448	\$1,146,266,759
207	Howellia, water (<i>Howellia aquatilis</i>)	T	\$487,515	\$1,146,754,274
208	Condor, California (<i>Gymnogyps californianus</i>) - portions of AZ, NV, and UT	EXPN	\$485,173	\$1,147,239,447
209	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$467,199	\$1,147,706,646
210	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$459,313	\$1,148,165,959
211	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$455,091	\$1,148,621,050
212	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$436,683	\$1,149,057,733
213	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$436,092	\$1,149,493,825
214	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - except where EXPN	E	\$435,652	\$1,149,929,477
215	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$423,395	\$1,150,352,872
216	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$418,388	\$1,150,771,260
217	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$415,598	\$1,151,186,858
218	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$413,952	\$1,151,600,810
219	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - U.S.A.	E	\$409,442	\$1,152,010,252
220	Logperch, Roanoke (<i>Percina rex</i>)	E	\$397,146	\$1,152,407,398
221	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>)	T	\$391,395	\$1,152,798,793
222	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$385,494	\$1,153,184,287
223	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$379,786	\$1,153,564,073
224	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$378,837	\$1,153,942,910
225	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$378,379	\$1,154,321,289
226	Tern, roseate (<i>Sterna dougallii dougallii</i>) - NE U.S. nesting pop.	E	\$376,658	\$1,154,697,947
227	Lotus, San Clemente Island (<i>Acmispon dendroideus</i> var. <i>traskiae</i> (= <i>Lotus d. ssp. traskiae</i>))	E	\$374,730	\$1,155,072,677
228	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$374,411	\$1,155,447,088
229	Jaguar (<i>Panthera onca</i>) - AZ,CA,LA,NM,TX; Mexico; Central and South America	E	\$369,336	\$1,155,816,424
230	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$369,087	\$1,156,185,511
231	Pondberry (<i>Lindera melissifolia</i>)	E	\$364,025	\$1,156,549,536
232	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$357,320	\$1,156,906,856

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
233	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$354,913	\$1,157,261,769
234	Rabbit, Pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$354,735	\$1,157,616,504
235	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$353,401	\$1,157,969,905
236	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$350,897	\$1,158,320,802
237	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$349,245	\$1,158,670,047
238	Manzanita, San Francisco (<i>Arctostaphylos franciscana</i>)	E	\$339,628	\$1,159,009,675
239	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$334,986	\$1,159,344,661
240	Lupine, Kincaid's (<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>)	T	\$332,133	\$1,159,676,794
241	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$331,761	\$1,160,008,555
242	Salamander, California tiger (<i>Ambystoma californiense</i>) - CA - Sonoma Co.	E	\$325,067	\$1,160,333,622
243	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$323,913	\$1,160,657,535
244	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>)	E	\$322,585	\$1,160,980,120
245	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$321,987	\$1,161,302,107
246	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$320,290	\$1,161,622,397
247	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i>))	E	\$315,866	\$1,161,938,263
248	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - except Sussex Co., DE	E	\$305,657	\$1,162,243,920
249	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$304,940	\$1,162,548,860
250	Chub, spotfin (<i>Erimonax monachus</i>)	T	\$303,955	\$1,162,852,815
251	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$295,635	\$1,163,148,450
252	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$290,284	\$1,163,438,734
253	Clubshell (<i>Pleurobema clava</i>) - except where EXPN	E	\$289,632	\$1,163,728,366
254	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$280,336	\$1,164,008,702
255	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$280,135	\$1,164,288,837
256	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$278,584	\$1,164,567,421
257	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$275,643	\$1,164,843,064
258	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$273,700	\$1,165,116,764
259	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$271,376	\$1,165,388,140
260	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$269,670	\$1,165,657,810
261	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mts.	E	\$268,069	\$1,165,925,879
262	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$265,890	\$1,166,191,769
263	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$265,006	\$1,166,456,775
264	Pomace fly, [unnamed] (<i>Drosophila montgomeryi</i>)	E	\$264,112	\$1,166,720,887

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
265	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$263,197	\$1,166,984,084
266	Pomace fly, [unnamed] (<i>Drosophila substenoptera</i>)	E	\$262,084	\$1,167,246,168
267	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$261,687	\$1,167,507,855
268	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$257,748	\$1,167,765,603
269	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$254,073	\$1,168,019,676
270	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>) - FL	E	\$253,671	\$1,168,273,347
271	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$251,899	\$1,168,525,246
272	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$251,272	\$1,168,776,518
273	Salamander, Jollyville Plateau (<i>Eurycea tonkawae</i>)	T	\$250,550	\$1,169,027,068
274	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$250,071	\$1,169,277,139
275	Pink, swamp (<i>Helonias bullata</i>)	T	\$249,897	\$1,169,527,036
276	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$249,737	\$1,169,776,773
277	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$244,545	\$1,170,021,318
278	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin	T	\$241,231	\$1,170,262,549
279	Three-ridge, fat (mussel) (<i>Amblema neislerii</i>)	E	\$240,777	\$1,170,503,326
280	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$238,856	\$1,170,742,182
281	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$238,800	\$1,170,980,982
282	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$236,802	\$1,171,217,784
283	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$234,973	\$1,171,452,757
284	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$234,969	\$1,171,687,726
285	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$234,924	\$1,171,922,650
286	Frog, dusky gopher (<i>Rana sevosia</i>)	E	\$232,821	\$1,172,155,471
287	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$229,670	\$1,172,385,141
288	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$227,911	\$1,172,613,052
289	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$226,323	\$1,172,839,375
290	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$226,322	\$1,173,065,697
291	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$225,786	\$1,173,291,483
292	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>)	T	\$219,963	\$1,173,511,446
293	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$219,553	\$1,173,730,999
294	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$217,600	\$1,173,948,599
295	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$214,789	\$1,174,163,388
296	Bankclimber, purple (mussel) (<i>Elliptioideus sloatianus</i>)	T	\$213,319	\$1,174,376,707

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
297	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$211,996	\$1,174,588,703
298	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$211,113	\$1,174,799,816
299	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$209,446	\$1,175,009,262
300	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$208,222	\$1,175,217,484
301	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$206,915	\$1,175,424,399
302	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>) - CA	E	\$203,167	\$1,175,627,566
303	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$202,168	\$1,175,829,734
304	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$200,249	\$1,176,029,983
305	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$198,687	\$1,176,228,670
306	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$197,850	\$1,176,426,520
307	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$195,290	\$1,176,621,810
308	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$194,169	\$1,176,815,979
309	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$193,713	\$1,177,009,692
310	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$192,439	\$1,177,202,131
311	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$191,844	\$1,177,393,975
312	Puma (=cougar), eastern (<i>Puma (=Felis) concolor cougar</i>)	E	\$189,637	\$1,177,583,612
313	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$189,490	\$1,177,773,102
314	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$188,653	\$1,177,961,755
315	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$187,156	\$1,178,148,911
316	<i>Asplenium fragile insulare</i>	E	\$186,339	\$1,178,335,250
317	Trout, Gila (<i>Oncorhynchus gilae</i>)	T	\$185,346	\$1,178,520,596
318	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	\$179,952	\$1,178,700,548
319	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$179,152	\$1,178,879,700
320	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$178,695	\$1,179,058,395
321	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$176,850	\$1,179,235,245
322	Po`e (<i>Portulaca sclerocarpa</i>)	E	\$175,155	\$1,179,410,400
323	Haha (<i>Cyanea shipmanii</i>)	E	\$171,010	\$1,179,581,410
324	Mussel, sheepnose (<i>Plethobasus cyphus</i>)	E	\$170,962	\$1,179,752,372
325	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$170,759	\$1,179,923,131
326	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$167,571	\$1,180,090,702
327	<i>Silene hawaiiensis</i>	T	\$167,220	\$1,180,257,922
328	<i>Neraudia ovata</i>	E	\$166,643	\$1,180,424,565
329	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>) - NV, CA	E	\$165,560	\$1,180,590,125

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
330	Akikiki (<i>Oreomystis bairdi</i>)	E	\$165,230	\$1,180,755,355
331	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$164,605	\$1,180,919,960
332	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$163,364	\$1,181,083,324
333	ʻOha wai (<i>Clermontia lindseyana</i>)	E	\$162,713	\$1,181,246,037
334	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>) - CA	E	\$162,003	\$1,181,408,040
335	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>)	E	\$161,435	\$1,181,569,475
336	Akekee (<i>Loxops caeruleirostris</i>)	E	\$161,174	\$1,181,730,649
337	ʻOha wai (<i>Clermontia pyralaria</i>)	E	\$160,599	\$1,181,891,248
338	Mahoe (<i>Alectryon macrococcus</i>)	E	\$159,435	\$1,182,050,683
339	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>) - CA	E	\$159,031	\$1,182,209,714
340	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$159,000	\$1,182,368,714
341	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$158,958	\$1,182,527,672
342	Aʻe (<i>Zanthoxylum hawaiiense</i>)	E	\$157,588	\$1,182,685,260
343	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$156,848	\$1,182,842,108
344	<i>Spermolepis hawaiiensis</i>	E	\$153,838	\$1,182,995,946
345	ʻAiea (<i>Nothocestrum breviflorum</i>)	E	\$153,357	\$1,183,149,303
346	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$152,264	\$1,183,301,567
347	Bear, American black (<i>Ursus americanus</i>) - County range of LA black bear	SAT	\$151,479	\$1,183,453,046
348	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$150,080	\$1,183,603,126
349	Uhiuhi (<i>Caesalpinia kawaiense</i>)	E	\$149,912	\$1,183,753,038
350	<i>Lobelia oahuensis</i>	E	\$148,718	\$1,183,901,756
351	<i>Neraudia angulata</i>	E	\$148,026	\$1,184,049,782
352	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$147,980	\$1,184,197,762
353	Haha (<i>Cyanea st.-johnii</i>)	E	\$147,764	\$1,184,345,526
354	<i>Phyllostegia velutina</i>	E	\$146,050	\$1,184,491,576
355	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$145,792	\$1,184,637,368
356	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$144,753	\$1,184,782,121
357	Kuluʻi (<i>Nototrichium humile</i>)	E	\$144,435	\$1,184,926,556
358	Haʻiwale (<i>Cyrtandra tintinnabula</i>)	E	\$143,700	\$1,185,070,256
359	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>) - FL	E	\$143,323	\$1,185,213,579
360	<i>Silene lanceolata</i>	E	\$142,379	\$1,185,355,958
361	Alani (<i>Melicope lydgatei</i>)	E	\$142,301	\$1,185,498,259
362	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$141,496	\$1,185,639,755

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
363	<i>Tetramolopium filiforme</i>	E	\$140,980	\$1,185,780,735
364	Lily, Western (<i>Lilium occidentale</i>)	E	\$140,210	\$1,185,920,945
365	<i>Viola oahuensis</i>	E	\$139,889	\$1,186,060,834
366	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$139,711	\$1,186,200,545
367	<i>Kadua parvula</i>	E	\$139,262	\$1,186,339,807
368	‘Ohe‘ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$139,147	\$1,186,478,954
369	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$139,062	\$1,186,618,016
370	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$138,468	\$1,186,756,484
371	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$138,005	\$1,186,894,489
372	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$137,972	\$1,187,032,461
373	Tui chub, Mohave (<i>Gila bicolor</i> ssp. <i>mohavensis</i>)	E	\$137,870	\$1,187,170,331
374	Tiger beetle, Northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$137,766	\$1,187,308,097
375	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$137,176	\$1,187,445,273
376	<i>Pteris lidgatei</i>	E	\$134,319	\$1,187,579,592
377	Squirrel, Carolina northern flying (<i>Glaucornis sabrinus coloratus</i>)	E	\$134,155	\$1,187,713,747
378	<i>Vigna o-wahuensis</i>	E	\$133,634	\$1,187,847,381
379	Lo‘ulu (<i>Pritchardia kaalae</i>)	E	\$133,443	\$1,187,980,824
380	<i>Hesperomannia arborescens</i>	E	\$133,068	\$1,188,113,892
381	Nehe (<i>Melanthera tenuifolia</i>)	E	\$132,796	\$1,188,246,688
382	<i>Sanicula mariversa</i>	E	\$132,594	\$1,188,379,282
383	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$132,437	\$1,188,511,719
384	Na‘ena‘e (<i>Dubautia herbstobatae</i>)	E	\$132,429	\$1,188,644,148
385	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$132,288	\$1,188,776,436
386	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$131,744	\$1,188,908,180
387	Honohono (<i>Haplostachys haplostachya</i>)	E	\$131,716	\$1,189,039,896
388	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$131,496	\$1,189,171,392
389	<i>Phyllostegia hirsuta</i>	E	\$131,395	\$1,189,302,787
390	Ha‘iwale (<i>Cyrtandra viridiflora</i>)	E	\$131,315	\$1,189,434,102
391	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$131,000	\$1,189,565,102
392	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$129,968	\$1,189,695,070
393	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$129,850	\$1,189,824,920
394	<i>Cyanea</i> (= <i>Rollandia</i>) <i>crispa</i>	E	\$129,753	\$1,189,954,673
395	<i>Lipochaeta venosa</i>	E	\$128,393	\$1,190,083,066
396	Nanu (<i>Gardenia mannii</i>)	E	\$126,416	\$1,190,209,482

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
397	<i>Sanicula purpurea</i>	E	\$126,276	\$1,190,335,758
398	Haha (<i>Cyanea acuminata</i>)	E	\$126,212	\$1,190,461,970
399	Gumplant, Ash Meadows (<i>Grindelia fraxinipratensis</i>)	T	\$126,209	\$1,190,588,179
400	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$126,098	\$1,190,714,277
401	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i>	E	\$125,948	\$1,190,840,225
402	Darter, diamond (<i>Crystallaria cincotta</i>)	E	\$125,660	\$1,190,965,885
403	ʻAkoko (<i>Chamaesyce rockii</i>)	E	\$124,922	\$1,191,090,807
404	Kolea (<i>Myrsine juddii</i>)	E	\$124,903	\$1,191,215,710
405	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>)	E	\$124,412	\$1,191,340,122
406	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$124,193	\$1,191,464,315
407	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$123,675	\$1,191,587,990
408	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$123,316	\$1,191,711,306
409	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$123,219	\$1,191,834,525
410	Kamanomano (<i>Cenchrus agrimonoides</i>)	E	\$123,052	\$1,191,957,577
411	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$122,419	\$1,192,079,996
412	Layia, beach (<i>Layia carnosa</i>)	E	\$121,947	\$1,192,201,943
413	Poolfish, Pahump (<i>Empetrichthys latos</i>)	E	\$120,502	\$1,192,322,445
414	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$120,094	\$1,192,442,539
415	<i>Abutilon sandwicense</i>	E	\$119,835	\$1,192,562,374
416	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$119,606	\$1,192,681,980
417	Oha (<i>Delissea subcordata</i>)	E	\$119,399	\$1,192,801,379
418	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$119,361	\$1,192,920,740
419	<i>Gouania vitifolia</i>	E	\$119,293	\$1,193,040,033
420	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$119,288	\$1,193,159,321
421	<i>Phyllostegia mollis</i>	E	\$119,027	\$1,193,278,348
422	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$118,900	\$1,193,397,248
423	Haha (<i>Cyanea koolauensis</i>)	E	\$117,429	\$1,193,514,677
424	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$117,417	\$1,193,632,094
425	<i>Schiedea kaalae</i>	E	\$117,217	\$1,193,749,311
426	Haha (<i>Cyanea superba</i>)	E	\$117,125	\$1,193,866,436
427	Kio`ele (<i>Kadua coriacea</i>)	E	\$116,808	\$1,193,983,244
428	Wawae`iole (<i>Huperzia nutans</i>)	E	\$116,112	\$1,194,099,356

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
429	<i>Schiedea nuttallii</i>	E	\$116,029	\$1,194,215,385
430	<i>Phyllostegia kaalaensis</i>	E	\$115,846	\$1,194,331,231
431	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$115,672	\$1,194,446,903
432	<i>Hesperomannia arbuscula</i>	E	\$115,353	\$1,194,562,256
433	<i>Stenogyne kanehoana</i>	E	\$115,212	\$1,194,677,468
434	<i>Schiedea obovata</i>	E	\$114,565	\$1,194,792,033
434	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$114,565	\$1,194,906,598
435	<i>Stenogyne angustifolia angustifolia</i>	E	\$114,207	\$1,195,020,805
436	Kangaroo rat, Tipton (<i>Dipodomys nitratoideis nitratoideis</i>)	E	\$114,000	\$1,195,134,805
437	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$113,900	\$1,195,248,705
438	Elktoe, Appalachian (<i>Alasmodonta raveneliana</i>)	E	\$112,725	\$1,195,361,430
439	Nioi (<i>Eugenia koolauensis</i>)	E	\$112,667	\$1,195,474,097
440	Aupaka (<i>Isodendron hosakae</i>)	E	\$112,390	\$1,195,586,487
441	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$111,800	\$1,195,698,287
442	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$111,773	\$1,195,810,060
443	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>) - FL	T	\$111,288	\$1,195,921,348
444	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$110,966	\$1,196,032,314
445	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$110,950	\$1,196,143,264
446	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$110,784	\$1,196,254,048
447	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$110,775	\$1,196,364,823
448	<i>Schiedea trinervis</i>	E	\$110,701	\$1,196,475,524
449	Haha (<i>Cyanea longiflora</i>)	E	\$110,169	\$1,196,585,693
450	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$109,545	\$1,196,695,238
451	Chub, slender (<i>Erimystax cahni</i>)	T	\$109,169	\$1,196,804,407
452	Ha`iwale (<i>Cyrtandra dentata</i>)	E	\$109,167	\$1,196,913,574
453	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$108,600	\$1,197,022,174
454	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	\$108,507	\$1,197,130,681
455	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$107,979	\$1,197,238,660
456	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$107,696	\$1,197,346,356
457	Onion, Munz's (<i>Allium munzii</i>)	E	\$106,805	\$1,197,453,161
458	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>)	E	\$106,658	\$1,197,559,819
459	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$106,538	\$1,197,666,357
460	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) – AZ; Mexico	EXP	\$106,266	\$1,197,772,623
461	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$106,176	\$1,197,878,799

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
462	Kauila (<i>Colubrina oppositifolia</i>)	E	\$105,378	\$1,197,984,177
463	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$104,962	\$1,198,089,139
464	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$104,116	\$1,198,193,255
465	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$104,016	\$1,198,297,271
466	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - except where EXPN	E	\$103,477	\$1,198,400,748
467	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$102,949	\$1,198,503,697
468	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$102,817	\$1,198,606,514
469	Wooly-threads, San Joaquin (<i>Monolopia</i> (= <i>Lembertia</i>) <i>congdonii</i>)	E	\$102,490	\$1,198,709,004
470	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$101,841	\$1,198,810,845
471	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$101,224	\$1,198,912,069
472	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$101,078	\$1,199,013,147
473	<i>Kadua degeneri</i>	E	\$99,281	\$1,199,112,428
474	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$99,187	\$1,199,211,615
475	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$98,771	\$1,199,310,386
476	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$98,352	\$1,199,408,738
477	Ohai (<i>Sesbania tomentosa</i>)	E	\$98,019	\$1,199,506,757
478	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$97,936	\$1,199,604,693
479	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$97,289	\$1,199,701,982
480	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$96,403	\$1,199,798,385
481	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$96,285	\$1,199,894,670
482	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (= <i>Felis</i>) <i>yagouaroundi cacomitli</i>) – TX; Mexico	E	\$95,678	\$1,199,990,348
483	Hellbender, Ozark (<i>Cryptobranchus alleganiensis bishopi</i>)	E	\$94,418	\$1,200,084,766
484	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$94,381	\$1,200,179,147
485	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$94,375	\$1,200,273,522
486	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$93,744	\$1,200,367,266
487	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$93,632	\$1,200,460,898
488	Dace, Foskett speckled (<i>Rhinichthys osculus</i> ssp.)	T	\$92,000	\$1,200,552,898
489	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$89,677	\$1,200,642,575
490	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$89,054	\$1,200,731,629
491	Haha (<i>Cyanea stictophylla</i>)	E	\$88,841	\$1,200,820,470
492	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$88,500	\$1,200,908,970
493	Koki`o (<i>Kokia drynarioides</i>)	E	\$87,981	\$1,200,996,951

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
494	Dropwort, Canby's (<i>Oxyopolis canbyi</i>)	E	\$87,821	\$1,201,084,772
495	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>)	E	\$87,020	\$1,201,171,792
496	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$86,650	\$1,201,258,442
497	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$86,330	\$1,201,344,772
498	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$86,031	\$1,201,430,803
499	Cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>)	T	\$85,900	\$1,201,516,703
500	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$85,396	\$1,201,602,099
501	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$85,138	\$1,201,687,237
502	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$84,720	\$1,201,771,957
503	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$84,667	\$1,201,856,624
504	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>)	T	\$84,500	\$1,201,941,124
505	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$84,488	\$1,202,025,612
506	Dace, desert (<i>Eremichthys acros</i>)	T	\$84,424	\$1,202,110,036
507	Trout, Paiute cutthroat (<i>Oncorhynchus clarkii seleniris</i>)	T	\$83,916	\$1,202,193,952
508	Kangaroo rat, Fresno (<i>Dipodomys nitratoideus exilis</i>)	E	\$83,576	\$1,202,277,528
509	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$82,200	\$1,202,359,728
510	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$82,195	\$1,202,441,923
511	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN	T	\$82,048	\$1,202,523,971
512	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$81,721	\$1,202,605,692
513	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$81,558	\$1,202,687,250
514	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$81,540	\$1,202,768,790
515	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$81,484	\$1,202,850,274
516	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>) - IN, MI, OH	T	\$80,983	\$1,202,931,257
517	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$80,842	\$1,203,012,099
518	<i>Cyperus pennatifloris</i>	E	\$80,782	\$1,203,092,881
519	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$79,647	\$1,203,172,528
520	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$79,530	\$1,203,252,058
521	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$79,150	\$1,203,331,208
522	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$78,600	\$1,203,409,808
523	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$78,166	\$1,203,487,974
524	Oha wai (<i>Clermontia peleana</i>)	E	\$77,497	\$1,203,565,471
525	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$76,422	\$1,203,641,893
526	Lo'ulu (<i>Pritchardia remota</i>)	E	\$76,141	\$1,203,718,034
527	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$75,696	\$1,203,793,730

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
528	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$75,688	\$1,203,869,418
529	Salamander, Austin blind (<i>Eurycea waterlooensis</i>)	E	\$75,550	\$1,203,944,968
530	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$75,000	\$1,204,019,968
531	Sturgeon, Shovelnose (<i>Scaphirhynchus platyrhynchus</i>)	SAT	\$74,500	\$1,204,094,468
532	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$74,127	\$1,204,168,595
533	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$73,260	\$1,204,241,855
534	Trillium, relict (<i>Trillium reliquum</i>)	E	\$73,170	\$1,204,315,025
535	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$73,000	\$1,204,388,025
536	Cactus, Colorado hookless (<i>Sclerocactus glaucus</i>)	T	\$72,321	\$1,204,460,346
537	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$71,540	\$1,204,531,886
538	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - except where EXPN	E	\$70,440	\$1,204,602,326
539	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$70,418	\$1,204,672,744
540	Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$70,248	\$1,204,742,992
541	Milk-vetch, Coachella Valley (<i>Astragalus lentiginos</i> var. <i>coachellae</i>)	E	\$70,182	\$1,204,813,174
542	Darter, amber (<i>Percina antesella</i>)	E	\$69,400	\$1,204,882,574
543	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$69,168	\$1,204,951,742
544	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$68,725	\$1,205,020,467
545	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$68,000	\$1,205,088,467
546	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$66,928	\$1,205,155,395
547	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$66,025	\$1,205,221,420
548	Bean, rayed (<i>Villosa fabalis</i>)	E	\$65,824	\$1,205,287,244
549	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$65,224	\$1,205,352,468
550	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$63,610	\$1,205,416,078
551	Mallow, Gierisch (<i>Sphaeralcea gierischii</i>)	E	\$63,350	\$1,205,479,428
552	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$63,276	\$1,205,542,704
553	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$62,925	\$1,205,605,629
554	Lau `ehu (<i>Panicum niuhauense</i>)	E	\$62,903	\$1,205,668,532
555	Crane, whooping (<i>Grus americana</i>) - SW Louisiana	EXPN	\$62,650	\$1,205,731,182
556	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$62,296	\$1,205,793,478
557	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$61,100	\$1,205,854,578
558	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$60,471	\$1,205,915,049
559	Haha (<i>Cyanea platyphylla</i>)	E	\$60,338	\$1,205,975,387
560	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$60,156	\$1,206,035,543

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
561	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$59,675	\$1,206,095,218
562	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$59,524	\$1,206,154,742
563	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$58,891	\$1,206,213,633
564	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$58,748	\$1,206,272,381
565	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$58,110	\$1,206,330,491
566	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$57,438	\$1,206,387,929
567	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (= <i>E. walkeri</i>))	E	\$57,247	\$1,206,445,176
568	Cactus, Pariette (<i>Sclerocactus brevispinus</i>)	T	\$57,200	\$1,206,502,376
569	Joint-vetch, Sensitive (<i>Aeschynomene virginica</i>)	T	\$56,827	\$1,206,559,203
570	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$56,580	\$1,206,615,783
571	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$56,557	\$1,206,672,340
572	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$56,500	\$1,206,728,840
572	Iguana, Mona ground (<i>Cyclura stejnegeri</i>)	T	\$56,500	\$1,206,785,340
573	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$56,300	\$1,206,841,640
573	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$56,300	\$1,206,897,940
574	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$56,056	\$1,206,953,996
575	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$55,760	\$1,207,009,756
576	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$55,500	\$1,207,065,256
577	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$55,050	\$1,207,120,306
578	Isopod, Lee County cave (<i>Lirceus usdagalum</i>)	E	\$53,600	\$1,207,173,906
579	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$53,558	\$1,207,227,464
580	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$52,583	\$1,207,280,047
581	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$52,582	\$1,207,332,629
582	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$52,572	\$1,207,385,201
583	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$52,000	\$1,207,437,201
584	Awiwi (<i>Centaurium sebaeoides</i>)	E	\$51,784	\$1,207,488,985
585	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$51,470	\$1,207,540,455
586	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$50,996	\$1,207,591,451
587	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$50,772	\$1,207,642,223
588	Harperella (<i>Ptilimnium nodosum</i>)	E	\$50,675	\$1,207,692,898
589	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$50,183	\$1,207,743,081
590	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - except where EXPN	E	\$50,097	\$1,207,793,178
591	Pearlymussel, dromedary (<i>Dromus dromas</i>) - except where EXPN	E	\$49,940	\$1,207,843,118

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
592	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$49,536	\$1,207,892,654
593	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	\$49,479	\$1,207,942,133
594	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$49,457	\$1,207,991,590
595	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$49,190	\$1,208,040,780
596	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$49,096	\$1,208,089,876
597	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$49,034	\$1,208,138,910
598	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$48,980	\$1,208,187,890
599	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>skottsbergii</i>)	E	\$48,931	\$1,208,236,821
600	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$48,914	\$1,208,285,735
601	Ihi`ihi (<i>Marsilea villosa</i>)	E	\$48,797	\$1,208,334,532
602	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$48,700	\$1,208,383,232
603	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$48,468	\$1,208,431,700
604	Phacelia, DeBeque (<i>Phacelia submutica</i>)	T	\$47,996	\$1,208,479,696
605	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$47,495	\$1,208,527,191
606	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$46,910	\$1,208,574,101
607	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$46,813	\$1,208,620,914
608	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$46,809	\$1,208,667,723
609	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$46,500	\$1,208,714,223
610	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$46,252	\$1,208,760,475
611	Pigtoe, shiny (<i>Fusconaia cor</i>) - except where EXPN	E	\$46,000	\$1,208,806,475
612	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$45,957	\$1,208,852,432
613	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$45,725	\$1,208,898,157
614	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - except where EXPN	E	\$45,563	\$1,208,943,720
615	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$45,320	\$1,208,989,040
616	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$45,021	\$1,209,034,061
617	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$44,824	\$1,209,078,885
618	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$44,447	\$1,209,123,332
619	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$44,444	\$1,209,167,776
620	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$44,227	\$1,209,212,003
621	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$43,792	\$1,209,255,795
622	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$43,668	\$1,209,299,463
623	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$43,450	\$1,209,342,913
624	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$43,000	\$1,209,385,913

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
625	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$42,901	\$1,209,428,814
626	<i>Schiedea kauaiensis</i>	E	\$42,819	\$1,209,471,633
627	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$42,753	\$1,209,514,386
628	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$42,484	\$1,209,556,870
629	<i>Lobelia niihauensis</i>	E	\$42,177	\$1,209,599,047
630	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$42,144	\$1,209,641,191
631	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$41,955	\$1,209,683,146
632	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$41,944	\$1,209,725,090
633	Tree snail, Newcomb's (<i>Newcombia cumingi</i>)	E	\$41,897	\$1,209,766,987
634	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$41,892	\$1,209,808,879
635	Ceanothus, coyote (<i>Ceanothus ferrisiae</i>)	E	\$41,700	\$1,209,850,579
635	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$41,700	\$1,209,892,279
636	<i>Tetramolopium rockii</i>	T	\$41,634	\$1,209,933,913
637	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$41,600	\$1,209,975,513
638	Torrey, Florida (<i>Torrey taxifolia</i>)	E	\$41,570	\$1,210,017,083
639	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$41,264	\$1,210,058,347
640	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$41,232	\$1,210,099,579
641	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$41,187	\$1,210,140,766
642	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$41,100	\$1,210,181,866
643	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$41,090	\$1,210,222,956
644	Oha (<i>Delissea rivularis</i>)	E	\$41,005	\$1,210,263,961
645	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$40,500	\$1,210,304,461
646	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>)	E	\$40,251	\$1,210,344,712
647	Olulu (<i>Brighamia insignis</i>)	E	\$39,990	\$1,210,384,702
648	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$39,909	\$1,210,424,611
649	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$39,760	\$1,210,464,371
650	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$39,664	\$1,210,504,035
651	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$39,651	\$1,210,543,686
652	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$39,644	\$1,210,583,330
653	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$39,450	\$1,210,622,780
654	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$39,447	\$1,210,662,227
655	Kamakahala (<i>Labordia lydgatei</i>)	E	\$39,420	\$1,210,701,647
656	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$39,153	\$1,210,740,800

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
657	<i>Doryopteris angelica</i>	E	\$39,040	\$1,210,779,840
658	Pigtoe, fuzzy (<i>Pleurobema strodeanum</i>)	T	\$38,907	\$1,210,818,747
659	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>)	E	\$38,720	\$1,210,857,467
660	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$38,668	\$1,210,896,135
661	^Akoko (<i>Euphorbia haeleeleana</i>)	E	\$38,310	\$1,210,934,445
662	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) - CA	E	\$38,127	\$1,210,972,572
663	Papala (<i>Charpentiera densiflora</i>)	E	\$38,088	\$1,211,010,660
664	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$37,820	\$1,211,048,480
665	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$37,700	\$1,211,086,180
666	<i>Diellia pallida</i>	E	\$37,588	\$1,211,123,768
667	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$37,455	\$1,211,161,223
668	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$37,386	\$1,211,198,609
669	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$37,313	\$1,211,235,922
670	Turtle, flattened musk (<i>Sternotherus depressus</i>)	T	\$37,078	\$1,211,273,000
671	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$37,074	\$1,211,310,074
672	Haha (<i>Cyanea asarifolia</i>)	E	\$37,012	\$1,211,347,086
673	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$36,980	\$1,211,384,066
674	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$36,930	\$1,211,420,996
675	^Awikiwiki (<i>Canavalia napaliensis</i>)	E	\$36,871	\$1,211,457,867
676	Darter, yellowcheek (<i>Etheostoma moorei</i>)	E	\$36,840	\$1,211,494,707
677	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$36,772	\$1,211,531,479
678	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$36,750	\$1,211,568,229
679	Avens, spreading (<i>Geum radiatum</i>)	E	\$36,670	\$1,211,604,899
680	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$36,667	\$1,211,641,566
680	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$36,667	\$1,211,678,233
680	Ho`awa (<i>Pittosporum napaliense</i>)	E	\$36,667	\$1,211,714,900
681	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$36,545	\$1,211,751,445
682	Maple (<i>Cyrtandra cyaneoides</i>)	E	\$36,438	\$1,211,787,883
683	Ko`olua`ula (<i>Abutilon menziesii</i>)	E	\$36,367	\$1,211,824,250
684	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$36,355	\$1,211,860,605
685	Cactus, Tobusch fishhook (<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i>)	E	\$36,330	\$1,211,896,935
686	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$36,100	\$1,211,933,035
687	Seablite, California (<i>Suaeda californica</i>)	E	\$36,064	\$1,211,969,099
688	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$35,916	\$1,212,005,015

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
689	Fly, Hawaiian picture-wing (<i>Drosophila sharpi</i>)	E	\$35,893	\$1,212,040,908
690	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$35,146	\$1,212,076,054
691	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$35,072	\$1,212,111,126
692	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$34,938	\$1,212,146,064
693	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$34,881	\$1,212,180,945
694	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$34,878	\$1,212,215,823
695	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$34,670	\$1,212,250,493
696	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - except where EXPN	E	\$34,630	\$1,212,285,123
697	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - except where EXPN	E	\$34,500	\$1,212,319,623
697	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$34,500	\$1,212,354,123
697	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$34,500	\$1,212,388,623
698	Milkvetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$34,425	\$1,212,423,048
699	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$34,243	\$1,212,457,291
700	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$34,230	\$1,212,491,521
701	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$34,100	\$1,212,525,621
702	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$34,068	\$1,212,559,689
703	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$34,015	\$1,212,593,704
704	<i>Bonamia menziesii</i>	E	\$33,930	\$1,212,627,634
705	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$33,800	\$1,212,661,434
706	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$33,620	\$1,212,695,054
707	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$33,512	\$1,212,728,566
708	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$33,390	\$1,212,761,956
709	Butterfly, Miami Blue (<i>Cyclargus</i> (=Hemiargus) <i>thomasi bethunebakeri</i>)	E	\$33,363	\$1,212,795,319
710	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$33,266	\$1,212,828,585
711	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$33,100	\$1,212,861,685
712	<i>Phyllostegia parviflora</i>	E	\$32,986	\$1,212,894,671
713	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$32,902	\$1,212,927,573
714	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$32,772	\$1,212,960,345
715	Amphipod, Peck's cave (<i>Stygobromus</i> (=Stygonectes) <i>pecki</i>)	E	\$32,667	\$1,212,993,012
716	<i>Diellia mannii</i>	E	\$32,595	\$1,213,025,607
717	<i>Phyllostegia hispida</i>	E	\$32,429	\$1,213,058,036
718	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$32,200	\$1,213,090,236
719	Pomace fly, [unnamed] (<i>Drosophila musaphilia</i>)	E	\$32,176	\$1,213,122,412

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
720	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$32,162	\$1,213,154,574
721	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$32,040	\$1,213,186,614
722	<i>Cyanea purpurellifolia</i>	E	\$31,585	\$1,213,218,199
723	Wolf, red (<i>Canis rufus</i>) - except where EXPN	E	\$31,500	\$1,213,249,699
724	Lehua makanoe (<i>Lysimachia daphnoides</i>)	E	\$31,337	\$1,213,281,036
725	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$30,900	\$1,213,311,936
726	Cactus, Siler pincushion (<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i>) <i>sileri</i>)	T	\$30,850	\$1,213,342,786
727	Nohoanu (<i>Geranium kauaiense</i>)	E	\$30,830	\$1,213,373,616
728	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$30,822	\$1,213,404,438
729	Alani (<i>Melicope degeneri</i>)	E	\$30,780	\$1,213,435,218
730	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$30,500	\$1,213,465,718
731	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$30,400	\$1,213,496,118
732	<i>Platydesma cornuta cornuta</i>	E	\$30,395	\$1,213,526,513
733	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$30,326	\$1,213,556,839
734	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$30,295	\$1,213,587,134
735	Koki`o (<i>Kokia kauaiensis</i>)	E	\$30,239	\$1,213,617,373
736	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$30,066	\$1,213,647,439
737	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$30,028	\$1,213,677,467
738	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$30,000	\$1,213,707,467
739	Alani (<i>Melicope puberula</i>)	E	\$29,713	\$1,213,737,180
740	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$29,281	\$1,213,766,461
741	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$29,252	\$1,213,795,713
742	<i>Eugenia woodburyana</i>	E	\$29,000	\$1,213,824,713
743	Manzanita, Ione (<i>Arctostaphylos myrtifolia</i>)	T	\$28,963	\$1,213,853,676
744	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$28,793	\$1,213,882,469
745	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$28,600	\$1,213,911,069
746	Iliau, dwarf (<i>Wilkesia hobbdi</i>)	E	\$28,577	\$1,213,939,646
747	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$28,540	\$1,213,968,186
748	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$28,398	\$1,213,996,584
749	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$28,311	\$1,214,024,895
750	Heau (<i>Exocarpos luteolus</i>)	E	\$28,295	\$1,214,053,190
751	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$28,200	\$1,214,081,390
752	Rock cress, Shale barren (<i>Arabis serotina</i>)	E	\$28,198	\$1,214,109,588
753	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$28,090	\$1,214,137,678

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
754	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$28,000	\$1,214,165,678
755	<i>Diplazium molokaiense</i>	E	\$27,956	\$1,214,193,634
756	Darter, goldline (<i>Percina aurolineata</i>)	T	\$27,786	\$1,214,221,420
757	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	\$27,397	\$1,214,248,817
758	Nui, haha (<i>Cyanea horrida</i>)	E	\$27,328	\$1,214,276,145
759	Monardella, willowy (<i>Monardella viminea</i>)	E	\$27,323	\$1,214,303,468
760	Spinymussel, Altamaha (<i>Elliptio spinosa</i>)	E	\$27,200	\$1,214,330,668
760	<i>Phyllostegia haliakalae</i>	E	\$27,200	\$1,214,357,868
761	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$26,700	\$1,214,384,568
762	`Akoko (<i>Chamaesyce remyi</i> var. <i>remyi</i>)	E	\$26,695	\$1,214,411,263
763	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$26,550	\$1,214,437,813
764	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$26,200	\$1,214,464,013
765	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$25,925	\$1,214,489,938
766	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$25,683	\$1,214,515,621
767	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$25,500	\$1,214,541,121
768	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$25,474	\$1,214,566,595
769	Beetle [no common name] (<i>Rhadine infernalis</i>)	E	\$25,450	\$1,214,592,045
770	Alani (<i>Melicope zahlbruckneri</i>)	E	\$25,331	\$1,214,617,376
771	Tarplant, Otay (<i>Deinandra</i> (= <i>Hemizonia</i>) <i>conjugens</i>)	T	\$25,270	\$1,214,642,646
772	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$25,210	\$1,214,667,856
773	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$25,200	\$1,214,693,056
774	Wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$25,101	\$1,214,718,157
775	Darter, leopard (<i>Percina pantherina</i>)	T	\$25,095	\$1,214,743,252
776	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$25,049	\$1,214,768,301
777	Beardtongue, Parachute (<i>Penstemon debilis</i>)	T	\$25,026	\$1,214,793,327
778	Haha (<i>Cyanea lobata</i>)	E	\$25,010	\$1,214,818,337
779	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$25,000	\$1,214,843,337
780	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$24,887	\$1,214,868,224
781	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$24,808	\$1,214,893,032
782	Pussypaws, Mariposa (<i>Calyptidium pulchellum</i>)	T	\$24,600	\$1,214,917,632
783	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$24,500	\$1,214,942,132
784	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$24,490	\$1,214,966,622
785	<i>Phyllostegia warshaueri</i>	E	\$24,467	\$1,214,991,089
786	Alani (<i>Melicope paniculata</i>)	E	\$24,318	\$1,215,015,407

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
787	Buttercup, autumn (<i>Ranunculus aestivalis</i> (= <i>acriformis</i>))	E	\$24,200	\$1,215,039,607
788	Haha (<i>Cyanea lanceolata</i>)	E	\$24,137	\$1,215,063,744
788	Haha (<i>Cyanea calycina</i>)	E	\$24,137	\$1,215,087,881
789	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>) - CA	E	\$24,031	\$1,215,111,912
790	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$23,898	\$1,215,135,810
791	<i>Platanthera holochila</i>	E	\$23,686	\$1,215,159,496
792	<i>Trematolobelia singularis</i>	E	\$23,657	\$1,215,183,153
793	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$23,631	\$1,215,206,784
794	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$23,500	\$1,215,230,284
794	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$23,500	\$1,215,253,784
794	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$23,500	\$1,215,277,284
795	Damselfly, blackline Hawaiian (<i>Megalagrion nigrohamatum nigrolineatum</i>)	E	\$23,499	\$1,215,300,783
796	Alani (<i>Melicope haupuensis</i>)	E	\$23,474	\$1,215,324,257
797	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$23,434	\$1,215,347,691
798	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$23,189	\$1,215,370,880
799	Darter, duskytail (<i>Etheostoma percnurum</i>)	E	\$23,183	\$1,215,394,063
800	Haha (<i>Cyanea humboldtiana</i>)	E	\$23,182	\$1,215,417,245
801	Tui chub, Owens (<i>Gila bicolor</i> ssp. <i>snyderi</i>)	E	\$23,054	\$1,215,440,299
802	Damselfly, oceanic Hawaiian (<i>Megalagrion oceanicum</i>)	E	\$22,992	\$1,215,463,291
803	Darter, snail (<i>Percina tanasi</i>)	T	\$22,866	\$1,215,486,157
804	Cactus, Nichol's Turk's head (<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>)	E	\$22,833	\$1,215,508,990
805	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$22,600	\$1,215,531,590
805	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$22,600	\$1,215,554,190
806	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$22,580	\$1,215,576,770
807	Madtom, smoky (<i>Noturus baileyi</i>)	E	\$22,548	\$1,215,599,318
808	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$22,422	\$1,215,621,740
809	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$22,355	\$1,215,644,095
810	Ragwort, San Francisco Peaks (<i>Packera franciscana</i>)	T	\$22,220	\$1,215,666,315
811	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$22,180	\$1,215,688,495
812	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$22,100	\$1,215,710,595
813	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$21,969	\$1,215,732,564
814	Sedge, golden (<i>Carex lutea</i>)	E	\$21,843	\$1,215,754,407

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
815	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$21,692	\$1,215,776,099
816	<i>Munroidendron racemosum</i>	E	\$21,685	\$1,215,797,784
817	Campion, fringed (<i>Silene polypetala</i>)	E	\$21,594	\$1,215,819,378
818	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$21,570	\$1,215,840,948
819	Sandlace (<i>Polygonella myriophylla</i>)	E	\$21,550	\$1,215,862,498
820	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$21,490	\$1,215,883,988
821	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$21,450	\$1,215,905,438
822	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$21,445	\$1,215,926,883
823	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$21,390	\$1,215,948,273
824	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$21,313	\$1,215,969,586
825	Pa`iniu (<i>Astelia waialealae</i>)	E	\$21,196	\$1,215,990,782
826	Plum, scrub (<i>Prunus geniculata</i>)	E	\$21,150	\$1,216,011,932
827	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>)	E	\$21,126	\$1,216,033,058
828	Cactus, Knowlton's (<i>Pediocactus knowltonii</i>)	E	\$20,875	\$1,216,053,933
829	Butterfly, Uncompahgre fritillary (<i>Boloria acrocnema</i>)	E	\$20,851	\$1,216,074,784
830	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$20,835	\$1,216,095,619
831	`Awikiwiki (<i>Canavalia pubescens</i>)	E	\$20,610	\$1,216,116,229
831	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$20,610	\$1,216,136,839
832	Amphipod, diminutive (<i>Gammarus hyalleloides</i>)	E	\$20,500	\$1,216,157,339
832	Boxwood, Vahl's (<i>Buxus vahlii</i>)	E	\$20,500	\$1,216,177,839
833	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$20,319	\$1,216,198,158
834	Tryonia, Phantom (<i>Tryonia cheatumi</i>)	E	\$20,310	\$1,216,218,468
834	Tryonia, Diamond (<i>Pseudotryonia adamantina</i>)	E	\$20,310	\$1,216,238,778
835	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$20,266	\$1,216,259,044
836	Darter, bluemark (=jewel) (<i>Etheostoma</i> sp.)	E	\$20,040	\$1,216,279,084
837	`Oha wai (<i>Clermontia samuelii</i>)	E	\$20,035	\$1,216,299,119
838	Wireweed (<i>Polygonella basiramia</i>)	E	\$20,000	\$1,216,319,119
838	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$20,000	\$1,216,339,119
839	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$19,968	\$1,216,359,087
840	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$19,934	\$1,216,379,021
841	<i>Schiedea membranacea</i>	E	\$19,887	\$1,216,398,908
842	<i>Phyllostegia bracteata</i>	E	\$19,843	\$1,216,418,751
843	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$19,830	\$1,216,438,581
844	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$19,790	\$1,216,458,371

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
845	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$19,730	\$1,216,478,101
846	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$19,711	\$1,216,497,812
847	Haha (<i>Cyanea obtusa</i>)	E	\$19,695	\$1,216,517,507
848	<i>Neraudia sericea</i>	E	\$19,658	\$1,216,537,165
849	Darter, Cumberland (<i>Etheostoma susanae</i>)	E	\$19,624	\$1,216,556,789
850	Haha (<i>Cyanea maritae</i>)	E	\$19,623	\$1,216,576,412
851	Kopiko (<i>Psychotria grandiflora</i>)	E	\$19,571	\$1,216,595,983
851	<i>Stenogyne kealiae</i>	E	\$19,571	\$1,216,615,554
852	<i>Wikstroemia villosa</i>	E	\$19,543	\$1,216,635,097
853	`Ala `ala wai nui (<i>Peperomia subpetiolata</i>)	E	\$19,525	\$1,216,654,622
853	<i>Schiedea jacobii</i>	E	\$19,525	\$1,216,674,147
854	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$19,500	\$1,216,693,647
855	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$19,401	\$1,216,713,048
856	Cliff-rose, Arizona (<i>Purshia</i> (= <i>Cowania</i>) <i>subintegra</i>)	E	\$19,400	\$1,216,732,448
856	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$19,400	\$1,216,751,848
857	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$19,381	\$1,216,771,229
858	<i>Pittosporum halophilum</i>	E	\$19,370	\$1,216,790,599
859	Sandshell, Southern (<i>Hamiota australis</i>)	T	\$19,266	\$1,216,809,865
860	Haha (<i>Cyanea kunthiana</i>)	E	\$19,205	\$1,216,829,070
861	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$19,200	\$1,216,848,270
862	<i>Schiedea haleakalensis</i>	E	\$19,005	\$1,216,867,275
863	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$19,001	\$1,216,886,276
864	<i>Xylosma crenatum</i>	E	\$18,935	\$1,216,905,211
865	<i>Tetraplasandra bisattenuata</i>	E	\$18,906	\$1,216,924,117
866	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>	E	\$18,832	\$1,216,942,949
867	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$18,820	\$1,216,961,769
868	Pigtoe, narrow (<i>Fusconaia escambia</i>)	T	\$18,819	\$1,216,980,588
869	Kidneyshell, triangular (<i>Ptychobranhus greenii</i>)	E	\$18,769	\$1,216,999,357
870	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$18,723	\$1,217,018,080
871	Bean, Choctaw (<i>Villosa choctawensis</i>)	E	\$18,695	\$1,217,036,775
872	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$18,651	\$1,217,055,426
873	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$18,630	\$1,217,074,056
874	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$18,600	\$1,217,092,656
875	Pigtoe, tapered (<i>Fusconaia burkei</i>)	T	\$18,596	\$1,217,111,252

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
875	<i>Schiedea laui</i>	E	\$18,596	\$1,217,129,848
876	Alani (<i>Melicope adscendens</i>)	E	\$18,573	\$1,217,148,421
877	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$18,500	\$1,217,166,921
877	Sedge, white (<i>Carex albida</i>)	E	\$18,500	\$1,217,185,421
877	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$18,500	\$1,217,203,921
877	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$18,500	\$1,217,222,421
877	Trillium, persistent (<i>Trillium persistens</i>)	E	\$18,500	\$1,217,240,921
877	Cobana negra (<i>Stahlia monosperma</i>)	T	\$18,500	\$1,217,259,421
878	Ebonyshe, round (<i>Fusconaia rotulata</i>)	E	\$18,447	\$1,217,277,868
879	`Aiea (<i>Nothocestrum peltatum</i>)	E	\$18,428	\$1,217,296,296
880	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$18,396	\$1,217,314,692
881	Haha (<i>Cyanea mceldowneyi</i>)	E	\$18,327	\$1,217,333,019
882	Alani (<i>Melicope mucronulata</i>)	E	\$18,320	\$1,217,351,339
883	<i>Phyllostegia mannii</i>	E	\$18,318	\$1,217,369,657
884	Nohoanu (<i>Geranium multiflorum</i>)	E	\$18,299	\$1,217,387,956
885	Popolo (<i>Cyanea solanacea</i>)	E	\$18,256	\$1,217,406,212
885	<i>Stenogyne kauaulaensis</i>	E	\$18,256	\$1,217,424,468
886	<i>Cyanea profuga</i>	E	\$18,214	\$1,217,442,682
887	Kidneyshell, southern (<i>Ptychobranhus jonesi</i>)	E	\$18,200	\$1,217,460,882
888	Alani (<i>Melicope knudsenii</i>)	E	\$18,140	\$1,217,479,022
889	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$18,136	\$1,217,497,158
890	haiwale (<i>Cyrtandra ferripilosa</i>)	E	\$18,015	\$1,217,515,173
891	<i>Catesbaea melanocarpa</i>	E	\$18,000	\$1,217,533,173
892	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$17,965	\$1,217,551,138
893	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$17,900	\$1,217,569,038
894	<i>Tetraplasandra flynnii</i>	E	\$17,892	\$1,217,586,930
895	<i>Remya montgomeryi</i>	E	\$17,859	\$1,217,604,789
896	Haha (<i>Cyanea dunbarii</i>)	E	\$17,813	\$1,217,622,602
897	Alani (<i>Melicope christophersenii</i>)	E	\$17,726	\$1,217,640,328
898	<i>Tetramolopium remyi</i>	E	\$17,702	\$1,217,658,030
899	Pua `ala (<i>Brighamia rockii</i>)	E	\$17,695	\$1,217,675,725
900	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$17,642	\$1,217,693,367
901	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$17,600	\$1,217,710,967
902	Alani (<i>Melicope balloui</i>)	E	\$17,589	\$1,217,728,556

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
903	<i>Abutilon eremitopetalum</i>	E	\$17,560	\$1,217,746,116
904	<i>Phyllostegia waimeae</i>	E	\$17,543	\$1,217,763,659
904	Haiwale (<i>Cyrtandra paliku</i>)	E	\$17,543	\$1,217,781,202
904	<i>Lysimachia pendens</i>	E	\$17,543	\$1,217,798,745
905	<i>Lysimachia iniki</i>	E	\$17,517	\$1,217,816,262
906	<i>Viola helenae</i>	E	\$17,516	\$1,217,833,778
907	Haha (<i>Cyanea glabra</i>)	E	\$17,451	\$1,217,851,229
908	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$17,414	\$1,217,868,643
909	Liliwai (<i>Acaena exigua</i>)	E	\$17,342	\$1,217,885,985
910	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$17,326	\$1,217,903,311
911	Haha (<i>Cyanea truncata</i>)	E	\$17,311	\$1,217,920,622
912	<i>Stenogyne bifida</i>	E	\$17,307	\$1,217,937,929
913	<i>Silene alexandri</i>	E	\$17,306	\$1,217,955,235
913	Haha (<i>Cyanea procera</i>)	E	\$17,306	\$1,217,972,541
913	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$17,306	\$1,217,989,847
913	<i>Lysimachia maxima</i>	E	\$17,306	\$1,218,007,153
914	ˆOha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$17,304	\$1,218,024,457
915	Kamakahala (<i>Labordia triflora</i>)	E	\$17,289	\$1,218,041,746
916	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$17,208	\$1,218,058,954
917	ˆAkoko (<i>Chamaesyce remyi</i> var. <i>kauaiensis</i>)	E	\$17,203	\$1,218,076,157
918	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$17,200	\$1,218,093,357
919	<i>Delissea rhytidosperma</i>	E	\$17,185	\$1,218,110,542
920	<i>Phyllostegia pilosa</i>	E	\$17,179	\$1,218,127,721
921	Koki`o, Cooke's (<i>Kokia cookei</i>)	E	\$17,164	\$1,218,144,885
922	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$17,130	\$1,218,162,015
923	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$17,112	\$1,218,179,127
924	Haha (<i>Cyanea dolichopoda</i>)	E	\$17,105	\$1,218,196,232
925	Naenae (<i>Dubautia kalalauensis</i>)	E	\$17,072	\$1,218,213,304
926	Combshell, southern (<i>Epioblasma penita</i>)	E	\$16,954	\$1,218,230,258
927	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$16,945	\$1,218,247,203
928	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$16,940	\$1,218,264,143
929	Ha`iwale (<i>Cyrtandra filipes</i>)	E	\$16,901	\$1,218,281,044
930	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$16,817	\$1,218,297,861
931	Pilo (<i>Hedyotis mannii</i>)	E	\$16,799	\$1,218,314,660

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
932	<i>Schiedea hookeri</i>	E	\$16,791	\$1,218,331,451
933	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$16,754	\$1,218,348,205
934	Ceanothus, Vail Lake (<i>Ceanothus ophiichilus</i>)	T	\$16,744	\$1,218,364,949
935	Kopa (<i>Hedyotis schlehtendahlana</i> var. <i>remyi</i>)	E	\$16,659	\$1,218,381,608
936	Na`ena`e (<i>Dubautia pauciflora</i>)	E	\$16,529	\$1,218,398,137
937	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>)	E	\$16,519	\$1,218,414,656
938	Alani (<i>Melicope hiiakae</i>)	E	\$16,496	\$1,218,431,152
939	Ha`iwale (<i>Cyrtandra kaulantha</i>)	E	\$16,485	\$1,218,447,637
940	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$16,402	\$1,218,464,039
941	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$16,400	\$1,218,480,439
942	`Anaunau (<i>Lepidium arbuscula</i>)	E	\$16,342	\$1,218,496,781
943	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$16,300	\$1,218,513,081
944	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$16,203	\$1,218,529,284
945	<i>Cyrtandra gracilis</i>	E	\$16,201	\$1,218,545,485
946	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$16,200	\$1,218,561,685
946	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$16,200	\$1,218,577,885
946	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$16,200	\$1,218,594,085
947	Haha (<i>Cyanea munroi</i>)	E	\$16,160	\$1,218,610,245
948	Haha (<i>Cyanea magnicalyx</i>)	E	\$16,140	\$1,218,626,385
949	Haha (<i>Cyanea kuhihewa</i>)	E	\$16,091	\$1,218,642,476
949	Haha (<i>Cyanea eleeleensis</i>)	E	\$16,091	\$1,218,658,567
949	Naenae (<i>Dubautia kenwoodii</i>)	E	\$16,091	\$1,218,674,658
950	<i>Lobelia monostachya</i>	E	\$16,084	\$1,218,690,742
951	<i>Lysimachia lydgatei</i>	E	\$16,072	\$1,218,706,814
952	<i>Lysimachia venosa</i>	E	\$16,059	\$1,218,722,873
952	Haha (<i>Cyanea kolekoleensis</i>)	E	\$16,059	\$1,218,738,932
953	<i>Lysimachia scopulensis</i>	E	\$16,058	\$1,218,754,990
954	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$16,000	\$1,218,770,990
954	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra</i> ssp. <i>alabamensis</i>)	E	\$16,000	\$1,218,786,990
955	<i>Schiedea attenuata</i>	E	\$15,958	\$1,218,802,948
956	Beetle [no common name] (<i>Rhadine exilis</i>)	E	\$15,950	\$1,218,818,898
957	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$15,900	\$1,218,834,798
958	Pamakani (<i>Tetramolopium capillare</i>)	E	\$15,820	\$1,218,850,618
959	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$15,790	\$1,218,866,408

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
960	<i>Osmoxylon mariannense</i>	E	\$15,764	\$1,218,882,172
961	Alani (<i>Melicope reflexa</i>)	E	\$15,690	\$1,218,897,862
962	Alani (<i>Melicope saint-johnii</i>)	E	\$15,677	\$1,218,913,539
963	<i>Gouania meyenii</i>	E	\$15,537	\$1,218,929,076
964	<i>Stenogyne campanulata</i>	E	\$15,515	\$1,218,944,591
965	Haha (<i>Cyanea undulata</i>)	E	\$15,509	\$1,218,960,100
966	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>)	E	\$15,508	\$1,218,975,608
967	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$15,458	\$1,218,991,066
968	Opuhe (<i>Urera kaalae</i>)	E	\$15,437	\$1,219,006,503
969	<i>Silene perlmanii</i>	E	\$15,412	\$1,219,021,915
970	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>)	E	\$15,410	\$1,219,037,325
971	Darter, relict (<i>Etheostoma chienense</i>)	E	\$15,400	\$1,219,052,725
971	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$15,400	\$1,219,068,125
972	`Akoko (<i>Chamaesyce eleanoriae</i>)	E	\$15,333	\$1,219,083,458
973	Nehe (<i>Lipochaeta micrantha</i>)	E	\$15,272	\$1,219,098,730
974	A`e (<i>Zanthoxylum oahuense</i>)	E	\$15,111	\$1,219,113,841
975	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$15,100	\$1,219,128,941
976	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$15,092	\$1,219,144,033
977	Haha (<i>Cyanea remyi</i>)	E	\$15,044	\$1,219,159,077
978	<i>Diellia unisora</i>	E	\$15,003	\$1,219,174,080
979	`Anunu (<i>Sicyos alba</i>)	E	\$14,944	\$1,219,189,024
980	Haha (<i>Cyanea asplenifolia</i>)	E	\$14,887	\$1,219,203,911
981	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - except where EXPN	E	\$14,817	\$1,219,218,728
982	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$14,800	\$1,219,233,528
983	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$14,773	\$1,219,248,301
984	<i>Tetraplasandra lydgatei</i>	E	\$14,772	\$1,219,263,073
985	Sandalwood, Lanai (= `iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$14,744	\$1,219,277,817
986	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$14,590	\$1,219,292,407
987	Nohoanu (<i>Geranium hanaense</i>)	E	\$14,582	\$1,219,306,989
988	Alani (<i>Melicope quadrangularis</i>)	E	\$14,540	\$1,219,321,529
989	Bison, wood (<i>Bison bison athabasca</i>)	E	\$14,500	\$1,219,336,029
989	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$14,500	\$1,219,350,529
990	Dace, Laurel (<i>Chrosomus saylari</i>)	E	\$14,490	\$1,219,365,019
991	Lo`ulu (<i>Pritchardia munroi</i>)	E	\$14,379	\$1,219,379,398

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
992	Na`ena`e (<i>Dubautia waialealae</i>)	E	\$14,323	\$1,219,393,721
993	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$14,321	\$1,219,408,042
994	Kolea (<i>Myrsine knudsenii</i>)	E	\$14,304	\$1,219,422,346
995	Wawae`iole (<i>Huperzia mannii</i>)	E	\$14,251	\$1,219,436,597
996	<i>Geocarpon minimum</i>	T	\$14,200	\$1,219,450,797
997	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$14,167	\$1,219,464,964
998	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$14,150	\$1,219,479,114
999	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$14,110	\$1,219,493,224
1000	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$14,054	\$1,219,507,278
1001	<i>Phyllostegia wawrana</i>	E	\$14,030	\$1,219,521,308
1002	<i>Phyllostegia knudsenii</i>	E	\$14,028	\$1,219,535,336
1003	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$14,010	\$1,219,549,346
1004	Pauoa (<i>Ctenitis squamigera</i>)	E	\$13,951	\$1,219,563,297
1005	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$13,935	\$1,219,577,232
1006	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$13,881	\$1,219,591,113
1007	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$13,870	\$1,219,604,983
1008	Wild coffee, Oahu (=kopiko) (<i>Psychotria hexandra</i> ssp. <i>oahuensis</i>)	E	\$13,856	\$1,219,618,839
1009	<i>Keysseria</i> (=Lagenifera) <i>erici</i>	E	\$13,770	\$1,219,632,609
1009	<i>Keysseria</i> (=Lagenifera) <i>helenae</i>	E	\$13,770	\$1,219,646,379
1010	<i>Nesogenes rotensis</i>	E	\$13,736	\$1,219,660,115
1011	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$13,735	\$1,219,673,850
1012	<i>Phyllostegia renovans</i>	E	\$13,712	\$1,219,687,562
1013	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$13,703	\$1,219,701,265
1014	Pilo kea lau li`i (<i>Platydesma rostrata</i>)	E	\$13,676	\$1,219,714,941
1015	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$13,585	\$1,219,728,526
1016	<i>Achyranthes mutica</i>	E	\$13,488	\$1,219,742,014
1017	<i>Delissea undulata</i>	E	\$13,453	\$1,219,755,467
1018	Daisy, Lakeside (<i>Hymenoxys herbacea</i>)	T	\$13,401	\$1,219,768,868
1019	Kamakahala (<i>Labordia pumila</i>)	E	\$13,309	\$1,219,782,177
1020	Cactus, star (<i>Astrophytum asterias</i>)	E	\$13,300	\$1,219,795,477
1021	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>)	E	\$13,266	\$1,219,808,743
1022	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$13,265	\$1,219,822,008
1023	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$13,200	\$1,219,835,208
1024	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$13,040	\$1,219,848,248

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1025	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$13,000	\$1,219,861,248
1026	Haha (<i>Cyanea duvalliorum</i>)	E	\$12,987	\$1,219,874,235
1027	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$12,968	\$1,219,887,203
1028	Kamakahala (<i>Labordia helleri</i>)	E	\$12,967	\$1,219,900,170
1029	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$12,944	\$1,219,913,114
1030	Ko'oko'olau (<i>Bidens campylothea waihoiensis</i>)	E	\$12,905	\$1,219,926,019
1031	Haha (<i>Cyanea pinnatifida</i>)	E	\$12,891	\$1,219,938,910
1032	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$12,800	\$1,219,951,710
1033	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$12,768	\$1,219,964,478
1034	Na'ena'e (<i>Dubautia plantaginea magnifolia</i>)	E	\$12,750	\$1,219,977,228
1035	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$12,700	\$1,219,989,928
1036	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$12,680	\$1,220,002,608
1037	Ko'oko'olau (<i>Bidens campylothea pentamera</i>)	E	\$12,652	\$1,220,015,260
1038	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$12,643	\$1,220,027,903
1039	Ha'iwale (<i>Cyrtandra oxybapha</i>)	E	\$12,380	\$1,220,040,283
1040	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$12,300	\$1,220,052,583
1041	Hala pepe (<i>Pleomele fernaldii</i>)	E	\$12,271	\$1,220,064,854
1042	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$12,210	\$1,220,077,064
1043	Ha'iwale (<i>Cyrtandra oenobarba</i>)	E	\$12,129	\$1,220,089,193
1044	Alani (<i>Melicope ovalis</i>)	E	\$12,127	\$1,220,101,320
1045	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$12,125	\$1,220,113,445
1046	Roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>)	T	\$12,058	\$1,220,125,503
1047	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$12,000	\$1,220,137,503
1048	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - AL; Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Counties	EXPN	\$11,988	\$1,220,149,491
1049	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$11,921	\$1,220,161,412
1050	Makou (<i>Peucedanum sandwicense</i>)	T	\$11,792	\$1,220,173,204
1051	Haha (<i>Cyanea mauiensis</i>)	E	\$11,791	\$1,220,184,995
1052	Na'ena'e (<i>Dubautia imbricata imbricata</i>)	E	\$11,684	\$1,220,196,679
1052	Kopiko (<i>Psychotria hobyi</i>)	E	\$11,684	\$1,220,208,363
1053	Purple Cat's paw (=Purple Cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - except where EXPN	E	\$11,640	\$1,220,220,003
1054	Nohoanu (<i>Geranium hillebrandii</i>)	E	\$11,572	\$1,220,231,575

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1055	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$11,565	\$1,220,243,140
1056	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$11,500	\$1,220,254,640
1056	Bladderpod, Missouri (<i>Physaria filiformis</i>)	T	\$11,500	\$1,220,266,140
1056	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$11,500	\$1,220,277,640
1056	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$11,500	\$1,220,289,140
1056	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$11,500	\$1,220,300,640
1057	Pomace fly, [unnamed] (<i>Drosophila differens</i>)	E	\$11,369	\$1,220,312,009
1058	Ko`oko`olau (<i>Bidens conjuncta</i>)	E	\$11,366	\$1,220,323,375
1058	<i>Schiedea salicaria</i>	E	\$11,366	\$1,220,334,741
1058	Kolea (<i>Myrsine vaccinioides</i>)	E	\$11,366	\$1,220,346,107
1059	Kolea (<i>Myrsine mezii</i>)	E	\$11,297	\$1,220,357,404
1060	<i>Viola lanaiensis</i>	E	\$11,275	\$1,220,368,679
1061	Ma`oli`oli (<i>Schiedea kealiae</i>)	E	\$11,229	\$1,220,379,908
1062	Kolea (<i>Myrsine linearifolia</i>)	T	\$11,220	\$1,220,391,128
1063	<i>Festuca molokaiensis</i>	E	\$11,172	\$1,220,402,300
1064	Reedgrass, Hillebrand's (<i>Calamagrostis hillebrandii</i>)	E	\$11,171	\$1,220,413,471
1065	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$11,130	\$1,220,424,601
1066	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$11,101	\$1,220,435,702
1067	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$11,087	\$1,220,446,789
1068	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$11,010	\$1,220,457,799
1069	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert, and Lauderdale Counties	EXPN	\$11,000	\$1,220,468,799
1069	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$11,000	\$1,220,479,799
1069	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$11,000	\$1,220,490,799
1069	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$11,000	\$1,220,501,799
1070	Ha`iwale (<i>Cyrtandra munroi</i>)	E	\$10,983	\$1,220,512,782
1071	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$10,950	\$1,220,523,732
1072	Aupaka (<i>Isodendron laurifolium</i>)	E	\$10,894	\$1,220,534,626
1073	Pomace fly, [unnamed] (<i>Drosophila aglaia</i>)	E	\$10,862	\$1,220,545,488
1074	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$10,850	\$1,220,556,338
1075	<i>Lysimachia filifolia</i>	E	\$10,821	\$1,220,567,159
1076	Beetle, Casey's June (<i>Dinacoma caseyi</i>)	E	\$10,778	\$1,220,577,937
1077	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$10,770	\$1,220,588,707
1078	<i>Tetramolopium arenarium</i>	E	\$10,753	\$1,220,599,460

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1079	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$10,744	\$1,220,610,204
1080	<i>Alsinidendron viscosum</i>	E	\$10,734	\$1,220,620,938
1081	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$10,712	\$1,220,631,650
1082	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$10,700	\$1,220,642,350
1082	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$10,700	\$1,220,653,050
1083	Lo`ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>)	E	\$10,670	\$1,220,663,720
1084	Alani (<i>Melicope munroi</i>)	E	\$10,668	\$1,220,674,388
1085	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$10,641	\$1,220,685,029
1085	<i>Poa siphonoglossa</i>	E	\$10,641	\$1,220,695,670
1086	<i>Remya kauaiensis</i>	E	\$10,608	\$1,220,706,278
1087	<i>Gouania hillebrandii</i>	E	\$10,605	\$1,220,716,883
1088	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$10,513	\$1,220,727,396
1089	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$10,500	\$1,220,737,896
1090	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$10,434	\$1,220,748,330
1091	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$10,418	\$1,220,758,748
1092	Remya, Maui (<i>Remya mauiensis</i>)	E	\$10,415	\$1,220,769,163
1093	<i>Schiedea sarmentosa</i>	E	\$10,413	\$1,220,779,576
1093	<i>Schiedea lydgatei</i>	E	\$10,413	\$1,220,789,989
1093	Haha (<i>Cyanea mannii</i>)	E	\$10,413	\$1,220,800,402
1094	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$10,283	\$1,220,810,685
1095	Ha`iwale (<i>Cyrtandra subumbellata</i>)	E	\$10,215	\$1,220,820,900
1096	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$10,201	\$1,220,831,101
1097	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$10,190	\$1,220,841,291
1098	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$10,185	\$1,220,851,476
1099	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$10,175	\$1,220,861,651
1100	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$10,130	\$1,220,871,781
1101	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$10,117	\$1,220,881,898
1102	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$10,101	\$1,220,891,999
1103	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$10,100	\$1,220,902,099
1104	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$10,075	\$1,220,912,174
1105	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$10,068	\$1,220,922,242
1106	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$10,035	\$1,220,932,277
1107	Haha (<i>Cyanea recta</i>)	T	\$10,034	\$1,220,942,311

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1108	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$10,000	\$1,220,952,311
1108	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$10,000	\$1,220,962,311
1108	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$10,000	\$1,220,972,311
1109	<i>Mariscus fauriei</i>	E	\$9,954	\$1,220,982,265
1110	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$9,907	\$1,220,992,172
1110	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$9,907	\$1,221,002,079
1111	<i>Diellia falcata</i>	E	\$9,891	\$1,221,011,970
1112	Aupaka (<i>Isodendron longifolium</i>)	T	\$9,834	\$1,221,021,804
1113	Hala pepe (<i>Pleomele forbesii</i>)	E	\$9,767	\$1,221,031,571
1113	Ko'oko'olau (<i>Bidens amplexans</i>)	E	\$9,767	\$1,221,041,338
1114	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>)	E	\$9,751	\$1,221,051,089
1115	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$9,700	\$1,221,060,789
1116	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotes</i>)	E	\$9,691	\$1,221,070,480
1117	<i>Aristida chaseae</i>	E	\$9,600	\$1,221,080,080
1118	Bean, sea (<i>Mucuna sloanei persericea</i>)	E	\$9,591	\$1,221,089,671
1119	Ha'iwale (<i>Cyrtandra crenata</i>)	E	\$9,564	\$1,221,099,235
1120	Ha'iwale (<i>Cyrtandra giffardii</i>)	E	\$9,557	\$1,221,108,792
1121	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$9,502	\$1,221,118,294
1122	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhaphae</i>)	E	\$9,500	\$1,221,127,794
1122	<i>Calyptanthus thomasi</i>	E	\$9,500	\$1,221,137,294
1122	<i>Leptocereus grantianus</i>	E	\$9,500	\$1,221,146,794
1123	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$9,480	\$1,221,156,274
1124	Ha'iwale (<i>Cyrtandra limahuliensis</i>)	T	\$9,436	\$1,221,165,710
1125	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$9,356	\$1,221,175,066
1126	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$9,338	\$1,221,184,404
1127	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$9,320	\$1,221,193,724
1128	<i>Platydesma cornuta decurrens</i>	E	\$9,260	\$1,221,202,984
1129	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$9,198	\$1,221,212,182
1130	Po'ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$9,159	\$1,221,221,341
1131	<i>Schiedea spargulina</i> var. <i>leiopoda</i>	E	\$9,149	\$1,221,230,490
1131	Lauhilihi (<i>Schiedea stellarioides</i>)	E	\$9,149	\$1,221,239,639
1132	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$9,000	\$1,221,248,639
1132	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$9,000	\$1,221,257,639
1132	<i>Vernonia proctorii</i>	E	\$9,000	\$1,221,266,639

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1133	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>	E	\$8,946	\$1,221,275,585
1134	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$8,900	\$1,221,284,485
1135	Polygala, tiny (<i>Polygala smallii</i>)	E	\$8,825	\$1,221,293,310
1136	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$8,816	\$1,221,302,126
1137	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$8,800	\$1,221,310,926
1138	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$8,783	\$1,221,319,709
1139	Kaulu (<i>Pteralyxia macrocarpa</i>)	E	\$8,753	\$1,221,328,462
1139	Alani (<i>Melicope makahae</i>)	E	\$8,753	\$1,221,337,215
1139	Ha'iwaie (<i>Cyrtandra sessilis</i>)	E	\$8,753	\$1,221,345,968
1140	<i>Amaranthus brownii</i>	E	\$8,724	\$1,221,354,692
1141	<i>Schiedea verticillata</i>	E	\$8,687	\$1,221,363,379
1142	Alani (<i>Melicope pallida</i>)	E	\$8,648	\$1,221,372,027
1143	Ma'oli'oli (<i>Schiedea apokremnos</i>)	E	\$8,642	\$1,221,380,669
1143	<i>Schiedea helleri</i>	E	\$8,642	\$1,221,389,311
1143	<i>Schiedea spergulina</i> var. <i>spergulina</i>	T	\$8,642	\$1,221,397,953
1143	Lo'ulu (<i>Pritchardia napaliensis</i>)	E	\$8,642	\$1,221,406,595
1144	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$8,630	\$1,221,415,225
1145	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$8,600	\$1,221,423,825
1146	<i>Hesperomannia lydgatei</i>	E	\$8,577	\$1,221,432,402
1147	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$8,550	\$1,221,440,952
1148	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$8,544	\$1,221,449,496
1149	Globe, noonday (<i>Patera clarki nantahala</i>)	T	\$8,500	\$1,221,457,996
1149	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$8,500	\$1,221,466,496
1149	<i>Daphnopsis hellerana</i>	E	\$8,500	\$1,221,474,996
1149	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$8,500	\$1,221,483,496
1150	Hulumoa (<i>Korthalsella degeneri</i>)	E	\$8,458	\$1,221,491,954
1150	<i>Doryopteris takeuchii</i>	E	\$8,458	\$1,221,500,412
1151	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$8,429	\$1,221,508,841
1152	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$8,389	\$1,221,517,230
1153	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$8,381	\$1,221,525,611
1154	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$8,314	\$1,221,533,925
1155	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$8,300	\$1,221,542,225
1156	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$8,285	\$1,221,550,510
1157	<i>Cyrtandra waiolani</i>	E	\$8,266	\$1,221,558,776

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1158	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$8,225	\$1,221,567,001
1159	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$8,200	\$1,221,575,201
1159	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (= <i>N. pauciflora</i>))	E	\$8,200	\$1,221,583,401
1159	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$8,200	\$1,221,591,601
1159	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$8,200	\$1,221,599,801
1159	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$8,200	\$1,221,608,001
1160	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$8,125	\$1,221,616,126
1161	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$8,100	\$1,221,624,226
1162	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$8,066	\$1,221,632,292
1162	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$8,066	\$1,221,640,358
1163	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	\$8,000	\$1,221,648,358
1163	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$8,000	\$1,221,656,358
1163	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$8,000	\$1,221,664,358
1163	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$8,000	\$1,221,672,358
1163	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$8,000	\$1,221,680,358
1164	Awiiwi (<i>Hedyotis cookiana</i>)	E	\$7,978	\$1,221,688,336
1165	<i>Chamaesyce halemui</i>	E	\$7,977	\$1,221,696,313
1165	Nehe (<i>Lipochaeta fauriei</i>)	E	\$7,977	\$1,221,704,290
1166	<i>Gahnia lanaiensis</i>	E	\$7,954	\$1,221,712,244
1167	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$7,928	\$1,221,720,172
1168	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$7,889	\$1,221,728,061
1169	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$7,878	\$1,221,735,939
1170	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$7,793	\$1,221,743,732
1171	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$7,700	\$1,221,751,432
1171	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$7,700	\$1,221,759,132
1171	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$7,700	\$1,221,766,832
1172	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	\$7,620	\$1,221,774,452
1173	Damselfly, crimson Hawaiian (<i>Megalagrion leptodemas</i>)	E	\$7,608	\$1,221,782,060
1174	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$7,600	\$1,221,789,660
1174	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$7,600	\$1,221,797,260
1174	Rocksnail, interrupted (=Georgia) (<i>Leptoxis foremani</i>)	E	\$7,600	\$1,221,804,860

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1174	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$7,600	\$1,221,812,460
1174	Holly, Cook's (<i>Ilex cookii</i>)	E	\$7,600	\$1,221,820,060
1174	Prickly-ash, St. Thomas (<i>Zanthoxylum thomsonianum</i>)	E	\$7,600	\$1,221,827,660
1175	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$7,586	\$1,221,835,246
1176	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$7,569	\$1,221,842,815
1177	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$7,500	\$1,221,850,315
1177	Manaca, palma de (<i>Calyptronoma rivalis</i>)	T	\$7,500	\$1,221,857,815
1177	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$7,500	\$1,221,865,315
1177	<i>Lyonia truncata</i> var. <i>proctorii</i>	E	\$7,500	\$1,221,872,815
1177	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$7,500	\$1,221,880,315
1177	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$7,500	\$1,221,887,815
1178	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$7,400	\$1,221,895,215
1178	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$7,400	\$1,221,902,615
1179	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$7,350	\$1,221,909,965
1180	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$7,248	\$1,221,917,213
1181	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$7,204	\$1,221,924,417
1182	Beetle, Helotes mold (<i>Batrissodes ventyi</i>)	E	\$7,150	\$1,221,931,567
1183	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$7,131	\$1,221,938,698
1184	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$7,020	\$1,221,945,718
1185	<i>Cordia bellonis</i>	E	\$7,000	\$1,221,952,718
1185	Palo de nigua (<i>Cornutia obovata</i>)	E	\$7,000	\$1,221,959,718
1185	<i>Gesneria pauciflora</i>	T	\$7,000	\$1,221,966,718
1186	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$6,939	\$1,221,973,657
1187	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$6,927	\$1,221,980,584
1188	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$6,868	\$1,221,987,452
1189	Pomace fly, [unnamed] (<i>Drosophila hemipeza</i>)	E	\$6,806	\$1,221,994,258
1190	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$6,795	\$1,222,001,053
1191	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$6,750	\$1,222,007,803
1191	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$6,750	\$1,222,014,553
1191	<i>Myrcia paganii</i>	E	\$6,750	\$1,222,021,303
1192	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$6,687	\$1,222,027,990
1193	ʻOʻu (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$6,636	\$1,222,034,626
1194	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$6,624	\$1,222,041,250
1195	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$6,600	\$1,222,047,850

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1195	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$6,600	\$1,222,054,450
1196	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$6,500	\$1,222,060,950
1196	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$6,500	\$1,222,067,450
1196	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$6,500	\$1,222,073,950
1197	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$6,490	\$1,222,080,440
1198	Mustard, Carter's (<i>Warea carteri</i>)	E	\$6,450	\$1,222,086,890
1199	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - DE, Sussex Co.	EXPN	\$6,449	\$1,222,093,339
1200	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$6,388	\$1,222,099,727
1201	Erubia (<i>Solanum drymophilum</i>)	E	\$6,380	\$1,222,106,107
1202	Darter, rush (<i>Etheostoma phytophilum</i>)	E	\$6,335	\$1,222,112,442
1203	Rocksnail, painted (<i>Leptoxis taeniata</i>)	T	\$6,300	\$1,222,118,742
1204	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$6,200	\$1,222,124,942
1204	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$6,200	\$1,222,131,142
1205	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$6,129	\$1,222,137,271
1205	`O'o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$6,129	\$1,222,143,400
1205	Nukupu'u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$6,129	\$1,222,149,529
1205	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$6,129	\$1,222,155,658
1206	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$6,100	\$1,222,161,758
1206	<i>Ilex sintenisii</i>	E	\$6,100	\$1,222,167,858
1207	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$6,096	\$1,222,173,954
1208	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$6,052	\$1,222,180,006
1209	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$6,044	\$1,222,186,050
1210	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$6,000	\$1,222,192,050
1210	Rocksnail, plicate (<i>Leptoxis plicata</i>)	E	\$6,000	\$1,222,198,050
1210	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$6,000	\$1,222,204,050
1210	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i>	E	\$6,000	\$1,222,210,050
1210	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$6,000	\$1,222,216,050
1210	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$6,000	\$1,222,222,050
1211	Fatmucket, Arkansas (<i>Lampsilis powellii</i>)	T	\$5,970	\$1,222,228,020
1212	Springsnail, San Bernardino (<i>Pyrgulopsis bernardina</i>)	T	\$5,910	\$1,222,233,930
1213	<i>Ternstroemia subsessilis</i>	E	\$5,900	\$1,222,239,830
1214	Snail, Lanai tree (<i>Partulina semicarinata</i>)	E	\$5,879	\$1,222,245,709

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1214	Snail, Lanai tree (<i>Partulina variabilis</i>)	E	\$5,879	\$1,222,251,588
1215	Pomace fly, [unnamed] (<i>Drosophila heteroneura</i>)	E	\$5,792	\$1,222,257,380
1215	Pomace fly, [unnamed] (<i>Drosophila mulli</i>)	T	\$5,792	\$1,222,263,172
1215	Pomace fly, [unnamed] (<i>Drosophila neoclavisetae</i>)	E	\$5,792	\$1,222,268,964
1215	Pomace fly, [unnamed] (<i>Drosophila obatai</i>)	E	\$5,792	\$1,222,274,756
1215	Pomace fly, [unnamed] (<i>Drosophila tarphytrichia</i>)	E	\$5,792	\$1,222,280,548
1215	Pomace fly, [unnamed] (<i>Drosophila ochrobasis</i>)	E	\$5,792	\$1,222,286,340
1216	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$5,600	\$1,222,291,940
1216	<i>Lepanthes eltoroensis</i>	E	\$5,600	\$1,222,297,540
1216	<i>Cranichis ricartii</i>	E	\$5,600	\$1,222,303,140
1217	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$5,550	\$1,222,308,690
1218	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$5,530	\$1,222,314,220
1219	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$5,500	\$1,222,319,720
1219	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$5,500	\$1,222,325,220
1219	Capa rosa (<i>Callicarpa ampla</i>)	E	\$5,500	\$1,222,330,720
1219	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$5,500	\$1,222,336,220
1219	Bariaco (<i>Trichilia triacantha</i>)	E	\$5,500	\$1,222,341,720
1219	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$5,500	\$1,222,347,220
1219	<i>Thelypteris inabonensis</i>	E	\$5,500	\$1,222,352,720
1219	<i>Thelypteris verecunda</i>	E	\$5,500	\$1,222,358,220
1219	<i>Thelypteris yaucoensis</i>	E	\$5,500	\$1,222,363,720
1220	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$5,378	\$1,222,369,098
1221	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$5,338	\$1,222,374,436
1222	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$5,240	\$1,222,379,676
1223	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$5,219	\$1,222,384,895
1223	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$5,219	\$1,222,390,114
1224	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$5,200	\$1,222,395,314
1224	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$5,200	\$1,222,400,514
1225	Dudleyea, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$5,113	\$1,222,405,627
1226	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$5,100	\$1,222,410,727
1227	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$5,000	\$1,222,415,727
1227	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$5,000	\$1,222,420,727
1227	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$5,000	\$1,222,425,727
1228	Hornsnail, rough (<i>Pleurocera foremani</i>)	E	\$4,800	\$1,222,430,527

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1229	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$4,747	\$1,222,435,274
1230	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$4,733	\$1,222,440,007
1231	Spineflower, Robust (<i>Chorizanthe robusta</i> var. <i>robusta</i>)	E	\$4,613	\$1,222,444,620
1232	Madtom, chunky (<i>Noturus crypticus</i>)	E	\$4,540	\$1,222,449,160
1233	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$4,500	\$1,222,453,660
1233	<i>Elaphoglossum serpens</i>	E	\$4,500	\$1,222,458,160
1234	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$4,468	\$1,222,462,628
1235	Pearlshell, Alabama (<i>Margaritifera marrianae</i>)	E	\$4,435	\$1,222,467,063
1236	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$4,405	\$1,222,471,468
1237	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$4,372	\$1,222,475,840
1238	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$4,280	\$1,222,480,120
1239	<i>Mitracarpus polycladus</i>	E	\$4,250	\$1,222,484,370
1240	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$4,219	\$1,222,488,589
1241	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$4,080	\$1,222,492,669
1242	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$4,045	\$1,222,496,714
1243	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Holston River, VA, TN	EXPN	\$4,000	\$1,222,500,714
1243	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$4,000	\$1,222,504,714
1243	<i>Mitracarpus maxwelliae</i>	E	\$4,000	\$1,222,508,714
1243	<i>Auerodendron pauciflorum</i>	E	\$4,000	\$1,222,512,714
1243	<i>Adiantum vivesii</i>	E	\$4,000	\$1,222,516,714
1243	<i>Polystichum calderonense</i>	E	\$4,000	\$1,222,520,714
1243	<i>Tectaria estremerana</i>	E	\$4,000	\$1,222,524,714
1244	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$3,994	\$1,222,528,708
1245	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$3,955	\$1,222,532,663
1246	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	\$3,873	\$1,222,536,536
1247	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$3,850	\$1,222,540,386
1248	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$3,750	\$1,222,544,136
1249	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$3,620	\$1,222,547,756
1250	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$3,500	\$1,222,551,256
1251	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$3,465	\$1,222,554,721
1252	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$3,350	\$1,222,558,071
1253	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$3,300	\$1,222,561,371
1253	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$3,300	\$1,222,564,671
1254	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$3,251	\$1,222,567,922

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1255	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$3,204	\$1,222,571,126
1256	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$3,000	\$1,222,574,126
1256	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$3,000	\$1,222,577,126
1256	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$3,000	\$1,222,580,126
1256	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$3,000	\$1,222,583,126
1257	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$2,925	\$1,222,586,051
1258	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$2,875	\$1,222,588,926
1259	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$2,813	\$1,222,591,739
1260	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$2,798	\$1,222,594,537
1261	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$2,700	\$1,222,597,237
1262	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$2,600	\$1,222,599,837
1263	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$2,525	\$1,222,602,362
1264	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$2,500	\$1,222,604,862
1265	Jaguarundi, Sinaloa (<i>Herpailurus</i> (= <i>Felis</i>) <i>yagouaroundi tolteca</i>)	E	\$2,480	\$1,222,607,342
1266	Chub, Hutton tui (<i>Gila bicolor</i> ssp.)	T	\$2,400	\$1,222,609,742
1267	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$2,295	\$1,222,612,037
1268	Woundfin (<i>Plagopterus argentissimus</i>) - Gila R. drainage, AZ, NM	EXPN	\$2,200	\$1,222,614,237
1269	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$2,186	\$1,222,616,423
1270	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$2,106	\$1,222,618,529
1271	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$2,094	\$1,222,620,623
1272	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$1,908	\$1,222,622,531
1273	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - except where EXPN	E	\$1,740	\$1,222,624,271
1274	Darter, duskytail (<i>Etheostoma percnurum</i>) - Tellico River, TN	EXPN	\$1,700	\$1,222,625,971
1275	Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN	EXPN	\$1,600	\$1,222,627,571
1275	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - Tellico River, TN	EXPN	\$1,600	\$1,222,629,171
1275	Madtom, smoky (<i>Noturus baileyi</i>) - Tellico River, TN	EXPN	\$1,600	\$1,222,630,771
1275	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - except where EXPN	E	\$1,600	\$1,222,632,371
1276	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$1,589	\$1,222,633,960
1277	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$1,534	\$1,222,635,494
1278	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$1,500	\$1,222,636,994
1279	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$1,391	\$1,222,638,385
1280	Cactus, Cochise pincushion (<i>Coryphantha robbinsiorum</i>)	T	\$1,350	\$1,222,639,735

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1281	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$1,300	\$1,222,641,035
1282	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$1,298	\$1,222,642,333
1283	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$1,204	\$1,222,643,537
1284	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$1,200	\$1,222,644,737
1284	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$1,200	\$1,222,645,937
1284	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$1,200	\$1,222,647,137
1285	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$1,044	\$1,222,648,181
1286	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$1,000	\$1,222,649,181
1286	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$1,000	\$1,222,650,181
1286	Snail, armored (<i>Pyrgulopsis (=Marstonia) pachyta</i>)	E	\$1,000	\$1,222,651,181
1286	Rocksnail, round (<i>Leptoxis ampla</i>)	T	\$1,000	\$1,222,652,181
1286	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$1,000	\$1,222,653,181
1286	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$1,000	\$1,222,654,181
1286	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$1,000	\$1,222,655,181
1286	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$1,000	\$1,222,656,181
1286	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$1,000	\$1,222,657,181
1286	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$1,000	\$1,222,658,181
1287	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$940	\$1,222,659,121
1288	Campelema, slender (<i>Campelema decampi</i>)	E	\$900	\$1,222,660,021
1289	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$864	\$1,222,660,885
1290	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - except where EXPN	E	\$840	\$1,222,661,725
1291	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$828	\$1,222,662,553
1292	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$800	\$1,222,663,353
1292	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>)	E	\$800	\$1,222,664,153
1293	Whale, Southern Right (<i>Eubalaena australis</i>)	E	\$756	\$1,222,664,909
1294	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$700	\$1,222,665,609
1294	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$700	\$1,222,666,309
1294	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>)	E	\$700	\$1,222,667,009
1294	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$700	\$1,222,667,709

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1295	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$634	\$1,222,668,343
1296	Clubshell (<i>Pleurobema clava</i>) - Free-Flowing Reach of the Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$600	\$1,222,668,943
1296	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$600	\$1,222,669,543
1296	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$600	\$1,222,670,143
1296	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$600	\$1,222,670,743
1297	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$500	\$1,222,671,243
1297	Springsnail, Chupadera (<i>Pyrgulopsis chupaderae</i>)	E	\$500	\$1,222,671,743
1297	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$500	\$1,222,672,243
1297	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$500	\$1,222,672,743
1298	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$408	\$1,222,673,151
1299	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$400	\$1,222,673,551
1299	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$400	\$1,222,673,951
1299	<i>Schoepfia arenaria</i>	T	\$400	\$1,222,674,351
1300	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$350	\$1,222,674,701
1301	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$300	\$1,222,675,001
1302	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$214	\$1,222,675,215
1303	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$200	\$1,222,675,415
1303	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$200	\$1,222,675,615
1303	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$200	\$1,222,675,815
1304	Pigtoe, rough (<i>Pleurobema plenum</i>) - TN - portions of the French Broad and Holston Rivers	EXPN	\$100	\$1,222,675,915
1304	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$100	\$1,222,676,015
1304	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Free-Flowing Reach of Tennessee River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$1,222,676,115
1304	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Free-Flowing Reach of the TN River below Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$1,222,676,215
1304	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$100	\$1,222,676,315