

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2015 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$72,507,053	\$72,507,053
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Middle Columbia River DPS	T	\$57,689,923	\$130,196,976
3	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Snake River Basin DPS	T	\$57,247,339	\$187,444,315
4	Sturgeon, pallid (<i>Scaphirhynchus albus</i>) - Wherever found	E	\$54,541,519	\$241,985,834
5	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$44,588,735	\$286,574,569
6	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$40,299,809	\$326,874,378
7	Trout, bull (<i>Salvelinus confluentus</i>) - U.S.A., conterminous, lower 48 states	T	\$31,846,219	\$358,720,597
8	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ	EXPN	\$25,622,891	\$384,343,488
9	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) - Upper Columbia River DPS	T	\$25,165,339	\$409,508,827
10	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) nerka) - Snake River ESU	E	\$24,957,725	\$434,466,552
11	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$24,630,706	\$459,097,258
12	Sea lion, Steller (<i>Eumetopias jubatus</i>) - Western DPS	E	\$23,689,003	\$482,786,261
13	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Puget Sound ESU	T	\$20,504,421	\$503,290,682
14	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$18,164,476	\$521,455,158
15	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Sacramento River winter-run ESU	E	\$18,028,055	\$539,483,213
16	Woodpecker, red-cockaded (<i>Picoides borealis</i>) - Wherever found	E	\$15,769,327	\$555,252,540
17	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) kisutch) - Southern Oregon - Northern California Coast ESU	T	\$14,749,530	\$570,002,070
18	Tortoise, desert (<i>Gopherus agassizii</i>) - Wherever found, except AZ south and east of Colorado R., and Mexico	T	\$14,425,577	\$584,427,647
19	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) tshawytscha) - Central Valley spring-run ESU	T	\$13,940,546	\$598,368,193
20	Plover, piping (<i>Charadrius melodus</i>) - except Great Lakes watershed	T	\$13,817,685	\$612,185,878

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
21	Steelhead (Oncorhynchus (=Salmo) mykiss) - Lower Columbia River DPS	T	\$13,594,709	\$625,780,587
22	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Lower Columbia River ESU	T	\$12,877,072	\$638,657,659
23	Flycatcher, southwestern willow (Empidonax traillii extimus) - Wherever found	E	\$12,297,617	\$650,955,276
24	Bat, Indiana (Myotis sodalis) - Wherever found	E	\$12,264,292	\$663,219,568
25	Bat, Northern long-eared (Myotis septentrionalis) - Wherever found	T	\$12,188,404	\$675,407,972
26	Steelhead (Oncorhynchus (=Salmo) mykiss) - California Central Valley DPS	T	\$12,006,596	\$687,414,568
27	Elephant, African (Loxodonta africana) - Wherever found	T	\$11,193,904	\$698,608,472
28	Salmon, chum (Oncorhynchus keta) - Columbia River ESU	T	\$10,975,338	\$709,583,810
29	Sturgeon, white (Acipenser transmontanus) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$10,892,047	\$720,475,857
30	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Willamette River DPS	T	\$10,570,201	\$731,046,058
31	Smelt, delta (Hypomesus transpacificus) - Wherever found	T	\$10,476,228	\$741,522,286
32	Owl, northern spotted (Strix occidentalis caurina) - Wherever found	T	\$9,975,410	\$751,497,696
33	Whale, North Atlantic Right (Eubalaena glacialis) - Wherever found	E	\$9,824,368	\$761,322,064
34	Trout, Lahontan cutthroat (Oncorhynchus clarkii henshawi) - Wherever found	T	\$9,396,277	\$770,718,341
35	Manatee, West Indian (Trichechus manatus) - Wherever found	E	\$9,193,944	\$779,912,285
36	Minnow, Rio Grande Silvery (Hybognathus amarus) - Wherever found, except where listed as an experimental population	E	\$8,911,158	\$788,823,443
37	Bear, grizzly (Ursus arctos horribilis) - U.S.A., conterminous (lower 48) States, except where listed as an experimental population	T	\$8,853,116	\$797,676,559
38	Sucker, razorback (Xyrauchen texanus) - Wherever found	E	\$8,472,260	\$806,148,819
39	Steelhead (Oncorhynchus (=Salmo) mykiss) - Puget Sound DPS	T	\$8,019,302	\$814,168,121
40	Tern, least (Sterna antillarum) - interior pop.	E	\$7,392,381	\$821,560,502
41	Gorilla (Gorilla gorilla) - Wherever found	E	\$7,371,272	\$828,931,774
42	Cuckoo, yellow-billed (Coccyzus americanus) - Western U.S. DPS	T	\$6,853,984	\$835,785,758
43	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Oregon Coast ESU	T	\$6,691,760	\$842,477,518
44	Sucker, June (Chasmistes liorus) - Wherever found	E	\$6,626,202	\$849,103,720
45	Sturgeon, green (Acipenser medirostris) - Southern DPS	T	\$6,618,246	\$855,721,966

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
46	Salmon, Atlantic (<i>Salmo salar</i>) - Gulf of Maine DPS	E	\$6,346,824	\$862,068,790
47	Chub, bonytail (<i>Gila elegans</i>) - Wherever found	E	\$6,294,770	\$868,363,560
48	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) - Central California Coast ESU	E	\$6,187,620	\$874,551,180
49	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Central California Coast DPS	T	\$6,124,680	\$880,675,860
50	Salmon, chum (<i>Oncorhynchus keta</i>) - Hood Canal summer-run ESU	T	\$6,109,325	\$886,785,185
51	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northwest Atlantic Ocean DPS	T	\$5,813,252	\$892,598,437
52	Tern, roseate (<i>Sterna dougallii dougallii</i>) - northeast U.S. nesting pop.	E	\$5,775,812	\$898,374,249
53	Sea turtle, leatherback (<i>Dermochelys coriacea</i>) - Wherever found	E	\$5,759,213	\$904,133,462
54	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Northern California DPS	T	\$5,749,727	\$909,883,189
55	Sea turtle, green (<i>Chelonia mydas</i>) - Except where endangered	T	\$5,342,404	\$915,225,593
56	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) - Ozette Lake ESU	T	\$5,315,313	\$920,540,906
57	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Southern California DPS	E	\$5,296,406	\$925,837,312
58	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	T	\$4,845,340	\$930,682,652
59	Ferret, black-footed (<i>Mustela nigripes</i>) - U.S.A. (WY and specified portions of AZ, CO, MT, SD, and UT, see 17.84(g)(9))	EXPN	\$4,470,951	\$935,153,603
60	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>) - Wherever found	E	\$4,453,692	\$939,607,295
61	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - California Coastal ESU	T	\$4,429,215	\$944,036,510
62	Wolf, gray (<i>Canis lupus</i>) - WY, EXPN population	EXPN	\$4,362,817	\$948,399,327
63	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>) - Wherever found	E	\$4,207,695	\$952,607,022
64	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - South-Central California Coast DPS	T	\$4,165,536	\$956,772,558
65	Whale, humpback (<i>Megaptera novaeangliae</i>) - Wherever found	E	\$4,033,919	\$960,806,477
66	Bear, polar (<i>Ursus maritimus</i>) - Wherever found	T	\$3,983,685	\$964,790,162
67	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>) - Wherever found	E	\$3,933,171	\$968,723,333
68	Elephant, Asian (<i>Elephas maximus</i>) - Wherever found	E	\$3,931,646	\$972,654,979

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
69	Sucker, shortnose (<i>Chasmistes brevirostris</i>) - Wherever found	E	\$3,901,077	\$976,556,056
70	Sucker, Lost River (<i>Deltistes luxatus</i>) - Wherever found	E	\$3,889,677	\$980,445,733
71	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>) - Wherever found	E	\$3,888,053	\$984,333,786
72	Vireo, least Bell's (<i>Vireo bellii pusillus</i>) - Wherever found	E	\$3,810,562	\$988,144,348
73	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. only, except where listed as an experimental population	E	\$3,385,702	\$991,530,050
74	Chub, humpback (<i>Gila cypha</i>) - Wherever found	E	\$3,241,934	\$994,771,984
75	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) - U.S.A. (CA, OR, WA)	T	\$3,153,138	\$997,925,122
76	Wolf, Mexican (<i>Canis lupus baileyi</i>) - U.S.A. (portions of AZ and NM)see 17.84(k)	EXPN	\$3,079,515	\$1,001,004,637
77	Whale, blue (<i>Balaenoptera musculus</i>) - Wherever found	E	\$3,032,369	\$1,004,037,006
78	Whale, finback (<i>Balaenoptera physalus</i>) - Wherever found	E	\$2,842,166	\$1,006,879,172
79	Sea turtle, loggerhead (<i>Caretta caretta</i>) - North Pacific Ocean DPS	E	\$2,794,040	\$1,009,673,212
80	Lynx, Canada (<i>Lynx canadensis</i>) - Contiguous U.S. DPS	T	\$2,761,008	\$1,012,434,220
81	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) - Wherever found	E	\$2,757,333	\$1,015,191,553
82	Bat, gray (<i>Myotis grisescens</i>) - Wherever found	E	\$2,713,752	\$1,017,905,305
83	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Wherever found, except where listed as an experimental population	E	\$2,699,227	\$1,020,604,532
84	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>) - Wherever found	T	\$2,698,506	\$1,023,303,038
85	Sage-grouse, Gunnison (<i>Centrocercus minimus</i>) - Wherever found	T	\$2,683,865	\$1,025,986,903
86	Prairie-chicken, lesser (<i>Tympanuchus pallidicinctus</i>) - Wherever found	T	\$2,601,417	\$1,028,588,320
87	Sturgeon (Gulf subspecies), Atlantic (<i>Acipenser oxyrinchus</i> (=oxyrhynchus) desotoi) - Wherever found	T	\$2,495,912	\$1,031,084,232
88	Panther, Florida (<i>Puma</i> (=Felis) <i>concolor coryi</i>) - Wherever found	E	\$2,486,212	\$1,033,570,444
89	Manatee, West African (<i>Trichechus senegalensis</i>) - Wherever found	T	\$2,467,522	\$1,036,037,966
90	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>) - Wherever found	E	\$2,467,370	\$1,038,505,336
91	Scrub-jay, Florida (<i>Aphelocoma coerulescens</i>) - Wherever found	T	\$2,431,373	\$1,040,936,709
92	Crane, whooping (<i>Grus americana</i>) - Wherever found, except where listed as an experimental population	E	\$2,403,433	\$1,043,340,142
93	Whale, beluga (<i>Delphinapterus leucas</i>) - Cook Inlet DPS	E	\$2,390,611	\$1,045,730,753

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
94	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>) - Wherever found	E	\$2,389,692	\$1,048,120,445
95	Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS	E	\$2,314,206	\$1,050,434,651
96	Frog, California red-legged (<i>Rana draytonii</i>) - Wherever found	T	\$2,309,083	\$1,052,743,734
97	Turtle, bog (<i>Clemmys muhlenbergii</i>) - Wherever found, except GA, NC, SC, TN, VA	T	\$2,290,682	\$1,055,034,416
98	Stork, wood (<i>Mycteria americana</i>) - AL, FL, GA, MS, NC, SC	T	\$2,283,759	\$1,057,318,175
99	Wolf, gray (<i>Canis lupus</i>) - U.S.A.: All of AL, AR, CA, CO, CT, DE, FL, GA, IA, IN, IL, KS, KY, LA, MA, MD, ME, MI, MO, MS, NC, ND, NE, NH, NJ, NV, NY, OH, OK, PA, RI, SC, SD, TN, TX, VA, VT, WI, and WV; and portions of AZ, NM, OR, UT, and WA. Mexico.	E	\$2,225,877	\$1,059,544,052
100	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) - wherever found	T	\$2,056,913	\$1,061,600,965
101	Shiner, Topeka (<i>Notropis topeka</i> (=tristis)) - Wherever found, except where listed as an experimental population	E	\$2,013,147	\$1,063,614,112
102	Rhinoceros, black (<i>Diceros bicornis</i>) - Africa	E	\$1,914,639	\$1,065,528,751
103	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus)) - Wherever found	E	\$1,889,185	\$1,067,417,936
104	Tern, California least (<i>Sterna antillarum browni</i>) - Wherever found	E	\$1,851,403	\$1,069,269,339
105	Toad, arroyo (=arroyo southwestern) (<i>Anaxyrus californicus</i>) - Wherever found	E	\$1,842,962	\$1,071,112,301
106	Snake, eastern indigo (<i>Drymarchon corais couperi</i>) - Wherever found	T	\$1,814,049	\$1,072,926,350
107	Sea turtle, green (<i>Chelonia mydas</i>) - FL, Mexico nesting pops.	E	\$1,779,576	\$1,074,705,926
108	Snake, giant garter (<i>Thamnophis gigas</i>) - Wherever found	T	\$1,715,992	\$1,076,421,918
109	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>) - Wherever found	T	\$1,676,046	\$1,078,097,964
110	Kingfisher, Guam (<i>Todiramphus cinnamominus</i>) - Wherever found	E	\$1,665,020	\$1,079,762,984
111	Rail, Guam (<i>Rallus owstoni</i>) - Wherever found, except where listed as an experimental population	E	\$1,664,928	\$1,081,427,912
112	Eider, Steller's (<i>Polysticta stelleri</i>) - AK breeding pop.	T	\$1,655,702	\$1,083,083,614
113	Abalone, Black (<i>Haliotis cracherodii</i>) - Wherever found	E	\$1,648,436	\$1,084,732,050
114	Alligator, American (<i>Alligator mississippiensis</i>) - Wherever found	SAT	\$1,639,442	\$1,086,371,492
115	Salamander, frosted flatwoods (<i>Ambystoma cingulatum</i>) - Wherever found	T	\$1,620,333	\$1,087,991,825
116	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>) - Wherever found	E	\$1,616,963	\$1,089,608,788

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
117	Petrel, Hawaiian (Pterodroma sandwichensis) - Wherever found	E	\$1,561,141	\$1,091,169,929
118	Beetle, American burying (Nicrophorus americanus) - Wherever found, except where listed as an experimental population	E	\$1,547,769	\$1,092,717,698
119	Bat, Mariana fruit (=Mariana flying fox) (Pteropus mariannus mariannus) - Wherever found	T	\$1,542,940	\$1,094,260,638
120	Shiner, Pecos bluntnose (Notropis simus pecosensis) - Wherever found	T	\$1,527,505	\$1,095,788,143
121	Parrot, Puerto Rican (Amazona vittata) - Wherever found	E	\$1,527,100	\$1,097,315,243
122	Sturgeon, shortnose (Acipenser brevirostrum) - Wherever found	E	\$1,493,750	\$1,098,808,993
123	Frog, Oregon spotted (Rana pretiosa) - Wherever found	T	\$1,481,712	\$1,100,290,705
124	Gnatcatcher, coastal California (Poliophtila californica californica) - Wherever found	T	\$1,434,879	\$1,101,725,584
125	Prairie-chicken, Attwater's greater (Tympanuchus cupido attwateri) - Wherever found	E	\$1,414,900	\$1,103,140,484
126	Abalone, White (Haliotis sorenseni) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$1,397,173	\$1,104,537,657
127	Horned lark, streaked (Eremophila alpestris strigata) - Wherever found	T	\$1,396,265	\$1,105,933,922
128	Salamander, California tiger (Ambystoma californiense) - U.S.A. (Central CA DPS)	T	\$1,372,450	\$1,107,306,372
129	Crow, Hawaiian (=alala) (Corvus hawaiiensis) - Wherever found	E	\$1,371,567	\$1,108,677,939
130	Whale, Sei (Balaenoptera borealis) - Wherever found	E	\$1,340,774	\$1,110,018,713
131	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - Gulf of Maine DPS	T	\$1,322,891	\$1,111,341,604
132	Fox, San Joaquin kit (Vulpes macrotis mutica) - wherever found	E	\$1,304,712	\$1,112,646,316
133	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - Chesapeake Bay DPS	E	\$1,288,200	\$1,113,934,516
134	Caracara, Audubon's crested (Polyborus plancus audubonii) - FL pop.	T	\$1,276,652	\$1,115,211,168
135	Bat, Hawaiian hoary (Lasiurus cinereus semotus) - Wherever found	E	\$1,266,523	\$1,116,477,691
136	Frog, Sierra Nevada Yellow-legged (Rana sierrae) - Wherever found	E	\$1,238,230	\$1,117,715,921
137	Sparrow, San Clemente sage (Amphispiza belli clementeae) - Wherever found	T	\$1,229,167	\$1,118,945,088
138	Topminnow, Gila (incl. Yaqui) (Poeciliopsis occidentalis) - Wherever found	E	\$1,219,900	\$1,120,164,988
139	Kite, Everglade snail (Rostrhamus sociabilis plumbeus) - Wherever found	E	\$1,205,981	\$1,121,370,969

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
140	Tortoise, gopher (<i>Gopherus polyphemus</i>) - West of Mobile and Tombigbee Rivers	T	\$1,181,882	\$1,122,552,851
141	Tiger (<i>Panthera tigris</i>) - Wherever found	E	\$1,137,824	\$1,123,690,675
142	Cat, tiger (<i>Leopardus</i> (=Felis) <i>tigrinus</i>) - Wherever found	E	\$1,128,024	\$1,124,818,699
143	Palila (honeycreeper) (<i>Loxioides bailleui</i>) - Wherever found	E	\$1,080,830	\$1,125,899,529
144	Wolf, red (<i>Canis rufus</i>) - U.S.A. (portions of NC and TN)	EXPN	\$1,079,800	\$1,126,979,329
145	Tortoise, desert (<i>Gopherus agassizii</i>) - AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	SAT	\$1,062,341	\$1,128,041,670
146	Otter, southern sea (<i>Enhydra lutris nereis</i>) - Wherever found	T	\$1,057,279	\$1,129,098,949
147	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>) - Wherever found	E	\$1,050,093	\$1,130,149,042
148	Gibbons (<i>Hylobates</i> spp. (including <i>Nomascus</i>)) - Wherever found	E	\$1,043,600	\$1,131,192,642
149	Eulachon (<i>Thaleichthys pacificus</i>) - Southern DPS	T	\$1,042,933	\$1,132,235,575
150	Chub, Gila (<i>Gila intermedia</i>) - Wherever found	E	\$1,040,500	\$1,133,276,075
151	Spikedace (<i>Meda fulgida</i>) - Wherever found	E	\$1,037,400	\$1,134,313,475
152	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - South Atlantic DPS	E	\$1,033,103	\$1,135,346,578
153	Eider, spectacled (<i>Somateria fischeri</i>) - Wherever found	T	\$1,027,630	\$1,136,374,208
154	No Common Name (<i>Acropora globiceps</i>) - Wherever found	T	\$1,005,824	\$1,137,380,032
155	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>) - Wherever found	E	\$1,000,078	\$1,138,380,110
156	Orangutan (<i>Pongo pygmaeus</i>) - Wherever found	E	\$998,028	\$1,139,378,138
157	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Wherever found, except when listed as endangered under 50 CFR 224.101	T	\$983,933	\$1,140,362,071
158	Bear, grizzly (<i>Ursus arctos horribilis</i>) - U.S.A. (portions of ID and MT, see 17.84(l))	EXPN	\$975,484	\$1,141,337,555
159	Bison, wood (<i>Bison bison athabasca</i>) - Wherever found	T	\$954,600	\$1,142,292,155
160	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - Northern California DPS	E	\$953,820	\$1,143,245,975
161	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>) - Wherever found	E	\$941,700	\$1,144,187,675
162	Gallinule, Hawaiian common (<i>Gallinula galeata sandvicensis</i>) - Wherever found	E	\$932,735	\$1,145,120,410
163	Goby, tidewater (<i>Eucyclogobius newberryi</i>) - Wherever found	E	\$927,650	\$1,146,048,060
164	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>) - Wherever found	T	\$925,687	\$1,146,973,747
165	Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Sonoma County)	E	\$920,066	\$1,147,893,813

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
166	Woundfin (<i>Plagopterus argentissimus</i>) - Wherever found, except where listed as an experimental population	E	\$918,063	\$1,148,811,876
167	Sawfish, smalltooth (<i>Pristis pectinata</i>) - US DPS - Smalltooth sawfish originating from U.S. waters.	E	\$916,558	\$1,149,728,434
168	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - Wherever found, except where listed as an experimental population	E	\$901,295	\$1,150,629,729
169	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - New York Bight DPS	E	\$894,180	\$1,151,523,909
170	Toad, Wyoming (<i>Bufo hemiophrys baxteri</i>) - Wherever found	E	\$893,469	\$1,152,417,378
171	Rail, California clapper (<i>Rallus longirostris obsoletus</i>) - Wherever found	E	\$891,757	\$1,153,309,135
172	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>) - Wherever found	E	\$888,000	\$1,154,197,135
173	Whale, bowhead (<i>Balaena mysticetus</i>) - Wherever found	E	\$886,816	\$1,155,083,951
174	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>) - Wherever found	T	\$881,108	\$1,155,965,059
175	Pocket gopher, Tenino (<i>Thomomys mazama tumuli</i>) - Wherever found	T	\$880,355	\$1,156,845,414
176	Rabbit, Columbia Basin Pygmy (<i>Brachylagus idahoensis</i>) - Columbia Basin DPS	E	\$878,260	\$1,157,723,674
177	Knot, red (<i>Calidris canutus rufa</i>) - Wherever found	T	\$876,851	\$1,158,600,525
178	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>) - Wherever found	E	\$861,914	\$1,159,462,439
179	Daisy, Willamette (<i>Erigeron decumbens</i>) - Wherever found	E	\$843,700	\$1,160,306,139
180	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>) - Wherever found	T	\$833,905	\$1,161,140,044
181	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>) - Wherever found	E	\$815,090	\$1,161,955,134
182	Sucker, Santa Ana (<i>Catostomus santaanae</i>) - 3 CA river basins	T	\$813,937	\$1,162,769,071
183	Minnow, loach (<i>Tiaroga cobitis</i>) - Wherever found	E	\$811,385	\$1,163,580,456
184	Bat, Florida bonneted (<i>Eumops floridanus</i>) - Wherever found	E	\$801,684	\$1,164,382,140
185	Rockfish, canary (<i>Sebastes pinniger</i>) - Puget Sound - Georgia Basin DPS	T	\$797,153	\$1,165,179,293
185	Rockfish, yelloweye (<i>Sebastes ruberrimus</i>) - Puget Sound - Georgia Basin DPS	T	\$797,153	\$1,165,976,446
186	Jaguar (<i>Panthera onca</i>) - Wherever found	E	\$788,432	\$1,166,764,878
187	Pogonia, small whorled (<i>Isotria medeoloides</i>) - Wherever found	T	\$788,008	\$1,167,552,886
188	Ocelot (<i>Leopardus (=Felis) pardalis</i>) - wherever found	E	\$787,917	\$1,168,340,803

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
189	Skink, sand (<i>Neoseps reynoldsi</i>) - Wherever found	T	\$786,204	\$1,169,127,007
190	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>) - Wherever found	E	\$776,332	\$1,169,903,339
191	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>) - U.S.A. (AZ), Mexico	EXPN	\$776,000	\$1,170,679,339
192	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>) - Wherever found	T	\$772,222	\$1,171,451,561
193	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - U.S.A (AZ, NM)	EXPN	\$767,888	\$1,172,219,449
194	Bocaccio (<i>Sebastes paucispinis</i>) - Puget Sound - Georgia Basin DPS	E	\$761,783	\$1,172,981,232
195	Prairie dog, Utah (<i>Cynomys parvidens</i>) - Wherever found	T	\$745,774	\$1,173,727,006
196	Vireo, black-capped (<i>Vireo atricapilla</i>) - Wherever found	E	\$742,776	\$1,174,469,782
197	Catchfly, Spalding's (<i>Silene spaldingii</i>) - Wherever found	T	\$736,359	\$1,175,206,141
198	Lupine, Kincaid's (<i>Lupinus sulphureus</i> ssp. <i>kincaidii</i>) - Wherever found	T	\$728,294	\$1,175,934,435
199	Heelsplitter, Carolina (<i>Lasmigona decorata</i>) - Wherever found	E	\$705,145	\$1,176,639,580
200	Otter, Northern Sea (<i>Enhydra lutris kenyonii</i>) - Southwest Alaska DPS	T	\$700,103	\$1,177,339,683
201	Warbler, Kirtland's (<i>Setophaga kirtlandii</i> (= <i>Dendroica kirtlandii</i>)) - Wherever found	E	\$682,601	\$1,178,022,284
202	Sturgeon, Atlantic (<i>Acipenser oxyrinchus oxyrinchus</i>) - Carolina DPS	E	\$676,644	\$1,178,698,928
203	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>) - Wherever found	E	\$665,629	\$1,179,364,557
204	Coral, elkhorn (<i>Acropora palmata</i>) - Wherever found	T	\$638,704	\$1,180,003,261
205	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>) - Wherever found	E	\$636,574	\$1,180,639,835
206	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>) - Wherever found	T	\$630,466	\$1,181,270,301
207	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>) - wherever found	E	\$627,619	\$1,181,897,920
208	Chub, Virgin River (<i>Gila seminuda</i> (= <i>robusta</i>)) - Wherever found	E	\$624,103	\$1,182,522,023
209	Ferret, black-footed (<i>Mustela nigripes</i>) - Wherever found, except where listed as an experimental population	E	\$619,888	\$1,183,141,911
210	Whale, false killer (<i>Pseudorca crassidens</i>) - Main Hawaiian Islands Insular DPS	E	\$607,149	\$1,183,749,060
211	Plover, piping (<i>Charadrius melodus</i>) - Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.)	E	\$606,984	\$1,184,356,044
212	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>) - Wherever found	E	\$604,450	\$1,184,960,494

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
213	Coot, Hawaiian (<i>Fulica americana alai</i>) - Wherever found	E	\$585,323	\$1,185,545,817
214	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>) - Wherever found	E	\$579,583	\$1,186,125,400
215	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>) - Wherever found	T	\$578,805	\$1,186,704,205
216	Darter, Okaloosa (<i>Etheostoma okaloosae</i>) - Wherever found	T	\$577,460	\$1,187,281,665
217	Chimpanzee (<i>Pan troglodytes</i>) - Wherever found	E	\$575,135	\$1,187,856,800
217	Chimpanzee, pygmy (<i>Pan paniscus</i>) - Wherever found	E	\$575,135	\$1,188,431,935
218	Mussel, sheepnose (<i>Plethobasus cyphus</i>) - Wherever found	E	\$575,095	\$1,189,007,030
219	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>) - Wherever found	E	\$571,336	\$1,189,578,366
220	Whale, North Pacific Right (<i>Eubalaena japonica</i>) - Wherever found	E	\$564,569	\$1,190,142,935
221	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>) - Wherever found	E	\$562,444	\$1,190,705,379
222	Coral, staghorn (<i>Acropora cervicornis</i>) - Wherever found	T	\$546,890	\$1,191,252,269
223	Snails, Oahu tree (<i>Achatinella</i> spp.) - Wherever found	E	\$538,551	\$1,191,790,820
224	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cactus</i>)) - Wherever found	E	\$538,249	\$1,192,329,069
225	Toad, Yosemite (<i>Anaxyrus canorus</i>) - Wherever found	T	\$533,642	\$1,192,862,711
226	Lily, Western (<i>Lilium occidentale</i>) - Wherever found	E	\$530,513	\$1,193,393,224
227	Checkerspot, Taylor's (=whulge) (<i>Euphydryas editha taylori</i>) - Wherever found	E	\$522,228	\$1,193,915,452
228	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>) - Wherever found	E	\$514,657	\$1,194,430,109
229	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>) - Wherever found	E	\$513,552	\$1,194,943,661
230	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>) - Wherever found	E	\$509,379	\$1,195,453,040
231	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>) - Wherever found	E	\$502,343	\$1,195,955,383
232	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>) - Wherever found	E	\$495,677	\$1,196,451,060
233	Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$493,495	\$1,196,944,555
234	Salamander, Reticulated flatwoods (<i>Ambystoma bishopi</i>) - Wherever found	E	\$490,973	\$1,197,435,528
235	No Common Name (<i>Seriatopora aculeata</i>) - Wherever found	T	\$477,704	\$1,197,913,232
236	Pupfish, desert (<i>Cyprinodon macularius</i>) - Wherever found	E	\$475,669	\$1,198,388,901

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
237	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>) - Wherever found	E	\$474,975	\$1,198,863,876
238	Panda, giant (<i>Ailuropoda melanoleuca</i>) - Wherever found	E	\$469,000	\$1,199,332,876
239	Sea turtle, loggerhead (<i>Caretta caretta</i>) - South Atlantic Ocean DPS	T	\$466,418	\$1,199,799,294
240	Chub, Oregon (<i>Oregonichthys crameri</i>) - Wherever found	T	\$458,326	\$1,200,257,620
241	Crocodile, American (<i>Crocodylus acutus</i>) - U.S.A. (FL)	T	\$457,443	\$1,200,715,063
242	Vole, Amargosa (<i>Microtus californicus scirpensis</i>) - Wherever found	E	\$451,034	\$1,201,166,097
243	Coral, Mountainous Star (<i>Orbicella faveolata</i>) - Wherever found	T	\$446,551	\$1,201,612,648
244	Coral, Lobed Star (<i>Orbicella annularis</i>) - Wherever found	T	\$443,246	\$1,202,055,894
245	Coral, Pillar (<i>Dendrogyra cylindricus</i>) - Wherever found	T	\$442,513	\$1,202,498,407
245	Coral, Rough Cactus (<i>Mycetophyllia ferox</i>) - Wherever found	T	\$442,513	\$1,202,940,920
246	Bear, Louisiana black (<i>Ursus americanus luteolus</i>) - Wherever found	T	\$440,118	\$1,203,381,038
247	Rhinoceros, great Indian (<i>Rhinoceros unicornis</i>) - Nepal, India	E	\$438,796	\$1,203,819,834
248	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>) - Wherever found	T	\$436,487	\$1,204,256,321
249	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>) - Wherever found	E	\$434,876	\$1,204,691,197
250	Seagrass, Johnson's (<i>Halophila johnsonii</i>) - Wherever found	T	\$431,709	\$1,205,122,906
251	Ladies-tresses, Canelo Hills (<i>Spiranthes delitescens</i>) - Wherever found	E	\$430,450	\$1,205,553,356
252	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>) - Wherever found	E	\$430,400	\$1,205,983,756
253	Cui-ui (<i>Chasmistes cujus</i>) - Wherever found	E	\$429,635	\$1,206,413,391
254	Kangaroo rat, giant (<i>Dipodomys ingens</i>) - Wherever found	E	\$423,024	\$1,206,836,415
255	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>) - Wherever found	E	\$422,122	\$1,207,258,537
256	Sea turtle, loggerhead (<i>Caretta caretta</i>) - Northeast Atlantic Ocean DPS	E	\$417,632	\$1,207,676,169
257	Caribou, woodland (<i>Rangifer tarandus caribou</i>) - Selkirk Mountain population	E	\$415,547	\$1,208,091,716
258	Gartersnake, northern Mexican (<i>Thamnophis eques megalops</i>) - Wherever found	T	\$415,440	\$1,208,507,156
259	Wolf, gray (<i>Canis lupus</i>) - MN	T	\$414,914	\$1,208,922,070
260	Coral, Boulder star (<i>Orbicella franksi</i>) - Wherever found	T	\$408,146	\$1,209,330,216
261	Snail, Snake River physa (<i>Physa natricina</i>) - Wherever found	E	\$407,032	\$1,209,737,248

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
262	Woodland-star, San Clemente Island (Lithophragma maximum) - Wherever found	E	\$400,489	\$1,210,137,737
263	Bear, American black (Ursus americanus) - County range of LA b.bear	SAT	\$396,500	\$1,210,534,237
264	Crane, whooping (Grus americana) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$393,107	\$1,210,927,344
265	Howellia, water (Howellia aquatilis) - Wherever found	T	\$392,448	\$1,211,319,792
266	Elktoe, Appalachian (Alasmidonta raveneliana) - Wherever found	E	\$391,110	\$1,211,710,902
267	Monkeyflower, Vandenberg (Diplacus vandenbergensis) - Wherever found	E	\$388,500	\$1,212,099,402
268	Mucket, pink (pearlymussel) (Lampsilis abrupta) - Wherever found	E	\$367,505	\$1,212,466,907
269	Elepaio, Oahu (Chasiempis ibidis) - Wherever found	E	\$358,171	\$1,212,825,078
270	Trout, Greenback Cutthroat (Oncorhynchus clarki stomias) - Wherever found	T	\$357,797	\$1,213,182,875
271	Crane, whooping (Grus americana) - U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY)	EXPN	\$352,500	\$1,213,535,375
272	No Common Name (Pavona diffluens) - Wherever found	T	\$350,392	\$1,213,885,767
273	No Common Name (Acropora jacquelineae) - Wherever found	T	\$349,861	\$1,214,235,628
273	No Common Name (Acropora lokani) - Wherever found	T	\$349,861	\$1,214,585,489
273	No Common Name (Acropora rudis) - Wherever found	T	\$349,861	\$1,214,935,350
273	No Common Name (Euphyllia paradivisa) - Wherever found	T	\$349,861	\$1,215,285,211
273	No Common Name (Acropora pharaonis) - Wherever found	T	\$349,861	\$1,215,635,072
273	No Common Name (Acropora speciosa) - Wherever found	T	\$349,861	\$1,215,984,933
273	No Common Name (Porites napopora) - Wherever found	T	\$349,861	\$1,216,334,794
273	No Common Name (Isopora crateriformis) - Wherever found	T	\$349,861	\$1,216,684,655
274	Duck, Hawaiian (=koloa) (Anas wyvilliana) - Wherever found	E	\$348,490	\$1,217,033,145
275	Bat, lesser long-nosed (Leptonycteris curasoae yerbabuena) - Wherever found	E	\$346,785	\$1,217,379,930
276	Rhinoceros, Javan (Rhinoceros sondaicus) - Sikkim, Thailand, Malaysia, Indonesia, Indochina, Burma, Bangladesh	E	\$344,080	\$1,217,724,010
277	Salamander, California tiger (Ambystoma californiense) - U.S.A. (CA - Santa Barbara County)	E	\$343,806	\$1,218,067,816
278	Rhinoceros, Sumatran (Dicerorhinus sumatrensis) - Wherever found	E	\$341,740	\$1,218,409,556
279	Paintbrush, golden (Castilleja levisecta) - Wherever found	T	\$340,882	\$1,218,750,438

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
280	Shark, Scalloped Hammerhead (<i>Sphyrna lewini</i>) - Eastern Pacific DPS	E	\$336,849	\$1,219,087,287
281	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>) - Wherever found	T	\$332,518	\$1,219,419,805
282	Lotus, San Clemente Island (<i>Acmispon dendroideus</i> var. <i>traskiae</i> (=Lotus d. ssp. <i>traskiae</i>)) - Wherever found	T	\$330,462	\$1,219,750,267
283	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) - Wherever found	E	\$326,959	\$1,220,077,226
284	Kio`ele (<i>Kadua coriacea</i>) - Wherever found	E	\$320,182	\$1,220,397,408
285	Skipper, Dakota (<i>Hesperia dacotae</i>) - Wherever found	T	\$314,690	\$1,220,712,098
286	Squirrel, Northern Idaho Ground (<i>Urocitellus brunneus</i>) - Wherever found	T	\$313,907	\$1,221,026,005
287	Layia, beach (<i>Layia carnososa</i>) - Wherever found	E	\$312,913	\$1,221,338,918
288	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>) - Wherever found	E	\$308,758	\$1,221,647,676
289	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>) - Wherever found	E	\$308,000	\$1,221,955,676
290	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>) - Wherever found	E	\$307,659	\$1,222,263,335
291	Butterfly, Mount Charleston blue (<i>Icaricia (Plebejus) shasta charlestonensis</i>) - Wherever found	E	\$305,700	\$1,222,569,035
292	Iagu, Hayun (=Guam), Tronkon guafi (<i>Rota</i>)) (<i>Serianthes nelsonii</i>) - Wherever found	E	\$305,474	\$1,222,874,509
293	Tiger beetle, Salt Creek (<i>Cicindela nevadica lincolniiana</i>) - Wherever found	E	\$301,680	\$1,223,176,189
294	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>) - Wherever found	E	\$301,187	\$1,223,477,376
295	Logperch, Roanoke (<i>Percina rex</i>) - Wherever found	E	\$299,454	\$1,223,776,830
296	Catfish, Yaqui (<i>Ictalurus pricei</i>) - Wherever found	T	\$299,150	\$1,224,075,980
297	Frog, dusky gopher (<i>Rana sevosa</i>) - Wherever found	E	\$298,832	\$1,224,374,812
298	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>) - Wherever found	E	\$295,025	\$1,224,669,837
299	Navarretia, spreading (<i>Navarretia fossalis</i>) - Wherever found	T	\$293,315	\$1,224,963,152
300	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>) - Wherever found	E	\$292,040	\$1,225,255,192
301	Darter, duskytail (<i>Etheostoma percnurum</i>) - Wherever found	E	\$291,450	\$1,225,546,642
302	Mussel, snuffbox (<i>Epioblasma triquetra</i>) - Wherever found	E	\$291,096	\$1,225,837,738
303	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>) - Wherever found	E	\$289,206	\$1,226,126,944
304	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>) - Wherever found	T	\$287,586	\$1,226,414,530

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
305	Dudleya, Verity's (<i>Dudleya verityi</i>) - Wherever found	T	\$287,050	\$1,226,701,580
306	Mouse, New Mexico meadow jumping (<i>Zapus hudsonius luteus</i>) - Wherever found	E	\$286,265	\$1,226,987,845
307	Fritillary, Gentner's (<i>Fritillaria gentneri</i>) - Wherever found	E	\$284,500	\$1,227,272,345
308	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>) - Wherever found	T	\$283,000	\$1,227,555,345
309	Pocket gopher, Roy Prairie (<i>Thomomys mazama glacialis</i>) - Wherever found	T	\$281,750	\$1,227,837,095
310	Amaranth, seabeach (<i>Amaranthus pumilus</i>) - Wherever found	T	\$281,403	\$1,228,118,498
311	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS	E	\$279,046	\$1,228,397,544
312	Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas River Basin (AR, KS, NM, OK, TX)	T	\$273,082	\$1,228,670,626
313	Wolf, red (<i>Canis rufus</i>) - Wherever found, except where listed as an experimental population	E	\$271,805	\$1,228,942,431
314	Threeridge, fat (mussel) (<i>Amblema neislerii</i>) - Wherever found	E	\$267,511	\$1,229,209,942
315	Mapleleaf, winged (<i>Quadrula fragosa</i>) - Wherever found, except where listed as an experimental population	E	\$265,568	\$1,229,475,510
316	Crane, whooping (<i>Grus americana</i>) - U.S.A (Southwestern Louisiana)	EXPN	\$263,949	\$1,229,739,459
317	Wedgemussel, dwarf (<i>Alasmodonta heterodon</i>) - Wherever found	E	\$261,074	\$1,230,000,533
318	Wolf, maned (<i>Chrysocyon brachyurus</i>) - Wherever found	E	\$259,000	\$1,230,259,533
319	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>) - Wherever found	T	\$257,998	\$1,230,517,531
320	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>) - Wherever found	E	\$255,791	\$1,230,773,322
321	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>) - Wherever found	E	\$253,518	\$1,231,026,840
322	Trout, Apache (<i>Oncorhynchus apache</i>) - Wherever found	T	\$250,600	\$1,231,277,440
323	Mucket, Neosho (<i>Lampsilis rafinesqueana</i>) - Wherever found	E	\$250,463	\$1,231,527,903
324	Seal, bearded (<i>Erignathus barbatus nauticus</i>) - Okhotsk DPS	T	\$250,150	\$1,231,778,053
325	Pitcher-plant, green (<i>Sarracenia oreophila</i>) - Wherever found	E	\$240,905	\$1,232,018,958
326	Hellbender, Ozark (<i>Cryptobranchus alleganiensis bishopi</i>) - Wherever found	E	\$240,900	\$1,232,259,858
327	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>) - Wherever found	T	\$238,441	\$1,232,498,299
328	Silverside, Waccamaw (<i>Menidia extensa</i>) - Wherever found	T	\$237,520	\$1,232,735,819

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
329	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>) - Wherever found	E	\$235,363	\$1,232,971,182
330	Shrimp, Alabama cave (<i>Palaemonias alabamiae</i>) - Wherever found	E	\$234,200	\$1,233,205,382
331	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>) - Wherever found	E	\$232,477	\$1,233,437,859
332	Ma`o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>) - Wherever found	E	\$231,823	\$1,233,669,682
333	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) <i>albatrus</i>) - Wherever found	E	\$229,818	\$1,233,899,500
334	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>) - Wherever found	E	\$228,789	\$1,234,128,289
335	Akikiki (<i>Oreomystis bairdi</i>) - Wherever found	E	\$228,731	\$1,234,357,020
336	Dace, blackside (<i>Phoxinus cumberlandensis</i>) - Wherever found	T	\$225,246	\$1,234,582,266
337	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrightii</i>)) - Wherever found	E	\$225,011	\$1,234,807,277
338	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>) - Wherever found	E	\$224,582	\$1,235,031,859
339	Spinedace, White River (<i>Lepidomeda albivallis</i>) - Wherever found	E	\$219,863	\$1,235,251,722
340	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>) - Wherever found	E	\$219,750	\$1,235,471,472
341	Beetle, Casey's June (<i>Dinacoma caseyi</i>) - Wherever found	E	\$218,700	\$1,235,690,172
342	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>) - Wherever found	T	\$216,972	\$1,235,907,144
343	Cheetah (<i>Acinonyx jubatus</i>) - Wherever found	E	\$212,250	\$1,236,119,394
344	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada	E	\$211,904	\$1,236,331,298
345	Sumac, Michaux's (<i>Rhus michauxii</i>) - Wherever found	E	\$210,811	\$1,236,542,109
346	Spiraea, Virginia (<i>Spiraea virginiana</i>) - Wherever found	T	\$210,466	\$1,236,752,575
347	Sawfish, largetooth (<i>Pristis pristis</i>) - Wherever found	E	\$209,903	\$1,236,962,478
348	Mahoe (<i>Alectryon macrococcus</i>) - Wherever found	E	\$209,598	\$1,237,172,076
349	Mehamehame (<i>Flueggea neowawraea</i>) - Wherever found	E	\$209,426	\$1,237,381,502
350	Shark, Scalloped Hammerhead (<i>Sphyrna lewini</i>) - Central and Southwest Atlantic DPS	T	\$208,119	\$1,237,589,621
351	Rhinoceros, northern white (<i>Ceratotherium simum cottoni</i>) - Zaire, Uganda, Sudan, Central African Republic	E	\$207,376	\$1,237,796,997
352	Sucker, Warner (<i>Catostomus warnerensis</i>) - Wherever found	T	\$205,940	\$1,238,002,937
353	Bean, rayed (<i>Villosa fabalis</i>) - Wherever found	E	\$205,607	\$1,238,208,544
354	Penstemon, blowout (<i>Penstemon haydenii</i>) - Wherever found	E	\$204,230	\$1,238,412,774

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
355	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>) - Wherever found	E	\$203,650	\$1,238,616,424
356	Skink, bluetail mole (<i>Eumeces egregius lividus</i>) - Wherever found	T	\$202,094	\$1,238,818,518
357	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>) - Wherever found	E	\$201,272	\$1,239,019,790
358	Tern, roseate (<i>Sterna dougallii dougallii</i>) - Western Hemisphere except NE U.S.	T	\$201,084	\$1,239,220,874
359	Clubshell (<i>Pleurobema clava</i>) - Wherever found; Except where listed as Experimental Populations	E	\$199,292	\$1,239,420,166
360	No Common Name (<i>Spermolepis hawaiiensis</i>) - Wherever found	E	\$198,749	\$1,239,618,915
361	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>) - Wherever found	E	\$197,497	\$1,239,816,412
362	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>) - Wherever found	T	\$196,548	\$1,240,012,960
363	Condor, Andean (<i>Vultur gryphus</i>) - Wherever found	E	\$196,188	\$1,240,209,148
364	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>) - Wherever found	E	\$194,725	\$1,240,403,873
365	No Common Name (<i>Neraudia ovata</i>) - Wherever found	E	\$194,293	\$1,240,598,166
366	Kuahiwi laukahi (<i>Plantago princeps</i>) - Wherever found	E	\$194,014	\$1,240,792,180
367	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>) - Wherever found	E	\$192,360	\$1,240,984,540
368	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>) - Wherever found	E	\$191,511	\$1,241,176,051
369	Toad, Houston (<i>Bufo houstonensis</i>) - Wherever found	E	\$189,454	\$1,241,365,505
370	No Common Name (<i>Gouania vitifolia</i>) - Wherever found	E	\$189,182	\$1,241,554,687
371	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>) - Wherever found	T	\$187,840	\$1,241,742,527
372	Kamanomano (<i>Cenchrus agrimonioides</i>) - Wherever found	E	\$186,724	\$1,241,929,251
373	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>) - Wherever found	E	\$186,469	\$1,242,115,720
374	A`e (<i>Zanthoxylum hawaiiense</i>) - Wherever found	E	\$185,757	\$1,242,301,477
375	Kamakahala (<i>Labordia cyrtandrae</i>) - Wherever found	E	\$184,851	\$1,242,486,328
376	No Common Name (<i>Neraudia angulata</i>) - Wherever found	E	\$183,594	\$1,242,669,922
377	Nanu (<i>Gardenia mannii</i>) - Wherever found	E	\$183,571	\$1,242,853,493
378	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>) - Wherever found	E	\$183,500	\$1,243,036,993
379	Dace, Moapa (<i>Moapa coriacea</i>) - Wherever found	E	\$183,473	\$1,243,220,466
380	Kulu`i (<i>Nototrichium humile</i>) - Wherever found	E	\$183,142	\$1,243,403,608
381	Nioi (<i>Eugenia koolauensis</i>) - Wherever found	E	\$182,934	\$1,243,586,542

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
382	No Common Name (Tetramolopium filiforme) - Wherever found	E	\$182,479	\$1,243,769,021
383	Gartersnake, narrow-headed (Thamnophis rufipunctatus) - Wherever found	T	\$182,100	\$1,243,951,121
384	No Common Name (Vigna o-wahuensis) - Wherever found	E	\$181,832	\$1,244,132,953
385	Bat, Virginia big-eared (Corynorhinus (=Plecotus) townsendii virginianus) - Wherever found	E	\$181,104	\$1,244,314,057
386	Fairy shrimp, Riverside (Streptocephalus woottoni) - Wherever found	E	\$181,081	\$1,244,495,138
387	Pamakani (Viola chamissoniana ssp. chamissoniana) - Wherever found	E	\$180,488	\$1,244,675,626
388	Popolo ku mai (Solanum incompletum) - Wherever found	E	\$179,429	\$1,244,855,055
389	No Common Name (Kadua degeneri) - Wherever found	E	\$178,787	\$1,245,033,842
390	Cactus, Colorado hookless (Sclerocactus glaucus) - Wherever found	T	\$178,578	\$1,245,212,420
391	Dace, Fosskett speckled (Rhinichthys osculus ssp.) - Wherever found	T	\$178,300	\$1,245,390,720
392	No Common Name (Lobelia oahuensis) - Wherever found	E	\$178,246	\$1,245,568,966
393	No Common Name (Schiedea kaalae) - Wherever found	E	\$177,863	\$1,245,746,829
394	No Common Name (Pteris lidgatei) - Wherever found	E	\$177,812	\$1,245,924,641
395	No Common Name (Phyllostegia mollis) - Wherever found	E	\$177,670	\$1,246,102,311
396	Haha (Cyanea acuminata) - Wherever found	E	\$177,630	\$1,246,279,941
397	Haha (Cyanea koolauensis) - Wherever found	E	\$177,305	\$1,246,457,246
398	No Common Name (Phyllostegia hirsuta) - Wherever found	E	\$176,981	\$1,246,634,227
398	No Common Name (Schiedea nuttallii) - Wherever found	E	\$176,981	\$1,246,811,208
399	Haha (Cyanea grimesiana ssp. obatae) - Wherever found	E	\$176,656	\$1,246,987,864
399	Na`ena`e (Dubautia herbstobatae) - Wherever found	E	\$176,656	\$1,247,164,520
399	Lo`ulu (Pritchardia kaalae) - Wherever found	E	\$176,656	\$1,247,341,176
399	No Common Name (Phyllostegia kaalaensis) - Wherever found	E	\$176,656	\$1,247,517,832
400	No Common Name (Stenogyne kanehoana) - Wherever found	E	\$176,555	\$1,247,694,387
401	Haha (Cyanea st.-johnii) - Wherever found	E	\$176,545	\$1,247,870,932
402	Crayfish, Shasta (Pacifastacus fortis) - Wherever found	E	\$176,400	\$1,248,047,332
403	Po`e (Portulaca sclerocarpa) - Wherever found	E	\$175,955	\$1,248,223,287
404	No Common Name (Hesperomannia arborescens) - Wherever found	E	\$175,875	\$1,248,399,162
405	Wooly-threads, San Joaquin (Monolopia (=Lembertia) congdonii) - Wherever found	E	\$175,650	\$1,248,574,812

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
406	Butterfly, Bartram's hairstreak (<i>Strymon acis bartrami</i>) - Wherever found	E	\$175,509	\$1,248,750,321
407	No Common Name (<i>Abutilon sandwicense</i>) - Wherever found	E	\$175,301	\$1,248,925,622
408	Haha (<i>Cyanea crispa</i>) - Wherever found	E	\$175,129	\$1,249,100,751
409	Rabbitsfoot (<i>Quadrula cylindrica cylindrica</i>) - Wherever found	T	\$174,850	\$1,249,275,601
410	Alani (<i>Melicope lydgatei</i>) - Wherever found	E	\$174,586	\$1,249,450,187
411	`Akoko (<i>Euphorbia celastroides</i> var. <i>kaenana</i>) - Wherever found	E	\$174,391	\$1,249,624,578
412	No Common Name (<i>Hesperomannia arbuscula</i>) - Wherever found	E	\$173,522	\$1,249,798,100
413	No Common Name (<i>Silene lanceolata</i>) - Wherever found	E	\$172,214	\$1,249,970,314
414	Pink, swamp (<i>Helonias bullata</i>) - Wherever found	T	\$171,854	\$1,250,142,168
415	Ha`iwale (<i>Cyrtandra dentata</i>) - Wherever found	E	\$171,350	\$1,250,313,518
416	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>) - Wherever found	E	\$171,172	\$1,250,484,690
417	Oha (<i>Delissea subcordata</i>) - Wherever found	E	\$171,087	\$1,250,655,777
418	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>) - Wherever found	E	\$170,950	\$1,250,826,727
419	No Common Name (<i>Sanicula mariversa</i>) - Wherever found	E	\$170,871	\$1,250,997,598
420	Haha (<i>Cyanea superba</i>) - Wherever found	E	\$170,329	\$1,251,167,927
421	Shark, Scalloped Hammerhead (<i>Sphyrna lewini</i>) - Indo-West Pacific DPS	T	\$169,923	\$1,251,337,850
422	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>) - Wherever found	E	\$169,814	\$1,251,507,664
423	No Common Name (<i>Sanicula purpurea</i>) - Wherever found	E	\$169,638	\$1,251,677,302
424	Haha (<i>Cyanea longiflora</i>) - Wherever found	E	\$168,979	\$1,251,846,281
425	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>) - Wherever found	E	\$168,954	\$1,252,015,235
426	Wawae`iole (<i>Huperzia nutans</i>) - Wherever found	E	\$168,747	\$1,252,183,982
427	No Common Name (<i>Schiedea obovata</i>) - Wherever found	E	\$168,654	\$1,252,352,636
427	No Common Name (<i>Schiedea trinervis</i>) - Wherever found	E	\$168,654	\$1,252,521,290
427	Nehe (<i>Melanthera tenuifolia</i>) - Wherever found	E	\$168,654	\$1,252,689,944
428	Ha`iwale (<i>Cyrtandra subumbellata</i>) - Wherever found	E	\$168,530	\$1,252,858,474
428	Ha`iwale (<i>Cyrtandra viridiflora</i>) - Wherever found	E	\$168,530	\$1,253,027,004
429	No Common Name (<i>Viola oahuensis</i>) - Wherever found	E	\$168,401	\$1,253,195,405
430	Kolea (<i>Myrsine juddii</i>) - Wherever found	E	\$168,118	\$1,253,363,523
431	`Akoko (<i>Euphorbia herbstii</i>) - Wherever found	E	\$167,628	\$1,253,531,151

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
432	No Common Name (<i>Lobelia koolauensis</i>) - Wherever found	E	\$167,495	\$1,253,698,646
433	Honohono (<i>Haplostachys haplostachya</i>) - Wherever found	E	\$166,277	\$1,253,864,923
434	Pauoa (<i>Ctenitis squamigera</i>) - Wherever found	E	\$166,161	\$1,254,031,084
435	`Akoko (<i>Euphorbia rockii</i>) - Wherever found	E	\$165,650	\$1,254,196,734
436	No Common Name (<i>Stenogyne angustifolia angustifolia</i>) - Wherever found	E	\$165,580	\$1,254,362,314
437	`Awikiwiki (<i>Canavalia molokaiensis</i>) - Wherever found	E	\$165,436	\$1,254,527,750
438	Ivesia, Webber's (<i>Ivesia webberi</i>) - Wherever found	T	\$165,420	\$1,254,693,170
439	Duck, Laysan (<i>Anas laysanensis</i>) - Wherever found	E	\$165,390	\$1,254,858,560
440	No Common Name (<i>Tetramolopium arenarium</i>) - Wherever found	E	\$162,001	\$1,255,020,561
441	No Common Name (<i>Silene hawaiiensis</i>) - Wherever found	T	\$161,592	\$1,255,182,153
442	No Common Name (<i>Lipochaeta venosa</i>) - Wherever found	E	\$161,339	\$1,255,343,492
443	Pigtoe, shiny (<i>Fusconaia cor</i>) - Wherever found; Except where listed as Experimental Populations	E	\$161,300	\$1,255,504,792
444	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>) - Wherever found	E	\$161,219	\$1,255,666,011
445	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>) - wherever found	E	\$161,013	\$1,255,827,024
446	Clarkia, Vine Hill (<i>Clarkia imbricata</i>) - Wherever found	E	\$159,500	\$1,255,986,524
447	Popolo (<i>Cyanea solanacea</i>) - Wherever found	E	\$159,295	\$1,256,145,819
448	Cactus, Pariette (<i>Sclerocactus brevispinus</i>) - Wherever found	T	\$159,275	\$1,256,305,094
449	Kamakahala (<i>Labordia triflora</i>) - Wherever found	E	\$159,195	\$1,256,464,289
449	No Common Name (<i>Cyanea profuga</i>) - Wherever found	E	\$159,195	\$1,256,623,484
450	No Common Name (<i>Asplenium peruvianum</i> var. <i>insulare</i>) - Wherever found	E	\$157,590	\$1,256,781,074
451	Darter, Niangua (<i>Etheostoma nianguae</i>) - Wherever found	T	\$157,129	\$1,256,938,203
452	Ma`oli`oli (<i>Schiedea hawaiiensis</i>) - Wherever found	E	\$156,721	\$1,257,094,924
453	Lo`ulu (<i>Pritchardia munroi</i>) - Wherever found	E	\$156,668	\$1,257,251,592
454	Pearlymussel, cracking (<i>Hemistena lata</i>) - Wherever found; Except where listed as Experimental Populations	E	\$156,100	\$1,257,407,692
455	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - Wherever found; Except where listed as Experimental Populations	E	\$156,000	\$1,257,563,692
456	Aupaka (<i>Isodendron hosakae</i>) - Wherever found	E	\$155,827	\$1,257,719,519
457	Darter, Cherokee (<i>Etheostoma scotti</i>) - Wherever found	T	\$155,761	\$1,257,875,280
458	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Wherever found, except where listed as an experimental population	E	\$154,851	\$1,258,030,131

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
459	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Wherever found; Except where listed as Experimental Populations	E	\$154,500	\$1,258,184,631
460	Ko'oko'olau (<i>Bidens wiebkii</i>) - Wherever found	E	\$151,089	\$1,258,335,720
460	Haha (<i>Cyanea mannii</i>) - Wherever found	E	\$151,089	\$1,258,486,809
461	Wild-rice, Texas (<i>Zizania texana</i>) - Wherever found	E	\$150,200	\$1,258,637,009
462	Poolfish, Pahrump (<i>Empetrichthys latos</i>) - Wherever found	E	\$148,873	\$1,258,785,882
463	Pocket gopher, Yelm (<i>Thomomys mazama yelmensis</i>) - Wherever found	T	\$147,547	\$1,258,933,429
464	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>) - Wherever found	T	\$147,287	\$1,259,080,716
465	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>) - Wherever found	E	\$147,014	\$1,259,227,730
466	Madtom, Neosho (<i>Noturus placidus</i>) - Wherever found	T	\$146,923	\$1,259,374,653
467	Tui chub, Mohave (<i>Gila bicolor ssp. mohavensis</i>) - Wherever found	E	\$144,957	\$1,259,519,610
468	Pearlymussel, littlewing (<i>Pegias fabula</i>) - Wherever found	E	\$143,830	\$1,259,663,440
469	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>) - Wherever found	E	\$143,420	\$1,259,806,860
470	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>) - Wherever found	E	\$143,350	\$1,259,950,210
471	Minnow, Rio Grande Silvery (<i>Hybognathus amarus</i>) - Rio Grande, from Little Box Canyon to Amistad Dam	EXPN	\$142,500	\$1,260,092,710
472	Parrotbill, Maui (Kiwikiu) (<i>Pseudonestor xanthophrys</i>) - Wherever found	E	\$142,368	\$1,260,235,078
473	Pocket gopher, Olympia (<i>Thomomys mazama pugetensis</i>) - Wherever found	T	\$141,205	\$1,260,376,283
474	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>) - Wherever found	E	\$140,293	\$1,260,516,576
475	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>) - Wherever found	E	\$140,191	\$1,260,656,767
476	Iguana, Jamaican (<i>Cyclura collei</i>) - Wherever found	E	\$139,986	\$1,260,796,753
477	Lomatium, Cook's (<i>Lomatium cookii</i>) - Wherever found	E	\$139,700	\$1,260,936,453
478	Slabshell, Chipola (<i>Elliptio chipolaensis</i>) - Wherever found	T	\$138,797	\$1,261,075,250
479	Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop.	E	\$138,011	\$1,261,213,261
480	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus altophrys</i>) - Wherever found	E	\$137,741	\$1,261,351,002
481	Lau`ehu (<i>Panicum niihauense</i>) - Wherever found	E	\$137,192	\$1,261,488,194
482	Pocketbook, fat (<i>Potamilus capax</i>) - Wherever found	E	\$136,672	\$1,261,624,866
483	Kula wahine noho (<i>Isodendron pyrifolium</i>) - Wherever found	E	\$136,421	\$1,261,761,287

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
484	Frog, Panamanian golden (<i>Atelopus varius zeteki</i>) - Wherever found	E	\$135,540	\$1,261,896,827
485	Pigtoe, finerayed (<i>Fusconaia cuneolus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$135,500	\$1,262,032,327
486	Spectaclecase (mussel) (<i>Cumberlandia monodonta</i>) - Wherever found	E	\$133,654	\$1,262,165,981
487	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>) - wherever found	E	\$133,013	\$1,262,298,994
488	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>) - wherever found	T	\$132,021	\$1,262,431,015
489	Trout, bull (<i>Salvelinus confluentus</i>) - Clackamas River subbasin experimental population	EXPN	\$131,500	\$1,262,562,515
490	Butterfly, Florida leafwing (<i>Anaea troglodyta floridalis</i>) - Wherever found	E	\$129,609	\$1,262,692,124
491	Spiny mussel, James (<i>Pleurobema collina</i>) - Wherever found	E	\$129,032	\$1,262,821,156
492	Chub, Yaqui (<i>Gila purpurea</i>) - Wherever found	E	\$128,150	\$1,262,949,306
493	No Common Name (<i>Acropora retusa</i>) - Wherever found	T	\$127,843	\$1,263,077,149
494	Dace, desert (<i>Eremichthys acros</i>) - Wherever found	T	\$127,703	\$1,263,204,852
495	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>) - Wherever found	E	\$127,404	\$1,263,332,256
496	Turtle, ringed map (<i>Graptemys oculifera</i>) - Wherever found	T	\$127,065	\$1,263,459,321
497	Shiner, beautiful (<i>Cyprinella formosa</i>) - Wherever found	T	\$127,000	\$1,263,586,321
498	Darter, boulder (<i>Etheostoma wapiti</i>) - Wherever found	E	\$126,930	\$1,263,713,251
499	Orchid, western prairie fringed (<i>Platanthera praeclara</i>) - Wherever found	T	\$125,993	\$1,263,839,244
500	Rail, Guam (<i>Rallus owstoni</i>) - Rota	EXPN	\$125,985	\$1,263,965,229
501	Cavefish, Ozark (<i>Amblyopsis rosae</i>) - Wherever found	T	\$125,352	\$1,264,090,581
502	Lamp mussel, Alabama (<i>Lampsilis virescens</i>) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$124,770	\$1,264,215,351
503	Megapode, Micronesian (<i>Megapodius laperouse</i>) - Wherever found	E	\$124,202	\$1,264,339,553
504	Pigtoe, fuzzy (<i>Pleurobema strodeanum</i>) - Wherever found	T	\$123,412	\$1,264,462,965
505	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>) - Wherever found	E	\$120,714	\$1,264,583,679
506	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>) - Wherever found	E	\$118,445	\$1,264,702,124
507	ʻAhinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>) - Wherever found	T	\$116,438	\$1,264,818,562
508	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>) - Wherever found	E	\$115,800	\$1,264,934,362

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
509	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>) - Wherever found	E	\$113,922	\$1,265,048,284
510	Limpet, Banbury Springs (<i>Lanx</i> sp.) - Wherever found	E	\$112,417	\$1,265,160,701
511	Akekee (<i>Loxops caeruleirostris</i>) - Wherever found	E	\$112,373	\$1,265,273,074
512	Popcornflower, rough (<i>Plagiobothrys hirtus</i>) - Wherever found	E	\$111,000	\$1,265,384,074
513	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>) - Wherever found	E	\$106,450	\$1,265,490,524
514	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>) - Wherever found	E	\$106,078	\$1,265,596,602
515	Pigtoe, oval (<i>Pleurobema pyriforme</i>) - Wherever found	E	\$105,671	\$1,265,702,273
516	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>) - Wherever found	E	\$105,050	\$1,265,807,323
517	Kangaroo rat, Tipton (<i>Dipodomys nitratoide</i> <i>nitratoide</i>) - Wherever found	E	\$104,825	\$1,265,912,148
518	Potato-bean, Price's (<i>Apios priceana</i>) - Wherever found	T	\$104,415	\$1,266,016,563
519	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>) - Wherever found	E	\$101,982	\$1,266,118,545
520	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>) - Wherever found	E	\$101,700	\$1,266,220,245
521	Amole, purple (<i>Chlorogalum purpureum</i>) - Wherever found	T	\$101,357	\$1,266,321,602
522	Bear-poppy, Dwarf (<i>Arctomecon humilis</i>) - Wherever found	E	\$101,350	\$1,266,422,952
523	Pigeon wings (<i>Clitoria fragrans</i>) - Wherever found	T	\$101,122	\$1,266,524,074
524	Pupfish, Owens (<i>Cyprinodon radiosus</i>) - Wherever found	E	\$101,015	\$1,266,625,089
525	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>) - Wherever found	E	\$101,000	\$1,266,726,089
526	Evening-primrose, San Benito (<i>Camissonia benitensis</i>) - Wherever found	T	\$100,000	\$1,266,826,089
527	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>) - Wherever found	E	\$99,689	\$1,266,925,778
528	Thistle, Pitcher's (<i>Cirsium pitcheri</i>) - Wherever found	T	\$99,446	\$1,267,025,224
529	Frog, mountain yellow-legged (<i>Rana muscosa</i>) - Southern California DPS	E	\$99,000	\$1,267,124,224
530	Spiny mussel, Tar River (<i>Elliptio steinstansana</i>) - Wherever found	E	\$98,801	\$1,267,223,025
531	Ayenia, Texas (<i>Ayenia limitaris</i>) - Wherever found	E	\$98,500	\$1,267,321,525
532	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>) - Wherever found	E	\$98,400	\$1,267,419,925
533	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>) - Wherever found	E	\$98,368	\$1,267,518,293
534	Cactus, Uinta Basin hookless (<i>Sclerocactus wetlandicus</i>) - Wherever found	T	\$98,025	\$1,267,616,318

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
535	Goldfields, Burke's (<i>Lasthenia burkei</i>) - Wherever found	E	\$97,909	\$1,267,714,227
536	Fanshell (<i>Cyprogenia stegaria</i>) - Wherever found	E	\$97,778	\$1,267,812,005
537	Sunshine, Sonoma (<i>Blennosperma bakeri</i>) - Wherever found	E	\$97,250	\$1,267,909,255
538	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>) - Wherever found	E	\$96,468	\$1,268,005,723
539	Megapode, Maleo (<i>Macrocephalon maleo</i>) - Wherever found	E	\$95,598	\$1,268,101,321
540	Skipper, Carson wandering (<i>Pseudocopa eodes eunus obscurus</i>) - Wherever found	E	\$95,579	\$1,268,196,900
541	Flax, Carter's small-flowered (<i>Linum carteri carteri</i>) - Wherever found	E	\$95,537	\$1,268,292,437
542	Trout, Gila (<i>Oncorhynchus gilae</i>) - Wherever found	T	\$95,224	\$1,268,387,661
543	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>) - Wherever found	E	\$95,200	\$1,268,482,861
544	Centaur, spring-loving (<i>Centaurium namophilum</i>) - Wherever found	T	\$94,448	\$1,268,577,309
545	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>) - Wherever found	T	\$93,907	\$1,268,671,216
546	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>) - Wherever found	T	\$93,298	\$1,268,764,514
547	Turtle, bog (<i>Clemmys muhlenbergii</i>) - U.S.A. (GA, NC, SC, TN, VA)	SAT	\$92,148	\$1,268,856,662
548	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>) - Wherever found	E	\$91,870	\$1,268,948,532
549	Sandwort, Marsh (<i>Arenaria paludicola</i>) - Wherever found	E	\$91,800	\$1,269,040,332
550	No Common Name (<i>Amaranthus brownii</i>) - Wherever found	E	\$91,295	\$1,269,131,627
551	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>) - Wherever found	E	\$90,743	\$1,269,222,370
552	Brickell-bush, Florida (<i>Brickellia mosieri</i>) - Wherever found	E	\$90,709	\$1,269,313,079
553	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>) - Wherever found	E	\$90,400	\$1,269,403,479
554	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Breeding colony populations on Pacific coast of Mexico	E	\$90,000	\$1,269,493,479
555	Orcutt grass, slender (<i>Orcuttia tenuis</i>) - Wherever found	T	\$89,950	\$1,269,583,429
556	Sandshell, Southern (<i>Hamiota australis</i>) - Wherever found	T	\$89,106	\$1,269,672,535
557	Catspaw, white (pearly mussel) (<i>Epioblasma obliquata perobliqua</i>) - Wherever found	E	\$88,821	\$1,269,761,356
558	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>) - Wherever found	E	\$88,708	\$1,269,850,064
559	Baccharis, Encinitas (<i>Baccharis vanessae</i>) - Wherever found	T	\$88,700	\$1,269,938,764

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
560	Trillium, relict (<i>Trillium reliquum</i>) - Wherever found	E	\$88,450	\$1,270,027,214
561	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>) - Wherever found	E	\$88,350	\$1,270,115,564
562	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>) - Wherever found, except where listed as an experimental population	E	\$88,200	\$1,270,203,764
563	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>) - Wherever found	E	\$87,700	\$1,270,291,464
564	Clover, running buffalo (<i>Trifolium stoloniferum</i>) - Wherever found	E	\$87,591	\$1,270,379,055
565	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>) - Wherever found	T	\$87,381	\$1,270,466,436
566	Piperia, Yadon's (<i>Piperia yadonii</i>) - Wherever found	E	\$86,650	\$1,270,553,086
567	Coneflower, smooth (<i>Echinacea laevigata</i>) - Wherever found	E	\$86,357	\$1,270,639,443
568	Ko`oloa`ula (<i>Abutilon menziesii</i>) - Wherever found	E	\$86,182	\$1,270,725,625
569	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (=Felis) <i>yagouaroundi caocomitii</i>) - Wherever found	E	\$85,567	\$1,270,811,192
570	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>) - Wherever found	E	\$85,163	\$1,270,896,355
571	Watercress, Gambel's (<i>Rorippa gambellii</i>) - Wherever found	E	\$85,100	\$1,270,981,455
572	Mussel, scaleshell (<i>Leptodea leptodon</i>) - Wherever found	E	\$85,075	\$1,271,066,530
573	Darter, slackwater (<i>Etheostoma boschungii</i>) - Wherever found	T	\$84,830	\$1,271,151,360
574	Pigtoe, narrow (<i>Fusconaia escambia</i>) - Wherever found	T	\$84,804	\$1,271,236,164
575	Cycladenia, Jones (<i>Cycladenia humilis</i> var. <i>jonesii</i>) - Wherever found	T	\$84,575	\$1,271,320,739
576	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>) - Wherever found	T	\$84,235	\$1,271,404,974
577	Onion, Munz's (<i>Allium munzii</i>) - Wherever found	E	\$84,111	\$1,271,489,085
578	Boa, Puerto Rican (<i>Epicrates inornatus</i>) - Wherever found	E	\$83,682	\$1,271,572,767
579	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>) - Wherever found	T	\$82,823	\$1,271,655,590
580	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>) - Wherever found	T	\$82,651	\$1,271,738,241
581	Akialoa, Kauai (honeycreeper) (<i>Akialoa stejnegeri</i>) - Wherever found	E	\$82,076	\$1,271,820,317
582	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>) - Wherever found	T	\$81,770	\$1,271,902,087
583	Chub, spotfin (<i>Erimonax monachus</i>) - Wherever found, except where listed as an experimental population	T	\$81,012	\$1,271,983,099

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
584	Cladonia, Florida perforate (Cladonia perforata) - Wherever found	E	\$80,701	\$1,272,063,800
585	Cactus, Florida semaphore (Consolea corallicola) - Wherever found	E	\$80,358	\$1,272,144,158
586	Whale, gray (Eschrichtius robustus) - Western North Pacific DPS	E	\$79,393	\$1,272,223,551
587	Bean, Choctaw (Villosa choctawensis) - Wherever found	E	\$79,391	\$1,272,302,942
588	`Aiea (Nothocestrum breviflorum) - Wherever found	E	\$79,280	\$1,272,382,222
589	Combshell, Cumberlandian (Epioblasma brevidens) - Wherever found; Except where listed as Experimental Populations	E	\$78,800	\$1,272,461,022
590	Fairy shrimp, longhorn (Branchinecta longiantenna) - Wherever found	E	\$77,943	\$1,272,538,965
591	Chaffseed, American (Schwalbea americana) - Wherever found	E	\$77,106	\$1,272,616,071
592	Milk-vetch, Fish Slough (Astragalus lentiginosus var. piscinensis) - Wherever found	T	\$76,740	\$1,272,692,811
593	Lizard, Coachella Valley fringe-toed (Uma inornata) - Wherever found	T	\$75,973	\$1,272,768,784
594	Ambrosia, south Texas (Ambrosia cheiranthifolia) - Wherever found	E	\$75,680	\$1,272,844,464
595	Uhi uhi (Mezoneuron kavaense) - Wherever found	E	\$75,507	\$1,272,919,971
596	Mouse, St. Andrew beach (Peromyscus polionotus peninsularis) - Wherever found	E	\$75,291	\$1,272,995,262
597	Cactus, Wright fishhook (Sclerocactus wrightiae) - Wherever found	E	\$75,200	\$1,273,070,462
598	Crow, white-necked (Corvus leucognaphalus) - Wherever found	E	\$75,000	\$1,273,145,462
599	Moccasinshell, Ochlockonee (Medionidus simpsonianus) - Wherever found	E	\$73,508	\$1,273,218,970
600	Pimpleback, orangefoot (pearlymussel) (Plethobasus cooperianus) - Wherever found	E	\$73,489	\$1,273,292,459
601	Prickly-apple, aboriginal (Harrisia (=Cereus) aboriginum (=gracilis)) - Wherever found	E	\$73,455	\$1,273,365,914
602	Pentachaeta, white-rayed (Pentachaeta bellidiflora) - Wherever found	E	\$71,970	\$1,273,437,884
603	Milk-vetch, Applegate's (Astragalus applegatei) - Wherever found	E	\$71,350	\$1,273,509,234
604	Thistle, La Graciosa (Cirsium loncholepis) - Wherever found	E	\$70,800	\$1,273,580,034
605	Wireweed (Polygonella basiramia) - Wherever found	E	\$70,701	\$1,273,650,735
606	Pennyroyal, Todsen's (Hedeoma todsenii) - Wherever found	E	\$70,000	\$1,273,720,735

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
607	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>) - Wherever found	E	\$69,891	\$1,273,790,626
608	Rice rat (<i>Oryzomys palustris natator</i>) - lower FL Keys	E	\$69,752	\$1,273,860,378
609	Tiger beetle, Northeastern beach (<i>Cicindela dorsalis dorsalis</i>) - Wherever found	T	\$69,367	\$1,273,929,745
610	Ko'oko'olau (<i>Bidens micrantha ctenophylla</i>) - Wherever found	E	\$69,234	\$1,273,998,979
611	Skipperling, Poweshiek (<i>Oarisma poweshiek</i>) - Wherever found	E	\$69,150	\$1,274,068,129
612	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>) - Wherever found	E	\$68,550	\$1,274,136,679
613	Wallflower, Menzies' (<i>Erysimum menziesii</i>) - Wherever found	E	\$68,200	\$1,274,204,879
614	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>) - Wherever found	T	\$67,879	\$1,274,272,758
615	Tiger beetle, Puritan (<i>Cicindela puritana</i>) - Wherever found	T	\$67,572	\$1,274,340,330
616	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>) - Wherever found	E	\$67,353	\$1,274,407,683
617	Clubshell, southern (<i>Pleurobema decisum</i>) - Wherever found	E	\$66,978	\$1,274,474,661
618	Arrowhead, bunched (<i>Sagittaria fasciculata</i>) - Wherever found	E	\$66,892	\$1,274,541,553
619	Ziziphus, Florida (<i>Ziziphus celata</i>) - Wherever found	E	\$66,870	\$1,274,608,423
620	Mallow, Gierisch (<i>Sphaeralcea gierischii</i>) - Wherever found	E	\$66,400	\$1,274,674,823
621	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>)) - Wherever found	E	\$66,000	\$1,274,740,823
622	Darter, leopard (<i>Percina pantherina</i>) - Wherever found	T	\$65,859	\$1,274,806,682
623	Springfish, White River (<i>Crenichthys baileyi baileyi</i>) - Wherever found	E	\$65,723	\$1,274,872,405
624	Phlox, Yreka (<i>Phlox hirsuta</i>) - Wherever found	E	\$64,350	\$1,274,936,755
625	Rush-pea, slender (<i>Hoffmannseggia tenella</i>) - Wherever found	E	\$64,300	\$1,275,001,055
626	Buckwheat, lone (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>)) - Wherever found	E	\$63,000	\$1,275,064,055
627	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>) - Wherever found	E	\$62,318	\$1,275,126,373
628	Hala pepe (<i>Pleomele hawaiiensis</i>) - Wherever found	E	\$62,232	\$1,275,188,605
629	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>) - Wherever found	E	\$62,032	\$1,275,250,637
630	Chub, Borax Lake (<i>Gila boraxobius</i>) - Wherever found	E	\$62,006	\$1,275,312,643
631	Leopard, clouded (<i>Neofelis nebulosa</i>) - Wherever found	E	\$61,200	\$1,275,373,843
632	Akepa, Hawaii (<i>Loxops coccineus</i>) - Wherever found	E	\$60,988	\$1,275,434,831

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
633	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - Wherever found	E	\$60,760	\$1,275,495,591
634	Shiner, blue (<i>Cyprinella caerulea</i>) - Wherever found	T	\$60,589	\$1,275,556,180
635	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>) - Wherever found	T	\$60,150	\$1,275,616,330
636	Bean, purple (<i>Villosa perpurpurea</i>) - Wherever found	E	\$59,020	\$1,275,675,350
637	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>) - Wherever found	E	\$58,500	\$1,275,733,850
637	Capa rosa (<i>Callicarpa ampla</i>) - Wherever found	E	\$58,500	\$1,275,792,350
638	Harperella (<i>Ptilimnium nodosum</i>) - Wherever found	E	\$58,323	\$1,275,850,673
639	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>) - Wherever found	E	\$58,235	\$1,275,908,908
640	Akiapolaau (<i>Hemignathus wilsoni</i>) - Wherever found	E	\$58,191	\$1,275,967,099
641	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>) - Wherever found	E	\$57,450	\$1,276,024,549
642	Skullcap, large-flowered (<i>Scutellaria montana</i>) - Wherever found	T	\$57,400	\$1,276,081,949
643	Cactus, Winkler (<i>Pediocactus winkleri</i>) - Wherever found	T	\$57,300	\$1,276,139,249
644	Dropwort, Canby's (<i>Oxypolis canbyi</i>) - Wherever found	E	\$56,986	\$1,276,196,235
645	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>) - Wherever found	E	\$56,849	\$1,276,253,084
646	Pigtoe, rough (<i>Pleurobema plenum</i>) - Wherever found	E	\$56,795	\$1,276,309,879
647	Pondberry (<i>Lindera melissifolia</i>) - Wherever found	E	\$56,785	\$1,276,366,664
648	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>) - Wherever found	E	\$56,630	\$1,276,423,294
649	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>) - Wherever found	T	\$56,500	\$1,276,479,794
650	Deer, key (<i>Odocoileus virginianus clavium</i>) - Wherever found	E	\$56,409	\$1,276,536,203
651	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>) - Wherever found	T	\$56,000	\$1,276,592,203
652	Ohai (<i>Sesbania tomentosa</i>) - Wherever found	E	\$54,869	\$1,276,647,072
653	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekaensis</i>) - Wherever found	E	\$54,800	\$1,276,701,872
654	Cactus, Acuna (<i>Echinomastus erectocentrus</i> var. <i>acunensis</i>) - Wherever found	E	\$54,000	\$1,276,755,872
655	Milkweed, Welsh's (<i>Asclepias welshii</i>) - Wherever found	T	\$53,702	\$1,276,809,574
656	Harvestman, Bone Cave (<i>Texella reyesi</i>) - Wherever found	E	\$53,700	\$1,276,863,274
657	Seal, Ringed (<i>Phoca</i> (=Pusa) <i>hispida hispida</i>) - Wherever found	T	\$53,211	\$1,276,916,485
658	Skyrocket, Pagosa (<i>Ipomopsis polyantha</i>) - Wherever found	E	\$52,592	\$1,276,969,077

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
659	Sturgeon, Shovelnose (<i>Scaphirhynchus platyrhynchus</i>) - Wherever found	SAT	\$52,087	\$1,277,021,164
660	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>) - Wherever found	T	\$51,817	\$1,277,072,981
661	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>) - Wherever found	E	\$51,800	\$1,277,124,781
662	Elktoe, Cumberland (<i>Alasmodonta atropurpurea</i>) - Wherever found	E	\$51,610	\$1,277,176,391
663	Milkweed, Mead's (<i>Asclepias meadii</i>) - Wherever found	T	\$51,599	\$1,277,227,990
664	Puma (=cougar), eastern (<i>Puma</i> (=Felis) <i>concolor</i> cougar) - Wherever found	E	\$51,491	\$1,277,279,481
665	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>) - Wherever found	E	\$51,075	\$1,277,330,556
666	Snail, Pecos <i>assiminea</i> (<i>Assiminea pecos</i>) - Wherever found	E	\$50,900	\$1,277,381,456
667	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>) - Wherever found	T	\$50,473	\$1,277,431,929
668	Sculpin, Grotto (<i>Cottus specus</i>) - Wherever found	E	\$50,200	\$1,277,482,129
669	Deer, Eld's brow-antlered (<i>Cervus eldi</i>) - Wherever found	E	\$50,050	\$1,277,532,179
670	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>) - Wherever found	E	\$49,913	\$1,277,582,092
671	Opuhe (<i>Urera kaalae</i>) - Wherever found	E	\$49,885	\$1,277,631,977
672	Jewelflower, California (<i>Caulanthus californicus</i>) - Wherever found	E	\$49,550	\$1,277,681,527
673	Horse, Przewalski's (<i>Equus przewalskii</i>) - Wherever found	E	\$49,200	\$1,277,730,727
674	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>) - Wherever found	E	\$48,560	\$1,277,779,287
675	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i>)) - Wherever found	E	\$48,030	\$1,277,827,317
676	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>) - Wherever found	E	\$47,850	\$1,277,875,167
677	Darter, bluemask (=jewel) (<i>Etheostoma</i> sp.) - Wherever found	E	\$47,760	\$1,277,922,927
678	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>) - Wherever found	E	\$47,650	\$1,277,970,577
679	Trout, Paiute cutthroat (<i>Oncorhynchus clarkii seleniris</i>) - Wherever found	T	\$47,580	\$1,278,018,157
680	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>) - Wherever found	E	\$47,550	\$1,278,065,707
681	Chub, Owens Tui (<i>Gila bicolor</i> ssp. <i>snyderi</i>) - Wherever found	E	\$47,140	\$1,278,112,847
682	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>) - Wherever found	E	\$46,742	\$1,278,159,589

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
683	Butterfly, Miami Blue (<i>Cyclargus</i> (=Hemiargus) <i>thomasi</i> <i>bethunebakeri</i>) - Wherever found	E	\$46,639	\$1,278,206,228
684	Pearlshell, Alabama (<i>Margaritifera marrianae</i>) - Wherever found	E	\$46,600	\$1,278,252,828
685	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) - Middle Columbia River DPS	EXPN	\$46,398	\$1,278,299,226
686	Madtom, chunky (<i>Noturus crypticus</i>) - Wherever found	E	\$45,900	\$1,278,345,126
687	Ceanothus, coyote (<i>Ceanothus ferrisiae</i>) - Wherever found	E	\$45,750	\$1,278,390,876
688	Kidneyshell, southern (<i>Ptychobranhus jonesi</i>) - Wherever found	E	\$45,634	\$1,278,436,510
689	Phacelia, clay (<i>Phacelia argillacea</i>) - Wherever found	E	\$45,600	\$1,278,482,110
690	Beauty, Harper's (<i>Harperocallis flava</i>) - Wherever found	E	\$45,472	\$1,278,527,582
691	Springsnail, San Bernardino (<i>Pyrgulopsis bernardina</i>) - Wherever found	T	\$45,400	\$1,278,572,982
692	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Wherever found; Except where listed as Experimental Populations	E	\$45,050	\$1,278,618,032
693	Mapleleaf, winged (<i>Quadrula fragosa</i>) - U.S.A. (AL-specified portions of the Tennessee River; see 17.85(a)(1))	EXPN	\$45,000	\$1,278,663,032
693	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>) - Wherever found	E	\$45,000	\$1,278,708,032
694	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>) - Wherever found	E	\$44,706	\$1,278,752,738
695	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>) - Wherever found	T	\$44,151	\$1,278,796,889
696	Spurge, telephus (<i>Euphorbia telephioides</i>) - Wherever found	T	\$44,118	\$1,278,841,007
697	Darter, Etowah (<i>Etheostoma etowahae</i>) - Wherever found	E	\$43,761	\$1,278,884,768
698	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>) - wherever found	E	\$43,013	\$1,278,927,781
699	Cactus, Cochise pincushion (<i>Coryphantha robbinsiorum</i>) - Wherever found	T	\$42,850	\$1,278,970,631
700	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>) - Wherever found	E	\$42,200	\$1,279,012,831
701	Phacelia, DeBeque (<i>Phacelia submutica</i>) - Wherever found	T	\$41,986	\$1,279,054,817
702	Ring pink (mussel) (<i>Obovaria retusa</i>) - Wherever found	E	\$41,640	\$1,279,096,457
703	Rose-mallow, Neches River (<i>Hibiscus dasycalyx</i>) - Wherever found	T	\$41,555	\$1,279,138,012
704	Cactus, San Rafael (<i>Pediocactus despainii</i>) - Wherever found	E	\$41,525	\$1,279,179,537
705	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>) - Wherever found	E	\$41,460	\$1,279,220,997

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
706	Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Wherever found; Except where listed as Experimental Populations	E	\$40,800	\$1,279,261,797
707	Salamander, Georgetown (<i>Eurycea naufragia</i>) - Wherever found	T	\$40,600	\$1,279,302,397
708	Puma, Costa Rican (<i>Puma</i> (=Felis) <i>concolor costaricensis</i>) - Wherever found	E	\$40,480	\$1,279,342,877
709	Logperch, Conasauga (<i>Percina jenkinsi</i>) - Wherever found	E	\$40,470	\$1,279,383,347
710	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriformis)) - Wherever found	E	\$40,450	\$1,279,423,797
711	Dog, African wild (<i>Lycaon pictus</i>) - Wherever found	E	\$40,000	\$1,279,463,797
712	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>) - Wherever found	T	\$39,766	\$1,279,503,563
713	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>) - Wherever found	E	\$39,685	\$1,279,543,248
714	Spineflower, Scotts Valley (<i>Chorizanthe robusta</i> var. <i>hartwegii</i>) - Wherever found	E	\$39,300	\$1,279,582,548
715	Pearlymussel, slabside (<i>Pleuroanaia dolabelloides</i>) - Wherever found	E	\$39,277	\$1,279,621,825
716	Clover, showy Indian (<i>Trifolium amoenum</i>) - Wherever found	E	\$38,921	\$1,279,660,746
717	Shiner, Cape Fear (<i>Notropis mekistocholas</i>) - Wherever found	E	\$38,887	\$1,279,699,633
718	Chumbo, Higo (<i>Harrisia portoricensis</i>) - Wherever found	T	\$38,800	\$1,279,738,433
719	Campion, fringed (<i>Silene polypetala</i>) - Wherever found	E	\$38,641	\$1,279,777,074
720	Goldenrod, white-haired (<i>Solidago albopilosa</i>) - Wherever found	T	\$38,300	\$1,279,815,374
721	Lizard, St. Croix ground (<i>Ameiva polops</i>) - Wherever found	E	\$38,200	\$1,279,853,574
722	Creeper, Hawaii (<i>Oreomystis mana</i>) - Wherever found	E	\$37,936	\$1,279,891,510
723	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>) - Wherever found	T	\$37,884	\$1,279,929,394
724	Butterfly, Schaus swallowtail (<i>Heracles aristodemus ponceanus</i>) - Wherever found	E	\$37,860	\$1,279,967,254
725	Joint-vetch, Sensitive (<i>Aeschynomene virginica</i>) - Wherever found	T	\$37,159	\$1,280,004,413
726	Mucket, orangenacre (<i>Lampsilis perovalis</i>) - Wherever found	T	\$37,005	\$1,280,041,418
727	Salamander, Shenandoah (<i>Plethodon shenandoah</i>) - Wherever found	E	\$37,000	\$1,280,078,418
728	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>) - Wherever found	E	\$36,965	\$1,280,115,383
729	Oryx, scimitar-horned (<i>Oryx dammah</i>) - Wherever found	E	\$36,950	\$1,280,152,333
730	Bladderpod, Missouri (<i>Physaria filiformis</i>) - Wherever found	T	\$36,900	\$1,280,189,233

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
731	A`e (Zanthoxylum dipetalum var. tomentosum) - Wherever found	E	\$36,440	\$1,280,225,673
732	Bat, Mexican long-nosed (Leptonycteris nivalis) - Wherever found	E	\$36,150	\$1,280,261,823
733	Rush-rose, island (Helianthemum Greenei) - Wherever found	T	\$35,986	\$1,280,297,809
734	Haha (Cyanea shipmanii) - Wherever found	E	\$35,918	\$1,280,333,727
735	Bird's beak, palmate-bracted (Cordylanthus palmatus) - Wherever found	E	\$35,875	\$1,280,369,602
736	Spinymussel, Altamaha (Elliptio spinosa) - Wherever found	E	\$35,793	\$1,280,405,395
737	Silversword, Mauna Loa (=Ka'u) (Argyroxiphium kauense) - Wherever found	E	\$35,747	\$1,280,441,142
738	Bedstraw, El Dorado (Galium californicum ssp. sierrae) - Wherever found	E	\$35,706	\$1,280,476,848
739	Wire-lettuce, Malheur (Stephanomeria malheurensis) - Wherever found	E	\$35,600	\$1,280,512,448
740	Phacelia, North Park (Phacelia formosula) - Wherever found	E	\$35,171	\$1,280,547,619
741	No Common Name (Diplazium molokaiense) - Wherever found	E	\$35,132	\$1,280,582,751
742	Meadowrue, Cooley's (Thalictrum cooleyi) - Wherever found	E	\$34,913	\$1,280,617,664
743	No Common Name (Bonamia menziesii) - Wherever found	E	\$34,702	\$1,280,652,366
744	Isopod, Madison Cave (Antrolana lira) - Wherever found	T	\$34,667	\$1,280,687,033
745	Butterfly, callippe silverspot (Speyeria callippe callippe) - Wherever found	E	\$34,350	\$1,280,721,383
746	Spinedace, Little Colorado (Lepidomeda vittata) - Wherever found	T	\$34,334	\$1,280,755,717
747	No Common Name (Platanthera holochila) - Wherever found	E	\$34,112	\$1,280,789,829
748	Cactus, Siler pincushion (Pedjocactus (=Echinocactus,=Utahia) sileri) - Wherever found	T	\$34,002	\$1,280,823,831
749	`Akoko (Euphorbia kuwaleana) - Wherever found	E	\$33,808	\$1,280,857,639
750	Prairie-clover, leafy (Dalea foliosa) - Wherever found	E	\$33,724	\$1,280,891,363
751	Darter, amber (Percina antesella) - Wherever found	E	\$33,631	\$1,280,924,994
752	Madtom, yellowfin (Noturus flavipinnis) - Wherever found, except where listed as an experimental population	T	\$33,539	\$1,280,958,533
753	Lo`ulu (Pritchardia maideniana) - Wherever found	E	\$33,326	\$1,280,991,859
754	Manioc, Walker's (Manihot walkerae) - Wherever found	E	\$33,300	\$1,281,025,159
755	Rock cress, Shale barren (Arabis serotina) - Wherever found	E	\$33,262	\$1,281,058,421
756	Salamander, Jollyville Plateau (Eurycea tonkawae) - Wherever found	T	\$33,200	\$1,281,091,621

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
757	Fly, Hawaiian picture-wing (<i>Drosophila obatai</i>) - Wherever found	E	\$33,185	\$1,281,124,806
758	Haha (<i>Cyanea stictophylla</i>) - Wherever found	E	\$32,951	\$1,281,157,757
759	Pocketbook, speckled (<i>Lampsilis streckeri</i>) - Wherever found	E	\$32,700	\$1,281,190,457
760	Meadowfoam, large-flowered woolly (<i>Limnanthes pumila grandiflora</i>) - Wherever found	E	\$32,500	\$1,281,222,957
761	Sucker, Modoc (<i>Catostomus microps</i>) - Wherever found	E	\$32,325	\$1,281,255,282
762	`aku (<i>Cyanea tritomantha</i>) - Wherever found	E	\$32,264	\$1,281,287,546
763	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>) - Wherever found	E	\$32,227	\$1,281,319,773
764	Picture-wing fly, Hawaiian (<i>Drosophila montgomeryi</i>) - Wherever found	E	\$32,171	\$1,281,351,944
764	Fly, Hawaiian picture-wing (<i>Drosophila substenoptera</i>) - Wherever found	E	\$32,171	\$1,281,384,115
765	`Oha wai (<i>Clermontia peleana</i>) - Wherever found	E	\$32,098	\$1,281,416,213
766	Cactus, star (<i>Astrophytum asterias</i>) - Wherever found	E	\$32,000	\$1,281,448,213
767	Gooseberry, Miccosukee (<i>Ribes echinellum</i>) - Wherever found	T	\$31,573	\$1,281,479,786
768	Isopod, Lee County cave (<i>Lirceus usdagalun</i>) - Wherever found	E	\$31,500	\$1,281,511,286
769	Holly, Cook's (<i>Ilex cookii</i>) - Wherever found	E	\$31,400	\$1,281,542,686
770	Alani (<i>Melicope adscendens</i>) - Wherever found	E	\$31,252	\$1,281,573,938
771	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>) - Wherever found	E	\$31,200	\$1,281,605,138
772	Bladderpod, Short's (<i>Physaria globosa</i>) - Wherever found	E	\$31,170	\$1,281,636,308
773	Koki`o (<i>Kokia drynarioides</i>) - Wherever found	E	\$31,117	\$1,281,667,425
774	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>) - Wherever found	E	\$30,860	\$1,281,698,285
775	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>) - Wherever found	T	\$30,630	\$1,281,728,915
776	Lupine, scrub (<i>Lupinus aridorum</i>) - Wherever found	E	\$30,604	\$1,281,759,519
777	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>) - Wherever found	E	\$30,600	\$1,281,790,119
778	Gumplant, Ash Meadows (<i>Grindelia fraxinipratensis</i>) - Wherever found	T	\$30,360	\$1,281,820,479
779	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - Wherever found; Except where listed as Experimental Populations	E	\$30,300	\$1,281,850,779
780	Clubshell (<i>Pleurobema clava</i>) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$30,210	\$1,281,880,989
781	Salmon, Chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) - Central Valley spring-run ESU	EXPN	\$30,181	\$1,281,911,170

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
782	Blazingstar, Ash Meadows (Mentzelia leucophylla) - Wherever found	T	\$30,160	\$1,281,941,330
783	Kauila (Colubrina oppositifolia) - Wherever found	E	\$30,091	\$1,281,971,421
784	Beargrass, Britton's (Nolina brittoniana) - Wherever found	E	\$29,970	\$1,282,001,391
785	Pearlymussel, dromedary (Dromus dromas) - Wherever found; Except where listed as Experimental Populations	E	\$29,900	\$1,282,031,291
786	Mountain beaver, Point Arena (Aplodontia rufa nigra) - Wherever found	E	\$29,850	\$1,282,061,141
787	Sedge, golden (Carex lutea) - Wherever found	E	\$29,828	\$1,282,090,969
788	No Common Name (Wikstroemia villosa) - Wherever found	E	\$29,772	\$1,282,120,741
789	Ibex, Walia (Capra waliae) - Wherever found	E	\$29,667	\$1,282,150,408
790	Iliau, dwarf (Wilkesia hobbii) - Wherever found	E	\$29,613	\$1,282,180,021
791	Fatmucket, Arkansas (Lampsilis powellii) - Wherever found	T	\$29,500	\$1,282,209,521
792	Boa, Virgin Islands tree (Epicrates monensis granti) - Wherever found	E	\$29,382	\$1,282,238,903
793	Kidneyshell, fluted (Ptychobranhus subtentum) - Wherever found	E	\$29,370	\$1,282,268,273
794	Quillwort, Louisiana (Isoetes louisianensis) - Wherever found	E	\$29,342	\$1,282,297,615
795	Snail, Lanai tree (Partulina variabilis) - Wherever found	E	\$29,184	\$1,282,326,799
796	Manzanita, Franciscan (Arctostaphylos franciscana) - Wherever found	E	\$28,950	\$1,282,355,749
797	Cactus, Bakersfield (Opuntia treleasei) - Wherever found	E	\$28,925	\$1,282,384,674
798	Snail, Lanai tree (Partulina semicarinata) - Wherever found	E	\$28,910	\$1,282,413,584
799	Iguana, Cuban ground (Cyclura nubila nubila) - (Cyclura nubila nubila)	T	\$28,800	\$1,282,442,384
799	Milk-vetch, Shivwits (Astragalus ampullarioides) - Wherever found	E	\$28,800	\$1,282,471,184
800	`Ala `ala wai nui (Peperomia subpetiolata) - Wherever found	E	\$28,699	\$1,282,499,883
801	Snake, copperbelly water (Nerodia erythrogaster neglecta) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$28,632	\$1,282,528,515
802	Woundfin (Plagopterus argentissimus) - Gila R. drainage, AZ, NM	EXPN	\$28,500	\$1,282,557,015
803	Ivesia, Ash Meadows (Ivesia kingii var. eremica) - Wherever found	T	\$28,360	\$1,282,585,375
804	Sunray, Ash Meadows (Enceliopsis nudicaulis var. corrugata) - Wherever found	T	\$28,312	\$1,282,613,687
805	Honeycreeper, (Akohekohe) crested (Palmeria dolei) - Wherever found	E	\$28,284	\$1,282,641,971
806	Grass, Solano (Tuctoria mucronata) - Wherever found	E	\$28,200	\$1,282,670,171
806	Mallow, Peter's Mountain (Iliamna corei) - Wherever found	E	\$28,200	\$1,282,698,371

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
806	Yellowhead, desert (<i>Yermo xanthocephalus</i>) - Wherever found	T	\$28,200	\$1,282,726,571
807	Purple Cat's paw (=Purple Cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - Wherever found; Except where listed as Experimental Populations	E	\$27,807	\$1,282,754,378
808	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>) - Wherever found	E	\$27,773	\$1,282,782,151
809	Aster, decurrent false (<i>Boltonia decurrens</i>) - Wherever found	T	\$27,765	\$1,282,809,916
810	Madtom, pygmy (<i>Noturus stanauli</i>) - Wherever found	E	\$27,730	\$1,282,837,646
811	Curlew, Eskimo (<i>Numenius borealis</i>) - Wherever found	E	\$27,700	\$1,282,865,346
812	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>) - Wherever found	E	\$27,600	\$1,282,892,946
813	Plum, scrub (<i>Prunus geniculata</i>) - Wherever found	E	\$27,201	\$1,282,920,147
814	Nui, haha (<i>Cyanea horrida</i>) - Wherever found	E	\$27,142	\$1,282,947,289
815	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>) - Wherever found	E	\$27,100	\$1,282,974,389
816	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>) - Wherever found	E	\$27,000	\$1,283,001,389
817	Alani (<i>Melicope degeneri</i>) - Wherever found	E	\$26,925	\$1,283,028,314
818	Daisy, Lakeside (<i>Hymenoxys herbacea</i>) - Wherever found	T	\$26,897	\$1,283,055,211
819	Darter, fountain (<i>Etheostoma fonticola</i>) - Wherever found	E	\$26,700	\$1,283,081,911
820	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>) - Wherever found	E	\$26,674	\$1,283,108,585
821	Mint, Lakela's (<i>Dicerandra immaculata</i>) - Wherever found	E	\$26,552	\$1,283,135,137
822	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>) - Wherever found	E	\$26,482	\$1,283,161,619
823	Makou (<i>Peucedanum sandwicense</i>) - Wherever found	T	\$26,398	\$1,283,188,017
824	Pigtoe, tapered (<i>Fusconaia burkei</i>) - Wherever found	T	\$26,256	\$1,283,214,273
825	`Aiakeakua, popolo (<i>Solanum sandwicense</i>) - Wherever found	E	\$26,110	\$1,283,240,383
826	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>) - Wherever found	E	\$26,000	\$1,283,266,383
827	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>) - Wherever found	E	\$25,900	\$1,283,292,283
827	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>) - Wherever found	E	\$25,900	\$1,283,318,183
828	Heau (<i>Exocarpos luteolus</i>) - Wherever found	E	\$25,866	\$1,283,344,049
829	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>) - Wherever found	E	\$25,850	\$1,283,369,899
830	`Oha wai (<i>Clermontia pyralaria</i>) - Wherever found	E	\$25,842	\$1,283,395,741
831	Skullcap, Florida (<i>Scutellaria floridana</i>) - Wherever found	T	\$25,750	\$1,283,421,491

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
832	Pa`iniu (Astelia waialealae) - Wherever found	E	\$25,686	\$1,283,447,177
833	Stickseed, showy (Hackelia venusta) - Wherever found	E	\$25,592	\$1,283,472,769
834	Butterwort, Godfrey's (Pinguicula ionantha) - Wherever found	T	\$25,494	\$1,283,498,263
835	Tree snail, Newcomb's (Newcombia cumingi) - Wherever found	E	\$25,493	\$1,283,523,756
836	Koki`o (Kokia kauaiensis) - Wherever found	E	\$25,310	\$1,283,549,066
837	Barbara's Buttons, Mohr's (Marshallia mohrii) - Wherever found	T	\$25,063	\$1,283,574,129
838	`Akoko, Ewa Plains (Euphorbia skottsbergii var. skottsbergii) - Wherever found	E	\$25,019	\$1,283,599,148
839	Pocketbook, finelined (Lampsilis altilis) - Wherever found	T	\$25,006	\$1,283,624,154
840	Beetle, Comal Springs dryopid (Stygoparnus comalensis) - Wherever found	E	\$25,000	\$1,283,649,154
841	Vetch, Hawaiian (Vicia menziesii) - Wherever found	E	\$24,841	\$1,283,673,995
842	Shrimp, California freshwater (Syncaris pacifica) - Wherever found	E	\$24,800	\$1,283,698,795
843	Fiddleneck, large-flowered (Amsinckia grandiflora) - Wherever found	E	\$24,650	\$1,283,723,445
844	Lo`ulu (Pritchardia lanigera) - Wherever found	E	\$24,648	\$1,283,748,093
845	Sandlace (Polygonella myriophylla) - Wherever found	E	\$24,601	\$1,283,772,694
846	Haha (Cyanea marksii) - Wherever found	E	\$24,558	\$1,283,797,252
847	Townsendia, Last Chance (Townsendia aprica) - Wherever found	T	\$24,550	\$1,283,821,802
848	Cactus, Knowlton's (Pediocactus knowltonii) - Wherever found	E	\$24,542	\$1,283,846,344
849	Alani (Melicope knudsenii) - Wherever found	E	\$24,458	\$1,283,870,802
850	Cobana negra (Stahlia monosperma) - Wherever found	T	\$24,400	\$1,283,895,202
851	Haha (Cyanea rivularis) - Wherever found	E	\$24,247	\$1,283,919,449
852	Thistle, Chorro Creek bog (Cirsium fontinale var. obispoense) - Wherever found	E	\$24,230	\$1,283,943,679
853	Rock-cress, Braun's (Arabis perstellata) - Wherever found	E	\$24,200	\$1,283,967,879
854	No Common Name (Schiedea kauaiensis) - Wherever found	E	\$24,172	\$1,283,992,051
855	No Common Name (Neraudia sericea) - Wherever found	E	\$24,154	\$1,284,016,205
856	`Awikiwiki (Canavalia pubescens) - Wherever found	E	\$24,116	\$1,284,040,321
857	Coqui, golden (Eleutherodactylus jasperii) - Wherever found	T	\$24,100	\$1,284,064,421
857	Ambersnail, Kanab (Oxyloma haydeni kanabensis) - Wherever found	E	\$24,100	\$1,284,088,521
858	Crayfish, Nashville (Orconectes shoupi) - Wherever found	E	\$24,008	\$1,284,112,529

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
859	No Common Name (Tetramolopium rockii) - Wherever found	T	\$23,905	\$1,284,136,434
860	Torreya, Florida (Torreya taxifolia) - Wherever found	E	\$23,846	\$1,284,160,280
861	Kuahiwi laukahi (Plantago hawaiiensis) - Wherever found	E	\$23,803	\$1,284,184,083
862	Pawpaw, four-petal (Asimina tetramera) - Wherever found	E	\$23,800	\$1,284,207,883
863	Hawk, Puerto Rican sharp-shinned (Accipiter striatus venator) - Wherever found	E	\$23,700	\$1,284,231,583
864	Cat's-eye, Terlingua Creek (Cryptantha crassipes) - Wherever found	E	\$23,640	\$1,284,255,223
865	Haha (Cyanea duvalliorum) - Wherever found	E	\$23,628	\$1,284,278,851
866	Pigtoe, southern (Pleurobema georgianum) - Wherever found	E	\$23,620	\$1,284,302,471
867	Alani (Melicope zahlbruckneri) - Wherever found	E	\$23,506	\$1,284,325,977
868	Taraxacum, California (Taraxacum californicum) - Wherever found	E	\$23,500	\$1,284,349,477
869	Rosemary, Apalachicola (Conradina glabra) - Wherever found	E	\$23,457	\$1,284,372,934
870	Rabbitsfoot, rough (Quadrula cylindrica strigillata) - Wherever found	E	\$23,368	\$1,284,396,302
871	Butterfly, San Bruno elfin (Callophrys mossii bayensis) - Wherever found	E	\$23,350	\$1,284,419,652
872	Lead-plant, Crenulate (Amorpha crenulata) - Wherever found	E	\$23,300	\$1,284,442,952
873	Clover, Monterey (Trifolium trichocalyx) - Wherever found	E	\$23,200	\$1,284,466,152
874	Naupaka, dwarf (Scaevola coriacea) - Wherever found	E	\$23,195	\$1,284,489,347
875	Blazingstar, scrub (Liatris ohlingerae) - Wherever found	E	\$23,170	\$1,284,512,517
876	Cactus, Key tree (Pilosocereus robinii) - Wherever found	E	\$23,110	\$1,284,535,627
877	Salamander, Jemez Mountains (Plethodon neomexicanus) - Wherever found	E	\$23,100	\$1,284,558,727
878	No Common Name (Asplenium dielpallidum) - Wherever found	E	\$23,088	\$1,284,581,815
879	Lehua makano (Lysimachia daphnoides) - Wherever found	E	\$23,067	\$1,284,604,882
880	Nohoanu (Geranium kauaiense) - Wherever found	E	\$23,000	\$1,284,627,882
881	Alani (Melicope mucronulata) - Wherever found	E	\$22,941	\$1,284,650,823
882	Mallow, Kern (Eremalche kernensis) - Wherever found	E	\$22,850	\$1,284,673,673
883	`Oha wai (Clermontia lindseyana) - Wherever found	E	\$22,844	\$1,284,696,517
884	Turtle, yellow-blotched map (Graptemys flavimaculata) - Wherever found	T	\$22,750	\$1,284,719,267
885	Pigtoe, rough (Pleurobema plenum) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$22,703	\$1,284,741,970

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
886	Dace, Clover Valley speckled (Rhinichthys osculus oligoporus) - Wherever found	E	\$22,513	\$1,284,764,483
887	No Common Name (Schiedea membranacea) - Wherever found	E	\$22,511	\$1,284,786,994
888	Butterfly, Uncompahgre fritillary (Boloria acrocnema) - Wherever found	E	\$22,486	\$1,284,809,480
889	Tuctoria, Greene's (Tuctoria greenei) - Wherever found	E	\$22,454	\$1,284,831,934
890	Trillium, persistent (Trillium persistens) - Wherever found	E	\$22,300	\$1,284,854,234
891	Kamakahala (Labordia lydgatei) - Wherever found	E	\$22,298	\$1,284,876,532
892	Pupfish, Warm Springs (Cyprinodon nevadensis pectoralis) - Wherever found	E	\$22,240	\$1,284,898,772
893	Tarplant, Otay (Deinandra (=Hemizonia) conjugens) - Wherever found	T	\$22,232	\$1,284,921,004
894	Pigeon, Puerto Rican plain (Columba inornata wetmorei) - Wherever found	E	\$22,200	\$1,284,943,204
895	Fern, pendant kihi (Adenophorus periens) - Wherever found	E	\$22,198	\$1,284,965,402
896	Darter, yellowcheek (Etheostoma moorei) - Wherever found	E	\$22,000	\$1,284,987,402
897	Sunburst, San Joaquin adobe (Pseudobahia peirsonii) - Wherever found	T	\$21,841	\$1,285,009,243
898	No Common Name (Phyllostegia haliakalae) - Wherever found	E	\$21,836	\$1,285,031,079
899	Jewelflower, Tiburon (Streptanthus niger) - Wherever found	E	\$21,818	\$1,285,052,897
900	Spineflower, Sonoma (Chorizanthe valida) - Wherever found	E	\$21,800	\$1,285,074,697
901	Cactus, Fickeisen plains (Pediocactus peeblesianus fickeiseniae) - Wherever found	E	\$21,500	\$1,285,096,197
901	Oxytheca, Cushenbury (Oxytheca parishii var. goodmaniana) - Wherever found	E	\$21,500	\$1,285,117,697
902	Pussypaws, Mariposa (Calyptridium pulchellum) - Wherever found	T	\$21,450	\$1,285,139,147
903	Moccasinshell, Coosa (Medionidus parvulus) - Wherever found	E	\$21,399	\$1,285,160,546
904	Polygala, Lewton's (Polygala lewtonii) - Wherever found	E	\$21,301	\$1,285,181,847
905	Sunfish, spring pygmy (Elassoma alabamae) - Wherever found	T	\$21,300	\$1,285,203,147
906	Ebonyshell, round (Fusconaia rotulata) - Wherever found	E	\$21,251	\$1,285,224,398
907	Sculpin, pygmy (Cottus paulus (=pygmaeus)) - Wherever found	T	\$21,100	\$1,285,245,498
908	Bladderpod, Dudley Bluffs (Lesquerella congesta) - Wherever found	T	\$21,066	\$1,285,266,564

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
909	No Common Name (Phyllostegia mannii) - Wherever found	E	\$21,031	\$1,285,287,595
910	Bonamia, Florida (Bonamia grandiflora) - Wherever found	T	\$21,003	\$1,285,308,598
911	Sunflower, whorled (Helianthus verticillatus) - Wherever found	E	\$21,000	\$1,285,329,598
912	Haha (Cyanea remyi) - Wherever found	E	\$20,998	\$1,285,350,596
913	Spider, spruce-fir moss (Microhexura montivaga) - Wherever found	E	\$20,800	\$1,285,371,396
913	Cactus, Tobusch fishhook (Sclerocactus brevihamatus ssp. tobuschii) - Wherever found	E	\$20,800	\$1,285,392,196
914	Salamander, Cheat Mountain (Plethodon nettingi) - Wherever found	T	\$20,705	\$1,285,412,901
915	Lupine, clover (Lupinus tidestromii) - Wherever found	E	\$20,650	\$1,285,433,551
916	Cat, leopard (Prionailurus (=Felis) bengalensis bengalensis) - Wherever found	E	\$20,643	\$1,285,454,194
917	Ground-plum, Guthrie's (=Pyne's) (Astragalus bibullatus) - Wherever found	E	\$20,600	\$1,285,474,794
918	Na`ena`e (Dubautia waialealae) - Wherever found	E	\$20,551	\$1,285,495,345
919	No Common Name (Schiedea verticillata) - Wherever found	E	\$20,426	\$1,285,515,771
920	Darter, diamond (Crystallaria cincotta) - Wherever found	E	\$20,332	\$1,285,536,103
921	Orcutt grass, hairy (Orcuttia pilosa) - Wherever found	E	\$20,225	\$1,285,556,328
922	No Common Name (Kadua parvula) - Wherever found	E	\$20,116	\$1,285,576,444
922	Bladderpod, kodachrome (Lesquerella tumulosa) - Wherever found	E	\$20,116	\$1,285,596,560
923	Twinpod, Dudley Bluffs (Physaria obcordata) - Wherever found	T	\$20,066	\$1,285,616,626
924	Sawfish, smalltooth (Pristis pectinata) - Non-US DPS - Smalltooth sawfish originating from non-US waters	E	\$20,000	\$1,285,636,626
924	Dace, Laurel (Chrosomus saylori) - Wherever found	E	\$20,000	\$1,285,656,626
925	Goldenrod, Short's (Solidago shortii) - Wherever found	E	\$19,980	\$1,285,676,606
926	Darter, snail (Percina tanasi) - Wherever found	T	\$19,965	\$1,285,696,571
927	No Common Name (Keysseria (=Lagenifera) erici) - Wherever found	E	\$19,928	\$1,285,716,499
927	No Common Name (Keysseria (=Lagenifera) helenae) - Wherever found	E	\$19,928	\$1,285,736,427
928	Fringe-tree, pygmy (Chionanthus pygmaeus) - Wherever found	E	\$19,922	\$1,285,756,349
929	No Common Name (Achyranthes mutica) - Wherever found	E	\$19,791	\$1,285,776,140
930	Hawk, Puerto Rican broad-winged (Buteo platypterus brunnescens) - Wherever found	E	\$19,700	\$1,285,795,840

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
931	Wolf, Mexican (<i>Canis lupus baileyi</i>) - Wherever found, except where listed as an experimental population	E	\$19,500	\$1,285,815,340
931	Beetle, American burying (<i>Nicrophorus americanus</i>) - Ex Pop, SW Missouri	EXPN	\$19,500	\$1,285,834,840
932	Glade cress, Kentucky (<i>Leavenworthia exigua laciniata</i>) - Wherever found	T	\$19,460	\$1,285,854,300
933	Clarkia, Presidio (<i>Clarkia franciscana</i>) - Wherever found	E	\$19,300	\$1,285,873,600
933	Goetzea, beautiful (<i>Goetzea elegans</i>) - Wherever found	E	\$19,300	\$1,285,892,900
934	Haha (<i>Cyanea procera</i>) - Wherever found	E	\$19,281	\$1,285,912,181
935	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>) - Wherever found	T	\$19,217	\$1,285,931,398
936	Kuawawaenohu (<i>Schiedea lychnoides</i>) - Wherever found	E	\$19,145	\$1,285,950,543
937	No Common Name (<i>Lysimachia lydgatei</i>) - Wherever found	E	\$19,083	\$1,285,969,626
938	Wawae`iole (<i>Huperzia mannii</i>) - Wherever found	E	\$19,028	\$1,285,988,654
939	Amphianthus, little (<i>Amphianthus pusillus</i>) - Wherever found	T	\$19,000	\$1,286,007,654
940	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>) - Wherever found	E	\$18,976	\$1,286,026,630
941	Beardtongue, Parachute (<i>Penstemon debilis</i>) - Wherever found	T	\$18,946	\$1,286,045,576
942	Fly, Hawaiian picture-wing (<i>Drosophila sharpi</i>) - Wherever found	E	\$18,935	\$1,286,064,511
943	Bluegrass, Hawaiian (<i>Poa sandwicensis</i>) - Wherever found	E	\$18,933	\$1,286,083,444
944	No Common Name (<i>Delissea rhytidosperra</i>) - Wherever found	E	\$18,921	\$1,286,102,365
945	Aster, Florida golden (<i>Chrysopsis floridana</i>) - Wherever found	E	\$18,914	\$1,286,121,279
946	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>) - Wherever found	E	\$18,876	\$1,286,140,155
946	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>) - Wherever found	E	\$18,876	\$1,286,159,031
947	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>) - Wherever found	E	\$18,817	\$1,286,177,848
948	Mapele (<i>Cyrtandra cyaneoides</i>) - Wherever found	E	\$18,813	\$1,286,196,661
949	Sucker, Zuni bluehead (<i>Catostomus discobolus yarrowi</i>) - Wherever found	E	\$18,800	\$1,286,215,461
950	Aumakua, Palapalai (<i>Dryopteris crinalis</i> var. <i>podosorus</i>) - Wherever found	E	\$18,635	\$1,286,234,096
951	Darter, Cumberland (<i>Etheostoma susanae</i>) - Wherever found	E	\$18,630	\$1,286,252,726
952	Warea, wide-leaf (<i>Warea amplexifolia</i>) - Wherever found	E	\$18,600	\$1,286,271,326
953	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>) - Wherever found	E	\$18,570	\$1,286,289,896

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
954	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>) - Wherever found	E	\$18,557	\$1,286,308,453
955	Kamakahala (<i>Labordia pumila</i>) - Wherever found	E	\$18,523	\$1,286,326,976
956	No Common Name (<i>Lobelia niihauensis</i>) - Wherever found	E	\$18,515	\$1,286,345,491
957	No Common Name (<i>Lysimachia pendens</i>) - Wherever found	E	\$18,470	\$1,286,363,961
958	Ihī'ihī (<i>Marsilea villosa</i>) - Wherever found	E	\$18,419	\$1,286,382,380
959	Haha (<i>Cyanea lobata</i>) - Wherever found	E	\$18,418	\$1,286,400,798
960	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>) - Wherever found	E	\$18,198	\$1,286,418,996
961	Fly, Hawaiian picture-wing (<i>Drosophila heteroneura</i>) - Wherever found	E	\$18,105	\$1,286,437,101
962	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>) - Wherever found	E	\$18,100	\$1,286,455,201
962	Quillwort, black spored (<i>Isoetes melanospora</i>) - Wherever found	E	\$18,100	\$1,286,473,301
963	Kopiko (<i>Psychotria grandiflora</i>) - Wherever found	E	\$18,070	\$1,286,491,371
964	Haha (<i>Cyanea asarifolia</i>) - Wherever found	E	\$18,034	\$1,286,509,405
965	Beardtongue, Penland (<i>Penstemon penlandii</i>) - Wherever found	E	\$18,010	\$1,286,527,415
966	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>) - Wherever found	E	\$18,008	\$1,286,545,423
967	No Common Name (<i>Viola helenae</i>) - Wherever found	E	\$17,969	\$1,286,563,392
967	No Common Name (<i>Phyllostegia waimeae</i>) - Wherever found	E	\$17,969	\$1,286,581,361
968	No Common Name (<i>Phyllostegia floribunda</i>) - Wherever found	E	\$17,965	\$1,286,599,326
969	Kiponapona (<i>Phyllostegia racemosa</i>) - Wherever found	E	\$17,914	\$1,286,617,240
970	`Aiea (<i>Nothocestrum peltatum</i>) - Wherever found	E	\$17,792	\$1,286,635,032
971	Pinkroot, gentian (<i>Spigelia gentianoides</i>) - Wherever found	E	\$17,740	\$1,286,652,772
972	Pigtoe, Georgia (<i>Pleurobema hanleyianum</i>) - Wherever found	E	\$17,700	\$1,286,670,472
972	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>) - Wherever found	E	\$17,700	\$1,286,688,172
972	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>) - Wherever found	E	\$17,700	\$1,286,705,872
973	No Common Name (<i>Remya montgomeryi</i>) - Wherever found	E	\$17,691	\$1,286,723,563
974	Whitlow-wort, papery (<i>Paronychia chartacea</i>) - Wherever found	T	\$17,670	\$1,286,741,233
975	Gambusia, Pecos (<i>Gambusia nobilis</i>) - Wherever found	E	\$17,550	\$1,286,758,783
976	No Common Name (<i>Gouania meyenii</i>) - Wherever found	E	\$17,549	\$1,286,776,332

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
977	Mouse, Key Largo cotton (Peromyscus gossypinus allapaticola) - Wherever found	E	\$17,547	\$1,286,793,879
978	`Akoko (Euphorbia haeleeleana) - Wherever found	E	\$17,529	\$1,286,811,408
979	Thistle, fountain (Cirsium fontinale var. fontinale) - Wherever found	E	\$17,513	\$1,286,828,921
979	Sandalwood, Lanai (= iliahi) (Santalum haleakalae var. lanaiense) - Wherever found	E	\$17,513	\$1,286,846,434
980	Clubshell, ovate (Pleurobema perovatum) - Wherever found	E	\$17,362	\$1,286,863,796
981	No Common Name (Cyrtandra wagneri) - Wherever found	E	\$17,357	\$1,286,881,153
982	Kolea (Myrsine mezii) - Wherever found	E	\$17,246	\$1,286,898,399
983	Bush-clover, prairie (Lespedeza leptostachya) - Wherever found	T	\$17,224	\$1,286,915,623
984	Acornshell, southern (Epioblasma othcaloogensis) - Wherever found	E	\$17,209	\$1,286,932,832
985	Ha`iwale (Cyrtandra kaulantha) - Wherever found	E	\$17,124	\$1,286,949,956
986	Sandwort, Bear Valley (Arenaria ursina) - Wherever found	T	\$17,100	\$1,286,967,056
987	No Common Name (Stenogyne kealiae) - Wherever found	E	\$17,092	\$1,286,984,148
988	Fly, Hawaiian picture-wing (Drosophila hemipeza) - Wherever found	E	\$17,091	\$1,287,001,239
988	Fly, Hawaiian picture-wing (Drosophila differens) - Wherever found	E	\$17,091	\$1,287,018,330
989	Paintbrush, soft-leaved (Castilleja mollis) - Wherever found	E	\$17,072	\$1,287,035,402
990	Alani (Melicope puberula) - Wherever found	E	\$17,065	\$1,287,052,467
991	No Common Name (Doryopteris angelica) - Wherever found	E	\$17,027	\$1,287,069,494
992	Gardenia (=Na`u), Hawaiian (Gardenia brighamii) - Wherever found	E	\$17,009	\$1,287,086,503
993	Beetle, [no common name] (Rhadine exilis) - Wherever found	E	\$16,970	\$1,287,103,473
994	No Common Name (Delissea undulata) - Wherever found	E	\$16,966	\$1,287,120,439
995	Nani wai`ale`ale (Viola kauaiensis var. wahiawaensis) - Wherever found	E	\$16,955	\$1,287,137,394
996	Ha`iwale (Cyrtandra filipes) - Wherever found	E	\$16,954	\$1,287,154,348
997	Thrush, large Kauai (=kamao) (Myadestes myadestinus) - Wherever found	E	\$16,948	\$1,287,171,296
998	Fly, Hawaiian picture-wing (Drosophila musaphilia) - Wherever found	E	\$16,939	\$1,287,188,235
999	Kamakahala (Labordia tinifolia var. lanaiensis) - Wherever found	E	\$16,923	\$1,287,205,158
1000	Buckwheat, Umtanum Desert (Eriogonum codium) - Wherever found	T	\$16,922	\$1,287,222,080

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1001	Manzanita, Morro (<i>Arctostaphylos morroensis</i>) - Wherever found	T	\$16,900	\$1,287,238,980
1002	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>) - Wherever found	E	\$16,870	\$1,287,255,850
1003	No Common Name (<i>Phyllostegia hispida</i>) - Wherever found	E	\$16,854	\$1,287,272,704
1004	Pua `ala (<i>Brighamia rockii</i>) - Wherever found	E	\$16,833	\$1,287,289,537
1005	Haha (<i>Cyanea pinnatifida</i>) - Wherever found	E	\$16,830	\$1,287,306,367
1006	Aster, Ruth's golden (<i>Pityopsis ruthii</i>) - Wherever found	E	\$16,810	\$1,287,323,177
1007	No Common Name (<i>Eugenia woodburyana</i>) - Wherever found	E	\$16,800	\$1,287,339,977
1008	No Common Name (<i>Silene alexandri</i>) - Wherever found	E	\$16,752	\$1,287,356,729
1008	No Common Name (<i>Pittosporum halophilum</i>) - Wherever found	E	\$16,752	\$1,287,373,481
1009	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>) - Wherever found	T	\$16,744	\$1,287,390,225
1010	No Common Name (<i>Phyllostegia pilosa</i>) - Wherever found	E	\$16,741	\$1,287,406,966
1010	No Common Name (<i>Stenogyne kauaulaensis</i>) - Wherever found	E	\$16,741	\$1,287,423,707
1011	Koki`o, Cooke's (<i>Kokia cookei</i>) - Wherever found	E	\$16,738	\$1,287,440,445
1012	Haha (<i>Cyanea obtusa</i>) - Wherever found	E	\$16,727	\$1,287,457,172
1013	Milk-vetch, Mancos (<i>Astragalus humillimus</i>) - Wherever found	E	\$16,720	\$1,287,473,892
1014	No Common Name (<i>Lysimachia maxima</i>) - Wherever found	E	\$16,712	\$1,287,490,604
1015	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>) - Wherever found	E	\$16,680	\$1,287,507,284
1016	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>) - Wherever found	E	\$16,650	\$1,287,523,934
1017	Goldenrod, Houghton's (<i>Solidago houghtonii</i>) - Wherever found	T	\$16,614	\$1,287,540,548
1018	Naenae (<i>Dubautia kalalauensis</i>) - Wherever found	E	\$16,607	\$1,287,557,155
1019	No Common Name (<i>Osmoxylon mariannense</i>) - Wherever found	E	\$16,583	\$1,287,573,738
1020	No Common Name (<i>Schiedea haleakalensis</i>) - Wherever found	E	\$16,544	\$1,287,590,282
1021	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>) - Wherever found	E	\$16,500	\$1,287,606,782
1021	Leather flower, Alabama (<i>Clematis socialis</i>) - Wherever found	E	\$16,500	\$1,287,623,282
1022	No Common Name (<i>Xylosma crenatum</i>) - Wherever found	E	\$16,394	\$1,287,639,676
1023	Olulu (<i>Brighamia insignis</i>) - Wherever found	E	\$16,383	\$1,287,656,059

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1024	Cliffrose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>) - Wherever found	E	\$16,300	\$1,287,672,359
1025	No Common Name (<i>Polyscias bisattenuata</i>) - Wherever found	E	\$16,271	\$1,287,688,630
1026	Haha (<i>Cyanea maritae</i>) - Wherever found	E	\$16,257	\$1,287,704,887
1027	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>) - Wherever found	E	\$16,219	\$1,287,721,106
1028	Alani (<i>Melicope hiiakae</i>) - Wherever found	E	\$16,212	\$1,287,737,318
1029	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>) - Wherever found	E	\$16,200	\$1,287,753,518
1029	Gerardia, sandplain (<i>Agalinis acuta</i>) - Wherever found	E	\$16,200	\$1,287,769,718
1030	Haha (<i>Cyanea gibsonii</i>) - Wherever found	E	\$16,199	\$1,287,785,917
1031	Grass, Colusa (<i>Neostapfia colusana</i>) - Wherever found	T	\$16,197	\$1,287,802,114
1032	Pilo (<i>Kadua laxiflora</i>) - Wherever found	E	\$16,189	\$1,287,818,303
1033	Haha (<i>Cyanea dunbariae</i>) - Wherever found	E	\$16,129	\$1,287,834,432
1034	Kolea (<i>Myrsine knudsenii</i>) - Wherever found	E	\$16,084	\$1,287,850,516
1035	Alani (<i>Melicope paniculata</i>) - Wherever found	E	\$16,049	\$1,287,866,565
1036	No Common Name (<i>Asplenium dielmannii</i>) - Wherever found	E	\$16,027	\$1,287,882,592
1037	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) - Wherever found	E	\$16,000	\$1,287,898,592
1037	Snakeroot (<i>Eryngium cuneifolium</i>) - Wherever found	E	\$16,000	\$1,287,914,592
1038	No Common Name (<i>Lysimachia venosa</i>) - Wherever found	E	\$15,972	\$1,287,930,564
1039	Alani (<i>Melicope haupuensis</i>) - Wherever found	E	\$15,941	\$1,287,946,505
1039	Haha (<i>Cyanea undulata</i>) - Wherever found	E	\$15,941	\$1,287,962,446
1040	No Common Name (<i>Phyllostegia parviflora</i>) - Wherever found	E	\$15,923	\$1,287,978,369
1041	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>) - Wherever found	E	\$15,853	\$1,287,994,222
1042	No Common Name (<i>Cyrtandra gracilis</i>) - Wherever found	E	\$15,786	\$1,288,010,008
1042	No Common Name (<i>Lobelia monostachya</i>) - Wherever found	E	\$15,786	\$1,288,025,794
1042	Haha (<i>Cyanea truncata</i>) - Wherever found	E	\$15,786	\$1,288,041,580
1043	`Akoko (<i>Euphorbia remyi</i> var. <i>remyi</i>) - Wherever found	E	\$15,771	\$1,288,057,351
1044	Ākuāāku (<i>Cyanea platyphylla</i>) - Wherever found	E	\$15,702	\$1,288,073,053
1045	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>) - Wherever found	E	\$15,701	\$1,288,088,754
1046	Combshell, southern (<i>Epioblasma penita</i>) - Wherever found	E	\$15,700	\$1,288,104,454
1047	Haha (<i>Cyanea magnicalyx</i>) - Wherever found	E	\$15,686	\$1,288,120,140

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1048	Turtle, Plymouth Redbelly (<i>Pseudemys rubriventris bangsi</i>) - Wherever found	E	\$15,400	\$1,288,135,540
1049	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>) - Wherever found	E	\$15,390	\$1,288,150,930
1050	Shrimp, anchialine pool (<i>Vetericaris chaceorum</i>) - Wherever found	E	\$15,291	\$1,288,166,221
1051	No Common Name (<i>Geocarpon minimum</i>) - Wherever found	T	\$15,264	\$1,288,181,485
1052	Schiedea, Diamond Head (<i>Schiedea adamantis</i>) - Wherever found	E	\$15,176	\$1,288,196,661
1053	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>) - Wherever found	E	\$15,140	\$1,288,211,801
1054	Amphipod, Noel's (<i>Gammarus desperatus</i>) - Wherever found	E	\$15,100	\$1,288,226,901
1054	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>) - Wherever found	T	\$15,100	\$1,288,242,001
1054	Kaulu (<i>Pteralyxia kauaiensis</i>) - Wherever found	E	\$15,100	\$1,288,257,101
1054	No Common Name (<i>Leptocereus grantianus</i>) - Wherever found	E	\$15,100	\$1,288,272,201
1055	Checker-mallow, Keck's (<i>Sidalcea keckii</i>) - Wherever found	E	\$15,058	\$1,288,287,259
1056	Petrel, Bermuda (<i>Pterodroma cahow</i>) - Wherever found	E	\$15,000	\$1,288,302,259
1056	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>) - Wherever found	T	\$15,000	\$1,288,317,259
1056	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>) - Wherever found	E	\$15,000	\$1,288,332,259
1057	Bedstraw, island (<i>Galium buxifolium</i>) - Wherever found	E	\$14,986	\$1,288,347,245
1058	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)) - Wherever found	T	\$14,896	\$1,288,362,141
1059	Haha (<i>Cyanea munroi</i>) - Wherever found	E	\$14,824	\$1,288,376,965
1060	No Common Name (<i>Pittosporum hawaiiense</i>) - Wherever found	E	\$14,787	\$1,288,391,752
1061	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>) - Wherever found	E	\$14,768	\$1,288,406,520
1062	No Common Name (<i>Schiedea laui</i>) - Wherever found	E	\$14,754	\$1,288,421,274
1063	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>) - Wherever found	E	\$14,672	\$1,288,435,946
1064	Leopard (<i>Panthera pardus</i>) - except where threatened	E	\$14,650	\$1,288,450,596
1065	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>) - Wherever found	E	\$14,634	\$1,288,465,230
1066	Darter, relict (<i>Etheostoma chienense</i>) - Wherever found	E	\$14,600	\$1,288,479,830
1067	Haiwale (<i>Cyrtandra ferripilosa</i>) - Wherever found	E	\$14,558	\$1,288,494,388
1068	Larkspur, Baker's (<i>Delphinium bakeri</i>) - Wherever found	E	\$14,500	\$1,288,508,888

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1069	No Common Name (<i>Polyscias flynnii</i>) - Wherever found	E	\$14,344	\$1,288,523,232
1070	Salamander, Barton Springs (<i>Eurycea sosorum</i>) - Wherever found	E	\$14,300	\$1,288,537,532
1070	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>) - Wherever found	E	\$14,300	\$1,288,551,832
1071	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>) - Wherever found	E	\$14,298	\$1,288,566,130
1072	Lo`ulu (<i>Pritchardia schattaueri</i>) - Wherever found	E	\$14,282	\$1,288,580,412
1073	`Oha wai (<i>Clermontia drepanomorpha</i>) - Wherever found	E	\$14,265	\$1,288,594,677
1074	`Anunu (<i>Sicyos albus</i>) - Wherever found	E	\$14,230	\$1,288,608,907
1075	`Oha wai (<i>Clermontia samuelii</i>) - Wherever found	E	\$14,168	\$1,288,623,075
1076	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>) - Wherever found	E	\$14,120	\$1,288,637,195
1077	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>) - Wherever found	T	\$14,100	\$1,288,651,295
1077	Springsnail, Three Forks (<i>Pyrgulopsis trivialis</i>) - Wherever found	E	\$14,100	\$1,288,665,395
1078	`Awikiwiki (<i>Canavalia napaliensis</i>) - Wherever found	E	\$14,086	\$1,288,679,481
1079	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>) - Wherever found	E	\$14,050	\$1,288,693,531
1080	Eagle, Greenland white-tailed (<i>Haliaeetus albicilla groenlandicus</i>) - Wherever found	E	\$14,000	\$1,288,707,531
1080	Mint, scrub (<i>Dicerandra frutescens</i>) - Wherever found	E	\$14,000	\$1,288,721,531
1081	No Common Name (<i>Phyllostegia warshaueri</i>) - Wherever found	E	\$13,977	\$1,288,735,508
1082	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>) - Wherever found	E	\$13,966	\$1,288,749,474
1083	Nohoanu (<i>Geranium multiflorum</i>) - Wherever found	E	\$13,938	\$1,288,763,412
1084	Na`ena`e (<i>Dubautia pauciflorula</i>) - Wherever found	E	\$13,898	\$1,288,777,310
1085	Ho`awa (<i>Pittosporum napaliense</i>) - Wherever found	E	\$13,835	\$1,288,791,145
1086	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>) - Wherever found	T	\$13,800	\$1,288,804,945
1086	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>) - Wherever found	E	\$13,800	\$1,288,818,745
1086	Boxwood, Vahl's (<i>Buxus vahlii</i>) - Wherever found	E	\$13,800	\$1,288,832,545
1087	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>) - Wherever found	E	\$13,723	\$1,288,846,268
1088	Bladderpod, White Bluffs (<i>Physaria douglasii</i> ssp. <i>tuplashensis</i>) - Wherever found	T	\$13,716	\$1,288,859,984
1089	Lo`ulu (<i>Pritchardia remota</i>) - Wherever found	E	\$13,701	\$1,288,873,685
1090	No Common Name (<i>Abutilon eremitopetalum</i>) - Wherever found	E	\$13,695	\$1,288,887,380

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1091	No Common Name (Thelypteris inabonensis) - Wherever found	E	\$13,600	\$1,288,900,980
1092	No Common Name (Platydesma cornuta cornuta) - Wherever found	E	\$13,591	\$1,288,914,571
1093	White-eye, Rota bridled (Zosterops rotensis) - Wherever found	E	\$13,588	\$1,288,928,159
1094	Kopa (Kadua cordata remyi) - Wherever found	E	\$13,561	\$1,288,941,720
1095	Pu`uka`a (Cyperus trachysanthos) - Wherever found	E	\$13,544	\$1,288,955,264
1096	Wild coffee, Oahu (=kopiko) (Psychotria hexandra ssp. oahuensis) - Wherever found	E	\$13,465	\$1,288,968,729
1097	Ambrosia, San Diego (Ambrosia pumila) - Wherever found	E	\$13,449	\$1,288,982,178
1098	Palo de jazmin (Styrax portoricensis) - Wherever found	E	\$13,400	\$1,288,995,578
1099	No Common Name (Cyrtandra nanawaleensis) - Wherever found	E	\$13,398	\$1,289,008,976
1100	Kidneyshell, triangular (Ptychobranhus greenii) - Wherever found	E	\$13,387	\$1,289,022,363
1101	No Common Name (Phyllostegia renovans) - Wherever found	E	\$13,380	\$1,289,035,743
1102	Spurge, Hoover's (Chamaesyce hooveri) - Wherever found	T	\$13,364	\$1,289,049,107
1103	Dwarf-flax, Marin (Hesperolinon congestum) - Wherever found	T	\$13,300	\$1,289,062,407
1104	Monkshood, northern wild (Aconitum noveboracense) - Wherever found	T	\$13,232	\$1,289,075,639
1105	Buckwheat, scrub (Eriogonum longifolium var. gnaphalifolium) - Wherever found	T	\$13,204	\$1,289,088,843
1106	Salamander, Austin blind (Eurycea waterlooensis) - Wherever found	E	\$13,200	\$1,289,102,043
1106	No Common Name (Varronia rupicola) - Wherever found	T	\$13,200	\$1,289,115,243
1107	Nehe (Lipochaeta micrantha) - Wherever found	E	\$13,187	\$1,289,128,430
1107	Nehe (Lipochaeta waimeaensis) - Wherever found	E	\$13,187	\$1,289,141,617
1108	Iguana, Mona ground (Cyclura stejnegeri) - Wherever found	T	\$13,100	\$1,289,154,717
1109	No Common Name (Polyscias lydgatei) - Wherever found	E	\$13,071	\$1,289,167,788
1110	Pupfish, Leon Springs (Cyprinodon bovinus) - Wherever found	E	\$13,053	\$1,289,180,841
1111	Ha`iwale (Cyrtandra giffardii) - Wherever found	E	\$13,014	\$1,289,193,855
1112	Prickly-ash, St. Thomas (Zanthoxylum thomasianum) - Wherever found	E	\$13,000	\$1,289,206,855
1113	Meshweaver, Braken Bat Cave (Cicurina venii) - Wherever found	E	\$12,900	\$1,289,219,755
1114	Combshell, upland (Epioblasma metastriata) - Wherever found	E	\$12,889	\$1,289,232,644

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1115	Pilo kea lau li'i (Platydesma rostrata) - Wherever found	E	\$12,874	\$1,289,245,518
1116	Meshweaver, Madla's Cave (Cicurina madla) - Wherever found	E	\$12,800	\$1,289,258,318
1116	No Common Name (Schoepfia arenaria) - Wherever found	T	\$12,800	\$1,289,271,118
1117	Checkermallow, Wenatchee Mountains (Sidalcea oregana var. calva) - Local Endemic	E	\$12,757	\$1,289,283,875
1118	Ass, Asian wild (Equus hemionus) - Wherever found	E	\$12,750	\$1,289,296,625
1119	Damselfly, blackline Hawaiian (Megalagrion nigrohamatum nigrolineatum) - Wherever found	E	\$12,715	\$1,289,309,340
1120	Phlox, Texas trailing (Phlox nivalis ssp. texensis) - Wherever found	E	\$12,700	\$1,289,322,040
1121	Beetle, [no common name] (Rhadine infernalis) - Wherever found	E	\$12,600	\$1,289,334,640
1122	Bulrush, Northeastern (Scirpus ancistrochaetus) - Wherever found	E	\$12,471	\$1,289,347,111
1123	Amphipod, Hay's Spring (Stygobromus hayi) - Wherever found	E	\$12,329	\$1,289,359,440
1124	Liliwai (Acaena exigua) - Wherever found	E	\$12,309	\$1,289,371,749
1125	Pentachaeta, Lyon's (Pentachaeta lyonii) - Wherever found	E	\$12,305	\$1,289,384,054
1126	Bluegrass, Napa (Poa napensis) - Wherever found	E	\$12,300	\$1,289,396,354
1127	Diellia, Asplenium-leaved (Asplenium dielerectum) - Wherever found	E	\$12,208	\$1,289,408,562
1128	Shiner, smalleye (Notropis buccula) - Wherever found	E	\$12,200	\$1,289,420,762
1128	No Common Name (Chamaecrista glandulosa var. mirabilis) - Wherever found	E	\$12,200	\$1,289,432,962
1129	Alani (Melicope saint-johnii) - Wherever found	E	\$12,192	\$1,289,445,154
1130	Ischaemum, Hilo (Ischaemum byrone) - Wherever found	E	\$12,151	\$1,289,457,305
1131	Madtom, yellowfin (Noturus flavipinnis) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(e)(1)(ii))	EXPN	\$12,000	\$1,289,469,305
1131	Springsnail, Roswell (Pyrgulopsis roswellensis) - Wherever found	E	\$12,000	\$1,289,481,305
1132	Nehe (Melanthera kamolensis) - Wherever found	E	\$11,989	\$1,289,493,294
1133	Buckwheat, steamboat (Eriogonum ovalifolium var. williamsiae) - Wherever found	E	\$11,986	\$1,289,505,280
1134	Ha'i wale (Cyrtandra tintinnabula) - Wherever found	E	\$11,914	\$1,289,517,194
1135	Springsnail, Koster's (Juturnia kosteri) - Wherever found	E	\$11,900	\$1,289,529,094
1135	Peperomia, Wheeler's (Peperomia wheeleri) - Wherever found	E	\$11,900	\$1,289,540,994
1136	Sedge, Navajo (Carex specuicola) - Wherever found	T	\$11,870	\$1,289,552,864
1137	Beetle, delta green ground (Elaphrus viridis) - Wherever found	T	\$11,850	\$1,289,564,714

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1138	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>) - Wherever found	E	\$11,810	\$1,289,576,524
1139	No Common Name (<i>Lepanthes eltoroensis</i>) - Wherever found	E	\$11,800	\$1,289,588,324
1140	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>) - Wherever found	E	\$11,700	\$1,289,600,024
1140	No Common Name (<i>Ilex sintenisii</i>) - Wherever found	E	\$11,700	\$1,289,611,724
1141	Kolea (<i>Myrsine linearifolia</i>) - Wherever found	T	\$11,680	\$1,289,623,404
1142	Remya, Maui (<i>Remya mauiensis</i>) - Wherever found	E	\$11,674	\$1,289,635,078
1143	Seablite, California (<i>Suaeda californica</i>) - Wherever found	E	\$11,650	\$1,289,646,728
1144	No Common Name (<i>Schiedea hookeri</i>) - Wherever found	E	\$11,637	\$1,289,658,365
1145	No Common Name (<i>Cordia bellonis</i>) - Wherever found	E	\$11,600	\$1,289,669,965
1145	Palo de nigua (<i>Cornutia obovata</i>) - Wherever found	E	\$11,600	\$1,289,681,565
1146	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>) - Wherever found	E	\$11,520	\$1,289,693,085
1147	`Anaunau (<i>Lepidium arbuscula</i>) - Wherever found	E	\$11,498	\$1,289,704,583
1147	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>) - Wherever found	E	\$11,498	\$1,289,716,081
1148	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>) - Wherever found	T	\$11,450	\$1,289,727,531
1149	Koholapehu (<i>Dubautia latifolia</i>) - Wherever found	E	\$11,444	\$1,289,738,975
1150	Ha`iwale (<i>Cyrtandra oenobarba</i>) - Wherever found	E	\$11,438	\$1,289,750,413
1151	Kamakahala (<i>Labordia helleri</i>) - Wherever found	E	\$11,425	\$1,289,761,838
1152	Wild buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>) - Wherever found	E	\$11,329	\$1,289,773,167
1153	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>) - Wherever found	T	\$11,300	\$1,289,784,467
1153	Frankenia, Johnston's (<i>Frankenia johnstonii</i>) - Wherever found	E	\$11,300	\$1,289,795,767
1153	No Common Name (<i>Thelypteris yaucoensis</i>) - Wherever found	E	\$11,300	\$1,289,807,067
1154	Ha`iwale (<i>Cyrtandra munroi</i>) - Wherever found	E	\$11,255	\$1,289,818,322
1155	`Akoko (<i>Euphorbia eleanoriae</i>) - Wherever found	E	\$11,231	\$1,289,829,553
1156	Salamander, San Marcos (<i>Eurycea nana</i>) - Wherever found	T	\$11,200	\$1,289,840,753
1156	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>) - Wherever found	E	\$11,200	\$1,289,851,953
1156	No Common Name (<i>Agave eggersiana</i>) - Wherever found	E	\$11,200	\$1,289,863,153
1157	Haha (<i>Cyanea asplenifolia</i>) - Wherever found	E	\$11,167	\$1,289,874,320
1158	Haha (<i>Cyanea glabra</i>) - Wherever found	E	\$11,158	\$1,289,885,478
1159	Mustard, Carter's (<i>Warea carteri</i>) - Wherever found	E	\$11,101	\$1,289,896,579

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1160	Anole, Culebra Island giant (<i>Anolis roosevelti</i>) - Wherever found	E	\$11,100	\$1,289,907,679
1161	Ko`oko`olau (<i>Bidens campylotheca waihoiensis</i>) - Wherever found	E	\$11,087	\$1,289,918,766
1162	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>) - Wherever found	E	\$11,080	\$1,289,929,846
1163	Chub, slender (<i>Erimystax cahni</i>) - Wherever found	T	\$11,065	\$1,289,940,911
1164	A`e (<i>Zanthoxylum oahuense</i>) - Wherever found	E	\$11,041	\$1,289,951,952
1165	Haiwale (<i>Cyrtandra paliku</i>) - Wherever found	E	\$11,020	\$1,289,962,972
1166	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>) - Wherever found	E	\$11,013	\$1,289,973,985
1167	Palo colorado (<i>Ternstroemia luquillensis</i>) - Wherever found	E	\$11,000	\$1,289,984,985
1168	Guajon (<i>Eleutherodactylus cooki</i>) - Wherever found	T	\$10,900	\$1,289,995,885
1168	Rocksnail, plicate (<i>Leptoxis plicata</i>) - Wherever found	E	\$10,900	\$1,290,006,785
1169	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>) - Wherever found	E	\$10,891	\$1,290,017,676
1170	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>) - Wherever found	E	\$10,890	\$1,290,028,566
1171	Laulihilihi (<i>Schiedea stellarioides</i>) - Wherever found	E	\$10,801	\$1,290,039,367
1171	Na`ena`e (<i>Dubautia imbricata imbricata</i>) - Wherever found	E	\$10,801	\$1,290,050,168
1172	Rocksnail, painted (<i>Leptoxis taeniata</i>) - Wherever found	T	\$10,800	\$1,290,060,968
1173	No Common Name (<i>Viola lanaiensis</i>) - Wherever found	E	\$10,755	\$1,290,071,723
1174	No Common Name (<i>Aristida chaseae</i>) - Wherever found	E	\$10,700	\$1,290,082,423
1175	Haha (<i>Cyanea recta</i>) - Wherever found	T	\$10,660	\$1,290,093,083
1176	Pebblesnail, flat (<i>Lepyrium showalteri</i>) - Wherever found	E	\$10,600	\$1,290,103,683
1176	Dogweed, ashy (<i>Thymophylla tephroleuca</i>) - Wherever found	E	\$10,600	\$1,290,114,283
1176	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>) - Wherever found	E	\$10,600	\$1,290,124,883
1176	Grass, Eureka Dune (<i>Swallenia alexandrae</i>) - Wherever found	E	\$10,600	\$1,290,135,483
1176	No Common Name (<i>Thelypteris verecunda</i>) - Wherever found	E	\$10,600	\$1,290,146,083
1177	No Common Name (<i>Phyllostegia bracteata</i>) - Wherever found	E	\$10,573	\$1,290,156,656
1178	No Common Name (<i>Cyperus pennatiformis</i>) - Wherever found	E	\$10,544	\$1,290,167,200
1179	Darter, goldline (<i>Percina aurolineata</i>) - Wherever found	T	\$10,500	\$1,290,177,700
1180	No Common Name (<i>Nesogenes rotensis</i>) - Wherever found	E	\$10,478	\$1,290,188,178
1181	Darter, bayou (<i>Etheostoma rubrum</i>) - Wherever found	T	\$10,400	\$1,290,198,578

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1181	Uvillo (Eugenia haematocarpa) - Wherever found	E	\$10,400	\$1,290,208,978
1181	No Common Name (Ternstroemia subsessilis) - Wherever found	E	\$10,400	\$1,290,219,378
1181	Quillwort, mat-forming (Isoetes tegetiformans) - Wherever found	E	\$10,400	\$1,290,229,778
1182	Aupaka (Isodendron laurifolium) - Wherever found	E	\$10,390	\$1,290,240,168
1183	No Common Name (Polyscias racemosa) - Wherever found	E	\$10,375	\$1,290,250,543
1184	Madtom, Scioto (Noturus trautmani) - Wherever found	E	\$10,357	\$1,290,260,900
1185	Blossom, tubercled (pearlymussel) (Epioblasma torulosa torulosa) - Wherever found; Except where listed as Experimental Populations	E	\$10,355	\$1,290,271,255
1186	Bariaco (Trichilia triacantha) - Wherever found	E	\$10,300	\$1,290,281,555
1187	No Common Name (Lysimachia iniki) - Wherever found	E	\$10,288	\$1,290,291,843
1188	Haha (Cyanea dolichopoda) - Wherever found	E	\$10,287	\$1,290,302,130
1189	Chub, Hutton tui (Gila bicolor ssp.) - Wherever found	T	\$10,200	\$1,290,312,330
1189	Amphipod, Peck's cave (Stygobromus (=Stygonectes) pecki) - Wherever found	E	\$10,200	\$1,290,322,530
1189	Jacquemontia, beach (Jacquemontia reclinata) - Wherever found	E	\$10,200	\$1,290,332,730
1190	Haha (Cyanea kunthiana) - Wherever found	E	\$10,160	\$1,290,342,890
1190	Ko`oko`olau (Bidens campylotheca pentamera) - Wherever found	E	\$10,160	\$1,290,353,050
1191	No Common Name (Myrcia paganii) - Wherever found	E	\$10,100	\$1,290,363,150
1192	Butterweed, Layne's (Senecio layneae) - Wherever found	T	\$10,040	\$1,290,373,190
1193	Pangolin, Temnick's ground (Manis temminckii) - Wherever found	E	\$10,000	\$1,290,383,190
1193	Chub, spottfin (Erimonax monachus) - U.S.A. (AL, TN-specified portions of Shoal Creek; see 17.84(m)(1)(ii))	EXPN	\$10,000	\$1,290,393,190
1193	Madtom, smoky (Noturus baileyi) - Tellico River, TN	EXPN	\$10,000	\$1,290,403,190
1193	Darter, boulder (Etheostoma wapiti) - Shoal Creek	EXPN	\$10,000	\$1,290,413,190
1194	Mussel, oyster (Epioblasma capsaeformis) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$9,980	\$1,290,423,170
1195	Na`ena`e (Dubautia plantaginea ssp. humilis) - Wherever found	E	\$9,934	\$1,290,433,104
1196	Rattleweed, hairy (Baptisia arachnifera) - Wherever found	E	\$9,900	\$1,290,443,004
1197	Shiner, sharpnose (Notropis oxyrhynchus) - Wherever found	E	\$9,850	\$1,290,452,854
1198	Lo`ulu (Pritchardia napaliensis) - Wherever found	E	\$9,823	\$1,290,462,677
1199	Kamakahala (Labordia tinifolia var. wahiawaensis) - Wherever found	E	\$9,802	\$1,290,472,479

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1200	No Common Name (Hesperomannia lydgatei) - Wherever found	E	\$9,787	\$1,290,482,266
1200	Hibiscus, Clay's (Hibiscus clayi) - Wherever found	E	\$9,787	\$1,290,492,053
1200	Alani (Melicope quadrangularis) - Wherever found	E	\$9,787	\$1,290,501,840
1201	`Akoko (Euphorbia remyi var. kauaiensis) - Wherever found	E	\$9,765	\$1,290,511,605
1202	Lo`ulu (Pritchardia viscosa) - Wherever found	E	\$9,757	\$1,290,521,362
1202	No Common Name (Stenogyne campanulata) - Wherever found	E	\$9,757	\$1,290,531,119
1203	Spineflower, slender-horned (Dodecahema leptoceras) - Wherever found	E	\$9,708	\$1,290,540,827
1204	Higuero de sierra (Crescentia portoricensis) - Wherever found	E	\$9,700	\$1,290,550,527
1205	Nohoanu (Geranium hanaense) - Wherever found	E	\$9,658	\$1,290,560,185
1206	No Common Name (Cyanea purpurellifolia) - Wherever found	E	\$9,601	\$1,290,569,786
1206	No Common Name (Silene perlmanii) - Wherever found	E	\$9,601	\$1,290,579,387
1207	Isopod, Socorro (Thermosphaeroma thermophilus) - Wherever found	E	\$9,600	\$1,290,588,987
1207	Gladebush, Texas golden (Leavenworthia texana) - Wherever found	E	\$9,600	\$1,290,598,587
1208	Alani (Melicope ovalis) - Wherever found	E	\$9,544	\$1,290,608,131
1209	No Common Name (Poa siphonoglossa) - Wherever found	E	\$9,509	\$1,290,617,640
1210	Bladderpod, Spring Creek (Lesquerella perforata) - Wherever found	E	\$9,500	\$1,290,627,140
1210	Palo de ramon (Banara vanderbiltii) - Wherever found	E	\$9,500	\$1,290,636,640
1210	Pitcher-plant, Alabama canebrake (Sarracenia rubra ssp. alabamensis) - Wherever found	E	\$9,500	\$1,290,646,140
1211	Daisy, Parish's (Erigeron parishii) - Wherever found	T	\$9,440	\$1,290,655,580
1212	No Common Name (Remya kauaiensis) - Wherever found	E	\$9,374	\$1,290,664,954
1213	No Common Name (Gonocalyx concolor) - Wherever found	E	\$9,300	\$1,290,674,254
1214	Bluegrass, Mann's (Poa mannii) - Wherever found	E	\$9,273	\$1,290,683,527
1215	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (Adelocosa anops) - Wherever found	E	\$9,258	\$1,290,692,785
1215	Amphipod, Kauai cave (Spelaeorchestia koloana) - Wherever found	E	\$9,258	\$1,290,702,043
1216	Pearlymussel, dromedary (Dromus dromas) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$9,170	\$1,290,711,213
1217	Flannelbush, Pine Hill (Fremontodendron californicum ssp. decumbens) - Wherever found	E	\$9,160	\$1,290,720,373

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1218	Curassow, blue-billed (<i>Crax alberti</i>) - Wherever found	E	\$9,100	\$1,290,729,473
1218	Chub, Chihuahua (<i>Gila nigrescens</i>) - Wherever found	T	\$9,100	\$1,290,738,573
1218	No Common Name (<i>Daphnopsis hellerana</i>) - Wherever found	E	\$9,100	\$1,290,747,673
1218	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>) - Wherever found	E	\$9,100	\$1,290,756,773
1219	Kaulu (<i>Pteralyxia macrocarpa</i>) - Wherever found	E	\$9,043	\$1,290,765,816
1220	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>) - Wherever found	E	\$9,020	\$1,290,774,836
1221	Fleabane, Zuni (<i>Erigeron rhizomatus</i>) - Wherever found	T	\$9,002	\$1,290,783,838
1222	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>) - Wherever found	E	\$9,000	\$1,290,792,838
1222	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>) - Wherever found	E	\$9,000	\$1,290,801,838
1222	No Common Name (<i>Catesbaea melanocarpa</i>) - Wherever found	E	\$9,000	\$1,290,810,838
1223	Aupaka (<i>Isodendron longifolium</i>) - Wherever found	T	\$8,912	\$1,290,819,750
1224	No Common Name (<i>Cranichis ricartii</i>) - Wherever found	E	\$8,900	\$1,290,828,650
1225	Madtom, smoky (<i>Noturus baileyi</i>) - Wherever found	E	\$8,897	\$1,290,837,547
1226	Hala pepe (<i>Pleomele fernaldii</i>) - Wherever found	E	\$8,896	\$1,290,846,443
1227	Heather, mountain golden (<i>Hudsonia montana</i>) - Wherever found	T	\$8,838	\$1,290,855,281
1228	Papala (<i>Charpentiera densiflora</i>) - Wherever found	E	\$8,834	\$1,290,864,115
1229	No Common Name (<i>Schiedea helleri</i>) - Wherever found	E	\$8,773	\$1,290,872,888
1230	Awiwi (<i>Schenkia sebaeoides</i>) - Wherever found	E	\$8,743	\$1,290,881,631
1231	No Common Name (<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i>) - Wherever found	E	\$8,729	\$1,290,890,360
1232	No Common Name (<i>Gouania hillebrandii</i>) - Wherever found	E	\$8,727	\$1,290,899,087
1233	Salamander, Salado (<i>Eurycea chisholmensis</i>) - Wherever found	T	\$8,700	\$1,290,907,787
1233	Manzanita, pallid (<i>Arctostaphylos pallida</i>) - Wherever found	T	\$8,700	\$1,290,916,487
1233	No Common Name (<i>Lyonia truncata</i> var. <i>proctorii</i>) - Wherever found	E	\$8,700	\$1,290,925,187
1233	No Common Name (<i>Vernonia proctorii</i>) - Wherever found	E	\$8,700	\$1,290,933,887
1234	No Common Name (<i>Phyllostegia velutina</i>) - Wherever found	E	\$8,696	\$1,290,942,583
1235	Kolea (<i>Myrsine vaccinioides</i>) - Wherever found	E	\$8,687	\$1,290,951,270
1236	Ko'oko'olau (<i>Bidens conjuncta</i>) - Wherever found	E	\$8,660	\$1,290,959,930
1236	Haha (<i>Cyanea mceldowneyi</i>) - Wherever found	E	\$8,660	\$1,290,968,590

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1237	No Common Name (Asplenium unisorum) - Wherever found	E	\$8,659	\$1,290,977,249
1238	No Common Name (Schiedea sarmentosa) - Wherever found	E	\$8,646	\$1,290,985,895
1238	Alani (Melicope reflexa) - Wherever found	E	\$8,646	\$1,290,994,541
1238	No Common Name (Schiedea lydgatei) - Wherever found	E	\$8,646	\$1,291,003,187
1238	Ha`iwale (Cyrtandra oxybapha) - Wherever found	E	\$8,646	\$1,291,011,833
1239	No Common Name (Schiedea salicaria) - Wherever found	E	\$8,633	\$1,291,020,466
1240	Alani (Melicope munroi) - Wherever found	E	\$8,625	\$1,291,029,091
1240	No Common Name (Tetramolopium remyi) - Wherever found	E	\$8,625	\$1,291,037,716
1241	Pelos del diablo (Aristida portoricensis) - Wherever found	E	\$8,600	\$1,291,046,316
1241	Fern, Elfin tree (Cyathea dryopteroides) - Wherever found	E	\$8,600	\$1,291,054,916
1242	Snail, Newcomb's (Erinna newcombi) - Wherever found	T	\$8,564	\$1,291,063,480
1243	No Common Name (Stenogyne bifida) - Wherever found	E	\$8,559	\$1,291,072,039
1244	Pamakani (Tetramolopium capillare) - Wherever found	E	\$8,544	\$1,291,080,583
1244	Nohoanu (Geranium hillebrandii) - Wherever found	E	\$8,544	\$1,291,089,127
1244	Haha (Cyanea mauiensis) - Wherever found	E	\$8,544	\$1,291,097,671
1244	No Common Name (Schiedea jacobii) - Wherever found	E	\$8,544	\$1,291,106,215
1244	No Common Name (Festuca molokaiensis) - Wherever found	E	\$8,544	\$1,291,114,759
1245	Haha (Cyanea hamatiflora ssp. hamatiflora) - Wherever found	E	\$8,537	\$1,291,123,296
1246	Haha (Cyanea copelandii ssp. haleakalaensis) - Wherever found	E	\$8,523	\$1,291,131,819
1247	Ma`oli`oli (Schiedea apokremnos) - Wherever found	E	\$8,509	\$1,291,140,328
1248	Gecko, Monito (Sphaerodactylus micropithecus) - Wherever found	E	\$8,500	\$1,291,148,828
1248	Harebells, Avon Park (Crotalaria avonensis) - Wherever found	E	\$8,500	\$1,291,157,328
1249	Cavesnail, Tumbling Creek (Antrobia culveri) - Wherever found	E	\$8,300	\$1,291,165,628
1249	Water-willow, Cooley's (Justicia cooleyi) - Wherever found	E	\$8,300	\$1,291,173,928
1249	Lessingia, San Francisco (Lessingia germanorum (=L.g. var. germanorum)) - Wherever found	E	\$8,300	\$1,291,182,228
1250	Na`ena`e (Dubautia plantaginea magnifolia) - Wherever found	E	\$8,259	\$1,291,190,487
1251	Erubia (Solanum drymophilum) - Wherever found	E	\$8,200	\$1,291,198,687
1252	No Common Name (Schiedea viscosa) - Wherever found	E	\$8,190	\$1,291,206,877
1253	Hala pepe (Pleomele forbesii) - Wherever found	E	\$8,174	\$1,291,215,051

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1254	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$8,100	\$1,291,223,151
1254	No Common Name (<i>Elaphoglossum serpens</i>) - Wherever found	E	\$8,100	\$1,291,231,251
1255	No Common Name (<i>Platydesma cornuta decurrens</i>) - Wherever found	E	\$8,096	\$1,291,239,347
1256	Haha (<i>Cyanea calycina</i>) - Wherever found	E	\$8,068	\$1,291,247,415
1257	No Common Name (<i>Lysimachia filifolia</i>) - Wherever found	E	\$8,045	\$1,291,255,460
1258	Haha (<i>Cyanea humboldtiana</i>) - Wherever found	E	\$8,029	\$1,291,263,489
1258	Haha (<i>Cyanea lanceolata</i>) - Wherever found	E	\$8,029	\$1,291,271,518
1258	Ko`oko`olau (<i>Bidens amplexans</i>) - Wherever found	E	\$8,029	\$1,291,279,547
1259	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>) - Wherever found	E	\$8,023	\$1,291,287,570
1260	Damselfly, flying earwig Hawaiian (<i>Megalagrion nesiotes</i>) - Wherever found	E	\$8,010	\$1,291,295,580
1261	Blazingstar, Heller's (<i>Liatris helleri</i>) - Wherever found	T	\$7,944	\$1,291,303,524
1262	Ha`iwale (<i>Cyrtandra sessilis</i>) - Wherever found	E	\$7,928	\$1,291,311,452
1262	No Common Name (<i>Trematolobelia singularis</i>) - Wherever found	E	\$7,928	\$1,291,319,380
1263	Avens, spreading (<i>Geum radiatum</i>) - Wherever found	E	\$7,885	\$1,291,327,265
1264	Bean, sea (<i>Mucuna sloanei persericea</i>) - Wherever found	E	\$7,881	\$1,291,335,146
1265	No Common Name (<i>Phyllostegia wawrana</i>) - Wherever found	E	\$7,860	\$1,291,343,006
1265	Lo`ulu, (=Na`ena`e) (<i>Pritchardia hardyi</i>) - Wherever found	E	\$7,860	\$1,291,350,866
1266	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>) - Wherever found	E	\$7,801	\$1,291,358,667
1267	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>) - Wherever found	T	\$7,800	\$1,291,366,467
1268	Ha`iwale (<i>Cyrtandra crenata</i>) - Wherever found	E	\$7,771	\$1,291,374,238
1269	Alani (<i>Melicope pallida</i>) - Wherever found	E	\$7,761	\$1,291,381,999
1270	No Common Name (<i>Lysimachia scopulensis</i>) - Wherever found	E	\$7,760	\$1,291,389,759
1271	No Common Name (<i>Phyllostegia knudsenii</i>) - Wherever found	E	\$7,759	\$1,291,397,518
1271	No Common Name (<i>Schiedea spargulina</i> var. <i>spargulina</i>) - Wherever found	T	\$7,759	\$1,291,405,277
1271	Kopiko (<i>Psychotria hobbii</i>) - Wherever found	E	\$7,759	\$1,291,413,036
1271	Hau kuahiwi (<i>Hibiscadelphus woodii</i>) - Wherever found	E	\$7,759	\$1,291,420,795
1271	Haha (<i>Cyanea kuhihewa</i>) - Wherever found	E	\$7,759	\$1,291,428,554
1271	No Common Name (<i>Schiedea attenuata</i>) - Wherever found	E	\$7,759	\$1,291,436,313

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1271	Haha (<i>Cyanea eleleensis</i>) - Wherever found	E	\$7,759	\$1,291,444,072
1271	Haha (<i>Cyanea kolekoleensis</i>) - Wherever found	E	\$7,759	\$1,291,451,831
1271	Naenae (<i>Dubautia kenwoodii</i>) - Wherever found	E	\$7,759	\$1,291,459,590
1272	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>) - Wherever found	E	\$7,710	\$1,291,467,300
1273	Alani (<i>Melicope makahae</i>) - Wherever found	E	\$7,705	\$1,291,475,005
1274	Mint, Garrett's (<i>Dicerandra christmanii</i>) - Wherever found	E	\$7,701	\$1,291,482,706
1275	No Common Name (<i>Phyllostegia glabra</i> var. <i>lanaiensis</i>) - Wherever found	E	\$7,682	\$1,291,490,388
1276	Akepa, Maui (<i>Loxops ochraceus</i>) - Wherever found	E	\$7,646	\$1,291,498,034
1277	Hulumoa (<i>Korthalsella degeneri</i>) - Wherever found	E	\$7,645	\$1,291,505,679
1278	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>) - Wherever found	T	\$7,610	\$1,291,513,289
1279	No Common Name (<i>Cyrtandra waiolani</i>) - Wherever found	E	\$7,603	\$1,291,520,892
1279	Ha'iwale (<i>Cyrtandra polyantha</i>) - Wherever found	E	\$7,603	\$1,291,528,495
1279	Alani (<i>Melicope christophersenii</i>) - Wherever found	E	\$7,603	\$1,291,536,098
1279	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>) - Wherever found	E	\$7,603	\$1,291,543,701
1279	Holei (<i>Ochrosia kilaueaensis</i>) - Wherever found	E	\$7,603	\$1,291,551,304
1279	No Common Name (<i>Doryopteris takeuchii</i>) - Wherever found	E	\$7,603	\$1,291,558,907
1280	No Common Name (<i>Schiedea spergulina</i> var. <i>leiopoda</i>) - Wherever found	E	\$7,601	\$1,291,566,508
1281	Snail, painted snake coiled forest (<i>Anguispira picta</i>) - Wherever found	T	\$7,600	\$1,291,574,108
1281	No Common Name (<i>Calyptranthes thomasi</i>) - Wherever found	E	\$7,600	\$1,291,581,708
1281	No Common Name (<i>Gesneria pauciflora</i>) - Wherever found	T	\$7,600	\$1,291,589,308
1282	No Common Name (<i>Platydesma remyi</i>) - Wherever found	E	\$7,571	\$1,291,596,879
1283	Milk-vetch, Cushenbury (<i>Astragalus albens</i>) - Wherever found	E	\$7,500	\$1,291,604,379
1284	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>) - Wherever found	T	\$7,493	\$1,291,611,872
1285	Lichen, rock gnome (<i>Gymnoderma lineare</i>) - Wherever found	E	\$7,448	\$1,291,619,320
1286	Damselfly, oceanic Hawaiian (<i>Megalagrion oceanicum</i>) - Wherever found	E	\$7,360	\$1,291,626,680
1287	No Common Name (<i>Schiedea diffusa</i> ssp. <i>macraei</i>) - Wherever found	E	\$7,347	\$1,291,634,027
1288	Damselfly, crimson Hawaiian (<i>Megalagrion leptodemas</i>) - Wherever found	E	\$7,321	\$1,291,641,348

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1289	Larkspur, yellow (<i>Delphinium luteum</i>) - Wherever found	E	\$7,300	\$1,291,648,648
1289	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>) - Wherever found	E	\$7,300	\$1,291,655,948
1290	Potentilla, Hickman's (<i>Potentilla hickmanii</i>) - Wherever found	E	\$7,250	\$1,291,663,198
1291	Chub, spotfin (<i>Erimonax monachus</i>) - U.S.A. (TN-specified portions of the Tellico River; see 17.84(m)(1)(i))	EXPN	\$7,200	\$1,291,670,398
1291	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$7,200	\$1,291,677,598
1291	Beetle, Helotes mold (<i>Batrisodes venyivi</i>) - Wherever found	E	\$7,200	\$1,291,684,798
1292	Campeloma, slender (<i>Campeloma decampi</i>) - Wherever found	E	\$7,100	\$1,291,691,898
1292	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>) - Wherever found	T	\$7,100	\$1,291,698,998
1292	Manaca, palma de (<i>Calyptronoma rivalis</i>) - Wherever found	T	\$7,100	\$1,291,706,098
1292	No Common Name (<i>Auerodendron pauciflorum</i>) - Wherever found	E	\$7,100	\$1,291,713,198
1293	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>) - Wherever found	E	\$7,095	\$1,291,720,293
1294	Damselfly, Pacific Hawaiian (<i>Megalagrion pacificum</i>) - Wherever found	E	\$7,021	\$1,291,727,314
1295	Coqui, Llanero (<i>Eleutherodactylus juanariveroi</i>) - Wherever found	E	\$7,000	\$1,291,734,314
1295	Springsnail, Chupadera (<i>Pyrgulopsis chupaderae</i>) - Wherever found	E	\$7,000	\$1,291,741,314
1295	Rosemary, short-leaved (<i>Conradina brevifolia</i>) - Wherever found	E	\$7,000	\$1,291,748,314
1295	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>) - Wherever found	E	\$7,000	\$1,291,755,314
1296	Ma`oli`oli (<i>Schiedea kealiae</i>) - Wherever found	E	\$6,980	\$1,291,762,294
1296	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>) - Wherever found	E	\$6,980	\$1,291,769,274
1297	Turtle, Alabama red-bellied (<i>Pseudemys alabamensis</i>) - Wherever found	E	\$6,960	\$1,291,776,234
1298	Bittercress, small-anthered (<i>Cardamine micranthera</i>) - Wherever found	E	\$6,798	\$1,291,783,032
1299	Turtle, flattened musk (<i>Sternotherus depressus</i>) - Black Warrior R. system upstream from Bankhead Dam	T	\$6,732	\$1,291,789,764
1300	No Common Name (<i>Asplenium dielfalcatum</i>) - Wherever found	E	\$6,730	\$1,291,796,494
1301	Chupacallos (<i>Pleodendron macranthum</i>) - Wherever found	E	\$6,700	\$1,291,803,194
1301	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>) - Wherever found	E	\$6,700	\$1,291,809,894

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1302	Thrush, Molokai (<i>Myadestes lanaiensis</i> rutha) - Wherever found	E	\$6,646	\$1,291,816,540
1302	Creeper, Molokai (<i>Paroreomyza flammea</i>) - Wherever found	E	\$6,646	\$1,291,823,186
1303	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>) - Wherever found	E	\$6,613	\$1,291,829,799
1304	Tamarin, golden-rumped (<i>Leontopithecus</i> spp.) - Wherever found	E	\$6,600	\$1,291,836,399
1305	Ha'i wale (<i>Cyrtandra limahuliensis</i>) - Wherever found	T	\$6,555	\$1,291,842,954
1306	Alani (<i>Melicope balloui</i>) - Wherever found	E	\$6,513	\$1,291,849,467
1307	Cactus, Nichol's Turk's head (<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>) - Wherever found	E	\$6,500	\$1,291,855,967
1307	No Common Name (<i>Tectaria estremeana</i>) - Wherever found	E	\$6,500	\$1,291,862,467
1308	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$6,480	\$1,291,868,947
1309	Fly, Hawaiian picture-wing (<i>Drosophila aglaia</i>) - Wherever found	E	\$6,439	\$1,291,875,386
1310	Creeper, Oahu (<i>Paroreomyza maculata</i>) - Wherever found	E	\$6,435	\$1,291,881,821
1311	Hornsnail, rough (<i>Pleurocera foremani</i>) - Wherever found	E	\$6,400	\$1,291,888,221
1312	No Common Name (<i>Cyperus fauriei</i>) - Wherever found	E	\$6,390	\$1,291,894,611
1313	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>) - Wherever found	E	\$6,340	\$1,291,900,951
1314	Wahane (<i>Pritchardia aylmer-robinsonii</i>) - Wherever found	E	\$6,337	\$1,291,907,288
1315	Buckwheat, cushionbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>) - Wherever found	E	\$6,313	\$1,291,913,601
1316	Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Wherever found; Except where listed as Experimental Populations	E	\$6,200	\$1,291,919,801
1317	Boa, Mona (<i>Epicrates monensis monensis</i>) - Wherever found	T	\$6,100	\$1,291,925,901
1317	No Common Name (<i>Mitracarpus maxwelliae</i>) - Wherever found	E	\$6,100	\$1,291,932,001
1317	No Common Name (<i>Mitracarpus polycladus</i>) - Wherever found	E	\$6,100	\$1,291,938,101
1318	Spineflower, Robust (<i>Chorizanthe robusta</i> var. <i>robusta</i>) - Wherever found	E	\$6,025	\$1,291,944,126
1319	Gambusia, Big Bend (<i>Gambusia gaigei</i>) - Wherever found	E	\$6,000	\$1,291,950,126
1320	Bear, brown (<i>Ursus arctos pruinosus</i>) - Wherever found	E	\$5,947	\$1,291,956,073
1321	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$5,930	\$1,291,962,003
1322	Shiner, palezone (<i>Notropis albizonatus</i>) - Wherever found	E	\$5,900	\$1,291,967,903

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1323	Monkey-flower, Michigan (<i>Mimulus michiganensis</i>) - Wherever found	E	\$5,860	\$1,291,973,763
1324	Rosemary, Cumberland (<i>Conradina verticillata</i>) - Wherever found	T	\$5,750	\$1,291,979,513
1325	Seal, Saimaa (<i>Phoca hispida saimensis</i>) - Wherever found	E	\$5,723	\$1,291,985,236
1326	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>) - Wherever found	E	\$5,700	\$1,291,990,936
1327	Milkvetch, Osterhout (<i>Astragalus osterhoutii</i>) - Wherever found	E	\$5,685	\$1,291,996,621
1328	Milkvetch, Deseret (<i>Astragalus desereticus</i>) - Wherever found	T	\$5,600	\$1,292,002,221
1329	No Common Name (<i>Stenogyne cranwelliae</i>) - Wherever found	E	\$5,573	\$1,292,007,794
1330	Minnow, Devils River (<i>Dionda diaboli</i>) - Wherever found	T	\$5,550	\$1,292,013,344
1331	No Common Name (<i>Kadua st.-johnii</i>) - Wherever found	E	\$5,546	\$1,292,018,890
1332	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>) - Wherever found	E	\$5,500	\$1,292,024,390
1333	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>) - Wherever found	E	\$5,450	\$1,292,029,840
1334	Fly, Hawaiian picture-wing (<i>Drosophila digressa</i>) - Wherever found	E	\$5,425	\$1,292,035,265
1334	Fly, Hawaiian picture-wing (<i>Drosophila mulli</i>) - Wherever found	T	\$5,425	\$1,292,040,690
1334	Picture-wing fly, Hawaiian (<i>Drosophila neoclavisetae</i>) - Wherever found	E	\$5,425	\$1,292,046,115
1334	Fly, Hawaiian picture-wing (<i>Drosophila tarphytrichia</i>) - Wherever found	E	\$5,425	\$1,292,051,540
1334	Fly, Hawaiian picture-wing (<i>Drosophila ochrobasis</i>) - Wherever found	E	\$5,425	\$1,292,056,965
1335	Reedgrass, Hillebrand's (<i>Calamagrostis hillebrandii</i>) - Wherever found	E	\$5,405	\$1,292,062,370
1336	No Common Name (<i>Adiantum vivesii</i>) - Wherever found	E	\$5,400	\$1,292,067,770
1336	No Common Name (<i>Polystichum calderonense</i>) - Wherever found	E	\$5,400	\$1,292,073,170
1337	'Ohe`ohe (<i>Polyscias gymnocarpa</i>) - Wherever found	E	\$5,317	\$1,292,078,487
1338	Milk-vetch, heliotrope (<i>Astragalus montii</i>) - Wherever found	T	\$5,200	\$1,292,083,687
1339	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>) - Wherever found	E	\$5,150	\$1,292,088,837
1340	'Akoko (<i>Euphorbia halemanui</i>) - Wherever found	E	\$5,148	\$1,292,093,985
1341	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$5,100	\$1,292,099,085

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1342	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>) - Wherever found	E	\$5,082	\$1,292,104,167
1343	'Awiwi (<i>Kadua cookiana</i>) - Wherever found	E	\$5,040	\$1,292,109,207
1344	Nehe (<i>Lipochaeta fauriei</i>) - Wherever found	E	\$5,005	\$1,292,114,212
1345	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>) - Wherever found	E	\$5,000	\$1,292,119,212
1345	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>) - Wherever found	T	\$5,000	\$1,292,124,212
1346	Po'ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>) - Wherever found	E	\$4,934	\$1,292,129,146
1347	Rocksnail, round (<i>Leptoxis ampla</i>) - Wherever found	T	\$4,900	\$1,292,134,046
1347	Amphipod, Pecos (<i>Gammarus pecos</i>) - Wherever found	E	\$4,900	\$1,292,138,946
1348	`Akoko (<i>Euphorbia deppeana</i>) - Wherever found	E	\$4,891	\$1,292,143,837
1349	Pigtoe, shiny (<i>Fusconaia cor</i>) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$4,860	\$1,292,148,697
1350	No Common Name (<i>Bidens hillebrandiana</i> ssp. <i>hillebrandiana</i>) - Wherever found	E	\$4,849	\$1,292,153,546
1351	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>) - Wherever found	T	\$4,700	\$1,292,158,246
1352	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>) - Wherever found	E	\$4,580	\$1,292,162,826
1353	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>) - Wherever found	E	\$4,517	\$1,292,167,343
1354	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhaphes</i>) - Wherever found	E	\$4,500	\$1,292,171,843
1354	Blue-star, Kearney's (<i>Amsonia kearneyana</i>) - Wherever found	E	\$4,500	\$1,292,176,343
1355	Darter, vermilion (<i>Etheostoma chermocki</i>) - Wherever found	E	\$4,408	\$1,292,180,751
1356	Ragwort, San Francisco Peaks (<i>Packera franciscana</i>) - Wherever found	T	\$4,402	\$1,292,185,153
1357	Pigtoe, heavy (<i>Pleurobema taitianum</i>) - Wherever found	E	\$4,400	\$1,292,189,553
1357	Pigtoe, dark (<i>Pleurobema furvum</i>) - Wherever found	E	\$4,400	\$1,292,193,953
1358	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>) - Wherever found	E	\$4,350	\$1,292,198,303
1359	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>) - Wherever found	E	\$4,308	\$1,292,202,611
1360	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>) - Wherever found	E	\$4,300	\$1,292,206,911
1361	Orcutt grass, California (<i>Orcuttia californica</i>) - Wherever found	E	\$4,200	\$1,292,211,111

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1361	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>) - Wherever found	T	\$4,200	\$1,292,215,311
1362	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>) - Wherever found	T	\$4,197	\$1,292,219,508
1363	Irisette, white (<i>Sisyrinchium dichotomum</i>) - Wherever found	E	\$4,168	\$1,292,223,676
1364	Rock-cress, McDonald's (<i>Arabis macdonaldiana</i>) - Wherever found	E	\$4,100	\$1,292,227,776
1364	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>) - Wherever found	E	\$4,100	\$1,292,231,876
1365	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>) - Wherever found	T	\$4,022	\$1,292,235,898
1366	Crocodile, African slender-snouted (<i>Crocodylus cataphractus</i>) - Wherever found	E	\$4,000	\$1,292,239,898
1366	Lousewort, Furbish (<i>Pedicularis furbishiae</i>) - Wherever found	E	\$4,000	\$1,292,243,898
1367	Nukupuu, Kauai (<i>Hemignathus hanapepe</i>) - Wherever found	E	\$3,920	\$1,292,247,818
1368	Lemurs (Lemuridae (incl. genera Lemur, Phaner, Hapalemur, Lepilemur, Microcebus, Allocebus, Cheirogaleus, Varecia)) - Wherever found	E	\$3,900	\$1,292,251,718
1368	Snail, tulotoma (<i>Tulotoma magnifica</i>) - Wherever found	T	\$3,900	\$1,292,255,618
1369	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>) - Wherever found	T	\$3,704	\$1,292,259,322
1370	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>) - Wherever found	E	\$3,667	\$1,292,262,989
1370	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>) - Wherever found	E	\$3,667	\$1,292,266,656
1371	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>) - Wherever found	E	\$3,600	\$1,292,270,256
1371	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>) - Wherever found	E	\$3,600	\$1,292,273,856
1371	Primrose, Maguire (<i>Primula maguirei</i>) - Wherever found	T	\$3,600	\$1,292,277,456
1371	Checker-mallow, pedate (<i>Sidalcea pedata</i>) - Wherever found	E	\$3,600	\$1,292,281,056
1372	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>) - Wherever found	E	\$3,580	\$1,292,284,636
1373	Fanshell (<i>Cyprogenia stegaria</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$3,540	\$1,292,288,176
1374	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>) - Wherever found	E	\$3,513	\$1,292,291,689
1375	Parrot, thick-billed (<i>Rhynchopsitta pachyrhyncha</i>) - Wherever found	E	\$3,500	\$1,292,295,189
1375	Gambusia, Clear Creek (<i>Gambusia heterochir</i>) - Wherever found	E	\$3,500	\$1,292,298,689

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1375	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,500	\$1,292,302,189
1376	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>) - Wherever found	E	\$3,400	\$1,292,305,589
1376	Springsnail, Alamosa (<i>Tryonia alamosae</i>) - Wherever found	E	\$3,400	\$1,292,308,989
1376	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>) - Wherever found	E	\$3,400	\$1,292,312,389
1377	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>) - Wherever found	E	\$3,373	\$1,292,315,762
1378	Snail, noonday (<i>Mesodon clarki nantahala</i>) - Wherever found	T	\$3,300	\$1,292,319,062
1378	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Wherever found; Except where listed as Experimental Populations	E	\$3,300	\$1,292,322,362
1378	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>) - Wherever found	E	\$3,300	\$1,292,325,662
1378	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>) - Wherever found	E	\$3,300	\$1,292,328,962
1378	Bellflower, Brooksville (<i>Campanula robinsiae</i>) - Wherever found	E	\$3,300	\$1,292,332,262
1379	Iris, dwarf lake (<i>Iris lacustris</i>) - Wherever found	T	\$3,237	\$1,292,335,499
1380	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>) - Wherever found	E	\$3,200	\$1,292,338,699
1380	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>) - Wherever found	T	\$3,200	\$1,292,341,899
1381	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>) - Wherever found	T	\$3,150	\$1,292,345,049
1382	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>) - Wherever found	T	\$3,000	\$1,292,348,049
1383	Rosemary, Etonia (<i>Conradina etonia</i>) - Wherever found	E	\$2,903	\$1,292,350,952
1384	Spurge, Garber's (<i>Chamaesyce garberi</i>) - Wherever found	T	\$2,900	\$1,292,353,852
1384	Birds-in-a-nest, white (<i>Macbridea alba</i>) - Wherever found	T	\$2,900	\$1,292,356,752
1384	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>) - Wherever found	E	\$2,900	\$1,292,359,652
1385	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>) - Wherever found	T	\$2,897	\$1,292,362,549
1386	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>) - Wherever found	T	\$2,850	\$1,292,365,399
1387	Rockcress, Georgia (<i>Arabis georgiana</i>) - Wherever found	T	\$2,834	\$1,292,368,233
1388	Woodpecker, ivory-billed (<i>Campephilus principalis</i>) - Wherever found	E	\$2,800	\$1,292,371,033
1388	Clarkia, Springville (<i>Clarkia springvillensis</i>) - Wherever found	T	\$2,800	\$1,292,373,833

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1389	Madtom, yellowfin (<i>Noturus flavipinnis</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(e)(1)(iii))	EXPN	\$2,500	\$1,292,376,333
1389	Tryonia, Phantom (<i>Tryonia cheatumi</i>) - Wherever found	E	\$2,500	\$1,292,378,833
1389	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$2,500	\$1,292,381,333
1390	Pearlymussel, cracking (<i>Hemistena lata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$2,430	\$1,292,383,763
1391	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>) - Wherever found	E	\$2,400	\$1,292,386,163
1391	Milkpea, Small's (<i>Galactia smallii</i>) - Wherever found	E	\$2,400	\$1,292,388,563
1391	Thoroughwort, Cape Sable (<i>Chromolaena frustrata</i>) - Wherever found	E	\$2,400	\$1,292,390,963
1392	Fern, Aleutian shield (<i>Polystichum aleuticum</i>) - Wherever found	E	\$2,388	\$1,292,393,351
1393	Whale, Southern Right (<i>Eubalaena australis</i>) - Wherever found	E	\$2,355	\$1,292,395,706
1394	Elimia, lacy (snail) (<i>Elimia crenatella</i>) - Wherever found	T	\$2,300	\$1,292,398,006
1394	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>) - Wherever found	E	\$2,300	\$1,292,400,306
1394	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>) - Wherever found	E	\$2,300	\$1,292,402,606
1395	Chub, Sonora (<i>Gila ditaenia</i>) - Wherever found	T	\$2,250	\$1,292,404,856
1396	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>) - Wherever found	E	\$2,203	\$1,292,407,059
1397	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>) - Wherever found	T	\$2,200	\$1,292,409,259
1398	Rocksnail, interrupted (=Georgia) (<i>Leptoxis foremani</i>) - Wherever found	E	\$2,150	\$1,292,411,409
1399	Bat, little Mariana fruit (<i>Pteropus tokudae</i>) - Wherever found	E	\$2,139	\$1,292,413,548
1400	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>) - Wherever found	T	\$2,100	\$1,292,415,648
1400	Thelypody, Howell's spectacular (<i>Thelypodium howellii</i> <i>spectabilis</i>) - Wherever found	T	\$2,100	\$1,292,417,748
1400	Bladderpod, white (<i>Lesquerella pallida</i>) - Wherever found	E	\$2,100	\$1,292,419,848
1401	Roseroot, Leedy's (<i>Rhodiola integrifolia</i> ssp. <i>leedyi</i>) - Wherever found	T	\$2,057	\$1,292,421,905
1402	Leopard, snow (<i>Uncia</i> (=Panthera) <i>uncia</i>) - Wherever found	E	\$2,050	\$1,292,423,955
1403	Blossom, green (pearlymussel) (<i>Epioblasma torulosa</i> <i>gubernaculum</i>) - Wherever found	E	\$2,020	\$1,292,425,975

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1404	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>) - Wherever found	E	\$2,000	\$1,292,427,975
1404	Amphipod, diminutive (<i>Gammarus hyalleloides</i>) - Wherever found	E	\$2,000	\$1,292,429,975
1404	Snowbells, Texas (<i>Styrax texanus</i>) - Wherever found	E	\$2,000	\$1,292,431,975
1405	Polygala, tiny (<i>Polygala smallii</i>) - Wherever found	E	\$1,900	\$1,292,433,875
1406	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>) - Wherever found	E	\$1,800	\$1,292,435,675
1406	Vervain, Red Hills (<i>Verbena californica</i>) - Wherever found	T	\$1,800	\$1,292,437,475
1407	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Wherever found; Except where listed as Experimental Populations	E	\$1,700	\$1,292,439,175
1408	Darter, watercress (<i>Etheostoma nuchale</i>) - Wherever found	E	\$1,658	\$1,292,440,833
1409	Crane, black-necked (<i>Grus nigricollis</i>) - Wherever found	E	\$1,640	\$1,292,442,473
1409	Crane, hooded (<i>Grus monacha</i>) - Wherever found	E	\$1,640	\$1,292,444,113
1410	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,620	\$1,292,445,733
1410	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) - USA (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,620	\$1,292,447,353
1411	Sneezeweed, Virginia (<i>Helenium virginicum</i>) - Wherever found	T	\$1,600	\$1,292,448,953
1412	Crayfish, cave (<i>Cambarus aculabrum</i>) - Wherever found	E	\$1,517	\$1,292,450,470
1413	Mint, longspurred (<i>Dicerandra cornutissima</i>) - Wherever found	E	\$1,503	\$1,292,451,973
1414	Sedge, white (<i>Carex albida</i>) - Wherever found	E	\$1,500	\$1,292,453,473
1415	Crane, white-naped (<i>Grus vipio</i>) - Wherever found	E	\$1,400	\$1,292,454,873
1415	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>) - Wherever found	E	\$1,400	\$1,292,456,273
1416	Oryx, Arabian (<i>Oryx leucoryx</i>) - Wherever found	E	\$1,300	\$1,292,457,573
1416	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Wherever found; Except where listed as Experimental Populations	E	\$1,300	\$1,292,458,873
1416	Spider, Tooth Cave (<i>Neoleptoneta myopica</i>) - Wherever found	E	\$1,300	\$1,292,460,173
1416	Gladebush, Fleshy-fruit (<i>Leavenworthia crassa</i>) - Wherever found	E	\$1,300	\$1,292,461,473
1416	Leather flower, Morefield's (<i>Clematis morefieldii</i>) - Wherever found	E	\$1,300	\$1,292,462,773
1417	Shiner, Cahaba (<i>Notropis cahabae</i>) - Wherever found	E	\$1,259	\$1,292,464,032
1418	Marmoset, white-eared (=buffy tufted-ear) (<i>Callithrix aurita</i> (=jacchus a.)) - Wherever found	E	\$1,200	\$1,292,465,232

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1418	Salamander, desert slender (<i>Batrachoseps aridus</i>) - Wherever found	E	\$1,200	\$1,292,466,432
1419	Darter, rush (<i>Etheostoma phytophilum</i>) - Wherever found	E	\$1,157	\$1,292,467,589
1420	Babirusa (<i>Babyrousa babyrussa</i>) - Wherever found	E	\$1,000	\$1,292,468,589
1420	Bobcat, Mexican (<i>Lynx</i> (=Felis) <i>rufus escuinapae</i>) - Wherever found	E	\$1,000	\$1,292,469,589
1420	Monkey, proboscis (<i>Nasalis larvatus</i>) - Wherever found	E	\$1,000	\$1,292,470,589
1420	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$1,000	\$1,292,471,589
1420	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>) - Wherever found	T	\$1,000	\$1,292,472,589
1420	Springsnail, Phantom (<i>Pyrgulopsis texana</i>) - Wherever found	E	\$1,000	\$1,292,473,589
1420	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>) - Wherever found	E	\$1,000	\$1,292,474,589
1420	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>) - Wherever found	E	\$1,000	\$1,292,475,589
1420	Malacothrix, island (<i>Malacothrix squalida</i>) - Wherever found	E	\$1,000	\$1,292,476,589
1421	Lechwe, red (<i>Kobus leche</i>) - Wherever found	T	\$950	\$1,292,477,539
1422	Purple cat's paw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$910	\$1,292,478,449
1423	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>) - Wherever found	E	\$900	\$1,292,479,349
1424	Gambusia, San Marcos (<i>Gambusia georgei</i>) - Wherever found	E	\$800	\$1,292,480,149
1425	Antelope Tibetan (<i>Panthalops hodgsonii</i>) - Wherever found	E	\$750	\$1,292,480,899
1425	Sea turtle, loggerhead (<i>Caretta caretta</i>) - South Pacific Ocean DPS	E	\$750	\$1,292,481,649
1426	Cory cactus, bunched (<i>Coryphantha ramosa</i>) - Wherever found	T	\$700	\$1,292,482,349
1427	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>) - Wherever found	E	\$679	\$1,292,483,028
1428	Barberry, Nevin's (<i>Berberis nevinii</i>) - Wherever found	E	\$671	\$1,292,483,699
1429	Stirrupshell (<i>Quadrula stapes</i>) - Wherever found	E	\$600	\$1,292,484,299
1429	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>) - Wherever found	E	\$600	\$1,292,484,899
1430	Serow (<i>Naemorhedus</i> (=Capricornis) <i>sumatraensis</i>) - Wherever found	E	\$500	\$1,292,485,399
1430	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>) - Wherever found	E	\$500	\$1,292,485,899

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1430	Mountainbalm, Indian Knob (<i>Eriodictyon altissimum</i>) - Wherever found	E	\$500	\$1,292,486,399
1431	Monkey, Diana (<i>Cercopithecus diana</i>) - Wherever found	E	\$450	\$1,292,486,849
1432	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>) - Wherever found	T	\$305	\$1,292,487,154
1433	Chinchilla (<i>Chinchilla brevicaudata boliviiana</i>) - Wherever found	E	\$300	\$1,292,487,454
1433	Zebra, Grevy's (<i>Equus grevyi</i>) - Wherever found	T	\$300	\$1,292,487,754
1433	Addax (<i>Addax nasomaculatus</i>) - Wherever found	E	\$300	\$1,292,488,054
1433	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$1,292,488,354
1433	Pearlymussel, dromedary (<i>Dromus dromas</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$300	\$1,292,488,654
1433	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$300	\$1,292,488,954
1433	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>) - Wherever found	E	\$300	\$1,292,489,254
1434	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>) - Wherever found	T	\$252	\$1,292,489,506
1435	Eagle, harpy (<i>Harpia harpyja</i>) - Wherever found	E	\$250	\$1,292,489,756
1435	Crocodile, Nile (<i>Crocodylus niloticus</i>) - Wherever found	T	\$250	\$1,292,490,006
1435	Crocodile, Siamese (<i>Crocodylus siamensis</i>) - Wherever found	E	\$250	\$1,292,490,256
1436	Pigtoe, flat (<i>Pleurobema marshalli</i>) - Wherever found	E	\$200	\$1,292,490,456
1436	Cactus, Nellie cory (<i>Coryphantha minima</i>) - Wherever found	E	\$200	\$1,292,490,656
1436	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>) - Wherever found	E	\$200	\$1,292,490,856
1436	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>) - Wherever found	E	\$200	\$1,292,491,056
1437	Gazelle, slender-horned (<i>Gazella leptoceros</i>) - Wherever found	E	\$150	\$1,292,491,206
1437	Leopard (<i>Panthera pardus</i>) - Gabon to Kenya & southward	T	\$150	\$1,292,491,356
1437	Margay (<i>Leopardus (=Felis) wiedii</i>) - Wherever found	E	\$150	\$1,292,491,506
1437	Bontebok (<i>Damaliscus pygargus (=dorcus) dorcus</i>) - Wherever found	E	\$150	\$1,292,491,656
1437	Tamarin, cotton-top (<i>Saguinus oedipus</i>) - Wherever found	E	\$150	\$1,292,491,806
1437	Bat, Bulmer's fruit (=flying fox) (<i>Aproteles bulmerae</i>) - Wherever found	E	\$150	\$1,292,491,956
1437	Gazelle, dama (<i>Gazella dama</i>) - Wherever found	E	\$150	\$1,292,492,106

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulatative Total
1437	Koala (<i>Phascolarctos cinereus</i>) - Australia	T	\$150	\$1,292,492,256
1438	Jaguarundi, Sinaloa (<i>Herpailurus (=Felis) yagouaroundi tolteca</i>) - Wherever found	E	\$100	\$1,292,492,356
1438	Madtom, pygmy (<i>Noturus stanauli</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i))	EXPN	\$100	\$1,292,492,456
1438	Pearlymussel, birdwing (<i>Lemiox rimosus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$100	\$1,292,492,556
1438	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>) - Wherever found	E	\$100	\$1,292,492,656
1438	Bladderpod, lyrate (<i>Lesquerella lyrata</i>) - Wherever found	T	\$100	\$1,292,492,756
1438	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>) - Wherever found	E	\$100	\$1,292,492,856
1438	Oak, Hinckley (<i>Quercus hinckleyi</i>) - Wherever found	T	\$100	\$1,292,492,956
1438	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>) - Wherever found	E	\$100	\$1,292,493,056
1438	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>) - Wherever found	E	\$100	\$1,292,493,156
1439	Markhor, Straight-horned (<i>Capra falconeri megaceros</i>) - Wherever found	T	\$0	\$1,292,493,156
1439	Sawfish, Narrow (<i>Anoxypristis cuspidata</i>) - Wherever found	E	\$0	\$1,292,493,156
1439	Sawfish, Green (<i>Pristis zijsron</i>) - Wherever found	E	\$0	\$1,292,493,156
1439	Butterfly, cassius blue (<i>Leptotes cassius theonus</i>) - Wherever found	SAT	\$0	\$1,292,493,156
1439	Butterfly, ceraunus blue (<i>Hemiargus ceraunus antibubastus</i>) - Wherever found	SAT	\$0	\$1,292,493,156
1439	Butterfly, nickerbean blue (<i>Cyclargus ammon</i>) - Wherever found	SAT	\$0	\$1,292,493,156
1439	No Common Name (<i>Anacropora spinosa</i>) - Wherever found	T	\$0	\$1,292,493,156
1439	No Common Name (<i>Acropora tenella</i>) - Wherever found	T	\$0	\$1,292,493,156
1439	No Common Name (<i>Montipora australiensis</i>) - Wherever found	T	\$0	\$1,292,493,156
Total				\$1,292,493,156