

**TABLE 3. REPORTED LAND ACQUISITION EXPENDITURES FOR FY 2015 FOR  
ENDANGERED AND THREATENED SPECIES**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
Mammals	85	Bat, gray ( <i>Myotis grisescens</i> ) - Wherever found	E	\$0	\$0	\$0	\$2,200	\$2,200
	13	Bat, Indiana ( <i>Myotis sodalis</i> ) - Wherever found	E	\$394,717	\$2,104,120	\$2,498,837	\$158,382	\$2,657,219
	21	Bat, Northern long-eared ( <i>Myotis septentrionalis</i> ) - Wherever found	T	\$0	\$1,377,620	\$1,377,620	\$0	\$1,377,620
	22	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> ) - Wherever found	T	\$1,302,372	\$0	\$1,302,372	\$0	\$1,302,372
	82	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS	E	\$3,811	\$0	\$3,811	\$0	\$3,811
	91	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> ) - wherever found	E	\$380	\$0	\$380	\$0	\$380
	91	Kangaroo rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> ) - Wherever found	E	\$380	\$0	\$380	\$0	\$380
	53	Lynx, Canada ( <i>Lynx canadensis</i> ) - Contiguous U.S. DPS	T	\$272,190	\$0	\$272,190	\$0	\$272,190
	50	Manatee, West Indian ( <i>Trichechus manatus</i> ) - Wherever found	E	\$291,819	\$0	\$291,819	\$28,000	\$319,819
	84	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> ) - Wherever found	E	\$0	\$3,000	\$3,000	\$0	\$3,000
	59	Ocelot ( <i>Leopardus (=Felis) pardalis</i> ) - wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736
	3	Panther, Florida ( <i>Puma (=Felis) concolor coryi</i> ) - Wherever found	E	\$0	\$6,045,205	\$6,045,205	\$0	\$6,045,205
	52	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> ) - Wherever found	E	\$3,125	\$288,000	\$291,125	\$0	\$291,125
	66	Sea lion, Steller ( <i>Eumetopias jubatus</i> ) - Western DPS	E	\$103,750	\$4,800	\$108,550	\$0	\$108,550
	23	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - Wherever found, except where listed as an experimental population	E	\$1,275,000	\$0	\$1,275,000	\$0	\$1,275,000
	69	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> ) - Wherever found	E	\$61,714	\$0	\$61,714	\$0	\$61,714

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	80	Wolf, red ( <i>Canis rufus</i> ) - Wherever found, except where listed as an experimental population	E	\$6,429	\$0	\$6,429	\$0	\$6,429
	52	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> ) - Wherever found	E	\$3,125	\$288,000	\$291,125	\$0	\$291,125
Mammals subtotal				\$3,921,548	\$10,110,745	\$14,032,293	\$188,582	\$14,220,875
Birds	68	Albatross, short-tailed ( <i>Phoebastria</i> (=Diomedea) <i>albatrus</i> ) - Wherever found	E	\$103,750	\$0	\$103,750	\$0	\$103,750
	77	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> ) - Wherever found	E	\$17,750	\$0	\$17,750	\$0	\$17,750
	6	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL pop.	T	\$1,174	\$4,000,000	\$4,001,174	\$0	\$4,001,174
	37	Crane, whooping ( <i>Grus americana</i> ) - Wherever found, except where listed as an experimental population	E	\$600,000	\$0	\$600,000	\$0	\$600,000
	55	Eider, spectacled ( <i>Somateria fischeri</i> ) - Wherever found	T	\$256,000	\$0	\$256,000	\$0	\$256,000
	36	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - Wherever found, except where listed as an experimental population	E	\$669,907	\$0	\$669,907	\$0	\$669,907
	70	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> ) - Wherever found	E	\$61,202	\$0	\$61,202	\$0	\$61,202
	75	Gnatcatcher, coastal California ( <i>Poliophtila californica californica</i> ) - Wherever found	T	\$33,462	\$0	\$33,462	\$0	\$33,462
	20	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - Wherever found	E	\$0	\$1,500,000	\$1,500,000	\$0	\$1,500,000
	64	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) - U.S.A. (CA, OR, WA)	T	\$103,750	\$1,000	\$104,750	\$30,450	\$135,200
	88	Owl, northern spotted ( <i>Strix occidentalis caurina</i> ) - Wherever found	T	\$0	\$1,000	\$1,000	\$0	\$1,000
	9	Plover, piping ( <i>Charadrius melodus</i> ) - except Great Lakes watershed	T	\$2,162,964	\$882,571	\$3,045,535	\$0	\$3,045,535
	68	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) - Pacific Coast population DPS-U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast)	T	\$103,750	\$0	\$103,750	\$0	\$103,750

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	71	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) - Wherever found	E	\$58,077	\$0	\$58,077	\$0	\$58,077
	40	Scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> ) - Wherever found	T	\$1,174	\$429,729	\$430,903	\$0	\$430,903
	38	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> ) - Wherever found	E	\$0	\$501,364	\$501,364	\$0	\$501,364
	1	Stork, wood ( <i>Mycteria americana</i> ) - AL, FL, GA, MS, NC, SC	T	\$86,657	\$7,000,000	\$7,086,657	\$28,000	\$7,114,657
	14	Tern, least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$1,462,118	\$942,571	\$2,404,689	\$0	\$2,404,689
	58	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - northeast U.S. nesting pop.	E	\$209,500	\$0	\$209,500	\$0	\$209,500
	74	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> ) - Wherever found	E	\$36,587	\$0	\$36,587	\$0	\$36,587
	59	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> ) - Wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736
	48	Woodpecker, red-cockaded ( <i>Picoides borealis</i> ) - Wherever found	E	\$301,312	\$66,377	\$367,689	\$0	\$367,689
Birds subtotal				\$6,471,870	\$15,324,612	\$21,796,482	\$58,450	\$21,854,932
Reptiles	92	Alligator, American ( <i>Alligator mississippiensis</i> ) - Wherever found	SAT	\$0	\$346	\$346	\$0	\$346
	16	Gartersnake, northern Mexican ( <i>Thamnophis eques megalops</i> ) - Wherever found	T	\$0	\$0	\$0	\$2,035,000	\$2,035,000
	91	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> ) - Wherever found	E	\$380	\$0	\$380	\$0	\$380
	47	Sea turtle, green ( <i>Chelonia mydas</i> ) - Except where endangered	T	\$374,629	\$0	\$374,629	\$0	\$374,629
	59	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> ) - Wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736
	33	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> ) - Wherever found	E	\$731,621	\$0	\$731,621	\$0	\$731,621
	51	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> ) - Wherever found	E	\$312,915	\$0	\$312,915	\$0	\$312,915
	39	Sea turtle, loggerhead ( <i>Caretta caretta</i> ) - Northwest Atlantic Ocean DPS	T	\$467,171	\$0	\$467,171	\$0	\$467,171
	87	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> ) - Wherever found	T	\$1,174	\$0	\$1,174	\$0	\$1,174

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	32	Skink, sand (Neoseps reynoldsi) - Wherever found	T	\$1,174	\$778,500	\$779,674	\$0	\$779,674
	61	Snake, copperbelly water (Nerodia erythrogaster neglecta) - Indiana north of 40 degrees north latitude, Michigan, Ohio	T	\$79,967	\$0	\$79,967	\$76,100	\$156,067
	60	Snake, eastern indigo (Drymarchon corais couperi) - Wherever found	T	\$62,888	\$100,000	\$162,888	\$28,000	\$190,888
	44	Snake, giant garter (Thamnophis gigas) - Wherever found	T	\$388,754	\$0	\$388,754	\$0	\$388,754
	30	Turtle, bog (Clemmys muhlenbergii) - Wherever found, except GA, NC, SC, TN, VA	T	\$292,500	\$589,472	\$881,972	\$0	\$881,972
Reptiles subtotal				\$2,915,909	\$1,468,318	\$4,384,227	\$2,139,100	\$6,523,327
Amphibians	90	Frog, California red-legged (Rana draytonii) - Wherever found	T	\$0	\$500	\$500	\$0	\$500
	77	Frog, Chiricahua leopard (Rana chiricahuensis) - Wherever found	T	\$17,750	\$0	\$17,750	\$0	\$17,750
	90	Salamander, California tiger (Ambystoma californiense) - U.S.A. (CA - Sonoma County)	E	\$0	\$500	\$500	\$0	\$500
	44	Salamander, California tiger (Ambystoma californiense) - U.S.A. (Central CA DPS)	T	\$388,754	\$0	\$388,754	\$0	\$388,754
Amphibians subtotal				\$406,504	\$1,000	\$407,504	\$0	\$407,504
Fishes	18	Cui-ui (Chasmistes cujus) - Wherever found	E	\$1,995,913	\$0	\$1,995,913	\$0	\$1,995,913
	71	Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis) - Wherever found	E	\$58,077	\$0	\$58,077	\$0	\$58,077
	85	Darter, amber (Percina antesella) - Wherever found	E	\$0	\$0	\$0	\$2,200	\$2,200
	81	Darter, Cherokee (Etheostoma scotti) - Wherever found	T	\$0	\$0	\$0	\$4,400	\$4,400
	81	Darter, Etowah (Etheostoma etowahae) - Wherever found	E	\$0	\$0	\$0	\$4,400	\$4,400
	67	Eulachon (Thaleichthys pacificus) - Southern DPS	T	\$104,292	\$0	\$104,292	\$0	\$104,292
	17	Minnow, Rio Grande Silvery (Hybognathus amarus) - Wherever found, except where listed as an experimental population	E	\$0	\$2,000,000	\$2,000,000	\$0	\$2,000,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	71	Pupfish, Ash Meadows Amargosa (Cyprinodon nevadensis mionectes) - Wherever found	E	\$58,077	\$0	\$58,077	\$0	\$58,077
	71	Pupfish, Devils Hole (Cyprinodon diabolis) - Wherever found	E	\$58,077	\$0	\$58,077	\$0	\$58,077
	71	Pupfish, Warm Springs (Cyprinodon nevadensis pectoralis) - Wherever found	E	\$58,077	\$0	\$58,077	\$0	\$58,077
	35	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River fall-run ESU	T	\$0	\$673,500	\$673,500	\$0	\$673,500
	8	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Snake River spring/summer-run ESU	T	\$0	\$3,176,016	\$3,176,016	\$459,895	\$3,635,911
	62	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Sacramento River winter-run ESU	E	\$3,125	\$150,000	\$153,125	\$0	\$153,125
	19	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Lower Columbia River ESU	T	\$3,811	\$1,619,578	\$1,623,389	\$0	\$1,623,389
	5	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Willamette River ESU	T	\$0	\$5,959,222	\$5,959,222	\$0	\$5,959,222
	12	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Upper Columbia spring-run ESU	E	\$0	\$2,829,127	\$2,829,127	\$0	\$2,829,127
	63	Salmon, Chinook (Oncorhynchus (=Salmo) tshawytscha) - Central Valley spring-run ESU	T	\$0	\$150,000	\$150,000	\$0	\$150,000
	54	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Southern Oregon - Northern California Coast ESU	T	\$0	\$267,000	\$267,000	\$0	\$267,000
	89	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Oregon Coast ESU	T	\$542	\$0	\$542	\$0	\$542
	73	Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Lower Columbia River ESU	T	\$3,811	\$39,639	\$43,450	\$0	\$43,450
	34	Salmon, sockeye (Oncorhynchus (=Salmo) nerka) - Snake River ESU	E	\$0	\$673,674	\$673,674	\$0	\$673,674
	27	Shiner, Pecos bluntnose (Notropis simus pecosensis) - Wherever found	T	\$0	\$1,000,000	\$1,000,000	\$0	\$1,000,000
	31	Shiner, Topeka (Notropis topeka (=tristis)) - Wherever found, except where listed as an experimental population	E	\$847,098	\$0	\$847,098	\$0	\$847,098

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	63	Steelhead (Oncorhynchus (=Salmo) mykiss) - California Central Valley DPS	T	\$0	\$150,000	\$150,000	\$0	\$150,000
	7	Steelhead (Oncorhynchus (=Salmo) mykiss) - Snake River Basin DPS	T	\$0	\$3,406,632	\$3,406,632	\$459,895	\$3,866,527
	26	Steelhead (Oncorhynchus (=Salmo) mykiss) - Lower Columbia River DPS	T	\$3,811	\$1,016,210	\$1,020,021	\$0	\$1,020,021
	83	Steelhead (Oncorhynchus (=Salmo) mykiss) - Southern California DPS	E	\$3,125	\$0	\$3,125	\$0	\$3,125
	10	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Columbia River DPS	T	\$0	\$2,996,784	\$2,996,784	\$0	\$2,996,784
	4	Steelhead (Oncorhynchus (=Salmo) mykiss) - Upper Willamette River DPS	T	\$0	\$5,959,231	\$5,959,231	\$0	\$5,959,231
	2	Steelhead (Oncorhynchus (=Salmo) mykiss) - Middle Columbia River DPS	T	\$0	\$6,631,960	\$6,631,960	\$0	\$6,631,960
	78	Sturgeon, Atlantic (Acipenser oxyrinchus oxyrinchus) - Gulf of Maine DPS	T	\$17,340	\$0	\$17,340	\$0	\$17,340
	65	Sturgeon, green (Acipenser medirostris) - Southern DPS	T	\$104,292	\$0	\$104,292	\$30,450	\$134,742
	76	Sturgeon (Gulf subspecies), Atlantic (Acipenser oxyrinchus (=oxyrinchus) desotoi) - Wherever found	T	\$0	\$0	\$0	\$28,000	\$28,000
	11	Sturgeon, pallid (Scaphirhynchus albus) - Wherever found	E	\$794,815	\$2,149,271	\$2,944,086	\$0	\$2,944,086
	72	Sturgeon, shortnose (Acipenser brevirostrum) - Wherever found	E	\$23,769	\$0	\$23,769	\$28,000	\$51,769
	25	Sturgeon, white (Acipenser transmontanus) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$0	\$1,032,297	\$1,032,297	\$0	\$1,032,297
	15	Trout, bull (Salvelinus confluentus) - U.S.A., conterminous, lower 48 states	T	\$0	\$1,827,156	\$1,827,156	\$459,894	\$2,287,050
	18	Trout, Lahontan cutthroat (Oncorhynchus clarkii henshawi) - Wherever found	T	\$1,995,913	\$0	\$1,995,913	\$0	\$1,995,913
Fishes subtotal				\$6,133,965	\$43,707,297	\$49,841,262	\$1,477,134	\$51,318,396
Clams	29	Mucket, pink (pearlymussel) (Lampsilis abrupta) - Wherever found	E	\$935,644	\$0	\$935,644	\$0	\$935,644
	29	Pocketbook, fat (Potamilus capax) - Wherever found	E	\$935,644	\$0	\$935,644	\$0	\$935,644

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	85	Pocketbook, finelined ( <i>Lampsilis altilis</i> ) - Wherever found	T	\$0	\$0	\$0	\$2,200	\$2,200
	24	Spinymussel, Tar River ( <i>Elliptio steinstansana</i> ) - Wherever found	E	\$0	\$1,228,000	\$1,228,000	\$0	\$1,228,000
	53	Wedgemussel, dwarf ( <i>Alasmodonta heterodon</i> ) - Wherever found	E	\$272,190	\$0	\$272,190	\$0	\$272,190
Clams subtotal				\$2,143,478	\$1,228,000	\$3,371,478	\$2,200	\$3,373,678
Snails	86	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> ) - Wherever found	E	\$1,667	\$0	\$1,667	\$0	\$1,667
Snails subtotal				\$1,667	\$0	\$1,667	\$0	\$1,667
Insects	49	Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> ) - Wherever found	T	\$0	\$333,000	\$333,000	\$0	\$333,000
	75	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. wrighti)) - Wherever found	E	\$33,462	\$0	\$33,462	\$0	\$33,462
	71	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> ) - Wherever found	T	\$58,077	\$0	\$58,077	\$0	\$58,077
	53	Tiger beetle, Puritan ( <i>Cicindela puritana</i> ) - Wherever found	T	\$272,190	\$0	\$272,190	\$0	\$272,190
Insects subtotal				\$363,729	\$333,000	\$696,729	\$0	\$696,729
Crustaceans	44	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> ) - Wherever found	E	\$388,754	\$0	\$388,754	\$0	\$388,754
	44	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> ) - Wherever found	E	\$388,754	\$0	\$388,754	\$0	\$388,754
	75	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> ) - Wherever found	E	\$33,462	\$0	\$33,462	\$0	\$33,462
	42	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> ) - Wherever found	T	\$392,259	\$0	\$392,259	\$0	\$392,259
	43	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> ) - Wherever found	E	\$391,879	\$0	\$391,879	\$0	\$391,879
Crustaceans subtotal				\$1,595,108	\$0	\$1,595,108	\$0	\$1,595,108
Flowering Plants	75	Ambrosia, San Diego ( <i>Ambrosia pumila</i> ) - Wherever found	E	\$33,462	\$0	\$33,462	\$0	\$33,462
	59	Ayenia, Texas ( <i>Ayenia limitaris</i> ) - Wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	87	Beargrass, Britton's ( <i>Nolina brittoniana</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	59	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> ) - Wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736
	71	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> ) - Wherever found	T	\$58,077	\$0	\$58,077	\$0	\$58,077
	87	Blazingstar, scrub ( <i>Liatris ohlingerae</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	77	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> ) - Wherever found	E	\$17,750	\$0	\$17,750	\$0	\$17,750
	87	Bonamia, Florida ( <i>Bonamia grandiflora</i> ) - Wherever found	T	\$1,174	\$0	\$1,174	\$0	\$1,174
	87	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> ) - Wherever found	T	\$1,174	\$0	\$1,174	\$0	\$1,174
	46	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> ) - Wherever found	E	\$272,190	\$0	\$272,190	\$108,000	\$380,190
	75	Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> ) - Wherever found	E	\$33,462	\$0	\$33,462	\$0	\$33,462
	77	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> ) - Wherever found	E	\$17,750	\$0	\$17,750	\$0	\$17,750
	59	Cactus, star ( <i>Astrophytum asterias</i> ) - Wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736
	57	Catchfly, Spalding's ( <i>Silene spaldingii</i> ) - Wherever found	T	\$227,500	\$0	\$227,500	\$0	\$227,500
	71	Centaur, spring-loving ( <i>Centaurium namophilum</i> ) - Wherever found	T	\$58,077	\$0	\$58,077	\$0	\$58,077
	82	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> ) - Wherever found	T	\$3,811	\$0	\$3,811	\$0	\$3,811
	59	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> ) - Wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736
	75	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> ) - Wherever found	E	\$33,462	\$0	\$33,462	\$0	\$33,462
	59	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> ) - Wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736
	87	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	56	Howellia, water ( <i>Howellia aquatilis</i> ) - Wherever found	T	\$231,311	\$0	\$231,311	\$0	\$231,311
	87	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	41	Iris, dwarf lake (Iris lacustris) - Wherever found	T	\$428,000	\$0	\$428,000	\$0	\$428,000
	71	Ivesia, Ash Meadows (Ivesia kingii var. eremica) - Wherever found	T	\$58,077	\$0	\$58,077	\$0	\$58,077
	49	Jewelflower, Metcalf Canyon (Streptanthus albidus ssp. albidus) - Wherever found	E	\$0	\$333,000	\$333,000	\$0	\$333,000
	87	Lupine, scrub (Lupinus aridorum) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	91	Mallow, Kern (Eremalche kernensis) - Wherever found	E	\$380	\$0	\$380	\$0	\$380
	59	Manioc, Walker's (Manihot walkerae) - Wherever found	E	\$202,736	\$0	\$202,736	\$0	\$202,736
	75	Mesa-mint, Otay (Pogogyne nudiusscula) - Wherever found	E	\$33,462	\$0	\$33,462	\$0	\$33,462
	75	Mesa-mint, San Diego (Pogogyne abramsii) - Wherever found	E	\$33,462	\$0	\$33,462	\$0	\$33,462
	71	Milk-vetch, Ash meadows (Astragalus phoenix) - Wherever found	T	\$58,077	\$0	\$58,077	\$0	\$58,077
	87	Mint, Garrett's (Dicerandra christmanii) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	86	Monkshood, northern wild (Aconitum noveboracense) - Wherever found	T	\$1,667	\$0	\$1,667	\$0	\$1,667
	87	Mustard, Carter's (Warea carteri) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	75	Navarretia, spreading (Navarretia fossalis) - Wherever found	T	\$33,462	\$0	\$33,462	\$0	\$33,462
	71	Niterwort, Amargosa (Nitrophila mohavensis) - Wherever found	E	\$58,077	\$0	\$58,077	\$0	\$58,077
	90	No Common Name (Geocarpon minimum) - Wherever found	T	\$0	\$0	\$0	\$500	\$500
	79	Orchid, eastern prairie fringed (Platanthera leucophaea) - Wherever found	T	\$16,000	\$0	\$16,000	\$0	\$16,000
	45	Orchid, western prairie fringed (Platanthera praeclara) - Wherever found	T	\$388,548	\$0	\$388,548	\$0	\$388,548
	75	Orcutt grass, California (Orcuttia californica) - Wherever found	E	\$33,462	\$0	\$33,462	\$0	\$33,462
	49	Paintbrush, Tiburon (Castilleja affinis ssp. neglecta) - Wherever found	E	\$0	\$333,000	\$333,000	\$0	\$333,000
	87	Pigeon wings (Clitoria fragrans) - Wherever found	T	\$1,174	\$0	\$1,174	\$0	\$1,174

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Federal Total	States Total	Species Total
	87	Plum, scrub ( <i>Prunus geniculata</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	87	Polygala, Lewton's ( <i>Polygala lewtonii</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	28	Pondberry ( <i>Lindera melissifolia</i> ) - Wherever found	E	\$935,644	\$0	\$935,644	\$49,700	\$985,344
	86	Roseroot, Leedy's ( <i>Rhodiola integrifolia</i> ssp. <i>leedyi</i> ) - Wherever found	T	\$1,667	\$0	\$1,667	\$0	\$1,667
	87	Sandlace ( <i>Polygonella myriophylla</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	71	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> ) - Wherever found	T	\$58,077	\$0	\$58,077	\$0	\$58,077
	75	Tarplant, Otay ( <i>Deinandra (=Hemizonia) conjugens</i> ) - Wherever found	T	\$33,462	\$0	\$33,462	\$0	\$33,462
	75	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> ) - Wherever found	T	\$33,462	\$0	\$33,462	\$0	\$33,462
	87	Whitlow-wort, papery ( <i>Paronychia chartacea</i> ) - Wherever found	T	\$1,174	\$0	\$1,174	\$0	\$1,174
	87	Wireweed ( <i>Polygonella basiramia</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
	87	Ziziphus, Florida ( <i>Ziziphus celata</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
Flowering Plants subtotal				\$4,427,038	\$666,000	\$5,093,038	\$158,200	\$5,251,238
Lichens	87	Cladonia, Florida perforate ( <i>Cladonia perforata</i> ) - Wherever found	E	\$1,174	\$0	\$1,174	\$0	\$1,174
Lichens subtotal				\$1,174	\$0	\$1,174	\$0	\$1,174
Multi-species				\$0	\$5,025,281	\$5,025,281	\$1,291,937	\$6,317,218
				\$28,381,990	\$77,864,253	\$106,246,243	\$5,315,603	\$111,561,846
Multi-species subtotal				\$0	\$5,025,281	\$5,025,281	\$1,291,937	\$6,317,218
Total Land Expenditures				\$28,381,990	\$77,864,253	\$106,246,243	\$5,315,603	\$111,561,846