TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2008 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS Rank Cumulatative Species (50 CFR Part 17) **Species Total Total** 1 Sturgeon, pallid (Scaphirhynchus albus) Е \$42,169,058 \$42,169,058 2 Steelhead (Oncorhynchus (=Salmo) mykiss) - middle Columbia R. \$37,583,914 \$79,752,972 Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) -Т \$37,065,552 3 \$116,818,524 spring/summer Snake R. 4 Steelhead (Oncorhynchus (=Salmo) mykiss) - Snake R. Basin Т \$36,806,099 \$153,624,623 Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) - fall Snake Т \$185,889,548 5 \$32,264,925 R. 6 Sea-lion, Steller (Eumetopias jubatus) - western pop. E \$29,995,549 \$215,885,097 Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) - spring Е \$27,682,212 \$243,567,309 upper Columbia R. Trout, bull (Salvelinus confluentus) - U.S.A., conterminous, lower 48 T \$26,160,927 \$269,728,236 Т Steelhead (Oncorhynchus (=Salmo) mykiss) - upper Columbia R. \$23,531,191 \$293,259,427 10 Salmon, coho (Oncorhynchus (=Salmo) kisutch) - OR, CA pop. Т \$20,330,578 \$313,590,005 11 Woodpecker, red-cockaded (Picoides borealis) E \$19,565,078 \$333,155,083 12 Salmon, sockeye (Oncorhynchus (=Salmo) nerka) - U.S.A. (Snake Ε \$18,747,067 \$351,902,150 River, ID stock wherever found.) 13 Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) - lower Τ \$17,216,337 \$369,118,487 Columbia R. 14 Bat, Indiana (Myotis sodalis) E \$16,543,137 \$385,661,624 15 Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) - Puget T \$16,499,919 \$402,161,543 Sound 16 Whale, right (Balaena glacialis (incl. australis)) Ε \$14,519,869 \$416,681,412 \$427,863,152 17 Steelhead (Oncorhynchus (=Salmo) mykiss) - lower Columbia R. Τ \$11,181,740 Manatee, West Indian (Trichechus manatus) 18 E \$11,041,018 \$438,904,170 19 Tortoise, desert (Gopherus agassizii) - U.S.A., except in Sonoran T \$10,687,159 \$449,591,329 Desert 20 Flycatcher, southwestern willow (Empidonax traillii extimus) Ε \$9,852,399 \$459,443,728 21 Sucker, razorback (Xyrauchen texanus) - entire Ε \$9,407,562 \$468,851,290 22 T Owl, northern spotted (Strix occidentalis caurina) \$9,234,162 \$478.085.452 23 Salmon, Atlantic (Salmo salar) - Gulf of Maine Atlantic Salmon Е \$9,165,516 \$487,250,968 24 Minnow, Rio Grande silvery (Hybognathus amarus) E \$9,080,841 \$496,331,809 25 Plover, piping (Charadrius melodus) - except Great Lakes watershed T \$9,005,406 \$505,337,215 26 Sea turtle, leatherback (Dermochelys coriacea) E \$8,952,149 \$514,289,364 Sturgeon, white (Acipenser transmontanus) - U.S.A. (ID, MT), 27 Ε \$8,925,631 \$523,214,995 Canada (B.C.), Kootenai R. system 28 Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) - winter Ε \$8,738,470 \$531,953,465 Sacramento R. 29 Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) - upper T \$8,345,378 \$540,298,843 Willamette R. 30 Sea turtle, loggerhead (Caretta caretta) \$8,205,663 \$548,504,506 31 Beetle, valley elderberry longhorn (Desmocerus californicus T \$7,714,084 \$556,218,590 dimorphus) 32 Chub, humpback (Gila cypha) - entire Ē \$7,403,220 \$563,621,810 33 Salmon, coho (Oncorhynchus (=Salmo) kisutch) - Lower Columbia Т \$6,792,885 \$570,414,695 34 Tern, least (Sterna antillarum) - interior pop. Ε \$6,630,914 \$577,045,609 35 Sea-lion, Steller (Eumetopias jubatus) - eastern pop. Т \$6,085,258 \$583,130,867 Pikeminnow (=squawfish), Colorado (Ptychocheilus lucius) - except Ε \$5,521,823 \$588,652,690 36 Salt and Verde R. drainages, AZ Т Bear, grizzly (Ursus arctos horribilis) - lower 48 States, except 37 \$5,294,603 \$593,947,293 where listed as an experimental population or delisted 38 Frog, California red-legged (Rana aurora draytonii) \$5,166,141 \$599,113,434 39 Crane, whooping (Grus americana) - except where EXPN Е \$5,138,575 \$604,252,009

\$5,117,413

\$609,369,422

40

Sucker, Lost River (Deltistes luxatus)

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 41 | Sucker, shortnose (Chasmistes brevirostris) | Е | \$5,032,853 | \$614,402,27 |
| 42 | Murrelet, marbled (Brachyramphus marmoratus) - CA, OR, WA | T | \$4,820,134 | \$619,222,40 |
| 43 | Lynx, Canada (Lynx canadensis) - (Contiguous U.S. DPS) | T | \$4,711,016 | \$623,933,42 |
| 44 | Sea turtle, green (Chelonia mydas) - except where endangered | T | \$4,700,732 | \$628,634,15 |
| 45 | Trout, Lahontan cutthroat (Oncorhynchus clarki henshawi) | T | \$4,694,459 | \$633,328,61 |
| 46 | Vireo, least Bell's (Vireo bellii pusillus) | Е | \$4,561,037 | \$637,889,65 |
| 47 | Sea turtle, Kemp's ridley (Lepidochelys kempii) | Е | \$4,397,903 | \$642,287,55 |
| 48 | Chub, bonytail (Gila elegans) - entire | Е | \$4,105,097 | \$646,392,65 |
| 49 | Steelhead (Oncorhynchus (=Salmo) mykiss) - Central Valley CA | T | \$4,088,328 | \$650,480,98 |
| 50 | Sea turtle, hawksbill (Eretmochelys imbricata) | Е | \$4,004,190 | \$654,485,17 |
| 51 | Steelhead (Oncorhynchus (=Salmo) mykiss) - upper Willamette R. | T | \$3,962,012 | \$658,447,18 |
| 52 | Salmon, chum (Oncorhynchus (=Salmo) keta) - Columbia R. | T | \$3,878,687 | \$662,325,87 |
| 53 | Fox, San Joaquin kit (Vulpes macrotis mutica) | Е | \$3,810,389 | \$666,136,25 |
| 54 | Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) - Pacific coastal pop. | T | \$3,684,999 | \$669,821,25 |
| 55 | Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) - CA Central Valley spring-run | T | \$3,304,300 | \$673,125,55 |
| 56 | Tortoise, desert (<i>Gopherus agassizii</i>) - outside/taken from Sonoran Desert | SAT | \$3,243,433 | \$676,368,99 |
| 57 | Condor, California (Gymnogyps californianus) - U.S.A. only | Е | \$3,052,563 | \$679,421,55 |
| 58 | Seal, Hawaiian monk (Monachus schauinslandi) | Е | \$2,865,374 | \$682,286,92 |
| 59 | Bear, polar (Ursus maritimus) | T | \$2,705,785 | \$684,992,71 |
| 60 | Salmon, coho (Oncorhynchus (=Salmo) kisutch) - central CA coast | Е | \$2,695,547 | \$687,688,26 |
| 61 | Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (Central CA DPS) | T | \$2,432,216 | \$690,120,47 |
| 62 | Smelt, delta (Hypomesus transpacificus) | T | \$2,419,450 | \$692,539,92 |
| 63 | Panther, Florida (Puma (=Felis) concolor coryi) | Е | \$2,412,170 | \$694,952,09 |
| 64 | Wolf, gray (<i>Canis lupus</i>) - Lower 48 States, except where delisted and where EXPN. Mexico. | Е | \$2,399,692 | \$697,351,78 |
| 65 | Ferret, black-footed (<i>Mustela nigripes</i>) - U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY) | EXPN | \$2,247,579 | \$699,599,36 |
| 66 | Steelhead (Oncorhynchus (=Salmo) mykiss) - Puget Sound DPS | T | \$2,236,502 | \$701,835,86 |
| 67 | Crocodile, American (Crocodylus acutus) - FL pop. | T | \$2,236,345 | \$704,072,21 |
| 68 | Pronghorn, Sonoran (Antilocapra americana sonoriensis) | Е | \$2,208,800 | \$706,281,01 |
| 69 | Snake, giant garter (Thamnophis gigas) | T | \$2,191,955 | \$708,472,96 |
| 70 | Whale, humpback (Megaptera novaeangliae) | Е | \$2,158,378 | \$710,631,34 |
| 71 | Owl, Mexican spotted (Strix occidentalis lucida) | T | \$2,133,069 | \$712,764,41 |
| 72 | Shrike, San Clemente loggerhead (Lanius ludovicianus mearnsi) | Е | \$1,986,521 | \$714,750,93 |
| 73 | Whale, bowhead (Balaena mysticetus) | E | \$1,950,827 | \$716,701,76 |
| 74 | Eider, Steller's (Polysticta stelleri) - AK breeding pop. | T | \$1,890,855 | \$718,592,61 |
| 75 | Salamander, Santa Cruz long-toed (Ambystoma macrodactylum croceum) | Е | \$1,828,507 | \$720,421,12 |
| 76 | Bear, Louisiana black (Ursus americanus luteolus) | T | \$1,825,764 | \$722,246,89 |
| 77 | Trout, Gila (Oncorhynchus gilae) | T | \$1,817,900 | \$724,064,79 |
| 78 | Tern, California least (Sterna antillarum browni) | Е | \$1,788,578 | \$725,853,36 |
| 79 | Tern, roseate (Sterna dougallii dougallii) - northeast U.S. nesting pop. | Е | \$1,716,614 | \$727,569,98 |
| 80 | Wolf, gray (Canis lupus) - WY, ID, MT | EXPN | \$1,715,779 | \$729,285,76 |
| 81 | Gnatcatcher, coastal California (Polioptila californica californica) | T | \$1,680,149 | \$730,965,91 |
| 82 | scrub-jay, Florida (Aphelocoma coerulescens) | T | \$1,659,253 | \$732,625,16 |
| 83 | Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (= <i>microscaphus</i>)) | Е | \$1,644,669 | \$734,269,83 |
| 84 | Fairy shrimp, vernal pool (Branchinecta lynchi) | T | \$1,635,900 | \$735,905,73 |
| 85 | Spiraea, Virginia (Spiraea virginiana) | T | \$1,622,460 | \$737,528,19 |
| 86 | Wolf, gray (Canis lupus) - Mexican gray wolf, EXPN population | EXPN | \$1,615,300 | \$739,143,49 |
| 87 | Stork, wood (Mycteria americana) - AL, FL, GA, SC | Е | \$1,608,979 | \$740,752,47 |
| 88 | Sturgeon, gulf (Acipenser oxyrinchus desotoi) | T | \$1,606,376 | \$742,358,84 |
| 89 | Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) except where Endang. | T | \$1,534,992 | \$743,893,83 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------------|--|--------|--------------------|-----------------------|
| 90 | Parrot, Puerto Rican (Amazona vittata) | Е | \$1,511,534 | \$745,405,37 |
| 91 | Butterfly, Oregon silverspot (Speyeria zerene hippolyta) | T | \$1,506,725 | \$746,912,09 |
| 92 | Prairie-chicken, Attwater's greater (Tympanuchus cupido attwateri) | Е | \$1,453,372 | \$748,365,470 |
| 93 | Butterfly, Quino checkerspot (Euphydryas editha quino (=E. e. wrighti)) | Е | \$1,438,813 | \$749,804,283 |
| 94 | Wolf, gray (Canis lupus) - Western Great Lakes DPS | Е | \$1,405,900 | \$751,210,183 |
| 95 | Sea turtle, green (Chelonia mydas) - FL, Mexico nesting pops. | Е | \$1,390,526 | \$752,600,709 |
| 96 | Falcon, northern aplomado (Falco femoralis septentrionalis) | Е | \$1,379,300 | \$753,980,009 |
| 97 | Warbler (=wood), golden-cheeked (Dendroica chrysoparia) | Е | \$1,373,887 | \$755,353,890 |
| 98 | Woundfin (Plagopterus argentissimus) - Gila R. drainage, AZ, NM | EXPN | \$1,284,143 | \$756,638,039 |
| 99 | Mouse, Preble's meadow jumping (Zapus hudsonius preblei) - U.S.A., north-central CO | T | \$1,245,230 | \$757,883,269 |
| 100 | Goose, Hawaiian (Branta (=Nesochen) sandvicensis) | Е | \$1,224,349 | \$759,107,618 |
| 101 | Minnow, loach (Tiaroga cobitis) | T | \$1,218,875 | \$760,326,493 |
| 102 | Woodpecker, ivory-billed (Campephilus principalis) - entire | Е | \$1,211,339 | \$761,537,832 |
| 103 | Tadpole shrimp, vernal pool (Lepidurus packardi) | Е | \$1,195,077 | \$762,732,909 |
| 104 | Spikedace (Meda fulgida) | T | \$1,191,125 | \$763,924,034 |
| 105 | Vireo, black-capped (Vireo atricapilla) | Е | \$1,179,927 | \$765,103,963 |
| 106 | Logperch, Roanoke (<i>Percina rex</i>) | Е | \$1,178,195 | \$766,282,156 |
| 107 | Bat, gray (Myotis grisescens) | Е | \$1,159,647 | \$767,441,803 |
| 108 | Palila (honeycreeper) (Loxioides bailleui) | E | \$1,150,765 | \$768,592,568 |
| 109 | Condor, California (<i>Gymnogyps californianus</i>) - U.S.A. (specific portions of Arizona, Nevada, and Utah) | EXPN | \$1,138,274 | \$769,730,842 |
| 110 | Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) - northern | T | \$1,128,226 | \$770,859,068 |
| 111 | Whale, killer (<i>Orcinus orca</i>) - Southern Resident DPS | Е | \$1,118,103 | \$771,977,171 |
| 112 | Cactus, Kuenzler hedgehog (Echinocereus fendleri var. kuenzleri) | Е | \$1,117,150 | \$773,094,32 |
| 113 | Snake, eastern indigo (<i>Drymarchon corais couperi</i>) | T | \$1,115,800 | \$774,210,12 |
| 114 | Eagle, bald (<i>Haliaeetus leucocephalus</i>) - Sonoran Desert DPS | T | \$1,109,382 | \$775,319,500 |
| 115 | Sparrow, Cape Sable seaside (Ammodramus maritimus mirabilis) | E | \$1,095,197 | \$776,414,700 |
| 116 | Cui-ui (Chasmistes cujus) | E | \$1,083,434 | \$777,498,134 |
| 117 | Chub, Gila (Gila intermedia) | E | \$1,058,700 | \$778,556,834 |
| 118 | Sturgeon, North American green (<i>Acipenser medirostris</i>) - U.S.A. (CA) Southern Distinct Population Segment | T | \$1,045,586 | \$779,602,420 |
| 119 | Salmon, chum (<i>Oncorhynchus</i> (= <i>Salmo</i>) <i>keta</i>) - summer-run Hood Canal | T | \$1,042,845 | \$780,645,265 |
| 120 | Otter, southern sea (<i>Enhydra lutris nereis</i>) - except where EXPN | Т | \$1,039,549 | \$781,684,814 |
| 121 | Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>) | E | \$1,038,902 | \$782,723,710 |
| 122 | Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) - FL pop. | E | \$1,030,882 | \$783,754,598 |
| 123 | Trout, Apache (Oncorhynchus apache) | T | \$1,003,194 | \$784,757,792 |
| 124 | Frog, Chiricahua leopard (Rana chiricahuensis) | T | \$995,700 | \$785,753,492 |
| 125 | Sheep, Peninsular bighorn (<i>Ovis canadensis nelsoni</i>) - Peninsular CA pop. | E | \$970,357 | \$786,723,849 |
| 126 | Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>) | Е | \$942,887 | \$787,666,736 |
| 127 | Crane, whooping (<i>Grus americana</i>) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming) | EXPN | \$936,407 | \$788,603,143 |
| 128 | Whale, finback (Balaenoptera physalus) | Е | \$918,674 | \$789,521,817 |
| 129 | Steelhead (Oncorhynchus (=Salmo) mykiss) - central CA coast | T | \$911,024 | \$790,432,84 |
| 130 | Whale, sperm (<i>Physeter catodon</i> (=macrocephalus)) | E | \$909,448 | \$791,342,289 |
| 131 | Ferret, black-footed (<i>Mustela nigripes</i>) - entire; except where EXPN | E | \$904,746 | \$792,247,035 |
| 132 | Pondberry (Lindera melissifolia) | E | \$883,847 | \$793,130,882 |
| 133 | Salmon, sockeye (<i>Oncorhynchus</i> (= <i>Salmo</i>) nerka) - U.S.A. (Ozette Lake, WA) | T | \$882,458 | \$794,013,340 |
| 134 | Warbler (=wood), Kirtland's (Dendroica kirtlandii) | Е | \$880,962 | \$794,894,302 |
| 135 | Whipsnake (=striped racer), Alameda (Masticophis lateralis euryxanthus) | T | \$868,446 | \$795,762,748 |
| | - , | Е | \$853,263 | \$796,616,011 |
| 136 | Ocelot (Leopardus (=Felis) pardalis) | E. | JO . J. J. Z. U. 1 | |
| 136 137 | Ocelot (Leopardus (=Felis) pardalis) Fairy shrimp, San Diego (Branchinecta sandiegonensis) | E | \$841,157 | \$797,457,168 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 139 | Rabbit, pygmy (Brachylagus idahoensis) - Columbia Basin DPS | Е | \$808,098 | \$799,087,09 |
| 140 | Jaguar (Panthera onca) | Е | \$803,685 | \$799,890,78 |
| 141 | Fairy shrimp, longhorn (Branchinecta longiantenna) | Е | \$792,243 | \$800,683,02 |
| 142 | Beetle, American burying (Nicrophorus americanus) | Е | \$791,420 | \$801,474,44 |
| 143 | Rail, Yuma clapper (Rallus longirostris yumanensis) - U.S.A. only | E | \$786,766 | \$802,261,21 |
| 144 | Shiner, Pecos bluntnose (Notropis simus pecosensis) | T | \$786,652 | \$803,047,86 |
| 145 | Pelican, brown (<i>Pelecanus occidentalis</i>) - except U.S. Atlantic coast, FL, AL | E | \$786,270 | \$803,834,13 |
| 146 | Coot, Hawaiian (Fulica americana alai) | Е | \$764,854 | \$804,598,98 |
| 147 | Bat, Hawaiian hoary (Lasiurus cinereus semotus) | Е | \$763,195 | \$805,362,18 |
| 148 | Sturgeon, shortnose (Acipenser brevirostrum) | Е | \$746,514 | \$806,108,69 |
| 149 | Chub, Virgin River (Gila seminuda (=robusta)) | Е | \$743,930 | \$806,852,62 |
| 150 | Woundfin (<i>Plagopterus argentissimus</i>) - except Gila R. drainage, AZ, NM | Е | \$740,771 | \$807,593,39 |
| 151 | Wolf, red (Canis rufus) - U.S.A. (portions of NC and TN) | EXPN | \$715,248 | \$808,308,64 |
| 152 | Water-umbel, Huachuca (Lilaeopsis schaffneriana var. recurva) | Е | \$702,200 | \$809,010,84 |
| 153 | Seagrass, Johnson's (Halophila johnsonii) | T | \$679,860 | \$809,690,70 |
| 154 | Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) - Mexican nesting pop. | Е | \$679,828 | \$810,370,53 |
| 155 | Higgins eye (pearlymussel) (Lampsilis higginsii) | Е | \$671,177 | \$811,041,71 |
| 156 | Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) - Columbia River DPS | E | \$668,709 | \$811,710,42 |
| 157 | Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) - FL pop. | T | \$662,673 | \$812,373,09 |
| 158 | Sucker, June (Chasmistes liorus) | Е | \$651,100 | \$813,024,19 |
| 159 | Crow, Hawaiian (='alala) (Corvus hawaiiensis) | Е | \$649,690 | \$813,673,88 |
| 160 | Button-celery, San Diego (Eryngium aristulatum var. parishii) | Е | \$643,915 | \$814,317,79 |
| 161 | Bat, lesser long-nosed (Leptonycteris curasoae yerbabuenae) | Е | \$642,500 | \$814,960,29 |
| 162 | Fairy shrimp, Riverside (Streptocephalus woottoni) | Е | \$628,116 | \$815,588,41 |
| 163 | Stilt, Hawaiian (Himantopus mexicanus knudseni) | E | \$625,205 | \$816,213,61 |
| 164 | Sparrow, Florida grasshopper (Ammodramus savannarum floridanus) | Е | \$622,620 | \$816,836,23 |
| 165 | Albatross, short-tailed (Phoebastria (=Diomedea) albatrus) | Е | \$618,979 | \$817,455,21 |
| 166 | Salamander, frosted flatwoods (Ambystoma cingulatum) | T | \$618,840 | \$818,074,05 |
| 167 | Crow, Mariana (=aga) (Corvus kubaryi) | Е | \$611,730 | \$818,685,78 |
| 168 | Caribou, woodland (Rangifer tarandus caribou) - Selkirk Mountain population | Е | \$605,862 | \$819,291,65 |
| 169 | Shearwater, Newell's Townsend's (Puffinus auricularis newelli) | T | \$587,826 | \$819,879,47 |
| 170 | Kio'ele (Hedyotis coriacea) | Е | \$585,221 | \$820,464,69 |
| 171 | Shiner, Topeka (Notropis topeka (=tristis)) | Е | \$578,577 | \$821,043,27 |
| 172 | Rail, California clapper (Rallus longirostris obsoletus) | Е | \$578,036 | \$821,621,31 |
| 173 | Monardella, willowy (Monardella linoides ssp. viminea) | Е | \$574,325 | \$822,195,63 |
| 174 | Whale, blue (Balaenoptera musculus) | Е | \$554,542 | \$822,750,17 |
| 175 | Thornmint, San Diego (Acanthomintha ilicifolia) | T | \$543,320 | \$823,293,49 |
| 176 | Cactus, star (Astrophytum asterias) | Е | \$537,156 | \$823,830,65 |
| 177 | Alligator, American (Alligator mississippiensis) | SAT | \$528,444 | \$824,359,09 |
| 178 | Rail, Guam (Rallus owstoni) - except Rota | Е | \$525,600 | \$824,884,69 |
| 179 | Rattleweed, hairy (Baptisia arachnifera) | Е | \$521,000 | \$825,405,69 |
| 180 | Butterfly, Fender's blue (Icaricia icarioides fenderi) | Е | \$518,740 | \$825,924,43 |
| 181 | Duck, Hawaiian (=koloa) (Anas wyvilliana) | E | \$513,548 | \$826,437,98 |
| 182 | Fritillary, Gentner's (Fritillaria gentneri) | Е | \$509,609 | \$826,947,59 |
| 183 | Minnow, Devils River (Dionda diaboli) | T | \$501,577 | \$827,449,17 |
| 184 | Chub, Oregon (Oregonichthys crameri) | Е | \$500,675 | \$827,949,84 |
| 185 | Moorhen, Hawaiian common (Gallinula chloropus sandvicensis) | E | \$491,515 | \$828,441,36 |
| 186 | Navarretia, spreading (Navarretia fossalis) | T | \$491,267 | \$828,932,62 |
| 187 | Squirrel, northern Idaho ground (Spermophilus brunneus brunneus) | T | \$486,142 | \$829,418,77 |
| 188 | Lupine, Kincaid's (Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)) | T | \$474,997 | \$829,893,76 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 189 | Silene hawaiiensis (=Sci name) | T | \$474,510 | \$830,368,27 |
| 190 | Asplenium fragile var. insulare (=Sci name) | Е | \$470,610 | \$830,838,88 |
| 191 | Whale, Sei (Balaenoptera borealis) | Е | \$470,079 | \$831,308,96 |
| 192 | Mouse, salt marsh harvest (Reithrodontomys raviventris) | Е | \$469,888 | \$831,778,85 |
| 193 | Po`e (Portulaca sclerocarpa) | Е | \$468,510 | \$832,247,36 |
| 194 | Vigna o-wahuensis (=Sci name) | Е | \$466,817 | \$832,714,18 |
| 195 | Tarplant, Otay (Deinandra (=Hemizonia) conjugens) | T | \$460,560 | \$833,174,74 |
| 196 | Popolo ku mai (Solanum incompletum) | Е | \$460,010 | \$833,634,75 |
| 197 | A'e (Zanthoxylum hawaiiense) | E | \$459,510 | \$834,094,26 |
| 198 | Spermolepis hawaiiensis (=Sci name) | Е | \$456,817 | \$834,551,07 |
| 199 | Neraudia ovata (=Sci name) | E | \$454,010 | \$835,005,08 |
| 199 | Silene lanceolata (=Sci name) | Е | \$454,010 | \$835,459,09 |
| 199 | Stenogyne angustifolia var. angustifolia (=Sci name) | Е | \$454,010 | \$835,913,10 |
| 199 | Tetramolopium arenarium (=Sci name) | Е | \$454,010 | \$836,367,11 |
| 200 | Honohono (Haplostachys haplostachya) | Е | \$453,910 | \$836,821,02 |
| 201 | Aupaka (Isodendrion hosakae) | Е | \$453,510 | \$837,274,53 |
| 202 | Lipochaeta venosa (=Sci name) | Е | \$452,510 | \$837,727,04 |
| 203 | Ladies'-tresses, Ute (Spiranthes diluvialis) | T | \$451,258 | \$838,178,30 |
| 204 | Pupfish, desert (Cyprinodon macularius) | Е | \$449,969 | \$838,628,27 |
| 205 | Tortoise, gopher (<i>Gopherus polyphemus</i>) - W of of Mobile/Tombigbee Rs. | T | \$444,401 | \$839,072,67 |
| 206 | Milk-vetch, Peirson's (Astragalus magdalenae var. peirsonii) | T | \$440,930 | \$839,513,60 |
| 207 | Kangaroo rat, Stephens' (Dipodomys stephensi (incl. D. cascus)) | Е | \$438,321 | \$839,951,92 |
| 208 | Orcutt grass, California (Orcuttia californica) | Е | \$436,980 | \$840,388,90 |
| 209 | Eider, spectacled (Somateria fischeri) | T | \$433,600 | \$840,822,50 |
| 210 | Spinedace, Big Spring (Lepidomeda mollispinis pratensis) | T | \$430,000 | \$841,252,50 |
| 211 | Whale, gray (Eschrichtius robustus) - W Pacific Ocean | Е | \$429,556 | \$841,682,06 |
| 212 | Topminnow, Gila (incl. Yaqui) (Poeciliopsis occidentalis) - U.S.A. only | Е | \$426,250 | \$842,108,31 |
| 213 | Ambrosia, San Diego (Ambrosia pumila) | Е | \$424,653 | \$842,532,96 |
| 214 | Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>) | E | \$422,481 | \$842,955,44 |
| 215 | Loosestrife, rough-leaved (Lysimachia asperulaefolia) | Е | \$418,853 | \$843,374,30 |
| 216 | Cactus, Pima pineapple (Coryphantha scheeri var. robustispina) | Е | \$417,000 | \$843,791,30 |
| 217 | Rail, light-footed clapper (Rallus longirostris levipes) - U.S.A. only | Е | \$414,731 | \$844,206,03 |
| 218 | Mesa-mint, Otay (Pogogyne nudiuscula) | Е | \$409,835 | \$844,615,86 |
| 219 | Akepa, Hawaii (honeycreeper) (Loxops coccineus coccineus) | Е | \$406,339 | \$845,022,20 |
| 220 | Hawk, Hawaiian (='lo) (Buteo solitarius) | Е | \$404,103 | \$845,426,30 |
| 221 | Catchfly, Spalding's (Silene spaldingii) | T | \$398,125 | \$845,824,43 |
| 222 | Wartyback, white (pearlymussel) (Plethobasus cicatricosus) | Е | \$397,100 | \$846,221,53 |
| 223 | Milk-vetch, triple-ribbed (Astragalus tricarinatus) | Е | \$384,450 | \$846,605,98 |
| 224 | Paintbrush, golden (Castilleja levisecta) | T | \$379,107 | \$846,985,09 |
| 225 | Wild-rice, Texas (Zizania texana) | Е | \$377,718 | \$847,362,80 |
| 226 | Darter, boulder (Etheostoma wapiti) | Е | \$375,395 | \$847,738,20 |
| 227 | Salamander, desert slender (Batrachoseps aridus) | Е | \$375,000 | \$848,113,20 |
| 228 | Wolf, gray (Canis lupus) - Northern Rocky Mountain DPS | Е | \$373,400 | \$848,486,60 |
| 229 | Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) - Sierra Nevada | Е | \$366,848 | \$848,853,45 |
| 230 | Snail, Snake River physa (Physa natricina) | Е | \$363,168 | \$849,216,619 |
| 231 | Trout, greenback cutthroat (Oncorhynchus clarki stomias) | T | \$361,132 | \$849,577,75 |
| 232 | Crane, Mississippi sandhill (Grus canadensis pulla) | Е | \$358,025 | \$849,935,77 |
| 233 | Amaranth, seabeach (Amaranthus pumilus) | T | \$356,860 | \$850,292,63 |
| 234 | Jaguarundi, Gulf Coast (Herpailurus (=Felis) yagouaroundi cacomitli) | Е | \$355,600 | \$850,648,23 |
| 235 | Wolf, red (Canis rufus) - except where EXPN | Е | \$354,500 | \$851,002,73 |
| 236 | Chub, Mohave tui (Gila bicolor mohavensis) | Е | \$350,897 | \$851,353,633 |
| 237 | Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var <i>calva</i>) | E | \$350,771 | \$851,704,40 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 238 | Darter, fountain (Etheostoma fonticola) | Е | \$344,898 | \$852,049,302 |
| 239 | Pimpleback, orangefoot (pearlymussel) (Plethobasus cooperianus) | Е | \$341,200 | \$852,390,502 |
| 240 | `Aiea (Nothocestrum breviflorum) | Е | \$339,894 | \$852,730,390 |
| 241 | Snail, Utah valvata (Valvata utahensis) | Е | \$333,226 | \$853,063,622 |
| 242 | Abalone, White (Haliotis sorenseni) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico) | Е | \$330,883 | \$853,394,500 |
| 243 | Amole, purple (Chlorogalum purpureum) | T | \$329,905 | \$853,724,410 |
| 244 | Wallflower, Menzies' (Erysimum menziesii) | Е | \$327,180 | \$854,051,590 |
| 245 | Clubshell (<i>Pleurobema clava</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$326,782 | \$854,378,372 |
| 246 | Goby, tidewater (Eucyclogobius newberryi) - Entire | Е | \$325,262 | \$854,703,634 |
| 247 | Fox, Santa Cruz Island (Urocyon littoralis santacruzae) | Е | \$323,342 | \$855,026,976 |
| 248 | Kangaroo rat, giant (Dipodomys ingens) | Е | \$320,321 | \$855,347,297 |
| 249 | Wedgemussel, dwarf (Alasmidonta heterodon) | Е | \$315,852 | \$855,663,149 |
| 250 | Chub, Sonora (Gila ditaenia) | T | \$314,400 | \$855,977,549 |
| 251 | Steelhead (Oncorhynchus (=Salmo) mykiss) - northern CA | T | \$312,100 | \$856,289,649 |
| 252 | Salamander, Sonora tiger (Ambystoma tigrinum stebbinsi) | Е | \$305,900 | \$856,595,549 |
| 253 | Checker-mallow, Nelson's (Sidalcea nelsoniana) | T | \$305,884 | \$856,901,433 |
| 254 | Riffleshell, northern (Epioblasma torulosa rangiana) | Е | \$304,048 | \$857,205,481 |
| 255 | Three-ridge, fat (mussel) (Amblema neislerii) | Е | \$301,110 | \$857,506,591 |
| 256 | Desert-parsley, Bradshaw's (Lomatium bradshawii) | Е | \$300,116 | \$857,806,707 |
| 257 | Bobwhite, masked (quail) (Colinus virginianus ridgwayi) | Е | \$297,500 | \$858,104,207 |
| 258 | Darter, Niangua (Etheostoma nianguae) | T | \$297,080 | \$858,401,287 |
| 259 | Pearlymussel, cracking (<i>Hemistena lata</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$296,816 | \$858,698,103 |
| 260 | Trout, Paiute cutthroat (Oncorhynchus clarki seleniris) | T | \$295,610 | \$858,993,713 |
| 261 | Rattlesnake, New Mexican ridge-nosed (Crotalus willardi obscurus) | T | \$290,550 | \$859,284,263 |
| 262 | Darter, Okaloosa (Etheostoma okaloosae) | E | \$289,745 | \$859,574,008 |
| 263 | Prairie dog, Utah (Cynomys parvidens) | T | \$288,110 | \$859,862,118 |
| 264 | Four-o'clock, MacFarlane's (Mirabilis macfarlanei) | T | \$285,421 | \$860,147,539 |
| 265 | Frog, Mississippi gopher (<i>Rana capito sevosa</i>) - Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA | Е | \$285,400 | \$860,432,939 |
| 266 | Pupfish, Ash Meadows Amargosa (Cyprinodon nevadensis mionectes) | Е | \$284,986 | \$860,717,925 |
| 267 | Bat, Ozark big-eared (Corynorhinus (=Plecotus) townsendii ingens) | Е | \$281,400 | \$860,999,325 |
| 268 | Fox, San Miguel Island (Urocyon littoralis littoralis) | Е | \$280,690 | \$861,280,015 |
| 268 | Fox, Santa Rosa Island (Urocyon littoralis santarosae) | Е | \$280,690 | \$861,560,705 |
| 269 | Swiftlet, Mariana gray (Aerodramus vanikorensis bartschi) | Е | \$278,200 | \$861,838,905 |
| 270 | Crane, whooping (<i>Grus americana</i>) - U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV) | EXPN | \$276,853 | \$862,115,758 |
| 271 | Chub, spotfin (Erimonax monachus) - Entire | T | \$276,166 | \$862,391,924 |
| 272 | Pocketbook, fat (Potamilus capax) | E | \$273,792 | \$862,665,716 |
| 273 | Ayenia, Texas (Ayenia limitaris) | Е | \$273,100 | \$862,938,816 |
| 274 | Chaffseed, American (Schwalbea americana) | Е | \$273,094 | \$863,211,910 |
| 275 | Thrush, small Kauai (=puaiohi) (Myadestes palmeri) | Е | \$272,090 | \$863,484,000 |
| 276 | Bankclimber, purple (mussel) (Elliptoideus sloatianus) | T | \$266,010 | \$863,750,010 |
| 277 | Steelhead (Oncorhynchus (=Salmo) mykiss) - southern CA coast | Е | \$260,788 | \$864,010,798 |
| 278 | Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - Entire, except Sussex Co., DE | Е | \$259,849 | \$864,270,647 |
| 279 | Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami</i> parvus) | Е | \$256,623 | \$864,527,270 |
| 280 | Duck, Laysan (Anas laysanensis) | Е | \$255,937 | \$864,783,207 |
| 281 | Manioc, Walker's (Manihot walkerae) | Е | \$255,600 | \$865,038,807 |
| 282 | Ambrosia, south Texas (Ambrosia cheiranthifolia) | Е | \$254,100 | \$865,292,907 |
| 283 | Butterfly, mission blue (Icaricia icarioides missionensis) | Е | \$252,032 | \$865,544,939 |
| 284 | Milk-vetch, Lane Mountain (Astragalus jaegerianus) | Е | \$250,295 | \$865,795,234 |
| 285 | Heelsplitter, Carolina (Lasmigona decorata) | Е | \$249,410 | \$866,044,644 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|---|
| 286 | Meshweaver, Madla's Cave (Cicurina madla) | Е | \$243,100 | \$866,287,74 |
| 287 | Snail, Bliss Rapids (Taylorconcha serpenticola) | T | \$242,068 | \$866,529,81 |
| 288 | Ground beetle, [unnamed] (Rhadine infernalis) | Е | \$241,400 | \$866,771,21 |
| 288 | Ground beetle, [unnamed] (Rhadine exilis) | Е | \$241,400 | \$867,012,61 |
| 289 | Otter, Northern Sea (Enhydra lutris kenyoni) southwest Alaska DPS | T | \$240,825 | \$867,253,43 |
| 290 | Sucker, Warner (Catostomus warnerensis) | T | \$240,773 | \$867,494,21 |
| 291 | Mouse, Alabama beach (Peromyscus polionotus ammobates) | Е | \$240,000 | \$867,734,21 |
| 292 | Daisy, Willamette (Erigeron decumbens var. decumbens) | Е | \$238,620 | \$867,972,83 |
| 293 | Springfish, White River (Crenichthys baileyi baileyi) | Е | \$237,981 | \$868,210,81 |
| 294 | Frankenia, Johnston's (Frankenia johnstonii) | Е | \$233,500 | \$868,444,31 |
| 295 | Butterfly, Palos Verdes blue (Glaucopsyche lygdamus palosverdesensis) | Е | \$232,555 | \$868,676,86 |
| 296 | Butterfly, Saint Francis' satyr (Neonympha mitchellii francisci) | Е | \$231,133 | \$868,907,99 |
| 297 | Spineflower, Howell's (Chorizanthe howellii) | Е | \$231,080 | \$869,139,07 |
| 298 | Bladderpod, Zapata (Lesquerella thamnophila) | Е | \$229,000 | \$869,368,07 |
| 299 | Pupfish, Comanche Springs (Cyprinodon elegans) | Е | \$228,625 | \$869,596,70 |
| 300 | Lomatium, Cook's (Lomatium cookii) | Е | \$228,229 | \$869,824,93 |
| 301 | Dragonfly, Hine's emerald (Somatochlora hineana) | Е | \$217,196 | \$870,042,12 |
| 302 | Mapleleaf, winged (Quadrula fragosa) - Entire; except where EXPN | E | \$217,173 | \$870,259,30 |
| 303 | Mouse, Perdido Key beach (Peromyscus polionotus trissyllepsis) | Е | \$215,198 | \$870,474,50 |
| 304 | Mouse, Pacific pocket (Perognathus longimembris pacificus) | Е | \$214,483 | \$870,688,98 |
| 305 | Blackbird, yellow-shouldered (Agelaius xanthomus) | Е | \$208,888 | \$870,897,87 |
| 306 | Ma'o hau hele, (=native yellow hibiscus) (Hibiscus brackenridgei) | Е | \$208,531 | \$871,106,40 |
| 307 | Pocketbook, shinyrayed (Lampsilis subangulata) | Е | \$207,710 | \$871,314,11 |
| 308 | Mucket, pink (pearlymussel) (Lampsilis abrupta) | Е | \$207,342 | \$871,521,45 |
| 309 | Frog, mountain yellow-legged (<i>Rana muscosa</i>) – southern California DPS | Е | \$205,663 | \$871,727,11 |
| 310 | Woodrat, Key Largo (Neotoma floridana smalli) | Е | \$204,931 | \$871,932,04 |
| 311 | Sawfish, smalltooth (Pristis pectinata) | Е | \$201,128 | \$872,133,17 |
| 312 | Butterfly plant, Colorado (Gaura neomexicana var. coloradensis) | T | \$200,175 | \$872,333,35 |
| 313 | Snake, copperbelly water (Nerodia erythrogaster neglecta) - MI, OH, IN N of 400 N. Lat. | T | \$199,756 | \$872,533,10 |
| 314 | Rabbit, riparian brush (Sylvilagus bachmani riparius) | Е | \$197,863 | \$872,730,97 |
| 315 | Bat, Mexican long-nosed (Leptonycteris nivalis) | Е | \$197,100 | \$872,928,07 |
| 316 | Howellia, water (Howellia aquatilis) | T | \$196,882 | \$873,124,95 |
| 317 | Skipper, Carson wandering (Pseudocopaeodes eunus obscurus) | Е | \$195,500 | \$873,320,45 |
| 318 | Creeper, Hawaii (Oreomystis mana) | Е | \$194,390 | \$873,514,84 |
| 319 | Slabshell, Chipola (Elliptio chipolaensis) | T | \$193,200 | \$873,708,04 |
| 320 | Bird's-beak, salt marsh (Cordylanthus maritimus ssp. maritimus) | E | \$191,665 | \$873,899,70 |
| 321 | Darter, bluemask (=jewel) (Etheostoma sp.) | Е | \$191,000 | \$874,090,70 |
| 322 | Sturgeon, Alabama (Scaphirhynchus suttkusi) | E | \$189,606 | \$874,280,31 |
| 323 | Coral, elkhorn (Acropora palmata) | T | \$189,076 | \$874,469,38 |
| 324 | Coneflower, smooth (Echinacea laevigata) | Е | \$189,041 | \$874,658,43 |
| 325 | Springsnail, Bruneau Hot (Pyrgulopsis bruneauensis) | Е | \$187,105 | \$874,845,53 |
| 326 | Warbler, nightingale reed (old world warbler) (Acrocephalus luscinia) | Е | \$184,100 | \$875,029,63 |
| 327 | Snails, Oahu tree (Achatinella spp.) | E* | \$182,178 | \$875,211,81 |
| 328 | Fanshell (Cyprogenia stegaria) | Е | \$182,128 | \$875,393,94 |
| 329 | Akiapola`au (honeycreeper) (Hemignathus munroi) | Е | \$177,725 | \$875,571,66 |
| 330 | Salmon, chinook (Oncorhynchus (=Salmo) tshawytscha) - CA coastal | T | \$176,466 | \$875,748,13 |
| 331 | Sumac, Michaux's (Rhus michauxii) | Е | \$175,827 | \$875,923,95 |
| 332 | Dace, Moapa (Moapa coriacea) | Е | \$175,443 | \$876,099,40 |
| 333 | Butterfly, Lange's metalmark (Apodemia mormo langei) | Е | \$169,940 | \$876,269,34 |
| 334 | Salamander, Texas blind (<i>Typhlomolge rathbuni</i>) | Е | \$169,693 | \$876,439,03 |
| 335 | Bear, grizzly (<i>Ursus arctos horribilis</i>) - experimental, non-essential, | EXPN | \$169,514 | \$876,608,54 |
| | portions of ID and MT | | | , |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 336 | Orchid, western prairie fringed (Platanthera praeclara) | T | \$163,871 | \$876,772,42 |
| 337 | Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. grandiflora) | Е | \$163,229 | \$876,935,64 |
| 338 | Beetle, Hungerford's crawling water (Brychius hungerfordi) | Е | \$163,100 | \$877,098,74 |
| 339 | Lily, Western (Lilium occidentale) | Е | \$161,240 | \$877,259,98 |
| 340 | Layia, beach (Layia carnosa) | Е | \$161,141 | \$877,421,13 |
| 341 | Pigtoe, shiny (<i>Fusconaia cor</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$157,724 | \$877,578,85 |
| 342 | Pigtoe, finerayed (Fusconaia cuneolus) - Entire Range; Except where listed as Experimental Populations | Е | \$155,024 | \$877,733,87 |
| 343 | Darter, leopard (Percina pantherina) | T | \$153,820 | \$877,887,69 |
| 344 | Catfish, Yaqui (Ictalurus pricei) | T | \$151,900 | \$878,039,59 |
| 345 | Cactus, Sneed pincushion (Coryphantha sneedii var. sneedii) | Е | \$150,900 | \$878,190,49 |
| 346 | Skink, sand (Neoseps reynoldsi) | T | \$148,397 | \$878,338,89 |
| 347 | Goldfields, Contra Costa (Lasthenia conjugens) | Е | \$147,975 | \$878,486,87 |
| 348 | Bat, Mariana fruit (=Mariana flying fox) (Pteropus mariannus mariannus) - entire | T | \$147,160 | \$878,634,03 |
| 349 | Pearlymussel, birdwing (<i>Conradilla caelata</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$146,800 | \$878,780,83 |
| 350 | Elepaio, Oahu (Chasiempis sandwichensis ibidis) | Е | \$145,765 | \$878,926,59 |
| 351 | Woodrat, riparian (=San Joaquin Valley) (Neotoma fuscipes riparia) | Е | \$145,304 | \$879,071,89 |
| 352 | Tiger beetle, northeastern beach (Cicindela dorsalis dorsalis) | T | \$145,140 | \$879,217,03 |
| 353 | Spineflower, Monterey (Chorizanthe pungens var. pungens) | T | \$145,007 | \$879,362,04 |
| 354 | Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$144,800 | \$879,506,84 |
| 355 | Penstemon, blowout (<i>Penstemon haydenii</i>) | Е | \$144,331 | \$879,651,17 |
| 356 | Dace, blackside (Phoxinus cumberlandensis) | T | \$143,000 | \$879,794,17 |
| 357 | Spinymussel, James (Pleurobema collina) | Е | \$138,216 | \$879,932,39 |
| 358 | Steelhead (Oncorhynchus (=Salmo) mykiss) - south central CA coast | T | \$138,000 | \$880,070,39 |
| 359 | Megapode, Micronesian (Megapodius laperouse) | Е | \$137,238 | \$880,207,63 |
| 360 | Lizard, blunt-nosed leopard (Gambelia silus) | Е | \$136,388 | \$880,344,01 |
| 361 | Sunflower, Pecos (=puzzle, =paradox) (Helianthus paradoxus) | T | \$135,900 | \$880,479,91 |
| 362 | Orchid, eastern prairie fringed (Platanthera leucophaea) | T | \$135,232 | \$880,615,15 |
| 363 | Toad, Houston (Bufo houstonensis) | Е | \$134,271 | \$880,749,42 |
| 364 | Elktoe, Appalachian (Alasmidonta raveneliana) | Е | \$132,566 | \$880,881,98 |
| 365 | Mouse, Choctawhatchee beach (Peromyscus polionotus allophrys) | Е | \$130,375 | \$881,012,36 |
| 366 | Mouse, southeastern beach (Peromyscus polionotus niveiventris) | T | \$130,171 | \$881,142,53 |
| 367 | Kangaroo rat, Fresno (Dipodomys nitratoides exilis) | Е | \$129,147 | \$881,271,68 |
| 368 | Mussel, scaleshell (Leptodea leptodon) | Е | \$129,085 | \$881,400,76 |
| 369 | Ko`oloa`ula (Abutilon menziesii) | Е | \$128,350 | \$881,529,11 |
| 370 | Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Santa Barbara County) | Е | \$128,022 | \$881,657,13 |
| 371 | Rabbit, Lower Keys marsh (Sylvilagus palustris hefneri) | E | \$127,028 | \$881,784,16 |
| 372 | Clubshell, southern (Pleurobema decisum) | E | \$125,934 | \$881,910,10 |
| 373 | Butterfly, bay checkerspot (Euphydryas editha bayensis) | T | \$125,932 | \$882,036,03 |
| 374 | Brodiaea, thread-leaved (Brodiaea filifolia) | T | \$125,792 | \$882,161,82 |
| 375 | Kangaroo rat, Tipton (Dipodomys nitratoides nitratoides) | E | \$124,816 | \$882,286,64 |
| 376 | Hawk, Puerto Rican sharp-shinned (Accipiter striatus venator) | E | \$124,500 | \$882,411,14 |
| 377 | Riffleshell, tan (Epioblasma florentina walkeri (=E. walkeri)) | E | \$124,165 | \$882,535,30 |
| 378 | Cavefish, Ozark (Amblyopsis rosae) | T | \$123,256 | \$882,658,56 |
| 379 | Clover, running buffalo (Trifolium stoloniferum) | E | \$123,123 | \$882,781,68 |
| 380 | Pogonia, small whorled (Isotria medeoloides) | T | \$121,793 | \$882,903,47 |
| 381 | Spinymussel, Tar River (Elliptio steinstansana) | E | \$121,657 | \$883,025,13 |
| 382 | Parrotbill, Maui (honeycreeper) (Pseudonestor xanthophrys) | Е | \$121,100 | \$883,146,23 |
| 383 | Pearlshell, Louisiana (Margaritifera hembeli) | T | \$120,850 | \$883,267,08 |
| 384 | Pigtoe, oval (Pleurobema pyriforme) | Е | \$119,100 | \$883,386,18 |
| 385 | Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>) | Е | \$118,677 | \$883,504,86 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 386 | Chub, Yaqui (Gila purpurea) | Е | \$116,300 | \$883,621,16 |
| 387 | Kuahiwi laukahi (Plantago princeps) | Е | \$115,777 | \$883,736,93 |
| 388 | Squirrel, Virginia northern flying (Glaucomys sabrinus fuscus) | DM | \$113,900 | \$883,850,83 |
| 389 | Butterfly, El Segundo blue (Euphilotes battoides allyni) | Е | \$112,002 | \$883,962,84 |
| 390 | Catspaw, white (pearlymussel) (Epioblasma obliquata perobliqua) | Е | \$111,600 | \$884,074,44 |
| 391 | Shiner, Cape Fear (Notropis mekistocholas) | Е | \$108,960 | \$884,183,40 |
| 392 | Mahoe (Alectryon macrococcus) | Е | \$108,846 | \$884,292,24 |
| 393 | Bird's beak, palmate-bracted (Cordylanthus palmatus) | Е | \$108,740 | \$884,400,98 |
| 394 | Piperia, Yadon's (Piperia yadonii) | Е | \$107,493 | \$884,508,47 |
| 395 | Oha (Delissea subcordata) | Е | \$106,206 | \$884,614,68 |
| 396 | Snail, Morro shoulderband (=Banded dune) (Helminthoglypta walkeriana) | Е | \$106,084 | \$884,720,76 |
| 397 | Salamander, Shenandoah (Plethodon shenandoah) | Е | \$105,275 | \$884,826,04 |
| 398 | Pink, swamp (Helonias bullata) | T | \$105,192 | \$884,931,23 |
| 399 | Poolfish, Pahrump (Empetrichthys latos) | Е | \$104,233 | \$885,035,46 |
| 400 | Skullcap, large-flowered (Scutellaria montana) | T | \$104,078 | \$885,139,54 |
| 401 | Mehamehame (Flueggea neowawraea) | Е | \$104,007 | \$885,243,55 |
| 402 | Pupfish, Warm Springs (Cyprinodon nevadensis pectoralis) | Е | \$103,000 | \$885,346,55 |
| 403 | Salamander, San Marcos (Eurycea nana) | T | \$102,805 | \$885,449,35 |
| 404 | Schiedea nuttallii (=Sci name) | Е | \$102,577 | \$885,551,93 |
| 405 | Potato-bean, Price's (Apios priceana) | T | \$102,505 | \$885,654,44 |
| 406 | Chub, Owens tui (Gila bicolor snyderi) | Е | \$102,226 | \$885,756,66 |
| 407 | Deer, key (Odocoileus virginianus clavium) | Е | \$102,210 | \$885,858,87 |
| 408 | Moccasinshell, Gulf (Medionidus penicillatus) | Е | \$102,000 | \$885,960,87 |
| 409 | Mouse, St. Andrew beach (Peromyscus polionotus peninsularis) | Е | \$101,961 | \$886,062,83 |
| 410 | Neraudia angulata (=Sci name) | Е | \$101,846 | \$886,164,68 |
| 411 | Tiger beetle, Salt Creek (Cicindela nevadica lincolniana) | Е | \$100,590 | \$886,265,27 |
| 412 | Kulu'i (Nototrichium humile) | Е | \$99,846 | \$886,365,12 |
| 413 | Kingfisher, Guam Micronesian (Halcyon cinnamomina cinnamomina) | E | \$98,070 | \$886,463,19 |
| 414 | Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) - Salt and Verde R. drainages, AZ | EXPN | \$97,947 | \$886,561,13 |
| 415 | Schiedea kaalae (=Sci name) | Е | \$97,677 | \$886,658,81 |
| 416 | Schiedea, Diamond Head (Schiedea adamantis) | Е | \$97,100 | \$886,755,91 |
| 417 | Haha (Cyanea grimesiana ssp. obatae) | Е | \$96,977 | \$886,852,89 |
| 418 | Pu`uka`a (Cyperus trachysanthos) | Е | \$96,500 | \$886,949,39 |
| 419 | Phyllostegia kaalaensis (=Sci name) | Е | \$96,477 | \$887,045,86 |
| 420 | Hedyotis parvula (=Sci name) | Е | \$95,846 | \$887,141,71 |
| 421 | Pamakani (Viola chamissoniana ssp. chamissoniana) | Е | \$95,446 | \$887,237,16 |
| 422 | Cactus, Colorado hookless (Sclerocactus glaucus) | T | \$94,666 | \$887,331,82 |
| 423 | Milkweed, Mead's (Asclepias meadii) | Т | \$94,549 | \$887,426,37 |
| 424 | Toad, Wyoming (Bufo baxteri (=hemiophrys)) | Е | \$94,519 | \$887,520,89 |
| 425 | Hesperomannia arbuscula (=Sci name) | Е | \$94,377 | \$887,615,27 |
| 426 | Kamanomano (Cenchrus agrimonioides) | E | \$94,277 | \$887,709,54 |
| 427 | Coral, staghorn (Acropora cervicornis) | T | \$93,942 | \$887,803,49 |
| 428 | Tetramolopium filiforme (=Sci name) | E | \$93,884 | \$887,897,37 |
| 429 | Haha (Cyanea longiflora) | E | \$93,477 | \$887,990,85 |
| 430 | Haha (Cyanea superba) | E | \$93,277 | \$888,084,12 |
| 431 | Sandwort, Marsh (Arenaria paludicola) | E | \$92,863 | \$888,176,99 |
| 432 | Cladonia, Florida perforate (<i>Cladonia perforata</i>) | E | \$92,610 | \$888,269,60 |
| 433 | Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>) | E | \$92,010 | \$888,361,75 |
| 434 | Lo`ulu (<i>Pritchardia kaalae</i>) | E | \$92,130 | \$888,453,82 |
| 435 | `Akoko (Chamaesyce celastroides var. kaenana) | E | \$91,977 | \$888,545,80 |
| 435 | Hedyotis degeneri (=Sci name) | E | \$91,977 | \$888,637,78 |
| 436 | Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) - Entire Range; Except where listed as Experimental Populations | E | \$91,500 | \$888,729,28 |
| | | | | |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 438 | Gouania vitifolia (=Sci name) | Е | \$91,377 | \$888,912,13 |
| 439 | Ha`iwale (Cyrtandra dentata) | Е | \$90,977 | \$889,003,11 |
| 439 | Na`ena`e (Dubautia herbstobatae) | Е | \$90,977 | \$889,094,09 |
| 439 | `Akoko (Chamaesyce herbstii) | E | \$90,977 | \$889,185,06 |
| 440 | Orcutt grass, hairy (Orcuttia pilosa) | Е | \$90,660 | \$889,275,72 |
| 441 | Towhee, Inyo California (Pipilo crissalis eremophilus) | T | \$90,488 | \$889,366,21 |
| 442 | Alsinidendron obovatum (=Sci name) | Е | \$90,477 | \$889,456,69 |
| 442 | Nehe (Lipochaeta tenuifolia) | Е | \$90,477 | \$889,547,16 |
| 443 | Taraxacum, California (Taraxacum californicum) | Е | \$89,370 | \$889,636,53 |
| 444 | Chub, Pahranagat roundtail (Gila robusta jordani) | Е | \$89,131 | \$889,725,67 |
| 445 | Darter, duskytail (Etheostoma percnurum) - Entire | Е | \$88,246 | \$889,813,91 |
| 446 | Quillwort, Louisiana (Isoetes louisianensis) | E | \$87,758 | \$889,901,67 |
| 447 | Tarplant, Gaviota (Deinandra increscens ssp. villosa) | Е | \$87,206 | \$889,988,88 |
| 448 | Bat, Virginia big-eared (Corynorhinus (=Plecotus) townsendii virginianus) | Е | \$86,862 | \$890,075,74 |
| 449 | Sand-verbena, large-fruited (Abronia macrocarpa) | Е | \$86,554 | \$890,162,29 |
| 450 | Bean, purple (Villosa perpurpurea) | Е | \$85,256 | \$890,247,55 |
| 451 | Salamander, Barton Springs (Eurycea sosorum) | Е | \$85,163 | \$890,332,71 |
| 452 | Salamander, Cheat Mountain (Plethodon nettingi) | T | \$85,022 | \$890,417,73 |
| 453 | Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$84,966 | \$890,502,70 |
| 454 | Milk-vetch, Applegate's (Astragalus applegatei) | Е | \$84,205 | \$890,586,90 |
| 455 | Tiger beetle, Puritan (Cicindela puritana) | T | \$83,624 | \$890,670,53 |
| 456 | Turtle, bog (=Muhlenberg) (Clemmys muhlenbergii) - southern | SAT | \$83,600 | \$890,754,13 |
| 457 | Mountain beaver, Point Arena (Aplodontia rufa nigra) | Е | \$83,410 | \$890,837,54 |
| 457 | Boa, Puerto Rican (Epicrates inornatus) | Е | \$83,410 | \$890,920,95 |
| 458 | Madtom, smoky (Noturus baileyi) - Entire | Е | \$82,746 | \$891,003,69 |
| 459 | Mountain balm, Indian Knob (Eriodictyon altissimum) | Е | \$82,255 | \$891,085,95 |
| 460 | Bluegrass, San Bernardino (Poa atropurpurea) | Е | \$79,885 | \$891,165,83 |
| 461 | Chub, Borax Lake (Gila boraxobius) | Е | \$79,000 | \$891,244,83 |
| 462 | Pearlymussel, littlewing (Pegias fabula) | Е | \$78,955 | \$891,323,79 |
| 463 | Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>) | T | \$78,824 | \$891,402,61 |
| 464 | Madtom, Neosho (Noturus placidus) | T | \$78,339 | \$891,480,95 |
| 465 | Dace, Ash Meadows speckled (Rhinichthys osculus nevadensis) | Е | \$78,286 | \$891,559,24 |
| 466 | Manzanita, Morro (Arctostaphylos morroensis) | T | \$77,555 | \$891,636,79 |
| 467 | Dace, Foskett speckled (Rhinichthys osculus ssp.) - Foskett | Т | \$77,500 | \$891,714,29 |
| 467 | Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>) | Е | \$77,500 | \$891,791,79 |
| 468 | Grass, Colusa (Neostapfia colusana) | T | \$77,080 | \$891,868,87 |
| 469 | Orcutt grass, slender (<i>Orcuttia tenuis</i>) | T | \$76,968 | \$891,945,84 |
| 470 | Grass, Solano (<i>Tuctoria mucronata</i>) | Е | \$76,785 | \$892,022,63 |
| 471 | Mussel, oyster (<i>Epioblasma capsaeformis</i>) - Entire; Except where listed as Experimental Populations | E | \$76,150 | \$892,098,78 |
| 472 | Seablite, California (Suaeda californica) | Е | \$75,740 | \$892,174,52 |
| 473 | Sandlace (Polygonella myriophylla) | E | \$75,700 | \$892,250,22 |
| 474 | Sunflower, Schweinitz's (Helianthus schweinitzii) | E | \$74,791 | \$892,325,01 |
| 475 | Madtom, yellowfin (<i>Noturus flavipinnis</i>) - except where EXPN | T | \$73,246 | \$892,398,25 |
| 476 | Lupine, scrub (<i>Lupinus aridorum</i>) | E | \$73,000 | \$892,471,25 |
| 477 | Shiner, blue (<i>Cyprinella caerulea</i>) | T | \$72,700 | \$892,543,95 |
| 478 | Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>) | E | \$72,630 | \$892,616,58 |
| 479 | Isopod, Madison Cave (Antrolana lira) | T | \$70,750 | \$892,687,33 |
| 480 | Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. kinkiense) | E | \$70,607 | \$892,757,94 |
| 481 | Spinedace, Little Colorado (<i>Lepidomeda vittata</i>) | Т | \$69,800 | \$892,827,74 |
| 482 | Tuctoria, Greene's (Tuctoria greenei) | E | \$69,610 | \$892,897,35 |
| 483 | Goldenrod, Short's (Solidago shortii) | E | \$69,500 | \$892,966,85 |
| 484 | Turtle, Alabama red-belly (Pseudemys alabamensis) | E | \$69,255 | \$892,900,83 |
| 707 | Turde, Alabama red-beny (I seudemys didbamensis) | E | \$07,233 | \$673,030,10 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 485 | Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>) | Е | \$68,900 | \$893,105,00 |
| 486 | Wire-lettuce, Malheur (Stephanomeria malheurensis) | Е | \$68,886 | \$893,173,89 |
| 487 | Aster, decurrent false (Boltonia decurrens) | T | \$67,977 | \$893,241,87 |
| 488 | Darter, Etowah (Etheostoma etowahae) | Е | \$67,500 | \$893,309,37 |
| 489 | Sunshine, Sonoma (Blennosperma bakeri) | Е | \$66,935 | \$893,376,30 |
| 490 | Popcornflower, rough (Plagiobothrys hirtus) | Е | \$66,929 | \$893,443,23 |
| 491 | Bear, American black (<i>Ursus americanus</i>) County range of LA b.bear | SAT | \$66,580 | \$893,509,81 |
| 492 | Silversword, Mauna Loa (=Ka'u) (Argyroxiphium kauense) | Е | \$66,522 | \$893,576,33 |
| 493 | Ambersnail, Kanab (Oxyloma haydeni kanabensis) | Е | \$66,400 | \$893,642,73 |
| 493 | Buckwheat, scrub (Eriogonum longifolium var. gnaphalifolium) | T | \$66,400 | \$893,709,13 |
| 494 | Darter, Cherokee (Etheostoma scotti) | T | \$65,600 | \$893,774,73 |
| 495 | Thelypody, Howell's spectacular (Thelypodium howellii spectabilis) | T | \$65,529 | \$893,840,26 |
| 496 | Gilia, Monterey (Gilia tenuiflora ssp. arenaria) | Е | \$65,132 | \$893,905,39 |
| 497 | Salamander, California tiger (<i>Ambystoma californiense</i>) - U.S.A. (CA - Sonoma County) | Е | \$64,900 | \$893,970,29 |
| 498 | Gambusia, Pecos (Gambusia nobilis) | Е | \$64,850 | \$894,035,14 |
| 499 | 'Oha wai (Clermontia pyrularia) | Е | \$64,600 | \$894,099,74 |
| 500 | Bush-mallow, San Clemente Island (Malacothamnus clementinus) | Е | \$64,504 | \$894,164,25 |
| 501 | Springfish, Railroad Valley (Crenichthys nevadae) | T | \$64,321 | \$894,228,57 |
| 502 | Sucker, Santa Ana (Catostomus santaanae) - 3 CA river basins | T | \$63,625 | \$894,292,19 |
| 503 | Thistle, Pitcher's (Cirsium pitcheri) | T | \$63,000 | \$894,355,19 |
| 504 | Chub, Chihuahua (Gila nigrescens) | T | \$62,750 | \$894,417,94 |
| 505 | Trillium, relict (<i>Trillium reliquum</i>) | Е | \$62,690 | \$894,480,63 |
| 506 | Shiner, beautiful (Cyprinella formosa) | T | \$62,550 | \$894,543,18 |
| 507 | Evening-primrose, San Benito (Camissonia benitensis) | T | \$62,170 | \$894,605,35 |
| 508 | Falcon, northern aplomado (Falco femoralis septentrionalis) - Southwestern population | EXPN | \$62,000 | \$894,667,35 |
| 509 | Goldfields, Burke's (Lasthenia burkei) | Е | \$61,966 | \$894,729,32 |
| 510 | Woodland-star, San Clemente Island (Lithophragma maximum) | Е | \$61,937 | \$894,791,26 |
| 510 | Indian paintbrush, San Clemente Island (Castilleja grisea) | Е | \$61,937 | \$894,853,19 |
| 510 | Broom, San Clemente Island (Lotus dendroideus ssp. traskiae) | Е | \$61,937 | \$894,915,13 |
| 511 | Dawn-flower, Texas prairie (Hymenoxys texana) | Е | \$60,600 | \$894,975,73 |
| 512 | Wolf, gray (Canis lupus) - MN | T | \$60,599 | \$895,036,33 |
| 513 | `Oha wai (Clermontia lindseyana) | Е | \$60,500 | \$895,096,83 |
| 514 | Prairie-clover, leafy (Dalea foliosa) | Е | \$60,000 | \$895,156,83 |
| 515 | Fox, Santa Catalina Island (Urocyon littoralis catalinae) | Е | \$59,523 | \$895,216,35 |
| 516 | Haha (Cyanea shipmanii) | Е | \$59,500 | \$895,275,85 |
| 517 | Kiponapona (Phyllostegia racemosa) | Е | \$59,100 | \$895,334,95 |
| 518 | Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>)) | E | \$58,732 | \$895,393,69 |
| 519 | Stickleback, unarmored threespine (Gasterosteus aculeatus williamsoni) | Е | \$58,485 | \$895,452,17 |
| 520 | Ring pink (mussel) (Obovaria retusa) | Е | \$57,950 | \$895,510,12 |
| 521 | Meadowfoam, Butte County (Limnanthes floccosa ssp. californica) | Е | \$57,860 | \$895,567,98 |
| 522 | Watercress, Gambel's (Rorippa gambellii) | Е | \$57,800 | \$895,625,78 |
| 523 | Coneflower, Tennessee purple (Echinacea tennesseensis) | Е | \$57,700 | \$895,683,48 |
| 524 | Butterfly, Smith's blue (Euphilotes enoptes smithi) | Е | \$57,672 | \$895,741,15 |
| 525 | Lizard, Island night (Xantusia riversiana) | T | \$57,402 | \$895,798,55 |
| 526 | Darter, amber (Percina antesella) | Е | \$57,117 | \$895,855,67 |
| 527 | Moccasinshell, Ochlockonee (Medionidus simpsonianus) | Е | \$57,000 | \$895,912,67 |
| 528 | Pigtoe, rough (Pleurobema plenum) | Е | \$56,950 | \$895,969,62 |
| 529 | Honeycreeper, crested (Palmeria dolei) | Е | \$56,890 | \$896,026,51 |
| 530 | Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) - subspecies range clarified | T | \$56,854 | \$896,083,37 |
| 531 | Schiedea haleakalensis (=Sci name) | Е | \$56,700 | \$896,140,07 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 532 | Iguana, Mona ground (Cyclura cornuta stejnegeri) | T | \$55,380 | \$896,195,45 |
| 533 | Pitcher-plant, green (Sarracenia oreophila) | Е | \$55,204 | \$896,250,65 |
| 534 | Salamander, Red Hills (Phaeognathus hubrichti) | T | \$55,000 | \$896,305,65 |
| 535 | Beetle, Mount Hermon June (Polyphylla barbata) | Е | \$54,973 | \$896,360,62 |
| 536 | Akepa, Maui (honeycreeper) (Loxops coccineus ochraceus) | Е | \$54,925 | \$896,415,55 |
| 537 | Dace, Independence Valley speckled (Rhinichthys osculus lethoporus) | Е | \$54,733 | \$896,470,28 |
| 538 | Mouse, Key Largo cotton (Peromyscus gossypinus allapaticola) | Е | \$54,731 | \$896,525,01 |
| 539 | Catspaw (=purple cat's paw pearlymussel) (Epioblasma obliquata obliquata) - Entire Range; Except where listed as Experimental Populations | Е | \$54,076 | \$896,579,09 |
| 540 | Phyllostegia velutina (=Sci name) | Е | \$53,900 | \$896,632,99 |
| 541 | Bladderpod, Missouri (Lesquerella filiformis) | T | \$53,808 | \$896,686,80 |
| 542 | Sucker, Modoc (Catostomus microps) | Е | \$53,555 | \$896,740,35 |
| 543 | Pupfish, Owens (Cyprinodon radiosus) | Е | \$53,351 | \$896,793,70 |
| 544 | Snake, San Francisco garter (Thamnophis sirtalis tetrataenia) | Е | \$53,160 | \$896,846,86 |
| 545 | Nukupu'u (honeycreeper) (Hemignathus lucidus) | Е | \$53,090 | \$896,899,95 |
| 546 | Kauila (Colubrina oppositifolia) | Е | \$53,000 | \$896,952,95 |
| 547 | Harperella (Ptilimnium nodosum) | E | \$52,775 | \$897,005,73 |
| 548 | Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>) | Е | \$52,390 | \$897,058,12 |
| 549 | Puma (=cougar), eastern (<i>Puma</i> (=Felis) concolor couguar) | Е | \$52,308 | \$897,110,42 |
| 550 | Pearlymussel, dromedary (<i>Dromus dromas</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$52,216 | \$897,162,64 |
| 551 | Geranium, Hawaiian red-flowered (Geranium arboreum) | Е | \$52,153 | \$897,214,79 |
| 552 | Logperch, Conasauga (Percina jenkinsi) | Е | \$51,900 | \$897,266,69 |
| 553 | Milk-vetch, Holmgren (Astragalus holmgreniorum) | Е | \$51,850 | \$897,318,54 |
| 554 | Sandwort, Cumberland (Arenaria cumberlandensis) | Е | \$51,400 | \$897,369,94 |
| 555 | Shrimp, California freshwater (Syncaris pacifica) | Е | \$51,376 | \$897,421,32 |
| 556 | Po'ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>) | Е | \$51,300 | \$897,472,62 |
| 557 | Butterfly, callippe silverspot (Speyeria callippe callippe) | Е | \$51,216 | \$897,523,84 |
| 558 | Koki'o (Kokia drynarioides) | Е | \$51,054 | \$897,574,89 |
| 559 | White-eye, Rota bridled (Zosterops rotensis) | Е | \$51,040 | \$897,625,93 |
| 560 | Crayfish, Nashville (Orconectes shoupi) | Е | \$51,000 | \$897,676,93 |
| 560 | Cactus, Mesa Verde (Sclerocactus mesae-verdae) | T | \$51,000 | \$897,727,93 |
| 561 | Spineflower, Orcutt's (Chorizanthe orcuttiana) | E | \$50,004 | \$897,777,93 |
| 562 | Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>) | E | \$49,600 | \$897,827,53 |
| 563 | Hala pepe (Pleomele hawaiiensis) | E | \$49,354 | \$897,876,89 |
| 564 | Townsendia, Last Chance (Townsendia aprica) | T | \$49,290 | \$897,926,18 |
| 565 | Flannelbush, Mexican (Fremontodendron mexicanum) | E | \$48,915 | \$897,975,09 |
| 566 | Gambusia, Big Bend (Gambusia gaigei) | E | \$48,750 | \$898,023,84 |
| 567 | Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) - U.S.A. (DE, Sussex Co.) | EXPN | \$48,410 | \$898,072,25 |
| 568 | Chub, Hutton tui (<i>Gila bicolor</i> ssp.) - Hutton | Т | \$48,000 | \$898,120,25 |
| 568 | Beauty, Harper's (Harperocallis flava) | Е | \$48,000 | \$898,168,25 |
| 569 | Spinedace, White River (<i>Lepidomeda albivallis</i>) | E | \$47,799 | \$898,216,05 |
| 570 | Snowbells, Texas (Styrax texanus) | E | \$47,728 | \$898,263,78 |
| 571 | Milk-vetch, Shivwits (Astragalus ampullarioides) | E | \$47,000 | \$898,310,78 |
| 572 | Shiner, Arkansas River (<i>Notropis girardi</i>) - Arkansas R. Basin | T | \$46,969 | \$898,357,75 |
| 573 | Butterfly, Behren's silverspot (Speyeria zerene behrensii) | E | \$46,070 | \$898,403,82 |
| 574 | Cavesnail, Tumbling Creek (Antrobia culveri) | E | \$46,000 | \$898,449,82 |
| 575 | Butterfly, Mitchell's satyr (Neonympha mitchellii mitchellii) | E | \$45,841 | \$898,495,66 |
| 576 | Shrimp, Alabama cave (<i>Palaemonias alabamae</i>) | E | \$45,833 | \$898,541,49 |
| 577 | Millerbird, Nihoa (old world warbler) (Acrocephalus familiaris kingi) | E | \$45,250 | \$898,586,74 |
| 578 | Jewelflower, California (Caulanthus californicus) | Е | \$44,940 | \$898,631,68 |
| 579 | Rush-pea, slender (Hoffmannseggia tenella) | E | \$44,800 | \$898,676,48 |
| | Niterwort, Amargosa (Nitrophila mohavensis) | E | \$44,555 | \$898,721,04 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 581 | Thistle, La Graciosa (Cirsium loncholepis) | E | \$44,505 | \$898,765,547 |
| 582 | Hawk, Puerto Rican broad-winged (Buteo platypterus brunnescens) | Е | \$44,500 | \$898,810,047 |
| 583 | Turtle, yellow-blotched map (Graptemys flavimaculata) | T | \$44,392 | \$898,854,439 |
| 584 | Lizard, Coachella Valley fringe-toed (Uma inornata) | T | \$43,623 | \$898,898,062 |
| 585 | Lizard, St. Croix ground (Ameiva polops) | Е | \$43,600 | \$898,941,662 |
| 586 | Beetle, delta green ground (Elaphrus viridis) | T | \$43,563 | \$898,985,225 |
| 587 | Bush-clover, prairie (Lespedeza leptostachya) | T | \$43,167 | \$899,028,392 |
| 588 | Orcutt grass, Sacramento (Orcuttia viscida) | Е | \$43,085 | \$899,071,477 |
| 589 | Pentachaeta, Lyon's (Pentachaeta lyonii) | Е | \$43,065 | \$899,114,542 |
| 590 | Toad, Puerto Rican crested (Peltophryne lemur) | T | \$42,633 | \$899,157,175 |
| 591 | Pigeon, Puerto Rican plain (Columba inornata wetmorei) | Е | \$42,500 | \$899,199,675 |
| 592 | Milk-vetch, Sentry (Astragalus cremnophylax var. cremnophylax) | Е | \$41,900 | \$899,241,575 |
| 593 | Phlox, Yreka (Phlox hirsuta) | Е | \$41,295 | \$899,282,870 |
| 594 | Stickseed, showy (Hackelia venusta) | Е | \$41,253 | \$899,324,123 |
| 595 | Darter, snail (Percina tanasi) | T | \$40,900 | \$899,365,023 |
| 596 | Meadowfoam, Sebastopol (Limnanthes vinculans) | Е | \$40,535 | \$899,405,558 |
| 597 | Manzanita, Del Mar (Arctostaphylos glandulosa ssp. crassifolia) | Е | \$40,380 | \$899,445,938 |
| 598 | Manzanita, Ione (Arctostaphylos myrtifolia) | T | \$40,240 | \$899,486,178 |
| 599 | Pigeon wings (Clitoria fragrans) | T | \$39,900 | \$899,526,078 |
| 600 | Amphipod, Illinois cave (Gammarus acherondytes) | Е | \$39,520 | \$899,565,598 |
| 601 | Plum, scrub (<i>Prunus geniculata</i>) | Е | \$39,400 | \$899,604,998 |
| 602 | Uhiuhi (Caesalpinia kavaiense) | Е | \$37,954 | \$899,642,952 |
| 603 | Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>) | E | \$37,750 | \$899,680,702 |
| 604 | Moth, Blackburn's sphinx (Manduca blackburni) | Е | \$37,653 | \$899,718,355 |
| 605 | Heartleaf, dwarf-flowered (Hexastylis naniflora) | T | \$37,040 | \$899,755,395 |
| 606 | Barberry, Nevin's (Berberis nevinii) | Е | \$36,890 | \$899,792,285 |
| 607 | Rockcress, Santa Cruz Island (Sibara filifolia) | E | \$36,608 | \$899,828,893 |
| 608 | Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>) | E | \$36,580 | \$899,865,473 |
| 609 | Gooseberry, Miccosukee (Ribes echinellum) | T | \$36,400 | \$899,901,873 |
| 610 | Spurge, Hoover's (<i>Chamaesyce hooveri</i>) | T | \$35,800 | \$899,937,673 |
| 611 | Butterweed, Layne's (Senecio layneae) | T | \$35,770 | \$899,973,443 |
| 612 | `Akoko (Euphorbia haeleeleana) | Е | \$35,700 | \$900,009,143 |
| 613 | Bedstraw, El Dorado (Galium californicum ssp. sierrae) | E | \$35,684 | \$900,044,827 |
| 614 | Haha (Cyanea hamatiflora ssp. hamatiflora) | E | \$35,500 | \$900,080,327 |
| 615 | Nohoanu (Geranium multiflorum) | E | \$33,700 | \$900,114,027 |
| 616 | Wild-buckwheat, clay-loving (Eriogonum pelinophilum) | E | \$33,577 | \$900,147,604 |
| 617 | Mesa-mint, San Diego (<i>Pogogyne abramsii</i>) | E | \$33,405 | \$900,147,009 |
| 618 | Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>) | E | \$33,335 | \$900,181,002 |
| 619 | Tiger beetle, Ohlone (Cicindela ohlone) | E | \$33,043 | \$900,247,387 |
| 620 | Skipper, Pawnee montane (Hesperia leonardus montana) | T | \$33,043 | \$900,247,387 |
| 621 | Morning-glory, Stebbins' (Calystegia stebbinsii) | E | \$32,237 | \$900,279,02 |
| 622 | Puma (=mountain lion) (<i>Puma</i> (=Felis) concolor (all subsp. except coryi)) - FL | SAT | \$31,865 | \$900,343,549 |
| 623 | Cactus, Winkler (Pediocactus winkleri) | T | \$31,828 | \$900,375,377 |
| 624 | Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>) | T | \$31,285 | \$900,406,662 |
| 625 | Centaury, spring-loving (Centaurium namophilum) | T | \$31,000 | \$900,437,662 |
| 625 | Butterwort, Godfrey's (Pinguicula ionantha) | T | \$31,000 | \$900,468,662 |
| 626 | Tern, roseate (Sterna dougallii dougallii) - Western Hemisphere except NE U.S. | T | \$30,803 | \$900,499,465 |
| 627 | Paintbrush, ash-grey (Castilleja cinerea) | T | \$30,640 | \$900,530,105 |
| 628 | Moorhen, Mariana common (Gallinula chloropus guami) | E | \$30,638 | \$900,560,743 |
| 629 | Squirrel, Carolina northern flying (Glaucomys sabrinus coloratus) | E | \$30,600 | \$900,500,743 |
| 629 | Cactus, Key tree (<i>Pilosocereus robinii</i>) | E | \$30,600 | \$900,621,943 |
| 630 | Cycladenia, Jones (<i>Cycladenia jonesii</i> (=humilis)) | T | \$30,560 | \$900,652,503 |
| 631 | Trillium, persistent (<i>Trillium persistens</i>) | E | \$30,300 | \$900,632,753 |
| 632 | Tarplant, Santa Cruz (Holocarpha macradenia) | T | \$30,230 | \$900,082,732 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|----------------------|------------------------------|
| 633 | Moccasinshell, Alabama (Medionidus acutissimus) | T | \$30,000 | \$900,742,76 |
| 634 | Evening-primrose, Eureka Valley (Oenothera avita ssp. eurekensis) | Е | \$29,810 | \$900,772,57 |
| 635 | Birds-in-a-nest, white (Macbridea alba) | T | \$29,600 | \$900,802,17 |
| 636 | Snail, painted snake coiled forest (Anguispira picta) | T | \$29,500 | \$900,831,67 |
| 636 | `Akoko, Ewa Plains (Chamaesyce skottsbergii var. kalaeloana) | E | \$29,500 | \$900,861,17 |
| 636 | Skullcap, Florida (Scutellaria floridana) | T | \$29,500 | \$900,890,67 |
| 637 | Dropwort, Canby's (Oxypolis canbyi) | Е | \$29,229 | \$900,919,90 |
| 638 | Ziziphus, Florida (Ziziphus celata) | Е | \$29,100 | \$900,949,00 |
| 639 | Kidneyshell, triangular (Ptychobranchus greenii) | Е | \$29,029 | \$900,978,03 |
| 640 | Leather flower, Morefield's (Clematis morefieldii) | Е | \$29,024 | \$901,007,06 |
| 641 | Rock-cress, McDonald's (Arabis macdonaldiana) | Е | \$28,800 | \$901,035,86 |
| 642 | Pinkroot, gentian (Spigelia gentianoides) | Е | \$28,700 | \$901,064,56 |
| 643 | Daisy, Parish's (Erigeron parishii) | T | \$28,440 | \$901,093,00 |
| 644 | Gumplant, Ash Meadows (Grindelia fraxino-pratensis) | T | \$28,255 | \$901,121,25 |
| 645 | Crayfish, cave (Cambarus aculabrum) | Е | \$28,000 | \$901,149,25 |
| 646 | Iris, dwarf lake (Iris lacustris) | T | \$27,900 | \$901,177,15 |
| 647 | Clubshell, ovate (<i>Pleurobema perovatum</i>) | Е | \$27,800 | \$901,204,95 |
| 648 | Grass, Eureka Dune (Swallenia alexandrae) | Е | \$27,650 | \$901,232,60 |
| 649 | Boa, Mona (Epicrates monensis monensis) | T | \$27,500 | \$901,260,10 |
| 649 | Elktoe, Cumberland (Alasmidonta atropurpurea) | Е | \$27,500 | \$901,287,60 |
| 650 | Milk-vetch, Coachella Valley (Astragalus lentiginosus var. coachellae) | E | \$27,330 | \$901,314,93 |
| 651 | Pauoa (Ctenitis squamigera) | Е | \$27,300 | \$901,342,23 |
| 652 | Pearlymussel, birdwing (<i>Conradilla caelata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and | EXPN | \$27,234 | \$901,369,46 |
| 653 | Lauderdale Counties, AL Mills yetch. Ask meadayas (Astronomica nha cuir) | Т | \$27,200 | \$001.206.66 |
| 654 | Milk-vetch, Ash meadows (Astragalus phoenix) | E | \$27,200 | \$901,396,66 |
| 655 | Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>) Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>) | E | \$26,986 \$26,725 | \$901,423,65 \$901,450,38 |
| 656 | | E | | |
| 657 | Bear-poppy, dwarf (Arctomecon humilis) Clarkia, Presidio (Clarkia franciscana) | E | \$26,700 \$26,680 | \$901,477,08 \$901,503,76 |
| 658 | | T | | |
| | Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>) Pocketbook, finelined (<i>Lampsilis altilis</i>) | | \$26,380 | \$901,530,14 |
| 659 | , , , | T E | \$25,900 | \$901,556,04 |
| 660 | Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>) | | \$25,828 | \$901,581,86 |
| 661 | Goldenrod, Houghton's (Solidago houghtonii) | T | \$25,783 | \$901,607,65 |
| 662 | Limpet, Banbury Springs (<i>Lanx</i> sp.) | Е | \$25,771 | \$901,633,42 |
| 663 | Cactus, Bakersfield (<i>Opuntia treleasei</i>) | Е | \$25,419 | \$901,658,84 |
| 664 | Wireweed (Polygonella basiramia) | Е | \$25,400 | \$901,684,24 |
| 665 | Pigtoe, southern (<i>Pleurobema georgianum</i>) | E | \$25,300 | \$901,709,54 |
| 666 | Torreya, Florida (<i>Torreya taxifolia</i>) | Е | \$25,150 | \$901,734,69 |
| 667 | Ground-plum, Guthrie's (=Pyne's) (Astragalus bibullatus) | Е | \$25,100 | \$901,759,79 |
| 668 | Alani (Melicope ovalis) | Е | \$24,800 | \$901,784,59 |
| 669 | Owl's-clover, fleshy (Castilleja campestris ssp. succulenta) | T | \$24,795 | \$901,809,38 |
| 670 | Dace, desert (Eremichthys acros) | T | \$24,555 | \$901,833,94 |
| 671 | Ohai (Sesbania tomentosa) | E | \$24,507 | \$901,858,44 |
| 672 | Ring pink (mussel) (<i>Obovaria retusa</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers | EXPN | \$24,400 | \$901,882,84 |
| 673 | Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>) | E | \$24,328 | \$901,907,17 |
| 674 | Mint, Lakela's (Dicerandra immaculata) | Е | \$24,200 | \$901,931,37 |
| 675 | Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>) | T | \$23,400 | \$901,954,77 |
| 676 | Rosemary, short-leaved (Conradina brevifolia) | Е | \$23,300 | \$901,978,07 |
| 677 | Ha`iwale (Cyrtandra tintinnabula) | E | \$23,200 | \$902,001,27 |
| 678 | Ko`oko`olau (Bidens micrantha ssp. kalealaha) | Е | \$23,100 | \$902,024,37 |
| 678 | Spurge, telephus (Euphorbia telephioides) | T | \$23,100 | \$902,047,47 |
| 679 | Moth, Kern primrose sphinx (Euproserpinus euterpe) | T | \$23,053 | \$902,070,52 |
| 680 | Wooly-threads, San Joaquin (Monolopia (=Lembertia) congdonii) | Е | \$23,005 | \$902,093,53 |
| 681 | Cactus, Wright fishhook (Sclerocactus wrightiae) | Е | \$22,878 | \$902,116,41 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 682 | Bonamia menziesii (=Sci name) | Е | \$22,830 | \$902,139,24 |
| 683 | Bladderpod, Spring Creek (Lesquerella perforata) | Е | \$22,756 | \$902,161,99 |
| 684 | Bladderpod, Dudley Bluffs (Lesquerella congesta) | T | \$22,642 | \$902,184,64 |
| 685 | Sunray, Ash Meadows (Enceliopsis nudicaulis var. corrugata) | T | \$22,200 | \$902,206,84 |
| 686 | Lo`ulu (Pritchardia remota) | Е | \$22,157 | \$902,228,99 |
| 687 | Sculpin, pygmy (Cottus paulus (=pygmaeus)) | T | \$22,100 | \$902,251,09 |
| 688 | Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>) | Е | \$22,040 | \$902,273,13 |
| 689 | Isopod, Lee County cave (<i>Lirceus usdagalun</i>) | E | \$22,000 | \$902,295,13 |
| 690 | Milk-vetch, coastal dunes (Astragalus tener var. titi) | E | \$21,915 | \$902,317,05 |
| 691 | Yerba santa, Lompoc (Eriodictyon capitatum) | E | \$21,891 | \$902,317,03 |
| 692 | , | E | \$21,891 | \$902,360,74 |
| | Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>) | | , | |
| 693 | Hesperomannia arborescens (=Sci name) | E | \$21,729 | \$902,382,47 |
| 694 | Joint-vetch, sensitive (Aeschynomene virginica) | T | \$21,685 | \$902,404,16 |
| 695 | Cactus, Siler pincushion (Pediocactus (=Echinocactus,=Utahia) sileri) | T | \$21,600 | \$902,425,76 |
| 696 | Dwarf-flax, Marin (Hesperolinon congestum) | T | \$21,400 | \$902,447,16 |
| 697 | Twinpod, Dudley Bluffs (Physaria obcordata) | T | \$21,396 | \$902,468,55 |
| 698 | Shrew, Buena Vista Lake ornate (Sorex ornatus relictus) | Е | \$21,380 | \$902,489,93 |
| 699 | Lo`ulu (Pritchardia napaliensis) | Е | \$21,200 | \$902,511,13 |
| 700 | Amphipod, Peck's cave (Stygobromus (=Stygonectes) pecki) | Е | \$21,126 | \$902,532,26 |
| 701 | Aster, Ruth's golden (Pityopsis ruthii) | Е | \$21,000 | \$902,553,26 |
| 702 | Potentilla, Hickman's (Potentilla hickmanii) | Е | \$20,570 | \$902,573,83 |
| 703 | Blazingstar, Ash Meadows (Mentzelia leucophylla) | T | \$20,400 | \$902,594,23 |
| 703 | Goldenrod, white-haired (Solidago albopilosa) | T | \$20,400 | \$902,614,63 |
| 704 | Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>) | Е | \$20,381 | \$902,635,01 |
| 705 | Sneezeweed, Virginia (Helenium virginicum) | T | \$20,300 | \$902,655,31 |
| 706 | Chub, spotfin (<i>Erimonax monachus</i>) - Tellico River, TN | EXPN | \$20,100 | \$902,675,41 |
| 706 | Chub, spotfin (<i>Erimonax monachus</i>) - Shoal Creek | EXPN | \$20,100 | \$902,695,51 |
| 707 | Birch, Virginia round-leaf (Betula uber) | T | \$20,000 | \$902,715,51 |
| 707 | Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>) | Е | \$20,000 | \$902,735,51 |
| 707 | Pennyroyal, Todsen's (<i>Hedeoma todsenii</i>) | E | \$20,000 | \$902,755,51 |
| 708 | Snail, Iowa Pleistocene (<i>Discus macclintocki</i>) | E | \$19,700 | \$902,775,21 |
| | , | | . , | |
| 708 | Haha (Cyanea glabra) | Е | \$19,700 | \$902,794,91 |
| 709 | Vole, Amargosa (Microtus californicus scirpensis) | E | \$19,695 | \$902,814,61 |
| 710 | Cactus, Knowlton (Pediocactus knowltonii) | Е | \$19,440 | \$902,834,05 |
| 711 | Haha (Cyanea acuminata) | E | \$19,329 | \$902,853,37 |
| 712 | Irisette, white (Sisyrinchium dichotomum) | Е | \$19,280 | \$902,872,65 |
| 713 | Darter, relict (Etheostoma chienense) | Е | \$19,100 | \$902,891,75 |
| 713 | Lichen, rock gnome (Gymnoderma lineare) | Е | \$19,100 | \$902,910,85 |
| 714 | Primrose, Maguire (Primula maguirei) | T | \$19,010 | \$902,929,86 |
| 715 | Wallflower, Contra Costa (Erysimum capitatum var. angustatum) | Е | \$18,760 | \$902,948,62 |
| 716 | Milk-vetch, Fish Slough (Astragalus lentiginosus var. piscinensis) | T | \$18,655 | \$902,967,28 |
| 717 | Dace, Kendall Warm Springs (Rhinichthys osculus thermalis) | E | \$18,607 | \$902,985,89 |
| 718 | Skink, bluetail mole (Eumeces egregius lividus) | T | \$18,600 | \$903,004,49 |
| 719 | Butterfly, Uncompangre fritillary (Boloria acrocnema) | Е | \$18,590 | \$903,023,08 |
| 720 | Abutilon sandwicense (=Sci name) | Е | \$18,369 | \$903,041,45 |
| 721 | Pomace fly, [unnamed] (Drosophila montgomeryi) | Е | \$18,349 | \$903,059,79 |
| 721 | Pomace fly, [unnamed] (Drosophila substenoptera) | Е | \$18,349 | \$903,078,14 |
| 722 | Darter, slackwater (Etheostoma boschungi) | T | \$18,346 | \$903,096,49 |
| 723 | Alani (Melicope balloui) | Е | \$18,300 | \$903,114,79 |
| 724 | `Anunu (Sicyos alba) | E | \$18,100 | \$903,132,89 |
| 725 | Ha`iwale (Cyrtandra munroi) | E | \$17,900 | \$903,150,79 |
| 726 | Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>) | T | \$17,860 | \$903,168,65 |
| 727 | Alani (Melicope lydgatei) | E | \$17,729 | \$903,186,38 |
| | | E | | |
| 728 | Milk-vetch, Osterhout (Astragalus osterhoutii) | E | \$17,700 | \$903,204,08 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 729 | Mouse, Anastasia Island beach (Peromyscus polionotus phasma) | Е | \$17,600 | \$903,239,38 |
| 729 | Hau kuahiwi (Hibiscadelphus giffardianus) | Е | \$17,600 | \$903,256,98 |
| 729 | Alani (Melicope zahlbruckneri) | Е | \$17,600 | \$903,274,58 |
| 729 | Ladies'-tresses, Navasota (Spiranthes parksii) | Е | \$17,600 | \$903,292,18 |
| 729 | Ha`iwale (Cyrtandra giffardii) | Е | \$17,600 | \$903,309,78 |
| 730 | Marstonia, royal (snail) (Pyrgulopsis ogmorhaphe) | Е | \$17,300 | \$903,327,08 |
| 731 | Moccasinshell, Coosa (Medionidus parvulus) | Е | \$17,050 | \$903,344,13 |
| 732 | Manzanita, Santa Rosa Island (Arctostaphylos confertiflora) | Е | \$17,000 | \$903,361,13 |
| 732 | Whitlow-wort, papery (Paronychia chartacea) | T | \$17,000 | \$903,378,13 |
| 733 | Ischaemum, Hilo (Ischaemum byrone) | Е | \$16,900 | \$903,395,03 |
| 734 | `Ahinahina (Argyroxiphium sandwicense ssp. macrocephalum) | T | \$16,800 | \$903,411,83 |
| 734 | Haha (Cyanea copelandii ssp. haleakalaensis) | Е | \$16,800 | \$903,428,63 |
| 735 | Alsinidendron trinerve (=Sci name) | Е | \$16,729 | \$903,445,36 |
| 735 | Nioi (Eugenia koolauensis) | Е | \$16,729 | \$903,462,09 |
| 736 | Flannelbush, Pine Hill (Fremontodendron californicum ssp. decumbens) | Е | \$16,675 | \$903,478,76 |
| 737 | Lilliput, pale (pearlymussel) (Toxolasma cylindrellus) | Е | \$16,424 | \$903,495,19 |
| 738 | Daisy, Maguire (Erigeron maguirei) | T | \$16,260 | \$903,511,45 |
| 739 | Ha`iwale (<i>Cyrtandra viridiflora</i>) | Е | \$16,229 | \$903,527,67 |
| 740 | Beetle, Comal Springs riffle (Heterelmis comalensis) | Е | \$16,226 | \$903,543,90 |
| 741 | Milk-vetch, Braunton's (Astragalus brauntonii) | Е | \$16,160 | \$903,560,06 |
| 742 | Chaff-flower, round-leaved (Achyranthes splendens var. rotundata) | Е | \$16,100 | \$903,576,16 |
| 743 | Bulrush, Northeastern (Scirpus ancistrochaetus) | Е | \$15,841 | \$903,592,00 |
| 744 | Phyllostegia hirsuta (=Sci name) | Е | \$15,736 | \$903,607,74 |
| 745 | Dudleya, Conejo (Dudleya abramsii ssp. parva) | T | \$15,730 | \$903,623,47 |
| 746 | Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$15,624 | \$903,639,09 |
| 747 | Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>) | Е | \$15,500 | \$903,654,59 |
| 748 | Onion, Munz's (Allium munzii) | Е | \$15,460 | \$903,670,05 |
| 749 | Monkshood, northern wild (Aconitum noveboracense) | T | \$15,383 | \$903,685,43 |
| 750 | Cyanea (=Rollandia) crispa (=Sci name) | Е | \$15,329 | \$903,700,76 |
| 751 | Buttercup, autumn (Ranunculus aestivalis (=acriformis)) | Е | \$15,250 | \$903,716,01 |
| 752 | Mallow, Kern (Eremalche kernensis) | Е | \$15,165 | \$903,731,18 |
| 753 | Checker-mallow, Keck's (Sidalcea keckii) | Е | \$15,040 | \$903,746,22 |
| 754 | Amphipod, Kauai cave (Spelaeorchestia koloana) | E | \$15,000 | \$903,761,22 |
| 755 | Pocketbook, speckled (<i>Lampsilis streckeri</i>) | E | \$14,756 | \$903,775,97 |
| 756 | Mariscus pennatiformis (=Sci name) | E | \$14,750 | \$903,790,72 |
| 757 | Nanu (Gardenia mannii) | E | \$14,729 | \$903,805,45 |
| 757 | Pteris lidgatei (=Sci name) | E | \$14,729 | \$903,820,18 |
| 758 | Mussel, oyster (<i>Epioblasma capsaeformis</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)) | EXPN | \$14,500 | \$903,834,68 |
| 759 | Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>) | Е | \$14,460 | \$903,849,14 |
| 760 | Otter, southern sea (<i>Enhydra lutris nereis</i>) - south of Pt. Conception, CA | EXPN | \$14,450 | \$903,863,59 |
| 761 | Diplazium molokaiense (=Sci name) | Е | \$14,300 | \$903,877,89 |
| 762 | Lessingia, San Francisco (Lessingia germanorum (=L.g. var. germanorum)) | E | \$14,270 | \$903,892,16 |
| 763 | Schiedea hookeri (=Sci name) | Е | \$14,169 | \$903,906,33 |
| 764 | Thistle, Sacramento Mountains (Cirsium vinaceum) | T | \$14,000 | \$903,920,33 |
| 765 | Mucket, orangenacre (Lampsilis perovalis) | T | \$13,929 | \$903,934,26 |
| 766 | Butterfly, Schaus swallowtail (Heraclides aristodemus ponceanus) | Е | \$13,841 | \$903,948,10 |
| 767 | Wawae'iole (Lycopodium (=Phlegmariurus) nutans) | E | \$13,729 | \$903,961,83 |
| 768 | White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>) | E | \$13,600 | \$903,975,43 |
| 769 | Madtom, pygmy (Noturus stanauli) | E | \$13,500 | \$903,988,93 |
| 770 | Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>) | E | \$13,451 | \$904,002,38 |
| 771 | Milkweed, Welsh's (Asclepias welshii) | T | \$13,400 | \$904,002,38 |
| 771 | Cobana negra (Stahlia monosperma) | T | \$13,400 | \$904,013,78 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 773 | Lobelia gaudichaudii ssp. koolauensis (=Sci name) | E | \$13,229 | \$904,042,31 |
| 773 | Haha (Cyanea koolauensis) | Е | \$13,229 | \$904,055,54 |
| 774 | Dudleya, Verity's (Dudleya verityi) | T | \$13,037 | \$904,068,58 |
| 775 | Dudleyea, Santa Monica Mountains (Dudleya cymosa ssp. ovatifolia) | T | \$13,010 | \$904,081,59 |
| 776 | Chamaesyce halemanui (=Sci name) | E | \$13,000 | \$904,094,59 |
| 776 | Cactus, black lace (Echinocereus reichenbachii var. albertii) | Е | \$13,000 | \$904,107,59 |
| 776 | Hypericum, highlands scrub (Hypericum cumulicola) | E | \$13,000 | \$904,120,59 |
| 776 | Fringe-tree, pygmy (Chionanthus pygmaeus) | Е | \$13,000 | \$904,133,59 |
| 776 | Diellia pallida (=Sci name) | E | \$13,000 | \$904,146,59 |
| 777 | Amphianthus, little (Amphianthus pusillus) | T | \$12,860 | \$904,159,45 |
| 778 | Phyllostegia parviflora (=Sci name) | Е | \$12,829 | \$904,172,28 |
| 779 | `Akoko (Chamaesyce rockii) | Е | \$12,729 | \$904,185,00 |
| 780 | Eugenia woodburyana (=Sci name) | Е | \$12,700 | \$904,197,70 |
| 781 | Dudleya, marcescent (Dudleya cymosa ssp. marcescens) | T | \$12,685 | \$904,210,39 |
| 782 | Aupaka (Isodendrion laurifolium) | Е | \$12,600 | \$904,222,99 |
| 782 | Schiedea membranacea (=Sci name) | Е | \$12,600 | \$904,235,59 |
| 782 | Kaulu (Pteralyxia kauaiensis) | Е | \$12,600 | \$904,248,19 |
| 783 | Naucorid, Ash Meadows (Ambrysus amargosus) | T | \$12,500 | \$904,260,69 |
| 783 | Nehe (Lipochaeta fauriei) | Е | \$12,500 | \$904,273,19 |
| 783 | Pitcher-plant, Alabama canebrake (Sarracenia rubra alabamensis) | Е | \$12,500 | \$904,285,69 |
| 784 | Alopecurus, Sonoma (Alopecurus aequalis var. sonomensis) | E | \$12,475 | \$904,298,16 |
| 785 | Haha (Cyanea humboldtiana) | Е | \$12,329 | \$904,310,49 |
| 785 | Stenogyne kanehoana (=Sci name) | E | \$12,329 | \$904,322,82 |
| 785 | Viola oahuensis (=Sci name) | Е | \$12,329 | \$904,335,15 |
| 785 | Kamakahala (Labordia cyrtandrae) | E | \$12,329 | \$904,347,48 |
| 785 | Kolea (Myrsine juddii) | Е | \$12,329 | \$904,359,81 |
| 786 | Paintbrush, soft-leaved (Castilleja mollis) | E | \$12,230 | \$904,372,04 |
| 787 | Sanicula purpurea (=Sci name) | Е | \$12,229 | \$904,384,27 |
| 787 | Haha (Cyanea stjohnii) | E | \$12,229 | \$904,396,50 |
| 787 | Ha`iwale (Cyrtandra subumbellata) | Е | \$12,229 | \$904,408,73 |
| 788 | Rice rat (Oryzomys palustris natator) - lower FL Keys | Е | \$12,200 | \$904,420,93 |
| 789 | Locoweed, Fassett's (Oxytropis campestris var. chartacea) | T | \$12,100 | \$904,433,03 |
| 790 | Nightjar, Puerto Rican (Caprimulgus noctitherus) | E | \$12,072 | \$904,445,10 |
| 791 | Dogweed, ashy (Thymophylla tephroleuca) | Е | \$12,000 | \$904,457,10 |
| 791 | Cactus, Tobusch fishhook (Ancistrocactus tobuschii) | E | \$12,000 | \$904,469,10 |
| 792 | Thistle, Suisun (Cirsium hydrophilum var. hydrophilum) | Е | \$11,915 | \$904,481,01 |
| 793 | Peperomia, Wheeler's (Peperomia wheeleri) | E | \$11,900 | \$904,492,91 |
| 794 | Turtle, ringed map (Graptemys oculifera) | T | \$11,800 | \$904,504,71 |
| 795 | Barberry, island (Berberis pinnata ssp. insularis) | E | \$11,685 | \$904,516,40 |
| 795 | Phacelia, island (Phacelia insularis ssp. insularis) | Е | \$11,685 | \$904,528,08 |
| 796 | Spineflower, Ben Lomond (Chorizanthe pungens var. hartwegiana) | E | \$11,670 | \$904,539,75 |
| 797 | Rocksnail, painted (Leptoxis taeniata) | T | \$11,600 | \$904,551,35 |
| 797 | Rocksnail, plicate (Leptoxis plicata) | E | \$11,600 | \$904,562,95 |
| 798 | Jacquemontia, beach (Jacquemontia reclinata) | Е | \$11,366 | \$904,574,32 |
| 799 | Cypress, Santa Cruz (Cupressus abramsiana) | E | \$11,250 | \$904,585,57 |
| 800 | Vernonia proctorii (=Sci name) | Е | \$11,200 | \$904,596,77 |
| 801 | Grass, Tennessee yellow-eyed (Xyris tennesseensis) | Е | \$11,100 | \$904,607,87 |
| 801 | Harebells, Avon Park (Crotalaria avonensis) | Е | \$11,100 | \$904,618,97 |
| 802 | Lupine, clover (Lupinus tidestromii) | Е | \$11,075 | \$904,630,04 |
| 803 | Pua `ala (Brighamia rockii) | Е | \$11,000 | \$904,641,04 |
| 804 | Aupaka (Isodendrion longifolium) | T | \$10,961 | \$904,652,01 |
| 805 | Pomace fly, [unnamed] (Drosophila obatai) | Е | \$10,820 | \$904,662,83 |
| 806 | Goetzea, beautiful (Goetzea elegans) | Е | \$10,800 | \$904,673,63 |
| 807 | Anole, Culebra Island giant (Anolis roosevelti) | Е | \$10,700 | \$904,684,33 |
| 808 | Shrimp, Kentucky cave (Palaemonias ganteri) | Е | \$10,650 | \$904,694,98 |
| 809 | Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>) | Е | \$10,600 | \$904,705,58 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 810 | Amphipod, Hay's Spring (Stygobromus hayi) | Е | \$10,584 | \$904,716,16 |
| 811 | Avens, spreading (Geum radiatum) | Е | \$10,580 | \$904,726,74 |
| 812 | Arrowhead, bunched (Sagittaria fasciculata) | Е | \$10,510 | \$904,737,25 |
| 813 | Dace, Clover Valley speckled (Rhinichthys osculus oligoporus) | Е | \$10,500 | \$904,747,75 |
| 814 | Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>) | Е | \$10,460 | \$904,758,21 |
| 815 | Reed-mustard, Barneby (Schoenocrambe barnebyi) | Е | \$10,410 | \$904,768,62 |
| 816 | fatmucket, Arkansas (Lampsilis powellii) | T | \$10,400 | \$904,779,02 |
| 816 | Aristida chaseae (=Sci name) | Е | \$10,400 | \$904,789,42 |
| 817 | Lobelia niihauensis (=Sci name) | Е | \$10,369 | \$904,799,79 |
| 818 | Pomace fly, [unnamed] (Drosophila aglaia) | Е | \$10,320 | \$904,810,11 |
| 819 | Thistle, Loch Lomond coyote (Eryngium constancei) | Е | \$10,235 | \$904,820,34 |
| 820 | Pearlymussel, Curtis (Epioblasma florentina curtisii) | Е | \$10,111 | \$904,830,45 |
| 821 | Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN | \$10,100 | \$904,840,55 |
| 822 | Rock-cress, Braun's (Arabis perstellata) | Е | \$10,000 | \$904,850,55 |
| 822 | Ipomopsis, Holy Ghost (Ipomopsis sancti-spiritus) | Е | \$10,000 | \$904,860,55 |
| 823 | Rosemary, Cumberland (Conradina verticillata) | T | \$9,900 | \$904,870,45 |
| 823 | Cactus, Brady pincushion (Pediocactus bradyi) | Е | \$9,900 | \$904,880,35 |
| 824 | Pomace fly, [unnamed] (Drosophila musaphila) | Е | \$9,820 | \$904,890,17 |
| 825 | Fringepod, Santa Cruz Island (Thysanocarpus conchuliferus) | E | \$9,805 | \$904,899,98 |
| 826 | Gardenia (=Na`u), Hawaiian (Gardenia brighamii) | Е | \$9,800 | \$904,909,78 |
| 827 | Clover, showy Indian (Trifolium amoenum) | Е | \$9,780 | \$904,919,56 |
| 828 | Wallflower, Ben Lomond (Erysimum teretifolium) | Е | \$9,740 | \$904,929,30 |
| 829 | Haha (Cyanea grimesiana ssp. grimesiana) | Е | \$9,700 | \$904,939,00 |
| 830 | Reed-mustard, shrubby (Schoenocrambe suffrutescens) | Е | \$9,693 | \$904,948,69 |
| 830 | Reed-mustard, clay (Schoenocrambe argillacea) | T | \$9,693 | \$904,958,39 |
| 831 | Pomace fly, [unnamed] (Drosophila tarphytrichia) | Е | \$9,620 | \$904,968,01 |
| 831 | Pomace fly, [unnamed] (Drosophila hemipeza) | Е | \$9,620 | \$904,977,63 |
| 832 | Dudleya, Santa Clara Valley (Dudleya setchellii) | Е | \$9,600 | \$904,987,23 |
| 833 | 'O'u (honeycreeper) (Psittirostra psittacea) | Е | \$9,490 | \$904,996,72 |
| 834 | Plymouth Red-Bellied Turtle (Pseudemys rubriventris bangsi) | Е | \$9,423 | \$905,006,14 |
| 835 | Pomace fly, [unnamed] (Drosophila heteroneura) | Е | \$9,420 | \$905,015,56 |
| 835 | Pomace fly, [unnamed] (Drosophila ochrobasis) | Е | \$9,420 | \$905,024,98 |
| 836 | `Anaunau (Lepidium arbuscula) | Е | \$9,407 | \$905,034,39 |
| 837 | Chub, slender (Erimystax cahni) | T | \$9,400 | \$905,043,79 |
| 838 | Beaked-rush, Knieskern's (Rhynchospora knieskernii) | T | \$9,350 | \$905,053,14 |
| 839 | Pomace fly, [unnamed] (Drosophila mulli) | T | \$9,320 | \$905,062,46 |
| 839 | Pomace fly, [unnamed] (Drosophila neoclavisetae) | Е | \$9,320 | \$905,071,78 |
| 839 | Pomace fly, [unnamed] (Drosophila differens) | Е | \$9,320 | \$905,081,10 |
| 840 | Cypress, Gowen (Cupressus goveniana ssp. goveniana) | T | \$9,315 | \$905,090,41 |
| 841 | Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>) | Е | \$9,100 | \$905,099,51 |
| 842 | Lampmussel, Alabama (<i>Lampsilis virescens</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$9,024 | \$905,108,53 |
| 843 | Finch, Nihoa (honeycreeper) (Telespyza ultima) | Е | \$9,000 | \$905,117,53 |
| 843 | Woolly-star, Santa Ana River (Eriastrum densifolium ssp. sanctorum) | Е | \$9,000 | \$905,126,53 |
| 844 | Alani (Melicope pallida) | Е | \$8,961 | \$905,135,50 |
| 845 | Springsnail, Roswell (Pyrgulopsis roswellensis) | Е | \$8,800 | \$905,144,30 |
| 846 | Blazingstar, scrub (Liatris ohlingerae) | Е | \$8,600 | \$905,152,90 |
| 846 | Haha (Cyanea truncata) | Е | \$8,600 | \$905,161,50 |
| 847 | Sedge, golden (Carex lutea) | Е | \$8,560 | \$905,170,06 |
| 848 | Pigtoe, shiny (<i>Fusconaia cor</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers | EXPN | \$8,500 | \$905,178,56 |
| 848 | `Awikiwiki (Canavalia molokaiensis) | Е | \$8,500 | \$905,187,06 |
| 849 | Nehe (Lipochaeta lobata var. leptophylla) | Е | \$8,469 | \$905,195,52 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|-------------------|--|--------|--------------------|------------------------------|
| 850 | Lyonia truncata var. proctorii (=Sci name) | Е | \$8,400 | \$905,203,92 |
| 851 | Snake, Atlantic salt marsh (Nerodia clarkii taeniata) | T | \$8,250 | \$905,212,17 |
| 852 | Leather flower, Alabama (Clematis socialis) | Е | \$8,200 | \$905,220,37 |
| 853 | Geocarpon minimum (=Sci name) | T | \$8,106 | \$905,228,48 |
| 854 | Snail, tulotoma (Tulotoma magnifica) | Е | \$8,100 | \$905,236,58 |
| 854 | Ha`iwale (<i>Cyrtandra polyantha</i>) | Е | \$8,100 | \$905,244,68 |
| 855 | Fly, Delhi Sands flower-loving (Rhaphiomidas terminatus abdominalis) | Е | \$8,084 | \$905,252,76 |
| 856 | Ihi`ihi (Marsilea villosa) | Е | \$8,007 | \$905,260,77 |
| 857 | Bean, Cumberland (pearlymussel) (Villosa trabalis) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN | \$8,000 | \$905,268,77 |
| 858 | Alani (Melicope knudsenii) | Е | \$7,900 | \$905,276,67 |
| 858 | Aster, Florida golden (Chrysopsis floridana) | Е | \$7,900 | \$905,284,57 |
| 858 | Platanthera holochila (=Sci name) | Е | \$7,900 | \$905,292,47 |
| 859 | Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>)) | T | \$7,876 | \$905,300,35 |
| 860 | Campion, fringed (Silene polypetala) | E | \$7,800 | \$905,308,15 |
| 861 | Crayfish, Shasta (<i>Pacifastacus fortis</i>) | E | \$7,768 | \$905,308,13 |
| 862 | Spider, spruce-fir moss (<i>Microhexura montivaga</i>) | E | | \$905,313,92 |
| | 1 / 1 | | \$7,700 | |
| 862 | Phyllostegia mollis (=Sci name) | E | \$7,700 | \$905,331,32 |
| 863 | Meadowrue, Cooley's (Thalictrum cooleyi) | Е | \$7,660 | \$905,338,98 |
| 864 | Rush-rose, island (Helianthemum greenei) | T | \$7,600 | \$905,346,58 |
| 865 | Rock-cress, shale barren (Arabis serotina) | Е | \$7,562 | \$905,354,14 |
| 866 | Rail, Guam (Rallus owstoni) - Rota | EXPN | \$7,500 | \$905,361,64 |
| 866 | Gecko, Monito (Sphaerodactylus micropithecus) | E | \$7,500 | \$905,369,14 |
| 866 | Guajon (Eleutherodactylus cooki) | T | \$7,500 | \$905,376,64 |
| 866 | Crayfish, cave (Cambarus zophonastes) | Е | \$7,500 | \$905,384,14 |
| 866 | Phacelia, North Park (Phacelia formosula) | Е | \$7,500 | \$905,391,64 |
| 866 | Manaca, palma de (Calyptronoma rivalis) | T | \$7,500 | \$905,399,14 |
| 866 | Higuero de sierra (Crescentia portoricensis) | Е | \$7,500 | \$905,406,64 |
| 867 | Spineflower, slender-horned (<i>Dodecahema leptoceras</i>) | Е | \$7,410 | \$905,414,05 |
| 868 | Silverside, Waccamaw (Menidia extensa) | T | \$7,400 | \$905,421,45 |
| 868 | A'e (Zanthoxylum dipetalum var. tomentosum) | E | \$7,400 | \$905,428,853 |
| 869 | Snail, Newcomb's (Erinna newcombi) | T | \$7,300 | \$905,436,15 |
| 869 | · · · · · · · · · · · · · · · · · · · | E | | , , , |
| 870 | Sandalwood, Lanai (=`iliahi) (Santalum freycinetianum var. lanaiense) Navarretia, few-flowered (Navarretia leucocephala ssp. pauciflora | E | \$7,300 \$7,260 | \$905,443,45 \$905,450,71 |
| | (=N. pauciflora)) | E | | , , , |
| 871 | Isopod, Socorro (Thermosphaeroma thermophilus) | | \$7,250 | \$905,457,96 |
| 872 | Lo`ulu (Pritchardia affinis) | Е | \$7,225 | \$905,465,18 |
| 873 | Prickly-apple, fragrant (Cereus eriophorus var. fragrans) | Е | \$7,200 | \$905,472,38 |
| 874 | Lousewort, Furbish (Pedicularis furbishiae) | Е | \$7,140 | \$905,479,52 |
| 875 | Alani (Melicope adscendens) | Е | \$7,100 | \$905,486,62 |
| 876 | Sandwort, Bear Valley (Arenaria ursina) | T | \$7,070 | \$905,493,69 |
| 877 | `Akoko (Chamaesyce kuwaleana) | Е | \$7,007 | \$905,500,70 |
| 878 | Shrimp, Squirrel Chimney Cave (Palaemonetes cummingi) | T | \$7,000 | \$905,507,70 |
| 878 | Dudleya, Santa Cruz Island (Dudleya nesiotica) | T | \$7,000 | \$905,514,70 |
| 878 | Bedstraw, island (Galium buxifolium) | Е | \$7,000 | \$905,521,70 |
| 878 | Gilia, Hoffmann's slender-flowered (Gilia tenuiflora ssp. hoffmannii) | Е | \$7,000 | \$905,528,70 |
| 878 | Bush-mallow, Santa Cruz Island (Malacothamnus fasciculatus var. nesioticus) | Е | \$7,000 | \$905,535,70 |
| 878 | Schiedea verticillata (=Sci name) | Е | \$7,000 | \$905,542,70 |
| 878 | `Aiakeakua, popolo (Solanum sandwicense) | E | \$7,000 | \$905,549,70 |
| 878 | Haha (Cyanea lobata) | E | \$7,000 | \$905,556,70 |
| 878 | Alsinidendron viscosum (=Sci name) | E | \$7,000 | \$905,563,70 |
| 878 | Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>) | E | \$7,000 | \$905,503,70 |
| α / Δ | iviaiacounita, saina Ciuz Isianu (<i>ivianacountix inaecora</i>) | E | \$7,000 | \$703,370,70 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 880 | Cliff-rose, Arizona (Purshia (=Cowania) subintegra) | Е | \$6,900 | \$905,584,56 |
| 880 | Pelos del diablo (Aristida portoricensis) | Е | \$6,900 | \$905,591,46 |
| 880 | Mallow, Peter's Mountain (Iliamna corei) | E | \$6,900 | \$905,598,36 |
| 881 | Fern, American hart's-tongue (Asplenium scolopendrium var. americanum) | Т | \$6,719 | \$905,605,08 |
| 882 | Palo de rosa (Ottoschulzia rhodoxylon) | Е | \$6,700 | \$905,611,78 |
| 883 | Beetle, Comal Springs dryopid (Stygoparnus comalensis) | Е | \$6,670 | \$905,618,45 |
| 884 | Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$6,612 | \$905,625,06 |
| 885 | Xylosma crenatum (=Sci name) | Е | \$6,600 | \$905,631,66 |
| 885 | Haha (Cyanea hamatiflora ssp. carlsonii) | Е | \$6,600 | \$905,638,26 |
| 885 | Schiedea spergulina var. leiopoda (=Sci name) | Е | \$6,600 | \$905,644,86 |
| 886 | Jewelflower, Metcalf Canyon (Streptanthus albidus ssp. albidus) | Е | \$6,575 | \$905,651,44 |
| 887 | Phacelia, clay (Phacelia argillacea) | Е | \$6,467 | \$905,657,90 |
| 888 | Sedge, Navajo (Carex specuicola) | T | \$6,400 | \$905,664,30 |
| 888 | Cactus, Nichol's Turk's head (Echinocactus horizonthalonius var. nicholii) | Е | \$6,400 | \$905,670,70 |
| 889 | Spineflower, Sonoma (Chorizanthe valida) | Е | \$6,280 | \$905,676,98 |
| 890 | Gourd, Okeechobee (Cucurbita okeechobeensis ssp. okeechobeensis) | Е | \$6,224 | \$905,683,21 |
| 891 | Wawae'iole (Huperzia mannii) | Е | \$6,200 | \$905,689,41 |
| 892 | Hedyotis, Na Pali beach (Hedyotis stjohnii) | Е | \$6,100 | \$905,695,51 |
| 892 | Panicgrass, Carter's (Panicum fauriei var. carteri) | Е | \$6,100 | \$905,701,61 |
| 892 | Remya, Maui (Remya mauiensis) | Е | \$6,100 | \$905,707,71 |
| 892 | Tetramolopium lepidotum ssp. lepidotum (=Sci name) | Е | \$6,100 | \$905,713,81 |
| 892 | Bonamia, Florida (Bonamia grandiflora) | T | \$6,100 | \$905,719,91 |
| 893 | Navarretia, many-flowered (Navarretia leucocephala ssp. plieantha) | Е | \$6,010 | \$905,725,92 |
| 894 | Vole, Florida salt marsh (Microtus pennsylvanicus dukecampbelli) | Е | \$6,000 | \$905,731,92 |
| 894 | Kamakahala (Labordia lydgatei) | Е | \$6,000 | \$905,737,92 |
| 894 | Haha (Cyanea asarifolia) | Е | \$6,000 | \$905,743,92 |
| 894 | Trematolobelia singularis (=Sci name) | Е | \$6,000 | \$905,749,92 |
| 895 | Cactus, Peebles Navajo (Pediocactus peeblesianus var. peeblesianus) | Е | \$5,900 | \$905,755,82 |
| 895 | Leptocereus grantianus (=Sci name) | Е | \$5,900 | \$905,761,72 |
| 895 | Diellia, asplenium-leaved (Diellia erecta) | Е | \$5,900 | \$905,767,62 |
| 896 | Cactus, Chisos Mountain hedgehog (Echinocereus chisoensis var. chisoensis) | Т | \$5,800 | \$905,773,42 |
| 897 | Gerardia, sandplain (Agalinis acuta) | Е | \$5,673 | \$905,779,09 |
| 898 | Elimia, lacy (snail) (Elimia crenatella) | T | \$5,600 | \$905,784,69 |
| 898 | Kauai hau kuahiwi (Hibiscadelphus distans) | Е | \$5,600 | \$905,790,29 |
| 898 | Alani (Melicope haupuensis) | Е | \$5,600 | \$905,795,89 |
| 899 | Turtle, flattened musk (Sternotherus depressus) - species range clarified | Т | \$5,500 | \$905,801,39 |
| 899 | Coqui, golden (Eleutherodactylus jasperi) | T | \$5,500 | \$905,806,89 |
| 899 | Achyranthes mutica (=Sci name) | Е | \$5,500 | \$905,812,39 |
| 899 | Lau 'ehu (Panicum niihauense) | E | \$5,500 | \$905,817,89 |
| 899 | Phyllostegia knudsenii (=Sci name) | Е | \$5,500 | \$905,823,39 |
| 899 | `Aiea (Nothocestrum peltatum) | Е | \$5,500 | \$905,828,89 |
| 899 | Polygala, Lewton's (Polygala lewtonii) | Е | \$5,500 | \$905,834,39 |
| 899 | Tetramolopium rockii (=Sci name) | T | \$5,500 | \$905,839,89 |
| 899 | Nani wai`ale`ale (Viola kauaiensis var. wahiawaensis) | Е | \$5,500 | \$905,845,39 |
| 899 | `Ahinahina (Argyroxiphium sandwicense ssp. sandwicense) | Е | \$5,500 | \$905,850,89 |
| 899 | Monkey-flower, Michigan (Mimulus glabratus var. michiganensis) | Е | \$5,500 | \$905,856,39 |
| 899 | Phyllostegia wawrana (=Sci name) | E | \$5,500 | \$905,861,89 |
| 899 | Stenogyne campanulata (=Sci name) | Е | \$5,500 | \$905,867,39 |
| 900 | Darter, Maryland (Etheostoma sellare) | E | \$5,292 | \$905,872,68 |
| 901 | Jewelflower, Tiburon (Streptanthus niger) | Е | \$5,280 | \$905,877,96 |
| 902 | Darter, goldline (Percina aurolineata) | T | \$5,200 | \$905,883,16 |
| 903 | Poppy, Sacramento prickly (Argemone pleiacantha ssp. pinnatisecta) | Е | \$5,150 | \$905,888,31 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------------|---|--------|------------------|-----------------------|
| 904 | Milk-vetch, Jesup's (Astragalus robbinsii var. jesupi) | Е | \$5,110 | \$905,893,42 |
| 905 | Delissea rhytidosperma (=Sci name) | Е | \$5,100 | \$905,898,52 |
| 905 | Koki'o ke'oke'o (Hibiscus arnottianus ssp. immaculatus) | Е | \$5,100 | \$905,903,62 |
| 905 | Beardtongue, Penland (Penstemon penlandii) | Е | \$5,100 | \$905,908,72 |
| 905 | Phyllostegia mannii (=Sci name) | Е | \$5,100 | \$905,913,82 |
| 906 | Checker-mallow, Kenwood Marsh (Sidalcea oregana ssp. valida) | Е | \$5,090 | \$905,918,91 |
| 907 | Pussypaws, Mariposa (Calyptridium pulchellum) | T | \$5,050 | \$905,923,96 |
| 908 | Cavefish, Alabama (Speoplatyrhinus poulsoni) | Е | \$5,000 | \$905,928,96 |
| 908 | Wahane (Pritchardia aylmer-robinsonii) | Е | \$5,000 | \$905,933,96 |
| 908 | Ma`oli`oli (Schiedea kealiae) | Е | \$5,000 | \$905,938,96 |
| 908 | Haha (Cyanea mceldowneyi) | Е | \$5,000 | \$905,943,96 |
| 908 | Makou (Peucedanum sandwicense) | T | \$5,000 | \$905,948,96 |
| 908 | Oak, Hinckley (Quercus hinckleyi) | T | \$5,000 | \$905,953,96 |
| 908 | Bladderpod, white (Lesquerella pallida) | Е | \$5,000 | \$905,958,96 |
| 909 | Fern, pendant kihi (Adenophorus periens) | Е | \$4,960 | \$905,963,92 |
| 910 | Ceanothus, coyote (Ceanothus ferrisae) | Е | \$4,895 | \$905,968,82 |
| 911 | Naupaka, dwarf (Scaevola coriacea) | Е | \$4,700 | \$905,973,52 |
| 912 | Shiner, palezone (<i>Notropis albizonatus</i>) | Е | \$4,624 | \$905,978,14 |
| 913 | Heau (Exocarpos luteolus) | Е | \$4,600 | \$905,982,74 |
| 913 | Lo`ulu (Pritchardia schattaueri) | Е | \$4,600 | \$905,987,34 |
| 913 | Awiwi (Centaurium sebaeoides) | Е | \$4,600 | \$905,991,94 |
| 913 | Diellia falcata (=Sci name) | Е | \$4,600 | \$905,996,54 |
| 914 | Heelsplitter, Alabama (=inflated) (Potamilus inflatus) | T | \$4,584 | \$906,001,12 |
| 915 | Schiedea kauaiensis (=Sci name) | Е | \$4,561 | \$906,005,69 |
| 916 | Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. austromontanum) | T | \$4,515 | \$906,010,20 |
| 917 | Nehe (Lipochaeta kamolensis) | Е | \$4,500 | \$906,014,70 |
| 917 | Schiedea spergulina var. spergulina (=Sci name) | T | \$4,500 | \$906,019,20 |
| 917 | Na'ena'e (Dubautia plantaginea ssp. humilis) | Е | \$4,500 | \$906,023,70 |
| 917 | Cranichis ricartii (=Sci name) | Е | \$4,500 | \$906,028,20 |
| 918 | Kolea (Myrsine linearifolia) | T | \$4,461 | \$906,032,66 |
| 918 | Koki'o ke'oke'o (Hibiscus waimeae ssp. hannerae) | Е | \$4,461 | \$906,037,12 |
| 918 | Ha`iwale (Cyrtandra limahuliensis) | T | \$4,461 | \$906,041,58 |
| 919 | Groundsel, San Francisco Peaks (Senecio franciscanus) | T | \$4,400 | \$906,045,98 |
| 920 | Mint, longspurred (Dicerandra cornutissima) | Е | \$4,312 | \$906,050,30 |
| 921 | Delissea undulata (=Sci name) | Е | \$4,300 | \$906,054,60 |
| 921 | Lo`ulu (Pritchardia munroi) | Е | \$4,300 | \$906,058,90 |
| 921 | Snakeroot (Eryngium cuneifolium) | E | \$4,300 | \$906,063,20 |
| 921 | `Oha wai (Clermontia samuelii) | Е | \$4,300 | \$906,067,50 |
| 922 | Blazingstar, Heller's (<i>Liatris helleri</i>) | T | \$4,270 | \$906,071,77 |
| 923 | Crownscale, San Jacinto Valley (Atriplex coronata var. notatior) | Е | \$4,220 | \$906,075,99 |
| 924 | `Oha wai (Clermontia peleana) | E | \$4,200 | \$906,080,19 |
| 924 | Gouania hillebrandii (=Sci name) | Е | \$4,200 | \$906,084,39 |
| 924 | Pamakani (Tetramolopium capillare) | E | \$4,200 | \$906,088,59 |
| 924 | Tetramolopium remyi (=Sci name) | E | \$4,200 | \$906,092,79 |
| 925 | Gouania meyenii (=Sci name) | E | \$4,100 | \$906,096,89 |
| 925 | Lobelia oahuensis (=Sci name) | E | \$4,100 | \$906,100,99 |
| 925 | Alani (Melicope mucronulata) | E | \$4,100 | \$906,105,09 |
| 925 | Silene alexandri (=Sci name) | E | \$4,100 | \$906,109,19 |
| 926 | Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>) | E | \$4,080 | \$906,103,13 |
| 927 | Combshell, upland (<i>Epioblasma metastriata</i>) | E | \$4,000 | \$906,113,27 |
| 927 | Amaranthus brownii (=Sci name) | E | \$4,000 | \$906,117,27 |
| 927 | Olulu (Brighamia insignis) | E | \$4,000 | \$906,121,27 |
| | Na`ena`e (Dubautia latifolia) | E | | \$906,125,27 |
| 927 927 | Na ena e (<i>Dubauna tatifotia</i>) Kula wahine noho (<i>Isodendrion pyrifolium</i>) | E | \$4,000 | |
| 741 | Kula walline flotto (Isoaenarion pyrijotium) | E | \$4,000 | \$906,133,27 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 927 | Viola helenae (=Sci name) | Е | \$4,000 | \$906,141,27 |
| 927 | Nehe (Lipochaeta micrantha) | Е | \$4,000 | \$906,145,27 |
| 927 | Bluegrass, Mann's (Poa mannii) | Е | \$4,000 | \$906,149,27 |
| 927 | Poa siphonoglossa (=Sci name) | E | \$4,000 | \$906,153,27 |
| 927 | Iagu, Hayun (=(Guam), Tronkon guafi (Rota)) (Serianthes nelsonii) | Е | \$4,000 | \$906,157,27 |
| 927 | Haha (Cyanea undulata) | E | \$4,000 | \$906,161,27 |
| 927 | Na`ena`e (Dubautia pauciflorula) | Е | \$4,000 | \$906,165,27 |
| 927 | Phyllostegia waimeae (=Sci name) | E | \$4,000 | \$906,169,27 |
| 928 | Snake, Concho water (Nerodia paucimaculata) | T | \$3,971 | \$906,173,24 |
| 929 | Darter, bayou (Etheostoma rubrum) | T | \$3,908 | \$906,177,14 |
| 930 | Spurge, Garber's (Chamaesyce garberi) | T | \$3,906 | \$906,181,05 |
| 931 | Vetch, Hawaiian (Vicia menziesii) | Е | \$3,900 | \$906,184,95 |
| 931 | Vervain, Red Hills (Verbena californica) | T | \$3,900 | \$906,188,85 |
| 932 | Pigtoe, Cumberland (Pleurobema gibberum) | Е | \$3,800 | \$906,192,65 |
| 932 | Neraudia sericea (=Sci name) | Е | \$3,800 | \$906,196,45 |
| 932 | `Oha wai (Clermontia oblongifolia ssp. mauiensis) | Е | \$3,800 | \$906,200,25 |
| 932 | Lysimachia lydgatei (=Sci name) | Е | \$3,800 | \$906,204,05 |
| 933 | 'O'o, Kauai (honeyeater) (<i>Moho braccatus</i>) | E | \$3,790 | \$906,207,84 |
| 933 | Creeper, Oahu (Paroreomyza maculata) | Е | \$3,790 | \$906,211,63 |
| 934 | Cactus, San Rafael (Pediocactus despainii) | E | \$3,710 | \$906,215,34 |
| 935 | Daphnopsis hellerana (=Sci name) | E | \$3,700 | \$906,219,04 |
| 936 | Butterfly, San Bruno elfin (Callophrys mossii bayensis) | E | \$3,696 | \$906,222,74 |
| 937 | Thrush, large Kauai (=kamao) (Myadestes myadestinus) | E | \$3,600 | \$906,226,34 |
| 937 | Thrush, Molokai (Myadestes lanaiensis rutha) | E | \$3,600 | \$906,229,94 |
| 937 | Creeper, Molokai (Paroreomyza flammea) | E | \$3,600 | \$906,233,54 |
| 937 | Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>) | E | \$3,600 | \$906,237,14 |
| 937 | Snail, noonday (Mesodon clarki nantahala) | T | \$3,600 | \$906,240,74 |
| 937 | Snail, Pecos assiminea (Assiminea pecos) | E | \$3,600 | \$906,244,34 |
| 937 | Springsnail, Koster's (<i>Juturnia kosteri</i>) | E | \$3,600 | \$906,247,94 |
| 937 | Amphipod, Noel's (Gammarus desperatus) | E | \$3,600 | \$906,251,54 |
| 937 | Love grass, Fosberg's (Eragrostis fosbergii) | E | \$3,600 | \$906,255,14 |
| | | E | | |
| 937 | Alani (Melicope saint-johnii) | | \$3,600 | \$906,258,74 |
| 937 | Schiedea sarmentosa (=Sci name) | E | \$3,600 | \$906,262,34 |
| 937 | Abutilon eremitopetalum (=Sci name) | Е | \$3,600 | \$906,265,94 |
| 937 | Ko`oko`olau (Bidens wiebkei) | Е | \$3,600 | \$906,269,54 |
| 937 | Gahnia lanaiensis (=Sci name) | Е | \$3,600 | \$906,273,14 |
| 937 | Awiwi (Hedyotis cookiana) | E | \$3,600 | \$906,276,74 |
| 937 | Pilo (Hedyotis mannii) | Е | \$3,600 | \$906,280,34 |
| 937 | Hibiscus, Clay's (Hibiscus clayi) | Е | \$3,600 | \$906,283,94 |
| 937 | Koki`o (Kokia kauaiensis) | Е | \$3,600 | \$906,287,54 |
| 937 | Alani (Melicope munroi) | Е | \$3,600 | \$906,291,14 |
| 937 | Munroidendron racemosum (=Sci name) | Е | \$3,600 | \$906,294,74 |
| 937 | Bluegrass, Hawaiian (Poa sandvicensis) | Е | \$3,600 | \$906,298,34 |
| 937 | Remya kauaiensis (=Sci name) | Е | \$3,600 | \$906,301,94 |
| 937 | Opuhe (Urera kaalae) | E | \$3,600 | \$906,305,54 |
| 937 | Viola lanaiensis (=Sci name) | E | \$3,600 | \$906,309,14 |
| 937 | Iliau, dwarf (Wilkesia hobdyi) | E | \$3,600 | \$906,312,74 |
| 937 | Haha (Cyanea pinnatifida) | Е | \$3,600 | \$906,316,34 |
| 937 | Haha (Cyanea stictophylla) | Е | \$3,600 | \$906,319,94 |
| 937 | Kamakahala (Labordia tinifolia var. lanaiensis) | Е | \$3,600 | \$906,323,54 |
| 937 | Lobelia monostachya (=Sci name) | Е | \$3,600 | \$906,327,14 |
| 937 | Holei (Ochrosia kilaueaensis) | E | \$3,600 | \$906,330,74 |
| 937 | Ma`oli`oli (Schiedea apokremnos) | Е | \$3,600 | \$906,334,34 |
| 937 | Schiedea lydgatei (=Sci name) | E | \$3,600 | \$906,337,94 |
| 937 | Remya montgomeryi (=Sci name) | Е | \$3,600 | \$906,341,54 |
| 937 | 'Oha wai (Clermontia oblongifolia ssp. brevipes) | Е | \$3,600 | \$906,345,14 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 937 | Haha (Cyanea dunbarii) | Е | \$3,600 | \$906,348,74 |
| 937 | Haha (Cyanea mannii) | Е | \$3,600 | \$906,352,34 |
| 937 | Kopa (Hedyotis schlechtendahliana var. remyi) | Е | \$3,600 | \$906,355,94 |
| 937 | Phyllostegia warshaueri (=Sci name) | Е | \$3,600 | \$906,359,54 |
| 937 | Kuahiwi laukahi (Plantago hawaiensis) | Е | \$3,600 | \$906,363,14 |
| 937 | Silene perlmanii (=Sci name) | Е | \$3,600 | \$906,366,74 |
| 937 | Kohe malama malama o kanaloa (Kanaloa kahoolawensis) | Е | \$3,600 | \$906,370,34 |
| 937 | Diellia unisora (=Sci name) | E | \$3,600 | \$906,373,94 |
| 938 | Quillwort, black spored (Isoetes melanospora) | E | \$3,550 | \$906,377,49 |
| 939 | Mustard, Penland alpine fen (Eutrema penlandii) | T | \$3,509 | \$906,381,00 |
| 940 | Bat, little Mariana fruit (Pteropus tokudae) | Е | \$3,500 | \$906,384,50 |
| 940 | `Oha wai (Clermontia drepanomorpha) | Е | \$3,500 | \$906,388,00 |
| 940 | Oha (Delissea rivularis) | Е | \$3,500 | \$906,391,50 |
| 940 | Kamakahala (Labordia triflora) | Е | \$3,500 | \$906,395,00 |
| 940 | Liliwai (Acaena exigua) | Е | \$3,500 | \$906,398,50 |
| 940 | `Akoko (Chamaesyce deppeana) | Е | \$3,500 | \$906,402,00 |
| 940 | Hesperomannia lydgatei (=Sci name) | Е | \$3,500 | \$906,405,50 |
| 940 | Koki'o, Cooke's (Kokia cookei) | E | \$3,500 | \$906,409,00 |
| 940 | Alani (Melicope quadrangularis) | Е | \$3,500 | \$906,412,50 |
| 940 | Alani (Melicope reflexa) | Е | \$3,500 | \$906,416,00 |
| 940 | Phyllostegia glabra var. lanaiensis (=Sci name) | Е | \$3,500 | \$906,419,50 |
| 940 | Haha (Cyanea platyphylla) | Е | \$3,500 | \$906,423,00 |
| 940 | Ha`iwale (Cyrtandra crenata) | Е | \$3,500 | \$906,426,50 |
| 940 | Nehe (Lipochaeta waimeaensis) | E | \$3,500 | \$906,430,00 |
| 940 | Lysimachia filifolia (=Sci name) | Е | \$3,500 | \$906,433,50 |
| 940 | Haha (Cyanea macrostegia ssp. gibsonii) | Е | \$3,500 | \$906,437,00 |
| 940 | Schiedea helleri (=Sci name) | Е | \$3,500 | \$906,440,50 |
| 940 | Laulihilihi (Schiedea stellarioides) | Е | \$3,500 | \$906,444,00 |
| 940 | Kuawawaenohu (Alsinidendron lychnoides) | Е | \$3,500 | \$906,447,50 |
| 940 | Haha (Cyanea copelandii ssp. copelandii) | Е | \$3,500 | \$906,451,00 |
| 940 | Haha (Cyanea procera) | Е | \$3,500 | \$906,454,50 |
| 940 | Haha (Cyanea recta) | T | \$3,500 | \$906,458,00 |
| 940 | Mapele (Cyrtandra cyaneoides) | Е | \$3,500 | \$906,461,50 |
| 940 | Lysimachia maxima (=Sci name) | Е | \$3,500 | \$906,465,00 |
| 940 | Mariscus fauriei (=Sci name) | Е | \$3,500 | \$906,468,50 |
| 940 | Lo`ulu (Pritchardia viscosa) | Е | \$3,500 | \$906,472,00 |
| 940 | Stenogyne bifida (=Sci name) | Е | \$3,500 | \$906,475,50 |
| 940 | Haha (Cyanea remyi) | Е | \$3,500 | \$906,479,00 |
| 940 | Hau kuahiwi (Hibiscadelphus woodii) | Е | \$3,500 | \$906,482,50 |
| 940 | Kamakahala (Labordia tinifolia var. wahiawaensis) | Е | \$3,500 | \$906,486,00 |
| 940 | Nesogenes rotensis (=Sci name) | Е | \$3,500 | \$906,489,50 |
| 940 | Osmoxylon mariannense (=Sci name) | Е | \$3,500 | \$906,493,00 |
| 941 | Milk-vetch, Mancos (Astragalus humillimus) | Е | \$3,400 | \$906,496,40 |
| 941 | Chumbo, Higo (Harrisia portoricensis) | T | \$3,400 | \$906,499,80 |
| 942 | Pitcher-plant, mountain sweet (Sarracenia rubra ssp. jonesii) | Е | \$3,300 | \$906,503,10 |
| 943 | Manzanita, Presidio (Arctostaphylos hookeri var. ravenii) | Е | \$3,190 | \$906,506,29 |
| 944 | Clarkia, Pismo (Clarkia speciosa ssp. immaculata) | E | \$3,155 | \$906,509,44 |
| 945 | Bird's-beak, Pennell's (Cordylanthus tenuis ssp. capillaris) | E | \$3,120 | \$906,512,56 |
| 945 | Quillwort, mat-forming (Isoetes tegetiformans) | E | \$3,120 | \$906,515,68 |
| 946 | Butterfly, lotis blue (Lycaeides argyrognomon lotis) | Е | \$3,115 | \$906,518,80 |
| 947 | Milk-vetch, heliotrope (Astragalus montii) | T | \$3,100 | \$906,521,90 |
| 948 | Milk-vetch, Deseret (Astragalus desereticus) | T | \$3,000 | \$906,524,90 |
| 949 | Fleabane, Zuni (Erigeron rhizomatus) | T | \$2,900 | \$906,527,80 |
| 950 | Spurge, deltoid (Chamaesyce deltoidea ssp. deltoidea) | Е | \$2,848 | \$906,530,64 |
| 951 | Mussel, oyster (<i>Epioblasma capsaeformis</i>) - AL; Free-Flowing Reach of Tenn R. below Wilson Dam, Colbert and Lauderdale Co. | EXPN | \$2,834 | \$906,533,48 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 952 | Daisy, lakeside (Hymenoxys herbacea) | T | \$2,783 | \$906,536,26 |
| 953 | Pigtoe, heavy (Pleurobema taitianum) | Е | \$2,734 | \$906,538,99 |
| 954 | Cactus, Lloyd's Mariposa (Echinomastus mariposensis) | T | \$2,700 | \$906,541,69 |
| 955 | Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>) | Е | \$2,675 | \$906,544,37 |
| 956 | Vole, Hualapai Mexican (Microtus mexicanus hualpaiensis) | Е | \$2,600 | \$906,546,97 |
| 957 | Bird's-beak, soft (Cordylanthus mollis ssp. mollis) | Е | \$2,555 | \$906,549,52 |
| 958 | Thelypteris inabonensis (=Sci name) | E | \$2,500 | \$906,552,02 |
| 958 | Thelypteris verecunda (=Sci name) | Е | \$2,500 | \$906,554,52 |
| 958 | Thelypteris yaucoensis (=Sci name) | E | \$2,500 | \$906,557,02 |
| 959 | Blue-star, Kearney's (Amsonia kearneyana) | E | \$2,400 | \$906,559,42 |
| 959 | Ladies'-tresses, Canelo Hills (Spiranthes delitescens) | E | \$2,400 | \$906,561,82 |
| 960 | Clarkia, Springville (Clarkia springvillensis) | T | \$2,305 | \$906,564,13 |
| 961 | Harvestman, Bee Creek Cave (Texella reddelli) | E | \$2,300 | \$906,566,43 |
| 962 | Paintbrush, Tiburon (Castilleja affinis ssp. neglecta) | E | \$2,250 | \$906,568,68 |
| 963 | Harvestman, Bone Cave (Texella reyesi) | E | \$2,200 | \$906,570,88 |
| 963 | Spider, Tooth Cave (Leptoneta myopica) | E | \$2,200 | \$906,573,08 |
| 963 | Spider, Government Canyon Bat Cave (Neoleptoneta microps) | E | \$2,200 | \$906,575,28 |
| 963 | Rhododendron, Chapman (Rhododendron chapmanii) | E | \$2,200 | \$906,577,48 |
| 963 | Boxwood, Vahl's (Buxus vahlii) | E | \$2,200 | \$906,579,68 |
| 963 | Catesbaea melanocarpa (=Sci name) | E | \$2,200 | \$906,581,88 |
| 964 | Rocksnail, round (Leptoxis ampla) | T | \$2,100 | \$906,583,98 |
| 964 | Pawpaw, four-petal (Asimina tetramera) | Е | \$2,100 | \$906,586,08 |
| 965 | Manzanita, pallid (Arctostaphylos pallida) | T | \$2,065 | \$906,588,14 |
| 966 | Penny-cress, Kneeland Prairie (Thlaspi californicum) | E | \$2,020 | \$906,590,16 |
| 967 | Ridge-cress, Barneby (Lepidium barnebyanum) | E | \$2,000 | \$906,592,16 |
| 968 | Darter, watercress (Etheostoma nuchale) | Е | \$1,987 | \$906,594,15 |
| 969 | Thornmint, San Mateo (Acanthomintha obovata ssp. duttonii) | Е | \$1,985 | \$906,596,14 |
| 970 | Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$1,956 | \$906,598,09 |
| 971 | Lily, Minnesota dwarf trout (Erythronium propullans) | Е | \$1,873 | \$906,599,97 |
| 972 | Snail, flat-spired three-toothed (<i>Triodopsis platysayoides</i>) | T | \$1,862 | \$906,601,83 |
| 973 | Combshell, southern (Epioblasma penita) | Е | \$1,800 | \$906,603,63 |
| 973 | Rosemary, Etonia (Conradina etonia) | Е | \$1,800 | \$906,605,43 |
| 974 | Bluet, Roan Mountain (Hedyotis purpurea var. montana) | Е | \$1,720 | \$906,607,15 |
| 975 | Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) - Entire Range; Except where listed as Experimental Populations | Е | \$1,700 | \$906,608,85 |
| 975 | Snail, armored (Pyrgulopsis (=Marstonia) pachyta) | Е | \$1,700 | \$906,610,55 |
| 975 | Campeloma, slender (Campeloma decampi) | E | \$1,700 | \$906,612,25 |
| 976 | Acornshell, southern (Epioblasma othcaloogensis) | Е | \$1,600 | \$906,613,85 |
| 976 | Prickly-ash, St. Thomas (Zanthoxylum thomasianum) | Е | \$1,600 | \$906,615,45 |
| 977 | Oxytheca, cushenbury (Oxytheca parishii var. goodmaniana) | Е | \$1,535 | \$906,616,98 |
| 978 | Curlew, Eskimo (Numenius borealis) | Е | \$1,512 | \$906,618,49 |
| 979 | Springsnail, Alamosa (Tryonia alamosae) | Е | \$1,500 | \$906,619,99 |
| 979 | Springsnail, Socorro (Pyrgulopsis neomexicana) | Е | \$1,500 | \$906,621,49 |
| 979 | Harvestman, Cokendolpher Cave (Texella cokendolpheri) | Е | \$1,500 | \$906,622,99 |
| 979 | Meshweaver, Braken Bat Cave (Cicurina venii) | E | \$1,500 | \$906,624,49 |
| 979 | Pawpaw, Rugel's (Deeringothamnus rugelii) | E | \$1,500 | \$906,625,99 |
| 979 | Bariaco (Trichilia triacantha) | Е | \$1,500 | \$906,627,49 |
| 980 | Cactus, Cochise pincushion (Coryphantha robbinsorum) | T | \$1,400 | \$906,628,89 |
| 980 | Myrcia paganii (=Sci name) | Е | \$1,400 | \$906,630,29 |
| 980 | Auerodendron pauciflorum (=Sci name) | Е | \$1,400 | \$906,631,69 |
| 981 | Rosemary, Apalachicola (Conradina glabra) | Е | \$1,300 | \$906,632,99 |
| 982 | Pigtoe, shiny (<i>Fusconaia cor</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN | \$1,290 | \$906,634,28 |
| 983 | Meshweaver, Government Canyon Bat Cave (Cicurina vespera) | Е | \$1,200 | \$906,635,48 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|---|--------|------------------|-----------------------|
| 983 | Calyptranthes thomasiana (=Sci name) | Е | \$1,200 | \$906,636,68 |
| 983 | Water-plantain, Kral's (Sagittaria secundifolia) | T | \$1,200 | \$906,637,88 |
| 983 | Schoepfia arenaria (=Sci name) | T | \$1,200 | \$906,639,08 |
| 984 | Trout, Little Kern golden (Oncorhynchus aguabonita whitei) | T | \$1,152 | \$906,640,24 |
| 985 | Sunflower, San Mateo woolly (Eriophyllum latilobum) | Е | \$1,075 | \$906,641,31 |
| 986 | Yellowhead, desert (Yermo xanthocephalus) | T | \$1,074 | \$906,642,39 |
| 987 | Mapleleaf, winged (<i>Quadrula fragosa</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN | \$1,000 | \$906,643,39 |
| 987 | Cactus, Nellie cory (Coryphantha minima) | Е | \$1,000 | \$906,644,39 |
| 987 | Cory cactus, bunched (Coryphantha ramillosa) | T | \$1,000 | \$906,645,39 |
| 987 | Liveforever, Santa Barbara Island (Dudleya traskiae) | Е | \$1,000 | \$906,646,39 |
| 987 | Warea, wide-leaf (Warea amplexifolia) | Е | \$1,000 | \$906,647,39 |
| 988 | Polygonum, Scotts Valley (Polygonum hickmanii) | Е | \$970 | \$906,648,30 |
| 989 | Cactus, Lee pincushion (Coryphantha sneedii var. leei) | T | \$900 | \$906,649,26 |
| 989 | Cactus, Arizona hedgehog (Echinocereus triglochidiatus var. arizonicus) | Е | \$900 | \$906,650,16 |
| 990 | Pearlymussel, dromedary (<i>Dromus dromas</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN | \$834 | \$906,650,99 |
| 991 | Snail, Chittenango ovate amber (Succinea chittenangoensis) | T | \$833 | \$906,651,82 |
| 992 | Clubshell, black (Pleurobema curtum) | Е | \$800 | \$906,652,62 |
| 992 | Riversnail, Anthony's (<i>Athearnia anthonyi</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN | \$800 | \$906,653,42 |
| 992 | Beetle, Coffin Cave mold (Batrisodes texanus) | Е | \$800 | \$906,654,22 |
| 992 | Beetle, Kretschmarr Cave mold (Texamaurops reddelli) | Е | \$800 | \$906,655,02 |
| 992 | Beetle, Tooth Cave ground (Rhadine persephone) | Е | \$800 | \$906,655,82 |
| 992 | Beetle, Helotes mold (Batrisodes venyivi) | Е | \$800 | \$906,656,62 |
| 992 | Milkpea, Small's (Galactia smallii) | Е | \$800 | \$906,657,42 |
| 993 | Poppy-mallow, Texas (Callirhoe scabriuscula) | Е | \$750 | \$906,658,17 |
| 994 | Pseudoscorpion, Tooth Cave (Tartarocreagris texana) | Е | \$700 | \$906,658,87 |
| 994 | Meshweaver, Robber Baron Cave (Cicurina baronia) | Е | \$700 | \$906,659,5 |
| 994 | Chamaecrista glandulosa var. mirabilis (=Sci name) | Е | \$700 | \$906,660,2 |
| 994 | Polygala, tiny (<i>Polygala smallii</i>) | Е | \$700 | \$906,660,9 |
| 994 | Mint, Garrett's (Dicerandra christmanii) | Е | \$700 | \$906,661,6 |
| 995 | Roseroot, Leedy's (Sedum integrifolium ssp. leedyi) | T | \$683 | \$906,662,30 |
| 996 | Lupine, Nipomo Mesa (Lupinus nipomensis) | Е | \$675 | \$906,663,03 |
| 997 | Pitaya, Davis' green (Echinocereus viridiflorus var. davisii) | Е | \$650 | \$906,663,68 |
| 998 | Bittercress, small-anthered (<i>Cardamine micranthera</i>) | Е | \$640 | \$906,664,32 |
| 998 | Heather, mountain golden (<i>Hudsonia montana</i>) | T | \$640 | \$906,664,96 |
| 999 | Shagreen, Magazine Mountain (Mesodon magazinensis) | T | \$600 | \$906,665,56 |
| 1000 | Allocarya, Calistoga (<i>Plagiobothrys strictus</i>) | Е | \$576 | \$906,666,14 |
| 1001 | Goldenrod, Blue Ridge (Solidago spithamaea) | T | \$560 | \$906,666,70 |
| 1002 | Warbler (=wood), Bachman's (Vermivora bachmanii) | E | \$520 | \$906,667,22 |
| 1002 | Button, Mohr's Barbara (Marshallia mohrii) | T | \$520 | \$906,667,74 |
| 1003 | Crow, white-necked (Corvus leucognaphalus) | E | \$500 | \$906,668,24 |
| 1003 | Madtom, Scioto (Noturus trautmani) | E | \$500 | \$906,668,74 |
| 1003 | Gambusia, San Marcos (Gambusia georgei) | E | \$500 | \$906,669,24 |
| 1003 | Palo de ramon (Banara vanderbiltii) | Е | \$500 | \$906,669,74 |
| 1003 | Capa rosa (Callicarpa ampla) | Е | \$500 | \$906,670,24 |
| 1003 | Cordia bellonis (=Sci name) | Е | \$500 | \$906,670,74 |
| 1003 | Palo de nigua (Cornutia obovata) | Е | \$500 | \$906,671,24 |
| 1003 | Cat's-eye, Terlingua Creek (Cryptantha crassipes) | Е | \$500 | \$906,671,74 |
| 1003 | Uvillo (Eugenia haematocarpa) | Е | \$500 | \$906,672,24 |
| 1003 | Holly, Cook's (Ilex cookii) | E | \$500 | \$906,672,74 |
| 1003 | Lepanthes eltoroensis (=Sci name) | Е | \$500 | \$906,673,24 |

| Rank | Species (50 CFR Part 17) | Status | Species Total | Cumulatative Total |
|------|--|--------|------------------|-----------------------|
| 1003 | Mitracarpus maxwelliae (=Sci name) | Е | \$500 | \$906,673,74 |
| 1003 | Mitracarpus polycladus (=Sci name) | Е | \$500 | \$906,674,241 |
| 1003 | Beargrass, Britton's (Nolina brittoniana) | Е | \$500 | \$906,674,741 |
| 1003 | Chupacallos (Pleodendron macranthum) | Е | \$500 | \$906,675,241 |
| 1003 | Erubia (Solanum drymophilum) | Е | \$500 | \$906,675,74 |
| 1003 | Palo colorado (Ternstroemia luquillensis) | Е | \$500 | \$906,676,243 |
| 1003 | Ternstroemia subsessilis (=Sci name) | Е | \$500 | \$906,676,74 |
| 1003 | Palo de jazmin (Styrax portoricensis) | Е | \$500 | \$906,677,243 |
| 1003 | Gesneria pauciflora (=Sci name) | T | \$500 | \$906,677,74 |
| 1003 | Walnut (=Nogal), West Indian (Juglans jamaicensis) | Е | \$500 | \$906,678,243 |
| 1003 | Ilex sintenisii (=Sci name) | Е | \$500 | \$906,678,74 |
| 1003 | Adiantum vivesii (=Sci name) | Е | \$500 | \$906,679,241 |
| 1003 | Elaphoglossum serpens (=Sci name) | Е | \$500 | \$906,679,741 |
| 1003 | Polystichum calderonense (=Sci name) | Е | \$500 | \$906,680,241 |
| 1003 | Tectaria estremerana (=Sci name) | Е | \$500 | \$906,680,741 |
| 1004 | Mint, scrub (Dicerandra frutescens) | Е | \$450 | \$906,681,191 |
| 1005 | Buckwheat, Ione (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>)) | Е | \$445 | \$906,681,636 |
| 1006 | Mariposa lily, Tiburon (Calochortus tiburonensis) | T | \$430 | \$906,682,060 |
| 1007 | Chub, spotfin (<i>Erimonax monachus</i>) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii)) | EXPN | \$400 | \$906,682,466 |
| 1007 | Pigtoe, flat (Pleurobema marshalli) | Е | \$400 | \$906,682,866 |
| 1007 | Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN | \$400 | \$906,683,266 |
| 1007 | Stirrupshell (Quadrula stapes) | Е | \$400 | \$906,683,660 |
| 1007 | Lead-plant, Crenulate (Amorpha crenulata) | Е | \$400 | \$906,684,066 |
| 1008 | Bluegrass, Napa (Poa napensis) | Е | \$385 | \$906,684,451 |
| 1009 | Thistle, Chorro Creek bog (Cirsium fontinale var. obispoense) | Е | \$375 | \$906,684,826 |
| 1010 | Milk-vetch, Ventura Marsh (Astragalus pycnostachyus var. lanosissimus) | Е | \$340 | \$906,685,160 |
| 1011 | Sedge, white (Carex albida) | E | \$240 | \$906,685,406 |
| 1011 | Lily, Pitkin Marsh (Lilium pardalinum ssp. pitkinense) | Е | \$240 | \$906,685,646 |
| 1012 | Buckwheat, cushenbury (Eriogonum ovalifolium var. vineum) | E | \$135 | \$906,685,781 |
| 1012 | Milk-vetch, Cushenbury (Astragalus albens) | Е | \$135 | \$906,685,910 |
| 1013 | Thistle, fountain (Cirsium fontinale var. fontinale) | Е | \$115 | \$906,686,03 |
| 1013 | Pentachaeta, white-rayed (Pentachaeta bellidiflora) | Е | \$115 | \$906,686,146 |
| 1014 | Seal, Caribbean monk (Monachus tropicalis) | Е | \$100 | \$906,686,246 |
| 1014 | Seal, Guadalupe fur (Arctocephalus townsendi) | T | \$100 | \$906,686,346 |
| 1014 | Darter, boulder (Etheostoma wapiti) - Shoal Creek | EXPN | \$100 | \$906,686,446 |
| 1014 | Darter, vermilion (Etheostoma chermocki) | Е | \$100 | \$906,686,546 |
| 1014 | Clubshell (<i>Pleurobema clava</i>) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL | EXPN | \$100 | \$906,686,646 |
| 1014 | Pigtoe, dark (Pleurobema furvum) | Е | \$100 | \$906,686,746 |
| 1014 | Pebblesnail, flat (Lepyrium showalteri) | Е | \$100 | \$906,686,846 |
| 1014 | Larkspur, Baker's (Delphinium bakeri) | Е | \$100 | \$906,686,946 |
| 1014 | Larkspur, vellow (Delphinium luteum) | Е | \$100 | \$906,687,046 |