

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2004 REPORTED
EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1	Salmon, chinook spring/summer Snake R. (<i>Oncorhynchus</i> (=Salmo) tshawytscha)	T	\$40,578,634	\$40,578,634	5.12
2	Trout, bull U.S.A., conterminous, lower 48 states (<i>Salvelinus confluentus</i>)	T	\$32,570,598	\$73,149,232	9.22
3	Sea-lion, Steller western pop. (<i>Eumetopias jubatus</i>)	E	\$31,746,221	\$104,895,453	13.23
4	Steelhead Snake R. Basin (<i>Oncorhynchus</i> (=Salmo) mykiss)	T	\$28,203,252	\$133,098,705	16.78
5	Steelhead middle Columbia R. (<i>Oncorhynchus</i> (=Salmo) mykiss)	T	\$27,959,609	\$161,058,314	20.31
6	Salmon, chinook fall Snake R. (<i>Oncorhynchus</i> (=Salmo) tshawytscha)	T	\$27,428,332	\$188,486,646	23.77
7	Salmon, chinook Puget Sound (<i>Oncorhynchus</i> (=Salmo) tshawytscha)	T	\$24,084,858	\$212,571,504	26.8
8	Salmon, coho OR, CA pop. (<i>Oncorhynchus</i> (=Salmo) kisutch)	T	\$23,405,737	\$235,977,241	29.75
9	Salmon, chinook spring upper Columbia R. (<i>Oncorhynchus</i> (=Salmo) tshawytscha)	E	\$20,254,620	\$256,231,861	32.31
10	Salmon, sockeye U.S.A. (Snake River, ID stock wherever found.) (<i>Oncorhynchus</i> (=Salmo) nerka)	E	\$17,550,189	\$273,782,050	34.52
11	Salmon, chinook lower Columbia R. (<i>Oncorhynchus</i> (=Salmo) tshawytscha)	T	\$17,419,554	\$291,201,604	36.72
12	Steelhead upper Columbia R. Basin (<i>Oncorhynchus</i> (=Salmo) mykiss)	E	\$15,997,422	\$307,199,026	38.73
13	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$14,125,085	\$321,324,111	40.51
14	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$13,370,173	\$334,694,284	42.2
15	Steelhead Central Valley CA (<i>Oncorhynchus</i> (=Salmo) mykiss)	T	\$12,403,236	\$347,097,520	43.76
16	Whale, right (<i>Balaena glacialis</i> (incl. australis))	E	\$12,369,623	\$359,467,143	45.32
17	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$11,911,824	\$371,378,967	46.83
18	Sea-lion, Steller eastern pop. (<i>Eumetopias jubatus</i>)	T	\$10,811,100	\$382,190,067	48.19
19	Steelhead lower Columbia R. (<i>Oncorhynchus</i> (=Salmo) mykiss)	T	\$10,150,240	\$392,340,307	49.47
20	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$9,861,677	\$402,201,984	50.71
21	Eagle, bald lower 48 States (<i>Haliaeetus leucocephalus</i>)	T	\$9,837,240	\$412,039,224	51.95
22	Salmon, coho Oregon coast (<i>Oncorhynchus</i> (=Salmo) kisutch)	T	\$9,207,050	\$421,246,274	53.11
23	Salmon, chinook winter Sacramento R. (<i>Oncorhynchus</i> (=Salmo) tshawytscha)	E	\$8,795,016	\$430,041,290	54.22
24	Salmon, chum Columbia R. (<i>Oncorhynchus</i> (=Salmo) keta)	T	\$8,411,100	\$438,452,390	55.28
25	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$8,073,562	\$446,525,952	56.3
26	Salmon, chinook upper Willamette R. (<i>Oncorhynchus</i> (=Salmo) tshawytscha)	T	\$8,061,536	\$454,587,488	57.32
27	Sucker, razorback (<i>Xyrauchen texanus</i>)	E	\$7,548,642	\$462,136,130	58.27
28	Salmon, chinook CA coastal (<i>Oncorhynchus</i> (=Salmo) tshawytscha)	T	\$7,529,918	\$469,666,048	59.22

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
29	Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS (<i>Salmo salar</i>)	E	\$7,496,334	\$477,162,382	60.16
30	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$7,474,119	\$484,636,501	61.11
31	Bear, grizzly lower 48 States, except where listed as an experimental population (<i>Ursus arctos horribilis</i>)	T	\$7,240,402	\$491,876,903	62.02
32	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$7,223,215	\$499,100,118	62.93
33	Salmon, chinook CA Central Valley spring-run (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	\$7,157,068	\$506,257,186	63.83
34	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$6,980,570	\$513,237,756	64.71
35	Chub, humpback (<i>Gila cypha</i>)	E	\$6,670,006	\$519,907,762	65.55
36	Steelhead upper Willamette R. (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	\$6,323,800	\$526,231,562	66.35
37	Sturgeon, white U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system (<i>Acipenser transmontanus</i>)	E	\$5,689,173	\$531,920,735	67.07
38	Murrelet, marbled CA, OR, WA (<i>Brachyramphus marmoratus marmoratus</i>)	T	\$5,646,695	\$537,567,430	67.78
39	Tortoise, desert U.S.A., except in Sonoran Desert (<i>Gopherus agassizii</i>)	T	\$5,413,663	\$542,981,093	68.46
40	Pikeminnow (=squawfish), Colorado except Salt and Verde R. drainages, AZ (<i>Ptychocheilus lucius</i>)	E	\$5,316,746	\$548,297,839	69.13
41	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$5,276,995	\$553,574,834	69.8
42	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$4,920,682	\$558,495,516	70.42
43	Chub, bonytail (<i>Gila elegans</i>)	E	\$4,864,566	\$563,360,082	71.03
44	Salmon, chum summer-run Hood Canal (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>)	T	\$4,846,843	\$568,206,925	71.64
45	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$4,606,463	\$572,813,388	72.22
46	Plover, western snowy Pacific coastal pop. (<i>Charadrius alexandrinus nivosus</i>)	T	\$4,530,614	\$577,344,002	72.79
47	Steelhead northern CA (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	\$4,465,309	\$581,809,311	73.36
48	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$4,453,465	\$586,262,776	73.92
49	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$4,452,326	\$590,715,102	74.48
50	Sea turtle, Kemp's ridley (<i>Lepidochelys kempii</i>)	E	\$4,295,166	\$595,010,268	75.02
51	Salmon, sockeye U.S.A. (Ozette Lake, WA) (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>)	T	\$4,277,375	\$599,287,643	75.56
52	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$4,253,222	\$603,540,865	76.1
53	Salmon, coho central CA coast (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>)	T	\$4,035,432	\$607,576,297	76.61
54	Steelhead central CA coast (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	\$3,985,180	\$611,561,477	77.11
55	Steelhead southern CA coast (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	E	\$3,961,426	\$615,522,903	77.61
56	Steelhead south central CA coast (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	\$3,930,890	\$619,453,793	78.1
57	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$3,811,626	\$623,265,419	78.58
58	Plover, piping except Great Lakes watershed (<i>Charadrius melodus</i>)	T	\$3,489,405	\$626,754,824	79.02
59	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$3,089,064	\$629,843,888	79.41
60	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$3,053,142	\$632,897,030	79.8

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
61	Lynx, Canada lower 48 States DPS (<i>Lynx canadensis</i>)	T	\$3,012,982	\$635,910,012	80.18
62	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$2,949,634	\$638,859,646	80.55
63	Tern, least interior pop. (<i>Sterna antillarum</i>)	E	\$2,872,989	\$641,732,635	80.91
64	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$2,641,027	\$644,373,662	81.25
65	Sea turtle, green except where endangered (<i>Chelonia mydas</i>)	T	\$2,502,218	\$646,875,880	81.56
66	Panther, Florida (<i>Puma</i> (=Felis) <i>concolor coryi</i>)	E	\$2,489,720	\$649,365,600	81.87
67	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$2,481,450	\$651,847,050	82.19
68	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$2,321,146	\$654,168,196	82.48
69	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$2,311,905	\$656,480,101	82.77
70	Wolf, gray Eastern Distinct Population Segment (<i>Canis lupus</i>)	T	\$2,280,463	\$658,760,564	83.06
71	Wolf, gray Western Distinct Population Segment (<i>Canis lupus</i>)	T	\$2,272,904	\$661,033,468	83.35
72	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$2,270,475	\$663,303,943	83.63
73	Sea turtle, olive ridley except where endangered (<i>Lepidochelys olivacea</i>)	T	\$2,214,790	\$665,518,733	83.91
74	Sea turtle, green FL, Mexico nesting pops. (<i>Chelonia mydas</i>)	E	\$2,211,504	\$667,730,237	84.19
75	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$2,116,000	\$669,846,237	84.46
76	Tortoise, gopher W of of Mobile/Tombigbee Rs. (<i>Gopherus polyphemus</i>)	T	\$2,102,100	\$671,948,337	84.72
77	Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY) (<i>Mustela nigripes</i>)	EXPN	\$2,019,576	\$673,967,913	84.98
78	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$1,884,500	\$675,852,413	85.21
79	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$1,752,213	\$677,604,626	85.44
80	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,745,960	\$679,350,586	85.66
81	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$1,673,466	\$681,024,052	85.87
82	Frog, California red-legged subspecies range clarified (<i>Rana aurora draytonii</i>)	T	\$1,576,949	\$682,601,001	86.07
83	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,573,500	\$684,174,501	86.26
84	Eider, Steller's AK breeding pop. (<i>Polysticta stelleri</i>)	T	\$1,550,952	\$685,725,453	86.46
85	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$1,532,261	\$687,257,714	86.65
86	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$1,514,823	\$688,772,537	86.84
87	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$1,513,233	\$690,285,770	87.03
88	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) <i>albatrus</i>)	E	\$1,510,214	\$691,795,984	87.22
89	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	\$1,363,211	\$693,159,195	87.4
90	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$1,361,780	\$694,520,975	87.57
91	Turtle, bog (=Muhlenberg) northern (<i>Clemmys muhlenbergii</i>)	T	\$1,308,710	\$695,829,685	87.73
92	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$1,302,660	\$697,132,345	87.9
93	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$1,274,259	\$698,406,604	88.06
94	Salamander, California tiger Entire (<i>Ambystoma californiense</i>)	T	\$1,261,128	\$699,667,732	88.22

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
95	Stork, wood AL, FL, GA, SC (<i>Mycteria americana</i>)	E	\$1,179,700	\$700,847,432	88.37
96	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$1,153,192	\$702,000,624	88.51
97	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$1,085,869	\$703,086,493	88.65
98	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$1,069,717	\$704,156,210	88.78
99	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$1,062,719	\$705,218,929	88.92
100	Ferret, black-footed except where XN (<i>Mustela nigripes</i>)	E	\$1,062,313	\$706,281,242	89.05
101	Wolf, gray Mexican gray wolf, EXPN population (<i>Canis lupus</i>)	EXPN	\$1,030,872	\$707,312,114	89.18
102	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$1,030,054	\$708,342,168	89.31
103	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$1,018,842	\$709,361,010	89.44
104	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$1,012,423	\$710,373,433	89.57
105	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$991,892	\$711,365,325	89.69
106	Wolf, gray WY, ID, MT (<i>Canis lupus</i>)	EXPN	\$965,958	\$712,331,283	89.81
107	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$933,374	\$713,264,657	89.93
108	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$922,479	\$714,187,136	90.05
109	Pondberry (<i>Lindera melissifolia</i>)	E	\$827,115	\$715,014,251	90.15
110	Crane, whooping except where XN (<i>Grus americana</i>)	E	\$785,241	\$715,799,492	90.25
111	Pelican, brown except U.S. Atlantic coast, FL, AL (<i>Pelecanus occidentalis</i>)	E	\$779,592	\$716,579,084	90.35
112	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$767,500	\$717,346,584	90.45
113	Cui-ui (<i>Chasmistes cujus</i>)	E	\$746,571	\$718,093,155	90.54
114	Wolf, red U.S.A. (portions of NC and TN (<i>Canis rufus</i>)	EXPN	\$742,250	\$718,835,405	90.63
115	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$736,804	\$719,572,209	90.73
116	Otter, southern sea except where XN (<i>Enhydra lutris nereis</i>)	T	\$734,386	\$720,306,595	90.82
117	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$731,274	\$721,037,869	90.91
118	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$699,240	\$721,737,109	91
119	Condor, California U.S.A. only (<i>Gymnogyps californianus</i>)	E	\$680,597	\$722,417,706	91.09
120	Topminnow, Gila (incl. Yaqui) U.S.A. only (<i>Poeciliopsis occidentalis</i>)	E	\$667,600	\$723,085,306	91.17
121	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$666,282	\$723,751,588	91.25
122	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$665,972	\$724,417,560	91.34
123	Pygmy-owl, cactus ferruginous AZ pop. (<i>Glaucidium brasilianum cactorum</i>)	E	\$657,590	\$725,075,150	91.42
124	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$637,500	\$725,712,650	91.5
125	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>)	T	\$624,996	\$726,337,646	91.58
126	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$621,980	\$726,959,626	91.66
127	Sucker, June (<i>Chasmistes liorus</i>)	E	\$620,375	\$727,580,001	91.74
128	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$613,532	\$728,193,533	91.81
129	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$604,529	\$728,798,062	91.89
130	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>)	E	\$594,880	\$729,392,942	91.97
131	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$592,189	\$729,985,131	92.04

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
132	Spikedace (<i>Meda fulgida</i>)	T	\$591,300	\$730,576,431	92.11
133	Goby, tidewater Entire (<i>Eucyclogobius newberryi</i>)	E	\$590,809	\$731,167,240	92.19
134	Frog, Mississippi gopher Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA (<i>Rana capito sevosa</i>)	E	\$589,700	\$731,756,940	92.26
135	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$564,295	\$732,321,235	92.33
136	Rabbit, pygmy Columbia Basin DPS (<i>Brachylagus idahoensis</i>)	E	\$548,395	\$732,869,630	92.4
137	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$542,464	\$733,412,094	92.47
138	Crane, whooping U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming) (<i>Grus americana</i>)	EXPN	\$539,298	\$733,951,392	92.54
139	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$534,800	\$734,486,192	92.61
140	Rail, Yuma clapper U.S.A. only (<i>Rallus longirostris yumanensis</i>)	E	\$533,996	\$735,020,188	92.67
141	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$519,850	\$735,540,038	92.74
142	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$517,639	\$736,057,677	92.81
143	Bear, grizzly experimental, non-essential, portions of ID and MT (<i>Ursus arctos horribilis</i>)	EXPN	\$502,727	\$736,560,404	92.87
144	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$481,764	\$737,042,168	92.93
145	Clubshell Entire Range; Except where listed as Experimental Populations (<i>Pleurobema clava</i>)	E	\$475,560	\$737,517,728	92.99
146	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$475,533	\$737,993,261	93.05
147	Salamander, flatwoods (<i>Ambystoma cingulatum</i>)	T	\$461,610	\$738,454,871	93.11
148	Woundfin Gila R. drainage, AZ, NM (<i>Plagopterus argentissimus</i>)	EXPN	\$455,500	\$738,910,371	93.17
149	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$448,459	\$739,358,830	93.22
150	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$445,500	\$739,804,330	93.28
151	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$434,789	\$740,239,119	93.33
152	Sheep, bighorn Peninsular CA pop. (<i>Ovis canadensis</i>)	E	\$434,169	\$740,673,288	93.39
153	Crane, whooping U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV) (<i>Grus americana</i>)	EXPN	\$433,460	\$741,106,748	93.44
154	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$427,440	\$741,534,188	93.5
155	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>)	E	\$425,570	\$741,959,758	93.55
156	Plover, piping Great Lakes watershed (<i>Charadrius melodus</i>)	E	\$424,576	\$742,384,334	93.6
157	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$417,660	\$742,801,994	93.66
158	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$417,606	\$743,219,600	93.71
159	Pikeminnow (=squawfish), Colorado Salt and Verde R. drainages, AZ (<i>Ptychocheilus lucius</i>)	EXPN	\$416,572	\$743,636,172	93.76
160	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$405,700	\$744,041,872	93.81
161	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$398,212	\$744,440,084	93.86
162	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$398,200	\$744,838,284	93.91
163	Kite, Everglade snail FL pop. (<i>Rosthramus sociabilis plumbeus</i>)	E	\$392,251	\$745,230,535	93.96

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
164	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$366,725	\$745,597,260	94.01
165	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$360,152	\$745,957,412	94.05
166	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$347,222	\$746,304,634	94.1
167	Trout, greenback cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$339,545	\$746,644,179	94.14
168	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$338,573	\$746,982,752	94.18
169	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>)	E	\$326,209	\$747,308,961	94.22
170	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$319,458	\$747,628,419	94.26
171	Wolf, red except where XN (<i>Canis rufus</i>)	E	\$314,600	\$747,943,019	94.3
172	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$312,170	\$748,255,189	94.34
173	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$311,619	\$748,566,808	94.38
174	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$311,484	\$748,878,292	94.42
175	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$306,619	\$749,184,911	94.46
176	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$305,069	\$749,489,980	94.5
177	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$303,810	\$749,793,790	94.54
178	Sucker, Santa Ana 3 CA river basins (<i>Catostomus santaanae</i>)	T	\$303,682	\$750,097,472	94.58
179	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$299,100	\$750,396,572	94.61
180	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$296,952	\$750,693,524	94.65
181	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$292,639	\$750,986,163	94.69
182	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$292,396	\$751,278,559	94.72
183	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$291,714	\$751,570,273	94.76
184	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$289,919	\$751,860,192	94.8
185	Rail, light-footed clapper U.S.A. only (<i>Rallus longirostris levipes</i>)	E	\$288,568	\$752,148,760	94.83
186	Mapleleaf, winged (mussel) Entire; except where listed as experimental populations (<i>Quadrula fragosa</i>)	E	\$285,200	\$752,433,960	94.87
187	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$283,384	\$752,717,344	94.91
188	Sheep, bighorn Sierra Nevada DPS (<i>Ovis canadensis californiana</i>)	E	\$280,346	\$752,997,690	94.94
189	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i>))	T	\$276,068	\$753,273,758	94.98
190	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$269,945	\$753,543,703	95.01
191	Rail, Guam Rota (<i>Rallus owstoni</i>)	EXPN	\$262,790	\$753,806,493	95.04
192	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$261,723	\$754,068,216	95.08
193	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$257,491	\$754,325,707	95.11
194	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$255,198	\$754,580,905	95.14
195	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrightii</i>))	E	\$251,444	\$754,832,349	95.17
196	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$249,238	\$755,081,587	95.2
197	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$248,155	\$755,329,742	95.24
198	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$244,500	\$755,574,242	95.27
199	Condor, California U.S.A. (specific portions of Arizona, Nevada, and Utah) (<i>Gymnogyps californianus</i>)	EXPN	\$242,713	\$755,816,955	95.3
200	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$242,193	\$756,059,148	95.33
201	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophrys))	E	\$241,267	\$756,300,415	95.36

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
202	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$240,941	\$756,541,356	95.39
203	Caracara, Audubon's crested FL pop. (<i>Polyborus plancus audubonii</i>)	T	\$234,600	\$756,775,956	95.42
204	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$234,500	\$757,010,456	95.45
205	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$229,520	\$757,239,976	95.48
206	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$226,129	\$757,466,105	95.5
207	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$226,000	\$757,692,105	95.53
208	Ocelot (<i>Leopardus</i> (= <i>Felis</i>) <i>pardalis</i>)	E	\$224,320	\$757,916,425	95.56
209	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$222,106	\$758,138,531	95.59
210	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$221,150	\$758,359,681	95.62
211	Frog, mountain yellow-legged southern California DPS (<i>Rana muscosa</i>)	E	\$220,977	\$758,580,658	95.65
212	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$220,250	\$758,800,908	95.67
213	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$217,587	\$759,018,495	95.7
214	Chub, spotfin Entire (<i>Cyprinella monacha</i>)	T	\$216,949	\$759,235,444	95.73
215	Rail, Guam except Rota (<i>Rallus owstoni</i>)	E	\$215,338	\$759,450,782	95.75
216	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$214,500	\$759,665,282	95.78
217	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$200,152	\$759,865,434	95.81
218	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$199,750	\$760,065,184	95.83
219	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$199,310	\$760,264,494	95.86
220	Bat, Mariana fruit (=Mariana flying fox) Guam (<i>Pteropus mariannus mariannus</i>)	E	\$198,882	\$760,463,376	95.88
221	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$196,007	\$760,659,383	95.91
222	Elktoe, Appalachian (<i>Alasmodonta raveneliana</i>)	E	\$194,992	\$760,854,375	95.93
223	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$190,117	\$761,044,492	95.96
224	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$188,654	\$761,233,146	95.98
225	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$187,336	\$761,420,482	96
226	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$187,040	\$761,607,522	96.03
227	Trout, Gila (<i>Oncorhynchus gilae</i>)	E	\$185,500	\$761,793,022	96.05
228	Shiner, Arkansas River Arkansas R. Basin (<i>Notropis girardi</i>)	T	\$183,745	\$761,976,767	96.07
229	Bat, Virginia big-eared (<i>Corynorhinus</i> (= <i>Plecotus</i>) <i>townsendii virginianus</i>)	E	\$181,890	\$762,158,657	96.1
230	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$181,840	\$762,340,497	96.12
231	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$181,650	\$762,522,147	96.14
232	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$180,771	\$762,702,918	96.16
233	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$180,427	\$762,883,345	96.19
234	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$175,600	\$763,058,945	96.21
235	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$175,440	\$763,234,385	96.23
236	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$174,846	\$763,409,231	96.25
237	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$174,682	\$763,583,913	96.28
238	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$173,403	\$763,757,316	96.3
239	Ko'olua'ula (<i>Abutilon menziesii</i>)	E	\$172,834	\$763,930,150	96.32
240	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$172,600	\$764,102,750	96.34
241	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$170,332	\$764,273,082	96.36

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
242	Crow, Hawaiian (=ʻalala) (<i>Corvus hawaiiensis</i>)	E	\$169,030	\$764,442,112	96.38
243	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$168,073	\$764,610,185	96.41
244	Darter, amber (<i>Percina antesella</i>)	E	\$167,500	\$764,777,685	96.43
245	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$166,837	\$764,944,522	96.45
246	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$164,943	\$765,109,465	96.47
247	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$164,586	\$765,274,051	96.49
248	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$162,576	\$765,436,627	96.51
249	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$161,500	\$765,598,127	96.53
250	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$161,410	\$765,759,537	96.55
251	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$158,173	\$765,917,710	96.57
252	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$157,745	\$766,075,455	96.59
253	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$157,350	\$766,232,805	96.61
254	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$157,273	\$766,390,078	96.63
255	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$154,000	\$766,544,078	96.65
256	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$153,073	\$766,697,151	96.67
257	Neraudia angulata (=Sci name)	E	\$152,637	\$766,849,788	96.69
258	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$151,983	\$767,001,771	96.71
259	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$151,360	\$767,153,131	96.73
260	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$147,951	\$767,301,082	96.74
261	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$146,954	\$767,448,036	96.76
262	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$146,632	\$767,594,668	96.78
263	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$143,920	\$767,738,588	96.8
264	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$142,120	\$767,880,708	96.82
265	Springsnail, Idaho (<i>Fontelicella idahoensis</i>)	E	\$141,417	\$768,022,125	96.84
266	Squirrel, Delmarva Peninsula fox except Sussex Co., DE (<i>Sciurus niger cinereus</i>)	E	\$139,691	\$768,161,816	96.85
267	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$137,820	\$768,299,636	96.87
268	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$137,400	\$768,437,036	96.89
269	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$136,619	\$768,573,655	96.91
270	Woundfin except Gila R. drainage, AZ, NM (<i>Plagopterus argentissimus</i>)	E	\$136,533	\$768,710,188	96.92
271	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$136,000	\$768,846,188	96.94
272	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$135,921	\$768,982,109	96.96
273	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$135,226	\$769,117,335	96.97
274	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$135,000	\$769,252,335	96.99
275	Crocodile, American (<i>Crocodylus acutus</i>)	E	\$134,600	\$769,386,935	97.01
276	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$131,320	\$769,518,255	97.02
277	Caribou, woodland ID, WA, B.C. (<i>Rangifer tarandus caribou</i>)	E	\$131,297	\$769,649,552	97.04
278	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>)	E	\$129,416	\$769,778,968	97.06
279	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$128,500	\$769,907,468	97.07
280	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$125,520	\$770,032,988	97.09
281	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$124,800	\$770,157,788	97.1
282	Sunflower, Eggert's (<i>Helianthus eggertii</i>)	T	\$123,533	\$770,281,321	97.12
283	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$122,400	\$770,403,721	97.14

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
284	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$121,593	\$770,525,314	97.15
285	Bean, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Villosa trabalis</i>)	E	\$121,136	\$770,646,450	97.17
286	Kangaroo rat, Tipton (<i>Dipodomys nitratoides nitratoides</i>)	E	\$119,758	\$770,766,208	97.18
287	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$119,200	\$770,885,408	97.2
288	Lily, Western (<i>Lilium occidentale</i>)	E	\$119,164	\$771,004,572	97.21
289	Bear, American black County range of LA b.bear (<i>Ursus americanus</i>)	SAT	\$119,100	\$771,123,672	97.23
290	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$116,724	\$771,240,396	97.24
291	Wolf, gray Southwestern Distinct Population Segment (<i>Canis lupus</i>)	E	\$115,472	\$771,355,868	97.26
292	Mahoe (<i>Alectryon macrococcus</i>)	E	\$115,325	\$771,471,193	97.27
293	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$114,980	\$771,586,173	97.28
294	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$114,200	\$771,700,373	97.3
295	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$113,007	\$771,813,380	97.31
296	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$112,800	\$771,926,180	97.33
297	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$112,735	\$772,038,915	97.34
298	Deer, Columbian white-tailed Columbia River DPS (<i>Odocoileus virginianus leucurus</i>)	E	\$110,106	\$772,149,021	97.36
299	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$107,522	\$772,256,543	97.37
300	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$106,400	\$772,362,943	97.38
301	Spermolepis hawaiiensis (=Sci name)	E	\$105,422	\$772,468,365	97.4
302	Diellia falcata (=Sci name)	E	\$104,766	\$772,573,131	97.41
303	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$104,386	\$772,677,517	97.42
304	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$104,300	\$772,781,817	97.44
305	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$104,267	\$772,886,084	97.45
306	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>)	E	\$102,985	\$772,989,069	97.46
307	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$102,610	\$773,091,679	97.47
308	ˆOhe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$102,519	\$773,194,198	97.49
309	Bankclimber, purple (mussel) (<i>Elliptioideus sloatianus</i>)	T	\$102,120	\$773,296,318	97.5
310	Howellia, water (<i>Howellia aquatilis</i>)	T	\$101,357	\$773,397,675	97.51
311	Darter, snail (<i>Percina tanasi</i>)	T	\$101,100	\$773,498,775	97.53
312	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$101,000	\$773,599,775	97.54
313	ˆAnaunau (<i>Lepidium arbuscula</i>)	E	\$100,912	\$773,700,687	97.55
314	Silene lanceolata (=Sci name)	E	\$100,785	\$773,801,472	97.56
315	Jaguar (<i>Panthera onca</i>)	E	\$100,632	\$773,902,104	97.58
316	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$100,027	\$774,002,131	97.59
317	Abalone, White (<i>Haliotis sorenseni</i>)	E	\$100,000	\$774,102,131	97.6
318	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$99,956	\$774,202,087	97.61
319	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$99,140	\$774,301,227	97.63
320	Harperella (<i>Ptilimnium nodosum</i>)	E	\$98,682	\$774,399,909	97.64
321	Tortoise, desert outside/taken from Sonoran Desert (<i>Gopherus agassizii</i>)	SAT	\$98,290	\$774,498,199	97.65
322	Bonamia menziesii (=Sci name)	E	\$98,090	\$774,596,289	97.66
323	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$98,000	\$774,694,289	97.68

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
324	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$97,281	\$774,791,570	97.69
325	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$96,450	\$774,888,020	97.7
326	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$95,761	\$774,983,781	97.71
327	Pearlymussel, cracking Entire Range; Except where listed as Experimental Populations (<i>Hemistena lata</i>)	E	\$94,200	\$775,077,981	97.73
328	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$91,580	\$775,169,561	97.74
329	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$91,484	\$775,261,045	97.75
330	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allopheys</i>)	E	\$91,052	\$775,352,097	97.76
331	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$91,000	\$775,443,097	97.77
332	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$90,341	\$775,533,438	97.78
333	Kulu'i (<i>Nototrichium humile</i>)	E	\$90,128	\$775,623,566	97.79
334	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$90,046	\$775,713,612	97.81
335	Three-ridge, fat (mussel) (<i>Amblyema neislerii</i>)	E	\$89,720	\$775,803,332	97.82
336	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$89,235	\$775,892,567	97.83
337	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$89,100	\$775,981,667	97.84
338	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$88,002	\$776,069,669	97.85
339	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$87,407	\$776,157,076	97.86
340	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$86,300	\$776,243,376	97.87
341	Oha (<i>Delissea subcordata</i>)	E	\$84,501	\$776,327,877	97.88
342	Schiedea nuttallii (=Sci name)	E	\$84,330	\$776,412,207	97.89
343	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i>))	E	\$84,123	\$776,496,330	97.9
344	Dace, desert (<i>Eremichthys acros</i>)	T	\$84,108	\$776,580,438	97.91
345	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$83,721	\$776,664,159	97.93
346	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$83,620	\$776,747,779	97.94
347	Alsinidendron obovatum (=Sci name)	E	\$83,309	\$776,831,088	97.95
348	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$82,089	\$776,913,177	97.96
349	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$81,570	\$776,994,747	97.97
350	`Akoko (<i>Euphorbia haelealeana</i>)	E	\$81,375	\$777,076,122	97.98
351	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$81,105	\$777,157,227	97.99
352	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$80,400	\$777,237,627	98
353	Schiedea hookeri (=Sci name)	E	\$79,856	\$777,317,483	98.01
354	Haha (<i>Cyanea superba</i>)	E	\$79,815	\$777,397,298	98.02
355	Sanicula mariversa (=Sci name)	E	\$79,484	\$777,476,782	98.03
356	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$79,415	\$777,556,197	98.04
357	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$79,300	\$777,635,497	98.05
358	Na'ena'e (<i>Dubautia herbstobatae</i>)	E	\$79,013	\$777,714,510	98.06
359	Hedyotis parvula (=Sci name)	E	\$78,808	\$777,793,318	98.07
359	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$78,808	\$777,872,126	98.08
361	Ha'iwaile (<i>Cyrtandra dentata</i>)	E	\$78,696	\$777,950,822	98.09
362	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$78,452	\$778,029,274	98.1
363	Hedyotis degeneri (=Sci name)	E	\$78,091	\$778,107,365	98.11
364	Lobelia niihauensis (=Sci name)	E	\$77,931	\$778,185,296	98.12
365	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$77,120	\$778,262,416	98.13
366	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$75,985	\$778,338,401	98.14
367	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$75,900	\$778,414,301	98.15

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
368	Tern, roseate northeast U.S. nesting pop. (<i>Sterna dougallii dougallii</i>)	E	\$75,675	\$778,489,976	98.16
369	Logperch, Roanoke (<i>Percina rex</i>)	E	\$75,200	\$778,565,176	98.16
370	Tetramolopium filiforme (=Sci name)	E	\$74,989	\$778,640,165	98.17
371	Lo'ulu (<i>Pritchardia kaalae</i>)	E	\$74,538	\$778,714,703	98.18
372	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$74,500	\$778,789,203	98.19
373	Pauoa (<i>Ctenitis squamigera</i>)	E	\$73,967	\$778,863,170	98.2
374	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$73,621	\$778,936,791	98.21
375	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$72,581	\$779,009,372	98.22
376	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$72,393	\$779,081,765	98.23
377	Snake, Lake Erie water subspecies range clarified (<i>Nerodia sipedon insularum</i>)	T	\$72,350	\$779,154,115	98.24
378	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$72,160	\$779,226,275	98.25
379	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$72,000	\$779,298,275	98.26
380	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$70,492	\$779,368,767	98.27
381	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$70,255	\$779,439,022	98.28
382	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$69,640	\$779,508,662	98.28
383	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$69,544	\$779,578,206	98.29
384	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$69,541	\$779,647,747	98.3
385	Darter, leopard (<i>Percina pantherina</i>)	T	\$68,571	\$779,716,318	98.31
386	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$67,845	\$779,784,163	98.32
387	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$67,700	\$779,851,863	98.33
388	Darter, relict (<i>Etheostoma chienense</i>)	E	\$67,500	\$779,919,363	98.34
389	Po'ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$67,203	\$779,986,566	98.34
390	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$66,750	\$780,053,316	98.35
391	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$66,594	\$780,119,910	98.36
392	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$66,148	\$780,186,058	98.37
393	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$66,129	\$780,252,187	98.38
394	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$66,102	\$780,318,289	98.39
395	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$65,300	\$780,383,589	98.39
396	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$65,220	\$780,448,809	98.4
397	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$64,999	\$780,513,808	98.41
398	Phyllostegia hirsuta (=Sci name)	E	\$64,877	\$780,578,685	98.42
398	Haha (<i>Cyanea acuminata</i>)	E	\$64,877	\$780,643,562	98.43
400	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$64,393	\$780,707,955	98.44
401	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$64,148	\$780,772,103	98.44
402	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum croceum</i>)	E	\$63,631	\$780,835,734	98.45
403	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$63,200	\$780,898,934	98.46
404	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$62,451	\$780,961,385	98.47
405	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$61,900	\$781,023,285	98.47
406	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$61,500	\$781,084,785	98.48
407	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$61,160	\$781,145,945	98.49
407	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$61,160	\$781,207,105	98.5
409	Hesperomannia arborescens (=Sci name)	E	\$60,928	\$781,268,033	98.51

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
410	Nanu (<i>Gardenia mannii</i>)	E	\$60,831	\$781,328,864	98.51
411	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$60,630	\$781,389,494	98.52
412	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$60,600	\$781,450,094	98.53
413	Sanicula purpurea (=Sci name)	E	\$60,347	\$781,510,441	98.54
414	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$60,336	\$781,570,777	98.54
415	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$60,160	\$781,630,937	98.55
416	Haha (<i>Cyanea koolauensis</i>)	E	\$59,919	\$781,690,856	98.56
417	Pteris lidgatei (=Sci name)	E	\$59,831	\$781,750,687	98.57
418	Combshell, Cumberlandian Entire Range; Except where listed as Experimental Populations (<i>Epioblasma brevidens</i>)	E	\$59,520	\$781,810,207	98.57
419	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$59,263	\$781,869,470	98.58
420	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$59,220	\$781,928,690	98.59
421	Elktoe, Cumberland (<i>Alasmodonta atropurpurea</i>)	E	\$59,173	\$781,987,863	98.6
422	Cactus, Nichol's Turk's head (<i>Echinocactus horizonthalonius</i> var. <i>nicholii</i>)	E	\$59,000	\$782,046,863	98.6
423	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$58,620	\$782,105,483	98.61
424	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$58,396	\$782,163,879	98.62
425	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$58,227	\$782,222,106	98.63
426	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$58,220	\$782,280,326	98.63
427	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$57,790	\$782,338,116	98.64
428	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$57,100	\$782,395,216	98.65
429	Ma'oli'oli (<i>Schiedea kealiae</i>)	E	\$57,038	\$782,452,254	98.65
430	Kauila (<i>Colubrina oppositifolia</i>)	E	\$56,609	\$782,508,863	98.66
431	Catspaw (=purple cat's paw pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Epioblasma obliquata obliquata</i>)	E	\$56,500	\$782,565,363	98.67
432	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$56,250	\$782,621,613	98.68
433	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$55,948	\$782,677,561	98.68
434	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$55,900	\$782,733,461	98.69
435	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$55,250	\$782,788,711	98.7
436	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$54,885	\$782,843,596	98.7
437	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$54,700	\$782,898,296	98.71
438	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$54,414	\$782,952,710	98.72
439	Cactus, star (<i>Astrophytum asterias</i>)	E	\$53,416	\$783,006,126	98.72
440	Mapleleaf, winged (mussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Quadrula fragosa</i>)	EXPN	\$52,582	\$783,058,708	98.73
441	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$52,496	\$783,111,204	98.74
442	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$52,000	\$783,163,204	98.74
443	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$51,600	\$783,214,804	98.75
444	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscina</i>)	E	\$50,934	\$783,265,738	98.76
445	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$50,900	\$783,316,638	98.76
446	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$50,806	\$783,367,444	98.77
447	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$50,642	\$783,418,086	98.78

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
448	Nesogenes rotensis (=Sci name)	E	\$50,423	\$783,468,509	98.78
448	Osmoxylon mariannense (=Sci name)	E	\$50,423	\$783,518,932	98.79
450	Mussel, oyster AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (Epioblasma capsaeformis)	EXPN	\$50,000	\$783,568,932	98.8
451	Akiapola`au (honeycreeper) (Hemignathus munroi)	E	\$49,939	\$783,618,871	98.8
452	Koki`o (Kokia drynarioides)	E	\$49,725	\$783,668,596	98.81
453	Sucker, Modoc (Catostomus microps)	E	\$49,686	\$783,718,282	98.81
454	Ambrosia, south Texas (Ambrosia cheiranthifolia)	E	\$48,816	\$783,767,098	98.82
455	Pocketbook, finelined (Lampsilis altilis)	T	\$48,500	\$783,815,598	98.83
456	Spineflower, Monterey (Chorizanthe pungens var. pungens)	T	\$48,206	\$783,863,804	98.83
457	Snail, Iowa Pleistocene (Discus macclintocki)	E	\$47,600	\$783,911,404	98.84
458	Skink, sand (Neoseps reynoldsi)	T	\$47,200	\$783,958,604	98.84
459	Clubshell, ovate (Pleurobema perovatum)	E	\$46,900	\$784,005,504	98.85
460	Jaguarundi, Gulf Coast (Herpailurus (=Felis) yagouaroundi cacomitli)	E	\$46,770	\$784,052,274	98.86
461	Mussel, oyster Entire Range; Except where listed as Experimental Populations (Epioblasma capsaeformis)	E	\$46,510	\$784,098,784	98.86
462	Mallow, Peter's Mountain (Iliamna corei)	E	\$46,500	\$784,145,284	98.87
463	Hala pepe (Pleomele hawaiiensis)	E	\$46,189	\$784,191,473	98.87
464	Thistle, Chorro Creek bog (Cirsium fontinale var. obispoense)	E	\$45,920	\$784,237,393	98.88
465	Pimpleback, orangefoot (pearlymussel) (Plethobasus cooperianus)	E	\$45,650	\$784,283,043	98.89
466	Spinymussel, Tar River (Elliptio steinstansana)	E	\$45,568	\$784,328,611	98.89
467	Pigeon, Puerto Rican plain (Columba inornata wetmorei)	E	\$45,500	\$784,374,111	98.9
467	Minnow, Devils River (Dionda diaboli)	T	\$45,500	\$784,419,611	98.9
469	Pigtoe, finerayed Entire Range; Except where listed as Experimental Populations (Fusconaia cuneolus)	E	\$45,200	\$784,464,811	98.91
470	Vole, Hualapai Mexican (Microtus mexicanus hualpaiensis)	E	\$45,000	\$784,509,811	98.91
471	Skullcap, large-flowered (Scutellaria montana)	T	\$44,500	\$784,554,311	98.92
472	Button-celery, San Diego (Eryngium aristulatum var. parishii)	E	\$44,351	\$784,598,662	98.93
472	Orcutt grass, California (Orcuttia californica)	E	\$44,351	\$784,643,013	98.93
474	Goldenrod, Short's (Solidago shortii)	E	\$44,100	\$784,687,113	98.94
475	Milk-vetch, Holmgren (Astragalus holmgreniorum)	E	\$44,000	\$784,731,113	98.94
476	Combshell, upland (Epioblasma metastrata)	E	\$43,800	\$784,774,913	98.95
477	`Aiea (Nothocestrum breviflorum)	E	\$43,779	\$784,818,692	98.95
478	Butterfly, Behren's silverspot (Speyeria zerene behrensi)	E	\$43,607	\$784,862,299	98.96
479	Rush-pea, slender (Hoffmannseggia tenella)	E	\$43,416	\$784,905,715	98.96
480	Nioi (Eugenia koolauensis)	E	\$43,347	\$784,949,062	98.97
481	Bear-poppy, dwarf (Arctomecon humilis)	E	\$43,200	\$784,992,262	98.98
482	Uhiuhi (Caesalpinia kavaense)	E	\$43,079	\$785,035,341	98.98
483	Mesa-mint, San Diego (Pogogyne abramsii)	E	\$42,351	\$785,077,692	98.99
484	Spurge, deltoid (Chamaesyce deltoidea ssp. deltoidea)	E	\$42,096	\$785,119,788	98.99
485	Darter, boulder (Etheostoma wapiti)	E	\$42,000	\$785,161,788	99
485	Milk-vetch, Shivwitz (Astragalus ampullarioides)	E	\$42,000	\$785,203,788	99
487	Butterfly, bay checkerspot (Euphydryas editha bayensis)	T	\$41,885	\$785,245,673	99.01

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
488	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$41,603	\$785,287,276	99.01
489	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$41,500	\$785,328,776	99.02
490	Turtle, bog (=Muhlenberg) southern (<i>Clemmys muhlenbergii</i>)	SAT	\$41,150	\$785,369,926	99.02
491	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$40,000	\$785,409,926	99.03
491	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$40,000	\$785,449,926	99.03
493	Haha (<i>Cyanea st-johnii</i>)	E	\$39,843	\$785,489,769	99.04
494	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$39,800	\$785,529,569	99.04
495	Lampmussel, Alabama Entire Range; Except where listed as Experimental Populations (<i>Lampsilis virescens</i>)	E	\$39,400	\$785,568,969	99.05
496	Wawae`iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	\$39,127	\$785,608,096	99.05
497	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$38,859	\$785,646,955	99.06
498	Alani (<i>Melicope lydgatei</i>)	E	\$38,643	\$785,685,598	99.06
499	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$38,500	\$785,724,098	99.07
500	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$38,416	\$785,762,514	99.07
501	Cyanea (=Rollandia) <i>crispa</i> (=Sci name)	E	\$38,354	\$785,800,868	99.08
502	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$38,284	\$785,839,152	99.08
503	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$38,100	\$785,877,252	99.09
503	Polygala, tiny (<i>Polygala smallii</i>)	E	\$38,100	\$785,915,352	99.09
503	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$38,100	\$785,953,452	99.1
506	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$37,337	\$785,990,789	99.1
507	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$37,250	\$786,028,039	99.11
508	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$36,963	\$786,065,002	99.11
509	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$36,920	\$786,101,922	99.12
510	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$36,709	\$786,138,631	99.12
511	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$36,573	\$786,175,204	99.12
512	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$35,318	\$786,210,522	99.13
513	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$35,276	\$786,245,798	99.13
514	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$35,000	\$786,280,798	99.14
514	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$35,000	\$786,315,798	99.14
516	Pigtoe, shiny Entire Range; Except where listed as Experimental Populations (<i>Fusconaia cor</i>)	E	\$34,950	\$786,350,748	99.15
517	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$34,900	\$786,385,648	99.15
518	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$34,700	\$786,420,348	99.16
519	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$34,631	\$786,454,979	99.16
520	Ha`iwale (<i>Cyrtandra viridiflora</i>)	E	\$34,460	\$786,489,439	99.16
521	Kolea (<i>Myrsine juddii</i>)	E	\$34,459	\$786,523,898	99.17
521	`Akoko (<i>Chamaesyce rockii</i>)	E	\$34,459	\$786,558,357	99.17
523	Haha (<i>Cyanea humboldtiana</i>)	E	\$34,447	\$786,592,804	99.18
523	Viola oahuensis (=Sci name)	E	\$34,447	\$786,627,251	99.18
525	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$34,257	\$786,661,508	99.19
526	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$34,019	\$786,695,527	99.19
527	Wooly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$33,431	\$786,728,958	99.19
528	Neraudia ovata (=Sci name)	E	\$33,350	\$786,762,308	99.2
529	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$33,300	\$786,795,608	99.2

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
530	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) conjugens)	T	\$33,252	\$786,828,860	99.21
531	Poppy-mallow, Texas (<i>Callirhoe scabruscula</i>)	E	\$33,080	\$786,861,940	99.21
532	Trillium, relict (<i>Trillium reliquum</i>)	E	\$32,870	\$786,894,810	99.22
533	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$32,786	\$786,927,596	99.22
534	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$32,650	\$786,960,246	99.22
535	Asplenium fragile var. insulare (=Sci name)	E	\$32,604	\$786,992,850	99.23
536	A`e (<i>Zanthoxylum hawaiiense</i>)	E	\$32,580	\$787,025,430	99.23
537	Pink, swamp (<i>Helonias bullata</i>)	T	\$32,350	\$787,057,780	99.24
538	Snake, copperbelly water MI, OH, IN N of 400 N. Lat. (<i>Nerodia erythrogaster neglecta</i>)	T	\$32,310	\$787,090,090	99.24
539	Kidneyshell, triangular (<i>Ptychobranhus greenii</i>)	E	\$32,300	\$787,122,390	99.24
540	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$32,101	\$787,154,491	99.25
540	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$32,101	\$787,186,592	99.25
542	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$32,084	\$787,218,676	99.26
543	Alsinidendron trinerve (=Sci name)	E	\$32,077	\$787,250,753	99.26
544	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$32,000	\$787,282,753	99.26
544	Catesbaea melanocarpa (=Sci name)	E	\$32,000	\$787,314,753	99.27
546	Combshell, Cumberlandian AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma brevidens</i>)	EXPN	\$31,913	\$787,346,666	99.27
547	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$31,800	\$787,378,466	99.28
548	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$31,740	\$787,410,206	99.28
549	Aupaka (<i>Isodendron longifolium</i>)	T	\$31,597	\$787,441,803	99.28
550	Tetramolopium arenarium (=Sci name)	E	\$31,580	\$787,473,383	99.29
551	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$31,270	\$787,504,653	99.29
552	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$31,150	\$787,535,803	99.3
553	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$31,000	\$787,566,803	99.3
553	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. sanctorum)	E	\$31,000	\$787,597,803	99.3
555	Darter, bluemark (=jewel) (<i>Etheostoma /</i>)	E	\$30,900	\$787,628,703	99.31
556	Turtle, yellow-blotched map (<i>Gratemys flavimaculata</i>)	T	\$30,500	\$787,659,203	99.31
557	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. sneedii)	E	\$30,400	\$787,689,603	99.32
558	Puma (=cougar), eastern (<i>Puma</i> (=Felis) concolor cougar)	E	\$30,386	\$787,719,989	99.32
559	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. kalaeloana)	E	\$30,363	\$787,750,352	99.32
560	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$30,300	\$787,780,652	99.33
561	Darter, duskytail Entire (<i>Etheostoma percnurum</i>)	E	\$30,210	\$787,810,862	99.33
562	Opuhe (<i>Urera kaalae</i>)	E	\$30,005	\$787,840,867	99.33
563	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$30,000	\$787,870,867	99.34
564	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$29,998	\$787,900,865	99.34
565	Woolly-star, Hoover's (<i>Eriastrum hooveri</i>)	T	\$29,770	\$787,930,635	99.35
566	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$29,577	\$787,960,212	99.35
567	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$29,500	\$787,989,712	99.35
568	Combshell, southern (<i>Epioblasma penita</i>)	E	\$29,400	\$788,019,112	99.36
569	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$29,370	\$788,048,482	99.36
570	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$29,300	\$788,077,782	99.36
571	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$29,100	\$788,106,882	99.37

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
572	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$29,000	\$788,135,882	99.37
573	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$28,988	\$788,164,870	99.38
574	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$28,821	\$788,193,691	99.38
575	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$28,812	\$788,222,503	99.38
576	Phyllostegia mollis (=Sci name)	E	\$28,038	\$788,250,541	99.39
577	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$27,416	\$788,277,957	99.39
578	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$27,132	\$788,305,089	99.39
579	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	\$27,090	\$788,332,179	99.4
580	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$27,066	\$788,359,245	99.4
581	Nukupū u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$27,034	\$788,386,279	99.4
582	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$27,000	\$788,413,279	99.41
582	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$27,000	\$788,440,279	99.41
584	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$26,963	\$788,467,242	99.41
585	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$26,867	\$788,494,109	99.42
586	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$26,728	\$788,520,837	99.42
587	Honohono (<i>Haplostachys haplostachya</i>)	E	\$26,680	\$788,547,517	99.42
587	<i>Silene hawaiiensis</i> (=Sci name)	T	\$26,680	\$788,574,197	99.43
589	<i>Lobelia oahuensis</i> (=Sci name)	E	\$26,537	\$788,600,734	99.43
590	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$26,519	\$788,627,253	99.43
590	Ha'i wale (<i>Cyrtandra subumbellata</i>)	E	\$26,519	\$788,653,772	99.44
592	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$26,437	\$788,680,209	99.44
593	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$26,271	\$788,706,480	99.44
594	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$26,200	\$788,732,680	99.45
595	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$26,000	\$788,758,680	99.45
595	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$26,000	\$788,784,680	99.45
597	<i>Geocarpon minimum</i> (=Sci name)	T	\$25,825	\$788,810,505	99.46
598	Darter, goldline (<i>Percina aurolineata</i>)	T	\$25,700	\$788,836,205	99.46
599	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$25,600	\$788,861,805	99.46
600	Campion, fringed (<i>Silene polypetala</i>)	E	\$25,310	\$788,887,115	99.47
601	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$25,254	\$788,912,369	99.47
602	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$25,090	\$788,937,459	99.47
603	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$24,967	\$788,962,426	99.48
604	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$24,701	\$788,987,127	99.48
605	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$24,700	\$789,011,827	99.48
606	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$24,696	\$789,036,523	99.49
607	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$24,515	\$789,061,038	99.49
608	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$24,368	\$789,085,406	99.49
609	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$24,300	\$789,109,706	99.49
610	Avens, spreading (<i>Geum radiatum</i>)	E	\$24,200	\$789,133,906	99.5
611	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$24,031	\$789,157,937	99.5
612	Ma'o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$23,887	\$789,181,824	99.5
613	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$23,880	\$789,205,704	99.51
614	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$23,867	\$789,229,571	99.51
615	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$23,600	\$789,253,171	99.51

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
615	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$23,600	\$789,276,771	99.52
617	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$23,483	\$789,300,254	99.52
618	Madtom, yellowfin except where XN (<i>Noturus flavipinnis</i>)	T	\$23,200	\$789,323,454	99.52
619	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$23,079	\$789,346,533	99.52
620	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$22,993	\$789,369,526	99.53
621	Haha (<i>Cyanea shipmannii</i>)	E	\$22,988	\$789,392,514	99.53
622	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$22,910	\$789,415,424	99.53
623	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$22,900	\$789,438,324	99.54
624	Tern, roseate Western Hemisphere except NE U.S. (<i>Sterna dougallii dougallii</i>)	T	\$22,820	\$789,461,144	99.54
625	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$22,700	\$789,483,844	99.54
626	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$22,200	\$789,506,044	99.54
627	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$22,000	\$789,528,044	99.55
627	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$22,000	\$789,550,044	99.55
629	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$21,900	\$789,571,944	99.55
629	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$21,900	\$789,593,844	99.56
629	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$21,900	\$789,615,744	99.56
632	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$21,500	\$789,637,244	99.56
633	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$21,302	\$789,658,546	99.56
634	Chub, slender (<i>Erimystax cahni</i>)	T	\$21,000	\$789,679,546	99.57
634	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$21,000	\$789,700,546	99.57
636	Oha wai (<i>Clermontia lindseyana</i>)	E	\$20,930	\$789,721,476	99.57
637	Onion, Munz's (<i>Allium munzii</i>)	E	\$20,407	\$789,741,883	99.57
638	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$20,400	\$789,762,283	99.58
638	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$20,400	\$789,782,683	99.58
640	Wireweed (<i>Polygonella basiramia</i>)	E	\$20,300	\$789,802,983	99.58
640	Agave, Arizona (<i>Agave arizonica</i>)	E	\$20,300	\$789,823,283	99.58
642	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$20,244	\$789,843,527	99.59
643	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunescens</i>)	E	\$20,000	\$789,863,527	99.59
643	Cooter (=turtle), northern redbelly (=Plymouth) (<i>Pseudemys rubriventris bangsi</i>)	E	\$20,000	\$789,883,527	99.59
643	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$20,000	\$789,903,527	99.59
643	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$20,000	\$789,923,527	99.6
643	Pennyroyal, Todsens' (<i>Hedeoma todsenii</i>)	E	\$20,000	\$789,943,527	99.6
648	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$19,800	\$789,963,327	99.6
649	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$19,746	\$789,983,073	99.6
650	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$19,647	\$790,002,720	99.61
651	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$19,561	\$790,022,281	99.61
652	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$19,500	\$790,041,781	99.61
653	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$19,470	\$790,061,251	99.61
654	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$19,400	\$790,080,651	99.62
655	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$19,313	\$790,099,964	99.62
656	Pearlymussel, dromedary Entire Range; Except where listed as Experimental Populations (<i>Dromus dromas</i>)	E	\$19,300	\$790,119,264	99.62
657	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$19,256	\$790,138,520	99.62

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
658	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$19,200	\$790,157,720	99.63
659	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$18,900	\$790,176,620	99.63
660	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$18,850	\$790,195,470	99.63
660	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$18,850	\$790,214,320	99.63
662	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$18,800	\$790,233,120	99.64
663	Seablite, California (<i>Suaeda californica</i>)	E	\$18,706	\$790,251,826	99.64
664	Ihī'ihī (<i>Marsilea villosa</i>)	E	\$18,637	\$790,270,463	99.64
665	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$18,500	\$790,288,963	99.64
666	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$18,030	\$790,306,993	99.65
667	Mustard, Carter's (<i>Warea carteri</i>)	E	\$18,000	\$790,324,993	99.65
667	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$18,000	\$790,342,993	99.65
669	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$17,882	\$790,360,875	99.65
670	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$17,800	\$790,378,675	99.65
671	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$17,766	\$790,396,441	99.66
672	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$17,600	\$790,414,041	99.66
673	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$17,500	\$790,431,541	99.66
673	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$17,500	\$790,449,041	99.66
673	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$17,500	\$790,466,541	99.67
676	Cactus, Uinta Basin hookless (<i>Sclerocactus glaucus</i>)	T	\$17,365	\$790,483,906	99.67
677	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$17,306	\$790,501,212	99.67
678	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$17,000	\$790,518,212	99.67
678	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus peeblesianus</i>)	E	\$17,000	\$790,535,212	99.67
680	Layia, beach (<i>Layia carnosa</i>)	E	\$16,833	\$790,552,045	99.68
681	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$16,831	\$790,568,876	99.68
682	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$16,725	\$790,585,601	99.68
683	Splittail, Sacramento (<i>Pogonichthys macrolepidotus</i>)	T	\$16,500	\$790,602,101	99.68
683	Capa rosa (<i>Callicarpa ampla</i>)	E	\$16,500	\$790,618,601	99.68
685	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$16,400	\$790,635,001	99.69
686	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$16,363	\$790,651,364	99.69
687	Poolfish, Pahump (<i>Empetrichthys latos</i>)	E	\$16,350	\$790,667,714	99.69
688	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$16,200	\$790,683,914	99.69
688	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$16,200	\$790,700,114	99.69
688	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$16,200	\$790,716,314	99.7
691	Pu'uka'a (<i>Cyperus trachysanthos</i>)	E	\$16,180	\$790,732,494	99.7
692	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$16,100	\$790,748,594	99.7
693	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$16,000	\$790,764,594	99.7
694	Squirrel, Delmarva Peninsula fox U.S.A. (DE_Sussex Co.) (<i>Sciurus niger cinereus</i>)	EXPN	\$15,900	\$790,780,494	99.71
695	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$15,864	\$790,796,358	99.71
696	Alani (<i>Melicope adscendens</i>)	E	\$15,600	\$790,811,958	99.71
697	Dace, Foscett speckled Foscett (<i>Rhinichthys osculus</i> ssp.)	T	\$15,556	\$790,827,514	99.71
698	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$15,531	\$790,843,045	99.71
699	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$15,400	\$790,858,445	99.71
700	Alani (<i>Melicope knudsenii</i>)	E	\$15,220	\$790,873,665	99.72
701	Sandalwood, Lanai (= iliahi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$15,192	\$790,888,857	99.72

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
702	Rocksnail, round (<i>Leptoxis ampla</i>)	T	\$15,000	\$790,903,857	99.72
702	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$15,000	\$790,918,857	99.72
704	ʻAhinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$14,978	\$790,933,835	99.72
705	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$14,810	\$790,948,645	99.73
706	Madtom, smoky Entire (<i>Noturus baileyi</i>)	E	\$14,800	\$790,963,445	99.73
707	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$14,600	\$790,978,045	99.73
708	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$14,500	\$790,992,545	99.73
709	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$14,400	\$791,006,945	99.73
710	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$14,200	\$791,021,145	99.74
711	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$14,179	\$791,035,324	99.74
712	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$14,000	\$791,049,324	99.74
713	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$13,820	\$791,063,144	99.74
714	Rice rat lower FL Keys (<i>Oryzomys palustris natator</i>)	E	\$13,800	\$791,076,944	99.74
714	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$13,800	\$791,090,744	99.74
716	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$13,750	\$791,104,494	99.75
717	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$13,700	\$791,118,194	99.75
718	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$13,500	\$791,131,694	99.75
718	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$13,500	\$791,145,194	99.75
718	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$13,500	\$791,158,694	99.75
721	Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Quadrula intermedia</i>)	E	\$13,350	\$791,172,044	99.75
722	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$13,200	\$791,185,244	99.76
723	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$13,125	\$791,198,369	99.76
724	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$13,100	\$791,211,469	99.76
725	Gouania vitifolia (=Sci name)	E	\$13,083	\$791,224,552	99.76
726	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$13,069	\$791,237,621	99.76
727	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$13,000	\$791,250,621	99.76
727	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$13,000	\$791,263,621	99.77
729	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$12,680	\$791,276,301	99.77
730	Lau `ehu (<i>Panicum niihauense</i>)	E	\$12,261	\$791,288,562	99.77
731	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$12,259	\$791,300,821	99.77
732	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$12,250	\$791,313,071	99.77
733	Cactus, Knowlton (<i>Pediocactus knowltonii</i>)	E	\$12,116	\$791,325,187	99.77
734	Jaguarundi, Sinaloa (<i>Herpailurus</i> (=Felis) <i>yagouaroundi tolteca</i>)	E	\$12,000	\$791,337,187	99.78
735	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$11,900	\$791,349,087	99.78
736	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$11,857	\$791,360,944	99.78
737	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$11,800	\$791,372,744	99.78
738	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$11,778	\$791,384,522	99.78
739	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$11,686	\$791,396,208	99.78
740	Fatmucket, Arkansas (<i>Lampsilis powelli</i>)	T	\$11,600	\$791,407,808	99.78
741	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$11,577	\$791,419,385	99.79
742	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$11,540	\$791,430,925	99.79
743	Haha (<i>Cyanea stictophylla</i>)	E	\$11,483	\$791,442,408	99.79

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
744	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$11,336	\$791,453,744	99.79
745	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$11,320	\$791,465,064	99.79
746	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$11,300	\$791,476,364	99.79
747	Schiedea kaalae (=Sci name)	E	\$11,205	\$791,487,569	99.79
748	Monarch, Tinian (old world flycatcher) (<i>Monarcha takatsukasae</i>)	T	\$11,202	\$791,498,771	99.8
749	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$11,150	\$791,509,921	99.8
750	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$11,100	\$791,521,021	99.8
751	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$11,070	\$791,532,091	99.8
752	Chub, Hutton tui Hutton (<i>Gila bicolor</i> ssp.)	T	\$11,056	\$791,543,147	99.8
753	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$11,040	\$791,554,187	99.8
754	Sandlace (<i>Polygonella myriophylla</i>)	E	\$11,000	\$791,565,187	99.8
754	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$11,000	\$791,576,187	99.81
756	Phyllostegia kaalaensis (=Sci name)	E	\$10,992	\$791,587,179	99.81
757	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$10,900	\$791,598,079	99.81
758	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$10,820	\$791,608,899	99.81
759	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$10,700	\$791,619,599	99.81
759	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$10,700	\$791,630,299	99.81
761	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$10,500	\$791,640,799	99.81
762	Hesperomannia arbuscula (=Sci name)	E	\$10,390	\$791,651,189	99.81
763	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$10,320	\$791,661,509	99.82
763	Beetle, Helotes mold (<i>Batrissodes ventyivi</i>)	E	\$10,320	\$791,671,829	99.82
765	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$10,300	\$791,682,129	99.82
766	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$10,200	\$791,692,329	99.82
767	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$10,160	\$791,702,489	99.82
767	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$10,160	\$791,712,649	99.82
767	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$10,160	\$791,722,809	99.82
767	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$10,160	\$791,732,969	99.83
771	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$10,080	\$791,743,049	99.83
772	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$10,006	\$791,753,055	99.83
773	Madtom, smoky Tellico River, TN (<i>Noturus baileyi</i>)	EXPN	\$10,000	\$791,763,055	99.83
773	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$10,000	\$791,773,055	99.83
773	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$10,000	\$791,783,055	99.83
773	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$10,000	\$791,793,055	99.83
773	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$10,000	\$791,803,055	99.83
778	Haha (<i>Cyanea hamatiflora carlsonii</i>)	E	\$9,961	\$791,813,016	99.84
779	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$9,807	\$791,822,823	99.84
780	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$9,700	\$791,832,523	99.84
781	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$9,557	\$791,842,080	99.84
782	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$9,500	\$791,851,580	99.84
783	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$9,382	\$791,860,962	99.84
784	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$9,370	\$791,870,332	99.84
785	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$9,200	\$791,879,532	99.84
786	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$9,119	\$791,888,651	99.84

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
787	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$9,100	\$791,897,751	99.85
788	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$9,071	\$791,906,822	99.85
789	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$9,000	\$791,915,822	99.85
789	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$9,000	\$791,924,822	99.85
791	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$8,700	\$791,933,522	99.85
791	Cycladenia, Jones (<i>Cycladenia jonesii</i> (=humilis))	T	\$8,700	\$791,942,222	99.85
793	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$8,660	\$791,950,882	99.85
794	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$8,620	\$791,959,502	99.85
795	Pearl mussel, cracking AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Hemistena lata</i>)	EXPN	\$8,600	\$791,968,102	99.85
796	Butterfly, Uncompahgre fritillary (<i>Boloria acrocynema</i>)	E	\$8,508	\$791,976,610	99.86
797	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$8,500	\$791,985,110	99.86
798	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$8,300	\$791,993,410	99.86
799	Lo'ulu (<i>Pritchardia affinis</i>)	E	\$8,255	\$792,001,665	99.86
800	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$8,200	\$792,009,865	99.86
801	Phyllostegia velutina (=Sci name)	E	\$8,196	\$792,018,061	99.86
802	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$8,113	\$792,026,174	99.86
803	Tetramolopium lepidotum ssp. lepidotum (=Sci name)	E	\$8,101	\$792,034,275	99.86
804	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$8,071	\$792,042,346	99.86
805	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$8,027	\$792,050,373	99.87
806	`Oha wai (<i>Clermontia pyrrularia</i>)	E	\$7,895	\$792,058,268	99.87
807	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$7,835	\$792,066,103	99.87
808	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$7,775	\$792,073,878	99.87
809	Pua`ala (<i>Brighamia rockii</i>)	E	\$7,733	\$792,081,611	99.87
810	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$7,646	\$792,089,257	99.87
811	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$7,546	\$792,096,803	99.87
812	Chub, spotfin Tellico River, TN (<i>Cyprinella monacha</i>)	EXPN	\$7,500	\$792,104,303	99.87
812	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$7,500	\$792,111,803	99.87
812	Darter, duskytail Tellico River, TN (<i>Etheostoma percnurum</i>)	EXPN	\$7,500	\$792,119,303	99.87
812	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$7,500	\$792,126,803	99.87
812	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$7,500	\$792,134,303	99.88
817	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$7,400	\$792,141,703	99.88
818	Beetle, Coffin Cave mold (<i>Batrisodes texanus</i>)	E	\$7,280	\$792,148,983	99.88
819	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$7,200	\$792,156,183	99.88
820	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$7,140	\$792,163,323	99.88
821	Stirrupshell (<i>Quadrula stapes</i>)	E	\$7,100	\$792,170,423	99.88
822	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$7,012	\$792,177,435	99.88
823	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$7,000	\$792,184,435	99.88
823	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$7,000	\$792,191,435	99.88
823	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	\$7,000	\$792,198,435	99.88
826	Phyllostegia parviflora (=Sci name)	E	\$6,935	\$792,205,370	99.88
827	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$6,925	\$792,212,295	99.89
828	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$6,810	\$792,219,105	99.89

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
829	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$6,779	\$792,225,884	99.89
830	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$6,725	\$792,232,609	99.89
831	Trillium, persistent (<i>Trillium persistens</i>)	E	\$6,600	\$792,239,209	99.89
832	Aupaka (<i>Isodendron laurifolium</i>)	E	\$6,585	\$792,245,794	99.89
833	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$6,500	\$792,252,294	99.89
833	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$6,500	\$792,258,794	99.89
835	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$6,400	\$792,265,194	99.89
836	Ohai (<i>Sesbania tomentosa</i>)	E	\$6,390	\$792,271,584	99.89
837	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$6,351	\$792,277,935	99.89
838	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$6,333	\$792,284,268	99.89
839	Riversnail, Anthony's Entire Range; Except where listed as Experimental Populations (<i>Athearnia anthonyi</i>)	E	\$6,300	\$792,290,568	99.9
840	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$6,291	\$792,296,859	99.9
841	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$6,233	\$792,303,092	99.9
842	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$6,200	\$792,309,292	99.9
842	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$6,200	\$792,315,492	99.9
844	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	\$6,172	\$792,321,664	99.9
845	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$6,123	\$792,327,787	99.9
846	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$6,100	\$792,333,887	99.9
847	Alani (<i>Melicope pallida</i>)	E	\$6,086	\$792,339,973	99.9
848	Wawae`iole (<i>Huperzia mannii</i>)	E	\$6,085	\$792,346,058	99.9
849	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$6,036	\$792,352,094	99.9
850	Plum, scrub (<i>Prunus geniculata</i>)	E	\$6,000	\$792,358,094	99.9
850	Cobana negra (<i>Stahlia monosperma</i>)	T	\$6,000	\$792,364,094	99.9
852	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$5,994	\$792,370,088	99.91
853	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	\$5,969	\$792,376,057	99.91
854	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$5,900	\$792,381,957	99.91
855	Lobelia monostachya (=Sci name)	E	\$5,733	\$792,387,690	99.91
856	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$5,556	\$792,393,246	99.91
857	Haha (<i>Cyanea pinnatifida</i>)	E	\$5,533	\$792,398,779	99.91
858	Lampmussel, Alabama AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Lampsilis virescens</i>)	EXPN	\$5,500	\$792,404,279	99.91
858	Pigtoe, finereyed AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Fusconaia cuneolus</i>)	EXPN	\$5,500	\$792,409,779	99.91
860	Alani (<i>Melicope ovalis</i>)	E	\$5,499	\$792,415,278	99.91
861	Haha (<i>Cyanea longiflora</i>)	E	\$5,486	\$792,420,764	99.91
862	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$5,450	\$792,426,214	99.91
863	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$5,429	\$792,431,643	99.91
864	Diplazium molokaiense (=Sci name)	E	\$5,392	\$792,437,035	99.91
865	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$5,376	\$792,442,411	99.91
865	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$5,376	\$792,447,787	99.92
865	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$5,376	\$792,453,163	99.92
868	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$5,329	\$792,458,492	99.92
869	Mariscus pennatiformis (=Sci name)	E	\$5,286	\$792,463,778	99.92

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
870	Rock-cress, McDonald's (<i>Arabis mcdonaldiana</i>)	E	\$5,213	\$792,468,991	99.92
871	Madtom, yellowfin Holston River, VA, TN (<i>Noturus flavipinnis</i>)	EXPN	\$5,200	\$792,474,191	99.92
871	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$5,200	\$792,479,391	99.92
871	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$5,200	\$792,484,591	99.92
871	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$5,200	\$792,489,791	99.92
875	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$5,151	\$792,494,942	99.92
876	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$5,150	\$792,500,092	99.92
877	Turtle, flattened musk species range clarified (<i>Sternotherus depressus</i>)	T	\$5,100	\$792,505,192	99.92
877	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$5,100	\$792,510,292	99.92
877	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$5,100	\$792,515,392	99.92
880	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$5,033	\$792,520,425	99.92
881	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$5,000	\$792,525,425	99.93
882	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$4,937	\$792,530,362	99.93
883	Abutilon sandwicense (=Sci name)	E	\$4,911	\$792,535,273	99.93
884	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$4,900	\$792,540,173	99.93
885	Haha (<i>Cyanea glabra</i>)	E	\$4,891	\$792,545,064	99.93
886	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$4,800	\$792,549,864	99.93
887	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$4,700	\$792,554,564	99.93
888	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$4,600	\$792,559,164	99.93
889	Stenogyne kanehoana (=Sci name)	E	\$4,533	\$792,563,697	99.93
890	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$4,500	\$792,568,197	99.93
890	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$4,500	\$792,572,697	99.93
890	Bariaco (<i>Trichilia triacantha</i>)	E	\$4,500	\$792,577,197	99.93
893	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$4,346	\$792,581,543	99.93
894	Lipochaeta venosa (=Sci name)	E	\$4,331	\$792,585,874	99.93
895	Makou (<i>Peucedanum sandwicense</i>)	T	\$4,306	\$792,590,180	99.93
896	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$4,300	\$792,594,480	99.93
896	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$4,300	\$792,598,780	99.93
896	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$4,300	\$792,603,080	99.93
899	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$4,140	\$792,607,220	99.94
900	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$4,127	\$792,611,347	99.94
901	Wild-buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$4,106	\$792,615,453	99.94
902	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$4,079	\$792,619,532	99.94
903	Vigna o-wahuensis (=Sci name)	E	\$4,035	\$792,623,567	99.94
904	Aupaka (<i>Isodendrion hosakae</i>)	E	\$4,031	\$792,627,598	99.94
905	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$4,000	\$792,631,598	99.94
905	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$4,000	\$792,635,598	99.94
905	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$4,000	\$792,639,598	99.94
908	Oha wai (<i>Clermontia samuelii</i>)	E	\$3,983	\$792,643,581	99.94
909	Haha (<i>Cyanea platyphylla</i>)	E	\$3,943	\$792,647,524	99.94
910	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$3,939	\$792,651,463	99.94
911	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$3,880	\$792,655,343	99.94
912	Clubshell	EXPN	\$3,850	\$792,659,193	99.94

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Pleurobema clava</i>)				
913	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$3,833	\$792,663,026	99.94
913	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$3,833	\$792,666,859	99.94
915	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$3,804	\$792,670,663	99.94
916	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$3,800	\$792,674,463	99.94
916	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$3,800	\$792,678,263	99.94
918	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$3,769	\$792,682,032	99.94
919	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$3,674	\$792,685,706	99.95
920	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$3,670	\$792,689,376	99.95
921	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriiformis))	E	\$3,600	\$792,692,976	99.95
922	Haha (<i>Cyanea undulata</i>)	E	\$3,530	\$792,696,506	99.95
923	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$3,500	\$792,700,006	99.95
923	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	\$3,500	\$792,703,506	99.95
923	Erubia (<i>Solanum drymophilum</i>)	E	\$3,500	\$792,707,006	99.95
923	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$3,500	\$792,710,506	99.95
923	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$3,500	\$792,714,006	99.95
928	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$3,471	\$792,717,477	99.95
928	Lo'ulu (<i>Pritchardia schattaueri</i>)	E	\$3,471	\$792,720,948	99.95
930	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$3,454	\$792,724,402	99.95
931	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$3,450	\$792,727,852	99.95
932	<i>Stenogyne campanulata</i> (=Sci name)	E	\$3,441	\$792,731,293	99.95
933	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$3,400	\$792,734,693	99.95
934	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$3,328	\$792,738,021	99.95
935	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$3,253	\$792,741,274	99.95
936	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$3,252	\$792,744,526	99.95
936	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$3,252	\$792,747,778	99.95
936	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$3,252	\$792,751,030	99.95
936	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$3,252	\$792,754,282	99.95
936	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$3,252	\$792,757,534	99.95
941	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$3,200	\$792,760,734	99.95
942	Pearlymussel, birdwing Entire Range; Except where listed as Experimental Populations (<i>Conradilla caelata</i>)	E	\$3,150	\$792,763,884	99.96
943	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$3,140	\$792,767,024	99.96
944	Awiwi (<i>Centaurium sebaeoides</i>)	E	\$3,138	\$792,770,162	99.96
945	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$3,137	\$792,773,299	99.96
946	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$3,100	\$792,776,399	99.96
946	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$3,100	\$792,779,499	99.96
946	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$3,100	\$792,782,599	99.96
946	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$3,100	\$792,785,699	99.96
950	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$3,079	\$792,788,778	99.96
951	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$3,000	\$792,791,778	99.96
951	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$3,000	\$792,794,778	99.96
951	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$3,000	\$792,797,778	99.96
951	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$3,000	\$792,800,778	99.96

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
951	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$3,000	\$792,803,778	99.96
951	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$3,000	\$792,806,778	99.96
951	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$3,000	\$792,809,778	99.96
951	Boxwood, Vahl's (<i>Buxus vahlia</i>)	E	\$3,000	\$792,812,778	99.96
951	Palo de nigua (<i>Cornutia obovata</i>)	E	\$3,000	\$792,815,778	99.96
951	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$3,000	\$792,818,778	99.96
951	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$3,000	\$792,821,778	99.96
951	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$3,000	\$792,824,778	99.96
951	Walnut, West Indian (<i>Juglans jamaicensis</i>)	E	\$3,000	\$792,827,778	99.96
951	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$3,000	\$792,830,778	99.96
951	Sedge, golden (<i>Carex lutea</i>)	E	\$3,000	\$792,833,778	99.96
966	Madtom, yellowfin Tellico River, TN (<i>Noturus flavipinnis</i>)	EXPN	\$2,900	\$792,836,678	99.96
966	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$2,900	\$792,839,578	99.96
968	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$2,810	\$792,842,388	99.97
969	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$2,800	\$792,845,188	99.97
970	Haha (<i>Cyanea truncata</i>)	E	\$2,744	\$792,847,932	99.97
971	Ha'iwale (<i>Cyrtandra polyantha</i>)	E	\$2,737	\$792,850,669	99.97
972	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$2,700	\$792,853,369	99.97
973	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$2,696	\$792,856,065	99.97
974	Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$2,683	\$792,858,748	99.97
975	Isopod, Madison Cave (<i>Antrilana lira</i>)	T	\$2,500	\$792,861,248	99.97
975	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$2,500	\$792,863,748	99.97
975	Calyptanthus thomasiana (=Sci name)	E	\$2,500	\$792,866,248	99.97
975	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$2,500	\$792,868,748	99.97
975	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$2,500	\$792,871,248	99.97
975	Schoepfia arenaria (=Sci name)	T	\$2,500	\$792,873,748	99.97
981	Alani (<i>Melicope zahlbruckneri</i>)	E	\$2,471	\$792,876,219	99.97
982	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$2,470	\$792,878,689	99.97
983	Rocksnail, painted (<i>Leptoxis taeniata</i>)	T	\$2,400	\$792,881,089	99.97
984	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	\$2,380	\$792,883,469	99.97
985	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$2,374	\$792,885,843	99.97
986	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$2,350	\$792,888,193	99.97
987	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$2,300	\$792,890,493	99.97
988	Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$2,233	\$792,892,726	99.97
989	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$2,227	\$792,894,953	99.97
990	Rocksnail, plicate (<i>Leptoxis plicata</i>)	E	\$2,200	\$792,897,153	99.97
990	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$2,200	\$792,899,353	99.97
992	Silene perlmanii (=Sci name)	E	\$2,137	\$792,901,490	99.97
993	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$2,100	\$792,903,590	99.97
993	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	\$2,100	\$792,905,690	99.97
993	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$2,100	\$792,907,790	99.97
993	Primrose, Maguire (<i>Primula maguirei</i>)	T	\$2,100	\$792,909,890	99.97
997	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$2,079	\$792,911,969	99.97
997	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$2,079	\$792,914,048	99.97

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
997	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$2,079	\$792,916,127	99.97
1000	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	\$2,070	\$792,918,197	99.97
1001	Delissea rhytidosperra (=Sci name)	E	\$2,061	\$792,920,258	99.97
1001	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$2,061	\$792,922,319	99.98
1003	Mallard, Mariana (<i>Anas oustaleti</i>)	E	\$2,001	\$792,924,320	99.98
1003	Broadbill, Guam (<i>Myiagra freycineti</i>)	E	\$2,001	\$792,926,321	99.98
1005	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$2,000	\$792,928,321	99.98
1005	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$2,000	\$792,930,321	99.98
1005	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$2,000	\$792,932,321	99.98
1005	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$2,000	\$792,934,321	99.98
1005	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$2,000	\$792,936,321	99.98
1005	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$2,000	\$792,938,321	99.98
1005	Cordia bellonis (=Sci name)	E	\$2,000	\$792,940,321	99.98
1005	Mitracarpus maxwelliae (=Sci name)	E	\$2,000	\$792,942,321	99.98
1005	Mitracarpus polycladus (=Sci name)	E	\$2,000	\$792,944,321	99.98
1014	Heau (<i>Exocarpos luteolus</i>)	E	\$1,924	\$792,946,245	99.98
1015	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$1,900	\$792,948,145	99.98
1015	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$1,900	\$792,950,045	99.98
1017	Ha'iwale (<i>Cyrtandra tintinnabula</i>)	E	\$1,857	\$792,951,902	99.98
1018	Phyllostegia warshaueri (=Sci name)	E	\$1,805	\$792,953,707	99.98
1019	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$1,751	\$792,955,458	99.98
1020	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$1,725	\$792,957,183	99.98
1021	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$1,700	\$792,958,883	99.98
1022	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$1,696	\$792,960,579	99.98
1023	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$1,600	\$792,962,179	99.98
1024	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$1,579	\$792,963,758	99.98
1025	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$1,532	\$792,965,290	99.98
1026	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$1,500	\$792,966,790	99.98
1026	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhappe</i>)	E	\$1,500	\$792,968,290	99.98
1026	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$1,500	\$792,969,790	99.98
1026	Lepanthes eltoroensis (=Sci name)	E	\$1,500	\$792,971,290	99.98
1026	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,500	\$792,972,790	99.98
1026	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$1,500	\$792,974,290	99.98
1026	Leptocereus grantianus (=Sci name)	E	\$1,500	\$792,975,790	99.98
1026	Vernonia proctorii (=Sci name)	E	\$1,500	\$792,977,290	99.98
1026	Elaphoglossum serpens (=Sci name)	E	\$1,500	\$792,978,790	99.98
1035	`Oha wai (<i>Clermontia peleana</i>)	E	\$1,471	\$792,980,261	99.98
1036	Nohoanu (<i>Geranium multiflorum</i>)	E	\$1,433	\$792,981,694	99.98
1037	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$1,380	\$792,983,074	99.98
1038	Koki'o, Cooke's (<i>Kokia cookei</i>)	E	\$1,341	\$792,984,415	99.98
1039	Platanthera holochila (=Sci name)	E	\$1,302	\$792,985,717	99.98
1040	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$1,300	\$792,987,017	99.98
1041	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$1,261	\$792,988,278	99.98
1041	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$1,261	\$792,989,539	99.98

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1041	Alsinidendron viscosum (=Sci name)	E	\$1,261	\$792,990,800	99.98
1041	Lo'ulu (Pritchardia viscosa)	E	\$1,261	\$792,992,061	99.98
1041	Schiedea kauaiensis (=Sci name)	E	\$1,261	\$792,993,322	99.98
1046	Buckwheat, lone (incl. Irish Hill) (Eriogonum apricum (incl. var. prostratum))	E	\$1,247	\$792,994,569	99.98
1047	`Akoko (Chamaesyce deppeana)	E	\$1,237	\$792,995,806	99.98
1047	Gouania meyenii (=Sci name)	E	\$1,237	\$792,997,043	99.98
1047	Ha'iwale (Cyrtandra crenata)	E	\$1,237	\$792,998,280	99.98
1050	Kuawawaenohu (Alsinidendron lychnoides)	E	\$1,236	\$792,999,516	99.98
1051	Kolea (Myrsine linearifolia)	T	\$1,233	\$793,000,749	99.98
1051	Schiedea membranacea (=Sci name)	E	\$1,233	\$793,001,982	99.99
1051	Chamaesyce halemanui (=Sci name)	E	\$1,233	\$793,003,215	99.99
1051	Na'ena'e (Dubautia latifolia)	E	\$1,233	\$793,004,448	99.99
1051	Koki'o ke'oke'o (Hibiscus waimeae ssp. hanneriae)	E	\$1,233	\$793,005,681	99.99
1051	Koki'o (Kokia kauaiensis)	E	\$1,233	\$793,006,914	99.99
1051	Nehe (Lipochaeta fauriei)	E	\$1,233	\$793,008,147	99.99
1051	Munroidendron racemosum (=Sci name)	E	\$1,233	\$793,009,380	99.99
1051	Kaulu (Pteralyxia kauaiensis)	E	\$1,233	\$793,010,613	99.99
1051	Remya kauaiensis (=Sci name)	E	\$1,233	\$793,011,846	99.99
1051	Iliau, dwarf (Wilkesia hobbii)	E	\$1,233	\$793,013,079	99.99
1051	Koki'o ke'oke'o (Hibiscus arnottianus ssp. immaculatus)	E	\$1,233	\$793,014,312	99.99
1051	Nehe (Lipochaeta micrantha)	E	\$1,233	\$793,015,545	99.99
1051	Nehe (Lipochaeta waimeaensis)	E	\$1,233	\$793,016,778	99.99
1051	Remya montgomeryi (=Sci name)	E	\$1,233	\$793,018,011	99.99
1066	Isopod, Socorro (Thermosphaeroma thermophilus)	E	\$1,200	\$793,019,211	99.99
1066	Ayenia, Texas (Ayenia limitaris)	E	\$1,200	\$793,020,411	99.99
1068	Checker-mallow, Kenwood Marsh (Sidalcea oregana ssp. valida)	E	\$1,183	\$793,021,594	99.99
1069	Milk-vetch, Mancos (Astragalus humillimus)	E	\$1,100	\$793,022,694	99.99
1070	Abutilon eremitopetalum (=Sci name)	E	\$1,041	\$793,023,735	99.99
1071	Silverside, Waccamaw (Menidia extensa)	T	\$1,036	\$793,024,771	99.99
1072	Gambusia, San Marcos (Gambusia georgei)	E	\$1,020	\$793,025,791	99.99
1073	Finch, Laysan (honeycreeper) (Telespyza cantans)	E	\$1,001	\$793,026,792	99.99
1073	Finch, Nihoa (honeycreeper) (Telespyza ultima)	E	\$1,001	\$793,027,793	99.99
1073	Millerbird, Nihoa (old world warbler) (Acrocephalus familiaris kingi)	E	\$1,001	\$793,028,794	99.99
1073	White-eye, bridled (Zosterops conspicillatus conspicillatus)	E	\$1,001	\$793,029,795	99.99
1077	Seal, Guadalupe fur (Arctocephalus townsendi)	T	\$1,000	\$793,030,795	99.99
1077	Anole, Culebra Island giant (Anolis roosevelti)	E	\$1,000	\$793,031,795	99.99
1077	Gecko, Monito (Sphaerodactylus micropithecus)	E	\$1,000	\$793,032,795	99.99
1077	Chub, Chihuahua (Gila nigrescens)	T	\$1,000	\$793,033,795	99.99
1077	Dudleya, Conejo (Dudleya abramsii ssp. parva)	T	\$1,000	\$793,034,795	99.99
1077	Dudleya, marcescent (Dudleya cymosa ssp. marcescens)	T	\$1,000	\$793,035,795	99.99
1077	Cory cactus, bunched (Coryphantha ramillosa)	T	\$1,000	\$793,036,795	99.99
1077	Cactus, Lee pincushion (Coryphantha sneedii var. leei)	T	\$1,000	\$793,037,795	99.99
1077	Palo de ramon (Banara vanderbiltii)	E	\$1,000	\$793,038,795	99.99
1077	Manaca, palma de (Calyptronoma rivalis)	T	\$1,000	\$793,039,795	99.99

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1077	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$1,000	\$793,040,795	99.99
1077	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$1,000	\$793,041,795	99.99
1077	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$1,000	\$793,042,795	99.99
1077	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$1,000	\$793,043,795	99.99
1077	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$793,044,795	99.99
1077	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$1,000	\$793,045,795	99.99
1077	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$1,000	\$793,046,795	99.99
1077	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$1,000	\$793,047,795	99.99
1077	<i>Myrcia paganii</i> (=Sci name)	E	\$1,000	\$793,048,795	99.99
1077	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	\$1,000	\$793,049,795	99.99
1077	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$1,000	\$793,050,795	99.99
1077	<i>Ilex sintenisii</i> (=Sci name)	E	\$1,000	\$793,051,795	99.99
1077	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	\$1,000	\$793,052,795	99.99
1077	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,000	\$793,053,795	99.99
1101	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goviana</i>)	T	\$997	\$793,054,792	99.99
1102	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$985	\$793,055,777	99.99
1103	Anunu (<i>Sicyos alba</i>)	E	\$971	\$793,056,748	99.99
1104	Ha'iwale (<i>Cyrtandra giffardii</i>)	E	\$935	\$793,057,683	99.99
1105	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$920	\$793,058,603	99.99
1106	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$880	\$793,059,483	99.99
1107	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$853	\$793,060,336	99.99
1108	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$800	\$793,061,136	99.99
1108	Snail, noonday (<i>Mesodon clarki</i> nantahala)	T	\$800	\$793,061,936	99.99
1108	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$800	\$793,062,736	99.99
1108	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$800	\$793,063,536	99.99
1112	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$796	\$793,064,332	99.99
1113	<i>Delissea undulata</i> (=Sci name)	E	\$792	\$793,065,124	99.99
1114	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$766	\$793,065,890	99.99
1115	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$741	\$793,066,631	99.99
1116	Snake, Atlantic salt marsh (<i>Nerodia clarkii</i> taeniata)	T	\$700	\$793,067,331	99.99
1116	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$700	\$793,068,031	99.99
1116	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$700	\$793,068,731	99.99
1119	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$686	\$793,069,417	99.99
1119	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$686	\$793,070,103	99.99
1121	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$667	\$793,070,770	99.99
1121	O'o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$667	\$793,071,437	99.99
1121	O'u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$667	\$793,072,104	99.99
1121	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$667	\$793,072,771	99.99
1121	Thrush, Molokai (<i>Myadestes lanaiensis</i> rutha)	E	\$667	\$793,073,438	99.99
1121	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$667	\$793,074,105	99.99
1127	Kamakahala (<i>Labordia triflora</i>)	E	\$641	\$793,074,746	99.99
1127	Alani (<i>Melicope mucronulata</i>)	E	\$641	\$793,075,387	99.99
1127	Lo'ulu (<i>Pritchardia munroi</i>)	E	\$641	\$793,076,028	99.99
1127	Remya, Maui (<i>Remya mauiensis</i>)	E	\$641	\$793,076,669	99.99

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1127	<i>Silene alexandri</i> (=Sci name)	E	\$641	\$793,077,310	99.99
1127	<i>Tetramolopium remyi</i> (=Sci name)	E	\$641	\$793,077,951	99.99
1127	Haha (<i>Cyanea lobata</i>)	E	\$641	\$793,078,592	99.99
1127	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$641	\$793,079,233	99.99
1127	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$641	\$793,079,874	99.99
1127	Haha (<i>Cyanea dunbarii</i>)	E	\$641	\$793,080,515	100
1127	Haha (<i>Cyanea procera</i>)	E	\$641	\$793,081,156	100
1127	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$641	\$793,081,797	100
1127	<i>Lysimachia maxima</i> (=Sci name)	E	\$641	\$793,082,438	100
1127	<i>Phyllostegia mannii</i> (=Sci name)	E	\$641	\$793,083,079	100
1127	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$641	\$793,083,720	100
1142	Alani (<i>Melicope saint-johnii</i>)	E	\$637	\$793,084,357	100
1142	<i>Trematolobelia singularis</i> (=Sci name)	E	\$637	\$793,084,994	100
1144	Liliwai (<i>Acaena exigua</i>)	E	\$633	\$793,085,627	100
1145	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$600	\$793,086,227	100
1145	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$600	\$793,086,827	100
1147	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$596	\$793,087,423	100
1147	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	\$596	\$793,088,019	100
1149	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$553	\$793,088,572	100
1150	Cahow (<i>Pterodroma cahow</i>)	E	\$500	\$793,089,072	100
1150	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$500	\$793,089,572	100
1150	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$500	\$793,090,072	100
1150	<i>Gesneria pauciflora</i> (=Sci name)	T	\$500	\$793,090,572	100
1150	<i>Aristida chaseae</i> (=Sci name)	E	\$500	\$793,091,072	100
1150	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$500	\$793,091,572	100
1150	<i>Cranichis ricartii</i> (=Sci name)	E	\$500	\$793,092,072	100
1150	<i>Eugenia woodburyana</i> (=Sci name)	E	\$500	\$793,092,572	100
1150	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$500	\$793,093,072	100
1150	<i>Adiantum vivesii</i> (=Sci name)	E	\$500	\$793,093,572	100
1150	<i>Polystichum calderonense</i> (=Sci name)	E	\$500	\$793,094,072	100
1150	<i>Tectaria estremerana</i> (=Sci name)	E	\$500	\$793,094,572	100
1150	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$500	\$793,095,072	100
1150	<i>Thelypteris verecunda</i> (=Sci name)	E	\$500	\$793,095,572	100
1150	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$500	\$793,096,072	100
1165	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$499	\$793,096,571	100
1165	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$499	\$793,097,070	100
1167	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$471	\$793,097,541	100
1168	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$468	\$793,098,009	100
1169	Awiwi (<i>Hedyotis cookiana</i>)	E	\$463	\$793,098,472	100
1170	Olulu (<i>Brighamia insignis</i>)	E	\$462	\$793,098,934	100
1171	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$435	\$793,099,369	100
1171	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$435	\$793,099,804	100
1171	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$435	\$793,100,239	100
1171	<i>Mariscus fauriei</i> (=Sci name)	E	\$435	\$793,100,674	100
1175	Amphipod, Peck's cave (<i>Stygobromus</i> (=Stygonectes) <i>pecki</i>)	E	\$320	\$793,100,994	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1176	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$300	\$793,101,294	100
1177	Lo'ulu (<i>Pritchardia remota</i>)	E	\$275	\$793,101,569	100
1177	Kamakahala (<i>Labordia lydgatei</i>)	E	\$275	\$793,101,844	100
1179	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$266	\$793,102,110	100
1179	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$266	\$793,102,376	100
1179	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$266	\$793,102,642	100
1179	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$266	\$793,102,908	100
1179	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$266	\$793,103,174	100
1179	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	\$266	\$793,103,440	100
1179	Bird's-beak, Pennell's (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>)	E	\$266	\$793,103,706	100
1179	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$266	\$793,103,972	100
1187	Oha (<i>Delissea rivularis</i>)	E	\$261	\$793,104,233	100
1187	Phyllostegia knudsenii (=Sci name)	E	\$261	\$793,104,494	100
1187	Hedyotis, Na Pali beach (<i>Hedyotis</i> st.-johnii)	E	\$261	\$793,104,755	100
1187	Alani (<i>Melicope haupeensis</i>)	E	\$261	\$793,105,016	100
1187	Alani (<i>Melicope quadrangularis</i>)	E	\$261	\$793,105,277	100
1187	Aiea (<i>Nothoestrum peltatum</i>)	E	\$261	\$793,105,538	100
1187	Nani wai'ale'ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$261	\$793,105,799	100
1187	Xylosma crenatum (=Sci name)	E	\$261	\$793,106,060	100
1187	Schiedea helleri (=Sci name)	E	\$261	\$793,106,321	100
1187	Haha (<i>Cyanea asarifolia</i>)	E	\$261	\$793,106,582	100
1187	Na'ena'e (<i>Dubautia pauciflora</i>)	E	\$261	\$793,106,843	100
1187	Phyllostegia waimeae (=Sci name)	E	\$261	\$793,107,104	100
1187	Phyllostegia wawrana (=Sci name)	E	\$261	\$793,107,365	100
1187	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$261	\$793,107,626	100
1187	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$261	\$793,107,887	100
1202	Amaranthus brownii (=Sci name)	E	\$241	\$793,108,128	100
1202	Gahnia lanaiensis (=Sci name)	E	\$241	\$793,108,369	100
1202	Pilo (<i>Hedyotis mannii</i>)	E	\$241	\$793,108,610	100
1202	Alani (<i>Melicope ballouii</i>)	E	\$241	\$793,108,851	100
1202	Viola lanaiensis (=Sci name)	E	\$241	\$793,109,092	100
1202	Lysimachia lydgatei (=Sci name)	E	\$241	\$793,109,333	100
1202	Stenogyne bifida (=Sci name)	E	\$241	\$793,109,574	100
1209	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$237	\$793,109,811	100
1209	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$237	\$793,110,048	100
1209	Lysimachia filifolia (=Sci name)	E	\$237	\$793,110,285	100
1209	Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$237	\$793,110,522	100
1213	Achyranthes mutica (=Sci name)	E	\$235	\$793,110,757	100
1214	Schiedea sarmentosa (=Sci name)	E	\$233	\$793,110,990	100
1214	Schiedea verticillata (=Sci name)	E	\$233	\$793,111,223	100
1214	Ko'oko'olau (<i>Bidens wiebkei</i>)	E	\$233	\$793,111,456	100
1214	Haha (<i>Cyanea mceldowneyi</i>)	E	\$233	\$793,111,689	100
1214	Gouania hillebrandii (=Sci name)	E	\$233	\$793,111,922	100
1214	Hesperomannia lydgatei (=Sci name)	E	\$233	\$793,112,155	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1214	Alani (<i>Melicope munroi</i>)	E	\$233	\$793,112,388	100
1214	Alani (<i>Melicope reflexa</i>)	E	\$233	\$793,112,621	100
1214	Neraudia sericea (=Sci name)	E	\$233	\$793,112,854	100
1214	Phyllostegia glabra var. lanaiensis (=Sci name)	E	\$233	\$793,113,087	100
1214	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$233	\$793,113,320	100
1214	Tetramolopium rockii (=Sci name)	T	\$233	\$793,113,553	100
1214	Viola helenae (=Sci name)	E	\$233	\$793,113,786	100
1214	Ha'iwaile (<i>Cyrtandra munroi</i>)	E	\$233	\$793,114,019	100
1214	Kamakahala (<i>Labordia tinifolia</i> var. lanaiensis)	E	\$233	\$793,114,252	100
1214	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$233	\$793,114,485	100
1214	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$233	\$793,114,718	100
1214	<i>Poa siphonoglossa</i> (=Sci name)	E	\$233	\$793,114,951	100
1214	Haha (<i>Cyanea macrostegia</i> ssp. gibsonii)	E	\$233	\$793,115,184	100
1214	Ma'oli'oli (<i>Schiedea apokremnos</i>)	E	\$233	\$793,115,417	100
1214	<i>Schiedea lydgatei</i> (=Sci name)	E	\$233	\$793,115,650	100
1214	<i>Schiedea spergulina</i> var. leiopoda (=Sci name)	E	\$233	\$793,115,883	100
1214	<i>Schiedea spergulina</i> var. spergulina (=Sci name)	T	\$233	\$793,116,116	100
1214	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$233	\$793,116,349	100
1214	Haha (<i>Cyanea mannii</i>)	E	\$233	\$793,116,582	100
1214	Haha (<i>Cyanea recta</i>)	T	\$233	\$793,116,815	100
1214	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$233	\$793,117,048	100
1214	Ha'iwaile (<i>Cyrtandra limahuliensis</i>)	T	\$233	\$793,117,281	100
1214	Na'ena'e (<i>Dubautia plantaginea</i> ssp. humilis)	E	\$233	\$793,117,514	100
1214	Lo'ulu (<i>Pritchardia napaliensis</i>)	E	\$233	\$793,117,747	100
1214	Haha (<i>Cyanea remyi</i>)	E	\$233	\$793,117,980	100
1245	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$200	\$793,118,180	100
1245	Blossom, turgid (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Epioblasma turgidula</i>)	E	\$200	\$793,118,380	100
1247	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$180	\$793,118,560	100
1248	<i>Diellia pallida</i> (=Sci name)	E	\$161	\$793,118,721	100
1249	<i>Diellia unisora</i> (=Sci name)	E	\$137	\$793,118,858	100
1250	Pamakani (<i>Tetramolopium capillare</i>)	E	\$133	\$793,118,991	100
1251	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$123	\$793,119,114	100
1252	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	\$113	\$793,119,227	100
1253	Blossom, tubercled (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Epioblasma torulosa torulosa</i>)	E	\$100	\$793,119,327	100
1253	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$100	\$793,119,427	100
1253	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$100	\$793,119,527	100
1253	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$100	\$793,119,627	100
1253	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. alabamensis)	T	\$100	\$793,119,727	100
1258	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$90	\$793,119,817	100
1258	Ceanothus, Vail Lake (<i>Ceanothus ophiocylus</i>)	T	\$90	\$793,119,907	100
1260	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	\$0	\$793,119,907	100
1260	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$0	\$793,119,907	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1260	Otter, southern sea south of Pt. Conception, CA (<i>Enhydra lutris nereis</i>)	EXPN	\$0	\$793,119,907	100
1260	Puma (=mountain lion) FL (Puma (=Felis) concolor (all subsp. except coryi))	SAT	\$0	\$793,119,907	100
1260	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$0	\$793,119,907	100
1260	Sea turtle, olive ridley Mexican nesting pop. (<i>Lepidochelys olivacea</i>)	E	\$0	\$793,119,907	100
1260	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$0	\$793,119,907	100
1260	Coqui, golden (<i>Eleutherodactylus jasperii</i>)	T	\$0	\$793,119,907	100
1260	Darter, Maryland (<i>Etheostoma sellare</i>)	E	\$0	\$793,119,907	100
1260	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$0	\$793,119,907	100
1260	Bean, Cumberland (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Villosa trabalis</i>)	EXPN	\$0	\$793,119,907	100
1260	Blossom, tubercled (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma torulosa torulosa</i>)	EXPN	\$0	\$793,119,907	100
1260	Blossom, turgid (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma turgidula</i>)	EXPN	\$0	\$793,119,907	100
1260	Blossom, yellow (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Epioblasma florentina florentina</i>)	E	\$0	\$793,119,907	100
1260	Blossom, yellow (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma florentina florentina</i>)	EXPN	\$0	\$793,119,907	100
1260	Catspaw (=purple cat's paw pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma obliquata obliquata</i>)	EXPN	\$0	\$793,119,907	100
1260	Monkeyface, Cumberland (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Quadrula intermedia</i>)	EXPN	\$0	\$793,119,907	100
1260	Pearlymussel, birdwing AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL (<i>Conradilla caelata</i>)	EXPN	\$0	\$793,119,907	100
1260	Pearlymussel, dromedary AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Dromus dromas</i>)	EXPN	\$0	\$793,119,907	100
1260	Pigtoe, shiny AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Fusconaia cor</i>)	EXPN	\$0	\$793,119,907	100
1260	Riversnail, Anthony's AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Athearnia anthonyi</i>)	EXPN	\$0	\$793,119,907	100
1260	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$0	\$793,119,907	100
1260	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingi</i>)	T	\$0	\$793,119,907	100
1260	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$0	\$793,119,907	100
1260	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$0	\$793,119,907	100
1260	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$0	\$793,119,907	100
1260	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$0	\$793,119,907	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1260	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$0	\$793,119,907	100
1260	Sedge, white (<i>Carex albida</i>)	E	\$0	\$793,119,907	100
1260	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$0	\$793,119,907	100
1260	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$0	\$793,119,907	100
1260	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$0	\$793,119,907	100
1260	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$0	\$793,119,907	100
1260	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$0	\$793,119,907	100
1260	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$0	\$793,119,907	100
1260	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$0	\$793,119,907	100
1260	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$0	\$793,119,907	100
1260	Monardella, willow (Monardella <i>linoides</i> ssp. <i>viminea</i>)	E	\$0	\$793,119,907	100
1260	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$0	\$793,119,907	100
1260	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$0	\$793,119,907	100
1260	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$0	\$793,119,907	100
1260	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$0	\$793,119,907	100
1260	Barberry, Truckee (<i>Berberis</i> (=Mahonia) <i>sonnei</i>)	E	\$0	\$793,119,907	100
1260	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$0	\$793,119,907	100
1260	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$0	\$793,119,907	100
1260	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$0	\$793,119,907	100
1260	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$0	\$793,119,907	100
1260	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$0	\$793,119,907	100
1260	Ceanothus, coyote (<i>Ceanothus ferrisiae</i>)	E	\$0	\$793,119,907	100
1260	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$0	\$793,119,907	100
1260	Thistle, fountain (<i>Cirsium fontinale</i> var. <i>fontinale</i>)	E	\$0	\$793,119,907	100
1260	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$0	\$793,119,907	100
1260	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$0	\$793,119,907	100
1260	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$0	\$793,119,907	100
1260	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$0	\$793,119,907	100
1260	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$0	\$793,119,907	100
1260	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$0	\$793,119,907	100
1260	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$0	\$793,119,907	100
1260	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$0	\$793,119,907	100
1260	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$0	\$793,119,907	100
1260	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$0	\$793,119,907	100
1260	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$0	\$793,119,907	100
1260	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$0	\$793,119,907	100
1260	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$0	\$793,119,907	100
1260	Thornmint, San Mateo (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>)	E	\$0	\$793,119,907	100
1260	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$0	\$793,119,907	100
1260	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$0	\$793,119,907	100
1260	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$0	\$793,119,907	100
1260	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$0	\$793,119,907	100

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total	Cumulative Percent
1260	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$0	\$793,119,907	100
1260	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$0	\$793,119,907	100
1260	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$0	\$793,119,907	100
1260	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$0	\$793,119,907	100
1260	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$0	\$793,119,907	100
1260	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$0	\$793,119,907	100
1260	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	\$0	\$793,119,907	100
1260	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$0	\$793,119,907	100
1260	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$0	\$793,119,907	100
1260	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$0	\$793,119,907	100
1260	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$0	\$793,119,907	100
1260	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	\$0	\$793,119,907	100