

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2005 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring/summer Snake R.	T	\$49,118,688	\$49,118,688
2	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) Snake R. Basin	T	\$45,658,509	\$94,777,197
3	Trout, bull (<i>Salvelinus confluentus</i>) U.S.A., conterminous, lower 48 states	T	\$39,582,947	\$134,360,144
4	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) middle Columbia R.	T	\$38,467,076	\$172,827,220
5	Tortoise, desert (<i>Gopherus agassizii</i>) U.S.A., except in Sonoran Desert	T	\$28,308,696	\$201,135,916
6	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) spring upper Columbia R.	E	\$28,156,428	\$229,292,344
7	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) fall Snake R.	T	\$27,820,672	\$257,113,016
8	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) upper Columbia R. Basin	E	\$26,365,601	\$283,478,617
9	Sea-lion, Steller (<i>Eumetopias jubatus</i>) western pop.	E	\$25,256,269	\$308,734,886
10	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) Puget Sound	T	\$24,074,199	\$332,809,085
11	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Snake River, ID stock wherever found.)	E	\$23,779,071	\$356,588,156
12	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	\$22,679,310	\$379,267,466
13	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) OR, CA pop.	T	\$19,826,160	\$399,093,626
14	Bat, Indiana (<i>Myotis sodalis</i>)	E	\$14,107,122	\$413,200,748
15	Eagle, bald (<i>Haliaeetus leucocephalus</i>) lower 48 States	T	\$13,462,328	\$426,663,076
16	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	\$12,980,500	\$439,643,576
17	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	\$12,816,768	\$452,460,344
18	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	\$12,729,391	\$465,189,735
19	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) lower Columbia R.	T	\$12,383,589	\$477,573,324
20	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) lower Columbia R.	T	\$11,994,981	\$489,568,305
21	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) upper Willamette R.	T	\$11,399,925	\$500,968,230
22	Sucker, razorback (<i>Xyrauchen texanus</i>) entire	E	\$11,141,136	\$512,109,366
23	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	\$10,303,489	\$522,412,855
24	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) Columbia R.	T	\$9,440,093	\$531,852,948
25	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	\$9,029,986	\$540,882,934
26	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) except Salt and Verde R. drainages, AZ	E	\$8,558,631	\$549,441,565
27	Chub, humpback (<i>Gila cypha</i>) entire	E	\$8,299,056	\$557,740,621
28	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	\$8,240,856	\$565,981,477
29	Sturgeon, white (<i>Acipenser transmontanus</i>) U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$8,199,335	\$574,180,812

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
30	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) upper Willamette R.	T	\$7,675,739	\$581,856,551
31	Sea-lion, Steller (<i>Eumetopias jubatus</i>) eastern pop.	T	\$7,523,959	\$589,380,510
32	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) winter Sacramento R.	E	\$7,416,770	\$596,797,280
33	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	\$7,027,328	\$603,824,608
34	Salmon, Atlantic (<i>Salmo salar</i>) Gulf of Maine Atlantic Salmon DPS	E	\$6,983,525	\$610,808,133
35	Plover, piping (<i>Charadrius melodus</i>) except Great Lakes watershed	T	\$6,934,242	\$617,742,375
36	Chub, bonytail (<i>Gila elegans</i>) entire	E	\$6,700,373	\$624,442,748
37	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA Central Valley spring-run	T	\$6,502,026	\$630,944,774
38	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) Lower Columbia River	T	\$6,140,859	\$637,085,633
39	Salmon, chum (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>) summer-run Hood Canal	T	\$5,703,678	\$642,789,311
40	Sea turtle, Kemp's ridley (<i>Lepidochelys kempi</i>)	E	\$5,681,466	\$648,470,777
41	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	\$5,228,001	\$653,698,778
42	Bear, grizzly (<i>Ursus arctos horribilis</i>) lower 48 States, except where listed as an experimental population or delisted	T	\$5,209,431	\$658,908,209
43	Tern, least (<i>Sterna antillarum</i>) interior pop.	E	\$5,109,228	\$664,017,437
44	Salmon, sockeye (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>) U.S.A. (Ozette Lake, WA)	T	\$4,781,253	\$668,798,690
45	Manatee, West Indian (<i>Trichechus manatus</i>)	E	\$4,554,216	\$673,352,906
46	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	\$4,526,062	\$677,878,968
47	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	\$4,524,062	\$682,403,030
48	Sea turtle, green (<i>Chelonia mydas</i>) except where endangered	T	\$4,084,377	\$686,487,407
49	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) Central Valley CA	T	\$4,072,887	\$690,560,294
50	Murrelet, marbled (<i>Brachyramphus marmoratus</i>) CA, OR, WA	T	\$3,978,791	\$694,539,085
51	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) central CA coast	T	\$3,879,329	\$698,418,414
52	Plover, western snowy (<i>Charadrius alexandrinus nivosus</i>) Pacific coastal pop.	T	\$3,846,578	\$702,264,992
53	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	\$3,794,164	\$706,059,156
54	Salmon, coho (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>) central CA coast	E	\$3,776,998	\$709,836,154
55	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	\$3,709,696	\$713,545,850
56	Steelhead (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>) northern CA	T	\$3,673,265	\$717,219,115
57	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	\$3,635,870	\$720,854,985
58	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	\$3,396,111	\$724,251,096
59	Salmon, chinook (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>) CA coastal	T	\$3,353,831	\$727,604,927

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
60	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) southern CA coast	E	\$3,018,952	\$730,623,879
61	Steelhead (<i>Oncorhynchus</i> (=Salmo) mykiss) south central CA coast	T	\$2,959,191	\$733,583,070
62	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	\$2,947,422	\$736,530,492
63	Wolf, gray (<i>Canis lupus</i>) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$2,812,230	\$739,342,722
64	Lynx, Canada (<i>Lynx canadensis</i>) lower 48 States DPS	T	\$2,796,021	\$742,138,743
65	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	\$2,663,475	\$744,802,218
66	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	\$2,643,306	\$747,445,524
67	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus</i> (=microscaphus))	E	\$2,562,389	\$750,007,913
68	Sea turtle, olive ridley (<i>Lepidochelys olivacea</i>) except where endangered	T	\$2,530,684	\$752,538,597
69	Whale, sperm (<i>Physeter catodon</i> (=macrocephalus))	E	\$2,477,873	\$755,016,470
70	Ferret, black-footed (<i>Mustela nigripes</i>) U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$2,453,189	\$757,469,659
71	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	\$2,266,054	\$759,735,713
72	Frog, California red-legged (<i>Rana aurora draytonii</i>) subspecies range clarified	T	\$2,166,402	\$761,902,115
73	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	\$2,154,192	\$764,056,307
74	Tortoise, gopher (<i>Gopherus polyphemus</i>) W of of Mobile/Tombigbee Rs.	T	\$2,132,100	\$766,188,407
75	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	\$2,090,755	\$768,279,162
76	Tern, California least (<i>Sterna antillarum browni</i>)	E	\$2,073,287	\$770,352,449
77	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	\$2,027,240	\$772,379,689
78	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	\$1,967,977	\$774,347,666
79	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	\$1,965,541	\$776,313,207
80	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	\$1,871,100	\$778,184,307
81	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	\$1,827,685	\$780,011,992
82	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	\$1,808,208	\$781,820,200
83	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	\$1,805,648	\$783,625,848
84	Wolf, gray (<i>Canis lupus</i>) WY, ID, MT	EXPN	\$1,793,530	\$785,419,378
85	Bat, Mariana fruit (=Mariana flying fox) (<i>Pteropus mariannus mariannus</i>) entire	T	\$1,729,744	\$787,149,122
86	Gnatcatcher, coastal California (<i>Polioptila californica californica</i>)	T	\$1,695,047	\$788,844,169
87	Pondberry (<i>Lindera melissifolia</i>)	E	\$1,650,948	\$790,495,117
88	Crane, whooping (<i>Grus americana</i>) except where EXPN	E	\$1,597,485	\$792,092,602
89	Bat, gray (<i>Myotis grisescens</i>)	E	\$1,519,867	\$793,612,469
90	Snake, giant garter (<i>Thamnophis gigas</i>)	T	\$1,489,791	\$795,102,260
91	Wolf, gray (<i>Canis lupus</i>) Mexican gray wolf, EXPN population	EXPN	\$1,474,311	\$796,576,571
92	Sea turtle, green (<i>Chelonia mydas</i>) FL, Mexico nesting pops.	E	\$1,453,161	\$798,029,732

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
93	Ferret, black-footed (<i>Mustela nigripes</i>) entire population, except where EXPN	E	\$1,420,798	\$799,450,530
94	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	\$1,419,031	\$800,869,561
95	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	\$1,396,860	\$802,266,421
96	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	\$1,369,356	\$803,635,777
97	Panther, Florida (<i>Puma</i> (=Felis) <i>concolor coryi</i>)	E	\$1,360,106	\$804,995,883
98	Whale, bowhead (<i>Balaena mysticetus</i>)	E	\$1,356,735	\$806,352,618
99	Eider, Steller's (<i>Polysticta stelleri</i>) AK breeding pop.	T	\$1,313,740	\$807,666,358
100	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	\$1,210,139	\$808,876,497
101	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	\$1,198,460	\$810,074,957
102	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	\$1,167,314	\$811,242,271
103	Eider, spectacled (<i>Somateria fischeri</i>)	T	\$1,160,732	\$812,403,003
104	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	\$1,136,215	\$813,539,218
105	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	\$1,099,976	\$814,639,194
106	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	\$1,089,300	\$815,728,494
107	Stork, wood (<i>Mycteria americana</i>) AL, FL, GA, SC	E	\$1,049,170	\$816,777,664
108	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	\$1,018,552	\$817,796,216
109	Albatross, short-tailed (<i>Phoebastria</i> (=Diomedea) <i>albatrus</i>)	E	\$1,007,205	\$818,803,421
110	Cui-ui (<i>Chasmistes cujus</i>)	E	\$987,964	\$819,791,385
111	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	\$980,750	\$820,772,135
112	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	\$972,690	\$821,744,825
113	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) northern	T	\$950,661	\$822,695,486
114	Tortoise, desert (<i>Gopherus agassizii</i>) outside/taken from Sonoran Desert	SAT	\$931,469	\$823,626,955
115	Frog, Mississippi gopher (<i>Rana capito sevosa</i>) Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$918,600	\$824,545,555
116	Otter, southern sea (<i>Enhydra lutris nereis</i>) except where EXPN	T	\$914,225	\$825,459,780
117	Rabbit, pygmy (<i>Brachylagus idahoensis</i>) Columbia Basin DPS	E	\$897,716	\$826,357,496
118	Trout, Apache (<i>Oncorhynchus apache</i>)	T	\$871,000	\$827,228,496
119	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (Central CA DPS)	T	\$863,570	\$828,092,066
120	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	\$857,487	\$828,949,553
121	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	\$817,170	\$829,766,723
122	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	\$804,799	\$830,571,522
123	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>) Colorado	T	\$786,511	\$831,358,033
124	Otter, Northern Sea (<i>Enhydra lutris kenyoni</i>) southwest Alaska DPS	T	\$783,711	\$832,141,744
125	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	\$736,981	\$832,878,725
126	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. only	E	\$732,989	\$833,611,714
127	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	\$732,449	\$834,344,163

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
128	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	\$730,864	\$835,075,027
129	Trout, Gila (<i>Oncorhynchus gilae</i>)	E	\$697,675	\$835,772,702
130	Wild-rice, Texas (<i>Zizania texana</i>)	E	\$674,346	\$836,447,048
131	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	\$671,750	\$837,118,798
132	Trout, greenback cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	\$668,959	\$837,787,757
133	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	\$660,000	\$838,447,757
134	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	\$642,320	\$839,090,077
135	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	\$631,969	\$839,722,046
136	Sheep, bighorn (<i>Ovis canadensis</i>) Peninsular CA pop.	E	\$629,194	\$840,351,240
137	Frog, mountain yellow-legged (<i>Rana muscosa</i>) southern California DPS	E	\$619,844	\$840,971,084
138	Goby, tidewater (<i>Eucyclogobius newberryi</i>) Entire	E	\$607,256	\$841,578,340
139	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	\$606,715	\$842,185,055
140	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	\$602,773	\$842,787,828
141	Wolf, red (<i>Canis rufus</i>) U.S.A. (portions of NC and TN)	EXPN	\$594,100	\$843,381,928
142	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	\$575,805	\$843,957,733
143	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	\$571,580	\$844,529,313
144	Pelican, brown (<i>Pelecanus occidentalis</i>) except U.S. Atlantic coast, FL, AL	E	\$562,990	\$845,092,303
145	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	\$562,623	\$845,654,926
146	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	\$558,097	\$846,213,023
147	Rail, Guam (<i>Rallus owstoni</i>) except Rota	E	\$544,926	\$846,757,949
148	Deer, Columbian white-tailed (<i>Odocoileus virginianus leucurus</i>) Columbia River DPS	E	\$540,369	\$847,298,318
149	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. <i>wrightii</i>))	E	\$538,160	\$847,836,478
150	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	\$536,962	\$848,373,440
151	Chaffseed, American (<i>Schwalbea americana</i>)	E	\$536,363	\$848,909,803
152	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	\$532,735	\$849,442,538
153	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>)	E	\$530,724	\$849,973,262
154	Woundfin (<i>Plagopterus argentissimus</i>) except Gila R. drainage, AZ, NM	E	\$525,901	\$850,499,163
155	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	\$523,762	\$851,022,925
156	Kite, Everglade snail (<i>Rostrhamus sociabilis plumbeus</i>) FL pop.	E	\$521,909	\$851,544,834
157	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	\$516,763	\$852,061,597
158	Snails, Oahu tree (<i>Achatinella</i> spp.)	E	\$503,950	\$852,565,547
159	Spikedace (<i>Meda fulgida</i>)	T	\$498,500	\$853,064,047
160	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	\$497,100	\$853,561,147
161	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	\$495,328	\$854,056,475
162	Topminnow, Gila (incl. Yaqui) (<i>Poeciliopsis occidentalis</i>) U.S.A. only	E	\$490,972	\$854,547,447
163	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuenae</i>)	E	\$475,700	\$855,023,147

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
164	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	\$474,753	\$855,497,900
165	Wolf, red (<i>Canis rufus</i>) except where EXPN	E	\$461,845	\$855,959,745
166	Shiner, Topeka (<i>Notropis topeka</i> (=tristis))	E	\$454,183	\$856,413,928
167	Sheep, Sierra Nevada bighorn (<i>Ovis canadensis sierrae</i>) Sierra Nevada	E	\$451,756	\$856,865,684
168	Plover, piping (<i>Charadrius melodus</i>) Great Lakes watershed	E	\$444,136	\$857,309,820
169	Crane, whooping (<i>Grus americana</i>) U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$438,645	\$857,748,465
170	Fox, San Miguel Island (<i>Urocyon littoralis littoralis</i>)	E	\$436,413	\$858,184,878
171	Fox, Santa Rosa Island (<i>Urocyon littoralis santarosae</i>)	E	\$434,313	\$858,619,191
172	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	\$431,403	\$859,050,594
173	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	\$430,017	\$859,480,611
174	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>)	E	\$425,138	\$859,905,749
175	Logperch, Roanoke (<i>Percina rex</i>)	E	\$417,483	\$860,323,232
176	Crocodile, American (<i>Crocodylus acutus</i>) FL pop.	E	\$415,909	\$860,739,141
177	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	\$413,694	\$861,152,835
178	Pygmy-owl, cactus ferruginous (<i>Glaucidium brasilianum cactorum</i>) AZ pop.	E	\$406,070	\$861,558,905
179	Pocketbook, fat (<i>Potamilus capax</i>)	E	\$404,343	\$861,963,248
180	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	\$398,669	\$862,361,917
181	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	\$396,106	\$862,758,023
182	Snail, Snake River physa (<i>Physa natricina</i>)	E	\$390,137	\$863,148,160
183	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	\$380,000	\$863,528,160
184	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	\$376,079	\$863,904,239
185	Minnow, loach (<i>Tiaroga cobitis</i>)	T	\$374,000	\$864,278,239
186	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) Entire, except Sussex Co., DE	E	\$372,821	\$864,651,060
187	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	\$367,026	\$865,018,086
188	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	\$366,600	\$865,384,686
189	Akiapola'au (honeycreeper) (<i>Hemignathus munroi</i>)	E	\$365,950	\$865,750,636
190	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	\$364,800	\$866,115,436
191	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	\$359,762	\$866,475,198
192	Shiner, blue (<i>Cyprinella caerulea</i>)	T	\$355,376	\$866,830,574
193	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	\$353,383	\$867,183,957
194	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	\$348,659	\$867,532,616
195	Elktoe, Appalachian (<i>Alasmodonta raveneliana</i>)	E	\$346,979	\$867,879,595
196	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	\$343,275	\$868,222,870
197	Clubshell (<i>Pleurobema clava</i>) Entire Range; Except where listed as Experimental Populations	E	\$337,298	\$868,560,168
198	Sucker, June (<i>Chasmistes liorus</i>)	E	\$329,694	\$868,889,862
199	Salamander, flatwoods (<i>Ambystoma cingulatum</i>)	T	\$323,605	\$869,213,467
200	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	\$322,100	\$869,535,567
201	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	\$321,721	\$869,857,288

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
202	Abalone, White (<i>Haliotis sorenseni</i>) North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$321,500	\$870,178,788
203	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa ssp. ovatifolia</i>)	T	\$319,075	\$870,497,863
204	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	\$314,000	\$870,811,863
205	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	\$313,868	\$871,125,731
206	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	\$313,000	\$871,438,731
207	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii))	T	\$312,245	\$871,750,976
208	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	\$309,415	\$872,060,391
209	Mapleleaf, winged (<i>Quadrula fragosa</i>) Entire; except where listed as experimental populations	E	\$305,700	\$872,366,091
210	Fanshell (<i>Cyprogenia stegaria</i>)	E	\$302,462	\$872,668,553
211	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	\$302,277	\$872,970,830
212	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	\$298,257	\$873,269,087
213	Wolf, gray (<i>Canis lupus</i>) MN	T	\$296,248	\$873,565,335
214	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	\$293,052	\$873,858,387
215	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	\$291,146	\$874,149,533
216	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	\$285,000	\$874,434,533
217	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	\$282,500	\$874,717,033
218	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	\$282,058	\$874,999,091
219	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	\$280,449	\$875,279,540
220	Bat, Virginia big-eared (<i>Corynorhinus</i> (=Plecotus) townsendii virginianus)	E	\$277,341	\$875,556,881
221	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	\$273,854	\$875,830,735
222	Darter, fountain (<i>Etheostoma fonticola</i>)	E	\$260,503	\$876,091,238
223	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	\$259,283	\$876,350,521
224	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Santa Barbara County)	E	\$258,806	\$876,609,327
225	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	\$253,154	\$876,862,481
226	Tern, roseate (<i>Sterna dougallii dougallii</i>) northeast U.S. nesting pop.	E	\$248,413	\$877,110,894
227	Shiner, Arkansas River (<i>Notropis girardi</i>) Arkansas R. Basin	T	\$244,822	\$877,355,716
228	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	\$239,600	\$877,595,316
229	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	\$236,400	\$877,831,716
230	Rail, light-footed clapper (<i>Rallus longirostris levipes</i>) U.S.A. only	E	\$234,649	\$878,066,365
231	Caracara, Audubon's crested (<i>Polyborus plancus audubonii</i>) FL pop.	T	\$233,300	\$878,299,665
232	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	\$231,880	\$878,531,545
233	Crane, whooping (<i>Grus americana</i>) U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$231,055	\$878,762,600
234	Salamander, California tiger (<i>Ambystoma californiense</i>) U.S.A. (CA - Sonoma County)	E	\$222,931	\$878,985,531
235	Kangaroo rat, Tipton (<i>Dipodomys nitratoideus nitratoideus</i>)	E	\$219,622	\$879,205,153
236	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	\$219,226	\$879,424,379

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
237	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	\$218,577	\$879,642,956
238	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	\$217,800	\$879,860,756
239	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	\$216,000	\$880,076,756
240	Madtom, Neosho (<i>Noturus placidus</i>)	T	\$215,293	\$880,292,049
241	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	\$215,283	\$880,507,332
242	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	\$212,494	\$880,719,826
243	Rail, Yuma clapper (<i>Rallus longirostris yumanensis</i>) U.S.A. only	E	\$211,910	\$880,931,736
244	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	\$206,667	\$881,138,403
245	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	\$205,035	\$881,343,438
246	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	\$204,907	\$881,548,345
247	Tern, roseate (<i>Sterna dougallii dougallii</i>) Western Hemisphere except NE U.S.	T	\$203,965	\$881,752,310
248	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	\$203,784	\$881,956,094
249	White-eye, Rota bridled (<i>Zosterops rotensis</i>)	E	\$201,395	\$882,157,489
250	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	\$199,728	\$882,357,217
251	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	\$197,328	\$882,554,545
252	Springsnail, Idaho (<i>Pyrgulopsis idahoensis</i>)	E	\$192,776	\$882,747,321
253	Howellia, water (<i>Howellia aquatilis</i>)	T	\$187,233	\$882,934,554
254	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	\$185,237	\$883,119,791
255	Duck, Laysan (<i>Anas laysanensis</i>)	E	\$184,920	\$883,304,711
256	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	\$180,904	\$883,485,615
257	Dace, Moapa (<i>Moapa coriacea</i>)	E	\$180,780	\$883,666,395
258	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	\$177,405	\$883,843,800
259	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	\$174,679	\$884,018,479
260	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	\$173,879	\$884,192,358
261	Toad, Houston (<i>Bufo houstonensis</i>)	E	\$173,480	\$884,365,838
262	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	\$171,062	\$884,536,900
263	Kangaroo rat, Fresno (<i>Dipodomys nitratoides exilis</i>)	E	\$170,020	\$884,706,920
264	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	\$169,500	\$884,876,420
265	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	\$169,197	\$885,045,617
266	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	\$165,886	\$885,211,503
267	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) Entire Range; Except where listed as Experimental Populations	E	\$165,695	\$885,377,198
268	Fox, Santa Cruz Island (<i>Urocyon littoralis santacruzae</i>)	E	\$165,413	\$885,542,611
269	Rock-cress, McDonald's (<i>Arabis mcdonaldiana</i>)	E	\$165,031	\$885,707,642
270	Cactus, Pima pineapple (<i>Coryphantha scheeri</i> var. <i>robustispina</i>)	E	\$162,000	\$885,869,642
271	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	\$161,474	\$886,031,116
272	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	\$159,546	\$886,190,662
273	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	\$159,239	\$886,349,901
274	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	\$156,888	\$886,506,789
275	Haha (<i>Cyanea koolauensis</i>)	E	\$155,947	\$886,662,736
276	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	\$155,487	\$886,818,223
277	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	\$152,530	\$886,970,753

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
278	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	\$152,035	\$887,122,788
279	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	\$150,790	\$887,273,578
280	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	\$147,800	\$887,421,378
281	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	\$147,456	\$887,568,834
282	Riffleshell, tan (<i>Epioblasma florentina walkeri</i> (=E. walkeri))	E	\$146,599	\$887,715,433
283	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	\$145,985	\$887,861,418
284	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	\$145,533	\$888,006,951
285	Haha (<i>Cyanea acuminata</i>)	E	\$145,280	\$888,152,231
286	Viola oahuensis (=Sci name)	E	\$144,811	\$888,297,042
287	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	\$144,737	\$888,441,779
288	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	\$144,622	\$888,586,401
289	Ocelot (<i>Leopardus</i> (=Felis) <i>pardalis</i>)	E	\$143,535	\$888,729,936
290	`Akoko (<i>Chamaesyce rockii</i>)	E	\$143,411	\$888,873,347
291	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	\$142,595	\$889,015,942
292	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	\$142,489	\$889,158,431
293	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	\$141,978	\$889,300,409
294	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	\$141,600	\$889,442,009
295	Neraudia ovata (=Sci name)	E	\$141,529	\$889,583,538
296	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	\$140,936	\$889,724,474
297	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	\$140,709	\$889,865,183
298	Bear, grizzly (<i>Ursus arctos horribilis</i>) experimental, non-essential, portions of ID and MT	EXPN	\$140,413	\$890,005,596
299	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	\$139,367	\$890,144,963
300	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	\$139,350	\$890,284,313
301	Cyanea (=Rollandia) <i>crispa</i> (=Sci name)	E	\$139,313	\$890,423,626
302	Lobelia oahuensis (=Sci name)	E	\$138,903	\$890,562,529
303	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	\$138,846	\$890,701,375
304	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	\$138,405	\$890,839,780
305	Nanu (<i>Gardenia mannii</i>)	E	\$138,081	\$890,977,861
306	Amole, purple (<i>Chlorogalum purpureum</i>)	T	\$136,707	\$891,114,568
307	Haha (<i>Cyanea humboldtiana</i>)	E	\$136,369	\$891,250,937
308	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>)	E	\$135,655	\$891,386,592
309	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	\$135,155	\$891,521,747
310	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	\$135,081	\$891,656,828
311	Darter, amber (<i>Percina antesella</i>)	E	\$133,500	\$891,790,328
312	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	\$132,396	\$891,922,724
313	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	\$131,450	\$892,054,174
314	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	\$126,309	\$892,180,483
315	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>)	E	\$125,200	\$892,305,683
316	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiphrys))	E	\$124,931	\$892,430,614
317	Ko'oloa'ula (<i>Abutilon menziesii</i>)	E	\$124,294	\$892,554,908
318	Trematolobelia singularis (=Sci name)	E	\$123,080	\$892,677,988
319	Silene hawaiiensis (=Sci name)	T	\$121,716	\$892,799,704
320	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	\$121,404	\$892,921,108

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
321	Sanicula mariversa (=Sci name)	E	\$121,145	\$893,042,253
322	Lily, Western (<i>Lilium occidentale</i>)	E	\$121,014	\$893,163,267
323	Caribou, woodland (<i>Rangifer tarandus caribou</i>) Selkirk Mountain population	E	\$120,618	\$893,283,885
324	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	\$119,793	\$893,403,678
325	Mussel, oyster (<i>Epioblasma capsaeformis</i>) Entire Range; Except where listed as Experimental Populations	E	\$119,567	\$893,523,245
326	Layia, beach (<i>Layia carnosa</i>)	E	\$118,935	\$893,642,180
327	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	\$118,372	\$893,760,552
328	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	\$118,140	\$893,878,692
329	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	\$114,137	\$893,992,829
330	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishi</i>)	E	\$112,412	\$894,105,241
331	Condor, California (<i>Gymnogyps californianus</i>) U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$112,410	\$894,217,651
332	Clubshell, southern (<i>Pleurobema decisum</i>)	E	\$111,823	\$894,329,474
333	Po'e (<i>Portulaca sclerocarpa</i>)	E	\$111,027	\$894,440,501
334	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	\$109,720	\$894,550,221
335	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	\$109,710	\$894,659,931
336	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	\$109,412	\$894,769,343
337	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	\$109,252	\$894,878,595
338	Popolo ku mai (<i>Solanum incompletum</i>)	E	\$108,568	\$894,987,163
339	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	\$108,406	\$895,095,569
340	Sunflower, Eggert's (<i>Helianthus eggertii</i>)	T	\$107,847	\$895,203,416
341	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	\$106,916	\$895,310,332
342	Turtle, bog (=Muhlenberg) (<i>Clemmys muhlenbergii</i>) southern	SAT	\$106,344	\$895,416,676
343	Awiwi (<i>Centaurium sebaeoides</i>)	E	\$104,633	\$895,521,309
344	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	\$104,500	\$895,625,809
345	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	\$103,355	\$895,729,164
346	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	\$102,042	\$895,831,206
347	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	\$100,655	\$895,931,861
348	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum</i> <i>croceum</i>)	E	\$99,722	\$896,031,583
349	Spinymussel, James (<i>Pleurobema collina</i>)	E	\$99,227	\$896,130,810
350	Pentachaeta, Lyon's (<i>Pentachaeta lyoni</i>)	E	\$99,163	\$896,229,973
351	Monardella, willowy (<i>Monardella linoides</i> ssp. <i>viminea</i>)	E	\$98,561	\$896,328,534
352	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	\$98,480	\$896,427,014
353	Spermolepis hawaiiensis (=Sci name)	E	\$98,466	\$896,525,480
354	A'e (<i>Zanthoxylum hawaiiense</i>)	E	\$97,701	\$896,623,181
355	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	\$97,495	\$896,720,676
356	Phlox, Texas trailing (<i>Phlox nivalis</i> ssp. <i>texensis</i>)	E	\$95,892	\$896,816,568
357	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	\$95,200	\$896,911,768
358	Spineflower, Monterey (<i>Chorizanthe pungens</i> var. <i>pungens</i>)	T	\$94,945	\$897,006,713
359	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	\$94,825	\$897,101,538
360	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	\$94,554	\$897,196,092
361	Snake, copperbelly water (<i>Nerodia erythrogaster neglecta</i>)	T	\$94,288	\$897,290,380

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	MI, OH, IN N of 400 N. Lat.			
362	Honohono (<i>Haplostachys haplostachya</i>)	E	\$93,460	\$897,383,840
363	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	\$93,304	\$897,477,144
364	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	\$93,298	\$897,570,442
365	Pink, swamp (<i>Helonias bullata</i>)	T	\$91,582	\$897,662,024
366	Silene lanceolata (=Sci name)	E	\$91,171	\$897,753,195
367	Kangaroo rat, Stephens' (<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>))	E	\$91,057	\$897,844,252
368	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	\$90,990	\$897,935,242
369	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	\$90,940	\$898,026,182
370	Whale, finback (<i>Balaenoptera physalus</i>)	E	\$90,315	\$898,116,497
371	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	\$89,157	\$898,205,654
372	Otter, southern sea (<i>Enhydra lutris nereis</i>) south of Pt. Conception, CA	EXPN	\$88,999	\$898,294,653
373	Potato-bean, Price's (<i>Apios priceana</i>)	T	\$88,373	\$898,383,026
374	Chub, spotfin (<i>Erimonax monachus</i>) Entire	T	\$87,899	\$898,470,925
375	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	\$87,859	\$898,558,784
376	Jaguarundi, Gulf Coast (<i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i>)	E	\$86,840	\$898,645,624
377	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	\$86,713	\$898,732,337
378	Whale, Sei (<i>Balaenoptera borealis</i>)	E	\$85,873	\$898,818,210
379	Whale, blue (<i>Balaenoptera musculus</i>)	E	\$85,273	\$898,903,483
380	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	\$85,045	\$898,988,528
381	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	\$85,000	\$899,073,528
382	Po'ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	\$84,871	\$899,158,399
383	Bonamia menziesii (=Sci name)	E	\$84,828	\$899,243,227
384	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i>)	E	\$84,700	\$899,327,927
385	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	\$82,489	\$899,410,416
386	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	\$82,486	\$899,492,902
387	Asplenium fragile var. insulare (=Sci name)	E	\$81,949	\$899,574,851
388	Bean, purple (<i>Villosa perpurpurea</i>)	E	\$81,932	\$899,656,783
389	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	\$81,784	\$899,738,567
390	Cactus, star (<i>Astrophytum asterias</i>)	E	\$81,350	\$899,819,917
391	Kauila (<i>Colubrina oppositifolia</i>)	E	\$81,300	\$899,901,217
392	Tarplant, Gaviota (<i>Deinandra increscens</i> ssp. <i>villosa</i>)	E	\$80,665	\$899,981,882
393	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	\$80,598	\$900,062,480
394	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. <i>coachellae</i>)	E	\$80,000	\$900,142,480
395	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	\$79,389	\$900,221,869
396	Wireweed (<i>Polygonella basiramia</i>)	E	\$79,350	\$900,301,219
397	Bear, American black (<i>Ursus americanus</i>) County range of LA b.bear	SAT	\$79,155	\$900,380,374
398	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	\$77,923	\$900,458,297
399	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	\$77,627	\$900,535,924
400	Grass, Colusa (<i>Neostapfia colusana</i>)	T	\$77,545	\$900,613,469
401	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	\$77,312	\$900,690,781

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
402	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	\$77,207	\$900,767,988
403	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	\$76,995	\$900,844,983
404	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	\$76,800	\$900,921,783
405	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	\$75,772	\$900,997,555
406	Mehamehame (<i>Flueggea neowawraea</i>)	E	\$74,984	\$901,072,539
407	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	\$74,333	\$901,146,872
408	Kio`ele (<i>Hedyotis coriacea</i>)	E	\$74,326	\$901,221,198
409	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	\$74,046	\$901,295,244
410	Stenogyne angustifolia var. angustifolia (=Sci name)	E	\$73,960	\$901,369,204
411	Abutilon sandwicense (=Sci name)	E	\$73,580	\$901,442,784
412	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	\$72,892	\$901,515,676
413	Iguana, Mona ground (<i>Cyclura cornuta stejnegeri</i>)	T	\$72,700	\$901,588,376
414	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	\$72,565	\$901,660,941
415	Grass, Solano (<i>Tuctoria mucronata</i>)	E	\$72,092	\$901,733,033
416	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	\$71,798	\$901,804,831
417	Skink, sand (<i>Neoseps reynoldsi</i>)	T	\$71,700	\$901,876,531
418	Tetramolopium arenarium (=Sci name)	E	\$71,612	\$901,948,143
419	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	\$71,500	\$902,019,643
420	Jaguar (<i>Panthera onca</i>)	E	\$71,394	\$902,091,037
421	Elktoe, Cumberland (<i>Alasmidonta atropurpurea</i>)	E	\$70,910	\$902,161,947
422	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	\$70,575	\$902,232,522
423	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	\$69,655	\$902,302,177
424	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. <i>sneedii</i>)	E	\$69,198	\$902,371,375
425	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) Entire Range; Except where listed as Experimental Populations	E	\$69,165	\$902,440,540
426	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	\$69,024	\$902,509,564
427	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	\$68,863	\$902,578,427
428	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	\$68,836	\$902,647,263
428	Nukupū (honeycreeper) (<i>Hemignathus lucidus</i>)	E	\$68,836	\$902,716,099
429	Orcutt grass, California (<i>Orcuttia californica</i>)	E	\$68,051	\$902,784,150
430	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	\$68,025	\$902,852,175
431	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	\$67,850	\$902,920,025
432	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	\$67,455	\$902,987,480
433	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	\$66,583	\$903,054,063
434	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	\$66,340	\$903,120,403
435	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	\$66,000	\$903,186,403
436	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	\$65,999	\$903,252,402
437	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	\$65,772	\$903,318,174
438	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	\$65,566	\$903,383,740
439	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	\$65,548	\$903,449,288
440	Sandalwood, Lanai (=`iliah) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	\$64,545	\$903,513,833
441	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	\$64,000	\$903,577,833
442	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	\$63,769	\$903,641,602
443	Pigeon wings (<i>Clitoria fragrans</i>)	T	\$63,150	\$903,704,752

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
444	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	\$62,796	\$903,767,548
445	Amphipod, Noel's (<i>Gammarus desperatus</i>)	E	\$62,688	\$903,830,236
446	Daisy, Parish's (<i>Erigeron parishii</i>)	T	\$62,290	\$903,892,526
447	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	\$62,136	\$903,954,662
448	Milk-vetch, Shivwits (<i>Astragalus ampullarioides</i>)	E	\$62,030	\$904,016,692
449	Kulu'i (<i>Nototrichium humile</i>)	E	\$61,944	\$904,078,636
450	Fox, Santa Catalina Island (<i>Urocyon littoralis catalinae</i>)	E	\$61,413	\$904,140,049
451	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	T	\$61,350	\$904,201,399
452	Jewelflower, California (<i>Caulanthus californicus</i>)	E	\$61,065	\$904,262,464
453	Dace, desert (<i>Eremichthys acros</i>)	T	\$61,000	\$904,323,464
453	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	\$61,000	\$904,384,464
454	Pearlymussel, cracking (<i>Hemistena lata</i>) Entire Range; Except where listed as Experimental Populations	E	\$60,767	\$904,445,231
455	Darter, relict (<i>Etheostoma chienense</i>)	E	\$60,600	\$904,505,831
456	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	\$60,295	\$904,566,126
457	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	\$60,031	\$904,626,157
458	Ma'o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	\$59,959	\$904,686,116
459	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	\$59,890	\$904,746,006
460	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	\$59,692	\$904,805,698
461	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	\$59,045	\$904,864,743
462	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	\$59,000	\$904,923,743
462	Oxytheca, cushenbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	\$59,000	\$904,982,743
463	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	\$58,265	\$905,041,008
464	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	\$57,886	\$905,098,894
465	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	\$57,855	\$905,156,749
466	Darter, duskytail (<i>Etheostoma percnurum</i>) Entire	E	\$57,197	\$905,213,946
467	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) Entire Range; Except where listed as Experimental Populations	E	\$56,776	\$905,270,722
468	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	\$56,675	\$905,327,397
469	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	\$56,387	\$905,383,784
470	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	\$56,225	\$905,440,009
471	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	\$56,157	\$905,496,166
472	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	\$56,000	\$905,552,166
473	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	\$55,800	\$905,607,966
474	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	\$55,185	\$905,663,151
475	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	\$55,000	\$905,718,151
475	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	\$55,000	\$905,773,151
475	Taraxacum, California (<i>Taraxacum californicum</i>)	E	\$55,000	\$905,828,151
476	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	\$54,229	\$905,882,380
477	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana</i> var. <i>calva</i>)	E	\$54,114	\$905,936,494
478	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	\$54,000	\$905,990,494
478	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	\$54,000	\$906,044,494

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
478	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	\$54,000	\$906,098,494
478	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	\$54,000	\$906,152,494
479	Hesperomannia arbuscula (=Sci name)	E	\$53,979	\$906,206,473
480	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	\$53,150	\$906,259,623
481	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	\$52,975	\$906,312,598
482	Cactus, Uinta Basin hookless (<i>Sclerocactus glaucus</i>)	T	\$52,463	\$906,365,061
483	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	\$51,257	\$906,416,318
484	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	\$51,110	\$906,467,428
485	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) Entire Range; Except where listed as Experimental Populations	E	\$50,790	\$906,518,218
486	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	\$50,700	\$906,568,918
487	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	\$50,149	\$906,619,067
488	Koki'o (<i>Kokia drynarioides</i>)	E	\$49,967	\$906,669,034
489	Three-ridge, fat (mussel) (<i>Amblema neisleri</i>)	E	\$49,405	\$906,718,439
490	Aiea (<i>Nothocestrem breviflorum</i>)	E	\$48,878	\$906,767,317
491	Lizard, Island night (<i>Xantusia riversiana</i>)	T	\$48,476	\$906,815,793
492	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	\$48,349	\$906,864,142
493	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	\$48,256	\$906,912,398
494	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	\$48,000	\$906,960,398
495	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	\$47,844	\$907,008,242
496	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	\$47,528	\$907,055,770
497	Darter, boulder (<i>Etheostoma wapiti</i>)	E	\$47,068	\$907,102,838
498	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	\$46,963	\$907,149,801
499	Pearlymussel, dromedary (<i>Dromus dromas</i>) Entire Range; Except where listed as Experimental Populations	E	\$46,341	\$907,196,142
500	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	\$46,282	\$907,242,424
501	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	\$45,828	\$907,288,252
502	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	\$45,820	\$907,334,072
503	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	\$45,100	\$907,379,172
504	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	\$45,000	\$907,424,172
505	Snake, Lake Erie water (<i>Nerodia sipedon insularum</i>) subspecies range clarified	T	\$44,753	\$907,468,925
506	Kolea (<i>Myrsine linearifolia</i>)	T	\$44,654	\$907,513,579
507	Uhiuhi (<i>Caesalpinia kawaiense</i>)	E	\$44,611	\$907,558,190
508	Sucker, Modoc (<i>Catostomus microps</i>)	E	\$44,371	\$907,602,561
509	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	\$44,325	\$907,646,886
509	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	\$44,325	\$907,691,211
510	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	\$44,257	\$907,735,468
511	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	\$44,000	\$907,779,468
512	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	\$43,862	\$907,823,330
513	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	\$43,618	\$907,866,948
514	Pauoa (<i>Ctenitis squamigera</i>)	E	\$42,938	\$907,909,886
515	Snowbells, Texas (<i>Styrax texanus</i>)	E	\$42,858	\$907,952,744
516	Sanicula purpurea (=Sci name)	E	\$42,440	\$907,995,184
517	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	\$42,425	\$908,037,609

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
518	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	\$42,346	\$908,079,955
519	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	\$42,300	\$908,122,255
520	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	\$42,100	\$908,164,355
521	Clubshell (<i>Pleurobema clava</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$42,000	\$908,206,355
521	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	\$42,000	\$908,248,355
522	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	\$41,380	\$908,289,735
523	Anaunau (<i>Lepidium arbuscula</i>)	E	\$41,245	\$908,330,980
524	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	\$40,913	\$908,371,893
525	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	\$40,885	\$908,412,778
526	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	\$40,858	\$908,453,636
527	Monkeyface, Cumberland (pearlymussel) (<i>Quadrula intermedia</i>) Entire Range; Except where listed as Experimental Populations	E	\$40,853	\$908,494,489
528	Turtle, yellow-blotched map (<i>Gratemys flavimaculata</i>)	T	\$40,800	\$908,535,289
529	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	\$40,795	\$908,576,084
530	Sucker, Santa Ana (<i>Catostomus santaanae</i>) 3 CA river basins	T	\$40,750	\$908,616,834
531	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	\$40,716	\$908,657,550
532	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	\$40,582	\$908,698,132
533	Darter, leopard (<i>Percina pantherina</i>)	T	\$40,300	\$908,738,432
534	Mahoe (<i>Alectryon macrococcus</i>)	E	\$40,273	\$908,778,705
535	Ma'oli'oli (<i>Schiedea kealiae</i>)	E	\$40,103	\$908,818,808
536	Nesogenes rotensis (=Sci name)	E	\$40,000	\$908,858,808
536	Osmoxylon mariannense (=Sci name)	E	\$40,000	\$908,898,808
537	Pteris lidgatei (=Sci name)	E	\$39,838	\$908,938,646
538	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	\$39,000	\$908,977,646
539	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	\$38,900	\$909,016,546
540	Ohai (<i>Sesbania tomentosa</i>)	E	\$38,795	\$909,055,341
541	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	\$38,574	\$909,093,915
542	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	\$38,500	\$909,132,415
543	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	\$38,400	\$909,170,815
544	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	\$38,386	\$909,209,201
545	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	\$38,307	\$909,247,508
546	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	\$37,967	\$909,285,475
547	Moth, Kern primrose sphinx (<i>Euproserpinus euterpe</i>)	T	\$37,626	\$909,323,101
548	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	\$37,585	\$909,360,686
549	Trillium, relict (<i>Trillium reliquum</i>)	E	\$37,559	\$909,398,245
550	Phyllostegia parviflora (=Sci name)	E	\$37,343	\$909,435,588
551	Lampmussel, Alabama (<i>Lampsilis virescens</i>) Entire Range; Except where listed as Experimental Populations	E	\$37,252	\$909,472,840
552	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	\$37,000	\$909,509,840
553	Beetle, Coffin Cave mold (<i>Batrissodes texanus</i>)	E	\$36,992	\$909,546,832
554	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	\$36,647	\$909,583,479
555	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	\$36,596	\$909,620,075
556	Meadowfoam, large-flowered woolly (<i>Limnanthes floccosa ssp.</i>	E	\$36,363	\$909,656,438

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
	<i>grandiflora</i>)			
557	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	\$35,947	\$909,692,385
558	Haha (<i>Cyanea st-johnii</i>)	E	\$35,509	\$909,727,894
559	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	\$35,435	\$909,763,329
560	Shiner, palezone (<i>Notropis albizonatus</i>)	E	\$35,200	\$909,798,529
561	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	\$35,151	\$909,833,680
562	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	\$35,100	\$909,868,780
563	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	\$35,000	\$909,903,780
564	Madtom, yellowfin (<i>Noturus flavipinnis</i>) except where EXPN	T	\$34,944	\$909,938,724
565	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	\$34,680	\$909,973,404
566	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	\$34,200	\$910,007,604
567	Phyllostegia mollis (=Sci name)	E	\$34,121	\$910,041,725
568	Plum, scrub (<i>Prunus geniculata</i>)	E	\$34,100	\$910,075,825
569	Delissea undulata (=Sci name)	E	\$33,952	\$910,109,777
570	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus</i> ssp. <i>albidus</i>)	E	\$33,817	\$910,143,594
570	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	\$33,817	\$910,177,411
571	Combshell, Cumberlandian (<i>Epioblasma brevidens</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$33,701	\$910,211,112
572	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	\$33,555	\$910,244,667
573	Puma (=cougar), eastern (<i>Puma</i> (=Felis) <i>concolor couguar</i>)	E	\$33,349	\$910,278,016
574	Goldenrod, Short's (<i>Solidago shortii</i>)	E	\$33,300	\$910,311,316
575	Ceanothus, coyote (<i>Ceanothus ferrissae</i>)	E	\$33,000	\$910,344,316
576	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. <i>succulenta</i>)	T	\$32,797	\$910,377,113
577	Oha wai (<i>Clermontia lindseyana</i>)	E	\$32,103	\$910,409,216
578	Paintbrush, Tiburon (<i>Castilleja affinis</i> ssp. <i>neglecta</i>)	E	\$32,000	\$910,441,216
579	Darter, snail (<i>Percina tanasi</i>)	T	\$31,800	\$910,473,016
580	Harperella (<i>Ptilimnium nodosum</i>)	E	\$31,724	\$910,504,740
581	Pigtoe, shiny (<i>Fusconaia cor</i>) Entire Range; Except where listed as Experimental Populations	E	\$31,710	\$910,536,450
582	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	\$31,700	\$910,568,150
583	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	\$31,500	\$910,599,650
584	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	\$31,240	\$910,630,890
585	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	\$31,205	\$910,662,095
586	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	\$31,077	\$910,693,172
587	Stickseed, showy (<i>Hackelia venusta</i>)	E	\$31,070	\$910,724,242
588	Sandlace (<i>Polygonella myriophylla</i>)	E	\$31,000	\$910,755,242
588	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	\$31,000	\$910,786,242
589	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	\$30,850	\$910,817,092
590	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensii</i>)	E	\$30,810	\$910,847,902
591	Seablite, California (<i>Suaeda californica</i>)	E	\$30,511	\$910,878,413
592	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunnescens</i>)	E	\$30,500	\$910,908,913
593	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	\$30,480	\$910,939,393
594	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	\$30,352	\$910,969,745

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
595	Lupine, clover (<i>Lupinus tidestromii</i>)	E	\$30,250	\$910,999,995
596	Dace, Foscett speckled (<i>Rhinichthys osculus</i> ssp.) Foscett	T	\$30,215	\$911,030,210
597	Pearlymussel, birdwing (<i>Conradilla caelata</i>) Entire Range; Except where listed as Experimental Populations	E	\$30,062	\$911,060,272
597	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	\$30,062	\$911,090,334
598	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	\$29,765	\$911,120,099
599	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	\$29,700	\$911,149,799
600	Tetramolopium lepidotum ssp. lepidotum (=Sci name)	E	\$29,383	\$911,179,182
601	Alsinidendron obovatum (=Sci name)	E	\$29,312	\$911,208,494
602	Haha (<i>Cyanea superba</i>)	E	\$29,301	\$911,237,795
603	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	\$29,220	\$911,267,015
604	Phyllostegia kaalaensis (=Sci name)	E	\$29,188	\$911,296,203
605	Gouania vitifolia (=Sci name)	E	\$29,127	\$911,325,330
606	Hedyotis degeneri (=Sci name)	E	\$28,616	\$911,353,946
607	Minnow, Devils River (<i>Dionda diaboli</i>)	T	\$28,476	\$911,382,422
608	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	\$28,395	\$911,410,817
609	Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	\$28,386	\$911,439,203
610	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	\$28,288	\$911,467,491
611	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	\$28,028	\$911,495,519
612	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	\$28,000	\$911,523,519
613	Bean, Cumberland (pearlymussel) (<i>Villosa trabalis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$27,973	\$911,551,492
614	Kamakahala (<i>Labordia cyrtandrae</i>)	E	\$27,937	\$911,579,429
615	Iris, dwarf lake (<i>Iris lacustris</i>)	T	\$27,933	\$911,607,362
616	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	\$27,762	\$911,635,124
617	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	\$27,550	\$911,662,674
617	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	\$27,550	\$911,690,224
618	Oha (<i>Delissea subcordata</i>)	E	\$27,288	\$911,717,512
619	Schiedea nuttallii (=Sci name)	E	\$27,227	\$911,744,739
620	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	\$27,200	\$911,771,939
621	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	\$27,128	\$911,799,067
622	Chub, Sonora (<i>Gila ditaenia</i>)	T	\$27,000	\$911,826,067
623	Alani (<i>Melicope adscendens</i>)	E	\$26,870	\$911,852,937
624	Ha'i wale (<i>Cyrtandra viridiflora</i>)	E	\$26,671	\$911,879,608
624	Kolea (<i>Myrsine juddii</i>)	E	\$26,671	\$911,906,279
625	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	\$26,527	\$911,932,806
626	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	\$26,500	\$911,959,306
627	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	\$26,483	\$911,985,789
628	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	\$26,345	\$912,012,134
629	Stenogyne kanehoana (=Sci name)	E	\$26,127	\$912,038,261
630	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	\$26,000	\$912,064,261
630	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	\$26,000	\$912,090,261
630	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	\$26,000	\$912,116,261

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
631	Neraudia angulata (=Sci name)	E	\$25,698	\$912,141,959
632	Wawae'iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	\$25,684	\$912,167,643
633	Haha (<i>Cyanea stictophylla</i>)	E	\$25,630	\$912,193,273
634	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	\$25,590	\$912,218,863
635	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	\$25,547	\$912,244,410
636	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	\$25,299	\$912,269,709
637	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	\$25,298	\$912,295,007
638	Chub, Hutton tui (<i>Gila bicolor</i> ssp.) Hutton	T	\$25,205	\$912,320,212
639	Hedyotis parvula (=Sci name)	E	\$25,155	\$912,345,367
639	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	\$25,155	\$912,370,522
640	Tetramolopium filiforme (=Sci name)	E	\$25,065	\$912,395,587
641	Opuhe (<i>Urera kaalae</i>)	E	\$25,006	\$912,420,593
642	Pennyroyal, Todsens's (<i>Hedeoma todsenii</i>)	E	\$25,000	\$912,445,593
643	Snakeroot (<i>Eryngium cuneifolium</i>)	E	\$24,900	\$912,470,493
644	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	\$24,890	\$912,495,383
644	`Akoko (<i>Chamaesyce herbstii</i>)	E	\$24,890	\$912,520,273
645	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	\$24,500	\$912,544,773
646	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	\$24,400	\$912,569,173
647	Haha (<i>Cyanea lobata</i>)	E	\$24,385	\$912,593,558
648	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	\$24,359	\$912,617,917
649	Gilia, Monterey (<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>)	E	\$24,355	\$912,642,272
650	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	\$24,000	\$912,666,272
650	Catesbaea melanocarpa (=Sci name)	E	\$24,000	\$912,690,272
651	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	\$23,929	\$912,714,201
652	Ha'iwale (<i>Cyrtandra dentata</i>)	E	\$23,924	\$912,738,125
653	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	\$23,793	\$912,761,918
654	Darter, goldline (<i>Percina aurolineata</i>)	T	\$23,700	\$912,785,618
655	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	\$23,691	\$912,809,309
656	Haha (<i>Cyanea longiflora</i>)	E	\$23,673	\$912,832,982
657	`Akoko (<i>Euphorbia haeleeleana</i>)	E	\$23,602	\$912,856,584
658	Nehe (<i>Lipochaeta tenuifolia</i>)	E	\$23,595	\$912,880,179
659	Na'ena'e (<i>Dubautia herbstobatae</i>)	E	\$23,505	\$912,903,684
659	Lo'ulu (<i>Pritchardia kaalae</i>)	E	\$23,505	\$912,927,189
660	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	\$23,500	\$912,950,689
660	Polystichum calderonense (=Sci name)	E	\$23,500	\$912,974,189
661	Kiponapona (<i>Phyllostegia racemosa</i>)	E	\$23,294	\$912,997,483
662	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	\$22,800	\$913,020,283
663	Beauty, Harper's (<i>Harperocallis flava</i>)	E	\$22,700	\$913,042,983
664	Madtom, smoky (<i>Noturus baileyi</i>) Entire	E	\$22,633	\$913,065,616
665	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	\$22,600	\$913,088,216
666	Munroidendron racemosum (=Sci name)	E	\$22,567	\$913,110,783
667	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	\$22,560	\$913,133,343
668	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>)	E	\$22,500	\$913,155,843

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
669	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	\$22,400	\$913,178,243
670	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	\$22,275	\$913,200,518
671	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	\$22,272	\$913,222,790
672	Lobelia niihauensis (=Sci name)	E	\$22,245	\$913,245,035
673	Chub, Yaqui (<i>Gila purpurea</i>)	E	\$22,000	\$913,267,035
673	Darter, duskytail (<i>Etheostoma percnurum</i>) Tellico River, TN	EXPN	\$22,000	\$913,289,035
673	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	\$22,000	\$913,311,035
674	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	\$21,800	\$913,332,835
675	Aupaka (<i>Isodendron longifolium</i>)	T	\$21,754	\$913,354,589
676	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	\$21,739	\$913,376,328
677	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	\$21,700	\$913,398,028
678	Schiedea hookeri (=Sci name)	E	\$21,654	\$913,419,682
679	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	\$21,635	\$913,441,317
680	Amphipod, Peck's cave (<i>Stygobromus</i> (=Stygonectes) <i>pecki</i>)	E	\$21,361	\$913,462,678
681	Alani (<i>Melicope lydgatei</i>)	E	\$21,341	\$913,484,019
682	Kamakahala (<i>Labordia lydgatei</i>)	E	\$21,236	\$913,505,255
683	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	\$21,180	\$913,526,435
684	Alsinidendron trinerve (=Sci name)	E	\$21,173	\$913,547,608
685	Pikeminnow (=squawfish), Colorado (<i>Ptychocheilus lucius</i>) Salt and Verde R. drainages, AZ	EXPN	\$21,000	\$913,568,608
686	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	\$20,800	\$913,589,408
687	Ha'iwale (<i>Cyrtandra giffardii</i>)	E	\$20,694	\$913,610,102
688	Nioi (<i>Eugenia koolauensis</i>)	E	\$20,595	\$913,630,697
689	Schiedea spergulina var. spergulina (=Sci name)	T	\$20,275	\$913,650,972
690	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	\$20,260	\$913,671,232
691	Lobelia gaudichaudii ssp. koolauensis (=Sci name)	E	\$20,207	\$913,691,439
691	Phyllostegia hirsuta (=Sci name)	E	\$20,207	\$913,711,646
691	Ha'iwale (<i>Cyrtandra subumbellata</i>)	E	\$20,207	\$913,731,853
692	Fatmucket, Arkansas (<i>Lampsilis powelli</i>)	T	\$20,200	\$913,752,053
693	Ha'iwale (<i>Cyrtandra munroi</i>)	E	\$20,059	\$913,772,112
694	Vigna o-wahuensis (=Sci name)	E	\$20,020	\$913,792,132
695	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	\$19,992	\$913,812,124
696	Diellia falcata (=Sci name)	E	\$19,936	\$913,832,060
697	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	\$19,900	\$913,851,960
698	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	\$19,886	\$913,871,846
699	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	\$19,807	\$913,891,653
700	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	\$19,800	\$913,911,453
701	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	\$19,700	\$913,931,153
702	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	\$19,590	\$913,950,743
702	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	\$19,590	\$913,970,333
702	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	\$19,590	\$913,989,923
702	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	\$19,590	\$914,009,513
702	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	\$19,590	\$914,029,103

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
703	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	\$19,400	\$914,048,503
704	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	\$19,300	\$914,067,803
705	Geocarpon minimum (=Sci name)	T	\$19,212	\$914,087,015
706	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	\$19,202	\$914,106,217
707	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	\$19,150	\$914,125,367
708	Alani (<i>Melicope knudsenii</i>)	E	\$19,022	\$914,144,389
709	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	\$18,700	\$914,163,089
709	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	\$18,700	\$914,181,789
710	Ihī ihi (<i>Marsilea villosa</i>)	E	\$18,687	\$914,200,476
711	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	\$18,590	\$914,219,066
712	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	\$18,573	\$914,237,639
713	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	\$18,400	\$914,256,039
714	Snail, Pecos assiminea (<i>Assiminea pecos</i>)	E	\$18,000	\$914,274,039
715	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	\$17,997	\$914,292,036
716	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	\$17,948	\$914,309,984
717	Haha (<i>Cyanea shipmannii</i>)	E	\$17,934	\$914,327,918
718	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	\$17,913	\$914,345,831
719	Darter, bluemark (=jewel) (<i>Etheostoma</i> sp.)	E	\$17,869	\$914,363,700
720	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	\$17,800	\$914,381,500
721	Combshell, upland (<i>Epioblasma metastrata</i>)	E	\$17,700	\$914,399,200
722	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	\$17,620	\$914,416,820
723	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	\$17,500	\$914,434,320
724	Lupine, scrub (<i>Lupinus aridorum</i>)	E	\$17,374	\$914,451,694
725	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	\$17,114	\$914,468,808
726	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	\$16,900	\$914,485,708
726	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	\$16,900	\$914,502,608
727	Poolfish, Pahrump (<i>Empetrichthys latos</i>)	E	\$16,890	\$914,519,498
728	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	\$16,730	\$914,536,228
729	Gourd, Okeechobee (<i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i>)	E	\$16,729	\$914,552,957
730	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	\$16,500	\$914,569,457
731	Kidneyshell, triangular (<i>Ptychobranhus greenii</i>)	E	\$16,388	\$914,585,845
732	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	\$16,224	\$914,602,069
733	Mussel, oyster (<i>Epioblasma capsaeformis</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$16,200	\$914,618,269
734	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	\$16,154	\$914,634,423
735	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	\$16,000	\$914,650,423
736	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	\$15,980	\$914,666,403
737	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	\$15,800	\$914,682,203
738	Chub, slender (<i>Erimystax cahni</i>)	T	\$15,733	\$914,697,936
739	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	\$15,700	\$914,713,636
740	Chub, spotfin (<i>Erimonax monachus</i>) Tellico River, TN	EXPN	\$15,500	\$914,729,136
740	Cactus, Nichol's Turk's head (<i>Echinocactus horizontalis</i> var. <i>nicholii</i>)	E	\$15,500	\$914,744,636

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
741	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	\$15,470	\$914,760,106
742	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	\$15,198	\$914,775,304
743	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	\$15,035	\$914,790,339
744	Buckwheat, lone (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	\$14,870	\$914,805,209
745	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	\$14,628	\$914,819,837
746	Rice rat (<i>Oryzomys palustris natator</i>) lower FL Keys	E	\$14,500	\$914,834,337
746	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus peeblesianus</i>)	E	\$14,500	\$914,848,837
747	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	\$14,400	\$914,863,237
748	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	\$14,375	\$914,877,612
749	Phyllostegia velutina (=Sci name)	E	\$14,294	\$914,891,906
750	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	\$14,221	\$914,906,127
751	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	\$14,155	\$914,920,282
752	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	\$14,069	\$914,934,351
753	Avens, spreading (<i>Geum radiatum</i>)	E	\$14,060	\$914,948,411
754	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	\$14,000	\$914,962,411
754	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	\$14,000	\$914,976,411
754	Springsnail, Roswell (<i>Pyrgulopsis roswellensis</i>)	E	\$14,000	\$914,990,411
754	Agave, Arizona (<i>Agave arizonica</i>)	E	\$14,000	\$915,004,411
754	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	\$14,000	\$915,018,411
755	Ko`oko`olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	\$13,797	\$915,032,208
756	Calyptanthus thomasiana (=Sci name)	E	\$13,770	\$915,045,978
757	Torreya, Florida (<i>Torreya taxifolia</i>)	E	\$13,755	\$915,059,733
758	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	\$13,600	\$915,073,333
759	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	\$13,550	\$915,086,883
760	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	\$13,502	\$915,100,385
761	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	\$13,500	\$915,113,885
762	Cactus, Knowlton (<i>Pediocactus knowltonii</i>)	E	\$13,286	\$915,127,171
763	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	\$13,225	\$915,140,396
764	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	\$13,200	\$915,153,596
765	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	\$13,000	\$915,166,596
765	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	\$13,000	\$915,179,596
765	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	\$13,000	\$915,192,596
766	Mint, scrub (<i>Dicerandra frutescens</i>)	E	\$12,700	\$915,205,296
767	Pua`ala (<i>Brighamia rockii</i>)	E	\$12,601	\$915,217,897
768	Haha (<i>Cyanea glabra</i>)	E	\$12,554	\$915,230,451
768	Haha (<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>)	E	\$12,554	\$915,243,005
769	Guajon (<i>Eleutherodactylus cooki</i>)	T	\$12,500	\$915,255,505
770	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) Entire Range; Except where listed as Experimental Populations	E	\$12,352	\$915,267,857
771	Clubshell, black (<i>Pleurobema curtum</i>)	E	\$12,252	\$915,280,109
772	Mallow, Kern (<i>Eremalche kernensis</i>)	E	\$12,242	\$915,292,351
773	Haha (<i>Cyanea grimesiana</i> ssp. <i>grimesiana</i>)	E	\$12,145	\$915,304,496
774	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	\$12,067	\$915,316,563

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
775	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	\$12,006	\$915,328,569
776	Darter, watercress (<i>Etheostoma nuchale</i>)	E	\$12,000	\$915,340,569
776	Springsnail, Koster's (<i>Juturnia kosteri</i>)	E	\$12,000	\$915,352,569
777	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	\$11,915	\$915,364,484
777	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	\$11,915	\$915,376,399
778	Roseroot, Leedy's (<i>Sedum integrifolium</i> ssp. <i>leedyi</i>)	T	\$11,900	\$915,388,299
779	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	\$11,500	\$915,399,799
780	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	\$11,497	\$915,411,296
781	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. <i>nesodryas</i>))	T	\$11,400	\$915,422,696
782	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	\$11,315	\$915,434,011
783	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	\$11,260	\$915,445,271
784	Manioc, Walker's (<i>Manihot walkerae</i>)	E	\$11,190	\$915,456,461
785	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	\$11,040	\$915,467,501
786	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	\$11,000	\$915,478,501
786	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	\$11,000	\$915,489,501
786	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	\$11,000	\$915,500,501
787	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	\$10,955	\$915,511,456
788	Haha (<i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i>)	E	\$10,809	\$915,522,265
789	Leather flower, Alabama (<i>Clematis socialis</i>)	E	\$10,800	\$915,533,065
790	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	\$10,752	\$915,543,817
791	Alani (<i>Melicope zahlbruckneri</i>)	E	\$10,679	\$915,554,496
792	Schiedea kaalae (=Sci name)	E	\$10,661	\$915,565,157
793	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	\$10,640	\$915,575,797
794	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	\$10,519	\$915,586,316
795	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	\$10,492	\$915,596,808
796	Plymouth Red-Bellied Turtle (<i>Pseudemys rubriventris bangsi</i>)	E	\$10,473	\$915,607,281
796	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	\$10,473	\$915,617,754
797	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	\$10,470	\$915,628,224
798	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	\$10,315	\$915,638,539
799	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	\$10,223	\$915,648,762
800	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) Entire Range; Except where listed as Experimental Populations	E	\$10,200	\$915,658,962
801	Salamander, San Marcos (<i>Eurycea nana</i>)	T	\$10,153	\$915,669,115
802	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	\$10,130	\$915,679,245
803	Catspaw (=purple cat's paw pearlymussel) (<i>Epioblasma obliquata obliquata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$10,100	\$915,689,345
803	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	\$10,100	\$915,699,445
804	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	\$10,098	\$915,709,543
805	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	\$10,092	\$915,719,635
806	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	\$10,070	\$915,729,705
807	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	\$10,028	\$915,739,733
808	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	\$9,960	\$915,749,693
809	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	\$9,938	\$915,759,631

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
810	`Oha wai (<i>Clermontia drepanomorpha</i>)	E	\$9,860	\$915,769,491
811	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	\$9,800	\$915,779,291
811	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	\$9,800	\$915,789,091
811	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	\$9,800	\$915,798,891
811	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	\$9,800	\$915,808,691
812	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	\$9,790	\$915,818,481
813	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	\$9,710	\$915,828,191
814	Heather, mountain golden (<i>Hudsonia montana</i>)	T	\$9,700	\$915,837,891
815	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	\$9,679	\$915,847,570
816	Blossom, turgid (pearlymussel) (<i>Epioblasma turgidula</i>) Entire Range; Except where listed as Experimental Populations	E	\$9,652	\$915,857,222
816	Blossom, yellow (pearlymussel) (<i>Epioblasma florentina florentina</i>) Entire Range; Except where listed as Experimental Populations	E	\$9,652	\$915,866,874
817	Beetle, Helotes mold (<i>Batrissodes venyivi</i>)	E	\$9,640	\$915,876,514
818	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	\$9,612	\$915,886,126
819	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	\$9,580	\$915,895,706
820	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	\$9,560	\$915,905,266
820	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	\$9,560	\$915,914,826
821	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	\$9,545	\$915,924,371
822	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	\$9,537	\$915,933,908
823	`Anunu (<i>Sicyos alba</i>)	E	\$9,420	\$915,943,328
824	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	\$9,400	\$915,952,728
825	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	\$9,361	\$915,962,089
826	Campion, fringed (<i>Silene polypetala</i>)	E	\$9,355	\$915,971,444
827	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Holston River, VA, TN	EXPN	\$9,327	\$915,980,771
828	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	\$9,300	\$915,990,071
829	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	\$9,295	\$915,999,366
830	Abutilon eremitopetalum (=Sci name)	E	\$9,236	\$916,008,602
831	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	\$9,140	\$916,017,742
832	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	\$9,100	\$916,026,842
832	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	\$9,100	\$916,035,942
832	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	\$9,100	\$916,045,042
833	Meadowrue, Cooley's (<i>Thalictrum cooleyi</i>)	E	\$9,000	\$916,054,042
834	Sedge, golden (<i>Carex lutea</i>)	E	\$8,995	\$916,063,037
835	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	\$8,892	\$916,071,929
836	Diplazium molokaiense (=Sci name)	E	\$8,744	\$916,080,673
837	Remya, Maui (<i>Remya mauiensis</i>)	E	\$8,687	\$916,089,360
838	Pilo (<i>Hedyotis manni</i>)	E	\$8,648	\$916,098,008
839	Darter, boulder (<i>Etheostoma wapiti</i>) Shoal Creek	EXPN	\$8,633	\$916,106,641
840	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	\$8,620	\$916,115,261
841	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	\$8,604	\$916,123,865
842	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	\$8,597	\$916,132,462
843	Phyllostegia mannii (=Sci name)	E	\$8,593	\$916,141,055

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
844	Tetramolopium remyi (=Sci name)	E	\$8,533	\$916,149,588
845	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	\$8,500	\$916,158,088
845	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	\$8,500	\$916,166,588
845	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	\$8,500	\$916,175,088
845	Rosemary, Etonia (<i>Conradina etonia</i>)	E	\$8,500	\$916,183,588
846	Viola lanaiensis (=Sci name)	E	\$8,494	\$916,192,082
847	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	\$8,436	\$916,200,518
848	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	\$8,414	\$916,208,932
849	Madtom, yellowfin (<i>Noturus flavipinnis</i>) Tellico River, TN	EXPN	\$8,300	\$916,217,232
850	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	\$8,280	\$916,225,512
851	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	\$8,055	\$916,233,567
852	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	\$8,030	\$916,241,597
852	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	\$8,030	\$916,249,627
853	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	\$8,000	\$916,257,627
853	Cobana negra (<i>Stahlia monosperma</i>)	T	\$8,000	\$916,265,627
853	Onion, Munz's (<i>Allium munzii</i>)	E	\$8,000	\$916,273,627
854	Haha (<i>Cyanea truncata</i>)	E	\$7,967	\$916,281,594
855	Bedstraw, island (<i>Galium buxifolium</i>)	E	\$7,930	\$916,289,524
856	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	\$7,892	\$916,297,416
857	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	\$7,800	\$916,305,216
858	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	\$7,732	\$916,312,948
859	Lobelia monostachya (=Sci name)	E	\$7,716	\$916,320,664
860	Ha'iwale (<i>Cyrtandra tintinnabula</i>)	E	\$7,679	\$916,328,343
861	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	\$7,665	\$916,336,008
862	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	\$7,600	\$916,343,608
863	Bladderpod, white (<i>Lesquerella pallida</i>)	E	\$7,593	\$916,351,201
864	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	\$7,505	\$916,358,706
865	Madtom, smoky (<i>Noturus baileyi</i>) Tellico River, TN	EXPN	\$7,500	\$916,366,206
866	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	\$7,452	\$916,373,658
867	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	\$7,400	\$916,381,058
868	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	\$7,300	\$916,388,358
869	Rocksnail, round (<i>Leptoxis ampla</i>)	T	\$7,298	\$916,395,656
870	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	\$7,250	\$916,402,906
871	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. <i>jonesii</i>)	E	\$7,200	\$916,410,106
872	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	\$7,194	\$916,417,300
873	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	\$7,175	\$916,424,475
874	Turtle, flattened musk (<i>Sternotherus depressus</i>) species range clarified	T	\$7,100	\$916,431,575
874	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	\$7,100	\$916,438,675
875	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	\$7,087	\$916,445,762
876	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	\$7,077	\$916,452,839
877	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	\$7,030	\$916,459,869

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
877	Rush-rose, island (<i>Helianthemum greenei</i>)	T	\$7,030	\$916,466,899
877	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	\$7,030	\$916,473,929
877	Malacothrix, island (<i>Malacothrix squalida</i>)	E	\$7,030	\$916,480,959
878	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	\$7,013	\$916,487,972
879	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	\$6,893	\$916,494,865
880	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	\$6,882	\$916,501,747
881	`Oha wai (<i>Clermontia pyralaria</i>)	E	\$6,870	\$916,508,617
882	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	\$6,850	\$916,515,467
883	Polygala, tiny (<i>Polygala smallii</i>)	E	\$6,800	\$916,522,267
883	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	\$6,800	\$916,529,067
884	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	\$6,798	\$916,535,865
885	Combshell, southern (<i>Epioblasma penita</i>)	E	\$6,752	\$916,542,617
886	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	\$6,700	\$916,549,317
886	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	\$6,700	\$916,556,017
887	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	\$6,632	\$916,562,649
888	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	\$6,500	\$916,569,149
889	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	\$6,450	\$916,575,599
890	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	\$6,407	\$916,582,006
891	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	\$6,400	\$916,588,406
891	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	\$6,400	\$916,594,806
891	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	\$6,400	\$916,601,206
891	Trillium, persistent (<i>Trillium persistens</i>)	E	\$6,400	\$916,607,606
892	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	\$6,300	\$916,613,906
892	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	\$6,300	\$916,620,206
893	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	\$6,295	\$916,626,501
894	Campeloma, slender (<i>Campeloma decampi</i>)	E	\$6,287	\$916,632,788
895	Hesperomannia arborescens (=Sci name)	E	\$6,241	\$916,639,029
896	Koki'o, Cooke's (<i>Kokia cookei</i>)	E	\$6,142	\$916,645,171
897	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	\$6,135	\$916,651,306
898	Wild-buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	\$6,106	\$916,657,412
899	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	\$6,060	\$916,663,472
900	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	\$6,000	\$916,669,472
900	Chumbo, Higo (<i>Harrisia portoricensis</i>)	T	\$6,000	\$916,675,472
900	Mustard, Carter's (<i>Warea carteri</i>)	E	\$6,000	\$916,681,472
901	Makou (<i>Peucedanum sandwicense</i>)	T	\$5,954	\$916,687,426
902	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	\$5,940	\$916,693,366
903	Silene perlmanii (=Sci name)	E	\$5,906	\$916,699,272
904	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	\$5,900	\$916,705,172
905	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	\$5,865	\$916,711,037
906	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	\$5,619	\$916,716,656
907	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhapse</i>)	E	\$5,600	\$916,722,256
908	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	\$5,598	\$916,727,854
908	Spider, Tooth Cave (<i>Leptoneta myopica</i>)	E	\$5,598	\$916,733,452
909	Phacelia, North Park (<i>Phacelia formosula</i>)	E	\$5,570	\$916,739,022

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
910	Wawae`iole (<i>Huperzia manni</i>)	E	\$5,551	\$916,744,573
911	Madtom, pygmy (<i>Noturus stanauli</i>)	E	\$5,533	\$916,750,106
912	Cycladenia, Jones (<i>Cycladenia jonesii</i> (=humilis))	T	\$5,528	\$916,755,634
913	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	\$5,500	\$916,761,134
913	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	\$5,500	\$916,766,634
913	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	\$5,500	\$916,772,134
913	Rocksnailed, painted (<i>Leptoxis taeniata</i>)	T	\$5,500	\$916,777,634
913	Cordia bellonis (=Sci name)	E	\$5,500	\$916,783,134
913	Adiantum vivesii (=Sci name)	E	\$5,500	\$916,788,634
914	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	\$5,450	\$916,794,084
915	Butterweed, Layne's (<i>Senecio layneae</i>)	T	\$5,435	\$916,799,519
916	Curlew, Eskimo (<i>Numenius borealis</i>)	E	\$5,400	\$916,804,919
916	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	\$5,400	\$916,810,319
917	`Oha wai (<i>Clermontia peleana</i>)	E	\$5,360	\$916,815,679
918	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	\$5,300	\$916,820,979
919	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	\$5,200	\$916,826,179
919	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	\$5,200	\$916,831,379
920	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	\$5,140	\$916,836,519
921	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	\$5,121	\$916,841,640
922	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	\$5,100	\$916,846,740
923	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	\$5,060	\$916,851,800
923	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	\$5,060	\$916,856,860
924	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii</i> var. <i>kalaaloana</i>)	E	\$5,056	\$916,861,916
925	Kohe malama malama o kanaloa (<i>Kanaloa kahoolawensis</i>)	E	\$5,033	\$916,866,949
926	`Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	\$5,031	\$916,871,980
927	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	\$5,000	\$916,876,980
927	Woundfin (<i>Plagopterus argentissimus</i>) Gila R. drainage, AZ, NM	EXPN	\$5,000	\$916,881,980
927	Stirrupshell (<i>Quadrula stapes</i>)	E	\$5,000	\$916,886,980
927	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	\$5,000	\$916,891,980
927	Rocksnailed, plicate (<i>Leptoxis plicata</i>)	E	\$5,000	\$916,896,980
927	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	\$5,000	\$916,901,980
928	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	\$4,992	\$916,906,972
928	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	\$4,992	\$916,911,964
929	Mariscus pennatifolius (=Sci name)	E	\$4,950	\$916,916,914
930	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	\$4,915	\$916,921,829
931	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	\$4,880	\$916,926,709
932	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	\$4,850	\$916,931,559
933	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	\$4,817	\$916,936,376
934	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	\$4,800	\$916,941,176
934	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	\$4,800	\$916,945,976
935	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	\$4,792	\$916,950,768
936	Woolly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	\$4,775	\$916,955,543
937	Kamakahala (<i>Labordia triflora</i>)	E	\$4,687	\$916,960,230

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
937	Alani (<i>Melicope mucronulata</i>)	E	\$4,687	\$916,964,917
937	Lo'ulu (<i>Pritchardia munroi</i>)	E	\$4,687	\$916,969,604
937	Silene alexandri (=Sci name)	E	\$4,687	\$916,974,291
937	Haha (<i>Cyanea dunbari</i>)	E	\$4,687	\$916,978,978
937	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	\$4,687	\$916,983,665
938	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	\$4,675	\$916,988,340
939	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	\$4,650	\$916,992,990
940	Lo'ulu (<i>Pritchardia remota</i>)	E	\$4,649	\$916,997,639
941	Platanthera holochila (=Sci name)	E	\$4,648	\$917,002,287
941	Stenogyne bifida (=Sci name)	E	\$4,648	\$917,006,935
942	Haha (<i>Cyanea procera</i>)	E	\$4,636	\$917,011,571
943	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	\$4,635	\$917,016,206
943	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	\$4,635	\$917,020,841
944	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	\$4,605	\$917,025,446
945	Hesperomannia lydgatei (=Sci name)	E	\$4,601	\$917,030,047
946	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	\$4,590	\$917,034,637
946	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	\$4,590	\$917,039,227
947	Snail, armored (<i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i>)	E	\$4,587	\$917,043,814
948	Butterfly, Uncompahgre fritillary (<i>Boloria acrocneuma</i>)	E	\$4,545	\$917,048,359
949	Sedge, Navajo (<i>Carex specuicola</i>)	T	\$4,500	\$917,052,859
950	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	\$4,480	\$917,057,339
951	Liliwai (<i>Acaena exigua</i>)	E	\$4,400	\$917,061,739
952	Lysimachia lydgatei (=Sci name)	E	\$4,365	\$917,066,104
953	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	\$4,361	\$917,070,465
953	`Oha wai (<i>Clermontia samuelii</i>)	E	\$4,361	\$917,074,826
954	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	\$4,325	\$917,079,151
955	Haha (<i>Cyanea mceldowneyi</i>)	E	\$4,267	\$917,083,418
956	Alani (<i>Melicope ballouii</i>)	E	\$4,252	\$917,087,670
957	Gahnia lanaiensis (=Sci name)	E	\$4,207	\$917,091,877
958	Mapele (<i>Cyrtandra cyaneoides</i>)	E	\$3,996	\$917,095,873
958	Na'ena'e (<i>Dubautia pauciflora</i>)	E	\$3,996	\$917,099,869
959	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	\$3,990	\$917,103,859
959	Vervain, Red Hills (<i>Verbena californica</i>)	T	\$3,990	\$917,107,849
960	Delissea rhytidosperra (=Sci name)	E	\$3,918	\$917,111,767
961	Pearlymussel, dromedary (<i>Dromus dromas</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,800	\$917,115,567
961	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	\$3,800	\$917,119,367
961	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	\$3,800	\$917,123,167
962	Lau`ehu (<i>Panicum niihauense</i>)	E	\$3,761	\$917,126,928
963	Riversnail, Anthony's (<i>Athearnia anthonyi</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$3,648	\$917,130,576
964	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	\$3,635	\$917,134,211
965	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	\$3,600	\$917,137,811

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
966	Pussypaws, Mariposa (<i>Calyptidium pulchellum</i>)	T	\$3,590	\$917,141,401
967	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	\$3,500	\$917,144,901
967	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	\$3,500	\$917,148,401
967	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	\$3,500	\$917,151,901
967	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	\$3,500	\$917,155,401
967	Aristida chaseae (=Sci name)	E	\$3,500	\$917,158,901
967	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	\$3,500	\$917,162,401
968	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	\$3,492	\$917,165,893
969	Milk-vetch, Jesup's (<i>Astragalus robbinsii</i> var. <i>jesupi</i>)	E	\$3,386	\$917,169,279
970	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	\$3,361	\$917,172,640
970	Schiedea haleakalensis (=Sci name)	E	\$3,361	\$917,176,001
970	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	\$3,361	\$917,179,362
971	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	\$3,320	\$917,182,682
972	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	\$3,262	\$917,185,944
973	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	\$3,200	\$917,189,144
974	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	\$3,100	\$917,192,244
975	Alsinidendron viscosum (=Sci name)	E	\$3,036	\$917,195,280
976	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	\$3,000	\$917,198,280
977	Flannelbush, Pine Hill (<i>Fremontodendron californicum</i> ssp. <i>decumbens</i>)	E	\$2,900	\$917,201,180
977	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	\$2,900	\$917,204,080
977	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	\$2,900	\$917,206,980
977	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	\$2,900	\$917,209,880
978	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	\$2,895	\$917,212,775
979	Tetramolopium rockii (=Sci name)	T	\$2,861	\$917,215,636
980	Snake, Atlantic salt marsh (<i>Nerodia clarkii</i> <i>taeniata</i>)	T	\$2,800	\$917,218,436
980	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	\$2,800	\$917,221,236
981	Aupaka (<i>Isodendron laurifolium</i>)	E	\$2,682	\$917,223,918
982	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	\$2,654	\$917,226,572
982	Nehe (<i>Lipochaeta micrantha</i>)	E	\$2,654	\$917,229,226
983	Alani (<i>Melicope pallida</i>)	E	\$2,604	\$917,231,830
984	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	\$2,600	\$917,234,430
985	Lo`ulu (<i>Pritchardia affinis</i>)	E	\$2,573	\$917,237,003
986	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	\$2,536	\$917,239,539
987	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	\$2,520	\$917,242,059
988	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	\$2,514	\$917,244,573
988	Schiedea membranacea (=Sci name)	E	\$2,514	\$917,247,087
988	Chamaesyce halemanui (=Sci name)	E	\$2,514	\$917,249,601
988	Na`ena`e (<i>Dubautia latifolia</i>)	E	\$2,514	\$917,252,115
988	Gouania meyenii (=Sci name)	E	\$2,514	\$917,254,629
988	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	\$2,514	\$917,257,143
988	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	\$2,514	\$917,259,657
988	Koki`o (<i>Kokia kauaiensis</i>)	E	\$2,514	\$917,262,171
988	Nehe (<i>Lipochaeta fauriei</i>)	E	\$2,514	\$917,264,685

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
988	Remya kauaiensis (=Sci name)	E	\$2,514	\$917,267,199
988	Iliau, dwarf (<i>Wilkesia hobbdi</i>)	E	\$2,514	\$917,269,713
988	Heau (<i>Exocarpos luteolus</i>)	E	\$2,514	\$917,272,227
988	Nehe (<i>Lipochaeta waimeaensis</i>)	E	\$2,514	\$917,274,741
988	Remya montgomeryi (=Sci name)	E	\$2,514	\$917,277,255
988	Kuawawaenuhu (<i>Alsinidendron lychnoides</i>)	E	\$2,514	\$917,279,769
988	Lo`ulu (<i>Pritchardia viscosa</i>)	E	\$2,514	\$917,282,283
988	Schiedea kauaiensis (=Sci name)	E	\$2,514	\$917,284,797
989	Chupacallos (<i>Pleodendron macranthum</i>)	E	\$2,500	\$917,287,297
990	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	\$2,421	\$917,289,718
991	Panicgrass, Carter's (<i>Panicum fauriei</i> var. <i>carteri</i>)	E	\$2,412	\$917,292,130
992	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	\$2,395	\$917,294,525
993	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	\$2,370	\$917,296,895
994	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	\$2,362	\$917,299,257
994	Larkspur, yellow (<i>Delphinium luteum</i>)	E	\$2,362	\$917,301,619
994	Bluegrass, Napa (<i>Poa napensis</i>)	E	\$2,362	\$917,303,981
995	Phyllostegia warshaueri (=Sci name)	E	\$2,360	\$917,306,341
996	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	\$2,250	\$917,308,591
996	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	\$2,250	\$917,310,841
997	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	\$2,200	\$917,313,041
997	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	\$2,200	\$917,315,241
998	Achyranthes mutica (=Sci name)	E	\$2,102	\$917,317,343
998	Gouania hillebrandii (=Sci name)	E	\$2,102	\$917,319,445
999	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingi</i>)	T	\$2,100	\$917,321,545
999	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	\$2,100	\$917,323,645
1000	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	\$2,011	\$917,325,656
1001	Phacelia, island (<i>Phacelia insularis</i> ssp. <i>insularis</i>)	E	\$2,000	\$917,327,656
1001	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	\$2,000	\$917,329,656
1001	Boxwood, Vahl's (<i>Buxus vahlia</i>)	E	\$2,000	\$917,331,656
1001	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	\$2,000	\$917,333,656
1001	Prickly-ash, St. Thomas (<i>Zanthoxylum thomasianum</i>)	E	\$2,000	\$917,335,656
1002	Pigtoe, shiny (<i>Fusconaia cor</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,900	\$917,337,556
1003	Diellia unisora (=Sci name)	E	\$1,853	\$917,339,409
1004	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	\$1,850	\$917,341,259
1005	Lipochaeta venosa (=Sci name)	E	\$1,800	\$917,343,059
1005	Aupaka (<i>Isodendron hosakae</i>)	E	\$1,800	\$917,344,859
1006	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	\$1,778	\$917,346,637
1007	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	\$1,762	\$917,348,399
1008	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	\$1,754	\$917,350,153
1009	Pigtoe, finereyed (<i>Fusconaia cuneolus</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,752	\$917,351,905
1010	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	\$1,750	\$917,353,655

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1010	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	\$1,750	\$917,355,405
1010	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	\$1,750	\$917,357,155
1010	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	\$1,750	\$917,358,905
1011	`Akoko (<i>Chamaesyce deppeana</i>)	E	\$1,746	\$917,360,651
1012	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	\$1,740	\$917,362,391
1013	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	\$1,663	\$917,364,054
1014	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	\$1,660	\$917,365,714
1015	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	\$1,600	\$917,367,314
1016	Squirrel, Delmarva Peninsula fox (<i>Sciurus niger cinereus</i>) U.S.A. (DE, Sussex Co.)	EXPN	\$1,500	\$917,368,814
1016	Coqui, golden (<i>Eleutherodactylus jasperi</i>)	T	\$1,500	\$917,370,314
1016	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriformis))	E	\$1,500	\$917,371,814
1016	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	\$1,500	\$917,373,314
1016	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	\$1,500	\$917,374,814
1016	Pelos del diablo (<i>Aristida portoricensis</i>)	E	\$1,500	\$917,376,314
1016	Palo de ramon (<i>Banara vanderbiltii</i>)	E	\$1,500	\$917,377,814
1016	Manaca, palma de (<i>Calyptrionoma rivalis</i>)	T	\$1,500	\$917,379,314
1016	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	\$1,500	\$917,380,814
1016	Erubia (<i>Solanum drymophilum</i>)	E	\$1,500	\$917,382,314
1016	Myrcia paganii (=Sci name)	E	\$1,500	\$917,383,814
1017	Haha (<i>Cyanea pinnatifida</i>)	E	\$1,495	\$917,385,309
1017	Ha`iwale (<i>Cyrtandra crenata</i>)	E	\$1,495	\$917,386,804
1018	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	\$1,400	\$917,388,204
1018	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	\$1,400	\$917,389,604
1018	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	\$1,400	\$917,391,004
1018	Snail, Virginia fringed mountain (<i>Polygyriscus virginianus</i>)	E	\$1,400	\$917,392,404
1018	Capa rosa (<i>Callicarpa ampla</i>)	E	\$1,400	\$917,393,804
1018	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	\$1,400	\$917,395,204
1018	Bariaco (<i>Trichilia triacantha</i>)	E	\$1,400	\$917,396,604
1018	Ilex sintenisii (=Sci name)	E	\$1,400	\$917,398,004
1019	Sedge, white (<i>Carex albida</i>)	E	\$1,362	\$917,399,366
1019	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	\$1,362	\$917,400,728
1019	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	\$1,362	\$917,402,090
1019	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	\$1,362	\$917,403,452
1020	Nohoanu (<i>Geranium multiflorum</i>)	E	\$1,361	\$917,404,813
1020	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	\$1,361	\$917,406,174
1021	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	\$1,300	\$917,407,474
1022	Darter, bayou (<i>Etheostoma rubrum</i>)	T	\$1,250	\$917,408,724
1023	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	\$1,239	\$917,409,963
1024	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	\$1,200	\$917,411,163
1025	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	\$1,137	\$917,412,300
1026	Kula wahine noho (<i>Isodendron pyriformium</i>)	E	\$1,122	\$917,413,422
1027	Pearlymussel, birdwing (<i>Conradilla caelata</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$1,100	\$917,414,522

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1028	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i>)	E	\$1,090	\$917,415,612
1029	Chub, spotfin (<i>Erimonax monachus</i>) Shoal Creek	EXPN	\$1,000	\$917,416,612
1029	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	\$1,000	\$917,417,612
1029	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	\$1,000	\$917,418,612
1029	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	\$1,000	\$917,419,612
1029	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	\$1,000	\$917,420,612
1029	Buckwheat, cushenbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	\$1,000	\$917,421,612
1029	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	\$1,000	\$917,422,612
1029	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	\$1,000	\$917,423,612
1029	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	\$1,000	\$917,424,612
1029	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	\$1,000	\$917,425,612
1029	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	\$1,000	\$917,426,612
1029	Palo de nigua (<i>Cornutia obovata</i>)	E	\$1,000	\$917,427,612
1029	Daphnopsis hellerana (=Sci name)	E	\$1,000	\$917,428,612
1029	Holly, Cook's (<i>Ilex cookii</i>)	E	\$1,000	\$917,429,612
1029	Mitracarpus maxwelliae (=Sci name)	E	\$1,000	\$917,430,612
1029	Mitracarpus polycladus (=Sci name)	E	\$1,000	\$917,431,612
1029	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	\$1,000	\$917,432,612
1029	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	\$1,000	\$917,433,612
1029	Ternstroemia subsessilis (=Sci name)	E	\$1,000	\$917,434,612
1029	Palo de jazmin (<i>Styrax portoricensis</i>)	E	\$1,000	\$917,435,612
1029	Milk-vetch, triple-ribbed (<i>Astragalus tricarlinatus</i>)	E	\$1,000	\$917,436,612
1029	Leptocereus grantianus (=Sci name)	E	\$1,000	\$917,437,612
1029	Vernonia proctorii (=Sci name)	E	\$1,000	\$917,438,612
1029	Ceanothus, Vail Lake (<i>Ceanothus ophiocbilus</i>)	T	\$1,000	\$917,439,612
1029	Eugenia woodburyana (=Sci name)	E	\$1,000	\$917,440,612
1029	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	\$1,000	\$917,441,612
1029	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	\$1,000	\$917,442,612
1029	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	\$1,000	\$917,443,612
1029	Thelypteris inabonensis (=Sci name)	E	\$1,000	\$917,444,612
1029	Thelypteris verecunda (=Sci name)	E	\$1,000	\$917,445,612
1030	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	\$964	\$917,446,576
1030	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	\$964	\$917,447,540
1031	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	\$900	\$917,448,440
1032	Xylosma crenatum (=Sci name)	E	\$883	\$917,449,323
1032	Lo'ulu (<i>Pritchardia napaliensis</i>)	E	\$883	\$917,450,206
1033	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	\$800	\$917,451,006
1034	Phacelia, clay (<i>Phacelia argillacea</i>)	E	\$783	\$917,451,789
1035	Milkpea, Small's (<i>Galactia smallii</i>)	E	\$700	\$917,452,489
1036	Isopod, Madison Cave (<i>Antrolana lira</i>)	T	\$628	\$917,453,117
1037	Alani (<i>Melicope saint-johnii</i>)	E	\$619	\$917,453,736
1037	Awiwi (<i>Hedyotis cookiana</i>)	E	\$619	\$917,454,355
1037	Haha (<i>Cyanea platyphylla</i>)	E	\$619	\$917,454,974

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1037	Holei (<i>Ochrosia kilaueaensis</i>)	E	\$619	\$917,455,593
1037	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	\$619	\$917,456,212
1037	Mariscus fauriei (=Sci name)	E	\$619	\$917,456,831
1037	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	\$619	\$917,457,450
1038	Amaranthus brownii (=Sci name)	E	\$612	\$917,458,062
1038	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	\$612	\$917,458,674
1039	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	\$600	\$917,459,274
1040	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	\$598	\$917,459,872
1041	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	\$566	\$917,460,438
1042	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	\$551	\$917,460,989
1043	Olulu (<i>Brighamia insignis</i>)	E	\$501	\$917,461,490
1043	Alani (<i>Melicope haupuensis</i>)	E	\$501	\$917,461,991
1044	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	\$500	\$917,462,491
1044	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i>)	E	\$500	\$917,462,991
1044	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	\$500	\$917,463,491
1044	Chamaecrista glandulosa var. <i>mirabilis</i> (=Sci name)	E	\$500	\$917,463,991
1044	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	\$500	\$917,464,491
1044	Uvillo (<i>Eugenia haematocarpa</i>)	E	\$500	\$917,464,991
1044	Lepanthes eltoroensis (=Sci name)	E	\$500	\$917,465,491
1044	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	\$500	\$917,465,991
1044	Gesneria pauciflora (=Sci name)	T	\$500	\$917,466,491
1044	Schoepfia arenaria (=Sci name)	T	\$500	\$917,466,991
1044	Auerodendron pauciflorum (=Sci name)	E	\$500	\$917,467,491
1044	Walnut (=Nogal), West Indian (<i>Juglans jamaicensis</i>)	E	\$500	\$917,467,991
1044	Lyonia truncata var. <i>proctorii</i> (=Sci name)	E	\$500	\$917,468,491
1044	Cranichis ricartii (=Sci name)	E	\$500	\$917,468,991
1044	Elaphoglossum serpens (=Sci name)	E	\$500	\$917,469,491
1044	Tectaria estremerana (=Sci name)	E	\$500	\$917,469,991
1044	Thelypteris yaucoensis (=Sci name)	E	\$500	\$917,470,491
1045	Lysimachia maxima (=Sci name)	E	\$451	\$917,470,942
1046	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	\$412	\$917,471,354
1047	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	\$400	\$917,471,754
1048	Oha (<i>Delissea rivularis</i>)	E	\$361	\$917,472,115
1048	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	\$361	\$917,472,476
1048	Phyllostegia knudsenii (=Sci name)	E	\$361	\$917,472,837
1048	Schiedea sarmentosa (=Sci name)	E	\$361	\$917,473,198
1048	Schiedea verticillata (=Sci name)	E	\$361	\$917,473,559
1048	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	\$361	\$917,473,920
1048	Hedyotis, Na Pali beach (<i>Hedyotis st.-johnii</i>)	E	\$361	\$917,474,281
1048	Alani (<i>Melicope munroi</i>)	E	\$361	\$917,474,642
1048	Alani (<i>Melicope ovalis</i>)	E	\$361	\$917,475,003
1048	Alani (<i>Melicope quadrangularis</i>)	E	\$361	\$917,475,364
1048	Alani (<i>Melicope reflexa</i>)	E	\$361	\$917,475,725

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1048	Neraudia sericea (=Sci name)	E	\$361	\$917,476,086
1048	`Aiea (<i>Nothocestrum peltatum</i>)	E	\$361	\$917,476,447
1048	Phyllostegia glabra var. lanaiensis (=Sci name)	E	\$361	\$917,476,808
1048	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	\$361	\$917,477,169
1048	Viola helenae (=Sci name)	E	\$361	\$917,477,530
1048	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	\$361	\$917,477,891
1048	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	\$361	\$917,478,252
1048	Nehe (<i>Lipochaeta kamolensis</i>)	E	\$361	\$917,478,613
1048	Lysimachia filifolia (=Sci name)	E	\$361	\$917,478,974
1048	Bluegrass, Mann's (<i>Poa mannii</i>)	E	\$361	\$917,479,335
1048	Poa siphonoglossa (=Sci name)	E	\$361	\$917,479,696
1048	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	\$361	\$917,480,057
1048	Schiedea helleri (=Sci name)	E	\$361	\$917,480,418
1048	Schiedea lydgatei (=Sci name)	E	\$361	\$917,480,779
1048	Schiedea spergulina var. leiopoda (=Sci name)	E	\$361	\$917,481,140
1048	Laulihilihi (<i>Schiedea stellarioides</i>)	E	\$361	\$917,481,501
1048	Haha (<i>Cyanea asarifolia</i>)	E	\$361	\$917,481,862
1048	Haha (<i>Cyanea manni</i>)	E	\$361	\$917,482,223
1048	Haha (<i>Cyanea recta</i>)	T	\$361	\$917,482,584
1048	Haha (<i>Cyanea undulata</i>)	E	\$361	\$917,482,945
1048	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	\$361	\$917,483,306
1048	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	\$361	\$917,483,667
1048	Phyllostegia waimeae (=Sci name)	E	\$361	\$917,484,028
1048	Phyllostegia wawrana (=Sci name)	E	\$361	\$917,484,389
1048	Stenogyne campanulata (=Sci name)	E	\$361	\$917,484,750
1048	Haha (<i>Cyanea remyi</i>)	E	\$361	\$917,485,111
1048	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	\$361	\$917,485,472
1049	Madtom, Scioto (<i>Noturus trautmani</i>)	E	\$300	\$917,485,772
1049	Blossom, tubercled (pearlymussel) (<i>Epioblasma torulosa torulosa</i>) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$300	\$917,486,072
1050	Pamakani (<i>Tetramolopium capillare</i>)	E	\$293	\$917,486,365
1050	Diellia pallida (=Sci name)	E	\$293	\$917,486,658
1051	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	\$200	\$917,486,858
1052	Puma (=mountain lion) (<i>Puma</i> (=Felis) <i>concolor</i> (all subsp. except <i>coryi</i>)) FL	SAT	\$100	\$917,486,958
1053	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	\$95	\$917,487,053
1054	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	\$90	\$917,487,143
1055	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	\$83	\$917,487,226
1056	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	\$39	\$917,487,265
1056	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	\$39	\$917,487,304