

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2003 REPORTED
SPECIES-SPECIFIC ACTIVITY-RELATED EXPENDITURES**

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
1	Sea-lion, Steller western pop. (<i>Eumetopias jubatus</i>)	E	49,514,210	49,514,210	7.23
2	Salmon, chinook spring/summer Snake R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	35,576,572	85,090,782	12.43
3	Trout, bull U.S.A., conterminous, lower 48 states (<i>Salvelinus confluentus</i>)	T	29,295,633	114,386,415	16.7
4	Steelhead Snake R. Basin (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	23,859,358	138,245,773	20.19
5	Steelhead middle Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	20,468,240	158,714,013	23.18
6	Salmon, chinook fall Snake R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	18,781,033	177,495,046	25.92
7	Salmon, chinook Puget Sound (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	15,560,397	193,055,443	28.19
8	Salmon, coho OR, CA pop. (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>)	T	14,925,366	207,980,809	30.37
9	Whale, right (<i>Balaena glacialis</i> (incl. <i>australis</i>))	E	11,802,149	219,782,958	32.09
10	Minnow, Rio Grande silvery (<i>Hybognathus amarus</i>)	E	11,300,700	231,083,658	33.74
11	Salmon, sockeye U.S.A. (Snake River, ID stock wherever found. (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>)	E	11,288,666	242,372,324	35.39
12	Salmon, chinook upper Willamette R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	11,258,524	253,630,848	37.04
13	Woodpecker, red-cockaded (<i>Picoides borealis</i>)	E	11,069,069	264,699,917	38.65
14	Salmon, chinook lower Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	10,949,480	275,649,397	40.25
15	Flycatcher, southwestern willow (<i>Empidonax traillii extimus</i>)	E	9,909,284	285,558,681	41.7
16	Manatee, West Indian (<i>Trichechus manatus</i>)	E	9,798,514	295,357,195	43.13
17	Steelhead lower Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	9,439,431	304,796,626	44.51
18	Salmon, chinook spring upper Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	9,024,801	313,821,427	45.82
19	Steelhead Central Valley CA (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	8,733,300	322,554,727	47.1
20	Salmon, coho central CA coast (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>)	T	8,526,450	331,081,177	48.35
21	Salmon, chinook winter Sacramento R. (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	E	8,473,268	339,554,445	49.58
22	Steelhead upper Columbia R. Basin (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	E	8,187,129	347,741,574	50.78
23	Steelhead upper Willamette R. (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	8,060,032	355,801,606	51.95
24	Salmon, chinook CA Central Valley spring-run (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	7,833,620	363,635,226	53.1
25	Eagle, bald lower 48 States (<i>Haliaeetus leucocephalus</i>)	T	7,831,531	371,466,757	54.24
26	Salmon, chum Columbia R. (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>)	T	7,710,922	379,177,679	55.37
27	Sucker, razorback (<i>Xyrauchen texanus</i>)	E	7,127,470	386,305,149	56.41
28	Pikeminnow (=squawfish), Colorado	E	6,872,158	393,177,307	57.41

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
	except Salt and Verde R. drainages, AZ (<i>Ptychocheilus lucius</i>)				
29	Salmon, coho Oregon coast (<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>)	T	6,790,051	399,967,358	58.4
30	Steelhead northern CA (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	6,601,994	406,569,352	59.37
31	Tortoise, desert U.S.A., except in Sonoran Desert (<i>Gopherus agassizii</i>)	T	6,522,281	413,091,633	60.32
32	Panther, Florida (<i>Puma</i> (=Felis) <i>concolor coryi</i>)	E	6,301,276	419,392,909	61.24
33	Salmon, Atlantic Gulf of Maine Atlantic Salmon DPS (<i>Salmo salar</i>)	E	5,832,648	425,225,557	62.09
34	Steelhead central CA coast (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	5,677,674	430,903,231	62.92
35	Salmon, chum summer-run Hood Canal (<i>Oncorhynchus</i> (=Salmo) <i>keta</i>)	T	5,658,353	436,561,584	63.75
36	Bear, Louisiana black (<i>Ursus americanus luteolus</i>)	T	5,613,874	442,175,458	64.57
37	Owl, Mexican spotted (<i>Strix occidentalis lucida</i>)	T	5,443,009	447,618,467	65.36
38	Sea-lion, Steller eastern pop. (<i>Eumetopias jubatus</i>)	T	5,296,600	452,915,067	66.14
39	Steelhead southern CA coast (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	E	5,295,614	458,210,681	66.91
40	Bat, Indiana (<i>Myotis sodalis</i>)	E	5,218,103	463,428,784	67.67
41	Sturgeon, white U.S.A. (ID, MT, Canada (B.C., (Kootenai R. system (<i>Acipenser transmontanus</i>)	E	5,197,021	468,625,805	68.43
42	Salmon, chinook CA coastal (<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>)	T	5,161,800	473,787,605	69.18
43	Steelhead south central CA coast (<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>)	T	5,126,400	478,914,005	69.93
44	Chub, humpback (<i>Gila cypha</i>)	E	5,072,205	483,986,210	70.67
45	Bear, grizzly lower 48 States, except where listed as an experimental population (<i>Ursus arctos horribilis</i>)	T	5,057,366	489,043,576	71.41
46	Owl, northern spotted (<i>Strix occidentalis caurina</i>)	T	5,053,263	494,096,839	72.15
47	Sea turtle, loggerhead (<i>Caretta caretta</i>)	T	4,767,416	498,864,255	72.85
48	Murrelet, marbled CA, OR, WA (<i>Brachyramphus marmoratus marmoratus</i>)	T	4,754,652	503,618,907	73.54
49	Salmon, sockeye U.S.A. (Ozette Lake, WA (<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>)	T	4,716,729	508,335,636	74.23
50	Deer, key (<i>Odocoileus virginianus clavium</i>)	E	4,018,400	512,354,036	74.81
51	Plover, piping except Great Lakes watershed (<i>Charadrius melodus</i>)	T	3,795,051	516,149,087	75.37
52	Sturgeon, pallid (<i>Scaphirhynchus albus</i>)	E	3,772,113	519,921,200	75.92
53	Lynx, Canada lower 48 States DPS (<i>Lynx canadensis</i>)	T	3,495,870	523,417,070	76.43
54	Sea turtle, Kemp's ridley (<i>Lepidochelys kempi</i>)	E	3,429,785	526,846,855	76.93
55	Condor, California U.S.A. only (<i>Gymnogyps californianus</i>)	E	3,378,183	530,225,038	77.42
56	Sea turtle, hawksbill (<i>Eretmochelys imbricata</i>)	E	3,308,893	533,533,931	77.91
57	Crane, whooping except where XN (<i>Grus americana</i>)	E	3,299,156	536,833,087	78.39
58	Sea turtle, green except where endangered (<i>Chelonia mydas</i>)	T	3,259,185	540,092,272	78.87

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
59	Sea turtle, leatherback (<i>Dermochelys coriacea</i>)	E	3,236,867	543,329,139	79.34
60	Seagrass, Johnson's (<i>Halophila johnsonii</i>)	T	3,164,080	546,493,219	79.8
61	Chub, bonytail (<i>Gila elegans</i>)	E	3,116,234	549,609,453	80.25
62	Vireo, least Bell's (<i>Vireo bellii pusillus</i>)	E	2,894,048	552,503,501	80.68
63	Trout, Lahontan cutthroat (<i>Oncorhynchus clarki henshawi</i>)	T	2,885,132	555,388,633	81.1
64	Plover, western snowy Pacific coastal pop. (<i>Charadrius alexandrinus nivosus</i>)	T	2,824,184	558,212,817	81.51
65	Tern, least interior pop. (<i>Sterna antillarum</i>)	E	2,697,531	560,910,348	81.91
66	Sea turtle, olive ridley except where endangered (<i>Lepidochelys olivacea</i>)	T	2,642,657	563,553,005	82.29
67	Shrike, San Clemente loggerhead (<i>Lanius ludovicianus mearnsi</i>)	E	2,622,922	566,175,927	82.67
68	Tortoise, gopher W of of Mobile/Tombigbee Rs. (<i>Gopherus polyphemus</i>)	T	2,384,695	568,560,622	83.02
69	Seal, Hawaiian monk (<i>Monachus schauinslandi</i>)	E	2,145,364	570,705,986	83.34
70	Sea turtle, green FL, Mexico nesting pops. (<i>Chelonia mydas</i>)	E	2,047,625	572,753,611	83.63
71	Shiner, Pecos bluntnose (<i>Notropis simus pecosensis</i>)	T	1,937,600	574,691,211	83.92
72	Wolf, gray Western Distinct Population Segment (<i>Canis lupus</i>)	T	1,933,687	576,624,898	84.2
73	Ferret, black-footed except where XN (<i>Mustela nigripes</i>)	E	1,791,796	578,416,694	84.46
74	Sea turtle, olive ridley Mexican nesting pop. (<i>Lepidochelys olivacea</i>)	E	1,701,000	580,117,694	84.71
75	Warbler (=wood), golden-cheeked (<i>Dendroica chrysoparia</i>)	E	1,631,267	581,748,961	84.95
76	Whale, humpback (<i>Megaptera novaeangliae</i>)	E	1,615,200	583,364,161	85.18
77	Snake, giant garter (<i>Thamnophis gigas</i>)	T	1,561,474	584,925,635	85.41
78	Turtle, bog (=Muhlenberg) northern (<i>Clemmys muhlenbergii</i>)	T	1,542,655	586,468,290	85.64
79	Frog, California red-legged subspecies range clarified (<i>Rana aurora draytonii</i>)	T	1,487,920	587,956,210	85.85
80	Fox, San Joaquin kit (<i>Vulpes macrotis mutica</i>)	E	1,450,810	589,407,020	86.07
81	Parrot, Puerto Rican (<i>Amazona vittata</i>)	E	1,419,800	590,826,820	86.27
82	Sturgeon, shortnose (<i>Acipenser brevirostrum</i>)	E	1,377,490	592,204,310	86.47
83	Vireo, black-capped (<i>Vireo atricapilla</i>)	E	1,369,526	593,573,836	86.67
84	Stork, wood AL, FL, GA, SC (<i>Mycteria americana</i>)	E	1,334,846	594,908,682	86.87
85	Wolf, gray [XN] (<i>Canis lupus</i>)	EXPN	1,327,975	596,236,657	87.06
86	Otter, southern sea except where XN (<i>Enhydra lutris nereis</i>)	T	1,280,387	597,517,044	87.25
87	Sucker, Lost River (<i>Deltistes luxatus</i>)	E	1,202,000	598,719,044	87.43
88	Sucker, shortnose (<i>Chasmistes brevirostris</i>)	E	1,201,000	599,920,044	87.6
89	Butterfly, Karner blue (<i>Lycaeides melissa samuelis</i>)	E	1,179,941	601,099,985	87.77
90	Pondberry (<i>Lindera melissifolia</i>)	E	1,175,000	602,274,985	87.95
91	Bat, gray (<i>Myotis grisescens</i>)	E	1,136,187	603,411,172	88.11
92	Eider, Steller's AK breeding pop. (<i>Polysticta stelleri</i>)	T	1,062,836	604,474,008	88.27
93	Pronghorn, Sonoran (<i>Antilocapra americana sonoriensis</i>)	E	1,055,970	605,529,978	88.42
94	Sturgeon, gulf (<i>Acipenser oxyrinchus desotoi</i>)	T	1,051,916	606,581,894	88.57

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
95	Wolf, gray U.S.A. (delisting of all other lower 48 states or portions of lower 48 states not otherwise included in the 3 distinct population segments). (<i>Canis lupus</i>)	DR	1,010,727	607,592,621	88.72
96	Crane, whooping U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV) (<i>Grus americana</i>)	EXPN	962,261	608,554,882	88.86
97	Jay, Florida scrub (<i>Aphelocoma coerulescens</i>)	T	949,740	609,504,622	89
98	Albatross, short-tailed (<i>Phoebastria (=Diomedea) albatrus</i>)	E	942,980	610,447,602	89.14
99	Toad, arroyo (=arroyo southwestern) (<i>Bufo californicus (=microscaphus)</i>)	E	913,441	611,361,043	89.27
100	Tern, California least (<i>Sterna antillarum browni</i>)	E	911,172	612,272,215	89.41
101	Higgins eye (pearlymussel) (<i>Lampsilis higginsii</i>)	E	901,807	613,174,022	89.54
102	Smelt, delta (<i>Hypomesus transpacificus</i>)	T	901,398	614,075,420	89.67
103	Wolf, gray Mexican gray wolf, EXPN population (<i>Canis lupus</i>)	EXPN	828,636	614,904,056	89.79
104	Sparrow, Cape Sable seaside (<i>Ammodramus maritimus mirabilis</i>)	E	826,725	615,730,781	89.91
105	Mouse, Alabama beach (<i>Peromyscus polionotus ammobates</i>)	E	820,000	616,550,781	90.03
106	Mouse, Preble's meadow jumping (<i>Zapus hudsonius preblei</i>)	T	807,835	617,358,616	90.15
107	Crow, Mariana (=aga) (<i>Corvus kubaryi</i>)	E	804,192	618,162,808	90.27
108	Shiner, Topeka (<i>Notropis topeka (=tristis)</i>)	E	794,863	618,957,671	90.38
109	Rabbit, riparian brush (<i>Sylvilagus bachmani riparius</i>)	E	780,087	619,737,758	90.5
110	Crane, whooping U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming (<i>Grus americana</i>))	EXPN	768,171	620,505,929	90.61
111	Snails, Oahu tree (<i>Achatinella spp.</i>)	E	762,514	621,268,443	90.72
112	Wolf, red [XN] (<i>Canis rufus</i>)	EXPN	733,580	622,002,023	90.83
113	Pygmy-owl, cactus ferruginous AZ pop. (<i>Glaucidium brasilianum cactorum</i>)	E	717,325	622,719,348	90.93
114	Crane, Mississippi sandhill (<i>Grus canadensis pulla</i>)	E	672,740	623,392,088	91.03
115	Rail, Yuma clapper U.S.A. only (<i>Rallus longirostris yumanensis</i>)	E	656,517	624,048,605	91.12
116	Ocelot (<i>Leopardus (=Felis) pardalis</i>)	E	651,760	624,700,365	91.22
117	Cui-ui (<i>Chasmistes cujus</i>)	E	629,936	625,330,301	91.31
118	Pelican, brown except U.S. Atlantic coast, FL, AL (<i>Pelecanus occidentalis</i>)	E	597,183	625,927,484	91.4
119	Prairie-chicken, Attwater's greater (<i>Tympanuchus cupido attwateri</i>)	E	592,769	626,520,253	91.49
120	Eider, spectacled (<i>Somateria fischeri</i>)	T	574,980	627,095,233	91.57
121	Ferret, black-footed U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY, see 17.84(g) (<i>Mustela nigripes</i>))	EXPN	569,174	627,664,407	91.65
122	Gnatcatcher, coastal California (<i>Poliophtila californica californica</i>)	T	552,628	628,217,035	91.73
123	Prairie dog, Utah (<i>Cynomys parvidens</i>)	T	534,142	628,751,177	91.81
124	Sucker, June (<i>Chasmistes liorus</i>)	E	526,440	629,277,617	91.89
125	Rail, Guam except Rota (<i>Rallus owstoni</i>)	E	512,685	629,790,302	91.96
126	Caribou, woodland ID, WA, B.C. (<i>Rangifer tarandus caribou</i>)	E	503,251	630,293,553	92.04
127	Falcon, northern aplomado (<i>Falco femoralis septentrionalis</i>)	E	501,000	630,794,553	92.11
128	Warbler (=wood), Kirtland's (<i>Dendroica kirtlandii</i>)	E	479,723	631,274,276	92.18

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
129	Woundfin [XN] (<i>Plagopterus argentissimus</i>)	EXPN	473,113	631,747,389	92.25
130	Frog, Mississippi gopher Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA. (<i>Rana capito sevosa</i>)	E	464,600	632,211,989	92.32
131	Chub, Virgin River (<i>Gila seminuda</i> (=robusta))	E	462,136	632,674,125	92.38
132	Goose, Hawaiian (<i>Branta</i> (=Nesochen) <i>sandvicensis</i>)	E	454,169	633,128,294	92.45
133	Toad, Houston (<i>Bufo houstonensis</i>)	E	429,836	633,558,130	92.51
134	Squirrel, Delmarva Peninsula fox except Sussex Co., DE (<i>Sciurus niger cinereus</i>)	E	428,465	633,986,595	92.58
135	Snake, eastern indigo (<i>Drymarchon corais couperi</i>)	T	428,211	634,414,806	92.64
136	Bear, grizzly experimental, non-essential, portions of ID and MT (<i>Ursus arctos horribilis</i>)	EXPN	412,315	634,827,121	92.7
137	Pocketbook, fat (<i>Potamilus capax</i>)	E	412,220	635,239,341	92.76
138	Wolf, gray Eastern Distinct Population Segment (<i>Canis lupus</i>)	T	403,108	635,642,449	92.82
139	Minnow, loach (<i>Tiaroga cobitis</i>)	T	392,026	636,034,475	92.87
140	Pikeminnow (=squawfish), Colorado [XN] (<i>Ptychocheilus lucius</i>)	EXPN	390,434	636,424,909	92.93
141	Sturgeon, Alabama (<i>Scaphirhynchus suttkusi</i>)	E	388,300	636,813,209	92.99
142	Beetle, American burying (<i>Nicrophorus americanus</i>)	E	374,459	637,187,668	93.04
143	Plover, piping Great Lakes watershed (<i>Charadrius melodus</i>)	E	373,144	637,560,812	93.1
144	Trout, greenback cutthroat (<i>Oncorhynchus clarki stomias</i>)	T	365,600	637,926,412	93.15
145	Topminnow, Gila (incl. Yaqui) U.S.A. only (<i>Poeciliopsis occidentalis</i>)	E	364,765	638,291,177	93.2
146	Spikedace (<i>Meda fulgida</i>)	T	358,208	638,649,385	93.26
147	Fairy shrimp, vernal pool (<i>Branchinecta lynchi</i>)	T	354,715	639,004,100	93.31
148	Orchid, western prairie fringed (<i>Platanthera praeclara</i>)	T	350,092	639,354,192	93.36
149	Beetle, valley elderberry longhorn (<i>Desmocerus californicus dimorphus</i>)	T	349,465	639,703,657	93.41
150	Sheep, bighorn Peninsular CA pop. (<i>Ovis canadensis</i>)	E	337,410	640,041,067	93.46
151	Salamander, flatwoods (<i>Ambystoma cingulatum</i>)	T	334,800	640,375,867	93.51
152	Frog, mountain yellow-legged southern California DPS (<i>Rana muscosa</i>)	E	332,662	640,708,529	93.56
153	Butterfly, Oregon silverspot (<i>Speyeria zerene hippolyta</i>)	T	330,239	641,038,768	93.61
154	Clubshell Entire Range; Except where listed as Experimental Populations (<i>Pleurobema clava</i>)	E	325,214	641,363,982	93.65
155	Tortoise, desert outside/taken from Sonoran Desert (<i>Gopherus agassizii</i>)	SAT	323,901	641,687,883	93.7
156	Petrel, Hawaiian dark-rumped (<i>Pterodroma phaeopygia sandwichensis</i>)	E	317,640	642,005,523	93.75
157	Kite, Everglade snail FL pop. (<i>Rostrhamus sociabilis plumbeus</i>)	E	317,190	642,322,713	93.79
158	Salamander, California tiger U.S.A. (CA - Santa Barbara County (<i>Ambystoma californiense</i>))	E	311,220	642,633,933	93.84
159	Chub, Oregon (<i>Oregonichthys crameri</i>)	E	305,558	642,939,491	93.88
160	Crow, Hawaiian (=alala) (<i>Corvus hawaiiensis</i>)	E	299,135	643,238,626	93.93
161	Salamander, Barton Springs (<i>Eurycea sosorum</i>)	E	297,800	643,536,426	93.97
162	Squirrel, northern Idaho ground (<i>Spermophilus brunneus brunneus</i>)	T	296,757	643,833,183	94.01

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
163	Darter, Okaloosa (<i>Etheostoma okaloosae</i>)	E	296,500	644,129,683	94.06
164	Darter, boulder (<i>Etheostoma wapiti</i>)	E	295,080	644,424,763	94.1
165	Bat, lesser long-nosed (<i>Leptonycteris curasoae yerbabuena</i>)	E	287,131	644,711,894	94.14
166	Butterfly, mission blue (<i>Icaricia icarioides missionensis</i>)	E	284,500	644,996,394	94.18
167	Mouse, salt marsh harvest (<i>Reithrodontomys raviventris</i>)	E	282,025	645,278,419	94.22
168	Swiftlet, Mariana gray (<i>Aerodramus vanikorensis bartschi</i>)	E	279,932	645,558,351	94.27
169	Frog, Chiricahua leopard (<i>Rana chiricahuensis</i>)	T	264,498	645,822,849	94.3
170	Blackbird, yellow-shouldered (<i>Agelaius xanthomus</i>)	E	262,500	646,085,349	94.34
171	Amaranth, seabeach (<i>Amaranthus pumilus</i>)	T	259,856	646,345,205	94.38
172	Wolf, red except where XN (<i>Canis rufus</i>)	E	259,500	646,604,705	94.42
173	Ko' oloa' ula (<i>Abutilon menziesii</i>)	E	257,122	646,861,827	94.46
174	Salamander, California tiger U.S.A. (CA - Sonoma County (<i>Ambystoma californiense</i>))	E	256,990	647,118,817	94.49
175	Goby, tidewater Entire (<i>Eucyclogobius newberryi</i>)	E	248,723	647,367,540	94.53
176	Butterfly, callippe silverspot (<i>Speyeria callippe callippe</i>)	E	246,513	647,614,053	94.57
177	Kingfisher, Guam Micronesian (<i>Halcyon cinnamomina cinnamomina</i>)	E	244,400	647,858,453	94.6
178	Pupfish, desert (<i>Cyprinodon macularius</i>)	E	243,231	648,101,684	94.64
179	Stilt, Hawaiian (<i>Himantopus mexicanus knudseni</i>)	E	238,939	648,340,623	94.67
180	Riffleshell, northern (<i>Epioblasma torulosa rangiana</i>)	E	237,800	648,578,423	94.71
181	Splittail, Sacramento (<i>Pogonichthys macrolepidotus</i>)	T	236,000	648,814,423	94.74
182	Ladies'-tresses, Ute (<i>Spiranthes diluvialis</i>)	T	233,401	649,047,824	94.78
183	Sparrow, Florida grasshopper (<i>Ammodramus savannarum floridanus</i>)	E	232,500	649,280,324	94.81
184	Rail, California clapper (<i>Rallus longirostris obsoletus</i>)	E	226,192	649,506,516	94.84
185	Mucket, pink (pearlymussel) (<i>Lampsilis abrupta</i>)	E	225,811	649,732,327	94.88
186	Salamander, Texas blind (<i>Typhlomolge rathbuni</i>)	E	223,010	649,955,337	94.91
187	Trout, Little Kern golden (<i>Oncorhynchus aguabonita whitei</i>)	T	222,892	650,178,229	94.94
188	Kangaroo rat, Stephens' (<i>Dipodomys stephensi (incl. D. cascus)</i>)	E	222,225	650,400,454	94.97
189	Harvestman, Bone Cave (<i>Texella reyesi</i>)	E	215,520	650,615,974	95
190	Pimpleback, orangefoot (pearlymussel) (<i>Plethobasus cooperianus</i>)	E	213,302	650,829,276	95.04
191	Milk-vetch, Lane Mountain (<i>Astragalus jaegerianus</i>)	E	212,509	651,041,785	95.07
192	Ground beetle, [unnamed] (<i>Rhadine infernalis</i>)	E	209,210	651,250,995	95.1
192	Ground beetle, [unnamed] (<i>Rhadine exilis</i>)	E	209,210	651,460,205	95.13
194	Layia, beach (<i>Layia carnosa</i>)	E	208,800	651,669,005	95.16
195	Creeper, Hawaii (<i>Oreomystis mana</i>)	E	208,701	651,877,706	95.19
196	Meshweaver, Madla's Cave (<i>Cicurina madla</i>)	E	208,290	652,085,996	95.22
197	Paintbrush, golden (<i>Castilleja levisecta</i>)	T	206,652	652,292,648	95.25
198	Heelsplitter, Carolina (<i>Lasmigona decorata</i>)	E	206,350	652,498,998	95.28
199	Whale, finback (<i>Balaenoptera physalus</i>)	E	205,900	652,704,898	95.31
200	Tern, roseate northeast U.S. nesting pop. (<i>Sterna dougallii dougallii</i>)	E	204,634	652,909,532	95.34
201	Whale, bowhead (<i>Balaena mysticetus</i>)	E	203,897	653,113,429	95.37
202	Spineflower, Monterey (<i>Chorizanthe pungens var. pungens</i>)	T	203,400	653,316,829	95.4
203	Whale, Sei (<i>Balaenoptera borealis</i>)	E	202,900	653,519,729	95.43
203	Whale, sperm (<i>Physeter catodon (=macrocephalus)</i>)	E	202,900	653,722,629	95.46
205	Whale, blue (<i>Balaenoptera musculus</i>)	E	202,770	653,925,399	95.49

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
206	Ambersnail, Kanab (<i>Oxyloma haydeni kanabensis</i>)	E	201,000	654,126,399	95.52
207	Coneflower, smooth (<i>Echinacea laevigata</i>)	E	195,850	654,322,249	95.55
208	Akiapola`au (honeycreeper) (<i>Hemignathus munroi</i>)	E	195,576	654,517,825	95.57
209	Toad, Wyoming (<i>Bufo baxteri</i> (=hemiophrys))	E	195,565	654,713,390	95.6
210	Palila (honeycreeper) (<i>Loxioides bailleui</i>)	E	193,202	654,906,592	95.63
211	Rattlesnake, New Mexican ridge-nosed (<i>Crotalus willardi obscurus</i>)	T	192,445	655,099,037	95.66
212	Logperch, Roanoke (<i>Percina rex</i>)	E	191,700	655,290,737	95.69
213	Mapleleaf, winged (mussel) Entire; except where listed as experimental populations (<i>Quadrula fragosa</i>)	E	191,087	655,481,824	95.71
214	Mouse, southeastern beach (<i>Peromyscus polionotus niveiventris</i>)	T	187,640	655,669,464	95.74
215	Rabbit, pygmy Columbia Basin DPS (<i>Brachylagus idahoensis</i>)	EmE	185,400	655,854,864	95.77
216	Kangaroo rat, San Bernardino Merriam's (<i>Dipodomys merriami parvus</i>)	E	184,800	656,039,664	95.8
217	Amole, purple (<i>Chlorogalum purpureum</i>)	T	184,200	656,223,864	95.82
218	Gilia, Monterey (<i>Gilia tenuiflora ssp. arenaria</i>)	E	181,200	656,405,064	95.85
219	Trout, Apache (<i>Oncorhynchus apache</i>)	T	179,370	656,584,434	95.88
220	Sunflower, Eggert's (<i>Helianthus eggertii</i>)	T	178,520	656,762,954	95.9
221	Fairy shrimp, Riverside (<i>Streptocephalus woottoni</i>)	E	177,762	656,940,716	95.93
222	Spinedace, Little Colorado (<i>Lepidomeda vittata</i>)	T	174,249	657,114,965	95.95
223	Parrotbill, Maui (honeycreeper) (<i>Pseudonestor xanthophrys</i>)	E	170,302	657,285,267	95.98
224	Spinedace, White River (<i>Lepidomeda albivallis</i>)	E	169,156	657,454,423	96
225	Loosestrife, rough-leaved (<i>Lysimachia asperulaefolia</i>)	E	167,968	657,622,391	96.03
226	Quillwort, Louisiana (<i>Isoetes louisianensis</i>)	E	167,500	657,789,891	96.05
227	Fairy shrimp, San Diego (<i>Branchinecta sandiegonensis</i>)	E	166,762	657,956,653	96.08
228	Woodrat, Key Largo (<i>Neotoma floridana smalli</i>)	E	165,500	658,122,153	96.1
229	Moth, Blackburn's sphinx (<i>Manduca blackburni</i>)	E	160,620	658,282,773	96.12
230	Butterfly, Palos Verdes blue (<i>Glaucopsyche lygdamus palosverdesensis</i>)	E	158,824	658,441,597	96.15
231	Cactus, Pima pineapple (<i>Coryphantha scheeri var. robustispina</i>)	E	150,109	658,591,706	96.17
232	Bird's beak, palmate-bracted (<i>Cordylanthus palmatus</i>)	E	149,800	658,741,506	96.19
233	Squirrel, Mount Graham red (<i>Tamiasciurus hudsonicus grahamensis</i>)	E	149,298	658,890,804	96.21
234	Condor, California [XN] (<i>Gymnogyps californianus</i>)	EXPN	148,000	659,038,804	96.23
235	Bat, Ozark big-eared (<i>Corynorhinus</i> (=Plecotus) townsendii ingens)	E	146,851	659,185,655	96.26
236	Fritillary, Gentner's (<i>Fritillaria gentneri</i>)	E	146,503	659,332,158	96.28
237	Bat, Virginia big-eared (<i>Corynorhinus</i> (=Plecotus) townsendii virginianus)	E	146,400	659,478,558	96.3
238	Darter, Etowah (<i>Etheostoma etowahae</i>)	E	145,200	659,623,758	96.32
239	Boa, Puerto Rican (<i>Epicrates inornatus</i>)	E	145,100	659,768,858	96.34
240	Darter, Cherokee (<i>Etheostoma scotti</i>)	T	145,000	659,913,858	96.36
241	Caracara, Audubon's crested FL pop. (<i>Polyborus plancus audubonii</i>)	T	142,065	660,055,923	96.38
242	Snail, Utah valvata (<i>Valvata utahensis</i>)	E	141,778	660,197,701	96.4
243	Sucker, Santa Ana 3 CA river basins (<i>Catostomus santaanae</i>)	T	138,410	660,336,111	96.42
244	Bat, Hawaiian hoary (<i>Lasiurus cinereus semotus</i>)	E	137,354	660,473,465	96.44
245	Wallflower, Menzies' (<i>Erysimum menziesii</i>)	E	136,400	660,609,865	96.46

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
246	Abalone, White (<i>Haliotis sorenseni</i>)	E	135,000	660,744,865	96.48
247	Wedgemussel, dwarf (<i>Alasmidonta heterodon</i>)	E	131,529	660,876,394	96.5
248	Pupfish, Devils Hole (<i>Cyprinodon diabolis</i>)	E	131,079	661,007,473	96.52
249	Squirrel, Virginia northern flying (<i>Glaucomys sabrinus fuscus</i>)	E	127,340	661,134,813	96.54
250	Pigtoe, rough (<i>Pleurobema plenum</i>)	E	127,311	661,262,124	96.56
251	Mussel, scaleshell (<i>Leptodea leptodon</i>)	E	126,265	661,388,389	96.58
252	Elepaio, Oahu (<i>Chasiempis sandwichensis ibidis</i>)	E	125,958	661,514,347	96.6
253	Phlox, Texas trailing (<i>Phlox nivalis ssp. texensis</i>)	E	122,480	661,636,827	96.61
254	Shearwater, Newell's Townsend's (<i>Puffinus auricularis newelli</i>)	T	121,870	661,758,697	96.63
255	Trout, Gila (<i>Oncorhynchus gilae</i>)	E	121,132	661,879,829	96.65
256	Shiner, blue (<i>Cyprinella caerulea</i>)	T	120,190	662,000,019	96.67
257	Darter, Niangua (<i>Etheostoma nianguae</i>)	T	119,000	662,119,019	96.68
258	Springsnail, Idaho (<i>Fontelicella idahoensis</i>)	E	118,778	662,237,797	96.7
259	Pogonia, small whorled (<i>Isotria medeoloides</i>)	T	118,490	662,356,287	96.72
260	Duck, Laysan (<i>Anas laysanensis</i>)	E	117,072	662,473,359	96.74
261	Akepa, Hawaii (honeycreeper) (<i>Loxops coccineus coccineus</i>)	E	112,632	662,585,991	96.75
262	Cavesnail, Tumbling Creek (<i>Antrobia culveri</i>)	E	106,900	662,692,891	96.77
263	Chaffseed, American (<i>Schwalbea americana</i>)	E	105,550	662,798,441	96.78
264	Wolf, gray Southwestern Distinct Population Segment (<i>Canis lupus</i>)	E	105,534	662,903,975	96.8
265	Rail, Guam [XN] (<i>Rallus owstoni</i>)	EXPN	104,315	663,008,290	96.81
266	Snail, Bliss Rapids (<i>Taylorconcha serpenticola</i>)	T	103,778	663,112,068	96.83
267	Snake, Lake Erie water subspecies range clarified (<i>Nerodia sipedon insularum</i>)	T	103,500	663,215,568	96.84
268	Pocketbook, finelined (<i>Lampsilis altilis</i>)	T	103,231	663,318,799	96.86
269	Crocodile, American (<i>Crocodylus acutus</i>)	E	103,200	663,421,999	96.87
270	Po'ouli (honeycreeper) (<i>Melamprosops phaeosoma</i>)	E	102,742	663,524,741	96.89
271	Chub, Mohave tui (<i>Gila bicolor mohavensis</i>)	E	102,091	663,626,832	96.9
272	Snail, Snake River physa (<i>Physa natricina</i>)	E	101,778	663,728,610	96.92
273	Fly, Delhi Sands flower-loving (<i>Rhaphiomidas terminatus abdominalis</i>)	E	100,500	663,829,110	96.93
274	Spineflower, slender-horned (<i>Dodecahema leptoceras</i>)	E	99,200	663,928,310	96.95
275	Aster, decurrent false (<i>Boltonia decurrens</i>)	T	97,561	664,025,871	96.96
276	Trout, Paiute cutthroat (<i>Oncorhynchus clarki seleniris</i>)	T	96,987	664,122,858	96.98
277	Otter, southern sea [XN] (<i>Enhydra lutris nereis</i>)	EXPN	96,012	664,218,870	96.99
278	Kuahiwi laukahi (<i>Plantago princeps</i>)	E	95,660	664,314,530	97
279	Phlox, Yreka (<i>Phlox hirsuta</i>)	E	95,106	664,409,636	97.02
280	Squirrel, Delmarva Peninsula fox [XN] (<i>Sciurus niger cinereus</i>)	EXPN	92,900	664,502,536	97.03
281	Tadpole shrimp, vernal pool (<i>Lepidurus packardii</i>)	E	92,862	664,595,398	97.05
282	Sumac, Michaux's (<i>Rhus michauxii</i>)	E	92,840	664,688,238	97.06
283	Hawk, Hawaiian (=lo) (<i>Buteo solitarius</i>)	E	92,446	664,780,684	97.07
284	Tarplant, Santa Cruz (<i>Holocarpha macradenia</i>)	T	92,300	664,872,984	97.09
285	Coot, Hawaiian (<i>Fulica americana alai</i>)	E	91,847	664,964,831	97.1
286	Butterfly, bay checkerspot (<i>Euphydryas editha bayensis</i>)	T	91,638	665,056,469	97.11
287	Bonamia menziesii (=Sci name)	E	89,992	665,146,461	97.13
288	Mahoe (<i>Alectryon macrococcus</i>)	E	89,452	665,235,913	97.14

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
289	Mussel, oyster Entire Range; Except where listed as Experimental Populations (<i>Epioblasma capsaeformis</i>)	E	88,762	665,324,675	97.15
290	Silversword, Mauna Loa (=Ka'u) (<i>Argyroxiphium kauense</i>)	E	88,374	665,413,049	97.16
291	A'e (<i>Zanthoxylum hawaiiense</i>)	E	88,276	665,501,325	97.18
292	Bladderpod, white (<i>Lesquerella pallida</i>)	E	87,500	665,588,825	97.19
293	Shiner, Arkansas River Arkansas R. Basin (<i>Notropis girardi</i>)	T	86,666	665,675,491	97.2
294	Moorhen, Hawaiian common (<i>Gallinula chloropus sandvicensis</i>)	E	86,270	665,761,761	97.22
295	Crayfish, Shasta (<i>Pacifastacus fortis</i>)	E	86,236	665,847,997	97.23
296	Stickleback, unarmored threespine (<i>Gasterosteus aculeatus williamsoni</i>)	E	86,163	665,934,160	97.24
297	Snail, Iowa Pleistocene (<i>Discus macclintocki</i>)	E	85,600	666,019,760	97.25
298	Orchid, eastern prairie fringed (<i>Platanthera leucophaea</i>)	T	85,309	666,105,069	97.27
299	Catchfly, Spalding's (<i>Silene spaldingii</i>)	T	85,086	666,190,155	97.28
300	Woodrat, riparian (=San Joaquin Valley) (<i>Neotoma fuscipes riparia</i>)	E	84,500	666,274,655	97.29
301	Darter, leopard (<i>Percina pantherina</i>)	T	83,886	666,358,541	97.3
302	Harperella (<i>Ptilimnium nodosum</i>)	E	83,801	666,442,342	97.32
303	Duck, Hawaiian (=koloa) (<i>Anas wyvilliana</i>)	E	83,643	666,525,985	97.33
304	Bat, Mariana fruit (=Mariana flying fox) Guam (<i>Pteropus mariannus mariannus</i>)	E	83,582	666,609,567	97.34
305	Mehamehame (<i>Flueggea neowawraea</i>)	E	83,320	666,692,887	97.35
306	Moccasinshell, Ochlockonee (<i>Medionidus simpsonianus</i>)	E	82,900	666,775,787	97.36
307	Amphipod, Kauai cave (<i>Spelaeorchestia koloana</i>)	E	82,885	666,858,672	97.38
308	Kangaroo rat, giant (<i>Dipodomys ingens</i>)	E	82,500	666,941,172	97.39
309	Ma'o hau hele, (=native yellow hibiscus) (<i>Hibiscus brackenridgei</i>)	E	82,482	667,023,654	97.4
310	Pawpaw, four-petal (<i>Asimina tetramera</i>)	E	82,110	667,105,764	97.41
311	Po'e (<i>Portulaca sclerocarpa</i>)	E	81,586	667,187,350	97.42
312	Spider, Kauai cave wolf or pe'e pe'e maka 'ole (<i>Adelocosa anops</i>)	E	80,905	667,268,255	97.44
313	Four-o'clock, MacFarlane's (<i>Mirabilis macfarlanei</i>)	T	80,378	667,348,633	97.45
314	Bat, Mexican long-nosed (<i>Leptonycteris nivalis</i>)	E	80,119	667,428,752	97.46
315	Neraudia ovata (=Sci name)	E	79,686	667,508,438	97.47
316	Dace, Moapa (<i>Moapa coriacea</i>)	E	79,637	667,588,075	97.48
317	Butterfly, Quino checkerspot (<i>Euphydryas editha quino</i> (=E. e. wrighti))	E	78,900	667,666,975	97.49
318	Spermolepis hawaiiensis (=Sci name)	E	78,871	667,745,846	97.51
319	Silene hawaiiensis (=Sci name)	T	78,586	667,824,432	97.52
320	Woundfin except Gila R. drainage, AZ, NM (<i>Plagopterus argentissimus</i>)	E	78,432	667,902,864	97.53
321	Tetramolopium arenarium (=Sci name)	E	78,186	667,981,050	97.54
322	Kio'ele (<i>Hedyotis coriacea</i>)	E	78,086	668,059,136	97.55
323	Butterfly, Smith's blue (<i>Euphilotes enoptes smithi</i>)	E	78,000	668,137,136	97.56
324	Honohono (<i>Haplostachys haplostachya</i>)	E	77,586	668,214,722	97.57
324	Stenogyne angustifolia var. angustifolia (=Sci name)	E	77,586	668,292,308	97.59
326	Dragonfly, Hine's emerald (<i>Somatochlora hineana</i>)	E	77,510	668,369,818	97.6
327	Nanu (<i>Gardenia mannii</i>)	E	76,835	668,446,653	97.61
328	Oha (<i>Delissea subcordata</i>)	E	76,520	668,523,173	97.62
329	Mouse, Pacific pocket (<i>Perognathus longimembris pacificus</i>)	E	76,425	668,599,598	97.63
330	Limpet, Banbury Springs (<i>Lanx</i> sp.)	E	76,378	668,675,976	97.64
331	`Ohe`ohe (<i>Tetraplasandra gymnocarpa</i>)	E	76,373	668,752,349	97.65

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
332	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	76,358	668,828,707	97.66
333	Cactus, Wright fishhook (<i>Sclerocactus wrightiae</i>)	E	76,000	668,904,707	97.67
333	Milk-vetch, Peirson's (<i>Astragalus magdalenae</i> var. <i>peirsonii</i>)	T	76,000	668,980,707	97.69
335	Milk-vetch, heliotrope (<i>Astragalus montii</i>)	T	75,800	669,056,507	97.7
336	Popolo ku mai (<i>Solanum incompletum</i>)	E	75,771	669,132,278	97.71
337	<i>Silene lanceolata</i> (=Sci name)	E	75,271	669,207,549	97.72
338	Snail, Newcomb's (<i>Erinna newcombi</i>)	T	74,586	669,282,135	97.73
339	<i>Alsinidendron trinerve</i> (=Sci name)	E	74,570	669,356,705	97.74
340	<i>Hesperomannia arborescens</i> (=Sci name)	E	74,520	669,431,225	97.75
340	Kamakahala (<i>Labordia cyrtandrae</i>)	E	74,520	669,505,745	97.76
342	Dace, desert (<i>Eremichthys acros</i>)	T	74,406	669,580,151	97.77
343	<i>Schiedea nuttallii</i> (=Sci name)	E	74,387	669,654,538	97.78
344	Ha'iwale (<i>Cyrtandra dentata</i>)	E	74,270	669,728,808	97.79
344	Ha'iwale (<i>Cyrtandra subumbellata</i>)	E	74,270	669,803,078	97.81
344	Haha (<i>Cyanea acuminata</i>)	E	74,270	669,877,348	97.82
344	Haha (<i>Cyanea koolauensis</i>)	E	74,270	669,951,618	97.83
348	Wawae'iole (<i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i>)	E	74,065	670,025,683	97.84
349	`Anaunau (<i>Lepidium arbuscula</i>)	E	74,020	670,099,703	97.85
350	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	73,720	670,173,423	97.86
351	Aupaka (<i>Isodendron longifolium</i>)	T	73,533	670,246,956	97.87
352	<i>Diellia falcata</i> (=Sci name)	E	73,143	670,320,099	97.88
353	Pocketbook, shinyrayed (<i>Lampsilis subangulata</i>)	E	73,100	670,393,199	97.89
354	<i>Phyllostegia mollis</i> (=Sci name)	E	72,750	670,465,949	97.9
355	Milkweed, Mead's (<i>Asclepias meadii</i>)	T	72,515	670,538,464	97.91
356	Kamanomano (<i>Cenchrus agrimonioides</i>)	E	72,487	670,610,951	97.92
357	<i>Phyllostegia hirsuta</i> (=Sci name)	E	72,450	670,683,401	97.93
358	`Akoko (<i>Euphorbia haelealeana</i>)	E	72,387	670,755,788	97.94
359	Honeycreeper, crested (<i>Palmeria dolei</i>)	E	72,302	670,828,090	97.96
360	Haha (<i>Cyanea st-johnii</i>)	E	72,283	670,900,373	97.97
361	`Akoko (<i>Chamaesyce celastroides</i> var. <i>kaenana</i>)	E	72,251	670,972,624	97.98
362	Pamakani (<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>)	E	72,073	671,044,697	97.99
363	Snake, Concho water (<i>Nerodia paucimaculata</i>)	T	72,025	671,116,722	98
364	<i>Schiedea hookeri</i> (=Sci name)	E	71,950	671,188,672	98.01
365	Bush-clover, prairie (<i>Lespedeza leptostachya</i>)	T	71,930	671,260,602	98.02
366	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	71,783	671,332,385	98.03
367	<i>Lobelia niihauensis</i> (=Sci name)	E	71,774	671,404,159	98.04
368	Butterfly plant, Colorado (<i>Gaura neomexicana</i> var. <i>coloradensis</i>)	T	71,756	671,475,915	98.05
369	<i>Pteris lidgatei</i> (=Sci name)	E	71,750	671,547,665	98.06
370	Alani (<i>Melicope lydgatei</i>)	E	71,733	671,619,398	98.07
371	<i>Neraudia angulata</i> (=Sci name)	E	71,720	671,691,118	98.08
372	Opuhe (<i>Urera kaalae</i>)	E	71,602	671,762,720	98.09
373	Thrush, small Kauai (=puaiohi) (<i>Myadestes palmeri</i>)	E	71,600	671,834,320	98.1
374	Haha (<i>Cyanea humboldtiana</i>)	E	71,483	671,905,803	98.11
374	Ha'iwale (<i>Cyrtandra viridiflora</i>)	E	71,483	671,977,286	98.12
374	`Akoko (<i>Chamaesyce rockii</i>)	E	71,483	672,048,769	98.13
377	<i>Alsinidendron obovatum</i> (=Sci name)	E	71,387	672,120,156	98.14

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
378	Nioi (<i>Eugenia koolauensis</i>)	E	71,233	672,191,389	98.15
379	Kulu'i (<i>Nototrichium humile</i>)	E	71,174	672,262,563	98.16
380	Kolea (<i>Myrsine juddii</i>)	E	70,933	672,333,496	98.18
381	Moorhen, Mariana common (<i>Gallinula chloropus guami</i>)	E	70,680	672,404,176	98.19
382	Sanicula purpurea (=Sci name)	E	70,463	672,474,639	98.2
383	Bean, Cumberland (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Villosa trabalis</i>)	EXPN	70,000	672,544,639	98.21
383	Blossom, tubercled (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma torulosa torulosa</i>)	EXPN	70,000	672,614,639	98.22
385	Viola oahuensis (=Sci name)	E	69,663	672,684,302	98.23
386	Haha (<i>Cyanea superba</i>)	E	69,487	672,753,789	98.24
387	Hedyotis degeneri (=Sci name)	E	68,687	672,822,476	98.25
387	Tetramolopium filiforme (=Sci name)	E	68,687	672,891,163	98.26
389	Hedyotis parvula (=Sci name)	E	68,610	672,959,773	98.27
390	Butterfly, Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	E	68,500	673,028,273	98.28
391	Nehe (<i>Lipochaeta tenuifolia</i>)	E	68,487	673,096,760	98.29
391	Na'ena'e (<i>Dubautia herbstobatae</i>)	E	68,487	673,165,247	98.3
391	Lo'ulu (<i>Pritchardia kaalae</i>)	E	68,487	673,233,734	98.31
391	Sanicula mariversa (=Sci name)	E	68,487	673,302,221	98.32
395	Pauoa (<i>Ctenitis squamigera</i>)	E	68,287	673,370,508	98.33
396	Warbler, nightingale reed (old world warbler) (<i>Acrocephalus luscini</i>)	E	68,220	673,438,728	98.34
397	Ma'oli'oli (<i>Schiedea kealiae</i>)	E	68,064	673,506,792	98.35
398	Lobelia oahuensis (=Sci name)	E	67,000	673,573,792	98.36
399	Potato-bean, Price's (<i>Apios priceana</i>)	T	66,840	673,640,632	98.37
400	Bean, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Villosa trabalis</i>)	E	66,600	673,707,232	98.38
401	Snail, Morro shoulderband (=Banded dune) (<i>Helminthoglypta walkeriana</i>)	E	66,500	673,773,732	98.39
401	Milk-vetch, triple-ribbed (<i>Astragalus tricarinatus</i>)	E	66,500	673,840,232	98.4
403	Cactus, Winkler (<i>Pediocactus winkleri</i>)	T	65,500	673,905,732	98.4
404	Dawn-flower, Texas prairie (<i>Hymenoxys texana</i>)	E	63,900	673,969,632	98.41
405	Sparrow, San Clemente sage (<i>Amphispiza belli clementeae</i>)	T	63,520	674,033,152	98.42
406	Clover, running buffalo (<i>Trifolium stoloniferum</i>)	E	63,300	674,096,452	98.43
407	Polygala, tiny (<i>Polygala smallii</i>)	E	62,890	674,159,342	98.44
408	Madtom, Neosho (<i>Noturus placidus</i>)	T	62,770	674,222,112	98.45
409	Monkshood, northern wild (<i>Aconitum noveboracense</i>)	T	62,200	674,284,312	98.46
410	Mapleleaf, winged (mussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Quadrula fragosa</i>)	EXPN	62,000	674,346,312	98.47
411	Fanshell (<i>Cyprogenia stegaria</i>)	E	61,690	674,408,002	98.48
412	Nightjar, Puerto Rican (<i>Caprimulgus noctitherus</i>)	E	61,500	674,469,502	98.49
413	Springfish, Railroad Valley (<i>Crenichthys nevadae</i>)	T	60,729	674,530,231	98.5
414	Pearlymussel, littlewing (<i>Pegias fabula</i>)	E	60,600	674,590,831	98.5
415	Desert-parsley, Bradshaw's (<i>Lomatium bradshawii</i>)	E	60,229	674,651,060	98.51
416	Cavefish, Ozark (<i>Amblyopsis rosae</i>)	T	59,855	674,710,915	98.52
417	Butterfly, Fender's blue (<i>Icaricia icarioides fenderi</i>)	E	59,408	674,770,323	98.53

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
418	Ambrosia, San Diego (<i>Ambrosia pumila</i>)	E	59,400	674,829,723	98.54
419	Skipper, Carson wandering (<i>Pseudocopaeodes eunus obscurus</i>)	E	59,200	674,888,923	98.55
420	Lizard, Coachella Valley fringe-toed (<i>Uma inornata</i>)	T	59,000	674,947,923	98.56
421	Lupine, Kincaid's (<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii))	T	58,790	675,006,713	98.57
422	Vole, Hualapai Mexican (<i>Microtus mexicanus hualpaiensis</i>)	E	58,585	675,065,298	98.57
423	Ring pink (mussel) (<i>Obovaria retusa</i>)	E	58,511	675,123,809	98.58
424	Rail, light-footed clapper U.S.A. only (<i>Rallus longirostris levipes</i>)	E	58,200	675,182,009	98.59
425	Skipper, Pawnee montane (<i>Hesperia leonardus montana</i>)	T	57,122	675,239,131	98.6
426	Mountain beaver, Point Arena (<i>Aplodontia rufa nigra</i>)	E	56,800	675,295,931	98.61
427	Sawfish, smalltooth (<i>Pristis pectinata</i>)	E	56,500	675,352,431	98.62
428	Springsnail, Bruneau Hot (<i>Pyrgulopsis bruneauensis</i>)	E	56,471	675,408,902	98.62
429	Sunflower, Schweinitz's (<i>Helianthus schweinitzii</i>)	E	56,245	675,465,147	98.63
430	Cactus, Sneed pincushion (<i>Coryphantha sneedii</i> var. sneedii)	E	56,200	675,521,347	98.64
431	Shrew, Buena Vista Lake ornate (<i>Sorex ornatus relictus</i>)	E	56,000	675,577,347	98.65
431	Skipper, Laguna Mountains (<i>Pyrgus ruralis lagunae</i>)	E	56,000	675,633,347	98.66
433	Bankclimber, purple (mussel) (<i>Elliptoideus sloatianus</i>)	T	55,900	675,689,247	98.67
434	Clubshell, southern (<i>Pleurobema decisum</i>)	E	55,800	675,745,047	98.67
435	Dace, blackside (<i>Phoxinus cumberlandensis</i>)	T	55,550	675,800,597	98.68
436	Rock-cress, Braun's (<i>Arabis perstellata</i>)	E	55,340	675,855,937	98.69
437	Milk-vetch, Coachella Valley (<i>Astragalus lentiginosus</i> var. coachellae)	E	55,300	675,911,237	98.7
438	Shrimp, Alabama cave (<i>Palaemonias alabamae</i>)	E	55,100	675,966,337	98.71
439	Water-umbel, Huachuca (<i>Lilaeopsis schaffneriana</i> var. recurva)	E	54,372	676,020,709	98.71
440	Campion, fringed (<i>Silene polypetala</i>)	E	54,000	676,074,709	98.72
441	Pocketbook, Ouachita rock (<i>Arkansia wheeleri</i>)	E	53,972	676,128,681	98.73
442	Butterfly, Saint Francis' satyr (<i>Neonympha mitchellii francisci</i>)	E	53,400	676,182,081	98.74
443	Spiraea, Virginia (<i>Spiraea virginiana</i>)	T	53,217	676,235,298	98.75
444	Mouse, Choctawhatchee beach (<i>Peromyscus polionotus allophrys</i>)	E	53,000	676,288,298	98.75
445	Pupfish, Comanche Springs (<i>Cyprinodon elegans</i>)	E	52,500	676,340,798	98.76
446	Jaguar (<i>Panthera onca</i>)	E	52,469	676,393,267	98.77
447	Chub, Owens tui (<i>Gila bicolor snyderi</i>)	E	52,300	676,445,567	98.78
448	Ziziphus, Florida (<i>Ziziphus celata</i>)	E	51,500	676,497,067	98.78
449	Salamander, Cheat Mountain (<i>Plethodon nettingi</i>)	T	51,440	676,548,507	98.79
450	Frankenia, Johnston's (<i>Frankenia johnstonii</i>)	E	51,200	676,599,707	98.8
451	Darter, amber (<i>Percina antesella</i>)	E	51,000	676,650,707	98.81
452	Salamander, Sonora tiger (<i>Ambystoma tigrinum stebbinsi</i>)	E	50,465	676,701,172	98.81
453	Brodiaea, thread-leaved (<i>Brodiaea filifolia</i>)	T	50,025	676,751,197	98.82
454	Milk-vetch, Sentry (<i>Astragalus cremnophylax</i> var. cremnophylax)	E	49,198	676,800,395	98.83
455	Birds-in-a-nest, white (<i>Macbridea alba</i>)	T	49,100	676,849,495	98.83
455	Bladderpod, Missouri (<i>Lesquerella filiformis</i>)	E	49,100	676,898,595	98.84
457	Lily, Western (<i>Lilium occidentale</i>)	E	48,129	676,946,724	98.85
458	Wireweed (<i>Polygonella basiramia</i>)	E	47,900	676,994,624	98.86
459	Thistle, Pitcher's (<i>Cirsium pitcheri</i>)	T	47,828	677,042,452	98.86
460	Pitcher-plant, green (<i>Sarracenia oreophila</i>)	E	47,500	677,089,952	98.87
461	Buckwheat, steamboat (<i>Eriogonum ovalifolium</i> var. williamsiae)	E	47,321	677,137,273	98.88
462	Salamander, Santa Cruz long-toed (<i>Ambystoma macrodactylum</i>)	E	47,100	677,184,373	98.88

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
	<i>croceum</i>)				
463	Kangaroo rat, Fresno (<i>Dipodomys nitratoide exilis</i>)	E	47,095	677,231,468	98.89
464	Kauila (<i>Colubrina oppositifolia</i>)	E	46,900	677,278,368	98.9
465	Pigtoe, southern (<i>Pleurobema georgianum</i>)	E	46,500	677,324,868	98.9
466	Snake, copperbelly water MI, OH, IN N of 400 N. Lat. (<i>Nerodia erythrogaster neglecta</i>)	T	45,900	677,370,768	98.91
466	Koki`o (<i>Kokia drynarioides</i>)	E	45,900	677,416,668	98.92
468	Hala pepe (<i>Pleomele hawaiiensis</i>)	E	45,800	677,462,468	98.92
469	`Aiea (<i>Nothoestrum breviflorum</i>)	E	45,600	677,508,068	98.93
470	Jaguarundi, Gulf Coast (<i>Herpailurus (=Felis) yagouaroundi cacomitli</i>)	E	44,980	677,553,048	98.94
471	Moccasinshell, Gulf (<i>Medionidus penicillatus</i>)	E	44,600	677,597,648	98.94
472	Pearl mussel, cracking Entire Range; Except where listed as Experimental Populations (<i>Hemistena lata</i>)	E	44,157	677,641,805	98.95
473	Agave, Arizona (<i>Agave arizonica</i>)	E	42,811	677,684,616	98.96
474	Shrimp, Kentucky cave (<i>Palaemonias ganteri</i>)	E	42,500	677,727,116	98.96
475	Pigeon, Puerto Rican plain (<i>Columba inornata wetmorei</i>)	E	42,000	677,769,116	98.97
476	Hawk, Puerto Rican broad-winged (<i>Buteo platypterus brunescens</i>)	E	41,500	677,810,616	98.98
476	Hawk, Puerto Rican sharp-shinned (<i>Accipiter striatus venator</i>)	E	41,500	677,852,116	98.98
476	Checkermallow, Wenatchee Mountains (<i>Sidalcea oregana var. calva</i>)	E	41,500	677,893,616	98.99
479	Mouse, Perdido Key beach (<i>Peromyscus polionotus trissyllepsis</i>)	E	40,650	677,934,266	98.99
480	Spineflower, Orcutt's (<i>Chorizanthe orcuttiana</i>)	E	40,483	677,974,749	99
481	Butterfly, Uncompahgre fritillary (<i>Boloria acrocnema</i>)	E	40,343	678,015,092	99
482	Megapode, Micronesian (<i>Megapodius laperouse</i>)	E	40,000	678,055,092	99.01
482	Uhiuhi (<i>Caesalpinia kavaense</i>)	E	40,000	678,095,092	99.02
484	Riffleshell, tan (<i>Epioblasma florentina walkeri (=E. walkeri)</i>)	E	39,602	678,134,694	99.02
485	Mouse, Key Largo cotton (<i>Peromyscus gossypinus allapaticola</i>)	E	39,500	678,174,194	99.03
485	Kangaroo rat, Tipton (<i>Dipodomys nitratoide nitratoide</i>)	E	39,500	678,213,694	99.03
487	Elktoe, Cumberland (<i>Alasmodonta atropurpurea</i>)	E	39,400	678,253,094	99.04
487	Spiny mussel, James (<i>Pleurobema collina</i>)	E	39,400	678,292,494	99.05
489	Button, Mohr's Barbara (<i>Marshallia mohrii</i>)	T	39,200	678,331,694	99.05
490	`Akoko, Ewa Plains (<i>Chamaesyce skottsbergii var. kalaeloana</i>)	E	38,750	678,370,444	99.06
491	Chub, spotfin Entire (<i>Cyprinella monacha</i>)	T	38,440	678,408,884	99.06
492	Gambusia, Pecos (<i>Gambusia nobilis</i>)	E	38,200	678,447,084	99.07
493	Rabbit, Lower Keys marsh (<i>Sylvilagus palustris hefneri</i>)	E	38,150	678,485,234	99.07
494	Iguana, Mona ground (<i>Cyclura stejnegeri</i>)	T	37,500	678,522,734	99.08
495	Tarplant, Gaviota (<i>Hemizonia increscens ssp. villosa</i>)	E	37,300	678,560,034	99.08
496	Skink, sand (<i>Neoseps reynoldsi</i>)	T	37,100	678,597,134	99.09
497	Lizard, blunt-nosed leopard (<i>Gambelia silus</i>)	E	36,900	678,634,034	99.1
498	Gerardia, sandplain (<i>Agalinis acuta</i>)	E	36,500	678,670,534	99.1
499	Howellia, water (<i>Howellia aquatilis</i>)	T	36,005	678,706,539	99.11
500	Turtle, flattened musk species range clarified (<i>Sternotherus depressus</i>)	T	36,000	678,742,539	99.11
500	Darter, goldline (<i>Percina aurolineata</i>)	T	36,000	678,778,539	99.12
500	Rattleweed, hairy (<i>Baptisia arachnifera</i>)	E	36,000	678,814,539	99.12
503	Skink, bluetail mole (<i>Eumeces egregius lividus</i>)	T	35,500	678,850,039	99.13
504	Tiger beetle, northeastern beach (<i>Cicindela dorsalis dorsalis</i>)	T	35,420	678,885,459	99.13

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
505	Alopecurus, Sonoma (<i>Alopecurus aequalis</i> var. <i>sonomensis</i>)	E	35,330	678,920,789	99.14
506	Beaked-rush, Knieskern's (<i>Rhynchospora knieskernii</i>)	T	35,000	678,955,789	99.14
507	Butterfly, Myrtle's silverspot (<i>Speyeria zerene myrtleae</i>)	E	34,800	678,990,589	99.15
508	Combshell, Cumberlandian Entire Range; Except where listed as Experimental Populations (<i>Epioblasma brevidens</i>)	E	34,562	679,025,151	99.15
509	Fairy shrimp, Conservancy (<i>Branchinecta conservatio</i>)	E	34,500	679,059,651	99.16
510	Spineflower, Robust (incl. Scotts Valley) (<i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i>))	E	34,300	679,093,951	99.16
511	Milkweed, Welsh's (<i>Asclepias welshii</i>)	T	34,219	679,128,170	99.17
512	Spineflower, Howell's (<i>Chorizanthe howellii</i>)	E	34,100	679,162,270	99.17
513	Pitcher-plant, Alabama canebrake (<i>Sarracenia rubra alabamensis</i>)	E	34,000	679,196,270	99.18
514	Ladies'-tresses, Navasota (<i>Spiranthes parksii</i>)	E	33,380	679,229,650	99.18
515	Sheep, bighorn Sierra Nevada DPS (<i>Ovis canadensis californiana</i>)	E	33,353	679,263,003	99.19
516	Pentachaeta, Lyon's (<i>Pentachaeta lyonii</i>)	E	33,200	679,296,203	99.19
517	Deer, Columbian white-tailed Columbia River DPS (<i>Odocoileus virginianus leucurus</i>)	E	32,735	679,328,938	99.2
518	Heelsplitter, Alabama (=inflated) (<i>Potamilus inflatus</i>)	T	32,500	679,361,438	99.2
519	Darter, duskytail Entire (<i>Etheostoma percnurum</i>)	E	31,600	679,393,038	99.21
520	Shiner, Cahaba (<i>Notropis cahabae</i>)	E	31,000	679,424,038	99.21
521	Cactus, Uinta Basin hookless (<i>Sclerocactus glaucus</i>)	T	30,747	679,454,785	99.22
522	Cavefish, Alabama (<i>Speoplatyrhinus poulsoni</i>)	E	30,600	679,485,385	99.22
522	Milk-vetch, Deseret (<i>Astragalus desereticus</i>)	T	30,600	679,515,985	99.22
524	Evening-primrose, Eureka Valley (<i>Oenothera avita</i> ssp. <i>eurekensis</i>)	E	30,500	679,546,485	99.23
525	Beauty, Harper's (<i>Harperocallis flava</i>)	E	30,400	679,576,885	99.23
526	Darter, fountain (<i>Etheostoma fonticola</i>)	E	30,360	679,607,245	99.24
527	Barberry, Truckee (<i>Berberis</i> (=Mahonia) <i>sonnei</i>)	E	30,225	679,637,470	99.24
528	Pigtoe, heavy (<i>Pleurobema taitianum</i>)	E	30,000	679,667,470	99.25
529	Clubshell, ovate (<i>Pleurobema perovatum</i>)	E	29,800	679,697,270	99.25
529	Moccasinshell, Alabama (<i>Medionidus acutissimus</i>)	T	29,800	679,727,070	99.25
531	Sunshine, Sonoma (<i>Blennosperma bakeri</i>)	E	29,700	679,756,770	99.26
532	Pearlymussel, birdwing Entire Range; Except where listed as Experimental Populations (<i>Conradilla caelata</i>)	E	29,482	679,786,252	99.26
533	Stickseed, showy (<i>Hackelia venusta</i>)	E	28,856	679,815,108	99.27
534	Fairy shrimp, longhorn (<i>Branchinecta longiantenna</i>)	E	28,600	679,843,708	99.27
535	Spinymussel, Tar River (<i>Elliptio steinstansana</i>)	E	28,273	679,871,981	99.28
536	Salamander, San Marcos (<i>Eurycea nana</i>)	T	28,210	679,900,191	99.28
537	Kidneyshell, triangular (<i>Ptychobranhus greeni</i>)	E	27,800	679,927,991	99.28
538	Yellowhead, desert (<i>Yermo xanthocephalus</i>)	T	27,785	679,955,776	99.29
539	Amphipod, Hay's Spring (<i>Stygobromus hayi</i>)	E	27,700	679,983,476	99.29
540	Pupfish, Leon Springs (<i>Cyprinodon bovinus</i>)	E	27,600	680,011,076	99.3
540	Kiponapona (<i>Phyllostegia racemosa</i>)	E	27,600	680,038,676	99.3
542	Salamander, Red Hills (<i>Phaeognathus hubrichti</i>)	T	27,500	680,066,176	99.3
542	Rockcress, Santa Cruz Island (<i>Sibara filifolia</i>)	E	27,500	680,093,676	99.31
544	Prickly-apple, fragrant (<i>Cereus eriophorus</i> var. <i>fragrans</i>)	E	27,480	680,121,156	99.31

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
545	Reed-mustard, Barneby (<i>Schoenocrambe barnebyi</i>)	E	27,300	680,148,456	99.32
546	Bird's-beak, soft (<i>Cordylanthus mollis</i> ssp. <i>mollis</i>)	E	27,000	680,175,456	99.32
547	Goldfields, Burke's (<i>Lasthenia burkei</i>)	E	26,700	680,202,156	99.32
548	Sucker, Modoc (<i>Catostomus microps</i>)	E	26,500	680,228,656	99.33
549	Meadowfoam, Sebastopol (<i>Limnanthes vinculans</i>)	E	26,200	680,254,856	99.33
549	Aster, Florida golden (<i>Chrysopsis floridana</i>)	E	26,200	680,281,056	99.34
551	Butterfly, Behren's silverspot (<i>Speyeria zerene behrensi</i>)	E	25,900	680,306,956	99.34
552	Penstemon, blowout (<i>Penstemon haydenii</i>)	E	25,800	680,332,756	99.34
553	Akepa, Maui (honeycreeper) (<i>Loxops coccineus ochraceus</i>)	E	25,782	680,358,538	99.35
553	Nukupū u (honeycreeper) (<i>Hemignathus lucidus</i>)	E	25,782	680,384,320	99.35
555	Prairie-clover, leafy (<i>Dalea foliosa</i>)	E	25,600	680,409,920	99.35
556	Moccasinshell, Coosa (<i>Medionidus parvulus</i>)	E	25,500	680,435,420	99.36
556	Haha (<i>Cyanea shipmannii</i>)	E	25,500	680,460,920	99.36
558	Mucket, orangenacre (<i>Lampsilis perovalis</i>)	T	25,040	680,485,960	99.37
559	Thistle, Suisun (<i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>)	E	25,000	680,510,960	99.37
559	Prickly-ash, St. Thomas (<i>Zanthoxylum thomsonianum</i>)	E	25,000	680,535,960	99.37
561	Button-celery, San Diego (<i>Eryngium aristulatum</i> var. <i>parishii</i>)	E	24,750	680,560,710	99.38
562	Daisy, Maguire (<i>Erigeron maguirei</i>)	T	24,600	680,585,310	99.38
563	Pigeon wings (<i>Clitoria fragrans</i>)	T	24,400	680,609,710	99.38
564	Darter, bluemark (=jewel) (<i>Etheostoma</i> /)	E	24,200	680,633,910	99.39
565	Darter, relict (<i>Etheostoma chienense</i>)	E	23,500	680,657,410	99.39
565	Bean, purple (<i>Villosa perpurpurea</i>)	E	23,500	680,680,910	99.39
565	Snail, tulotoma (<i>Tulotoma magnifica</i>)	E	23,500	680,704,410	99.4
568	Cactus, Lee pincushion (<i>Coryphantha sneedii</i> var. <i>leei</i>)	T	23,400	680,727,810	99.4
569	Puma (=cougar), eastern (<i>Puma</i> (=Felis) <i>concolor cougar</i>)	E	23,210	680,751,020	99.4
570	Wild-rice, Texas (<i>Zizania texana</i>)	E	23,000	680,774,020	99.41
570	Daisy, Parish's (<i>Erigeron parishii</i>)	T	23,000	680,797,020	99.41
572	Lily, Minnesota dwarf trout (<i>Erythronium propullans</i>)	E	22,800	680,819,820	99.41
573	Snake, San Francisco garter (<i>Thamnophis sirtalis tetrataenia</i>)	E	22,650	680,842,470	99.42
573	Navarretia, spreading (<i>Navarretia fossalis</i>)	T	22,650	680,865,120	99.42
575	Pupfish, Ash Meadows Amargosa (<i>Cyprinodon nevadensis mionectes</i>)	E	22,562	680,887,682	99.42
576	Three-ridge, fat (mussel) (<i>Ambelma neisleri</i>)	E	22,500	680,910,182	99.43
576	Tiger beetle, Ohlone (<i>Cicindela ohlone</i>)	E	22,500	680,932,682	99.43
576	Buckwheat, cushionbury (<i>Eriogonum ovalifolium</i> var. <i>vineum</i>)	E	22,500	680,955,182	99.43
579	Spinedace, Big Spring (<i>Lepidomeda mollispinis pratensis</i>)	T	22,400	680,977,582	99.44
579	Milk-vetch, Cushenbury (<i>Astragalus albens</i>)	E	22,400	680,999,982	99.44
579	Oxytheca, cushionbury (<i>Oxytheca parishii</i> var. <i>goodmaniana</i>)	E	22,400	681,022,382	99.44
582	Haha (<i>Cyanea stictophylla</i>)	E	22,300	681,044,682	99.45
583	Skullcap, large-flowered (<i>Scutellaria montana</i>)	T	22,200	681,066,882	99.45
584	Rosemary, Cumberland (<i>Conradina verticillata</i>)	T	22,167	681,089,049	99.45
585	Lichen, rock gnome (<i>Gymnoderma lineare</i>)	E	22,100	681,111,149	99.46
586	Minnow, Devils River (<i>Dionda diabolii</i>)	T	22,000	681,133,149	99.46
587	Madtom, smoky Entire (<i>Noturus baileyi</i>)	E	21,800	681,154,949	99.46
587	Pigtoe, dark (<i>Pleurobema furvum</i>)	E	21,800	681,176,749	99.47
589	Oha wai (<i>Clermontia samuelii</i>)	E	21,400	681,198,149	99.47

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
590	Amphipod, Illinois cave (<i>Gammarus acherondytes</i>)	E	21,310	681,219,459	99.47
591	Combshell, upland (<i>Epioblasma metastrata</i>)	E	20,500	681,239,959	99.48
592	Woodpecker, ivory-billed (<i>Campephilus principalis</i>)	E	20,355	681,260,314	99.48
593	Crayfish, Nashville (<i>Orconectes shoupi</i>)	E	20,200	681,280,514	99.48
593	Hypericum, highlands scrub (<i>Hypericum cumulicola</i>)	E	20,200	681,300,714	99.48
593	Townsendia, Last Chance (<i>Townsendia aprica</i>)	T	20,200	681,320,914	99.49
593	Irisette, white (<i>Sisyrinchium dichotomum</i>)	E	20,200	681,341,114	99.49
597	Milk-vetch, Fish Slough (<i>Astragalus lentiginosus</i> var. <i>piscinensis</i>)	T	20,100	681,361,214	99.49
597	Iris, dwarf lake (<i>Iris lacustris</i>)	T	20,100	681,381,314	99.5
597	Piperia, Yadon's (<i>Piperia yadonii</i>)	E	20,100	681,401,414	99.5
600	Tarplant, Otay (<i>Deinandra</i> (=Hemizonia) <i>conjugens</i>)	T	20,000	681,421,414	99.5
600	Geocarpon minimum (=Sci name)	T	20,000	681,441,414	99.51
600	Lessingia, San Francisco (<i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i>))	E	20,000	681,461,414	99.51
603	Pink, swamp (<i>Helonias bullata</i>)	T	19,950	681,481,364	99.51
604	Meadowfoam, Butte County (<i>Limnanthes floccosa</i> ssp. <i>californica</i>)	E	19,800	681,501,164	99.51
605	Pearlshell, Louisiana (<i>Margaritifera hembeli</i>)	T	19,786	681,520,950	99.52
606	Chub, Borax Lake (<i>Gila boraxobius</i>)	E	19,600	681,540,550	99.52
606	Capa rosa (<i>Callicarpa ampla</i>)	E	19,600	681,560,150	99.52
608	Ambrosia, south Texas (<i>Ambrosia cheiranthifolia</i>)	E	19,400	681,579,550	99.53
609	Milk-vetch, Ventura Marsh (<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i>)	E	19,100	681,598,650	99.53
610	Lomatium, Cook's (<i>Lomatium cookii</i>)	E	19,000	681,617,650	99.53
611	Bear-poppy, dwarf (<i>Arctomecon humilis</i>)	E	18,700	681,636,350	99.53
612	Cactus, Kuenzler hedgehog (<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>)	E	18,500	681,654,850	99.54
612	Penny-cress, Kneeland Prairie (<i>Thlaspi californicum</i>)	E	18,500	681,673,350	99.54
614	Shiner, Cape Fear (<i>Notropis mekistocholas</i>)	E	18,337	681,691,687	99.54
615	Towhee, Inyo California (<i>Pipilo crissalis eremophilus</i>)	T	18,100	681,709,787	99.54
616	Cliff-rose, Arizona (<i>Purshia</i> (=Cowania) <i>subintegra</i>)	E	18,052	681,727,839	99.55
617	Ihi' ihi (<i>Marsilea villosa</i>)	E	18,000	681,745,839	99.55
618	Ohai (<i>Sesbania tomentosa</i>)	E	17,730	681,763,569	99.55
619	Pupfish, Owens (<i>Cyprinodon radiosus</i>)	E	17,700	681,781,269	99.55
619	Beetle, Hungerford's crawling water (<i>Brychius hungerfordi</i>)	E	17,700	681,798,969	99.56
619	Sneezeweed, Virginia (<i>Helenium virginicum</i>)	T	17,700	681,816,669	99.56
622	Trillium, relict (<i>Trillium reliquum</i>)	E	17,660	681,834,329	99.56
623	Poolfish, Pahump (<i>Empetrichthys latos</i>)	E	17,511	681,851,840	99.57
624	Cactus, Siler pincushion (<i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i>)	T	17,225	681,869,065	99.57
625	Coneflower, Tennessee purple (<i>Echinacea tennesseensis</i>)	E	17,112	681,886,177	99.57
626	Salamander, California tiger Central CA DPS (<i>Ambystoma californiense</i>)	EmE	17,072	681,903,249	99.57
627	Thelypody, Howell's spectacular (<i>Thelypodium howellii spectabilis</i>)	T	17,000	681,920,249	99.58
628	Clover, showy Indian (<i>Trifolium amoenum</i>)	E	16,862	681,937,111	99.58
629	Lousewort, Furbish (<i>Pedicularis furbishiae</i>)	E	16,850	681,953,961	99.58
630	Ischaemum, Hilo (<i>Ischaemum byrone</i>)	E	16,816	681,970,777	99.58
631	Mint, Lakela's (<i>Dicerandra immaculata</i>)	E	16,780	681,987,557	99.59
632	Thistle, La Graciosa (<i>Cirsium loncholepis</i>)	E	16,700	682,004,257	99.59
633	Combshell, Cumberlandian	EXPN	16,600	682,020,857	99.59

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
	AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma brevidens</i>)				
633	Mussel, oyster AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma capsaeformis</i>)	EXPN	16,600	682,037,457	99.59
633	Daisy, Willamette (<i>Erigeron decumbens</i> var. <i>decumbens</i>)	E	16,600	682,054,057	99.59
636	Bobwhite, masked (quail) (<i>Colinus virginianus ridgwayi</i>)	E	16,533	682,070,590	99.6
637	Guajon (<i>Eleutherodactylus cooki</i>)	T	16,500	682,087,090	99.6
637	Sucker, Warner (<i>Catostomus warnerensis</i>)	T	16,500	682,103,590	99.6
637	Elktoe, Appalachian (<i>Alasmidonta raveneliana</i>)	E	16,500	682,120,090	99.6
640	Lizard, St. Croix ground (<i>Ameiva polops</i>)	E	16,480	682,136,570	99.61
641	Milk-vetch, Holmgren (<i>Astragalus holmgreniorum</i>)	E	16,419	682,152,989	99.61
642	Rush-rose, island (<i>Helianthemum Greenei</i>)	T	16,413	682,169,402	99.61
643	Monarch, Tinian (old world flycatcher) (<i>Monarcha takatsukasae</i>)	T	16,023	682,185,425	99.61
644	Madtom, pygmy (<i>Noturus stanauli</i>)	E	16,000	682,201,425	99.62
644	Popcornflower, rough (<i>Plagiobothrys hirtus</i>)	E	16,000	682,217,425	99.62
644	Sand-verbena, large-fruited (<i>Abronia macrocarpa</i>)	E	16,000	682,233,425	99.62
647	Bedstraw, island (<i>Galium buxifolium</i>)	E	15,963	682,249,388	99.62
647	Malacothrix, Santa Cruz Island (<i>Malacothrix indecora</i>)	E	15,963	682,265,351	99.63
649	Naucorid, Ash Meadows (<i>Ambrysus amargosus</i>)	T	15,811	682,281,162	99.63
650	Pigtoe, oval (<i>Pleurobema pyriforme</i>)	E	15,700	682,296,862	99.63
651	Chub, spotfin Tellico River, TN (<i>Cyprinella monacha</i>)	EXPN	15,600	682,312,462	99.63
652	Cactus, Mesa Verde (<i>Sclerocactus mesae-verdae</i>)	T	15,504	682,327,966	99.63
653	Squirrel, Carolina northern flying (<i>Glaucomys sabrinus coloratus</i>)	E	15,475	682,343,441	99.64
654	Barberry, Nevin's (<i>Berberis nevinii</i>)	E	15,300	682,358,741	99.64
655	Milk-vetch, Braunton's (<i>Astragalus brauntonii</i>)	E	15,200	682,373,941	99.64
656	Sandlace (<i>Polygonella myriophylla</i>)	E	15,100	682,389,041	99.64
657	Grass, Eureka Dune (<i>Swallenia alexandrae</i>)	E	15,000	682,404,041	99.65
658	Turtle, bog (=Muhlenberg) southern (<i>Clemmys muhlenbergii</i>)	SAT	14,750	682,418,791	99.65
659	Darter, snail (<i>Percina tanasi</i>)	T	14,600	682,433,391	99.65
660	Acornshell, southern (<i>Epioblasma othcaloogensis</i>)	E	14,500	682,447,891	99.65
660	Tiger beetle, Puritan (<i>Cicindela puritana</i>)	T	14,500	682,462,391	99.65
662	Sandwort, Cumberland (<i>Arenaria cumberlandensis</i>)	E	14,367	682,476,758	99.66
663	Bittercress, small-anthered (<i>Cardamine micranthera</i>)	E	14,300	682,491,058	99.66
664	Dace, Foscett speckled Foscett (<i>Rhinichthys osculus</i> ssp.)	T	14,000	682,505,058	99.66
664	Fatmucket, Arkansas (<i>Lampsilis powelli</i>)	T	14,000	682,519,058	99.66
664	Butterweed, Layne's (<i>Senecio layneae</i>)	T	14,000	682,533,058	99.66
667	Bedstraw, El Dorado (<i>Galium californicum</i> ssp. <i>sierrae</i>)	E	13,920	682,546,978	99.67
668	Slabshell, Chipola (<i>Elliptio chipolaensis</i>)	T	13,900	682,560,878	99.67
669	Ground-plum, Guthrie's (=Pyne's) (<i>Astragalus bibullatus</i>)	E	13,878	682,574,756	99.67
670	Alani (<i>Melicope adscendens</i>)	E	13,682	682,588,438	99.67
671	Checker-mallow, Nelson's (<i>Sidalcea nelsoniana</i>)	T	13,646	682,602,084	99.67
672	Morning-glory, Stebbins' (<i>Calystegia stebbinsii</i>)	E	13,500	682,615,584	99.68
672	Ceanothus, Pine Hill (<i>Ceanothus roderickii</i>)	E	13,500	682,629,084	99.68
672	Pennyroyal, Todsen's (<i>Hedeoma todsenii</i>)	E	13,500	682,642,584	99.68

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
675	Catspaw, white (pearlymussel) (<i>Epioblasma obliquata perobliqua</i>)	E	13,400	682,655,984	99.68
675	Buckwheat, lone (incl. Irish Hill) (<i>Eriogonum apricum</i> (incl. var. <i>prostratum</i>))	E	13,400	682,669,384	99.68
677	Bladderpod, Zapata (<i>Lesquerella thamnophila</i>)	E	13,100	682,682,484	99.69
678	Alani (<i>Melicope knudsenii</i>)	E	13,082	682,695,566	99.69
678	Sandalwood, Lanai (= `ilihi) (<i>Santalum freycinetianum</i> var. <i>lanaiense</i>)	E	13,082	682,708,648	99.69
680	Mallow, Kern (<i>Eremalche kernensis</i>)	E	13,000	682,721,648	99.69
680	Milk-vetch, Shivwitz (<i>Astragalus ampullarioides</i>)	E	13,000	682,734,648	99.69
680	Spineflower, Ben Lomond (<i>Chorizanthe pungens</i> var. <i>hartwegiana</i>)	E	13,000	682,747,648	99.7
683	Thornmint, San Diego (<i>Acanthomintha ilicifolia</i>)	T	12,900	682,760,548	99.7
684	Ladies'-tresses, Canelo Hills (<i>Spiranthes delitescens</i>)	E	12,806	682,773,354	99.7
685	Orcutt grass, slender (<i>Orcuttia tenuis</i>)	T	12,800	682,786,154	99.7
686	Pearlymussel, dromedary Entire Range; Except where listed as Experimental Populations (<i>Dromus dromas</i>)	E	12,680	682,798,834	99.7
687	Rice rat lower FL Keys (<i>Oryzomys palustris natator</i>)	E	12,500	682,811,334	99.71
688	Monkeyface, Cumberland (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Quadrula intermedia</i>)	E	12,462	682,823,796	99.71
689	Chub, Sonora (<i>Gila ditaenia</i>)	T	12,419	682,836,215	99.71
690	Chub, Yaqui (<i>Gila purpurea</i>)	E	12,313	682,848,528	99.71
691	Polygonum, Scotts Valley (<i>Polygonum hickmanii</i>)	E	12,300	682,860,828	99.71
692	Jaguarundi, Sinaloa (<i>Herpailurus</i> (= <i>Felis</i>) <i>yagouaroundi tolteca</i>)	E	12,200	682,873,028	99.71
692	Moth, Kern primrose sphinx (<i>Euprosepinus euterpe</i>)	T	12,200	682,885,228	99.72
694	Schiedea haleakalensis (=Sci name)	E	12,100	682,897,328	99.72
695	Thistle, Chorro Creek bog (<i>Cirsium fontinale</i> var. <i>obispoense</i>)	E	12,000	682,909,328	99.72
695	Evening-primrose, San Benito (<i>Camissonia benitensis</i>)	T	12,000	682,921,328	99.72
695	Leather flower, Morefield's (<i>Clematis morefieldii</i>)	E	12,000	682,933,328	99.72
698	Dace, Ash Meadows speckled (<i>Rhinichthys osculus nevadensis</i>)	E	11,850	682,945,178	99.72
699	Cactus, Peebles Navajo (<i>Pediocactus peeblesianus peeblesianus</i>)	E	11,839	682,957,017	99.73
700	Lizard, Island night (<i>Xantusia riversiana</i>)	T	11,566	682,968,583	99.73
701	Mallard, Mariana (<i>Anas oustaleti</i>)	E	11,553	682,980,136	99.73
702	Madtom, yellowfin except where XN (<i>Noturus flavipinnis</i>)	T	11,525	682,991,661	99.73
703	Rock-cress, McDonald's (<i>Arabis mcdonaldiana</i>)	E	11,400	683,003,061	99.73
703	Ko'oko'olau (<i>Bidens micrantha</i> ssp. <i>kalealaha</i>)	E	11,400	683,014,461	99.73
705	Madtom, smoky Tellico River, TN (<i>Noturus baileyi</i>)	EXPN	11,300	683,025,761	99.74
705	Haha (<i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i>)	E	11,300	683,037,061	99.74
707	Goldenrod, Houghton's (<i>Solidago houghtonii</i>)	T	11,200	683,048,261	99.74
708	Goldfields, Contra Costa (<i>Lasthenia conjugens</i>)	E	11,100	683,059,361	99.74
708	Baccharis, Encinitas (<i>Baccharis vanessae</i>)	T	11,100	683,070,461	99.74
708	Woolly-star, Hoover's (<i>Eriastrum hooveri</i>)	T	11,100	683,081,561	99.74
711	Wild-buckwheat, clay-loving (<i>Eriogonum pelinophilum</i>)	E	11,010	683,092,571	99.75
712	Manzanita, Del Mar (<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>)	E	11,000	683,103,571	99.75
712	Sunflower, Pecos (=puzzle, =paradox) (<i>Helianthus paradoxus</i>)	T	11,000	683,114,571	99.75
712	Poppy-mallow, Texas (<i>Callirhoe scabriuscula</i>)	E	11,000	683,125,571	99.75

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
715	Haha (<i>Cyanea glabra</i>)	E	10,950	683,136,521	99.75
716	Manioc, Walker's (<i>Manihot walkerae</i>)	E	10,900	683,147,421	99.75
717	Cactus, star (<i>Astrophytum asterias</i>)	E	10,700	683,158,121	99.76
717	Cactus, San Rafael (<i>Pediocactus despainii</i>)	E	10,700	683,168,821	99.76
717	Ayenia, Texas (<i>Ayenia limitaris</i>)	E	10,700	683,179,521	99.76
717	Torreya, Florida (<i>Torreya taxifolia</i>)	E	10,700	683,190,221	99.76
721	Butterfly, Schaus swallowtail (<i>Heraclides aristodemus ponceanus</i>)	E	10,660	683,200,881	99.76
722	Amphianthus, little (<i>Amphianthus pusillus</i>)	T	10,630	683,211,511	99.76
723	Salamander, Shenandoah (<i>Plethodon shenandoah</i>)	E	10,600	683,222,111	99.77
723	Alani (<i>Melicope ovalis</i>)	E	10,600	683,232,711	99.77
725	Vigna o-wahuensis (=Sci name)	E	10,584	683,243,295	99.77
726	Beetle, Comal Springs riffle (<i>Heterelmis comalensis</i>)	E	10,510	683,253,805	99.77
726	Beetle, Comal Springs dryopid (<i>Stygoparnus comalensis</i>)	E	10,510	683,264,315	99.77
728	Heather, mountain golden (<i>Hudsonia montana</i>)	T	10,500	683,274,815	99.77
729	Cactus, Brady pincushion (<i>Pediocactus bradyi</i>)	E	10,419	683,285,234	99.77
730	Flannelbush, Mexican (<i>Fremontodendron mexicanum</i>)	E	10,400	683,295,634	99.78
731	Oha wai (<i>Clermontia lindseyana</i>)	E	10,374	683,306,008	99.78
732	Madtom, yellowfin Tellico River, TN (<i>Noturus flavipinnis</i>)	EXPN	10,350	683,316,358	99.78
733	Darter, bayou (<i>Etheostoma rubrum</i>)	T	10,240	683,326,598	99.78
734	Groundsel, San Francisco Peaks (<i>Senecio franciscanus</i>)	T	10,126	683,336,724	99.78
735	Darter, slackwater (<i>Etheostoma boschungii</i>)	T	10,104	683,346,828	99.78
736	Gambusia, Big Bend (<i>Gambusia gaigei</i>)	E	10,000	683,356,828	99.78
736	Darter, watercress (<i>Etheostoma nuchale</i>)	E	10,000	683,366,828	99.79
738	Whipsnake (=striped racer), Alameda (<i>Masticophis lateralis euryxanthus</i>)	T	9,857	683,376,685	99.79
739	Geranium, Hawaiian red-flowered (<i>Geranium arboreum</i>)	E	9,800	683,386,485	99.79
740	Cactus, Tobusch fishhook (<i>Ancistrocactus tobuschii</i>)	E	9,700	683,396,185	99.79
741	Roseroot, Leedy's (<i>Sedum integrifolium ssp. leedyi</i>)	T	9,600	683,405,785	99.79
742	Daisy, lakeside (<i>Hymenoxys herbacea</i>)	T	9,580	683,415,365	99.79
743	Blossom, tubercled (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Epioblasma torulosa torulosa</i>)	E	9,400	683,424,765	99.79
744	Shrimp, California freshwater (<i>Syncaris pacifica</i>)	E	9,248	683,434,013	99.8
745	Milk-vetch, Jesup's (<i>Astragalus robbinsii var. jesupi</i>)	E	9,100	683,443,113	99.8
745	Jacquemontia, beach (<i>Jacquemontia reclinata</i>)	E	9,100	683,452,213	99.8
747	Panicgrass, Carter's (<i>Panicum fauriei var. carteri</i>)	E	9,016	683,461,229	99.8
748	Rabbitsfoot, rough (<i>Quadrula cylindrica strigillata</i>)	E	9,000	683,470,229	99.8
748	Flannelbush, Pine Hill (<i>Fremontodendron californicum ssp. decumbens</i>)	E	9,000	683,479,229	99.8
748	Rush-pea, slender (<i>Hoffmannseggia tenella</i>)	E	9,000	683,488,229	99.8
751	Springfish, Hiko White River (<i>Crenichthys baileyi grandis</i>)	E	8,826	683,497,055	99.81
752	Paintbrush, soft-leaved (<i>Castilleja mollis</i>)	E	8,824	683,505,879	99.81
753	Aster, Ruth's golden (<i>Pityopsis ruthii</i>)	E	8,800	683,514,679	99.81
754	Boa, Mona (<i>Epicrates monensis monensis</i>)	T	8,500	683,523,179	99.81
754	Snail, flat-spined three-toothed (<i>Triodopsis platysayoides</i>)	T	8,500	683,531,679	99.81
754	Checker-mallow, Keck's (<i>Sidalcea keckii</i>)	E	8,500	683,540,179	99.81
757	Gilia, Hoffmann's slender-flowered (<i>Gilia tenuiflora ssp. hoffmannii</i>)	E	8,474	683,548,653	99.81
757	Phacelia, island (<i>Phacelia insularis ssp. insularis</i>)	E	8,474	683,557,127	99.81

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
759	Haha (<i>Cyanea hamatiflora carlsonii</i>)	E	8,300	683,565,427	99.82
760	Beetle, Helotes mold (<i>Batrisodes venyivi</i>)	E	8,290	683,573,717	99.82
760	Spider, Government Canyon Bat Cave (<i>Neoleptoneta microps</i>)	E	8,290	683,582,007	99.82
760	Meshweaver, Robber Baron Cave (<i>Cicurina baronia</i>)	E	8,290	683,590,297	99.82
763	Meadowrue, Cooley's (<i>Thalictrum cooley</i>)	E	8,274	683,598,571	99.82
763	Vetch, Hawaiian (<i>Vicia menziesii</i>)	E	8,274	683,606,845	99.82
765	Broadbill, Guam (<i>Myiagra freycineti</i>)	E	8,227	683,615,072	99.82
766	Plum, scrub (<i>Prunus geniculata</i>)	E	8,200	683,623,272	99.82
767	Logperch, Conasauga (<i>Percina jenkinsi</i>)	E	8,100	683,631,372	99.83
768	Harvestman, Cokendolpher Cave (<i>Texella cokendolpheri</i>)	E	8,080	683,639,452	99.83
768	Meshweaver, Government Canyon Bat Cave (<i>Cicurina vespera</i>)	E	8,080	683,647,532	99.83
768	Meshweaver, Braken Bat Cave (<i>Cicurina venii</i>)	E	8,080	683,655,612	99.83
771	Turtle, yellow-blotched map (<i>Graptemys flavimaculata</i>)	T	8,000	683,663,612	99.83
771	Sculpin, pygmy (<i>Cottus paulus</i> (=pygmaeus))	T	8,000	683,671,612	99.83
771	Snail, Stock Island tree (<i>Orthalicus reses</i> (not incl. nesodryas))	T	8,000	683,679,612	99.83
771	Jewelflower, California (<i>Caulanthus californicus</i>)	E	8,000	683,687,612	99.83
775	Darter, duskytail Tellico River, TN (<i>Etheostoma percnurum</i>)	EXPN	7,800	683,695,412	99.83
775	Manzanita, lone (<i>Arctostaphylos myrtifolia</i>)	T	7,800	683,703,212	99.84
777	Pua `ala (<i>Brighamia rockii</i>)	E	7,700	683,710,912	99.84
778	Arrowhead, bunched (<i>Sagittaria fasciculata</i>)	E	7,600	683,718,512	99.84
779	Creeper, Oahu (<i>Paroreomyza maculata</i>)	E	7,590	683,726,102	99.84
780	Kuahiwi laukahi (<i>Plantago hawaiiensis</i>)	E	7,584	683,733,686	99.84
781	Sedge, Navajo (<i>Carex specuicola</i>)	T	7,526	683,741,212	99.84
782	Owl's-clover, fleshy (<i>Castilleja campestris</i> ssp. succulenta)	T	7,500	683,748,712	99.84
782	Delissea undulata (=Sci name)	E	7,500	683,756,212	99.84
784	Beetle, Kretschmarr Cave mold (<i>Texamaurops reddelli</i>)	E	7,430	683,763,642	99.84
785	Cactus, Nichol's Turk's head (<i>Echinocactus horizontholoni</i> var. nicholii)	E	7,406	683,771,048	99.85
786	Orcutt grass, hairy (<i>Orcuttia pilosa</i>)	E	7,400	683,778,448	99.85
787	Orcutt grass, San Joaquin (<i>Orcuttia inaequalis</i>)	T	7,350	683,785,798	99.85
788	Goldenrod, Short's (<i>Solidago shortii</i>)	E	7,000	683,792,798	99.85
788	Pitcher-plant, mountain sweet (<i>Sarracenia rubra</i> ssp. jonesii)	E	7,000	683,799,798	99.85
788	Iagu, Hayun (=Guam), Tronkon guafi (Rota)) (<i>Serianthes nelsonii</i>)	E	7,000	683,806,798	99.85
788	Leather flower, Alabama (<i>Clematis socialis</i>)	E	7,000	683,813,798	99.85
792	Lipochaeta venosa (=Sci name)	E	6,984	683,820,782	99.85
792	Aupaka (<i>Isodendrion hosakae</i>)	E	6,984	683,827,766	99.85
794	Haha (<i>Cyanea hamatiflora</i> ssp. hamatiflora)	E	6,950	683,834,716	99.85
795	Clarkia, Presidio (<i>Clarkia franciscana</i>)	E	6,923	683,841,639	99.86
796	Naupaka, dwarf (<i>Scaevola coriacea</i>)	E	6,864	683,848,503	99.86
797	Chub, Pahrnagat roundtail (<i>Gila robusta jordani</i>)	E	6,826	683,855,329	99.86
798	Pigtoe, Cumberland (<i>Pleurobema gibberum</i>)	E	6,600	683,861,929	99.86
798	Hau kuahiwi (<i>Hibiscadelphus hualalaiensis</i>)	E	6,600	683,868,529	99.86
798	Cactus, Bakersfield (<i>Opuntia treleasei</i>)	E	6,600	683,875,129	99.86
801	`Oha wai (<i>Clermontia pyrolaria</i>)	E	6,500	683,881,629	99.86
801	Blazingstar, Heller's (<i>Liatris helleri</i>)	T	6,500	683,888,129	99.86
803	Grasshopper, Zayante band-winged (<i>Trimerotropis infantilis</i>)	E	6,400	683,894,529	99.86

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
803	Dogweed, ashy (<i>Thymophylla tephroleuca</i>)	E	6,400	683,900,929	99.86
805	Silverside, Waccamaw (<i>Menidia extensa</i>)	T	6,350	683,907,279	99.87
806	Spurge, Hoover's (<i>Chamaesyce hooveri</i>)	T	6,300	683,913,579	99.87
807	Haha (<i>Cyanea grimesiana</i> ssp. <i>obatae</i>)	E	6,283	683,919,862	99.87
808	Cactus, Knowlton (<i>Pediocactus knowltonii</i>)	E	6,252	683,926,114	99.87
809	Pseudoscorpion, Tooth Cave (<i>Tartarocreagris texana</i>)	E	6,230	683,932,344	99.87
810	Taraxacum, California (<i>Taraxacum californicum</i>)	E	6,200	683,938,544	99.87
810	Tuctoria, Greene's (<i>Tuctoria greenei</i>)	E	6,200	683,944,744	99.87
810	Mustard, slender-petaled (<i>Thelypodium stenopetalum</i>)	E	6,200	683,950,944	99.87
813	Phacelia, North Park (<i>Phacelia formosula</i>)	E	6,154	683,957,098	99.87
814	Yerba santa, Lompoc (<i>Eriodictyon capitatum</i>)	E	6,100	683,963,198	99.87
814	Cactus, black lace (<i>Echinocereus reichenbachii</i> var. <i>albertii</i>)	E	6,100	683,969,298	99.87
814	Fern, American hart's-tongue (<i>Asplenium scolopendrium</i> var. <i>americanum</i>)	T	6,100	683,975,398	99.88
817	Orcutt grass, California (<i>Orcuttia californica</i>)	E	6,025	683,981,423	99.88
817	Mesa-mint, San Diego (<i>Pogogyne abramsii</i>)	E	6,025	683,987,448	99.88
819	Beetle, Tooth Cave ground (<i>Rhadine persephone</i>)	E	6,017	683,993,465	99.88
820	Sandwort, Bear Valley (<i>Arenaria ursina</i>)	T	6,000	683,999,465	99.88
820	Paintbrush, ash-grey (<i>Castilleja cinerea</i>)	T	6,000	684,005,465	99.88
820	Wild-buckwheat, southern mountain (<i>Eriogonum kennedyi</i> var. <i>austromontanum</i>)	T	6,000	684,011,465	99.88
820	Bluegrass, San Bernardino (<i>Poa atropurpurea</i>)	E	6,000	684,017,465	99.88
820	Snowbells, Texas (<i>Styrax texanus</i>)	E	6,000	684,023,465	99.88
820	Bluecurls, Hidden Lake (<i>Trichostema austromontanum</i> ssp. <i>compactum</i>)	T	6,000	684,029,465	99.88
820	Manzanita, Morro (<i>Arctostaphylos morroensis</i>)	T	6,000	684,035,465	99.88
820	Mallow, Peter's Mountain (<i>Iliamna corei</i>)	E	6,000	684,041,465	99.88
820	Checker-mallow, pedate (<i>Sidalcea pedata</i>)	E	6,000	684,047,465	99.89
820	Wooly-threads, San Joaquin (<i>Monolopia</i> (=Lembertia) <i>congdonii</i>)	E	6,000	684,053,465	99.89
820	Cypress, Gowen (<i>Cupressus goveniana</i> ssp. <i>goveniana</i>)	T	6,000	684,059,465	99.89
831	Grass, Tennessee yellow-eyed (<i>Xyris tennesseensis</i>)	E	5,980	684,065,445	99.89
832	Spider, Tooth Cave (<i>Neoleptoneta myopica</i>)	E	5,930	684,071,375	99.89
833	Wallflower, Ben Lomond (<i>Erysimum teretifolium</i>)	E	5,900	684,077,275	99.89
833	Rosemary, Etonia (<i>Conradina etonia</i>)	E	5,900	684,083,175	99.89
835	Springfish, White River (<i>Crenichthys baileyi baileyi</i>)	E	5,700	684,088,875	99.89
835	Beetle, Mount Hermon June (<i>Polyphylla barbata</i>)	E	5,700	684,094,575	99.89
837	Shiner, palezone (<i>Notropis albizonatus</i>)	E	5,600	684,100,175	99.89
838	Catspaw (=purple cat's paw pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Epioblasma obliquata obliquata</i>)	E	5,500	684,105,675	99.89
838	Isopod, Socorro (<i>Thermosphaeroma thermophilus</i>)	E	5,500	684,111,175	99.9
838	Orcutt grass, Sacramento (<i>Orcuttia viscida</i>)	E	5,500	684,116,675	99.9
838	Grass, Solano (<i>Tuctoria mucronata</i>)	E	5,500	684,122,175	99.9
838	Thistle, Sacramento Mountains (<i>Cirsium vinaceum</i>)	T	5,500	684,127,675	99.9
838	Sedge, golden (<i>Carex lutea</i>)	E	5,500	684,133,175	99.9
844	Makou (<i>Peucedanum sandwicense</i>)	T	5,450	684,138,625	99.9
845	Beetle, Coffin Cave mold (<i>Batrissodes texanus</i>)	E	5,340	684,143,965	99.9
846	Spurge, Garber's (<i>Chamaesyce garberi</i>)	T	5,310	684,149,275	99.9

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
847	Blue-star, Kearney's (<i>Amsonia kearneyana</i>)	E	5,306	684,154,581	99.9
848	Blossom, yellow (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Epioblasma florentina florentina</i>)	E	5,300	684,159,881	99.9
848	Lupine, clover (<i>Lupinus tidestromii</i>)	E	5,300	684,165,181	99.9
850	Beardtongue, Penland (<i>Penstemon penlandii</i>)	E	5,251	684,170,432	99.9
851	Turtle, ringed map (<i>Graptemys oculifera</i>)	T	5,240	684,175,672	99.9
852	Cycladenia, Jones (<i>Cycladenia jonesii</i> (=humilis))	T	5,206	684,180,878	99.91
853	`Awikiwiki (<i>Canavalia molokaiensis</i>)	E	5,100	684,185,978	99.91
854	Larkspur, Baker's (<i>Delphinium bakeri</i>)	E	5,062	684,191,040	99.91
855	Vole, Florida salt marsh (<i>Microtus pennsylvanicus dukecampbelli</i>)	E	5,000	684,196,040	99.91
855	Stirrupshell (<i>Quadrula stapes</i>)	E	5,000	684,201,040	99.91
855	Marstonia, royal (snail) (<i>Pyrgulopsis ogmorhapse</i>)	E	5,000	684,206,040	99.91
855	Sunburst, San Joaquin adobe (<i>Pseudobahia peirsonii</i>)	T	5,000	684,211,040	99.91
855	Cory cactus, bunched (<i>Coryphantha ramillosa</i>)	T	5,000	684,216,040	99.91
855	Wire-lettuce, Malheur (<i>Stephanomeria malheurensis</i>)	E	5,000	684,221,040	99.91
855	Pelos del diablo (<i>Aristida portoricensis</i>)	E	5,000	684,226,040	99.91
855	Cordia bellonis (=Sci name)	E	5,000	684,231,040	99.91
855	Cactus, Chisos Mountain hedgehog (<i>Echinocereus chisoensis</i> var. <i>chisoensis</i>)	T	5,000	684,236,040	99.91
855	Dropwort, Canby's (<i>Oxypolis canbyi</i>)	E	5,000	684,241,040	99.91
865	Alligator, American (<i>Alligator mississippiensis</i>)	SAT	4,975	684,246,015	99.91
866	Phyllostegia velutina (=Sci name)	E	4,974	684,250,989	99.92
867	Schiedea kaalae (=Sci name)	E	4,963	684,255,952	99.92
867	Phyllostegia kaalaensis (=Sci name)	E	4,963	684,260,915	99.92
869	Fleabane, Zuni (<i>Erigeron rhizomatus</i>)	T	4,919	684,265,834	99.92
870	Kangaroo rat, Morro Bay (<i>Dipodomys heermanni morroensis</i>)	E	4,800	684,270,634	99.92
870	Pigtoe, fineryed Entire Range; Except where listed as Experimental Populations (<i>Fusconaia cuneolus</i>)	E	4,800	684,275,434	99.92
870	Spineflower, Sonoma (<i>Chorizanthe valida</i>)	E	4,800	684,280,234	99.92
870	Reed-mustard, clay (<i>Schoenocrambe argillacea</i>)	T	4,800	684,285,034	99.92
874	Madtom, yellowfin Holston River, VA, TN (<i>Noturus flavipinnis</i>)	EXPN	4,725	684,289,759	99.92
875	`O`u (honeycreeper) (<i>Psittirostra psittacea</i>)	E	4,680	684,294,439	99.92
875	Thrush, large Kauai (=kamao) (<i>Myadestes myadestinus</i>)	E	4,680	684,299,119	99.92
875	Creeper, Molokai (<i>Paroreomyza flammea</i>)	E	4,680	684,303,799	99.92
878	Buttercup, autumn (<i>Ranunculus aestivalis</i> (=acriformis))	E	4,600	684,308,399	99.92
879	Heartleaf, dwarf-flowered (<i>Hexastylis naniflora</i>)	T	4,520	684,312,919	99.92
880	Manzanita, Santa Rosa Island (<i>Arctostaphylos confertiflora</i>)	E	4,500	684,317,419	99.93
880	Reed-mustard, shrubby (<i>Schoenocrambe suffrutescens</i>)	E	4,500	684,321,919	99.93
882	Abutilon sandwicense (=Sci name)	E	4,463	684,326,382	99.93
883	Bladderpod, Spring Creek (<i>Lesquerella perforata</i>)	E	4,400	684,330,782	99.93
883	Kauai hau kuahiwi (<i>Hibiscadelphus distans</i>)	E	4,400	684,335,182	99.93
883	Alani (<i>Melicope mucronulata</i>)	E	4,400	684,339,582	99.93
886	Wawae`iole (<i>Huperzia manni</i>)	E	4,300	684,343,882	99.93
887	Checker-mallow, Kenwood Marsh (<i>Sidalcea oregana</i> ssp. <i>valida</i>)	E	4,257	684,348,139	99.93
888	Mouse, Anastasia Island beach (<i>Peromyscus polionotus phasma</i>)	E	4,200	684,352,339	99.93

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
888	Neraudia sericea (=Sci name)	E	4,200	684,356,539	99.93
888	Phacelia, clay (<i>Phacelia argillacea</i>)	E	4,200	684,360,739	99.93
891	Snail, Chittenango ovate amber (<i>Succinea chittenangoensis</i>)	T	4,160	684,364,899	99.93
892	Pigtoe, shiny Entire Range; Except where listed as Experimental Populations (<i>Fusconaia cor</i>)	E	4,140	684,369,039	99.93
893	Turtle, Alabama red-belly (<i>Pseudemys alabamensis</i>)	E	4,100	684,373,139	99.93
893	Bulrush, Northeastern (<i>Scirpus ancistrochaetus</i>)	E	4,100	684,377,239	99.93
893	`Aiakeakua, popolo (<i>Solanum sandwicense</i>)	E	4,100	684,381,339	99.93
893	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i>)	E	4,100	684,385,439	99.94
893	Skullcap, Florida (<i>Scutellaria floridana</i>)	T	4,100	684,389,539	99.94
898	Combshell, southern (<i>Epioblasma penita</i>)	E	4,000	684,393,539	99.94
899	Butterfly, lotis blue (<i>Lycaeides argyrognomon lotis</i>)	E	3,900	684,397,439	99.94
900	Dwarf-flax, Marin (<i>Hesperolinon congestum</i>)	T	3,888	684,401,327	99.94
901	Lead-plant, Crenulate (<i>Amorpha crenulata</i>)	E	3,810	684,405,137	99.94
902	Monkeyface, Appalachian (pearlymussel) (<i>Quadrula sparsa</i>)	E	3,800	684,408,937	99.94
902	Larkspur, yellow (<i>Delphinium luteum</i>)	E	3,800	684,412,737	99.94
902	Remya, Maui (<i>Remya mauiensis</i>)	E	3,800	684,416,537	99.94
905	`Ahinahina (<i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i>)	T	3,750	684,420,287	99.94
906	Cactus, Cochise pincushion (<i>Coryphantha robbinsorum</i>)	T	3,712	684,423,999	99.94
907	Aupaka (<i>Isodendron laurifolium</i>)	E	3,700	684,427,699	99.94
907	Goldenrod, white-haired (<i>Solidago albopilosa</i>)	T	3,700	684,431,399	99.94
909	Harvestman, Bee Creek Cave (<i>Texella reddelli</i>)	E	3,640	684,435,039	99.94
910	Catfish, Yaqui (<i>Ictalurus pricei</i>)	T	3,613	684,438,652	99.94
911	Sandwort, Marsh (<i>Arenaria paludicola</i>)	E	3,550	684,442,202	99.94
912	Avens, spreading (<i>Geum radiatum</i>)	E	3,542	684,445,744	99.94
913	Mouse, St. Andrew beach (<i>Peromyscus polionotus peninsularis</i>)	E	3,500	684,449,244	99.94
913	Hau kuahiwi (<i>Hibiscadelphus giffardianus</i>)	E	3,500	684,452,744	99.95
913	Alani (<i>Melicope zahlbruckneri</i>)	E	3,500	684,456,244	99.95
913	Nehe (<i>Lipochaeta micrantha</i>)	E	3,500	684,459,744	99.95
913	Butterwort, Godfrey's (<i>Pinguicula ionantha</i>)	T	3,500	684,463,244	99.95
918	Milk-vetch, Osterhout (<i>Astragalus osterhoutii</i>)	E	3,406	684,466,650	99.95
919	Pawpaw, beautiful (<i>Deeringothamnus pulchellus</i>)	E	3,400	684,470,050	99.95
920	Awiwi (<i>Centaurium sebaeoides</i>)	E	3,364	684,473,414	99.95
921	Monkey-flower, Michigan (<i>Mimulus glabratus</i> var. <i>michiganensis</i>)	E	3,308	684,476,722	99.95
922	Kolea (<i>Myrsine linearifolia</i>)	T	3,300	684,480,022	99.95
922	Wahane (<i>Pritchardia aylmer-robinsonii</i>)	E	3,300	684,483,322	99.95
922	Schiedea membranacea (=Sci name)	E	3,300	684,486,622	99.95
922	Chamaesyce halemanui (=Sci name)	E	3,300	684,489,922	99.95
922	Rosemary, Apalachicola (<i>Conradina glabra</i>)	E	3,300	684,493,222	99.95
922	Delissea rhytidosperra (=Sci name)	E	3,300	684,496,522	99.95
922	Na`ena`e (<i>Dubautia latifolia</i>)	E	3,300	684,499,822	99.95
922	Gouania meyenii (=Sci name)	E	3,300	684,503,122	99.95
922	Hibiscus, Clay's (<i>Hibiscus clayi</i>)	E	3,300	684,506,422	99.95
922	Koki`o ke`oke`o (<i>Hibiscus waimeae</i> ssp. <i>hannerae</i>)	E	3,300	684,509,722	99.95
922	Koki`o (<i>Kokia kauaiensis</i>)	E	3,300	684,513,022	99.95
922	Nehe (<i>Lipochaeta fauriei</i>)	E	3,300	684,516,322	99.95

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
922	Alani (<i>Melicope pallida</i>)	E	3,300	684,519,622	99.95
922	Munroidendron racemosum (=Sci name)	E	3,300	684,522,922	99.96
922	Kaulu (<i>Pteralyxia kauaiensis</i>)	E	3,300	684,526,222	99.96
922	Iliau, dwarf (<i>Wilkesia hobbdi</i>)	E	3,300	684,529,522	99.96
922	Heau (<i>Exocarpos luteolus</i>)	E	3,300	684,532,822	99.96
922	Nehe (<i>Lipochaeta waimeaensis</i>)	E	3,300	684,536,122	99.96
922	Alsinidendron viscosum (=Sci name)	E	3,300	684,539,422	99.96
922	Remya montgomeryi (=Sci name)	E	3,300	684,542,722	99.96
922	Lo`ulu (<i>Pritchardia viscosa</i>)	E	3,300	684,546,022	99.96
922	Schiedea kauaiensis (=Sci name)	E	3,300	684,549,322	99.96
944	Kuawawaenohu (<i>Alsinidendron lychnoides</i>)	E	3,250	684,552,572	99.96
945	Sunburst, Hartweg's golden (<i>Pseudobahia bahiifolia</i>)	E	3,200	684,555,772	99.96
945	Schiedea, Diamond Head (<i>Schiedea adamantis</i>)	E	3,200	684,558,972	99.96
947	Chaff-flower, round-leaved (<i>Achyranthes splendens</i> var. <i>rotundata</i>)	E	3,164	684,562,136	99.96
948	Rosemary, short-leaved (<i>Conradina brevifolia</i>)	E	3,100	684,565,236	99.96
948	Spurge, deltoid (<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>)	E	3,100	684,568,336	99.96
948	`Akoko (<i>Chamaesyce herbstii</i>)	E	3,100	684,571,436	99.96
951	Pu`uka`a (<i>Cyperus trachysanthos</i>)	E	3,064	684,574,500	99.96
952	Milk-vetch, Mancos (<i>Astragalus humillimus</i>)	E	3,050	684,577,550	99.96
953	Clubshell, black (<i>Pleurobema curtum</i>)	E	3,000	684,580,550	99.96
953	Pigtoe, flat (<i>Pleurobema marshalli</i>)	E	3,000	684,583,550	99.96
953	Riversnail, Anthony's Entire Range; Except where listed as Experimental Populations (<i>Athearnia anthonyi</i>)	E	3,000	684,586,550	99.96
953	Grass, Colusa (<i>Neostapfia colusana</i>)	T	3,000	684,589,550	99.96
953	Ridge-cress, Barneby (<i>Lepidium barnebyanum</i>)	E	3,000	684,592,550	99.97
953	Bladderpod, kodachrome (<i>Lesquerella tumulosa</i>)	E	3,000	684,595,550	99.97
953	Nohoanu (<i>Geranium multiflorum</i>)	E	3,000	684,598,550	99.97
953	Primrose, Maguire (<i>Primula maguirei</i>)	T	3,000	684,601,550	99.97
953	Crownbeard, big-leaved (<i>Verbesina dissita</i>)	T	3,000	684,604,550	99.97
962	Wartyback, white (pearlymussel) (<i>Plethobasus cicatricosus</i>)	E	2,900	684,607,450	99.97
962	Phyllostegia parviflora (=Sci name)	E	2,900	684,610,350	99.97
962	Lo`ulu (<i>Pritchardia schattaueri</i>)	E	2,900	684,613,250	99.97
965	Gardenia (=Na`u), Hawaiian (<i>Gardenia brighamii</i>)	E	2,800	684,616,050	99.97
965	Locoweed, Fassett's (<i>Oxytropis campestris</i> var. <i>chartacea</i>)	T	2,800	684,618,850	99.97
965	Milkpea, Small's (<i>Galactia smallii</i>)	E	2,800	684,621,650	99.97
968	Lupine, scrub (<i>Lupinus aridorum</i>)	E	2,700	684,624,350	99.97
968	Haha (<i>Cyanea longiflora</i>)	E	2,700	684,627,050	99.97
970	Sunflower, San Mateo woolly (<i>Eriophyllum latilobum</i>)	E	2,685	684,629,735	99.97
971	Gambusia, San Marcos (<i>Gambusia georgei</i>)	E	2,660	684,632,395	99.97
972	Shiner, beautiful (<i>Cyprinella formosa</i>)	T	2,606	684,635,001	99.97
973	Beetle, delta green ground (<i>Elaphrus viridis</i>)	T	2,500	684,637,501	99.97
973	Crayfish, cave (<i>Cambarus zophonastes</i>)	E	2,500	684,640,001	99.97
973	Evening-primrose, Antioch Dunes (<i>Oenothera deltoides</i> ssp. <i>howellii</i>)	E	2,500	684,642,501	99.97
973	Bluet, Roan Mountain (<i>Hedyotis purpurea</i> var. <i>montana</i>)	E	2,500	684,645,001	99.97
973	`Anunu (<i>Sicyos alba</i>)	E	2,500	684,647,501	99.97
978	Joint-vetch, sensitive (<i>Aeschynomene virginica</i>)	T	2,430	684,649,931	99.97

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
979	Tern, roseate Western Hemisphere except NE U.S. (<i>Sterna dougallii dougallii</i>)	T	2,410	684,652,341	99.97
980	Cactus, Arizona hedgehog (<i>Echinocereus triglochidiatus var. arizonicus</i>)	E	2,406	684,654,747	99.97
981	Gouania vitifolia (=Sci name)	E	2,400	684,657,147	99.97
981	Tetramolopium rockii (=Sci name)	T	2,400	684,659,547	99.98
981	Gourd, Okeechobee (<i>Cucurbita okeechobeensis ssp. okeechobeensis</i>)	E	2,400	684,661,947	99.98
984	Polygala, Lewton's (<i>Polygala lewtonii</i>)	E	2,300	684,664,247	99.98
985	Pupfish, Warm Springs (<i>Cyprinodon nevadensis pectoralis</i>)	E	2,200	684,666,447	99.98
985	Beargrass, Britton's (<i>Nolina brittoniana</i>)	E	2,200	684,668,647	99.98
985	Mustard, Carter's (<i>Warea carteri</i>)	E	2,200	684,670,847	99.98
988	Cypress, Santa Cruz (<i>Cupressus abramsiana</i>)	E	2,050	684,672,897	99.98
989	Cahow (<i>Pterodroma cahow</i>)	E	2,000	684,674,897	99.98
989	Gambusia, Clear Creek (<i>Gambusia heterochir</i>)	E	2,000	684,676,897	99.98
989	Lampmussel, Alabama Entire Range; Except where listed as Experimental Populations (<i>Lampsilis virescens</i>)	E	2,000	684,678,897	99.98
989	Butterfly, Lange's metalmark (<i>Apodemia mormo langei</i>)	E	2,000	684,680,897	99.98
989	Haha (<i>Cyanea grimesiana ssp. grimesiana</i>)	E	2,000	684,682,897	99.98
989	Liveforever, Santa Barbara Island (<i>Dudleya traskiae</i>)	E	2,000	684,684,897	99.98
989	Wild-buckwheat, gypsum (<i>Eriogonum gypsophilum</i>)	T	2,000	684,686,897	99.98
989	Pawpaw, Rugel's (<i>Deeringothamnus rugelii</i>)	E	2,000	684,688,897	99.98
989	Fringepod, Santa Cruz Island (<i>Thysanocarpus conchuliferus</i>)	E	2,000	684,690,897	99.98
989	Rock-cress, shale barren (<i>Arabis serotina</i>)	E	2,000	684,692,897	99.98
999	Bat, little Mariana fruit (<i>Pteropus tokudae</i>)	E	1,960	684,694,857	99.98
999	White-eye, bridled (<i>Zosterops conspicillatus conspicillatus</i>)	E	1,960	684,696,817	99.98
1001	Warbler (=wood), Bachman's (<i>Vermivora bachmanii</i>)	E	1,955	684,698,772	99.98
1002	Mariposa lily, Tiburon (<i>Calochortus tiburonensis</i>)	T	1,923	684,700,695	99.98
1002	Ceanothus, coyote (<i>Ceanothus ferrisiae</i>)	E	1,923	684,702,618	99.98
1002	Thistle, fountain (<i>Cirsium fontinale var. fontinale</i>)	E	1,923	684,704,541	99.98
1002	Jewelflower, Metcalf Canyon (<i>Streptanthus albidus ssp. albidus</i>)	E	1,923	684,706,464	99.98
1002	Jewelflower, Tiburon (<i>Streptanthus niger</i>)	E	1,923	684,708,387	99.98
1002	Thornmint, San Mateo (<i>Acanthomintha obovata ssp. duttonii</i>)	E	1,923	684,710,310	99.98
1002	Paintbrush, Tiburon (<i>Castilleja affinis ssp. neglecta</i>)	E	1,923	684,712,233	99.98
1002	Pentachaeta, white-rayed (<i>Pentachaeta bellidiflora</i>)	E	1,923	684,714,156	99.98
1002	Bird's-beak, Pennell's (<i>Cordylanthus tenuis ssp. capillaris</i>)	E	1,923	684,716,079	99.98
1002	Dudleya, Santa Clara Valley (<i>Dudleya setchellii</i>)	E	1,923	684,718,002	99.98
1012	Koki'o, Cooke's (<i>Kokia cookei</i>)	E	1,900	684,719,902	99.98
1012	Lo'ulu (<i>Pritchardia munroi</i>)	E	1,900	684,721,802	99.98
1012	Trillium, persistent (<i>Trillium persistens</i>)	E	1,900	684,723,702	99.98
1012	Platanthera holochila (=Sci name)	E	1,900	684,725,602	99.98
1016	Bladderpod, Dudley Bluffs (<i>Lesquerella congesta</i>)	T	1,859	684,727,461	99.99
1017	Potentilla, Hickman's (<i>Potentilla hickmanii</i>)	E	1,800	684,729,261	99.99
1017	Clover, Monterey (<i>Trifolium trichocalyx</i>)	E	1,800	684,731,061	99.99
1019	Lo'ulu (<i>Pritchardia affinis</i>)	E	1,725	684,732,786	99.99
1020	Gooseberry, Miccosukee (<i>Ribes echinellum</i>)	T	1,700	684,734,486	99.99
1021	Thrush, Molokai (<i>Myadestes lanaiensis rutha</i>)	E	1,668	684,736,154	99.99
1022	Pearlymussel, Curtis (<i>Epioblasma florentina curtisii</i>)	E	1,600	684,737,754	99.99

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
1022	Bird's-beak, salt marsh (<i>Cordylanthus maritimus</i> ssp. <i>maritimus</i>)	E	1,600	684,739,354	99.99
1022	Pondweed, Little Aguja (=Creek) (<i>Potamogeton clystocarpus</i>)	E	1,600	684,740,954	99.99
1025	Chub, slender (<i>Erimystax cahni</i>)	T	1,500	684,742,454	99.99
1025	Chub, Chihuahua (<i>Gila nigrescens</i>)	T	1,500	684,743,954	99.99
1025	Milk-vetch, coastal dunes (<i>Astragalus tener</i> var. <i>titi</i>)	E	1,500	684,745,454	99.99
1025	Monardella, willowy (<i>Monardella linoides</i> ssp. <i>viminea</i>)	E	1,500	684,746,954	99.99
1025	Ha`iwale (<i>Cyrtandra polyantha</i>)	E	1,500	684,748,454	99.99
1025	Ha`iwale (<i>Cyrtandra giffardii</i>)	E	1,500	684,749,954	99.99
1025	Lobelia monostachya (=Sci name)	E	1,500	684,751,454	99.99
1025	Haha (<i>Cyanea truncata</i>)	E	1,500	684,752,954	99.99
1025	Ha`iwale (<i>Cyrtandra tintinnabula</i>)	E	1,500	684,754,454	99.99
1034	Spider, spruce-fir moss (<i>Microhexura montivaga</i>)	E	1,400	684,755,854	99.99
1034	`Aiea (<i>Nothocestrum peltatum</i>)	E	1,400	684,757,254	99.99
1034	Vervain, Red Hills (<i>Verbena californica</i>)	T	1,400	684,758,654	99.99
1037	Birch, Virginia round-leaf (<i>Betula uber</i>)	T	1,300	684,759,954	99.99
1038	Koki`o ke`oke`o (<i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i>)	E	1,200	684,761,154	99.99
1039	Dace, Clover Valley speckled (<i>Rhinichthys osculus oligoporus</i>)	E	1,173	684,762,327	99.99
1040	Twinpod, Dudley Bluffs (<i>Physaria obcordata</i>)	T	1,155	684,763,482	99.99
1041	Clarkia, Springville (<i>Clarkia springvillensis</i>)	T	1,100	684,764,582	99.99
1042	Finch, Laysan (honeycreeper) (<i>Telespyza cantans</i>)	E	1,000	684,765,582	99.99
1042	Chub, Hutton tui Hutton (<i>Gila bicolor</i> ssp.)	T	1,000	684,766,582	99.99
1042	Darter, vermilion (<i>Etheostoma chermocki</i>)	E	1,000	684,767,582	99.99
1042	Dudleya, marcescent (<i>Dudleya cymosa</i> ssp. <i>marcescens</i>)	T	1,000	684,768,582	99.99
1042	`Akoko (<i>Chamaesyce deppeana</i>)	E	1,000	684,769,582	99.99
1042	Hesperomannia arbuscula (=Sci name)	E	1,000	684,770,582	99.99
1042	Stenogyne kanehoana (=Sci name)	E	1,000	684,771,582	99.99
1042	Tetramolopium lepidotum ssp. lepidotum (=Sci name)	E	1,000	684,772,582	99.99
1042	Haha (<i>Cyanea pinnatifida</i>)	E	1,000	684,773,582	99.99
1042	Mariscus pennatifolius (=Sci name)	E	1,000	684,774,582	99.99
1042	Water-plantain, Kral's (<i>Sagittaria secundifolia</i>)	T	1,000	684,775,582	99.99
1042	Watercress, Gambel's (<i>Rorippa gambellii</i>)	E	1,000	684,776,582	99.99
1042	Silene perlmanii (=Sci name)	E	1,000	684,777,582	99.99
1042	Dudleya, Santa Monica Mountains (<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i>)	T	1,000	684,778,582	99.99
1042	Fern, Alabama streak-sorus (<i>Thelypteris pilosa</i> var. <i>alabamensis</i>)	T	1,000	684,779,582	99.99
1057	Cactus, Key tree (<i>Pilosocereus robinii</i>)	E	900	684,780,482	99.99
1057	Seablite, California (<i>Suaeda californica</i>)	E	900	684,781,382	99.99
1059	Curlew, Eskimo (<i>Numenius borealis</i>)	E	821	684,782,203	99.99
1060	Snake, Atlantic salt marsh (<i>Nerodia clarkii taeniata</i>)	T	800	684,783,003	99.99
1060	Springsnail, Alamosa (<i>Tryonia alamosae</i>)	E	800	684,783,803	99.99
1062	Milk-vetch, Applegate's (<i>Astragalus applegatei</i>)	E	717	684,784,520	99.99
1063	Snail, noonday (<i>Mesodon clarki nantahala</i>)	T	700	684,785,220	99.99
1063	Kamakahala (<i>Labordia triflora</i>)	E	700	684,785,920	99.99
1063	Alani (<i>Melicope saint-johnii</i>)	E	700	684,786,620	99.99
1063	Liliwai (<i>Acaena exigua</i>)	E	700	684,787,320	99.99
1063	`Oha wai (<i>Clermontia peleana</i>)	E	700	684,788,020	99.99

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
1063	<i>Silene alexandri</i> (=Sci name)	E	700	684,788,720	99.99
1063	<i>Tetramolopium remyi</i> (=Sci name)	E	700	684,789,420	99.99
1063	Haha (<i>Cyanea lobata</i>)	E	700	684,790,120	99.99
1063	Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>brevipes</i>)	E	700	684,790,820	99.99
1063	Oha wai (<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>)	E	700	684,791,520	99.99
1063	Haha (<i>Cyanea dunbari</i>)	E	700	684,792,220	99.99
1063	Haha (<i>Cyanea procera</i>)	E	700	684,792,920	99.99
1063	Kopa (<i>Hedyotis schlechtendahlana</i> var. <i>remyi</i>)	E	700	684,793,620	99.99
1063	<i>Lysimachia maxima</i> (=Sci name)	E	700	684,794,320	99.99
1063	<i>Trematolobelia singularis</i> (=Sci name)	E	700	684,795,020	99.99
1063	<i>Phyllostegia mannii</i> (=Sci name)	E	700	684,795,720	100
1063	Kohe malama malama o kanalao (<i>Kanaloa kahoolawensis</i>)	E	700	684,796,420	100
1080	Lilliput, pale (pearlymussel) (<i>Toxolasma cylindrellus</i>)	E	602	684,797,022	100
1081	Riversnail, Anthony's AL: Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Athearnia anthoni</i>)	EXPN	600	684,797,622	100
1081	Butterfly, El Segundo blue (<i>Euphilotes battoides allyni</i>)	E	600	684,798,222	100
1081	Clarkia, Pismo (<i>Clarkia speciosa</i> ssp. <i>immaculata</i>)	E	600	684,798,822	100
1081	Pinkroot, gentian (<i>Spigelia gentianoides</i>)	E	600	684,799,422	100
1081	Haha (<i>Cyanea platyphylla</i>)	E	600	684,800,022	100
1086	Dace, Kendall Warm Springs (<i>Rhinichthys osculus thermalis</i>)	E	535	684,800,557	100
1087	Mustard, Penland alpine fen (<i>Eutrema penlandii</i>)	T	502	684,801,059	100
1088	Blossom, green (pearlymussel) (<i>Epioblasma torulosa gubernaculum</i>)	E	500	684,801,559	100
1088	Isopod, Madison Cave (<i>Antrilana lira</i>)	T	500	684,802,059	100
1088	Isopod, Lee County cave (<i>Lirceus usdagalun</i>)	E	500	684,802,559	100
1088	<i>Achyranthes mutica</i> (=Sci name)	E	500	684,803,059	100
1088	Oha wai (<i>Clermontia drepanomorpha</i>)	E	500	684,803,559	100
1088	Dudleya, Conejo (<i>Dudleya abramsii</i> ssp. <i>parva</i>)	T	500	684,804,059	100
1088	Mountain balm, Indian Knob (<i>Eriodictyon altissimum</i>)	E	500	684,804,559	100
1088	Awiwi (<i>Hedyotis cookiana</i>)	E	500	684,805,059	100
1088	Kula wahine noho (<i>Isodendron pyrifolium</i>)	E	500	684,805,559	100
1088	<i>Calyptanthus thomasiana</i> (=Sci name)	E	500	684,806,059	100
1088	Dudleya, Verity's (<i>Dudleya verityi</i>)	T	500	684,806,559	100
1088	Holei (<i>Ochrosia kilaueaensis</i>)	E	500	684,807,059	100
1088	Crownscale, San Jacinto Valley (<i>Atriplex coronata</i> var. <i>notatior</i>)	E	500	684,807,559	100
1088	Haha (<i>Cyanea copelandii</i> ssp. <i>copelandii</i>)	E	500	684,808,059	100
1088	<i>Mariscus fauriei</i> (=Sci name)	E	500	684,808,559	100
1088	<i>Phyllostegia warshaueri</i> (=Sci name)	E	500	684,809,059	100
1088	A`e (<i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i>)	E	500	684,809,559	100
1088	Quillwort, black spored (<i>Isoetes melanospora</i>)	E	500	684,810,059	100
1088	Quillwort, mat-forming (<i>Isoetes tegetiformans</i>)	E	500	684,810,559	100
1107	Amphipod, Peck's cave (<i>Stygobromus</i> (=Stygonectes) <i>pecki</i>)	E	430	684,810,989	100
1108	Woolly-star, Santa Ana River (<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>)	E	420	684,811,409	100
1109	Vole, Amargosa (<i>Microtus californicus scirpensis</i>)	E	400	684,811,809	100
1109	<i>Gouania hillebrandii</i> (=Sci name)	E	400	684,812,209	100
1111	Sunray, Ash Meadows (<i>Enceliopsis nudicaulis</i> var. <i>corrugata</i>)	T	300	684,812,509	100
1111	Buckwheat, scrub (<i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>)	T	300	684,812,809	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
1113	Seal, Guadalupe fur (<i>Arctocephalus townsendi</i>)	T	200	684,813,009	100
1113	Salamander, desert slender (<i>Batrachoseps aridus</i>)	E	200	684,813,209	100
1113	Springsnail, Socorro (<i>Pyrgulopsis neomexicana</i>)	E	200	684,813,409	100
1113	Amaranthus brownii (=Sci name)	E	200	684,813,609	100
1113	Rock-cress, Hoffmann's (<i>Arabis hoffmannii</i>)	E	200	684,813,809	100
1113	Milk-vetch, Clara Hunt's (<i>Astragalus clarianus</i>)	E	200	684,814,009	100
1113	Sedge, white (<i>Carex albida</i>)	E	200	684,814,209	100
1113	Mountain-mahogany, Catalina Island (<i>Cercocarpus traskiae</i>)	E	200	684,814,409	100
1113	Oha (<i>Delissea rivularis</i>)	E	200	684,814,609	100
1113	Love grass, Fosberg's (<i>Eragrostis fosbergii</i>)	E	200	684,814,809	100
1113	Lau`ehu (<i>Panicum niihauense</i>)	E	200	684,815,009	100
1113	Phyllostegia knudsenii (=Sci name)	E	200	684,815,209	100
1113	Lo`ulu (<i>Pritchardia remota</i>)	E	200	684,815,409	100
1113	Schiedea sarmentosa (=Sci name)	E	200	684,815,609	100
1113	Schiedea verticillata (=Sci name)	E	200	684,815,809	100
1113	Abutilon eremitopetalum (=Sci name)	E	200	684,816,009	100
1113	Ko`oko`olau (<i>Bidens wiebkei</i>)	E	200	684,816,209	100
1113	Olulu (<i>Brighamia insignis</i>)	E	200	684,816,409	100
1113	Haha (<i>Cyanea mceldowneyi</i>)	E	200	684,816,609	100
1113	Mint, scrub (<i>Dicerandra frutescens</i>)	E	200	684,816,809	100
1113	Gahnia lanaiensis (=Sci name)	E	200	684,817,009	100
1113	Pilo (<i>Hedyotis manni</i>)	E	200	684,817,209	100
1113	Hedyotis, Na Pali beach (<i>Hedyotis st-johnii</i>)	E	200	684,817,409	100
1113	Hesperomannia lydgatei (=Sci name)	E	200	684,817,609	100
1113	Blazingstar, scrub (<i>Liatris ohlingerae</i>)	E	200	684,817,809	100
1113	Nehe (<i>Lipochaeta lobata</i> var. <i>leptophylla</i>)	E	200	684,818,009	100
1113	Alani (<i>Melicope ballou</i>)	E	200	684,818,209	100
1113	Alani (<i>Melicope haupuensis</i>)	E	200	684,818,409	100
1113	Alani (<i>Melicope munroi</i>)	E	200	684,818,609	100
1113	Alani (<i>Melicope quadrangularis</i>)	E	200	684,818,809	100
1113	Alani (<i>Melicope reflexa</i>)	E	200	684,819,009	100
1113	Whitlow-wort, papery (<i>Paronychia chartacea</i>)	T	200	684,819,209	100
1113	Phyllostegia glabra var. lanaiensis (=Sci name)	E	200	684,819,409	100
1113	Bluegrass, Hawaiian (<i>Poa sandvicensis</i>)	E	200	684,819,609	100
1113	Remya kauaiensis (=Sci name)	E	200	684,819,809	100
1113	Rhododendron, Chapman (<i>Rhododendron chapmanii</i>)	E	200	684,820,009	100
1113	Viola helenae (=Sci name)	E	200	684,820,209	100
1113	Nani wai`ale`ale (<i>Viola kauaiensis</i> var. <i>wahiawaensis</i>)	E	200	684,820,409	100
1113	Viola lanaiensis (=Sci name)	E	200	684,820,609	100
1113	Bonamia, Florida (<i>Bonamia grandiflora</i>)	T	200	684,820,809	100
1113	Fringe-tree, pygmy (<i>Chionanthus pygmaeus</i>)	E	200	684,821,009	100
1113	Ha`iwale (<i>Cyrtandra crenata</i>)	E	200	684,821,209	100
1113	Ha`iwale (<i>Cyrtandra munroi</i>)	E	200	684,821,409	100
1113	Snakeroot (<i>Eryngium cuneifolium</i>)	E	200	684,821,609	100
1113	Kamakahala (<i>Labordia lydgatei</i>)	E	200	684,821,809	100
1113	Kamakahala (<i>Labordia tinifolia</i> var. <i>lanaiensis</i>)	E	200	684,822,009	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
1113	Nehe (<i>Lipochaeta kamolensis</i>)	E	200	684,822,209	100
1113	Lysimachia filifolia (=Sci name)	E	200	684,822,409	100
1113	Bluegrass, Mann's (<i>Poa mannii</i>)	E	200	684,822,609	100
1113	Poa siphonoglossa (=Sci name)	E	200	684,822,809	100
1113	Goldenrod, Blue Ridge (<i>Solidago spithamea</i>)	T	200	684,823,009	100
1113	Warea, wide-leaf (<i>Warea amplexifolia</i>)	E	200	684,823,209	100
1113	Xylosma crenatum (=Sci name)	E	200	684,823,409	100
1113	Mint, Garrett's (<i>Dicerandra christmanii</i>)	E	200	684,823,609	100
1113	Haha (<i>Cyanea macrostegia</i> ssp. <i>gibsonii</i>)	E	200	684,823,809	100
1113	Ma`oli`oli (<i>Schiedea apokremnos</i>)	E	200	684,824,009	100
1113	Schiedea helleri (=Sci name)	E	200	684,824,209	100
1113	Schiedea lydgatei (=Sci name)	E	200	684,824,409	100
1113	Schiedea spergulina var. leiopoda (=Sci name)	E	200	684,824,609	100
1113	Schiedea spergulina var. spergulina (=Sci name)	T	200	684,824,809	100
1113	Laulihilihi (<i>Schiedea stellarioides</i>)	E	200	684,825,009	100
1113	`Akoko (<i>Chamaesyce kuwaleana</i>)	E	200	684,825,209	100
1113	Harebells, Avon Park (<i>Crotalaria avonensis</i>)	E	200	684,825,409	100
1113	Haha (<i>Cyanea asarifolia</i>)	E	200	684,825,609	100
1113	Haha (<i>Cyanea mannii</i>)	E	200	684,825,809	100
1113	Haha (<i>Cyanea recta</i>)	T	200	684,826,009	100
1113	Haha (<i>Cyanea undulata</i>)	E	200	684,826,209	100
1113	Mapele (<i>Cyrtandra cyaneoides</i>)	E	200	684,826,409	100
1113	Ha`iwale (<i>Cyrtandra limahuliensis</i>)	T	200	684,826,609	100
1113	Na`ena`e (<i>Dubautia pauciflorula</i>)	E	200	684,826,809	100
1113	Na`ena`e (<i>Dubautia plantaginea</i> ssp. <i>humilis</i>)	E	200	684,827,009	100
1113	Lysimachia lydgatei (=Sci name)	E	200	684,827,209	100
1113	Phyllostegia waimeae (=Sci name)	E	200	684,827,409	100
1113	Phyllostegia wawrana (=Sci name)	E	200	684,827,609	100
1113	Lo`ulu (<i>Pritchardia napaliensis</i>)	E	200	684,827,809	100
1113	Stenogyne bifida (=Sci name)	E	200	684,828,009	100
1113	Stenogyne campanulata (=Sci name)	E	200	684,828,209	100
1113	Haha (<i>Cyanea remyi</i>)	E	200	684,828,409	100
1113	Hau kuahiwi (<i>Hibiscadelphus woodii</i>)	E	200	684,828,609	100
1113	Kamakahala (<i>Labordia tinifolia</i> var. <i>wahiawaensis</i>)	E	200	684,828,809	100
1113	Cladonia, Florida perforate (<i>Cladonia perforata</i>)	E	200	684,829,009	100
1194	Bear, American black County range of LA b.bear (<i>Ursus americanus</i>)	SAT	100	684,829,109	100
1194	Onion, Munz's (<i>Allium munzii</i>)	E	100	684,829,209	100
1194	Fern, Aleutian shield (<i>Polystichum aleuticum</i>)	E	100	684,829,309	100
1197	Seal, Caribbean monk (<i>Monachus tropicalis</i>)	E	0	684,829,309	100
1197	Puma (=mountain lion) FL (<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i>))	SAT	0	684,829,309	100
1197	Akialoa, Kauai (honeycreeper) (<i>Hemignathus procerus</i>)	E	0	684,829,309	100
1197	Finch, Nihoa (honeycreeper) (<i>Telespyza ultima</i>)	E	0	684,829,309	100
1197	Millerbird, Nihoa (old world warbler) (<i>Acrocephalus familiaris kingi</i>)	E	0	684,829,309	100
1197	`O`o, Kauai (honeyeater) (<i>Moho braccatus</i>)	E	0	684,829,309	100
1197	Crow, white-necked (<i>Corvus leucognaphalus</i>)	E	0	684,829,309	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (%)
1197	Anole, Culebra Island giant (<i>Anolis roosevelti</i>)	E	0	684,829,309	100
1197	Cooter (=turtle), northern redbelly (=Plymouth) (<i>Pseudemys rubriventris bangsi</i>)	E	0	684,829,309	100
1197	Boa, Virgin Islands tree (<i>Epicrates monensis granti</i>)	E	0	684,829,309	100
1197	Gecko, Monito (<i>Sphaerodactylus micropithecus</i>)	E	0	684,829,309	100
1197	Coqui, golden (<i>Eleutherodactylus jasperii</i>)	T	0	684,829,309	100
1197	Toad, Puerto Rican crested (<i>Peltophryne lemur</i>)	T	0	684,829,309	100
1197	Darter, Maryland (<i>Etheostoma sellare</i>)	E	0	684,829,309	100
1197	Madtom, Scioto (<i>Noturus trautmani</i>)	E	0	684,829,309	100
1197	Dace, Independence Valley speckled (<i>Rhinichthys osculus lethoporus</i>)	E	0	684,829,309	100
1197	Blossom, turgid (pearlymussel) Entire Range; Except where listed as Experimental Populations (<i>Epioblasma turgidula</i>)	E	0	684,829,309	100
1197	Blossom, turgid (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma turgidula</i>)	EXPN	0	684,829,309	100
1197	Blossom, yellow (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma florentina florentina</i>)	EXPN	0	684,829,309	100
1197	Catspaw (=purple cat's paw pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Epioblasma obliquata obliquata</i>)	EXPN	0	684,829,309	100
1197	Lampmussel, Alabama AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Lampsilis virescens</i>)	EXPN	0	684,829,309	100
1197	Monkeyface, Cumberland (pearlymussel) AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Quadrula intermedia</i>)	EXPN	0	684,829,309	100
1197	Pearlymussel, birdwing AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Conradilla caelata</i>)	EXPN	0	684,829,309	100
1197	Pearlymussel, dromedary AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Dromus dromas</i>)	EXPN	0	684,829,309	100
1197	Pigtoe, finereyed AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Fusconaia cuneolus</i>)	EXPN	0	684,829,309	100
1197	Pigtoe, shiny AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Fusconaia cor</i>)	EXPN	0	684,829,309	100
1197	Clubshell AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Pleurobema clava</i>)	EXPN	0	684,829,309	100
1197	Pearlymussel, cracking AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL (<i>Hemistena lata</i>)	EXPN	0	684,829,309	100
1197	Pocketbook, speckled (<i>Lampsilis streckeri</i>)	E	0	684,829,309	100
1197	Shagreen, Magazine Mountain (<i>Mesodon magazinensis</i>)	T	0	684,829,309	100
1197	Snail, painted snake coiled forest (<i>Anguispira picta</i>)	T	0	684,829,309	100
1197	Snail, Virginia fringed mountain (<i>Polygyris virginius</i>)	E	0	684,829,309	100
1197	Snail, armored (<i>Pyrgulopsis (=Marstonia) pachyta</i>)	E	0	684,829,309	100
1197	Elimia, lacy (snail) (<i>Elimia crenatella</i>)	T	0	684,829,309	100
1197	Lioplax, cylindrical (snail) (<i>Lioplax cyclostomaformis</i>)	E	0	684,829,309	100
1197	Pebblesnail, flat (<i>Lepyrium showalteri</i>)	E	0	684,829,309	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
1197	Rocksnail, painted (<i>Leptoxis taeniata</i>)	T	0	684,829,309	100
1197	Rocksnail, plicate (<i>Leptoxis plicata</i>)	E	0	684,829,309	100
1197	Rocksnail, round (<i>Leptoxis ampla</i>)	T	0	684,829,309	100
1197	Cameloma, slender (<i>Cameloma decampi</i>)	E	0	684,829,309	100
1197	Butterfly, San Bruno elfin (<i>Callophrys mossii bayensis</i>)	E	0	684,829,309	100
1197	Shrimp, Squirrel Chimney Cave (<i>Palaemonetes cummingi</i>)	T	0	684,829,309	100
1197	Crayfish, cave (<i>Cambarus aculabrum</i>)	E	0	684,829,309	100
1197	Manzanita, pallid (<i>Arctostaphylos pallida</i>)	T	0	684,829,309	100
1197	Barberry, island (<i>Berberis pinnata</i> ssp. <i>insularis</i>)	E	0	684,829,309	100
1197	Brodiaea, Chinese Camp (<i>Brodiaea pallida</i>)	T	0	684,829,309	100
1197	Pussypaws, Mariposa (<i>Calyptridium pulchellum</i>)	T	0	684,829,309	100
1197	Clarkia, Vine Hill (<i>Clarkia imbricata</i>)	E	0	684,829,309	100
1197	Dudleya, Santa Cruz Island (<i>Dudleya nesiotica</i>)	T	0	684,829,309	100
1197	Liveforever, Laguna Beach (<i>Dudleya stolonifera</i>)	T	0	684,829,309	100
1197	Lily, Pitkin Marsh (<i>Lilium pardalinum</i> ssp. <i>pitkinense</i>)	E	0	684,829,309	100
1197	Woodland-star, San Clemente Island (<i>Lithophragma maximum</i>)	E	0	684,829,309	100
1197	Lupine, Nipomo Mesa (<i>Lupinus nipomensis</i>)	E	0	684,829,309	100
1197	Bush-mallow, Santa Cruz Island (<i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i>)	E	0	684,829,309	100
1197	Navarretia, few-flowered (<i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i>))	E	0	684,829,309	100
1197	Navarretia, many-flowered (<i>Navarretia leucocephala</i> ssp. <i>plieantha</i>)	E	0	684,829,309	100
1197	Stonecrop, Lake County (<i>Parvisedum leiocarpum</i>)	E	0	684,829,309	100
1197	Allocarya, Calistoga (<i>Plagiobothrys strictus</i>)	E	0	684,829,309	100
1197	Bluegrass, Napa (<i>Poa napensis</i>)	E	0	684,829,309	100
1197	Fiddleneck, large-flowered (<i>Amsinckia grandiflora</i>)	E	0	684,829,309	100
1197	Manzanita, Presidio (<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>)	E	0	684,829,309	100
1197	Poppy, Sacramento prickly (<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>)	E	0	684,829,309	100
1197	Milk-vetch, Ash meadows (<i>Astragalus phoenix</i>)	T	0	684,829,309	100
1197	Bellflower, Brooksville (<i>Campanula robinsiae</i>)	E	0	684,829,309	100
1197	Indian paintbrush, San Clemente Island (<i>Castilleja grisea</i>)	E	0	684,829,309	100
1197	Centaury, spring-loving (<i>Centaurium namophilum</i>)	T	0	684,829,309	100
1197	Cactus, Nellie cory (<i>Coryphantha minima</i>)	E	0	684,829,309	100
1197	Larkspur, San Clemente Island (<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>)	E	0	684,829,309	100
1197	Pitaya, Davis' green (<i>Echinocereus viridiflorus</i> var. <i>davisii</i>)	E	0	684,829,309	100
1197	Cactus, Lloyd's Mariposa (<i>Echinomastus mariposensis</i>)	T	0	684,829,309	100
1197	Wallflower, Contra Costa (<i>Erysimum capitatum</i> var. <i>angustatum</i>)	E	0	684,829,309	100
1197	Ivesia, Ash Meadows (<i>Ivesia kingii</i> var. <i>eremica</i>)	T	0	684,829,309	100
1197	Water-willow, Cooley's (<i>Justicia cooleyi</i>)	E	0	684,829,309	100
1197	Bladderpod, lyrate (<i>Lesquerella lyrata</i>)	T	0	684,829,309	100
1197	Broom, San Clemente Island (<i>Lotus dendroideus</i> ssp. <i>traskiae</i>)	E	0	684,829,309	100
1197	Bush-mallow, San Clemente Island (<i>Malacothamnus clementinus</i>)	E	0	684,829,309	100
1197	Blazingstar, Ash Meadows (<i>Mentzelia leucophylla</i>)	T	0	684,829,309	100
1197	Oak, Hinckley (<i>Quercus hinckleyi</i>)	T	0	684,829,309	100
1197	Pamakani (<i>Tetramolopium capillare</i>)	E	0	684,829,309	100
1197	Palo de ramon (<i>Banara vanderbiltii</i>)	E	0	684,829,309	100
1197	Boxwood, Vahl's (<i>Buxus vahlia</i>)	E	0	684,829,309	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
1197	Manaca, palma de (<i>Calyptronomia rivalis</i>)	T	0	684,829,309	100
1197	Chamaecrista glandulosa var. mirabilis (=Sci name)	E	0	684,829,309	100
1197	Palo de nigua (<i>Cornutia obovata</i>)	E	0	684,829,309	100
1197	Higuero de sierra (<i>Crescentia portoricensis</i>)	E	0	684,829,309	100
1197	Cat's-eye, Terlingua Creek (<i>Cryptantha crassipes</i>)	E	0	684,829,309	100
1197	Daphnopsis hellerana (=Sci name)	E	0	684,829,309	100
1197	Thistle, Loch Lomond coyote (<i>Eryngium constancei</i>)	E	0	684,829,309	100
1197	Uvillo (<i>Eugenia haematocarpa</i>)	E	0	684,829,309	100
1197	Spurge, telephus (<i>Euphorbia telephioides</i>)	T	0	684,829,309	100
1197	Goetzea, beautiful (<i>Goetzea elegans</i>)	E	0	684,829,309	100
1197	Gumplant, Ash Meadows (<i>Grindelia fraxino-pratensis</i>)	T	0	684,829,309	100
1197	Higo, chumbo (<i>Harrisia portoricensis</i>)	T	0	684,829,309	100
1197	Holly, Cook's (<i>Ilex cookii</i>)	E	0	684,829,309	100
1197	Lepanthes eltoroensis (=Sci name)	E	0	684,829,309	100
1197	Bladderpod, San Bernardino Mountains (<i>Lesquerella kingii</i> ssp. <i>bernardina</i>)	E	0	684,829,309	100
1197	Mitracarpus maxwelliae (=Sci name)	E	0	684,829,309	100
1197	Mitracarpus polycladus (=Sci name)	E	0	684,829,309	100
1197	Niterwort, Amargosa (<i>Nitrophila mohavensis</i>)	E	0	684,829,309	100
1197	Palo de rosa (<i>Ottoschulzia rhodoxylon</i>)	E	0	684,829,309	100
1197	Peperomia, Wheeler's (<i>Peperomia wheeleri</i>)	E	0	684,829,309	100
1197	Chupacallos (<i>Pleodendron macranthum</i>)	E	0	684,829,309	100
1197	Mesa-mint, Otay (<i>Pogogyne nudiuscula</i>)	E	0	684,829,309	100
1197	Erubia (<i>Solanum drymophilum</i>)	E	0	684,829,309	100
1197	Cobana negra (<i>Stahlia monosperma</i>)	T	0	684,829,309	100
1197	Palo colorado (<i>Ternstroemia luquillensis</i>)	E	0	684,829,309	100
1197	Ternstroemia subsessilis (=Sci name)	E	0	684,829,309	100
1197	Bariaco (<i>Trichilia triacantha</i>)	E	0	684,829,309	100
1197	Mint, longspurred (<i>Dicerandra cornutissima</i>)	E	0	684,829,309	100
1197	Myrcia paganii (=Sci name)	E	0	684,829,309	100
1197	Palo de jazmin (<i>Styrax portoricensis</i>)	E	0	684,829,309	100
1197	Gesneria pauciflora (=Sci name)	T	0	684,829,309	100
1197	Schoepfia arenaria (=Sci name)	T	0	684,829,309	100
1197	Aristida chaseae (=Sci name)	E	0	684,829,309	100
1197	Auerodendron pauciflorum (=Sci name)	E	0	684,829,309	100
1197	Catesbaea melanocarpa (=Sci name)	E	0	684,829,309	100
1197	Ipomopsis, Holy Ghost (<i>Ipomopsis sancti-spiritus</i>)	E	0	684,829,309	100
1197	Walnut, West Indian or nogal (<i>Juglans jamaicensis</i>)	E	0	684,829,309	100
1197	Leptocereus grantianus (=Sci name)	E	0	684,829,309	100
1197	Lyonia truncata var. proctorii (=Sci name)	E	0	684,829,309	100
1197	Vernonia proctorii (=Sci name)	E	0	684,829,309	100
1197	Cranichis ricartii (=Sci name)	E	0	684,829,309	100
1197	Ilex sintenisii (=Sci name)	E	0	684,829,309	100
1197	Ceanothus, Vail Lake (<i>Ceanothus ophiophilus</i>)	T	0	684,829,309	100
1197	Eugenia woodburyana (=Sci name)	E	0	684,829,309	100
1197	Malacothrix, island (<i>Malacothrix squalida</i>)	E	0	684,829,309	100

Rank	Species (50 CFR Part 17)	Status	Species Total (\$)	Cumulative Total (\$)	Cumulative Percent (\$)
1197	Fern, pendant kihi (<i>Adenophorus periens</i>)	E	0	684,829,309	100
1197	Diellia, asplenium-leaved (<i>Diellia erecta</i>)	E	0	684,829,309	100
1197	Diplazium molokaiense (=Sci name)	E	0	684,829,309	100
1197	Fern, Elfin tree (<i>Cyathea dryopteroides</i>)	E	0	684,829,309	100
1197	Adiantum vivesii (=Sci name)	E	0	684,829,309	100
1197	Diellia unisora (=Sci name)	E	0	684,829,309	100
1197	Elaphoglossum serpens (=Sci name)	E	0	684,829,309	100
1197	Polystichum calderonense (=Sci name)	E	0	684,829,309	100
1197	Tectaria estremerana (=Sci name)	E	0	684,829,309	100
1197	Thelypteris inabonensis (=Sci name)	E	0	684,829,309	100
1197	Thelypteris verecunda (=Sci name)	E	0	684,829,309	100
1197	Thelypteris yaucoensis (=Sci name)	E	0	684,829,309	100
1197	Diellia pallida (=Sci name)	E	0	684,829,309	100

TOTAL

684,829,309